

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	1	890	24	0.0	133	438		116	25	3.15	513	0.0000			5
Havre, kärna, medel NDF (003)	1	1	642	32	0.0	113	297		267	25	2.00	374	0.0000			5
Råg (011)	1	1	718	15	0.0	78	557		134	25	6.60	548	0.0000			5
Grönmassa, gräs (0% baljv.) (161)	1	1	396	62	81.5	161			476	83	6.65		61.0000			140
Ensilage, gräs (0% klöver) (162)	1	7	425	76	73.7	150	601	94.2	475	167	4.68		57.2000	41.7	12.8	54
Ensilage, gräs (0% klöver) (162)	2	5	327	79	74.8	164	587	87.8	478	156	4.56		66.2000	49.2	15.4	25
Ensilage, gräs (0% klöver) (162)	3	1	429	81	76.8	156	520	66.0	446	141	4.75		58.0000	41.0	14.0	63
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	369	72	75.8	156	364		506	130	5.16		84.0000			83
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16	560	82	76.2	169	360		469	142	4.90		84.0000			92
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	609	80	78.2	193			452	122	5.26		84.0000			92
Ensilage, blandvall (1-50% klöver) (165)	0	1	340	61	71.3	141	679	125	498	195	3.83		53.8000	37.0	10.0	51
Ensilage, blandvall (1-50% klöver) (165)	1	26	387	67	76.5	142	658	94.2	474	136	4.87		62.0115	47.7	11.2	66
Ensilage, blandvall (1-50% klöver) (165)	2	15	527	73	74.9	170	527	59.3	459	165	4.37		40.1467	29.1	9.1	78
Ensilage, blandvall (1-50% klöver) (165)	3	2	354	77	76.4	170	541	52.5	419	164	4.41		68.0500	56.5	10.5	67
Ensilage, blandvall (1-50% klöver) (165)	4	1	319	84	76.0	189	603	103	453	148	4.63		80.7000	57.0	21.0	34
Korn, helsädesensilage (250)	1	4	427	65	68.7	122	547	71.0	493	240	3.46	56	49.5250	33.0	13.3	85
Havre helsädesensilage degmognad (296)	1	2	440	73	68.1	78	732	41.0	480	236	3.12	29	66.5000	53.0	13.5	99
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	349	51	73.9	123	731	37.0	346	239	2.64	137	81.0000	63.0	18.0	106
Råg, helsädesensilage, axgång (311)	1	1	239	59	73.8	131	794	141	533	156	4.71	17	91.0000	68.0	23.0	22
Hö, blandvall, 0-50% baljväxter (383)	1	2	896	59	65.5	79			624	208	3.81		0.0000			111
Grunnblanding Middels ford.grovför (326)	1	2	406	50	76.2	162	487	30.0	294	224	2.33	208	75.0000	42.0	30.5	9

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				97.6	-15	7.51	12.6		
Havre, kärna, medel NDF (003)	1	1				94.0	-24	7.21	11.2		
Råg (011)	1	1				102	-73	7.76	13.2		
Grönmassa, gräs (0% baljv.) (161)	1	1				94.5	10.1	6.78	12.1	82.0	20.0
Ensilage, gräs (0% klöver) (162)	1	7		1.06667		81.6	21.2	6.07	10.7	70.8	33.2
Ensilage, gräs (0% klöver) (162)	2	5		0.60000		83.0	32.0	6.24	10.8	70.8	41.4
Ensilage, gräs (0% klöver) (162)	3	1		2.00000		86.4	18.9	6.31	11.1	72.0	32.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16				86.9	21.3	6.35	11.1	75.7	19.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16				86.2	34.5	6.32	11.0	76.1	37.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3				89.3	51.4	6.57	11.4	77.3	59.0
Ensilage, blandvall (1-50% klöver) (165)	0	1		5.80000		79.7	19.1	5.90	10.4	70.0	20.0
Ensilage, blandvall (1-50% klöver) (165)	1	26	1.33333	2.12692		84.1	12.7	6.35	11.2	72.1	13.5
Ensilage, blandvall (1-50% klöver) (165)	2	15	1.50000	0.88000		88.3	32.2	6.22	10.9	71.4	46.2
Ensilage, blandvall (1-50% klöver) (165)	3	2	1.00000	0.05000		86.2	34.7	6.38	11.1	72.0	62.0
Ensilage, blandvall (1-50% klöver) (165)	4	1		1.70000		84.1	56.5	6.42	11.0	71.0	66.0
Korn, helsädesensilage (250)	1	4	5.00000	3.00000		73.4	-0.3	5.55	9.8	60.0	-7.0
Havre helsädesensilage degmognad (296)	1	2				68.9	-29	5.48			
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	0.00000	0.00000		73.3	6.0	6.23	11.0		
Råg, helsädesensilage, axgång (311)	1	1				69.2	15.7	6.22	9.9	60.0	10.0
Hö, blandvall, 0-50% baljväxter (383)	1	2				83.4	-45	5.09	9.5	68.0	-37
Grunnblanding Middels ford.grovfôr (326)	1	2	2.50000	0.00000		88.5	28.6	6.69	11.4		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	4	3.8	2.7	1.8	22.3	1.0	7.6	2.0	294	3	286.3	83.3	34.7	6.5	
Ensilage, gräs (0% klöver) (162)	2	4	4.9	3.1	2.2	29.6	1.4	13.3	2.6	275	4	136.5	91.8	34.8	8.3	
Ensilage, gräs (0% klöver) (162)	3	1	5.5	2.6	2.1	27.5	1.1	15.2	2.7	154	1	88.0	109.0	27.0	7.1	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	4.7	2.6	1.8	22.1	1.1	6.0	2.1	343	14	148.4	62.6	29.5	5.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	13	6.3	2.8	2.7	22.7	0.9	13.3	2.4	322	13	236.4	78.7	32.2	10.6	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	6.5	2.6	3.0	24.5	1.0		2.8	361	2	80.5	65.5	28.0	7.5	
Ensilage, blandvall (1-50% klöver) (165)	0	1	5.0	2.3	2.3	19.3	0.5	8.5	2.3	132	1	293.0	57.0	29.0	7.2	
Ensilage, blandvall (1-50% klöver) (165)	1	23	4.4	2.8	1.8	23.9	0.9	6.2	2.0	344	21	188.0	69.5	31.0	5.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	14	6.3	2.8	2.6	23.9	1.4	8.7	2.5	265	13	155.4	95.0	34.4	7.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	2	7.2	2.7	3.0	24.2	1.9	11.2	2.7	220	1	154.0	132.0	42.0	8.1	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.6	3.7	2.6	24.1	1.2	5.6	3.0	323	1	171.0	132.0	34.0	7.6	
Korn, helsädesensilage (250)	1	3	5.1	2.8	2.6	17.8	1.7	7.4	2.1	178	3	259.7	125.7	80.3	16.2	
Havre helsädesensilage degmognad (296)	1	2	3.3	2.7	1.7	20.8	0.7	6.1	1.5	298	2	356.0	115.0	23.5	4.8	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	5.4	2.5	1.5	16.8	0.3	9.1	1.3	105	1	110.0	121.0	43.0	6.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.7	2.5	1.4	22.2	0.2		1.2	361	2	58.0	41.0	23.0	4.3	
Grunnblanding Middels ford.grovför (326)	1	2	9.4	4.7	4.6	11.4	3.0	5.1	2.7	106	2	219.5	99.0	83.0	19.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	890.000	.	890.000	890.000
Aska	1	24.000	.	24.000	24.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	133.000	.	133.000	133.000
sRåprot	1	438.000	.	438.000	438.000
NDF	1	116.000	.	116.000	116.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	513.000	.	513.000	513.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	97.554	.	97.554	97.554
PBVp20	1	-14.750	.	-14.750	-14.750
NELp20	1	7.508	.	7.508	7.508
OE*	1	12.600	.	12.600	12.600

Fodermedel=Havre, kärna, medel NDF (003) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	642.000	.	642.000	642.000
Aska	1	32.000	.	32.000	32.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	113.000	.	113.000	113.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	267.000	.	267.000	267.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, medel NDF (003) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	374.000	.	374.000	374.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	94.033	.	94.033	94.033
PBVp20	1	-24.412	.	-24.412	-24.412
NELp20	1	7.205	.	7.205	7.205
OE*	1	11.200	.	11.200	11.200

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	718.000	.	718.000	718.000
Aska	1	15.000	.	15.000	15.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	78.000	.	78.000	78.000
sRåprot	1	557.000	.	557.000	557.000
NDF	1	134.000	.	134.000	134.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	548.000	.	548.000	548.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	101.944	.	101.944	101.944

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-72.974	.	-72.974	-72.974
NELp20	1	7.763	.	7.763	7.763
OE*	1	13.200	.	13.200	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	396.000	.	396.000	396.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	81.500	.	81.500	81.500
Råprot	1	161.000	.	161.000	161.000
NDF	1	476.000	.	476.000	476.000
iNDF	1	83.492	.	83.492	83.492
nhNDF	1	6.647	.	6.647	6.647
TAF	1	61.000	.	61.000	61.000
Socker	1	140.000	.	140.000	140.000
AATp20	1	94.543	.	94.543	94.543
PBVp20	1	10.133	.	10.133	10.133
NELp20	1	6.781	.	6.781	6.781
OE*	1	12.100	.	12.100	12.100
AAT*	1	82.000	.	82.000	82.000
PBV*	1	20.000	.	20.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	424.714	168.935	227.000	690.000
Aska	7	75.857	23.018	34.000	107.000
OS smbh	7	73.671	9.998	55.000	81.000
Råprot	7	149.714	31.266	95.000	178.000
sRåprot	7	601.000	85.522	459.000	687.000
NH3-N	6	94.167	31.708	56.000	149.000
NDF	7	474.714	74.049	405.000	584.000
iNDF	7	166.561	93.436	96.381	329.067
nhNDF	7	4.680	1.289	2.194	5.732
TAF	7	57.200	33.735	15.500	114.100
Mjölksyra	7	41.714	33.425	1.000	97.000
Ättiksyra	6	12.833	5.193	6.000	21.000
Socker	7	53.714	40.664	10.000	112.000
BUF	6	1.067	1.409	0.100	3.900
AATp20	7	81.626	9.461	62.305	92.148
PBVp20	7	21.160	17.395	-4.757	40.168
NELp20	7	6.070	0.946	4.232	6.743
OE*	7	10.656	1.665	7.300	11.800
AAT*	6	70.833	5.345	60.000	74.000
PBV*	6	33.167	20.971	-8.000	51.000
Ca	4	3.825	0.435	3.200	4.200
P	4	2.700	0.668	1.700	3.100
Mg	4	1.750	0.238	1.500	2.000
K	4	22.250	6.692	12.800	28.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.975	0.486	0.700	1.700
Cl	7	7.643	2.181	5.400	10.400
S	4	1.975	0.330	1.500	2.200
CAB	4	293.641	147.170	79.666	406.526
Fe	3	286.333	194.202	152.000	509.000
Mn	3	83.333	19.035	65.000	103.000
Zn	3	34.667	4.933	29.000	38.000
Cu	3	6.500	0.624	6.000	7.200

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	326.600	75.484	234.000	441.000
Aska	5	79.200	10.918	69.000	95.000
OS smbh	5	74.780	1.959	73.000	77.900
Råprot	5	164.000	12.470	152.000	183.000
sRåprot	5	587.400	35.374	531.000	622.000
NH3-N	5	87.800	10.257	72.000	97.000
NDF	5	477.600	27.080	446.000	511.000
iNDF	5	155.663	18.668	125.753	168.461
nhNDF	5	4.561	0.344	4.238	5.106
TAF	5	66.200	11.533	53.900	81.100
Mjölksyra	5	49.200	9.731	38.000	61.000
Ättiksyra	5	15.400	2.702	12.000	19.000
Socker	5	25.000	19.144	10.000	51.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	5	0.600	0.557	0.100	1.400
AATp20	5	82.962	2.642	80.101	86.679
PBVp20	5	32.035	8.247	21.284	43.336
NELp20	5	6.242	0.149	6.138	6.497
OE*	5	10.800	0.255	10.600	11.200
AAT*	5	70.800	0.837	70.000	72.000
PBV*	5	41.400	11.610	29.000	58.000
Ca	4	4.925	0.287	4.600	5.300
P	4	3.050	0.058	3.000	3.100
Mg	4	2.175	0.236	2.000	2.500
K	4	29.575	2.421	26.600	32.300
Na	4	1.400	0.337	1.000	1.800
Cl	5	13.280	4.476	9.800	21.000
S	4	2.550	0.191	2.400	2.800
CAB	4	274.790	100.796	128.559	356.552
Fe	4	136.500	18.339	115.000	158.000
Mn	4	91.750	8.995	81.000	101.000
Zn	4	34.750	3.862	29.000	37.000
Cu	4	8.325	0.450	7.700	8.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	429.000	.	429.000	429.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	76.800	.	76.800	76.800
Råprot	1	156.000	.	156.000	156.000
sRåprot	1	520.000	.	520.000	520.000
NH3-N	1	66.000	.	66.000	66.000
NDF	1	446.000	.	446.000	446.000
iNDF	1	141.348	.	141.348	141.348
nhNDF	1	4.749	.	4.749	4.749
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	41.000	.	41.000	41.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	63.000	.	63.000	63.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	86.435	.	86.435	86.435
PBVp20	1	18.882	.	18.882	18.882
NELp20	1	6.312	.	6.312	6.312
OE*	1	11.100	.	11.100	11.100
AAT*	1	72.000	.	72.000	72.000
PBV*	1	32.000	.	32.000	32.000
Ca	1	5.500	.	5.500	5.500
P	1	2.600	.	2.600	2.600
Mg	1	2.100	.	2.100	2.100
K	1	27.500	.	27.500	27.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.100	.	1.100	1.100
Cl	1	15.200	.	15.200	15.200
S	1	2.700	.	2.700	2.700
CAB	1	154.232	.	154.232	154.232
Fe	1	88.000	.	88.000	88.000
Mn	1	109.000	.	109.000	109.000
Zn	1	27.000	.	27.000	27.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	369.375	108.715	245.000	505.000
Aska	16	72.375	9.695	59.000	87.000
OS smbh	16	75.819	5.438	68.200	82.700
Råprot	16	156.375	31.700	107.000	202.000
sRåprot	3	364.000	91.537	301.000	469.000
NDF	16	506.125	75.441	406.000	605.000
iNDF	16	129.700	42.816	65.694	186.568
nhNDF	16	5.159	0.863	4.096	6.273
TAF	16	84.000	0.000	84.000	84.000
Socker	16	83.000	54.905	15.000	165.000
AATp20	16	86.910	7.219	78.139	98.908
PBVp20	16	21.257	21.069	-10.494	51.450
NELp20	16	6.346	0.469	5.698	6.878

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	16	11.058	0.913	9.800	12.300
AAT*	13	75.692	5.154	70.000	83.000
PBV*	13	19.000	23.913	-15.000	47.000
Ca	14	4.686	0.850	3.800	6.000
P	14	2.586	0.405	2.100	3.100
Mg	14	1.829	0.371	1.400	2.300
K	14	22.129	4.843	15.800	28.100
Na	14	1.100	0.935	0.200	2.400
Cl	3	6.033	1.002	5.000	7.000
S	14	2.079	0.406	1.400	2.500
CAB	14	343.421	107.102	191.167	472.417
Fe	14	148.429	75.731	69.000	230.000
Mn	14	62.643	19.122	50.000	94.000
Zn	14	29.500	4.485	21.000	35.000
Cu	14	5.807	1.178	4.900	7.400
Se	2	0.060	0.071	0.010	0.110

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	559.563	179.764	337.000	825.000
Aska	16	82.188	10.790	65.000	93.000
OS smbh	16	76.206	2.650	71.500	79.300
Råprot	16	169.188	21.852	140.000	196.000
sRåprot	1	360.000	.	360.000	360.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	16	468.938	39.725	431.000	508.000
iNDF	16	142.165	39.535	110.229	176.091
nhNDF	16	4.895	0.818	4.208	5.590
TAF	16	84.000	0.000	84.000	84.000
Socker	16	92.000	30.378	38.000	123.000
AATp20	16	86.151	3.119	82.513	89.898
PBVp20	16	34.512	19.918	8.704	65.557
NELp20	16	6.316	0.267	6.012	6.638
OE*	16	10.999	0.432	10.400	11.600
AAT*	15	76.067	2.314	73.000	78.000
PBV*	15	37.600	23.518	8.000	68.000
Ca	13	6.277	2.434	4.500	8.800
P	13	2.762	0.348	2.400	3.100
Mg	13	2.715	0.608	2.100	3.500
K	13	22.731	5.776	13.700	30.000
Na	13	0.923	0.504	0.200	1.500
Cl	1	13.300	.	13.300	13.300
S	13	2.377	0.446	1.900	2.900
CAB	13	321.896	177.376	60.924	504.626
Fe	13	236.385	420.514	72.000	238.000
Mn	13	78.692	23.030	54.000	93.000
Zn	13	32.231	10.879	22.000	40.000
Cu	13	10.585	12.806	5.000	10.500
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	609.000	105.929	509.000	720.000
Aska	3	80.000	7.211	74.000	88.000
OS smbh	3	78.233	2.023	75.900	79.500
Råprot	3	192.667	23.352	172.000	218.000
NDF	3	452.000	33.045	414.000	474.000
iNDF	3	122.070	24.642	98.751	147.850
nhNDF	3	5.263	0.657	4.697	5.984
TAF	3	84.000	0.000	84.000	84.000
Socker	3	92.000	9.165	82.000	100.000
AATp20	3	89.330	2.262	87.144	91.662
PBVp20	3	51.402	19.793	31.928	71.500
NELp20	3	6.570	0.139	6.413	6.676
OE*	3	11.400	0.265	11.100	11.600
AAT*	3	77.333	1.155	76.000	78.000
PBV*	3	59.000	23.065	37.000	83.000
Ca	2	6.500	0.141	6.400	6.600
P	2	2.550	0.212	2.400	2.700
Mg	2	3.000	0.990	2.300	3.700
K	2	24.500	4.950	21.000	28.000
Na	2	0.950	0.495	0.600	1.300
S	2	2.800	0.141	2.700	2.900
CAB	2	360.508	139.274	262.027	458.990
Fe	2	80.500	0.707	80.000	81.000
Mn	2	65.500	28.991	45.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	28.000	2.828	26.000	30.000
Cu	2	7.450	0.495	7.100	7.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	340.000	.	340.000	340.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	71.300	.	71.300	71.300
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	679.000	.	679.000	679.000
NH3-N	1	125.000	.	125.000	125.000
NDF	1	498.000	.	498.000	498.000
iNDF	1	194.821	.	194.821	194.821
nhNDF	1	3.826	.	3.826	3.826
TAF	1	53.800	.	53.800	53.800
Mjölksyra	1	37.000	.	37.000	37.000
Ättiksyra	1	10.000	.	10.000	10.000
Socket	1	51.000	.	51.000	51.000
BUF	1	5.800	.	5.800	5.800
AATp20	1	79.681	.	79.681	79.681
PBVp20	1	19.121	.	19.121	19.121
NELp20	1	5.902	.	5.902	5.902
OE*	1	10.400	.	10.400	10.400
AAT*	1	70.000	.	70.000	70.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	20.000	.	20.000	20.000
Ca	1	5.000	.	5.000	5.000
P	1	2.300	.	2.300	2.300
Mg	1	2.300	.	2.300	2.300
K	1	19.300	.	19.300	19.300
Na	1	0.500	.	0.500	0.500
Cl	1	8.500	.	8.500	8.500
S	1	2.300	.	2.300	2.300
CAB	1	132.159	.	132.159	132.159
Fe	1	293.000	.	293.000	293.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.200	.	7.200	7.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	26	387.115	98.869	270.000	519.000
Aska	26	66.731	8.591	50.000	77.000
OS smbh	26	76.450	4.092	70.300	80.400
Råprot	26	142.385	34.755	90.000	185.000
sRåprot	26	657.846	70.159	596.000	747.000
NH3-N	26	94.154	30.796	62.000	130.000
NDF	26	473.962	64.640	408.000	593.000
iNDF	26	135.624	33.059	102.507	181.506

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	26	4.873	0.652	4.158	5.699
TAF	26	62.012	28.485	21.400	96.100
Mjölksyra	26	47.654	25.619	12.000	81.000
Ättiksyra	26	11.192	4.214	6.000	17.000
Socker	26	66.077	29.802	27.000	109.000
PRF	3	1.333	1.528	0.000	3.000
BUF	26	2.127	3.446	0.100	6.200
AATp20	26	84.109	4.541	79.841	89.343
PBVp20	26	12.718	28.675	-17.761	49.173
NELp20	26	6.354	0.445	5.669	6.877
OE*	26	11.237	0.650	10.300	12.000
AAT*	23	72.130	1.766	70.000	74.000
PBV*	23	13.522	30.408	-25.000	55.000
Ca	23	4.426	1.150	3.100	6.200
P	23	2.813	0.431	2.100	3.300
Mg	23	1.770	0.287	1.500	2.100
K	23	23.891	4.433	18.400	28.200
Na	23	0.891	0.506	0.300	1.500
Cl	26	6.238	2.587	3.600	8.400
S	23	2.000	0.399	1.500	2.500
CAB	23	344.257	137.799	212.165	507.220
Fe	21	188.000	100.338	96.000	332.000
Mn	21	69.476	12.667	53.000	81.000
Zn	21	31.048	5.895	23.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	21	5.548	1.090	4.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	526.733	151.301	340.000	723.000
Aska	15	72.867	10.521	58.000	85.000
OS smbh	15	74.900	1.707	73.000	77.100
Råprot	15	170.067	13.646	151.000	189.000
sRåprot	15	527.133	96.609	460.000	646.000
NH3-N	15	59.267	24.621	31.000	89.000
NDF	15	459.133	29.897	422.000	488.000
iNDF	15	164.724	21.325	140.000	195.341
nhNDF	15	4.372	0.357	3.966	4.756
TAF	15	40.147	26.687	8.500	83.700
Mjölksyra	15	29.067	21.950	4.000	62.000
Ättiksyra	15	9.133	5.343	4.000	15.000
Socker	15	78.267	35.570	35.000	134.000
PRF	2	1.500	2.121	0.000	3.000
BUF	15	0.880	0.766	0.000	1.800
AATp20	15	88.273	4.609	83.418	91.737
PBVp20	15	32.195	16.492	9.023	53.084
NELp20	15	6.224	0.217	5.991	6.562
OE*	15	10.895	0.308	10.500	11.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	13	71.385	0.768	71.000	72.000
PBV*	13	46.154	14.259	28.000	65.000
Ca	14	6.271	1.646	5.200	9.800
P	14	2.836	0.341	2.500	3.400
Mg	14	2.629	0.391	2.200	3.200
K	14	23.886	3.874	17.900	27.700
Na	14	1.357	0.557	0.700	2.200
Cl	15	8.653	2.919	4.700	12.500
S	14	2.457	0.210	2.300	2.700
CAB	14	265.216	100.170	148.667	390.898
Fe	13	155.385	111.810	85.000	247.000
Mn	13	95.000	21.878	67.000	124.000
Zn	13	34.385	4.646	27.000	39.000
Cu	13	7.500	1.150	6.200	8.500
Se	1	0.130	.	0.130	0.130

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	353.500	26.163	335.000	372.000
Aska	2	76.500	9.192	70.000	83.000
OS smbh	2	76.350	0.636	75.900	76.800
Råprot	2	169.500	23.335	153.000	186.000
sRåprot	2	541.000	32.527	518.000	564.000
NH3-N	2	52.500	36.062	27.000	78.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	418.500	0.707	418.000	419.000
iNDF	2	164.329	3.294	162.000	166.659
nhNDF	2	4.407	0.404	4.121	4.693
TAF	2	68.050	1.485	67.000	69.100
Mjölksyra	2	56.500	2.121	55.000	58.000
Ättiksyra	2	10.500	3.536	8.000	13.000
Socker	2	66.500	26.163	48.000	85.000
PRF	1	1.000	.	1.000	1.000
BUF	2	0.050	0.071	0.000	0.100
AATp20	2	86.211	1.997	84.799	87.623
PBVp20	2	34.718	18.894	21.358	48.078
NELp20	2	6.380	0.038	6.352	6.407
OE*	2	11.095	0.007	11.090	11.100
AAT*	1	72.000	.	72.000	72.000
PBV*	1	62.000	.	62.000	62.000
Ca	2	7.150	1.202	6.300	8.000
P	2	2.700	0.566	2.300	3.100
Mg	2	2.950	0.354	2.700	3.200
K	2	24.200	6.930	19.300	29.100
Na	2	1.850	0.778	1.300	2.400
Cl	2	11.150	2.899	9.100	13.200
S	2	2.650	0.212	2.500	2.800
CAB	2	219.651	142.639	118.790	320.512
Fe	1	154.000	.	154.000	154.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	132.000	.	132.000	132.000
Zn	1	42.000	.	42.000	42.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	319.000	.	319.000	319.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	76.000	.	76.000	76.000
Råprot	1	189.000	.	189.000	189.000
sRåprot	1	603.000	.	603.000	603.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	453.000	.	453.000	453.000
iNDF	1	148.000	.	148.000	148.000
nhNDF	1	4.630	.	4.630	4.630
TAF	1	80.700	.	80.700	80.700
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	34.000	.	34.000	34.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	84.058	.	84.058	84.058
PBVp20	1	56.505	.	56.505	56.505
NELp20	1	6.416	.	6.416	6.416
OE*	1	11.000	.	11.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	71.000	.	71.000	71.000
PBV*	1	66.000	.	66.000	66.000
Ca	1	6.600	.	6.600	6.600
P	1	3.700	.	3.700	3.700
Mg	1	2.600	.	2.600	2.600
K	1	24.100	.	24.100	24.100
Na	1	1.200	.	1.200	1.200
Cl	1	5.600	.	5.600	5.600
S	1	3.000	.	3.000	3.000
CAB	1	323.296	.	323.296	323.296
Fe	1	171.000	.	171.000	171.000
Mn	1	132.000	.	132.000	132.000
Zn	1	34.000	.	34.000	34.000
Cu	1	7.600	.	7.600	7.600

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	426.750	42.680	370.000	473.000
Aska	4	64.750	15.414	51.000	83.000
OS smbh	4	68.700	1.506	67.300	70.100
Råprot	4	121.500	18.484	102.000	145.000
sRåprot	4	546.500	159.880	356.000	747.000
NH3-N	4	71.000	41.093	14.000	103.000
NDF	4	492.750	67.825	431.000	585.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	4	239.660	40.579	203.984	285.000
nhNDF	4	3.462	0.530	2.667	3.755
Stä	4	55.750	33.330	18.000	98.000
TAF	4	49.525	25.389	25.700	78.000
Mjölksyra	4	33.000	16.753	18.000	48.000
Ättiksyra	4	13.250	6.898	6.000	22.000
Socker	4	84.500	28.455	46.000	113.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	4	73.449	5.441	68.402	80.004
PBVp20	4	-0.291	10.748	-11.047	9.500
NELp20	4	5.547	0.144	5.416	5.677
OE*	2	9.835	0.191	9.700	9.970
AAT*	1	60.000	.	60.000	60.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	3	5.133	2.101	3.000	7.200
P	3	2.833	0.802	2.000	3.600
Mg	3	2.600	1.082	1.700	3.800
K	3	17.767	1.106	16.600	18.800
Na	3	1.667	0.896	1.100	2.700
Cl	4	7.350	1.634	5.600	9.300
S	3	2.133	0.208	1.900	2.300
CAB	3	178.497	70.293	99.905	235.358
Fe	3	259.667	141.001	119.000	401.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	3	125.667	80.625	61.000	216.000
Zn	3	80.333	73.874	29.000	165.000
Cu	3	16.200	17.242	4.500	36.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	440.000	5.6569	436.000	444.000
Aska	2	72.500	4.9497	69.000	76.000
OS smbh	2	68.050	1.4849	67.000	69.100
Råprot	2	77.500	10.6066	70.000	85.000
sRåprot	2	732.000	7.0711	727.000	737.000
NH3-N	2	41.000	5.6569	37.000	45.000
NDF	2	479.500	20.5061	465.000	494.000
iNDF	2	236.291	8.8784	230.013	242.569
nhNDF	2	3.125	0.0987	3.055	3.195
Stä	2	29.000	4.2426	26.000	32.000
TAF	2	66.500	0.7071	66.000	67.000
Mjölksyra	2	53.000	1.4142	52.000	54.000
Ättiksyra	2	13.500	0.7071	13.000	14.000
Socker	2	99.000	9.8995	92.000	106.000
AATp20	2	68.911	0.6617	68.443	69.378
PBVp20	2	-28.626	10.4597	-36.022	-21.230
NELp20	2	5.478	0.0225	5.462	5.494
Ca	2	3.250	0.7778	2.700	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	2.650	0.2121	2.500	2.800
Mg	2	1.650	0.0707	1.600	1.700
K	2	20.800	0.2828	20.600	21.000
Na	2	0.700	0.4243	0.400	1.000
Cl	2	6.050	1.0607	5.300	6.800
S	2	1.500	0.2828	1.300	1.700
CAB	2	298.232	21.8753	282.763	313.700
Fe	2	356.000	98.9949	286.000	426.000
Mn	2	115.000	60.8112	72.000	158.000
Zn	2	23.500	0.7071	23.000	24.000
Cu	2	4.800	0.5657	4.400	5.200

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	349.000	.	349.000	349.000
Aska	1	51.000	.	51.000	51.000
OS smbh	1	73.900	.	73.900	73.900
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	731.000	.	731.000	731.000
NH3-N	1	37.000	.	37.000	37.000
NDF	1	346.000	.	346.000	346.000
iNDF	1	239.000	.	239.000	239.000
nhNDF	1	2.642	.	2.642	2.642
Stä	1	137.000	.	137.000	137.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	106.000	.	106.000	106.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.337	.	73.337	73.337
PBVp20	1	6.049	.	6.049	6.049
NELp20	1	6.228	.	6.228	6.228
OE*	1	10.990	.	10.990	10.990
Ca	1	5.400	.	5.400	5.400
P	1	2.500	.	2.500	2.500
Mg	1	1.500	.	1.500	1.500
K	1	16.800	.	16.800	16.800
Na	1	0.300	.	0.300	0.300
Cl	1	9.100	.	9.100	9.100
S	1	1.300	.	1.300	1.300
CAB	1	105.123	.	105.123	105.123
Fe	1	110.000	.	110.000	110.000
Mn	1	121.000	.	121.000	121.000
Zn	1	43.000	.	43.000	43.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	239.000	.	239.000	239.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	73.800	.	73.800	73.800
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	794.000	.	794.000	794.000
NH3-N	1	141.000	.	141.000	141.000
NDF	1	533.000	.	533.000	533.000
iNDF	1	156.358	.	156.358	156.358
nhNDF	1	4.713	.	4.713	4.713
Stä	1	17.000	.	17.000	17.000
TAF	1	91.000	.	91.000	91.000
Mjölksyra	1	68.000	.	68.000	68.000
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	22.000	.	22.000	22.000
AATp20	1	69.186	.	69.186	69.186
PBVp20	1	15.670	.	15.670	15.670
NELp20	1	6.219	.	6.219	6.219
OE*	1	9.900	.	9.900	9.900
AAT*	1	60.000	.	60.000	60.000
PBV*	1	10.000	.	10.000	10.000
CI	1	0.800	.	0.800	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	896.000	9.8995	889.000	903.000
Aska	2	58.500	0.7071	58.000	59.000
OS smbh	2	65.500	0.0000	65.500	65.500
Råprot	2	79.000	2.8284	77.000	81.000
NDF	2	623.500	16.2635	612.000	635.000
iNDF	2	208.411	5.6165	204.439	212.382
nhNDF	2	3.808	0.1314	3.715	3.901
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	110.500	6.3640	106.000	115.000
AATp20	2	83.408	0.4886	83.063	83.754
PBVp20	2	-45.229	1.8302	-46.524	-43.935
NELp20	2	5.091	0.0439	5.060	5.123
OE*	2	9.500	0.0000	9.500	9.500
AAT*	2	68.000	0.0000	68.000	68.000
PBV*	2	-37.000	2.8284	-39.000	-35.000
Ca	2	2.700	1.5556	1.600	3.800
P	2	2.500	0.2828	2.300	2.700
Mg	2	1.350	0.4950	1.000	1.700
K	2	22.200	1.5556	21.100	23.300
Na	2	0.200	0.1414	0.100	0.300
S	2	1.200	0.0000	1.200	1.200
CAB	2	360.626	33.6373	336.840	384.411
Fe	2	58.000	29.6985	37.000	79.000
Mn	2	41.000	0.0000	41.000	41.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	23.000	1.4142	22.000	24.000
Cu	2	4.300	0.9899	3.600	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	406.000	5.6569	402.000	410.000
Aska	2	49.500	2.1213	48.000	51.000
OS smbh	2	76.150	0.6364	75.700	76.600
Råprot	2	162.000	1.4142	161.000	163.000
sRåprot	2	486.500	14.8492	476.000	497.000
NH3-N	2	30.000	9.8995	23.000	37.000
NDF	2	293.500	19.0919	280.000	307.000
iNDF	2	223.500	7.7782	218.000	229.000
nhNDF	2	2.330	0.0583	2.289	2.371
Stä	2	208.000	8.4853	202.000	214.000
TAF	2	75.000	2.8284	73.000	77.000
Mjölksyra	2	42.000	0.0000	42.000	42.000
Ättiksyra	2	30.500	3.5355	28.000	33.000
Socker	2	8.500	4.9497	5.000	12.000
PRF	2	2.500	0.7071	2.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	88.500	1.0916	87.728	89.272
PBVp20	2	28.611	0.3747	28.346	28.876
NELp20	2	6.685	0.0426	6.655	6.715

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	11.390	0.0849	11.330	11.450
Ca	2	9.400	0.0000	9.400	9.400
P	2	4.700	0.1414	4.600	4.800
Mg	2	4.600	0.1414	4.500	4.700
K	2	11.350	0.3536	11.100	11.600
Na	2	2.950	0.2121	2.800	3.100
Cl	2	5.100	0.0000	5.100	5.100
S	2	2.700	0.0000	2.700	2.700
CAB	2	106.130	0.1808	106.002	106.258
Fe	2	219.500	3.5355	217.000	222.000
Mn	2	99.000	2.8284	97.000	101.000
Zn	2	83.000	1.4142	82.000	84.000
Cu	2	19.500	0.7071	19.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet