

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjöl- syra	Ättik- syra	Socker
Korn, kärna (001)	1	2	870	20	43.0	99	310		143	94	3.15	588	0.000			5
Vete, kärna (005)	1	1	860	17	88.0	133		5.0		187	3.50	638	0.000			
Ärter, kärna (006)	1	1	857	28	92.0	224		3.0		13	7.90	474	0.000			
Grönmassa, gräs (0% baljv.) (161)	1	2	300	77	80.7	215	362		417	83	5.24		61.000			113
Grönmassa, gräs (0% baljv.) (161)	3	1	158	110	85.4	277	297		388	51	9.24		61.000			99
Ensilage, gräs (0% klöver) (162)	1	18	429	67	73.9	132	585	77.2	481	169	4.46		76.583	56.0	17.8	58
Ensilage, gräs (0% klöver) (162)	2	5	332	83	75.1	145	541	85.6	435	166	4.22		81.480	62.2	18.0	40
Ensilage, gräs (0% klöver) (162)	3	2	246	93	72.8	189	561	220	471	198	4.62		118.500	51.0	43.0	7
Ensilage, gräs (0% klöver) (162)	5	2	271	88	72.9	194	555	175	475	192	4.53		118.000	56.5	44.0	10
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	339	70	79.2	133			454	113	5.52		84.000			143
Grönmassa blandvall (1-50 % baljväxter) (164)	1	52	387	72	78.1	149	433		457	112	5.12		84.000			122
Grönmassa blandvall (1-50 % baljväxter) (164)	2	41	419	87	76.2	159	402		471	132	4.77		84.000			89
Grönmassa blandvall (1-50 % baljväxter) (164)	3	12	428	87	75.5	170	390		454	154	4.68		84.000			86
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	835	64	80.4	137			429	106	5.60		84.000			194
Ensilage, blandvall (1-50% klöver) (165)	0	8	374	88	72.5	130	572	91.4	433	201	3.64		70.800	52.8	12.9	64
Ensilage, blandvall (1-50% klöver) (165)	1	136	402	72	76.7	142	651	87.4	452	140	4.75		63.753	48.4	12.3	71
Ensilage, blandvall (1-50% klöver) (165)	2	107	460	83	74.9	147	544	74.4	448	166	4.34		55.815	41.6	11.7	68
Ensilage, blandvall (1-50% klöver) (165)	3	25	466	84	75.9	160	530	72.4	416	167	4.38		50.244	36.9	10.2	79
Ensilage, blandvall (1-50% klöver) (165)	4	4	399	91	74.0	141	554	87.5	442	174	4.03		70.975	58.8	10.8	45
Ensilage, blandvall (1-50% klöver) (165)	5	1	519	84	79.8	166	632	58.0	417	107	5.28		76.000	69.0	7.0	75
Korn, helsädesensilage (250)	1	13	470	66	69.4	94	616	70.8	439	244	2.92	120	44.108	30.7	11.8	84
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	410	72	67.6	107	590	78.6	441	264	2.69	101	60.875	44.5	14.4	50
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	418	73	69.0	130	587	55.0	373	338	2.61	119	109.000	62.0	40.0	59
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	515	72	62.3	103	485	33.0	470	516	7.21	79	27.500	17.0	10.0	58
Havre helsädesensilage degmognad (296)	1	3	378	66	67.0	102	562	89.0	476	271	3.17	56	72.000	54.7	15.0	48

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socket
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	429	61	64.4	116	456	47.0	484	279	2.55	54	56.500	35.5	21.0	59
Vete, helsäd ensilage (299)	1	4	448	68	66.5	96	655	88.0	532	231	3.29	41	62.750	43.8	16.5	56
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	10	389	58	71.3	111	587	60.5	389	247	2.66	163	51.200	38.5	11.2	62
Majs, helsädesensilage (305)	1	4	334	29	75.2	76	607	57.5	385	192	3.16	299	85.250	63.8	15.3	7
Råg, helsädesensilage, axgång (311)	1	1	333	85	76.8	77	829	107	440	142	4.71	17	64.000	40.0	24.0	149
Hö, blandvall, 0-50% baljväxter (383)	0	1	879	54	64.1	113			591	234	3.30		0.000			104
Hö, blandvall, 0-50% baljväxter (383)	1	6	807	57	66.4	84	414		583	217	3.66		0.000			113
Grunnblanding Middels ford.grovför (326)	1	4	436	60	74.3	146	510	56.0	334	236	2.72	203	41.250	28.0	8.8	49
Råvarublandning - ej kompletta data (1E3)	1	1	849	19	0.0	131		6.0	151			614	0.000			

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	2				95.9	-45	7.37	13.4	93.0	-38
Vete, kärna (005)	1	1				116	-37	7.86	14.0	95.0	-23
Ärter, kärna (006)	1	1				103	74.6	7.65	13.8	99.0	65.0
Grönmassa, gräs (0% baljv.) (161)	1	2				99.8	51.5	6.75	11.8		
Grönmassa, gräs (0% baljv.) (161)	3	1				110	91.1	7.23	12.1		
Ensilage, gräs (0% klöver) (162)	1	18	4.20000	0.9167		79.9	7.8	6.11	10.8	71.4	-8.6
Ensilage, gräs (0% klöver) (162)	2	5		0.2800		81.1	17.1	6.16	10.8	71.0	22.4
Ensilage, gräs (0% klöver) (162)	3	2	9.50000	15.0000		77.1	64.3	6.08	10.3		
Ensilage, gräs (0% klöver) (162)	5	2	7.50000	10.0000		78.3	67.1	6.17	10.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.4	-1.8	6.45	11.6	80.0	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	52				88.0	12.3	6.44	11.4	78.5	9.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	41				86.2	24.9	6.27	10.9	74.6	26.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	12				86.2	33.8	6.22	10.9	74.5	40.8
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1				89.0	-0.6	6.54	11.9	81.0	-3.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	0	8		4.1750		78.4	10.2	5.79	10.3	69.6	10.1
Ensilage, blandvall (1-50% klöver) (165)	1	136	1.61905	1.9147		83.6	12.7	6.33	11.2	72.2	16.3
Ensilage, blandvall (1-50% klöver) (165)	2	107	1.35714	1.3321		84.1	16.8	6.12	10.8	71.0	24.3
Ensilage, blandvall (1-50% klöver) (165)	3	25	1.25000	2.1240		86.4	25.3	6.18	10.9	71.3	32.8
Ensilage, blandvall (1-50% klöver) (165)	4	4	0.00000	0.7250		80.6	17.0	6.02	10.6	69.3	19.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	0.0000		86.1	31.2	6.68	11.6		
Korn, helsädesensilage (250)	1	13	0.00000	0.0000		72.6	-22	5.53	10.0	63.0	-40
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8				70.9	-4.3	5.50	10.1	62.5	-14
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	7.00000	0.0000		67.1	22.5	5.78	9.9		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1				71.2	-8.2	5.09			
Havre helsädesensilage degmognad (296)	1	3	4.00000	3.0000		73.5	-15	5.53	9.9		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				69.5	4.4	5.29			
Vete, helsäd ensilage (299)	1	4				68.1	-13	5.39			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	10	2.50000	1.2500		76.9	-11	5.88	10.6	63.0	-16
Majs, helsädesensilage (305)	1	4	6.25000	0.0000		79.0	-48	6.62	11.5		
Råg, helsädesensilage, axgång (311)	1	1				73.0	-37	5.92			
Hö, blandvall, 0-50% baljväxter (383)	0	1				85.2	-16	5.07	9.3	67.0	-2.0
Hö, blandvall, 0-50% baljväxter (383)	1	6				84.9	-43	5.17	9.7	68.8	-36
Grunnblandning Middels ford.grovför (326)	1	4	4.50000	0.0000		87.6	14.9	6.32	11.0		
Råvarublandning - ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.4	3.4	1.1	5.8	0.2	4.4	1.2	4	2	50.0	14.5	27.5	4.9	0.1
Vete, kärna (005)	1	1	0.4	3.7	1.5	5.2	0.1		1.4	24	1	51.0	52.0	31.0	5.4	
Ärter, kärna (006)	1	1	1.0	3.9	1.4	10.8	0.1		2.0	99	1	55.0	10.0	28.0	7.3	0.0
Grönmassa, gräs (0% baljv.) (161)	1	2	6.1	2.8	2.2	26.5	1.1	10.1	2.6	345	1	65.0	53.0	28.0	9.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	4.7	3.4	2.1	35.7	0.4	17.7	3.9	188	1	88.0	33.0	31.0	9.0	
Ensilage, gräs (0% klöver) (162)	1	18	5.2	2.4	1.8	20.8	0.5	4.7	1.6	322	18	166.2	92.8	25.1	6.6	0.0
Ensilage, gräs (0% klöver) (162)	2	5	7.2	2.9	2.3	26.2	0.6	6.3	2.2	382	5	131.0	63.2	24.4	7.3	
Ensilage, gräs (0% klöver) (162)	3	2	7.3	3.2	2.6	23.8	1.3	5.6	3.0	322	1	334.0	110.0	28.0	11.0	0.1
Ensilage, gräs (0% klöver) (162)	5	2	6.1	3.6	2.3	28.2	1.1	8.1	3.2	344	1	188.0	60.0	25.0	10.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	5.1	2.6	1.7	25.9	0.6	7.7	1.9	400	40	107.8	54.9	25.7	6.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	38	6.5	2.9	2.3	27.7	1.0	9.9	2.3	409	31	103.0	61.2	28.9	7.9	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	9	7.3	2.9	2.6	25.6	1.1	7.1	2.4	378	4	113.3	62.5	25.0	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	7.1	2.0	2.9	16.1	2.3		3.4	167	1	70.0	50.0	48.0	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	8	7.5	2.7	2.3	23.5	0.9	6.1	1.6	370	8	420.8	87.5	24.5	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	134	5.1	2.6	1.7	24.7	0.6	5.8	1.9	377	122	169.9	61.2	26.1	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	106	6.6	2.8	2.3	26.8	0.9	8.5	2.2	351	97	162.4	69.1	27.4	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	25	8.1	2.6	2.6	24.2	1.2	9.9	2.4	236	22	139.1	66.2	25.0	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.8	2.6	2.6	24.1	0.8	11.0	2.3	197	4	267.8	68.0	25.0	7.4	
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.6	3.6	1.7	25.4	0.8	14.8	3.0	80	1	88.0	122.0	18.0	8.0	
Korn, helsädesensilage (250)	1	11	4.0	2.5	1.7	17.6	0.8	5.4	1.5	233	10	238.7	55.7	22.7	4.9	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	7	5.4	2.7	2.1	19.6	0.9	7.2	1.5	237	7	342.7	80.6	31.1	5.7	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	7.2	2.5	2.6	17.9	1.5	7.5	2.7	143	0					
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	6.6	3.5	2.6	22.1	0.5	4.3	2.0	341	1	183.0	173.0	169.0	6.5	
Havre helsädesensilage degmognad (296)	1	3	4.8	2.5	1.7	21.5	1.1	7.4	1.4	303	3	107.7	72.0	24.7	6.5	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	6.9	2.5	2.5	15.7	0.7	4.5	1.4	218	2	111.0	98.0	26.5	5.1	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, helsäd ensilage (299)	1	3	3.2	2.0	1.3	18.6	0.4	6.9	1.4	207	3	173.0	105.0	21.3	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	10	5.1	2.6	1.9	15.3	0.6	7.0	1.4	142	9	123.2	41.3	28.0	6.0	0.0
Majs, helsädesensilage (305)	1	4	1.8	1.8	1.0	8.6	0.2	3.0	0.8	105	3	141.7	28.3	19.3	7.7	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	1	4.7	2.4	1.7	8.3	2.0		1.9	40	1	63.0	62.0	23.0	5.9	
Hö, blandvall, 0-50% baljväxter (383)	1	4	3.3	1.9	1.4	15.1	0.6	5.9	1.2	187	3	146.3	124.7	21.0	4.8	
Grunnblanding Middels ford.grovför (326)	1	4	6.1	3.9	3.2	15.8	3.1	13.3	2.3	19	2	251.0	65.0	31.5	12.0	0.1
Råvarublandning - ej kompletta data (1E3)	1	1	0.5	3.2	1.3	5.7	0.1		1.6		1	58.0	31.0	36.0	4.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	870.000	16.9706	858.000	882.000
Aska	2	19.900	0.1414	19.800	20.000
OS smbh	2	43.000	60.8112	0.000	86.000
Råprot	2	98.550	20.5768	84.000	113.100
sRåprot	1	310.000	.	310.000	310.000
NDF	1	143.000	.	143.000	143.000
iNDF	2	93.500	96.8736	25.000	162.000
nhNDF	2	3.150	0.0000	3.150	3.150
Stä	2	588.450	43.0628	558.000	618.900
TAF	2	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	95.867	1.1802	95.033	96.702
PBVp20	2	-44.616	21.9994	-60.172	-29.060
NELp20	2	7.366	0.0310	7.344	7.388
OE*	2	13.400	0.0000	13.400	13.400
AAT*	1	93.000	.	93.000	93.000
PBV*	1	-38.000	.	-38.000	-38.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.400	0.2828	3.200	3.600
Mg	2	1.050	0.0707	1.000	1.100
K	2	5.800	0.0000	5.800	5.800
Na	2	0.150	0.0707	0.100	0.200
Cl	1	4.400	.	4.400	4.400
S	2	1.150	0.0707	1.100	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	4.111	56.2454	-35.660	43.883
Fe	2	50.000	7.0711	45.000	55.000
Mn	2	14.500	4.9497	11.000	18.000
Zn	2	27.500	2.1213	26.000	29.000
Cu	2	4.850	1.2021	4.000	5.700
Se	1	0.050	.	0.050	0.050

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	860.000	.	860.000	860.000
Aska	1	17.000	.	17.000	17.000
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	133.000	.	133.000	133.000
NH3-N	1	5.000	.	5.000	5.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	638.000	.	638.000	638.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	115.981	.	115.981	115.981
PBVp20	1	-36.683	.	-36.683	-36.683
NELp20	1	7.863	.	7.863	7.863
OE*	1	14.000	.	14.000	14.000
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-23.000	.	-23.000	-23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	0.400	.	0.400	0.400
P	1	3.700	.	3.700	3.700
Mg	1	1.500	.	1.500	1.500
K	1	5.200	.	5.200	5.200
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	24.488	.	24.488	24.488
Fe	1	51.000	.	51.000	51.000
Mn	1	52.000	.	52.000	52.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	857.000	.	857.000	857.000
Aska	1	28.000	.	28.000	28.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	224.000	.	224.000	224.000
NH3-N	1	3.000	.	3.000	3.000
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	474.000	.	474.000	474.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.604	.	102.604	102.604

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	74.640	.	74.640	74.640
NELp20	1	7.648	.	7.648	7.648
OE*	1	13.800	.	13.800	13.800
AAT*	1	99.000	.	99.000	99.000
PBV*	1	65.000	.	65.000	65.000
Ca	1	1.000	.	1.000	1.000
P	1	3.900	.	3.900	3.900
Mg	1	1.400	.	1.400	1.400
K	1	10.800	.	10.800	10.800
Na	1	0.100	.	0.100	0.100
S	1	2.000	.	2.000	2.000
CAB	1	99.225	.	99.225	99.225
Fe	1	55.000	.	55.000	55.000
Mn	1	10.000	.	10.000	10.000
Zn	1	28.000	.	28.000	28.000
Cu	1	7.300	.	7.300	7.300
Se	1	0.005	.	0.005	0.005

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	299.500	116.673	217.000	382.000
Aska	2	77.000	8.485	71.000	83.000
OS smbh	2	80.650	0.212	80.500	80.800
Råprot	2	215.000	55.154	176.000	254.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	2	362.000	49.497	327.000	397.000
NDF	2	416.500	23.335	400.000	433.000
iNDF	2	82.500	50.205	47.000	118.000
nhNDF	2	5.239	1.137	4.435	6.043
TAF	2	61.000	0.000	61.000	61.000
Socket	2	112.500	4.950	109.000	116.000
AATp20	2	99.814	6.187	95.439	104.190
PBVp20	2	51.507	40.842	22.627	80.387
NELp20	2	6.751	0.131	6.658	6.843
OE*	2	11.800	0.071	11.750	11.850
Ca	2	6.050	2.616	4.200	7.900
P	2	2.800	0.707	2.300	3.300
Mg	2	2.200	1.131	1.400	3.000
K	2	26.500	1.980	25.100	27.900
Na	1	1.100	.	1.100	1.100
Cl	1	10.100	.	10.100	10.100
S	2	2.550	0.636	2.100	3.000
CAB	2	344.829	179.698	217.763	471.895
Fe	1	65.000	.	65.000	65.000
Mn	1	53.000	.	53.000	53.000
Zn	1	28.000	.	28.000	28.000
Cu	1	9.000	.	9.000	9.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	158.000	.	158.000	158.000
Aska	1	110.000	.	110.000	110.000
OS smbh	1	85.400	.	85.400	85.400
Råprot	1	277.000	.	277.000	277.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	388.000	.	388.000	388.000
iNDF	1	51.000	.	51.000	51.000
nhNDF	1	9.241	.	9.241	9.241
TAF	1	61.000	.	61.000	61.000
Socket	1	99.000	.	99.000	99.000
AATp20	1	110.336	.	110.336	110.336
PBVp20	1	91.054	.	91.054	91.054
NELp20	1	7.232	.	7.232	7.232
OE*	1	12.130	.	12.130	12.130
Ca	1	4.700	.	4.700	4.700
P	1	3.400	.	3.400	3.400
Mg	1	2.100	.	2.100	2.100
K	1	35.700	.	35.700	35.700
Na	1	0.400	.	0.400	0.400
Cl	1	17.700	.	17.700	17.700
S	1	3.900	.	3.900	3.900
CAB	1	188.093	.	188.093	188.093
Fe	1	88.000	.	88.000	88.000
Mn	1	33.000	.	33.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	31.000	.	31.000	31.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	428.500	184.662	264.000	831.000
Aska	18	67.444	10.656	52.000	83.000
OS smbh	18	73.922	5.236	65.700	79.900
Råprot	18	132.389	47.344	70.000	213.000
sRåprot	18	585.222	152.730	316.000	687.000
NH3-N	18	77.167	30.771	17.000	109.000
NDF	18	480.944	54.182	424.000	572.000
iNDF	18	168.918	56.884	112.613	287.000
nhNDF	18	4.461	0.846	3.512	5.504
TAF	18	76.583	36.275	7.500	118.000
Mjölksyra	18	56.000	28.099	5.000	91.000
Ättiksyra	18	17.778	9.759	1.000	31.000
Socker	18	57.500	44.422	21.000	131.000
PRF	5	4.200	1.483	2.000	6.000
BUF	18	0.917	0.911	0.100	2.600
AATp20	18	79.928	3.523	75.450	85.101
PBVp20	18	7.806	42.808	-41.344	85.052
NELp20	18	6.106	0.608	5.113	6.810
OE*	18	10.798	0.852	9.400	11.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	13	71.385	2.844	67.000	74.000
PBV*	13	-8.615	28.716	-40.000	34.000
Ca	18	5.167	1.212	3.900	7.500
P	18	2.400	0.504	1.800	3.000
Mg	18	1.833	0.338	1.500	2.400
K	18	20.828	5.727	12.900	28.500
Na	18	0.494	0.414	0.200	1.100
Cl	18	4.650	2.184	0.900	7.300
S	18	1.617	0.610	0.800	2.400
CAB	18	322.150	119.729	186.882	485.134
Fe	18	166.222	81.449	82.000	294.000
Mn	18	92.778	71.894	48.000	271.000
Zn	18	25.056	3.765	21.000	30.000
Cu	18	6.561	2.842	4.300	13.000
Se	2	0.035	0.021	0.020	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	331.600	24.8052	292.000	353.000
Aska	5	83.200	7.5299	73.000	94.000
OS smbh	5	75.140	1.2219	73.500	76.600
Råprot	5	144.800	12.7161	129.000	162.000
sRåprot	5	540.600	31.1737	487.000	562.000
NH3-N	5	85.600	7.7974	76.000	96.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	435.400	18.9420	418.000	464.000
iNDF	5	166.078	22.9899	137.935	194.181
nhNDF	5	4.219	0.5137	3.634	4.903
TAF	5	81.480	14.4735	60.200	96.100
Mjölksyra	5	62.200	13.4425	47.000	73.000
Ättiksyra	5	18.000	5.0990	12.000	24.000
Socker	5	40.000	17.0441	21.000	62.000
BUF	5	0.280	0.3493	0.100	0.900
AATp20	5	81.120	0.9661	79.759	81.929
PBVp20	5	17.117	10.6874	5.016	32.152
NELp20	5	6.157	0.2095	5.846	6.419
OE*	5	10.820	0.1924	10.600	11.100
AAT*	5	71.000	0.7071	70.000	72.000
PBV*	5	22.400	12.3004	8.000	40.000
Ca	5	7.220	1.2091	5.800	8.800
P	5	2.900	0.1225	2.800	3.100
Mg	5	2.300	0.1581	2.100	2.500
K	5	26.220	4.0984	21.200	32.600
Na	5	0.580	0.1924	0.300	0.800
Cl	5	6.340	4.8470	3.100	14.600
S	5	2.160	0.2881	1.800	2.500
CAB	5	382.214	59.3630	292.329	440.667
Fe	5	131.000	47.4078	83.000	202.000
Mn	5	63.200	7.5961	57.000	76.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	24.400	2.0736	21.000	26.000
Cu	5	7.300	0.5523	6.500	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	246.000	5.657	242.000	250.000
Aska	2	93.000	0.000	93.000	93.000
OS smbh	2	72.750	5.869	68.600	76.900
Råprot	2	189.000	29.698	168.000	210.000
sRåprot	2	560.500	89.803	497.000	624.000
NH3-N	2	220.000	171.120	99.000	341.000
NDF	2	470.500	64.347	425.000	516.000
iNDF	2	197.500	88.388	135.000	260.000
nhNDF	2	4.617	0.222	4.460	4.774
TAF	2	118.500	21.920	103.000	134.000
Mjölksyra	2	51.000	56.569	11.000	91.000
Ättiksyra	2	43.000	7.071	38.000	48.000
Socker	2	6.500	2.121	5.000	8.000
PRF	2	9.500	9.192	3.000	16.000
BUF	2	15.000	18.385	2.000	28.000
AATp20	2	77.149	2.197	75.595	78.702
PBVp20	2	64.313	23.346	47.805	80.821
NELp20	2	6.081	0.724	5.569	6.593
OE*	2	10.320	0.948	9.650	10.990

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	7.300	1.697	6.100	8.500
P	2	3.200	0.849	2.600	3.800
Mg	2	2.550	0.354	2.300	2.800
K	2	23.800	5.374	20.000	27.600
Na	2	1.250	0.636	0.800	1.700
Cl	2	5.550	0.495	5.200	5.900
S	2	2.950	0.071	2.900	3.000
CAB	2	322.330	146.750	218.563	426.098
Fe	1	334.000	.	334.000	334.000
Mn	1	110.000	.	110.000	110.000
Zn	1	28.000	.	28.000	28.000
Cu	1	11.000	.	11.000	11.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	270.500	4.950	267.000	274.000
Aska	2	88.000	1.414	87.000	89.000
OS smbh	2	72.900	4.950	69.400	76.400
Råprot	2	194.000	22.627	178.000	210.000
sRåprot	2	554.500	120.915	469.000	640.000
NH3-N	2	174.500	91.217	110.000	239.000
NDF	2	475.000	63.640	430.000	520.000
iNDF	2	191.500	65.761	145.000	238.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	4.529	0.137	4.432	4.625
TAF	2	118.000	15.556	107.000	129.000
Mjölksyra	2	56.500	31.820	34.000	79.000
Ättiksyra	2	44.000	0.000	44.000	44.000
Socker	2	9.500	2.121	8.000	11.000
PRF	2	7.500	6.364	3.000	12.000
BUF	2	10.000	9.899	3.000	17.000
AATp20	2	78.280	0.228	78.119	78.441
PBVp20	2	67.118	20.149	52.871	81.365
NELp20	2	6.166	0.535	5.787	6.544
OE*	2	10.405	0.785	9.850	10.960
Ca	2	6.050	0.071	6.000	6.100
P	2	3.550	0.354	3.300	3.800
Mg	2	2.300	0.424	2.000	2.600
K	2	28.200	4.101	25.300	31.100
Na	2	1.100	0.707	0.600	1.600
Cl	2	8.100	5.940	3.900	12.300
S	2	3.150	0.354	2.900	3.400
CAB	2	344.010	115.266	262.505	425.515
Fe	1	188.000	.	188.000	188.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	10.000	.	10.000	10.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	339.000	.	339.000	339.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	79.200	.	79.200	79.200
Råprot	1	133.000	.	133.000	133.000
NDF	1	454.000	.	454.000	454.000
iNDF	1	113.106	.	113.106	113.106
nhNDF	1	5.517	.	5.517	5.517
TAF	1	84.000	.	84.000	84.000
Socket	1	143.000	.	143.000	143.000
AATp20	1	87.430	.	87.430	87.430
PBVp20	1	-1.804	.	-1.804	-1.804
NELp20	1	6.452	.	6.452	6.452
OE*	1	11.600	.	11.600	11.600
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-4.000	.	-4.000	-4.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	52	387.096	87.867	280.000	497.000
Aska	52	72.288	12.093	57.000	90.000
OS smbh	52	78.115	3.933	72.900	82.600
Råprot	52	148.846	24.882	120.000	179.000
sRåprot	21	432.714	27.341	396.000	458.000
NDF	52	457.481	45.645	405.000	510.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	52	111.852	44.556	67.000	163.035
nhNDF	52	5.119	1.084	3.811	6.672
TAF	52	84.000	0.000	84.000	84.000
Socket	52	122.481	40.037	69.000	165.000
AATp20	52	88.013	4.973	81.450	92.948
PBVp20	52	12.250	18.165	-7.932	30.238
NELp20	52	6.435	0.382	5.963	6.850
OE*	52	11.442	0.653	10.540	12.200
AAT*	31	78.516	4.007	73.000	83.000
PBV*	31	9.613	22.648	-12.000	47.000
Ca	49	5.059	1.682	3.300	7.600
P	49	2.649	0.430	2.100	3.200
Mg	49	1.724	0.394	1.300	2.300
K	49	25.892	3.516	20.300	29.000
Na	45	0.620	0.381	0.200	1.100
Cl	21	7.748	3.269	4.300	12.200
S	49	1.920	0.310	1.600	2.300
CAB	49	399.869	107.293	241.857	547.915
Fe	40	107.800	43.580	67.500	164.500
Mn	40	54.850	23.241	33.000	74.500
Zn	40	25.700	4.121	21.000	32.000
Cu	40	6.123	1.264	4.800	8.000
Se	19	0.010	0.005	0.005	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	41	418.634	110.243	299.000	547.000
Aska	41	87.146	13.540	72.000	105.000
OS smbh	41	76.159	2.858	72.800	79.400
Råprot	41	159.122	19.985	132.000	188.000
sRåprot	17	401.941	61.005	354.000	450.000
NDF	41	471.073	48.573	399.000	514.000
iNDF	41	131.719	39.666	70.000	182.205
nhNDF	41	4.767	0.724	3.951	5.697
TAF	41	84.000	0.000	84.000	84.000
Socker	41	89.463	41.510	25.000	130.000
AATp20	41	86.176	5.078	80.908	92.811
PBVp20	41	24.906	15.620	5.135	43.569
NELp20	41	6.268	0.311	5.934	6.622
OE*	41	10.948	0.540	10.280	11.650
AAT*	24	74.625	2.667	72.000	78.000
PBV*	24	26.042	18.823	5.000	49.000
Ca	38	6.453	2.606	3.900	11.300
P	38	2.911	0.420	2.400	3.600
Mg	38	2.305	0.628	1.600	3.100
K	38	27.713	4.444	22.100	34.100
Na	38	0.961	0.728	0.400	1.400
Cl	17	9.912	4.685	3.700	17.100
S	38	2.292	0.333	1.900	2.600
CAB	38	409.209	125.608	190.661	536.979

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	31	102.968	42.198	74.000	139.000
Mn	31	61.226	26.318	32.000	84.000
Zn	31	28.903	13.187	21.000	33.000
Cu	31	7.874	1.318	6.600	10.000
Se	10	0.086	0.205	0.009	0.360

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	427.750	120.007	266.000	558.000
Aska	11	87.091	13.065	74.000	102.000
OS smbh	12	75.508	2.148	73.700	77.500
Råprot	11	170.455	20.432	154.000	193.000
sRåprot	5	390.000	104.626	319.000	565.000
NDF	11	454.455	25.013	426.000	485.000
iNDF	12	154.051	34.508	117.000	183.025
nhNDF	12	4.679	0.467	4.252	5.407
TAF	12	84.000	0.000	84.000	84.000
Socker	11	86.273	34.147	53.000	124.000
AATp20	12	86.159	4.287	81.517	93.168
PBVp20	12	33.765	17.465	17.387	53.399
NELp20	12	6.220	0.185	6.014	6.488
OE*	11	10.854	0.384	10.400	11.390
AAT*	6	74.500	2.074	72.000	78.000
PBV*	6	40.833	15.741	26.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	9	7.256	2.022	4.500	10.600
P	9	2.900	0.371	2.200	3.200
Mg	9	2.556	0.568	1.700	3.400
K	9	25.567	2.622	20.800	29.100
Na	9	1.078	0.222	0.700	1.400
Cl	5	7.100	1.214	5.900	8.800
S	9	2.444	0.343	1.900	3.000
CAB	9	378.008	85.617	228.631	474.415
Fe	4	113.250	48.945	74.000	184.000
Mn	4	62.500	5.000	57.000	69.000
Zn	4	25.000	1.826	23.000	27.000
Cu	4	7.325	1.170	5.800	8.600
Se	3	0.013	0.005	0.009	0.019

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	835.000	.	835.000	835.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	80.400	.	80.400	80.400
Råprot	1	137.000	.	137.000	137.000
NDF	1	429.000	.	429.000	429.000
iNDF	1	106.256	.	106.256	106.256
nhNDF	1	5.602	.	5.602	5.602
TAF	1	84.000	.	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	194.000	.	194.000	194.000
AATp20	1	89.005	.	89.005	89.005
PBVp20	1	-0.593	.	-0.593	-0.593
NELp20	1	6.537	.	6.537	6.537
OE*	1	11.900	.	11.900	11.900
AAT*	1	81.000	.	81.000	81.000
PBV*	1	-3.000	.	-3.000	-3.000
Ca	1	7.100	.	7.100	7.100
P	1	2.000	.	2.000	2.000
Mg	1	2.900	.	2.900	2.900
K	1	16.100	.	16.100	16.100
Na	1	2.300	.	2.300	2.300
S	1	3.400	.	3.400	3.400
CAB	1	166.870	.	166.870	166.870
Fe	1	70.000	.	70.000	70.000
Mn	1	50.000	.	50.000	50.000
Zn	1	48.000	.	48.000	48.000
Cu	1	5.700	.	5.700	5.700
Se	1	0.010	.	0.010	0.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	374.000	87.567	205.000	474.00
Aska	8	87.875	30.926	62.000	162.00
OS smbh	8	72.450	4.608	64.900	78.40
Råprot	8	129.875	22.203	80.000	153.00
sRåprot	8	571.875	90.069	462.000	668.00
NH3-N	8	91.375	47.168	51.000	198.00
NDF	8	432.625	91.129	366.000	646.00
iNDF	8	200.574	47.978	143.402	264.05
nhNDF	8	3.638	0.771	2.688	4.44
TAF	8	70.800	23.470	41.100	120.10
Mjölksyra	8	52.750	16.122	25.000	76.00
Ättiksyra	8	12.875	3.907	8.000	21.00
Socker	8	63.500	37.925	21.000	135.00
BUF	8	4.175	7.310	0.100	22.10
AATp20	8	78.408	6.543	69.679	85.93
PBVp20	8	10.199	21.887	-27.180	44.95
NELp20	8	5.789	0.417	5.098	6.23
OE*	8	10.338	0.891	8.900	11.50
AAT*	8	69.625	2.825	65.000	73.00
PBV*	8	10.125	21.034	-34.000	35.00
Ca	8	7.463	2.717	4.100	10.90
P	8	2.663	0.329	2.100	3.00
Mg	8	2.325	0.709	1.300	3.30
K	8	23.500	3.145	19.200	28.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.925	0.781	0.200	2.60
Cl	8	6.075	1.802	2.400	8.30
S	8	1.600	0.262	1.200	2.00
CAB	8	370.114	98.179	267.659	571.13
Fe	8	420.750	650.387	65.000	2020.00
Mn	8	87.500	37.622	42.000	161.00
Zn	8	24.500	2.507	20.000	27.00
Cu	8	6.850	1.189	5.400	9.00
Se	2	0.021	0.003	0.019	0.02

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	136	402.390	104.350	284.000	529.000
Aska	136	71.706	8.398	63.000	82.000
OS smbh	136	76.678	3.720	71.200	80.100
Råprot	136	141.632	26.413	105.000	172.000
sRåprot	136	651.059	74.146	565.000	730.000
NH3-N	136	87.360	31.142	51.000	119.000
NDF	136	451.868	49.594	399.000	521.000
iNDF	136	140.108	38.086	103.402	199.957
nhNDF	136	4.749	0.707	3.767	5.623
TAF	136	63.753	26.791	23.400	96.100
Mjölksyra	136	48.441	22.958	16.000	76.000
Ättiksyra	136	12.301	5.094	6.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	136	70.816	39.425	23.000	125.000
PRF	21	1.619	1.627	0.000	3.000
BUF	136	1.915	3.040	0.000	4.200
AATp20	136	83.637	4.041	78.063	88.528
PBVp20	136	12.715	22.129	-13.403	41.317
NELp20	136	6.329	0.389	5.801	6.742
OE*	136	11.210	0.604	10.300	11.800
AAT*	115	72.217	1.731	70.000	74.000
PBV*	115	16.330	24.880	-15.000	47.000
Ca	134	5.105	1.433	3.800	7.300
P	134	2.575	0.396	2.100	3.100
Mg	134	1.744	0.347	1.400	2.100
K	134	24.731	3.837	19.600	29.700
Na	134	0.592	0.470	0.200	1.300
Cl	136	5.779	2.907	2.100	9.600
S	134	1.875	0.375	1.400	2.300
CAB	134	377.402	94.719	262.837	482.600
Fe	122	169.918	104.749	79.000	322.000
Mn	122	61.156	29.401	40.000	82.000
Zn	122	26.090	5.797	21.000	31.000
Cu	122	5.952	1.191	4.500	7.300
Se	28	0.019	0.015	0.006	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	107	459.598	134.975	301.000	649.000
Aska	107	82.589	9.731	68.000	93.000
OS smbh	107	74.875	2.371	71.400	77.900
Råprot	107	146.841	25.115	112.000	179.000
sRåprot	107	543.850	88.089	427.000	645.000
NH3-N	104	74.413	26.963	43.000	116.000
NDF	107	448.439	40.713	384.000	503.000
iNDF	107	166.001	34.532	127.207	214.867
nhNDF	107	4.337	0.706	3.359	5.103
TAF	107	55.815	25.109	18.500	89.700
Mjölksyra	107	41.636	21.280	11.000	68.000
Ättiksyra	106	11.745	5.037	6.000	18.000
Socker	107	67.832	36.330	19.000	120.000
PRF	14	1.357	1.447	0.000	3.000
BUF	106	1.332	1.552	0.000	3.800
AATp20	107	84.135	4.149	79.418	89.796
PBVp20	107	16.844	23.249	-14.429	45.724
NELp20	107	6.116	0.291	5.697	6.484
OE*	107	10.783	0.372	10.240	11.300
AAT*	92	70.957	1.176	69.000	72.000
PBV*	92	24.261	22.584	-5.000	56.000
Ca	106	6.636	2.035	4.400	10.000
P	106	2.801	0.348	2.400	3.200
Mg	106	2.310	0.431	1.800	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	106	26.769	4.412	21.200	32.100
Na	106	0.915	0.739	0.300	1.800
Cl	106	8.539	5.624	3.900	13.400
S	106	2.154	0.510	1.500	2.700
CAB	106	351.136	136.828	206.771	493.302
Fe	97	162.443	174.875	73.000	269.000
Mn	97	69.082	23.443	40.000	107.000
Zn	97	27.381	10.231	21.000	32.000
Cu	97	7.547	1.607	5.600	9.500
Se	22	0.018	0.009	0.010	0.028

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	465.800	118.636	335.000	623.000
Aska	25	83.600	10.255	71.000	95.000
OS smbh	25	75.884	3.028	72.900	79.200
Råprot	25	159.720	25.028	134.000	189.000
sRåprot	25	529.760	90.646	420.000	635.000
NH3-N	25	72.440	34.568	37.000	105.000
NDF	25	415.760	37.931	350.000	453.000
iNDF	25	166.985	37.640	123.033	220.000
nhNDF	25	4.377	0.991	3.165	5.025
TAF	25	50.244	27.885	18.400	89.000
Mjölksyra	25	36.920	25.413	11.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	25	10.160	4.432	5.000	15.000
Socker	25	79.400	37.952	36.000	129.000
PRF	4	1.250	1.500	0.000	3.000
BUF	25	2.124	4.044	0.000	2.900
AATp20	25	86.391	4.782	80.271	90.770
PBVp20	25	25.298	20.930	0.728	52.429
NELp20	25	6.183	0.344	5.705	6.555
OE*	25	10.943	0.528	10.400	11.400
AAT*	21	71.333	1.683	70.000	73.000
PBV*	21	32.810	23.188	15.000	48.000
Ca	25	8.136	2.390	5.700	12.300
P	25	2.604	0.449	2.000	3.200
Mg	25	2.604	0.458	2.200	3.200
K	25	24.156	2.633	20.100	27.400
Na	25	1.156	0.832	0.200	2.600
Cl	25	9.920	3.515	6.000	14.500
S	25	2.444	0.495	2.000	2.900
CAB	25	235.875	93.521	121.402	384.351
Fe	22	139.091	78.582	85.000	185.000
Mn	22	66.227	21.343	44.000	86.000
Zn	22	25.000	3.625	21.000	29.000
Cu	22	7.682	1.972	5.600	10.400
Se	8	0.026	0.017	0.006	0.056

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	399.250	65.632	308.000	450.000
Aska	4	90.500	4.123	85.000	95.000
OS smbh	4	73.950	3.719	70.900	79.200
Råprot	4	141.000	15.748	119.000	155.000
sRåprot	4	553.500	50.928	517.000	626.000
NH3-N	4	87.500	15.716	72.000	107.000
NDF	4	441.500	43.860	410.000	504.000
iNDF	4	174.352	61.614	97.000	229.347
nhNDF	4	4.031	1.007	3.093	5.062
TAF	4	70.975	16.193	58.000	94.100
Mjölksyra	4	58.750	10.689	50.000	74.000
Ättiksyra	4	10.750	5.909	5.000	19.000
Socker	4	45.250	37.107	10.000	90.000
PRF	1	0.000	.	0.000	0.000
BUF	4	0.725	0.881	0.000	1.900
AATp20	4	80.598	3.951	77.905	86.403
PBVp20	4	16.989	13.462	-0.340	31.718
NELp20	4	6.025	0.422	5.575	6.532
OE*	4	10.565	0.620	10.100	11.460
AAT*	3	69.333	0.577	69.000	70.000
PBV*	3	19.000	18.682	-1.000	36.000
Ca	4	7.775	1.417	6.100	9.000
P	4	2.600	0.374	2.200	3.100
Mg	4	2.550	0.493	1.900	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	4	24.125	3.045	21.500	28.400
Na	4	0.750	0.451	0.200	1.300
Cl	4	11.025	8.827	4.500	24.000
S	4	2.275	0.330	1.900	2.700
CAB	4	196.865	179.901	-61.942	354.553
Fe	4	267.750	119.762	140.000	426.000
Mn	4	68.000	22.920	52.000	102.000
Zn	4	25.000	4.546	19.000	30.000
Cu	4	7.375	1.066	6.000	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	519.000	.	519.000	519.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	79.800	.	79.800	79.800
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	632.000	.	632.000	632.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	417.000	.	417.000	417.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	5.278	.	5.278	5.278
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	7.000	.	7.000	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	75.000	.	75.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.115	.	86.115	86.115
PBVp20	1	31.239	.	31.239	31.239
NELp20	1	6.677	.	6.677	6.677
OE*	1	11.570	.	11.570	11.570
Ca	1	6.600	.	6.600	6.600
P	1	3.600	.	3.600	3.600
Mg	1	1.700	.	1.700	1.700
K	1	25.400	.	25.400	25.400
Na	1	0.800	.	0.800	0.800
Cl	1	14.800	.	14.800	14.800
S	1	3.000	.	3.000	3.000
CAB	1	79.998	.	79.998	79.998
Fe	1	88.000	.	88.000	88.000
Mn	1	122.000	.	122.000	122.000
Zn	1	18.000	.	18.000	18.000
Cu	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	470.077	71.375	398.000	578.000
Aska	13	66.231	15.401	51.000	86.000
OS smbh	13	69.400	3.256	64.900	73.000
Råprot	13	93.923	19.081	70.000	114.000
sRåprot	13	615.846	128.111	475.000	723.000
NH3-N	13	70.846	20.465	45.000	104.000
NDF	13	438.692	68.715	374.000	501.000
iNDF	13	244.253	37.504	204.920	283.818
nhNDF	13	2.917	0.638	2.386	3.640
Stä	13	119.692	90.823	18.000	257.000
TAF	13	44.108	18.758	18.700	67.700
Mjölksyra	13	30.692	15.655	9.000	50.000
Ättiksyra	13	11.846	4.793	7.000	18.000
Socker	13	83.769	34.993	37.000	123.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	13	72.587	3.320	67.772	77.074
PBVp20	13	-22.173	15.896	-41.590	-4.647
NELp20	13	5.525	0.291	5.145	5.845
OE*	2	9.950	0.354	9.700	10.200
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-40.000	.	-40.000	-40.000
Ca	11	4.009	1.212	2.300	5.000
P	11	2.518	0.796	1.800	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	11	1.736	0.508	1.100	2.300
K	11	17.564	5.774	12.100	23.300
Na	11	0.755	0.281	0.400	1.100
Cl	13	5.415	3.184	2.700	9.400
S	11	1.545	0.386	1.100	2.000
CAB	11	233.301	98.228	142.290	381.679
Fe	10	238.700	453.408	58.000	847.000
Mn	10	55.700	47.472	12.000	130.000
Zn	10	22.700	6.684	15.500	33.000
Cu	10	4.920	1.246	3.150	6.200

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	409.500	78.404	305.000	552.000
Aska	8	71.875	16.093	47.000	98.000
OS smbh	8	67.613	1.617	65.200	70.100
Råprot	8	106.750	22.391	76.000	146.000
sRåprot	8	589.625	137.330	361.000	729.000
NH3-N	8	78.625	32.676	40.000	127.000
NDF	8	441.125	24.427	407.000	493.000
iNDF	8	263.994	29.349	215.168	300.757
nhNDF	8	2.689	0.433	2.199	3.494
Stä	8	101.250	68.199	31.000	214.000
TAF	8	60.875	21.630	37.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	8	44.500	18.898	22.000	80.000
Ättiksyra	8	14.375	3.926	9.000	20.000
Socker	8	50.125	36.121	11.000	121.000
AATp20	8	70.940	3.911	65.143	78.619
PBVp20	8	-4.260	21.049	-30.453	29.644
NELp20	8	5.501	0.153	5.324	5.800
OE*	2	10.100	0.000	10.100	10.100
AAT*	2	62.500	2.121	61.000	64.000
PBV*	2	-14.000	9.899	-21.000	-7.000
Ca	7	5.400	0.819	4.700	6.900
P	7	2.657	0.513	2.100	3.400
Mg	7	2.071	0.390	1.500	2.800
K	7	19.586	5.388	13.900	28.600
Na	7	0.943	0.489	0.400	1.500
Cl	8	7.188	3.656	2.700	11.500
S	7	1.514	0.285	1.200	2.100
CAB	7	236.802	119.159	59.360	324.905
Fe	7	342.714	276.102	106.000	762.000
Mn	7	80.571	42.197	27.000	151.000
Zn	7	31.143	8.214	20.000	46.000
Cu	7	5.657	0.971	4.300	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	418.000	.	418.000	418.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	587.000	.	587.000	587.000
NH3-N	1	55.000	.	55.000	55.000
NDF	1	373.000	.	373.000	373.000
iNDF	1	338.000	.	338.000	338.000
nhNDF	1	2.611	.	2.611	2.611
Stä	1	119.000	.	119.000	119.000
TAF	1	109.000	.	109.000	109.000
Mjölksyra	1	62.000	.	62.000	62.000
Ättiksyra	1	40.000	.	40.000	40.000
Socker	1	59.000	.	59.000	59.000
PRF	1	7.000	.	7.000	7.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	67.100	.	67.100	67.100
PBVp20	1	22.469	.	22.469	22.469
NELp20	1	5.781	.	5.781	5.781
OE*	1	9.930	.	9.930	9.930
Ca	1	7.200	.	7.200	7.200
P	1	2.500	.	2.500	2.500
Mg	1	2.600	.	2.600	2.600
K	1	17.900	.	17.900	17.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.500	.	1.500	1.500
Cl	1	7.500	.	7.500	7.500
S	1	2.700	.	2.700	2.700
CAB	1	143.000	.	143.000	143.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	515.000	.	515.000	515.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	62.300	.	62.300	62.300
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	485.000	.	485.000	485.000
NH3-N	1	33.000	.	33.000	33.000
NDF	1	470.000	.	470.000	470.000
iNDF	1	515.736	.	515.736	515.736
nhNDF	1	7.209	.	7.209	7.209
Stä	1	79.000	.	79.000	79.000
TAF	1	27.500	.	27.500	27.500
Mjölksyra	1	17.000	.	17.000	17.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	71.187	.	71.187	71.187
PBVp20	1	-8.163	.	-8.163	-8.163
NELp20	1	5.093	.	5.093	5.093

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	6.600	.	6.600	6.600
P	1	3.500	.	3.500	3.500
Mg	1	2.600	.	2.600	2.600
K	1	22.100	.	22.100	22.100
Na	1	0.500	.	0.500	0.500
Cl	1	4.300	.	4.300	4.300
S	1	2.000	.	2.000	2.000
CAB	1	340.830	.	340.830	340.830
Fe	1	183.000	.	183.000	183.000
Mn	1	173.000	.	173.000	173.000
Zn	1	169.000	.	169.000	169.000
Cu	1	6.500	.	6.500	6.500

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	378.333	31.4696	342.000	397.000
Aska	3	65.667	13.7961	50.000	76.000
OS smbh	3	66.967	6.1533	60.700	73.000
Råprot	3	102.333	35.2326	81.000	143.000
sRåprot	3	562.000	22.9129	537.000	582.000
NH3-N	3	89.000	20.0749	75.000	112.000
NDF	3	476.333	23.0940	463.000	503.000
iNDF	3	270.524	75.3240	183.836	320.000
nhNDF	3	3.173	0.8685	2.236	3.950

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	3	56.333	42.7239	25.000	105.000
TAF	3	72.000	24.2487	50.000	98.000
Mjölksyra	3	54.667	14.1892	42.000	70.000
Ättiksyra	3	15.000	6.5574	8.000	21.000
Socker	3	48.333	2.5166	46.000	51.000
PRF	1	4.000	.	4.000	4.000
BUF	1	3.000	.	3.000	3.000
AATp20	3	73.455	7.1005	68.140	81.519
PBVp20	3	-14.938	19.0147	-28.919	6.714
NELp20	3	5.527	0.6355	4.825	6.062
OE*	1	9.870	.	9.870	9.870
Ca	3	4.833	1.0504	3.800	5.900
P	3	2.467	0.3055	2.200	2.800
Mg	3	1.667	0.4163	1.200	2.000
K	3	21.533	8.4216	11.900	27.500
Na	3	1.133	0.9074	0.300	2.100
Cl	3	7.433	5.0935	2.000	12.100
S	3	1.400	0.9000	0.500	2.300
CAB	3	303.110	97.3435	203.384	397.882
Fe	3	107.667	29.5691	77.000	136.000
Mn	3	72.000	21.2838	49.000	91.000
Zn	3	24.667	4.1633	20.000	28.000
Cu	3	6.500	3.4044	3.200	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	428.500	79.9031	372.000	485.000
Aska	2	60.500	9.1924	54.000	67.000
OS smbh	2	64.400	5.9397	60.200	68.600
Råprot	2	115.500	20.5061	101.000	130.000
sRåprot	2	455.500	20.5061	441.000	470.000
NH3-N	2	47.000	12.7279	38.000	56.000
NDF	2	484.000	21.2132	469.000	499.000
iNDF	2	279.284	53.4632	241.480	317.088
nhNDF	2	2.551	0.6216	2.112	2.991
Stä	2	53.500	26.1630	35.000	72.000
TAF	2	56.500	3.5355	54.000	59.000
Mjölksyra	2	35.500	0.7071	35.000	36.000
Ättiksyra	2	21.000	4.2426	18.000	24.000
Socker	2	58.500	40.3051	30.000	87.000
AATp20	2	69.547	5.7438	65.485	73.608
PBVp20	2	4.415	27.4644	-15.005	23.835
NELp20	2	5.292	0.3379	5.054	5.531
Ca	2	6.850	0.6364	6.400	7.300
P	2	2.450	0.3536	2.200	2.700
Mg	2	2.500	0.4243	2.200	2.800
K	2	15.650	2.4749	13.900	17.400
Na	2	0.700	0.0000	0.700	0.700
Cl	2	4.450	1.3435	3.500	5.400
S	2	1.400	0.1414	1.300	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	217.838	16.6120	206.092	229.585
Fe	2	111.000	41.0122	82.000	140.000
Mn	2	98.000	8.4853	92.000	104.000
Zn	2	26.500	3.5355	24.000	29.000
Cu	2	5.100	0.2828	4.900	5.300
Se	2	0.025	0.0000	0.025	0.025

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	448.000	155.983	292.000	664.000
Aska	4	68.250	4.349	62.000	72.000
OS smbh	4	66.475	2.604	63.400	69.600
Råprot	4	96.250	0.957	95.000	97.000
sRåprot	4	655.250	90.981	543.000	763.000
NH3-N	4	88.000	47.293	25.000	137.000
NDF	4	531.500	57.187	480.000	582.000
iNDF	4	231.425	14.302	218.879	247.310
nhNDF	4	3.292	0.260	2.960	3.585
Stä	4	41.250	36.773	17.000	95.000
TAF	4	62.750	26.663	24.500	85.500
Mjölksyra	4	43.750	24.047	10.000	61.000
Ättiksyra	4	16.500	5.802	11.000	22.000
Socker	4	55.500	60.058	16.000	145.000
AATp20	4	68.148	5.132	64.981	75.780

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	-13.298	8.489	-25.981	-8.311
NELp20	4	5.393	0.161	5.178	5.539
Ca	3	3.167	0.153	3.000	3.300
P	3	2.033	0.306	1.700	2.300
Mg	3	1.333	0.058	1.300	1.400
K	3	18.567	3.062	16.700	22.100
Na	3	0.400	0.265	0.200	0.700
Cl	4	6.850	1.406	5.800	8.900
S	3	1.367	0.058	1.300	1.400
CAB	3	206.825	33.151	173.755	240.057
Fe	3	173.000	105.929	97.000	294.000
Mn	3	105.000	57.088	63.000	170.000
Zn	3	21.333	3.055	18.000	24.000
Cu	3	5.000	0.557	4.500	5.600

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	388.500	84.007	265.000	507.500
Aska	10	57.800	15.339	40.500	82.000
OS smbh	10	71.340	2.197	68.050	73.750
Råprot	10	110.500	23.557	83.500	147.000
sRåprot	10	586.600	116.034	436.500	764.000
NH3-N	10	60.500	29.744	26.500	102.000
NDF	10	389.300	64.410	309.000	478.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	10	246.627	43.605	185.979	299.876
nhNDF	10	2.660	0.914	1.368	3.823
Stä	10	162.500	120.174	17.000	339.000
TAF	10	51.200	31.279	11.000	91.500
Mjölksyra	10	38.500	25.683	0.000	69.000
Ättiksyra	10	11.200	7.345	2.000	21.500
Socker	10	61.500	30.340	28.500	104.500
PRF	4	2.500	2.517	0.000	6.000
BUF	4	1.250	2.500	0.000	5.000
AATp20	10	76.909	5.462	71.505	85.606
PBVp20	10	-11.435	20.478	-39.388	12.754
NELp20	10	5.885	0.240	5.508	6.175
OE*	5	10.558	0.435	10.010	11.000
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
Ca	10	5.080	1.254	3.350	6.450
P	10	2.560	0.435	2.050	3.100
Mg	10	1.860	0.508	1.400	2.700
K	10	15.270	5.774	7.150	21.950
Na	10	0.590	0.428	0.200	1.300
Cl	9	7.022	3.709	2.500	14.400
S	10	1.380	0.537	0.600	2.000
CAB	10	141.855	155.799	-105.520	297.242
Fe	9	123.222	119.203	45.000	432.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	9	41.333	32.419	11.000	119.000
Zn	9	28.000	5.958	20.000	41.000
Cu	9	6.033	1.178	4.700	8.600
Se	1	0.012	.	0.012	0.012

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	334.250	20.4675	308.000	358.000
Aska	4	28.750	3.5940	26.000	34.000
OS smbh	4	75.225	2.5052	72.500	77.500
Råprot	4	75.750	5.1235	70.000	81.000
sRåprot	4	607.000	47.2440	549.000	657.000
NH3-N	4	57.500	13.7235	37.000	66.000
NDF	4	385.250	33.5398	356.000	423.000
iNDF	4	191.500	13.8924	179.000	211.000
nhNDF	4	3.158	0.3669	2.704	3.556
Stä	4	299.250	24.1851	275.000	322.000
TAF	4	85.250	9.1788	77.000	97.000
Mjölksyra	4	63.750	11.0265	50.000	76.000
Ättiksyra	4	15.250	3.7749	11.000	20.000
Socker	4	6.500	1.0000	5.000	7.000
PRF	4	6.250	1.8930	5.000	9.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	4	78.954	2.5669	76.318	81.997

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	-48.210	0.6595	-48.861	-47.450
NELp20	4	6.618	0.2637	6.353	6.883
OE*	4	11.483	0.4640	10.950	11.910
Ca	4	1.750	0.2646	1.400	2.000
P	4	1.750	0.1291	1.600	1.900
Mg	4	0.950	0.1732	0.700	1.100
K	4	8.625	0.6185	7.800	9.100
Na	4	0.200	0.1414	0.100	0.400
Cl	3	3.000	0.5568	2.400	3.500
S	4	0.800	0.3367	0.300	1.000
CAB	4	105.340	36.8460	58.360	145.374
Fe	3	141.667	66.0177	70.000	200.000
Mn	3	28.333	7.3711	20.000	34.000
Zn	3	19.333	3.5119	16.000	23.000
Cu	3	7.667	4.7258	4.000	13.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	333.000	.	333.000	333.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	76.800	.	76.800	76.800
Råprot	1	77.000	.	77.000	77.000
sRåprot	1	829.000	.	829.000	829.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	107.000	.	107.000	107.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	141.830	.	141.830	141.830
nhNDF	1	4.708	.	4.708	4.708
Stä	1	17.000	.	17.000	17.000
TAF	1	64.000	.	64.000	64.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	149.000	.	149.000	149.000
AATp20	1	73.008	.	73.008	73.008
PBVp20	1	-37.271	.	-37.271	-37.271
NELp20	1	5.925	.	5.925	5.925
CI	1	3.900	.	3.900	3.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	879.000	.	879.000	879.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	64.100	.	64.100	64.100
Råprot	1	113.000	.	113.000	113.000
NDF	1	591.000	.	591.000	591.000
iNDF	1	234.271	.	234.271	234.271
nhNDF	1	3.298	.	3.298	3.298
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	104.000	.	104.000	104.000
AATp20	1	85.187	.	85.187	85.187
PBVp20	1	-16.082	.	-16.082	-16.082
NELp20	1	5.071	.	5.071	5.071
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.700	.	4.700	4.700
P	1	2.400	.	2.400	2.400
Mg	1	1.700	.	1.700	1.700
K	1	8.300	.	8.300	8.300
Na	1	2.000	.	2.000	2.000
S	1	1.900	.	1.900	1.900
CAB	1	39.638	.	39.638	39.638
Fe	1	63.000	.	63.000	63.000
Mn	1	62.000	.	62.000	62.000
Zn	1	23.000	.	23.000	23.000
Cu	1	5.900	.	5.900	5.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	807.000	50.263	747.000	873.000
Aska	6	56.500	7.120	50.000	69.000
OS smbh	6	66.433	1.291	64.000	67.600
Råprot	6	84.167	20.420	53.000	107.000
sRåprot	1	414.000	.	414.000	414.000
NDF	6	582.500	27.267	535.000	618.000
iNDF	6	216.699	10.280	199.424	225.971
nhNDF	6	3.660	0.208	3.460	3.927
TAF	6	0.000	0.000	0.000	0.000
Socker	6	112.500	14.910	95.000	133.000
AATp20	6	84.917	3.638	79.417	90.007
PBVp20	6	-42.840	14.156	-62.871	-23.376
NELp20	6	5.167	0.160	4.887	5.322
OE*	6	9.655	0.178	9.300	9.800
AAT*	5	68.800	1.095	67.000	70.000
PBV*	5	-36.000	19.481	-60.000	-12.000
Ca	4	3.250	1.546	2.100	5.500
P	4	1.925	0.479	1.500	2.600
Mg	4	1.400	0.548	1.000	2.200
K	4	15.075	2.674	12.300	18.700
Na	4	0.575	0.359	0.100	0.900
Cl	1	5.900	.	5.900	5.900
S	4	1.225	0.263	1.000	1.600
CAB	4	186.804	55.944	133.516	265.053

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	146.333	126.437	52.000	290.000
Mn	3	124.667	72.611	75.000	208.000
Zn	3	21.000	4.000	17.000	25.000
Cu	3	4.833	0.808	3.900	5.300

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	436.250	44.522	395.000	497.000
Aska	4	60.000	4.397	55.000	65.000
OS smbh	4	74.300	3.696	68.800	76.600
Råprot	4	146.250	2.500	143.000	149.000
sRåprot	4	510.250	29.590	477.000	542.000
NH3-N	4	56.000	8.042	46.000	65.000
NDF	4	334.250	55.972	289.000	416.000
iNDF	4	236.250	64.886	199.000	333.000
nhNDF	4	2.716	0.416	2.370	3.305
Stä	4	203.000	24.940	173.000	225.000
TAF	4	41.250	25.316	24.000	78.000
Mjölksyra	4	28.000	15.100	17.000	49.000
Ättiksyra	4	8.750	9.743	2.000	23.000
Socket	4	48.500	24.201	25.000	80.000
PRF	4	4.500	2.380	1.000	6.000
BUF	4	0.000	0.000	0.000	0.000
AATp20	4	87.626	2.633	84.910	90.472

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	14.880	4.883	9.184	20.412
NELp20	4	6.316	0.368	5.775	6.594
OE*	4	10.955	0.631	10.010	11.310
Ca	4	6.125	2.052	5.000	9.200
P	4	3.925	0.665	3.400	4.900
Mg	4	3.225	0.780	2.600	4.300
K	4	15.800	2.202	12.800	17.500
Na	4	3.075	1.468	2.000	5.200
Cl	4	13.325	10.664	4.400	26.000
S	4	2.300	0.200	2.000	2.400
CAB	4	18.686	281.188	-259.888	261.087
Fe	2	251.000	15.556	240.000	262.000
Mn	2	65.000	14.142	55.000	75.000
Zn	2	31.500	2.121	30.000	33.000
Cu	2	12.000	0.000	12.000	12.000
Se	2	0.110	0.000	0.110	0.110

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	849.000	.	849.000	849.000
Aska	1	19.000	.	19.000	19.000
OS smbh	2	0.000	0	0.000	0.000
Råprot	1	131.000	.	131.000	131.000
NH3-N	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	151.000	.	151.000	151.000
Stä	1	614.000	.	614.000	614.000
TAF	2	0.000	0	0.000	0.000
NELp20	2	0.000	0	0.000	0.000
Ca	1	0.500	.	0.500	0.500
P	1	3.200	.	3.200	3.200
Mg	1	1.300	.	1.300	1.300
K	1	5.700	.	5.700	5.700
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
Fe	1	58.000	.	58.000	58.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	4.700	.	4.700	4.700
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet