

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	6	868	21	57.3	111	294		156	116	3.15	605	0.000			5
Rågvete (015)	1	1	911	17	0.0	112	408		96	25	3.50	586	0.000			5
Råg, helsäd, grönmassa (138)	1	1	296	91	71.7	129	820	95.0	504	179	4.19	17	106.000	84.0	22.0	12
Ensilage, gräs (0% klöver) (162)	1	8	695	58	69.0	97	426	35.8	548	197	3.96		28.863	22.3	4.9	93
Ensilage, gräs (0% klöver) (162)	2	5	616	80	74.8	134	411	44.8	449	166	4.29		26.220	17.6	7.2	104
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	261	90	79.3	183			487	93	6.15		84.000			39
Grönmassa blandvall (1-50 % baljväxter) (164)	1	36	431	78	77.4	160	369		463	125	5.27		84.000			104
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	468	84	73.4	159	368		455	204	4.53		84.000			84
Grönmassa blandvall (1-50 % baljväxter) (164)	3	7	337	102	77.4	176			443	126	5.07		84.000			58
Ensilage, blandvall (1-50% klöver) (165)	0	6	427	82	71.7	146	574	101	459	201	3.75		38.917	27.8	8.5	71
Ensilage, blandvall (1-50% klöver) (165)	1	124	406	76	76.0	148	603	77.4	457	146	4.71		67.177	51.6	12.8	62
Ensilage, blandvall (1-50% klöver) (165)	2	83	451	83	73.9	146	517	70.8	454	176	4.21		55.416	40.9	12.1	61
Ensilage, blandvall (1-50% klöver) (165)	3	12	485	85	73.5	147	487	67.8	417	199	3.86		43.842	32.2	9.0	82
Ensilage, blandvall (1-50% klöver) (165)	4	2	316	100	76.1	188	513	54.5	387	223	5.27		104.500	86.5	14.5	44
Korn, helsädesensilage (250)	1	3	427	71	72.6	121	688	81.0	441	210	3.79	58	55.467	37.0	17.0	101
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	381	67	68.8	100	640	68.7	447	247	2.90	85	68.000	47.0	19.0	76
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	278	76	67.6	125	740	161	436	422	6.20	75	93.500	80.0	13.0	24
Havre helsädesensilage degmognad (296)	1	2	315	79	65.0	108	663	91.5	510	255	2.95	38	71.000	57.5	13.5	44
Vete, helsäd ensilage (299)	1	1	624	68	68.2	101	620	50.0	443	256	2.77	68	21.500	7.0	12.0	153
Hö, blandvall, 0-50% baljväxter (383)	0	3	802	70	67.9	83			550	207	3.77		0.000			141
Hö, blandvall, 0-50% baljväxter (383)	1	8	831	54	65.9	84	453		567	239	3.60		0.000			112
Hö, blandvall, 0-50% baljväxter (383)	2	1	702	79	74.0	104	465		451	163	3.87		0.000			146
Hö, blandvall, 0-50% baljväxter (383)	3	1	644	76	73.6	135	441		438	194	3.94		0.000			125
Grönmassa, blandvall (51-100% baljväxter) (437)	2	3	442	95	74.2	139			470	223	6.27		72.000			82
Ensilage, blandvall (51-100% klöver) (438)	1	1	320	83	67.8	145	566	90.0	449	360	4.76		115.000	89.0	26.0	16

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Grunnblanding Middels ford.grovför (326)	1	1	399	54	75.9	142	545	76.0	292	214	2.20	250	59.000	38.0	17.0	45
Fullfoder (TMR) ej kompletta data (1E3)	1	3	385	81	73.3	148	534	66.7	324	249	2.49	196				24

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	6				96.1	-33	7.36	13.4	93.0	-42
Rågvete (015)	1	1				110	-51	8.02	14.1		
Råg, helsäd, grönmassa (138)	1	1				62.0	26.0	5.81			
Ensilage, gräs (0% klöver) (162)	1	8		0.73750		81.5	-27	5.52	10.1	68.9	-21
Ensilage, gräs (0% klöver) (162)	2	5		0.42000		88.0	-3.6	5.93	10.8	71.2	12.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				89.6	41.6	6.70	11.4	77.5	49.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	36				88.3	22.6	6.41	11.3	77.8	18.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29				84.5	27.9	5.99	10.5	73.3	20.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	7				85.6	41.2	6.35	11.0	75.6	44.9
Ensilage, blandvall (1-50% klöver) (165)	0	6		0.10000		82.0	20.0	5.79	10.1	68.9	9.0
Ensilage, blandvall (1-50% klöver) (165)	1	124	1.75000	1.33884		83.6	18.7	6.29	11.0	71.6	19.9
Ensilage, blandvall (1-50% klöver) (165)	2	83	1.58333	1.37952		83.8	16.9	6.04	10.6	70.5	23.5
Ensilage, blandvall (1-50% klöver) (165)	3	12	1.00000	1.67500		84.6	16.8	5.88	10.5	70.0	24.1
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.50000	0.00000		83.0	56.8	6.35	10.8		
Korn, helsädesensilage (250)	1	3	1.00000	0.00000		73.6	-1.0	5.82	10.0	60.0	7.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				70.6	-9.8	5.58			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1				65.6	21.2	5.57			
Havre helsädesensilage degmognad (296)	1	2				68.7	-1.9	5.28			
Vete, helsäd ensilage (299)	1	1				73.2	-18	5.30	9.7	62.0	-19
Hö, blandvall, 0-50% baljväxter (383)	0	3				84.5	-44	5.18	9.7	69.3	-42
Hö, blandvall, 0-50% baljväxter (383)	1	8				84.6	-43	5.10	9.6	67.2	-32

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Hö, blandvall, 0-50% baljväxter (383)	2	1				93.3	-39	5.71	10.7		
Hö, blandvall, 0-50% baljväxter (383)	3	1				97.9	-17	5.79	10.7		
Grönmassa, blandvall (51-100% baljväxter) (437)	2	3				81.2	17.1	6.07	10.5	73.7	12.0
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		70.0	41.7	5.68	9.6		
Grunnblanding Middels ford.grovfôr (326)	1	1	2.00000	2.00000		86.3	12.7	6.58	11.3		
Fullfoder (TMR) ej kompletta data (1E3)	1	3						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.5	3.2	1.3	5.7	0.1		1.3	34	2	51.0	18.0	37.0	4.7	
Råg, helsäd, grönmassa (138)	1	1	2.8	2.3	1.4	25.0	0.1	0.7	1.9	505	1	699.0	42.0	32.0	4.7	
Ensilage, gräs (0% klöver) (162)	1	8	3.4	2.0	1.5	16.6	0.3	2.4	1.5	276	8	94.6	80.4	27.0	4.8	
Ensilage, gräs (0% klöver) (162)	2	5	6.6	2.4	2.1	24.6	0.4	4.3	2.1	391	5	106.2	53.8	25.4	7.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	5.8	2.8	1.6	27.0	0.4	8.8	2.0	409	33	142.8	51.5	28.1	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	26	8.5	2.8	2.0	25.1	0.7	20.9	2.0	128	19	77.7	40.5	23.3	8.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5	9.4	2.7	2.8	21.5	1.3		2.6	309	5	163.4	58.4	27.4	8.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	6	8.0	2.4	1.7	26.9	0.1	8.3	1.8	428	6	119.9	40.1	24.5	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	115	5.2	2.6	1.7	25.9	0.4	4.5	2.0	430	112	199.7	57.6	26.9	6.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	80	6.9	2.7	2.2	25.7	0.7	5.6	2.2	389	73	155.5	71.0	28.3	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	12	9.5	2.5	2.6	23.1	0.8	5.8	2.1	329	10	168.9	71.7	24.3	8.1	
Ensilage, blandvall (1-50% klöver) (165)	4	2	8.4	3.8	2.8	27.2	1.9	5.9	2.8	438	0					
Korn, helsädesensilage (250)	1	3	6.0	2.7	1.9	20.7	0.7	5.0	1.2	342	3	127.7	50.0	34.0	6.9	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	5.6	2.8	1.8	24.2	0.3	3.9	1.8	408	2	135.5	44.0	28.5	5.3	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	5.6	3.1	2.1	23.4	0.4	5.0	1.8	363	1	249.0	33.0	27.0	5.9	
Havre helsädesensilage degmognad (296)	1	2	3.1	2.8	1.6	21.0	1.7	8.8	1.4	274	2	140.5	107.0	26.5	6.1	
Vete, helsäd ensilage (299)	1	1	2.2	1.8	1.4	15.1	0.1	4.6	1.5	167	1	350.0	98.0	22.0	4.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Hö, blandvall, 0-50% baljväxter (383)	0	3	5.2	2.2	1.8	14.4	0.3		1.6	143	3	62.2	70.3	21.1	4.7	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	8	3.3	2.0	1.2	14.3	0.2		1.2	159	5	84.6	89.8	22.8	4.3	
Hö, blandvall, 0-50% baljväxter (383)	2	1	5.3	2.8	1.9	29.8	1.7	9.4	1.9	453	0					
Hö, blandvall, 0-50% baljväxter (383)	3	1	7.0	2.5	2.1	27.1	1.3	7.9	2.0	402	0					
Grönmassa, blandvall (51-100% baljväxter) (437)	2	3	10.1	3.0	2.4	28.8	0.8		2.1	508	3	92.3	31.7	24.0	8.7	
Ensilage, blandvall (51-100% klöver) (438)	1	1	11.9	2.9	2.6	24.1	0.7		1.8	396	0					
Grunnblanding Middels ford.grovför (326)	1	1	3.1	3.8	2.1	13.8	2.5	4.3	2.3	197	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	3	6.4	3.2	3.8	16.5	2.3	11.0	2.7	45	3	715.7	96.3	89.0	17.6	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	867.833	28.4494	840.000	920.000
Aska	6	21.467	3.3880	17.200	27.500
OS smbh	6	57.333	44.4102	0.000	86.000
Råprot	6	111.317	9.2101	103.000	125.000
sRåprot	2	294.000	12.7279	285.000	303.000
NDF	4	155.500	50.5338	100.000	205.000
iNDF	6	116.333	70.7465	25.000	162.000
nhNDF	6	3.150	0.0000	3.150	3.150
Stä	6	604.683	39.6708	538.000	650.600
TAF	6	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	6	96.099	2.6569	93.475	100.285
PBVp20	6	-32.603	7.3904	-44.213	-23.080
NELp20	6	7.364	0.1586	7.176	7.609
OE*	5	13.400	0.1581	13.200	13.600
AAT*	3	93.000	1.0000	92.000	94.000
PBV*	3	-41.667	7.5056	-46.000	-33.000
Ca	2	0.450	0.0707	0.400	0.500
P	2	3.200	0.4243	2.900	3.500
Mg	2	1.250	0.0707	1.200	1.300
K	2	5.650	0.3536	5.400	5.900
Na	2	0.100	0.0000	0.100	0.100
S	2	1.300	0.0000	1.300	1.300
CAB	2	33.796	9.0423	27.402	40.190

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	51.000	7.0711	46.000	56.000
Mn	2	18.000	5.6569	14.000	22.000
Zn	2	37.000	1.4142	36.000	38.000
Cu	2	4.700	0.5657	4.300	5.100

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	911.000	.	911.000	911.000
Aska	1	17.000	.	17.000	17.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	408.000	.	408.000	408.000
NDF	1	96.000	.	96.000	96.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	586.000	.	586.000	586.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	110.479	.	110.479	110.479
PBVp20	1	-51.436	.	-51.436	-51.436
NELp20	1	8.020	.	8.020	8.020
OE*	1	14.100	.	14.100	14.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	296.000	.	296.000	296.000
Aska	1	91.000	.	91.000	91.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	129.000	.	129.000	129.000
sRåprot	1	820.000	.	820.000	820.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	504.000	.	504.000	504.000
iNDF	1	178.593	.	178.593	178.593
nhNDF	1	4.193	.	4.193	4.193
Stä	1	17.000	.	17.000	17.000
TAF	1	106.000	.	106.000	106.000
Mjölksyra	1	84.000	.	84.000	84.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	12.000	.	12.000	12.000
AATp20	1	61.979	.	61.979	61.979
PBVp20	1	26.034	.	26.034	26.034
NELp20	1	5.809	.	5.809	5.809
Ca	1	2.800	.	2.800	2.800
P	1	2.300	.	2.300	2.300
Mg	1	1.400	.	1.400	1.400
K	1	25.000	.	25.000	25.000
Na	1	0.100	.	0.100	0.100
Cl	1	0.700	.	0.700	0.700
S	1	1.900	.	1.900	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	505.266	.	505.266	505.266
Fe	1	699.000	.	699.000	699.000
Mn	1	42.000	.	42.000	42.000
Zn	1	32.000	.	32.000	32.000
Cu	1	4.700	.	4.700	4.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	695.125	166.402	371.000	840.000
Aska	8	57.500	8.124	44.000	67.000
OS smbh	8	68.950	6.563	63.000	80.800
Råprot	8	96.750	30.807	58.000	142.000
sRåprot	8	425.750	152.823	232.000	640.000
NH3-N	8	35.750	22.359	11.000	76.000
NDF	8	547.750	62.523	424.000	627.000
iNDF	8	197.477	52.621	102.601	247.979
nhNDF	8	3.958	0.964	3.023	5.685
TAF	8	28.863	35.145	8.500	113.900
Mjölksyra	8	22.250	29.822	3.000	94.000
Ättiksyra	8	4.875	5.566	1.000	18.000
Socker	8	92.750	24.528	61.000	138.000
BUF	8	0.738	0.529	0.500	2.000
AATp20	8	81.475	3.991	76.348	89.250
PBVp20	8	-26.991	22.294	-55.659	10.084

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	8	5.524	0.683	4.921	6.820
OE*	8	10.100	1.074	9.200	12.000
AAT*	8	68.875	3.357	66.000	75.000
PBV*	8	-21.000	25.321	-55.000	15.000
Ca	8	3.363	0.444	2.600	4.000
P	8	2.013	0.494	1.500	3.100
Mg	8	1.475	0.301	1.000	1.900
K	8	16.575	5.373	8.600	23.400
Na	8	0.338	0.297	0.100	0.900
Cl	8	2.363	1.202	1.200	4.500
S	8	1.538	0.396	1.000	1.900
CAB	8	275.944	129.491	86.808	469.183
Fe	8	94.625	26.832	56.000	140.000
Mn	8	80.375	40.210	38.000	158.000
Zn	8	27.000	6.866	16.000	36.000
Cu	8	4.838	0.881	3.200	5.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	616.200	184.231	310.000	776.000
Aska	5	80.400	5.550	71.000	85.000
OS smbh	5	74.760	2.539	71.900	78.800
Råprot	5	134.000	25.060	99.000	163.000
sRåprot	5	411.000	142.935	263.000	585.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	5	44.800	24.294	17.000	81.000
NDF	5	449.200	24.773	424.000	484.000
iNDF	5	166.298	32.100	110.594	188.092
nhNDF	5	4.288	0.740	3.747	5.589
TAF	5	26.220	30.715	4.500	80.100
Mjölksyra	5	17.600	26.670	2.000	65.000
Ättiksyra	5	7.200	5.070	1.000	14.000
Socker	5	103.800	47.772	23.000	150.000
BUF	5	0.420	0.179	0.100	0.500
AATp20	5	87.981	3.748	83.689	93.463
PBVp20	5	-3.644	23.262	-37.026	26.716
NELp20	5	5.930	0.402	5.628	6.616
OE*	5	10.800	0.394	10.300	11.400
AAT*	5	71.200	1.095	70.000	73.000
PBV*	5	12.000	23.569	-22.000	38.000
Ca	5	6.600	1.459	5.100	8.200
P	5	2.400	0.474	1.900	3.000
Mg	5	2.080	0.356	1.800	2.600
K	5	24.600	3.157	20.900	27.800
Na	5	0.360	0.365	0.100	1.000
Cl	5	4.320	1.902	1.900	7.200
S	5	2.120	0.295	1.800	2.600
CAB	5	390.618	47.527	323.600	454.985
Fe	5	106.200	31.964	82.000	161.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	53.800	18.226	36.000	78.000
Zn	5	25.400	1.673	24.000	28.000
Cu	5	7.320	1.911	4.400	9.400

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	261.000	18.385	248.000	274.000
Aska	2	89.500	14.849	79.000	100.000
OS smbh	2	79.250	5.728	75.200	83.300
Råprot	2	183.000	43.841	152.000	214.000
NDF	2	486.500	108.187	410.000	563.000
iNDF	2	93.031	50.094	57.610	128.453
nhNDF	2	6.152	0.878	5.532	6.773
TAF	2	84.000	0.000	84.000	84.000
Socker	2	39.000	39.598	11.000	67.000
AATp20	2	89.612	5.872	85.460	93.764
PBVp20	2	41.611	31.384	19.420	63.803
NELp20	2	6.696	0.422	6.398	6.994
OE*	2	11.400	0.707	10.900	11.900
AAT*	2	77.500	3.536	75.000	80.000
PBV*	2	49.000	38.184	22.000	76.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	36	430.667	156.070	268.000	627.000
Aska	36	78.139	9.775	65.000	90.000
OS smbh	36	77.433	4.604	71.000	82.900
Råprot	36	160.222	30.733	118.000	191.000
sRåprot	12	368.667	25.148	344.000	409.000
NDF	36	463.361	40.785	416.000	514.000
iNDF	36	125.166	51.270	66.000	193.755
nhNDF	36	5.274	1.151	3.909	6.814
TAF	36	84.000	0.000	84.000	84.000
Socker	36	103.806	37.859	50.000	159.000
AATp20	36	88.256	5.840	81.926	94.149
PBVp20	36	22.559	21.933	-13.506	51.142
NELp20	36	6.406	0.450	5.974	6.945
OE*	36	11.261	0.756	10.200	12.110
AAT*	24	77.792	4.443	72.000	82.000
PBV*	24	18.125	28.961	-24.000	62.000
Ca	34	5.791	1.887	3.800	7.600
P	34	2.815	0.577	2.100	3.400
Mg	34	1.585	0.231	1.300	1.900
K	34	27.009	5.141	19.300	32.000
Na	34	0.441	0.348	0.100	0.900
Cl	12	8.825	4.406	4.600	15.500
S	34	2.044	0.431	1.400	2.500
CAB	34	408.782	128.047	230.313	564.313

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	33	142.848	111.792	83.000	185.000
Mn	33	51.515	18.050	30.000	75.000
Zn	33	28.121	6.575	22.000	36.000
Cu	33	6.879	1.444	4.900	9.000
Se	16	0.031	0.020	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	467.655	151.696	251.000	672.000
Aska	29	83.621	15.601	65.000	105.000
OS smbh	29	73.424	3.167	70.100	77.600
Råprot	29	159.207	29.621	122.000	200.000
sRåprot	16	367.875	71.384	312.000	419.000
NDF	29	455.379	47.831	395.000	527.000
iNDF	29	203.570	73.574	121.002	339.000
nhNDF	29	4.527	0.847	3.603	5.904
TAF	29	84.000	0.000	84.000	84.000
Socker	29	84.241	40.147	24.000	145.000
AATp20	29	84.545	5.326	77.985	92.260
PBVp20	29	27.855	21.489	-1.283	60.699
NELp20	29	5.991	0.352	5.653	6.596
OE*	29	10.541	0.470	10.000	11.250
AAT*	13	73.308	2.529	71.000	76.000
PBV*	13	20.000	26.125	-18.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	26	8.469	2.926	5.400	13.000
P	26	2.773	0.511	2.200	3.600
Mg	26	1.954	0.383	1.500	2.400
K	26	25.058	4.996	19.000	29.800
Na	25	0.652	0.576	0.100	1.600
Cl	16	20.913	18.083	3.200	48.400
S	26	2.042	0.489	1.400	2.600
CAB	26	128.044	471.964	-660.853	506.912
Fe	19	77.737	24.328	49.000	123.000
Mn	19	40.526	24.582	13.000	68.000
Zn	19	23.316	4.796	18.000	31.000
Cu	19	8.400	3.604	5.200	11.000
Se	5	0.009	0.008	0.005	0.024

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	337.429	41.012	304.000	411.000
Aska	7	102.143	8.726	88.000	117.000
OS smbh	7	77.429	1.935	74.700	80.000
Råprot	7	175.571	14.853	160.000	196.000
NDF	7	443.286	21.029	414.000	472.000
iNDF	7	125.951	18.884	99.771	151.739
nhNDF	7	5.069	0.329	4.630	5.518
TAF	7	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	7	58.143	28.783	20.000	95.000
AATp20	7	85.600	1.215	83.964	87.131
PBVp20	7	41.182	14.827	28.155	62.185
NELp20	7	6.350	0.096	6.238	6.509
OE*	7	10.957	0.336	10.500	11.300
AAT*	7	75.571	1.988	73.000	78.000
PBV*	7	44.857	17.151	30.000	69.000
Ca	5	9.360	1.397	7.500	10.900
P	5	2.740	0.378	2.400	3.200
Mg	5	2.800	0.561	2.400	3.700
K	5	21.500	7.360	12.400	31.300
Na	5	1.260	0.493	0.800	2.000
S	5	2.620	0.363	2.200	3.200
CAB	5	308.510	199.932	70.067	565.400
Fe	5	163.400	58.646	105.000	247.000
Mn	5	58.400	23.490	31.000	93.000
Zn	5	27.400	3.975	22.000	32.000
Cu	5	8.520	0.879	7.900	9.900
Se	4	0.029	0.008	0.023	0.039

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	426.693	152.110	278.162	705.202
Aska	1	82.000	.	82.000	82.000
OS smbh	6	71.685	5.219	66.760	80.620
Råprot	6	146.100	27.947	103.600	184.000
sRåprot	6	573.513	98.807	385.000	662.570
NH3-N	6	100.760	38.588	46.100	153.080
NDF	6	458.500	70.939	357.000	545.000
iNDF	6	200.728	64.294	117.555	280.777
nhNDF	6	3.752	1.072	2.363	4.934
TAF	6	38.917	28.479	11.300	78.100
Mjölksyra	6	27.783	24.596	5.520	61.000
Ättiksyra	6	8.450	5.284	2.450	16.000
Socker	6	70.733	54.518	13.300	157.700
BUF	1	0.100	.	0.100	0.100
AATp20	6	82.032	6.002	75.293	91.349
PBVp20	6	19.968	22.097	-10.877	49.627
NELp20	6	5.790	0.499	5.245	6.519
OE*	6	10.117	0.760	9.150	11.320
AAT*	6	68.893	2.092	66.148	72.107
PBV*	1	9.000	.	9.000	9.000
Ca	6	8.033	4.364	3.293	14.867
P	6	2.422	0.600	1.850	3.182
Mg	6	1.725	0.394	1.331	2.317
K	6	26.911	5.156	17.506	32.184

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	0.103	0.147	0.013	0.400
Cl	1	8.300	.	8.300	8.300
S	6	1.849	0.431	1.162	2.271
CAB	6	427.893	107.769	243.234	551.618
Fe	6	119.885	52.278	48.225	195.732
Mn	6	40.102	21.015	20.463	75.000
Zn	6	24.462	6.814	18.523	37.852
Cu	6	7.281	2.057	5.048	10.559
Se	1	0.028	.	0.028	0.028

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	124	406.202	128.137	275.000	578.000
Aska	122	76.189	10.110	65.000	87.000
OS smbh	124	75.973	4.274	68.100	80.900
Råprot	122	147.975	31.693	107.000	185.000
sRåprot	122	602.975	102.285	462.000	706.000
NH3-N	122	77.410	28.776	33.000	110.000
NDF	122	457.451	55.325	399.000	530.000
iNDF	124	145.939	40.683	97.206	205.808
nhNDF	124	4.714	0.776	3.731	5.734
TAF	124	67.177	33.483	24.500	116.100
Mjölksyra	122	51.648	28.536	17.000	95.000
Ättiksyra	121	12.835	6.680	5.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	122	61.582	35.329	20.000	111.000
PRF	20	1.750	1.682	0.000	3.500
BUF	121	1.339	1.332	0.000	3.300
AATp20	124	83.635	4.012	78.477	88.290
PBVp20	124	18.664	26.817	-17.796	50.509
NELp20	124	6.293	0.470	5.433	6.838
OE*	122	11.048	0.681	9.900	11.800
AAT*	101	71.594	1.945	68.000	73.000
PBV*	101	19.911	28.464	-19.000	53.000
Ca	115	5.175	1.601	3.700	8.000
P	115	2.629	0.392	2.100	3.100
Mg	115	1.657	0.322	1.300	2.100
K	115	25.924	4.150	20.900	30.500
Na	115	0.396	0.361	0.100	0.900
Cl	122	4.513	3.778	1.200	7.500
S	115	1.957	0.413	1.400	2.500
CAB	115	430.029	117.861	291.280	551.720
Fe	112	199.732	158.363	81.000	366.000
Mn	112	57.625	21.762	35.000	82.000
Zn	112	26.902	4.038	22.000	32.000
Cu	112	6.664	1.313	5.100	8.300
Se	30	0.021	0.017	0.006	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	83	450.687	130.901	315.000	651.000
Aska	83	82.723	10.574	68.000	96.000
OS smbh	83	73.929	3.022	70.500	77.200
Råprot	83	146.181	22.818	115.000	175.000
sRåprot	83	516.566	89.553	418.000	612.000
NH3-N	83	70.807	29.843	34.000	111.000
NDF	83	453.723	39.464	400.000	501.000
iNDF	83	176.344	35.636	138.899	231.000
nhNDF	83	4.210	0.717	3.269	5.005
TAF	83	55.416	25.489	17.500	83.000
Mjölksyra	83	40.867	21.510	10.000	67.000
Ättiksyra	83	12.084	5.383	6.000	20.000
Socker	83	60.952	35.112	19.000	113.000
PRF	12	1.583	1.240	0.000	3.000
BUF	83	1.380	1.488	0.000	3.600
AATp20	83	83.766	4.162	79.612	89.497
PBVp20	83	16.874	21.766	-12.945	43.474
NELp20	83	6.041	0.329	5.710	6.422
OE*	83	10.631	0.484	10.100	11.100
AAT*	71	70.465	1.452	69.000	72.000
PBV*	71	23.451	21.660	-8.000	49.000
Ca	80	6.874	2.121	5.000	9.450
P	80	2.724	0.417	2.250	3.200
Mg	80	2.163	0.357	1.750	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	80	25.685	4.563	18.850	32.000
Na	80	0.651	0.527	0.100	1.550
Cl	83	5.561	3.088	2.000	10.300
S	80	2.171	0.475	1.700	2.750
CAB	80	389.165	113.084	221.623	521.576
Fe	73	155.521	132.441	79.000	252.000
Mn	73	71.000	35.147	32.000	110.000
Zn	73	28.288	7.693	22.000	34.000
Cu	73	7.768	1.325	6.100	9.300
Se	8	0.026	0.021	0.005	0.066

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	485.000	158.535	328.000	706.000
Aska	12	84.500	9.357	75.000	93.000
OS smbh	12	73.542	3.736	70.900	78.800
Råprot	12	147.333	11.719	137.000	161.000
sRåprot	12	486.917	84.656	353.000	556.000
NH3-N	12	67.750	38.225	26.000	122.000
NDF	12	417.000	37.690	381.000	447.000
iNDF	12	198.904	42.622	136.098	252.380
nhNDF	12	3.859	1.046	2.755	5.025
TAF	12	43.842	30.260	15.500	84.100
Mjölksyra	12	32.167	25.926	5.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	12	9.000	5.205	4.000	15.000
Socker	12	82.250	35.990	37.000	128.000
PRF	2	1.000	0.000	1.000	1.000
BUF	12	1.675	1.876	0.100	3.200
AATp20	12	84.571	6.802	77.881	92.540
PBVp20	12	16.760	12.812	6.988	24.686
NELp20	12	5.877	0.327	5.557	6.265
OE*	12	10.543	0.559	10.100	11.300
AAT*	10	70.000	1.491	68.000	72.000
PBV*	10	24.100	10.796	11.000	40.000
Ca	12	9.525	2.622	7.300	11.400
P	12	2.533	0.464	2.000	3.100
Mg	12	2.600	0.603	2.000	3.500
K	12	23.092	4.365	17.700	27.200
Na	12	0.792	0.781	0.100	1.500
Cl	12	5.767	3.266	2.700	9.100
S	12	2.133	0.392	1.600	2.500
CAB	12	329.225	76.126	231.868	381.736
Fe	10	168.900	180.987	59.500	440.000
Mn	10	71.700	24.023	42.500	103.500
Zn	10	24.300	3.020	19.500	27.500
Cu	10	8.090	1.361	6.000	9.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	316.000	22.6274	300.000	332.000
Aska	2	99.500	4.9497	96.000	103.000
OS smbh	2	76.100	0.1414	76.000	76.200
Råprot	2	188.000	0.0000	188.000	188.000
sRåprot	2	513.000	36.7696	487.000	539.000
NH3-N	2	54.500	0.7071	54.000	55.000
NDF	2	386.500	27.5772	367.000	406.000
iNDF	2	222.500	30.4056	201.000	244.000
nhNDF	2	5.269	0.2558	5.088	5.450
TAF	2	104.500	45.9619	72.000	137.000
Mjölksyra	2	86.500	36.0624	61.000	112.000
Ättiksyra	2	14.500	9.1924	8.000	21.000
Socker	2	44.000	12.7279	35.000	53.000
PRF	2	3.500	0.7071	3.000	4.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	83.026	5.3660	79.231	86.820
PBVp20	2	56.844	8.3682	50.927	62.761
NELp20	2	6.351	0.1134	6.271	6.431
OE*	2	10.785	0.0354	10.760	10.810
Ca	2	8.400	2.2627	6.800	10.000
P	2	3.750	0.2121	3.600	3.900
Mg	2	2.750	0.2121	2.600	2.900
K	2	27.200	3.9598	24.400	30.000
Na	2	1.850	0.0707	1.800	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	2	5.900	2.8284	3.900	7.900
S	2	2.750	0.0707	2.700	2.800
CAB	2	438.015	14.1058	428.040	447.989

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	427.000	125.096	315.000	562.000
Aska	3	71.333	9.018	62.000	80.000
OS smbh	3	72.600	1.997	70.900	74.800
Råprot	3	121.000	42.930	75.000	160.000
sRåprot	3	687.667	90.633	600.000	781.000
NH3-N	3	81.000	34.871	41.000	105.000
NDF	3	441.333	38.850	408.000	484.000
iNDF	3	210.198	30.365	175.167	229.000
nhNDF	3	3.793	0.630	3.084	4.289
Stä	3	58.000	22.271	38.000	82.000
TAF	3	55.467	30.245	26.700	87.000
Mjölksyra	3	37.000	26.627	12.000	65.000
Ättiksyra	3	17.000	4.000	13.000	21.000
Socker	3	101.333	49.003	52.000	150.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	73.634	5.259	69.048	79.374
PBVp20	3	-0.963	38.916	-37.973	39.613

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.821	0.187	5.605	5.941
OE*	2	10.035	0.191	9.900	10.170
AAT*	1	60.000	.	60.000	60.000
PBV*	1	7.000	.	7.000	7.000
Ca	3	5.967	2.194	3.500	7.700
P	3	2.700	0.265	2.400	2.900
Mg	3	1.900	0.265	1.600	2.100
K	3	20.700	3.460	17.100	24.000
Na	3	0.667	0.473	0.300	1.200
Cl	3	5.033	0.850	4.200	5.900
S	3	1.200	0.781	0.300	1.700
CAB	3	341.613	144.823	234.519	506.390
Fe	3	127.667	53.201	94.000	189.000
Mn	3	50.000	23.896	24.000	71.000
Zn	3	34.000	10.583	22.000	42.000
Cu	3	6.900	2.921	4.200	10.000
Se	1	0.005	.	0.005	0.005

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	381.000	53.842	324.000	431.000
Aska	3	67.333	6.028	61.000	73.000
OS smbh	3	68.767	1.704	66.800	69.800
Råprot	3	99.667	16.442	81.000	112.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	3	639.667	157.995	458.000	745.000
NH3-N	3	68.667	24.173	43.000	91.000
NDF	3	446.667	24.379	419.000	465.000
iNDF	3	246.902	18.051	227.916	263.844
nhNDF	3	2.901	0.262	2.700	3.198
Stä	3	85.333	35.501	46.000	115.000
TAF	3	68.000	13.000	60.000	83.000
Mjölksyra	3	47.000	17.088	29.000	63.000
Ättiksyra	3	19.000	10.536	9.000	30.000
Socker	3	76.333	27.025	50.000	104.000
AATp20	3	70.571	4.889	65.449	75.187
PBVp20	3	-9.813	21.650	-34.711	4.583
NELp20	3	5.578	0.138	5.421	5.680
Ca	2	5.550	0.495	5.200	5.900
P	2	2.800	0.566	2.400	3.200
Mg	2	1.750	0.354	1.500	2.000
K	2	24.150	2.051	22.700	25.600
Na	2	0.300	0.000	0.300	0.300
Cl	3	3.900	1.700	2.200	5.600
S	2	1.800	0.283	1.600	2.000
CAB	2	408.331	102.490	335.860	480.803
Fe	2	135.500	45.962	103.000	168.000
Mn	2	44.000	28.284	24.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	28.500	3.536	26.000	31.000
Cu	2	5.300	0.141	5.200	5.400

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	278.000	.	278.000	278.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	67.600	.	67.600	67.600
Råprot	1	125.000	.	125.000	125.000
sRåprot	1	740.000	.	740.000	740.000
NH3-N	1	161.000	.	161.000	161.000
NDF	1	436.000	.	436.000	436.000
iNDF	1	422.358	.	422.358	422.358
nhNDF	1	6.197	.	6.197	6.197
Stä	1	75.000	.	75.000	75.000
TAF	1	93.500	.	93.500	93.500
Mjölksyra	1	80.000	.	80.000	80.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	24.000	.	24.000	24.000
AATp20	1	65.567	.	65.567	65.567
PBVp20	1	21.194	.	21.194	21.194
NELp20	1	5.571	.	5.571	5.571
Ca	1	5.600	.	5.600	5.600
P	1	3.100	.	3.100	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	2.100	.	2.100	2.100
K	1	23.400	.	23.400	23.400
Na	1	0.400	.	0.400	0.400
Cl	1	5.000	.	5.000	5.000
S	1	1.800	.	1.800	1.800
CAB	1	362.512	.	362.512	362.512
Fe	1	249.000	.	249.000	249.000
Mn	1	33.000	.	33.000	33.000
Zn	1	27.000	.	27.000	27.000
Cu	1	5.900	.	5.900	5.900

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	315.000	80.610	258.000	372.000
Aska	2	79.000	12.728	70.000	88.000
OS smbh	2	64.950	2.192	63.400	66.500
Råprot	2	108.000	7.071	103.000	113.000
sRåprot	2	662.500	188.798	529.000	796.000
NH3-N	2	91.500	13.435	82.000	101.000
NDF	2	509.500	12.021	501.000	518.000
iNDF	2	255.003	34.081	230.903	279.102
nhNDF	2	2.951	0.533	2.575	3.328
Stä	2	37.500	28.991	17.000	58.000
TAF	2	71.000	18.385	58.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	2	57.500	16.263	46.000	69.000
Ättiksyra	2	13.500	2.121	12.000	15.000
Socker	2	44.000	0.000	44.000	44.000
AATp20	2	68.730	9.234	62.200	75.259
PBVp20	2	-1.936	9.922	-8.952	5.080
NELp20	2	5.279	0.045	5.247	5.311
Ca	2	3.050	1.485	2.000	4.100
P	2	2.800	0.990	2.100	3.500
Mg	2	1.600	0.283	1.400	1.800
K	2	20.950	6.152	16.600	25.300
Na	2	1.700	0.849	1.100	2.300
Cl	2	8.800	10.607	1.300	16.300
S	2	1.400	0.141	1.300	1.500
CAB	2	274.331	187.173	141.980	406.683
Fe	2	140.500	16.263	129.000	152.000
Mn	2	107.000	97.581	38.000	176.000
Zn	2	26.500	4.950	23.000	30.000
Cu	2	6.100	2.121	4.600	7.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	624.000	.	624.000	624.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	68.200	.	68.200	68.200
Råprot	1	101.000	.	101.000	101.000
sRåprot	1	620.000	.	620.000	620.000
NH3-N	1	50.000	.	50.000	50.000
NDF	1	443.000	.	443.000	443.000
iNDF	1	255.684	.	255.684	255.684
nhNDF	1	2.769	.	2.769	2.769
Stä	1	68.000	.	68.000	68.000
TAF	1	21.500	.	21.500	21.500
Mjölksyra	1	7.000	.	7.000	7.000
Ättiksyra	1	12.000	.	12.000	12.000
Socket	1	153.000	.	153.000	153.000
AATp20	1	73.168	.	73.168	73.168
PBVp20	1	-17.589	.	-17.589	-17.589
NELp20	1	5.301	.	5.301	5.301
OE*	1	9.700	.	9.700	9.700
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-19.000	.	-19.000	-19.000
Ca	1	2.200	.	2.200	2.200
P	1	1.800	.	1.800	1.800
Mg	1	1.400	.	1.400	1.400
K	1	15.100	.	15.100	15.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	4.600	.	4.600	4.600
S	1	1.500	.	1.500	1.500
CAB	1	167.210	.	167.210	167.210
Fe	1	350.000	.	350.000	350.000
Mn	1	98.000	.	98.000	98.000
Zn	1	22.000	.	22.000	22.000
Cu	1	4.800	.	4.800	4.800

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	802.166	91.7665	718.000	900.000
Aska	2	70.000	11.3137	62.000	78.000
OS smbh	3	67.907	6.2452	60.800	72.520
Råprot	3	82.567	23.0340	57.000	101.700
NDF	3	549.667	56.1456	496.000	608.000
iNDF	3	207.081	45.9359	164.901	256.023
nhNDF	3	3.771	0.7708	3.010	4.552
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	140.833	33.0013	117.000	178.500
AATp20	3	84.494	7.9977	75.820	91.575
PBVp20	3	-43.845	8.2084	-53.173	-37.727
NELp20	3	5.184	0.5759	4.546	5.666
OE*	3	9.710	0.8822	8.700	10.330

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	3	69.277	5.4520	63.000	72.831
PBV*	2	-41.500	12.0208	-50.000	-33.000
Ca	3	5.157	2.9017	2.200	8.000
P	3	2.164	0.3063	1.900	2.500
Mg	3	1.842	0.5595	1.200	2.226
K	3	14.402	1.4392	13.207	16.000
Na	3	0.338	0.2594	0.100	0.614
S	3	1.584	0.6731	1.100	2.353
CAB	3	143.187	68.0756	76.596	212.656
Fe	3	62.224	23.4315	35.671	80.000
Mn	3	70.326	6.8155	64.978	78.000
Zn	3	21.127	4.5775	18.000	26.381
Cu	3	4.668	0.8085	3.800	5.400
Se	1	0.072	.	0.072	0.072

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	831.250	67.821	711.000	889.000
Aska	8	54.375	19.153	30.000	90.000
OS smbh	8	65.875	3.657	59.000	71.600
Råprot	8	83.625	24.378	63.000	137.000
sRåprot	3	453.000	23.643	431.000	478.000
NDF	8	566.500	56.710	467.000	648.000
iNDF	8	238.863	37.769	196.000	303.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	8	3.599	0.556	2.861	4.162
TAF	8	0.000	0.000	0.000	0.000
Socker	8	112.250	15.836	94.000	134.000
AATp20	8	84.616	4.677	77.353	89.640
PBVp20	8	-42.783	19.884	-63.679	1.196
NELp20	8	5.100	0.287	4.580	5.489
OE*	8	9.598	0.553	8.600	10.540
AAT*	5	67.200	3.114	62.000	70.000
PBV*	5	-32.200	29.811	-57.000	19.000
Ca	8	3.313	2.136	1.200	7.700
P	8	2.025	0.315	1.500	2.500
Mg	8	1.175	0.597	0.400	2.100
K	8	14.263	4.382	5.800	19.400
Na	8	0.238	0.130	0.100	0.400
S	8	1.200	0.382	1.000	2.100
CAB	8	159.251	113.440	-46.312	297.166
Fe	5	84.600	42.700	46.000	157.000
Mn	5	89.800	43.066	57.000	165.000
Zn	5	22.800	5.167	17.000	29.000
Cu	5	4.260	0.835	3.000	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	702.000	.	702.000	702.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	74.000	.	74.000	74.000
Råprot	1	104.000	.	104.000	104.000
sRåprot	1	465.000	.	465.000	465.000
NDF	1	451.000	.	451.000	451.000
iNDF	1	163.000	.	163.000	163.000
nhNDF	1	3.870	.	3.870	3.870
TAF	1	0.000	.	0.000	0.000
Socket	1	146.000	.	146.000	146.000
AATp20	1	93.294	.	93.294	93.294
PBVp20	1	-38.520	.	-38.520	-38.520
NELp20	1	5.705	.	5.705	5.705
OE*	1	10.680	.	10.680	10.680
Ca	1	5.300	.	5.300	5.300
P	1	2.800	.	2.800	2.800
Mg	1	1.900	.	1.900	1.900
K	1	29.800	.	29.800	29.800
Na	1	1.700	.	1.700	1.700
Cl	1	9.400	.	9.400	9.400
S	1	1.900	.	1.900	1.900
CAB	1	452.523	.	452.523	452.523

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	644.000	.	644.000	644.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	441.000	.	441.000	441.000
NDF	1	438.000	.	438.000	438.000
iNDF	1	194.000	.	194.000	194.000
nhNDF	1	3.940	.	3.940	3.940
TAF	1	0.000	.	0.000	0.000
Socket	1	125.000	.	125.000	125.000
AATp20	1	97.905	.	97.905	97.905
PBVp20	1	-16.932	.	-16.932	-16.932
NELp20	1	5.791	.	5.791	5.791
OE*	1	10.650	.	10.650	10.650
Ca	1	7.000	.	7.000	7.000
P	1	2.500	.	2.500	2.500
Mg	1	2.100	.	2.100	2.100
K	1	27.100	.	27.100	27.100
Na	1	1.300	.	1.300	1.300
Cl	1	7.900	.	7.900	7.900
S	1	2.000	.	2.000	2.000
CAB	1	402.081	.	402.081	402.081

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	442.000	177.789	314.000	645.000
Aska	3	95.333	10.017	85.000	105.000
OS smbh	3	74.233	1.973	72.900	76.500
Råprot	3	138.667	11.930	125.000	147.000
NDF	3	470.000	34.073	431.000	494.000
iNDF	3	223.359	61.196	163.852	286.114
nhNDF	3	6.272	0.317	5.907	6.485
TAF	3	72.000	0.000	72.000	72.000
Socker	3	82.000	45.211	32.000	120.000
AATp20	3	81.208	2.440	79.363	83.974
PBVp20	3	17.061	8.801	7.069	23.660
NELp20	3	6.066	0.258	5.817	6.333
OE*	3	10.533	0.321	10.300	10.900
AAT*	3	73.667	2.082	72.000	76.000
PBV*	3	12.000	11.358	-1.000	20.000
Ca	3	10.100	1.992	8.900	12.400
P	3	3.033	0.404	2.600	3.400
Mg	3	2.400	0.346	2.200	2.800
K	3	28.833	4.446	23.700	31.400
Na	3	0.767	0.551	0.400	1.400
S	3	2.133	0.231	2.000	2.400
CAB	3	507.848	143.280	343.952	609.361
Fe	3	92.333	19.502	70.000	106.000
Mn	3	31.667	5.774	25.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	24.000	1.000	23.000	25.000
Cu	3	8.700	0.700	8.000	9.400

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	320.000	.	320.000	320.000
Aska	1	83.000	.	83.000	83.000
OS smbh	1	67.800	.	67.800	67.800
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	566.000	.	566.000	566.000
NH3-N	1	90.000	.	90.000	90.000
NDF	1	449.000	.	449.000	449.000
iNDF	1	360.000	.	360.000	360.000
nhNDF	1	4.756	.	4.756	4.756
TAF	1	115.000	.	115.000	115.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	26.000	.	26.000	26.000
Socker	1	16.000	.	16.000	16.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	70.040	.	70.040	70.040
PBVp20	1	41.702	.	41.702	41.702
NELp20	1	5.682	.	5.682	5.682
OE*	1	9.630	.	9.630	9.630

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	11.900	.	11.900	11.900
P	1	2.900	.	2.900	2.900
Mg	1	2.600	.	2.600	2.600
K	1	24.100	.	24.100	24.100
Na	1	0.700	.	0.700	0.700
S	1	1.800	.	1.800	1.800
CAB	1	396.275	.	396.275	396.275

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	399.000	.	399.000	399.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	142.000	.	142.000	142.000
sRåprot	1	545.000	.	545.000	545.000
NH3-N	1	76.000	.	76.000	76.000
NDF	1	292.000	.	292.000	292.000
iNDF	1	214.000	.	214.000	214.000
nhNDF	1	2.202	.	2.202	2.202
Stä	1	250.000	.	250.000	250.000
TAF	1	59.000	.	59.000	59.000
Mjölksyra	1	38.000	.	38.000	38.000
Ättiksyra	1	17.000	.	17.000	17.000
Socket	1	45.000	.	45.000	45.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	86.293	.	86.293	86.293
PBVp20	1	12.665	.	12.665	12.665
NELp20	1	6.579	.	6.579	6.579
OE*	1	11.290	.	11.290	11.290
Ca	1	3.100	.	3.100	3.100
P	1	3.800	.	3.800	3.800
Mg	1	2.100	.	2.100	2.100
K	1	13.800	.	13.800	13.800
Na	1	2.500	.	2.500	2.500
Cl	1	4.300	.	4.300	4.300
S	1	2.300	.	2.300	2.300
CAB	1	196.760	.	196.760	196.760

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.667	31.880	356.000	419.000
Aska	3	81.000	7.211	75.000	89.000
OS smbh	3	73.333	5.784	68.200	79.600
Råprot	3	147.667	16.503	134.000	166.000
sRåprot	3	534.000	50.478	492.000	590.000
NH3-N	3	66.667	22.745	48.000	92.000
NDF	3	323.667	86.234	234.000	406.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	3	248.826	36.685	206.474	270.761
nhNDF	3	2.489	0.140	2.331	2.596
Stä	3	196.000	87.401	119.000	291.000
Socker	3	24.000	4.583	20.000	29.000
NELp20	3	0.000	0.000	0.000	0.000
Ca	3	6.367	0.611	5.700	6.900
P	3	3.200	0.794	2.600	4.100
Mg	3	3.800	0.529	3.400	4.400
K	3	16.500	1.637	15.100	18.300
Na	3	2.300	2.081	1.000	4.700
Cl	3	11.033	2.650	8.400	13.700
S	3	2.667	0.611	2.000	3.200
CAB	3	44.530	134.981	-105.673	155.678
Fe	3	715.667	282.727	393.000	920.000
Mn	3	96.333	12.503	84.000	109.000
Zn	3	89.000	15.395	76.000	106.000
Cu	3	17.633	2.775	15.100	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet