

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	7	842	24	86.0	96				162	3.15	644	0.0000			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	844	25	80.5	88				304	2.50	636	0.0000			
Ensilage, gräs (0% klöver) (162)	1	7	362	65	73.9	131	597	77.3	483	167	4.32		71.9857	55.0	14.3	55
Ensilage, gräs (0% klöver) (162)	2	4	387	82	72.8	143	541	112	469	187	4.12		57.9500	38.0	13.8	46
Grönmassa blandvall (1-50 % baljväxter) (164)	1	32	463	71	75.2	131	476		513	141	5.20		84.0000			101
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16	539	82	74.4	142	331		492	159	4.76		84.0000			97
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	515	89	71.7	133	404		467	221	4.40		84.0000			74
Ensilage, blandvall (1-50% klöver) (165)	0	4	317	84	77.3	164	635	95.3	442	132	4.95		79.5000	60.8	16.0	51
Ensilage, blandvall (1-50% klöver) (165)	1	119	353	69	74.5	138	603	85.6	486	156	4.58		70.8454	54.8	13.5	47
Ensilage, blandvall (1-50% klöver) (165)	2	75	436	77	75.0	139	512	64.7	455	163	4.39		59.4267	45.8	11.8	65
Ensilage, blandvall (1-50% klöver) (165)	3	10	489	81	74.9	139	505	67.8	448	169	4.42		50.6200	37.6	11.1	83
Ensilage, blandvall (1-50% klöver) (165)	5	1	432	85	72.0	130	471	86.0	421	212	3.36		85.9000	71.0	13.0	74
Ensilage, blandvall (1-50% klöver) (165)	*	1	311	67	72.9	117	644	49.0	506	143	3.80		84.0000	69.0	14.0	45
Korn, helsädesensilage (250)	1	2	351	53	71.5	114	672	91.5	392	225	2.54	119	99.3500	76.0	19.5	56
Havre helsädesensilage degmognad (296)	1	2	400	68	68.3	103	733	89.0	460	246	2.93	68	59.0000	45.0	14.0	71
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	453	74	69.1	136	655	71.3	467	244	3.44	53	67.3333	50.7	16.7	56
Vete, helsäd ensilage (299)	1	1	399	63	64.5	103	486	71.0	532	253	2.95	48	54.5000	44.0	8.0	71
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	400	69	70.3	127	661	90.7	420	241	2.91	92	63.3333	51.3	12.0	62
Hö, blandvall, 0-50% baljväxter (383)	1	9	896	57	66.0	69	534		556	234	3.49		0.0000			133
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	652	64	64.8	118	456		519	360	4.71		72.0000			92
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	820	104	76.4	217	381		354	340	15.0		72.0000			65

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	7				94.6	-39	7.27			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				89.7	-43	7.02			
Blandsäd, kärna, 50%korn/50%vete (114)	1	0				106	-36	7.58			
Ensilage, gräs (0% klöver) (162)	1	7	1.00	1.70000		80.7	5.6	6.11	10.8	71.2	0.0
Ensilage, gräs (0% klöver) (162)	2	4	1.00	5.20000		80.9	15.9	5.91	10.5	70.0	22.3
Grönmassa blandvall (1-50 % baljväxter) (164)	1	32				84.2	2.2	6.20	11.0	76.7	3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16				83.5	13.2	6.08	10.7	74.4	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3				79.5	11.6	5.74	10.2	71.5	8.5
Ensilage, blandvall (1-50% klöver) (165)	0	4		1.75000		83.0	34.6	6.43	11.2	71.8	39.8
Ensilage, blandvall (1-50% klöver) (165)	1	119	1.25	1.50508		82.2	11.9	6.21	10.9	71.5	12.7
Ensilage, blandvall (1-50% klöver) (165)	2	75	0.90	0.85333		84.7	9.0	6.15	10.9	71.3	16.9
Ensilage, blandvall (1-50% klöver) (165)	3	10	0.00	1.02000		85.2	7.8	6.08	10.8	71.2	13.3
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.90000		78.5	10.2	5.72	10.3	70.0	10.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	1.00	0.00000		77.9	-1.0	6.11	10.6		
Korn, helsädesensilage (250)	1	2	3.00	3.00000		69.1	0.0	5.93	11.0		
Havre helsädesensilage degmognad (296)	1	2				70.7	-9.6	5.56			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	0.00	0.00000		69.5	23.6	5.71	10.4		
Vete, helsäd ensilage (299)	1	1				69.7	-11	5.23			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3				73.4	9.5	5.75			
Hö, blandvall, 0-50% baljväxter (383)	1	9				81.9	-53	5.02	9.6	68.8	-46
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				73.6	10.4	5.28	9.3		
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				88.5	80.8	6.33	10.8		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.5	3.5	1.3	5.0	0.1		1.0	44	1	51.0	23.0	27.0	4.2	
Ensilage, gräs (0% klöver) (162)	1	7	5.3	2.4	1.7	19.7	0.4	5.1	1.7	268	7	243.3	78.4	24.7	5.9	0.1
Ensilage, gräs (0% klöver) (162)	2	4	7.9	2.7	2.3	24.7	0.5	9.1	2.1	268	4	122.8	73.5	25.8	7.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	28	4.1	2.5	1.5	23.3	0.2	4.5	1.7	365	28	120.3	50.5	28.5	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14	6.5	2.9	2.5	24.7	0.6	10.7	2.3	361	14	121.9	71.6	26.9	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	8.4	2.7	3.0	20.8	0.7	5.4	2.4	272	3	118.7	67.0	27.3	7.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	3	4.9	2.5	1.8	27.7	0.5	9.3	2.1	334	3	128.0	63.3	25.3	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	118	4.9	2.4	1.7	21.8	0.4	4.3	1.9	338	113	250.6	65.7	28.3	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	73	6.6	2.7	2.3	23.2	0.6	5.6	2.1	330	71	138.6	69.3	26.2	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	10	7.2	2.7	2.4	23.4	0.6	5.8	2.5	311	10	198.4	85.6	25.2	6.7	
Ensilage, blandvall (1-50% klöver) (165)	5	1	5.8	2.5	2.5	16.0	2.0	6.5	2.3	169	1	405.0	268.0	36.0	6.9	
Ensilage, blandvall (1-50% klöver) (165)	*	1	4.8	2.5	1.4	22.5	0.2	7.5	1.6	273	1	104.0	48.0	25.0	5.0	
Korn, helsädesensilage (250)	1	2	4.9	2.6	1.8	17.1	0.5	5.4	0.9	251	2	120.5	35.5	32.5	9.1	
Havre helsädesensilage degmognad (296)	1	2	4.7	2.4	2.0	18.1	1.0	5.0	1.7	264	2	268.0	116.5	27.0	5.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	4.5	2.9	1.3	22.3	0.6	7.5	1.6	247	2	156.5	41.0	28.0	6.3	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	5.9	2.9	2.1	17.6	2.5	7.3	2.1	226	3	102.7	39.7	40.3	5.6	
Hö, blandvall, 0-50% baljväxter (383)	1	8	3.1	1.7	1.3	14.6	0.1	1.9	1.2	178	8	128.9	66.9	18.5	4.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	6.2	1.7	1.9	18.3	0.2	7.7	1.2	185	1	42.0	17.0	15.0	7.0	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	11.1	2.2	2.2	23.0	0.2	4.2	2.1	347	1	63.0	32.0	26.0	9.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	841.714	9.4112	828.000	851.000
Aska	7	24.286	2.5069	21.300	29.000
OS smbh	10	86.000	0.0000	86.000	86.000
Råprot	7	95.957	7.4888	84.600	103.900
iNDF	10	162.000	0.0000	162.000	162.000
nhNDF	10	3.150	0.0000	3.150	3.150
Stä	7	644.129	13.7828	619.700	653.300
TAF	10	0.000	0.0000	0.000	0.000
AATp20	10	94.596	0.6122	93.997	95.450
PBVp20	10	-38.903	10.5848	-53.881	-26.028
NELp20	10	7.267	0.0443	7.211	7.320

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	24.900	.	24.900	24.900
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	87.700	.	87.700	87.700
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	636.300	.	636.300	636.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	89.721	.	89.721	89.721
PBVp20	1	-43.379	.	-43.379	-43.379

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	7.019	.	7.019	7.019
Ca	1	0.500	.	0.500	0.500
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	44.373	.	44.373	44.373
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	27.000	.	27.000	27.000
Cu	1	4.200	.	4.200	4.200

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	87.000	.	87.000	87.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.637	.	105.637	105.637
PBVp20	1	-36.086	.	-36.086	-36.086
NELp20	1	7.582	.	7.582	7.582

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	361.857	68.747	270.000	457.000
Aska	7	65.000	9.381	49.000	76.000
OS smbh	7	73.929	3.375	69.400	78.100
Råprot	7	131.286	33.265	81.000	178.000
sRåprot	7	596.714	84.738	447.000	681.000
NH3-N	7	77.286	30.181	41.000	119.000
NDF	7	482.571	34.278	454.000	542.000
iNDF	7	166.867	33.755	128.425	215.360
nhNDF	7	4.318	0.652	3.410	5.119
TAF	7	71.986	22.248	52.300	110.900
Mjölksyra	7	55.000	19.399	36.000	84.000
Ättiksyra	7	14.286	5.376	11.000	26.000
Socker	7	55.000	26.577	12.000	84.000
PRF	2	1.000	1.414	0.000	2.000
BUF	7	1.700	1.436	0.000	3.900
AATp20	7	80.669	2.274	78.539	84.824
PBVp20	7	5.640	28.843	-39.637	45.255
NELp20	7	6.107	0.394	5.634	6.623
OE*	7	10.829	0.530	10.000	11.500
AAT*	5	71.200	1.789	69.000	73.000
PBV*	5	0.000	30.174	-41.000	34.000
Ca	7	5.300	1.275	4.300	8.000
P	7	2.414	0.302	2.000	2.900
Mg	7	1.686	0.449	1.000	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	7	19.671	4.243	14.300	24.700
Na	7	0.386	0.279	0.100	0.700
Cl	7	5.071	2.588	1.900	8.600
S	7	1.743	0.447	1.100	2.300
CAB	7	268.090	99.618	132.347	448.963
Fe	7	243.286	258.602	77.000	822.000
Mn	7	78.429	40.787	28.000	159.000
Zn	7	24.714	4.309	18.000	30.000
Cu	7	5.857	0.692	4.400	6.500
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	386.500	151.447	257.000	549.000
Aska	4	81.500	7.188	72.000	88.000
OS smbh	4	72.825	2.423	69.800	75.700
Råprot	4	142.750	28.710	103.000	169.000
sRåprot	4	540.500	107.562	389.000	643.000
NH3-N	4	112.000	54.595	56.000	166.000
NDF	4	468.500	19.279	448.000	494.000
iNDF	4	186.583	35.108	147.377	231.411
nhNDF	4	4.120	0.690	3.126	4.679
TAF	4	57.950	21.606	41.000	87.000
Mjölksyra	4	38.000	6.218	33.000	47.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	13.750	9.743	4.000	24.000
Socker	4	46.250	42.571	10.000	92.000
PRF	1	1.000	.	1.000	1.000
BUF	4	5.200	6.665	1.000	15.000
AATp20	4	80.891	1.125	79.731	82.269
PBVp20	4	15.933	26.341	-19.455	41.693
NELp20	4	5.907	0.362	5.420	6.291
OE*	4	10.468	0.330	10.100	10.900
AAT*	3	70.000	1.000	69.000	71.000
PBV*	3	22.333	32.716	-15.000	46.000
Ca	4	7.850	1.196	6.700	9.200
P	4	2.675	0.457	2.000	3.000
Mg	4	2.300	0.535	1.500	2.600
K	4	24.675	4.443	18.800	29.000
Na	4	0.525	0.126	0.400	0.700
Cl	4	9.050	4.593	5.000	14.900
S	4	2.100	0.622	1.200	2.600
CAB	4	267.721	160.552	75.774	468.778
Fe	4	122.750	42.169	90.000	180.000
Mn	4	73.500	34.453	31.000	114.000
Zn	4	25.750	9.032	18.000	38.000
Cu	4	7.725	1.682	5.700	9.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	463.219	136.320	299.000	582.000
Aska	32	70.875	10.357	58.000	82.000
OS smbh	32	75.225	5.279	67.400	82.400
Råprot	32	131.375	32.601	92.000	184.000
sRåprot	4	475.750	26.171	449.000	511.000
NDF	32	513.406	56.091	454.000	597.000
iNDF	32	141.471	50.308	73.080	199.000
nhNDF	32	5.197	1.076	3.898	6.906
TAF	32	84.000	0.000	84.000	84.000
Socker	32	100.813	41.594	40.000	157.000
AATp20	32	84.173	6.050	76.270	92.533
PBVp20	32	2.176	23.154	-26.501	38.398
NELp20	32	6.200	0.505	5.564	6.869
OE*	32	10.984	0.835	9.700	12.100
AAT*	28	76.714	4.224	72.000	82.000
PBV*	28	3.357	27.432	-32.000	47.000
Ca	28	4.107	1.228	2.500	5.500
P	28	2.471	0.433	1.800	3.100
Mg	28	1.511	0.437	0.900	2.000
K	28	23.289	3.697	19.000	29.500
Na	26	0.208	0.162	0.100	0.500
Cl	4	4.525	3.089	2.400	9.100
S	28	1.746	0.510	1.100	2.600
CAB	28	365.040	87.407	278.235	544.348

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	28	120.250	68.802	50.000	226.000
Mn	28	50.536	15.259	31.000	78.000
Zn	28	28.536	14.447	18.000	36.000
Cu	28	5.550	1.096	4.000	7.000
Se	9	0.027	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	538.750	160.107	307.000	735.000
Aska	16	81.625	11.569	68.000	95.000
OS smbh	16	74.413	2.404	71.800	77.400
Råprot	16	141.875	27.422	104.000	160.000
sRåprot	2	330.500	23.335	314.000	347.000
NDF	16	492.063	47.164	403.000	534.000
iNDF	16	158.705	28.858	127.291	180.553
nhNDF	16	4.755	0.526	4.234	5.451
TAF	16	84.000	0.000	84.000	84.000
Socker	16	97.250	42.120	36.000	156.000
AATp20	16	83.461	4.476	78.491	88.547
PBVp20	16	13.205	21.041	-19.515	33.954
NELp20	16	6.075	0.226	5.795	6.378
OE*	16	10.711	0.449	10.100	11.200
AAT*	14	74.357	2.530	72.000	78.000
PBV*	14	8.000	21.884	-27.000	32.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	14	6.493	1.646	5.200	8.200
P	14	2.871	0.432	2.300	3.400
Mg	14	2.450	0.470	1.900	3.000
K	14	24.707	4.133	20.800	30.700
Na	14	0.607	0.478	0.100	1.300
Cl	2	10.700	9.758	3.800	17.600
S	14	2.250	0.467	1.800	2.600
CAB	14	361.130	138.342	205.042	540.384
Fe	14	121.857	57.906	64.000	194.000
Mn	14	71.571	29.207	27.000	114.000
Zn	14	26.929	5.106	21.000	33.000
Cu	14	7.279	1.315	5.600	8.500
Se	6	0.022	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	514.667	249.901	300.000	789.000
Aska	3	89.000	14.177	78.000	105.000
OS smbh	3	71.667	1.387	70.500	73.200
Råprot	3	133.333	11.930	120.000	143.000
sRåprot	1	404.000	.	404.000	404.000
NDF	3	467.000	40.361	434.000	512.000
iNDF	3	221.339	59.603	182.915	290.000
nhNDF	3	4.401	0.811	3.899	5.336

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	84.000	0.000	84.000	84.000
Socket	3	73.667	26.312	50.000	102.000
AATp20	3	79.545	2.570	77.469	82.419
PBVp20	3	11.650	10.032	2.236	22.203
NELp20	3	5.739	0.048	5.708	5.794
OE*	3	10.217	0.104	10.100	10.300
AAT*	2	71.500	0.707	71.000	72.000
PBV*	2	8.500	17.678	-4.000	21.000
Ca	3	8.433	1.358	7.600	10.000
P	3	2.667	0.208	2.500	2.900
Mg	3	3.033	0.643	2.300	3.500
K	3	20.833	5.873	14.500	26.100
Na	3	0.700	0.265	0.500	1.000
Cl	1	5.400	.	5.400	5.400
S	3	2.433	0.666	2.000	3.200
CAB	3	272.206	187.560	60.189	416.493
Fe	3	118.667	48.346	74.000	170.000
Mn	3	67.000	25.357	38.000	85.000
Zn	3	27.333	6.658	23.000	35.000
Cu	3	7.833	0.208	7.600	8.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	316.500	56.513	265.000	384.000
Aska	4	84.000	25.126	62.000	113.000
OS smbh	4	77.300	4.345	73.300	82.900
Råprot	4	164.000	34.651	114.000	194.000
sRåprot	4	634.500	129.547	466.000	776.000
NH3-N	4	95.250	31.330	52.000	127.000
NDF	4	441.750	75.133	381.000	539.000
iNDF	4	131.609	35.923	82.898	158.928
nhNDF	4	4.953	0.698	4.453	5.987
TAF	4	79.500	38.852	23.400	111.600
Mjölksyra	4	60.750	32.418	16.000	93.000
Ättiksyra	4	16.000	8.246	5.000	25.000
Socker	4	51.000	54.179	14.000	131.000
BUF	4	1.750	2.167	0.100	4.900
AATp20	4	82.996	6.385	78.249	92.400
PBVp20	4	34.587	29.337	-9.395	50.266
NELp20	4	6.430	0.291	6.229	6.850
OE*	4	11.175	0.768	10.600	12.300
AAT*	4	71.750	2.217	70.000	75.000
PBV*	4	39.750	32.438	-8.000	64.000
Ca	3	4.933	0.586	4.500	5.600
P	3	2.500	0.608	2.100	3.200
Mg	3	1.800	0.608	1.400	2.500
K	3	27.700	9.920	19.200	38.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	0.533	0.289	0.200	0.700
Cl	4	9.325	7.305	1.900	19.300
S	3	2.133	0.503	1.600	2.600
CAB	3	333.506	30.222	311.485	367.962
Fe	3	128.000	15.716	110.000	139.000
Mn	3	63.333	16.073	45.000	75.000
Zn	3	25.333	2.082	23.000	27.000
Cu	3	5.500	0.529	4.900	5.900
Se	1	0.007	.	0.007	0.007

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	119	353.050	111.956	248.000	497.000
Aska	119	68.908	15.689	54.000	86.000
OS smbh	119	74.511	4.507	67.900	79.900
Råprot	119	138.328	27.584	104.000	175.000
sRåprot	119	602.714	84.893	488.000	711.000
NH3-N	119	85.647	31.631	43.000	120.000
NDF	119	485.916	55.480	419.000	557.000
iNDF	119	156.006	42.611	105.805	214.055
nhNDF	119	4.580	0.732	3.673	5.614
TAF	119	70.845	28.560	26.400	104.600
Mjölksyra	119	54.782	24.528	19.000	84.000
Ättiksyra	118	13.475	5.331	7.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	119	47.496	32.984	14.000	104.000
PRF	24	1.250	1.539	0.000	4.000
BUF	118	1.505	2.787	0.000	3.900
AATp20	119	82.239	4.278	76.764	87.125
PBVp20	119	11.950	23.144	-18.162	45.030
NELp20	119	6.212	0.449	5.530	6.763
OE*	119	10.878	0.733	9.800	11.800
AAT*	94	71.489	2.129	68.000	74.000
PBV*	94	12.713	23.052	-19.000	37.000
Ca	118	4.938	1.122	3.800	6.500
P	118	2.435	0.480	1.800	3.000
Mg	118	1.671	0.342	1.300	2.100
K	118	21.846	5.046	16.100	28.900
Na	118	0.382	0.349	0.100	0.900
Cl	118	4.264	3.894	0.800	8.300
S	118	1.857	0.412	1.400	2.400
CAB	118	338.229	132.130	180.931	487.154
Fe	113	250.611	260.314	76.000	532.000
Mn	113	65.717	25.914	41.000	92.000
Zn	113	28.265	8.166	22.000	33.000
Cu	113	6.447	1.321	4.900	8.000
Se	5	0.027	0.022	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	75	436.467	134.496	312.000	680.000
Aska	75	76.693	9.637	65.000	91.000
OS smbh	75	75.008	2.476	72.100	78.000
Råprot	75	139.427	21.925	114.000	170.000
sRåprot	75	512.307	83.471	392.000	595.000
NH3-N	75	64.707	25.353	32.000	101.000
NDF	75	454.600	38.124	402.000	499.000
iNDF	75	162.564	26.841	130.563	196.843
nhNDF	75	4.391	0.573	3.742	5.104
TAF	75	59.427	26.481	20.100	92.700
Mjölksyra	75	45.787	22.688	12.000	74.000
Ättiksyra	75	11.800	4.841	6.000	18.000
Socker	75	65.093	33.201	29.000	114.000
PRF	10	0.900	1.101	0.000	2.500
BUF	75	0.853	1.063	0.000	2.600
AATp20	75	84.656	4.024	80.080	89.667
PBVp20	75	9.006	18.797	-14.892	36.038
NELp20	75	6.154	0.296	5.790	6.511
OE*	75	10.875	0.404	10.260	11.380
AAT*	65	71.338	1.163	70.000	73.000
PBV*	65	16.908	21.611	-9.000	46.000
Ca	73	6.607	1.494	5.100	8.900
P	73	2.738	0.371	2.300	3.100
Mg	73	2.312	0.427	1.800	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	73	23.232	4.815	18.000	28.500
Na	73	0.648	0.409	0.100	1.300
Cl	75	5.553	2.948	2.100	9.300
S	73	2.133	0.416	1.600	2.600
CAB	73	329.772	103.156	200.626	464.748
Fe	71	138.563	69.790	80.000	235.000
Mn	71	69.296	17.679	47.000	95.000
Zn	71	26.239	4.093	21.000	32.000
Cu	71	7.369	1.298	6.000	9.100
Se	3	0.024	0.023	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	488.500	99.021	362.000	625.500
Aska	10	80.600	9.240	70.000	94.000
OS smbh	10	74.900	2.690	71.150	78.050
Råprot	10	139.000	20.966	114.000	170.000
sRåprot	10	505.000	61.176	404.500	566.500
NH3-N	10	67.800	21.086	40.500	96.000
NDF	10	447.600	22.396	420.000	480.000
iNDF	10	169.287	33.600	127.471	208.602
nhNDF	10	4.418	0.712	3.504	5.248
TAF	10	50.620	36.227	13.900	109.800
Mjölksyra	10	37.600	31.299	6.000	88.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	10	11.100	5.782	5.500	20.000
Socker	10	82.800	36.850	23.500	125.000
PRF	1	0.000	.	0.000	0.000
BUF	10	1.020	0.689	0.050	1.900
AATp20	10	85.165	6.923	74.365	94.139
PBVp20	10	7.806	13.664	-5.460	31.479
NELp20	10	6.076	0.299	5.604	6.365
OE*	10	10.814	0.504	10.150	11.400
AAT*	9	71.222	1.394	69.000	73.000
PBV*	9	13.333	16.763	-9.000	46.000
Ca	10	7.240	1.706	5.350	9.650
P	10	2.730	0.422	2.300	3.350
Mg	10	2.440	0.433	1.850	2.900
K	10	23.400	3.978	18.800	29.550
Na	10	0.640	0.458	0.150	1.300
Cl	10	5.760	2.262	2.950	8.950
S	10	2.450	0.440	1.900	3.000
CAB	10	310.913	58.681	235.618	398.899
Fe	10	198.400	175.434	67.000	468.500
Mn	10	85.600	30.457	45.000	121.000
Zn	10	25.200	3.120	21.000	29.000
Cu	10	6.730	0.604	6.000	7.650

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	432.000	.	432.000	432.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	471.000	.	471.000	471.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	212.078	.	212.078	212.078
nhNDF	1	3.361	.	3.361	3.361
TAF	1	85.900	.	85.900	85.900
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	74.000	.	74.000	74.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	78.453	.	78.453	78.453
PBVp20	1	10.170	.	10.170	10.170
NELp20	1	5.721	.	5.721	5.721
OE*	1	10.300	.	10.300	10.300
AAT*	1	70.000	.	70.000	70.000
PBV*	1	10.000	.	10.000	10.000
Ca	1	5.800	.	5.800	5.800
P	1	2.500	.	2.500	2.500
Mg	1	2.500	.	2.500	2.500
K	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.000	.	2.000	2.000
Cl	1	6.500	.	6.500	6.500
S	1	2.300	.	2.300	2.300
CAB	1	169.315	.	169.315	169.315
Fe	1	405.000	.	405.000	405.000
Mn	1	268.000	.	268.000	268.000
Zn	1	36.000	.	36.000	36.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	311.000	.	311.000	311.000
Aska	1	67.000	.	67.000	67.000
OS smbh	1	72.900	.	72.900	72.900
Råprot	1	117.000	.	117.000	117.000
sRåprot	1	644.000	.	644.000	644.000
NH3-N	1	49.000	.	49.000	49.000
NDF	1	506.000	.	506.000	506.000
iNDF	1	143.000	.	143.000	143.000
nhNDF	1	3.801	.	3.801	3.801
TAF	1	84.000	.	84.000	84.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	45.000	.	45.000	45.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	77.877	.	77.877	77.877
PBVp20	1	-1.030	.	-1.030	-1.030
NELp20	1	6.112	.	6.112	6.112
OE*	1	10.640	.	10.640	10.640
Ca	1	4.800	.	4.800	4.800
P	1	2.500	.	2.500	2.500
Mg	1	1.400	.	1.400	1.400
K	1	22.500	.	22.500	22.500
Na	1	0.200	.	0.200	0.200
Cl	1	7.500	.	7.500	7.500
S	1	1.600	.	1.600	1.600
CAB	1	272.876	.	272.876	272.876
Fe	1	104.000	.	104.000	104.000
Mn	1	48.000	.	48.000	48.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	351.000	72.125	300.000	402.000
Aska	2	52.500	12.021	44.000	61.000
OS smbh	2	71.450	3.041	69.300	73.600
Råprot	2	113.500	13.435	104.000	123.000
sRåprot	2	671.500	43.134	641.000	702.000
NH3-N	2	91.500	4.950	88.000	95.000
NDF	2	392.000	72.125	341.000	443.000
iNDF	2	224.646	27.783	205.000	244.291
nhNDF	2	2.539	0.527	2.166	2.911
Stä	2	119.000	111.723	40.000	198.000
TAF	2	99.350	14.637	89.000	109.700
Mjölksyra	2	76.000	22.627	60.000	92.000
Ättiksyra	2	19.500	4.950	16.000	23.000
Socker	2	55.500	27.577	36.000	75.000
PRF	1	3.000	.	3.000	3.000
BUF	1	3.000	.	3.000	3.000
AATp20	2	69.109	4.481	65.941	72.278
PBVp20	2	0.027	18.765	-13.242	13.296
NELp20	2	5.931	0.374	5.666	6.196
OE*	1	11.020	.	11.020	11.020
Ca	2	4.850	2.192	3.300	6.400
P	2	2.550	0.071	2.500	2.600
Mg	2	1.750	0.495	1.400	2.100
K	2	17.100	2.404	15.400	18.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.500	0.141	0.400	0.600
Cl	2	5.400	1.980	4.000	6.800
S	2	0.900	0.424	0.600	1.200
CAB	2	250.717	84.594	190.900	310.534
Fe	2	120.500	77.075	66.000	175.000
Mn	2	35.500	9.192	29.000	42.000
Zn	2	32.500	3.536	30.000	35.000
Cu	2	9.100	2.687	7.200	11.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	400.000	45.255	368.000	432.000
Aska	2	67.500	2.121	66.000	69.000
OS smbh	2	68.250	1.485	67.200	69.300
Råprot	2	102.500	3.536	100.000	105.000
sRåprot	2	732.500	44.548	701.000	764.000
NH3-N	2	89.000	21.213	74.000	104.000
NDF	2	460.000	53.740	422.000	498.000
iNDF	2	246.381	9.973	239.329	253.434
nhNDF	2	2.929	0.246	2.755	3.103
Stä	2	68.000	57.983	27.000	109.000
TAF	2	59.000	21.213	44.000	74.000
Mjölksyra	2	45.000	19.799	31.000	59.000
Ättiksyra	2	14.000	1.414	13.000	15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	71.000	42.426	41.000	101.000
AATp20	2	70.741	0.582	70.330	71.152
PBVp20	2	-9.642	1.668	-10.822	-8.462
NELp20	2	5.563	0.253	5.384	5.741
Ca	2	4.700	0.849	4.100	5.300
P	2	2.400	0.424	2.100	2.700
Mg	2	1.950	0.071	1.900	2.000
K	2	18.100	2.404	16.400	19.800
Na	2	1.000	1.273	0.100	1.900
Cl	2	4.950	3.748	2.300	7.600
S	2	1.650	0.354	1.400	1.900
CAB	2	263.832	133.814	169.212	358.453
Fe	2	268.000	48.083	234.000	302.000
Mn	2	116.500	6.364	112.000	121.000
Zn	2	27.000	7.071	22.000	32.000
Cu	2	5.000	0.283	4.800	5.200

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	453.333	86.310	354.000	510.000
Aska	3	73.667	12.583	62.000	87.000
OS smbh	3	69.133	2.458	66.800	71.700
Råprot	3	136.000	23.812	118.000	163.000
sRåprot	3	655.333	145.301	525.000	812.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	3	71.333	18.037	54.000	90.000
NDF	3	467.333	45.960	431.000	519.000
iNDF	3	244.186	16.737	227.528	261.000
nhNDF	3	3.443	0.542	2.936	4.015
Stä	3	53.333	30.600	18.000	71.000
TAF	3	67.333	25.813	50.000	97.000
Mjölksyra	3	50.667	21.079	38.000	75.000
Ättiksyra	3	16.667	5.033	12.000	22.000
Socker	3	56.000	16.643	44.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	69.475	2.819	66.277	71.599
PBVp20	3	23.604	26.495	4.107	53.770
NELp20	3	5.714	0.366	5.447	6.131
OE*	1	10.390	.	10.390	10.390
Ca	2	4.500	0.141	4.400	4.600
P	2	2.900	0.283	2.700	3.100
Mg	2	1.300	0.283	1.100	1.500
K	2	22.300	3.818	19.600	25.000
Na	2	0.600	0.707	0.100	1.100
Cl	3	7.500	3.372	4.600	11.200
S	2	1.550	0.071	1.500	1.600
CAB	2	247.432	160.966	133.612	361.252
Fe	2	156.500	108.187	80.000	233.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	41.000	39.598	13.000	69.000
Zn	2	28.000	1.414	27.000	29.000
Cu	2	6.250	0.354	6.000	6.500

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	399.000	.	399.000	399.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	486.000	.	486.000	486.000
NH3-N	1	71.000	.	71.000	71.000
NDF	1	532.000	.	532.000	532.000
iNDF	1	253.352	.	253.352	253.352
nhNDF	1	2.949	.	2.949	2.949
Stä	1	48.000	.	48.000	48.000
TAF	1	54.500	.	54.500	54.500
Mjölksyra	1	44.000	.	44.000	44.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	71.000	.	71.000	71.000
AATp20	1	69.683	.	69.683	69.683
PBVp20	1	-11.362	.	-11.362	-11.362
NELp20	1	5.226	.	5.226	5.226
CI	1	6.300	.	6.300	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.333	117.364	278.000	512.000
Aska	3	68.667	9.018	60.000	78.000
OS smbh	3	70.333	2.401	67.900	72.700
Råprot	3	127.333	23.288	111.000	154.000
sRåprot	3	661.333	89.131	559.000	722.000
NH3-N	3	90.667	22.189	67.000	111.000
NDF	3	420.333	54.602	371.000	479.000
iNDF	3	240.915	6.760	236.656	248.710
nhNDF	3	2.914	0.191	2.778	3.133
Stä	3	92.000	88.085	17.000	189.000
TAF	3	63.333	15.948	50.000	81.000
Mjölksyra	3	51.333	17.616	37.000	71.000
Ättiksyra	3	12.000	1.732	10.000	13.000
Socker	3	61.667	44.377	21.000	109.000
AATp20	3	73.366	0.624	72.742	73.990
PBVp20	3	9.544	20.972	-5.676	33.466
NELp20	3	5.752	0.160	5.630	5.933
Ca	3	5.900	0.900	5.000	6.800
P	3	2.867	0.503	2.400	3.400
Mg	3	2.100	0.300	1.800	2.400
K	3	17.633	1.858	15.500	18.900
Na	3	2.500	1.758	0.500	3.800
Cl	3	7.267	3.163	4.700	10.800
S	3	2.067	0.503	1.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	225.815	40.800	181.868	262.491
Fe	3	102.667	21.733	83.000	126.000
Mn	3	39.667	26.839	19.000	70.000
Zn	3	40.333	10.786	28.000	48.000
Cu	3	5.633	0.902	4.700	6.500

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	896.111	25.761	854.000	943.000
Aska	9	56.556	9.812	45.000	77.000
OS smbh	9	66.033	4.627	58.300	74.500
Råprot	9	68.556	16.779	43.000	97.000
sRåprot	1	534.000	.	534.000	534.000
NDF	9	555.556	49.222	467.000	612.000
iNDF	9	234.407	43.434	169.381	303.000
nhNDF	9	3.493	0.596	2.596	4.234
TAF	9	0.000	0.000	0.000	0.000
Socker	9	133.111	33.980	90.000	186.000
AATp20	9	81.947	4.819	76.113	92.026
PBVp20	9	-52.575	13.729	-70.739	-34.530
NELp20	9	5.016	0.363	4.510	5.699
OE*	9	9.603	0.776	8.400	11.000
AAT*	8	68.750	5.064	61.000	77.000
PBV*	8	-45.500	15.829	-73.000	-28.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	8	3.138	1.228	1.300	5.200
P	8	1.713	0.336	1.400	2.500
Mg	8	1.313	0.631	0.600	2.700
K	8	14.613	1.833	11.000	17.400
Na	7	0.143	0.113	0.100	0.400
Cl	1	1.900	.	1.900	1.900
S	8	1.188	0.380	0.900	2.100
CAB	8	178.269	59.514	88.583	280.910
Fe	8	128.875	149.608	45.000	495.000
Mn	8	66.875	33.203	34.000	126.000
Zn	8	18.500	3.024	14.000	24.000
Cu	8	4.138	0.994	3.000	5.900

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	652.000	.	652.000	652.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	118.000	.	118.000	118.000
sRåprot	1	456.000	.	456.000	456.000
NDF	1	519.000	.	519.000	519.000
iNDF	1	360.000	.	360.000	360.000
nhNDF	1	4.713	.	4.713	4.713
TAF	1	72.000	.	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	92.000	.	92.000	92.000
AATp20	1	73.583	.	73.583	73.583
PBVp20	1	10.402	.	10.402	10.402
NELp20	1	5.277	.	5.277	5.277
OE*	1	9.330	.	9.330	9.330
Ca	1	6.200	.	6.200	6.200
P	1	1.700	.	1.700	1.700
Mg	1	1.900	.	1.900	1.900
K	1	18.300	.	18.300	18.300
Na	1	0.200	.	0.200	0.200
Cl	1	7.700	.	7.700	7.700
S	1	1.200	.	1.200	1.200
CAB	1	184.825	.	184.825	184.825
Fe	1	42.000	.	42.000	42.000
Mn	1	17.000	.	17.000	17.000
Zn	1	15.000	.	15.000	15.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	820.000	.	820.000	820.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	76.400	.	76.400	76.400
Råprot	1	217.000	.	217.000	217.000
sRåprot	1	381.000	.	381.000	381.000
NDF	1	354.000	.	354.000	354.000
iNDF	1	340.000	.	340.000	340.000
nhNDF	1	15.005	.	15.005	15.005
TAF	1	72.000	.	72.000	72.000
Socket	1	65.000	.	65.000	65.000
AATp20	1	88.485	.	88.485	88.485
PBVp20	1	80.807	.	80.807	80.807
NELp20	1	6.333	.	6.333	6.333
OE*	1	10.780	.	10.780	10.780
Ca	1	11.100	.	11.100	11.100
P	1	2.200	.	2.200	2.200
Mg	1	2.200	.	2.200	2.200
K	1	23.000	.	23.000	23.000
Na	1	0.200	.	0.200	0.200
Cl	1	4.200	.	4.200	4.200
S	1	2.100	.	2.100	2.100
CAB	1	347.371	.	347.371	347.371
Fe	1	63.000	.	63.000	63.000
Mn	1	32.000	.	32.000	32.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	26.000	.	26.000	26.000
Cu	1	9.000	.	9.000	9.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet