

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Korn, kärna (001)	1	2	807	22	86.0	119		8.0		162	3.15	584	0.000			
Ensilage, gräs (0% klöver) (162)	1	8	352	66	74.1	138	617	99.8	506	158	4.60		66.250	50.5	12.9	44
Ensilage, gräs (0% klöver) (162)	2	3	393	65	71.8	134	459	44.7	477	193	3.81		57.367	43.3	12.7	50
Grönmassa blandvall (1-50 % baljväxter) (164)	1	13	398	69	74.6	132	380		519	151	4.97		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10	396	72	74.1	131			492	162	4.53		84.000			95
Ensilage, blandvall (1-50% klöver) (165)	1	56	342	65	73.3	144	619	92.8	506	167	4.40		69.219	51.2	14.1	47
Ensilage, blandvall (1-50% klöver) (165)	2	13	446	72	74.7	143	529	66.3	462	162	4.29		55.238	42.0	11.1	75
Ensilage, blandvall (1-50% klöver) (165)	3	1	326	89	72.1	157	633	113	440	200	3.61		126.000	103	21.0	18
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	362	62	69.2	134	702	109	472	230	3.18	44	66.000	49.0	15.0	44
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	353	68	71.1	165	727	52.0	474	242	4.25	43	88.000	69.0	19.0	45
Hö, blandvall, 0-50% baljväxter (383)	1	2	769	40	67.9	80	414		544	241	3.78		0.000			154

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	2				95.5	-24	7.24			
Ensilage, gräs (0% klöver) (162)	1	8		1.87500		81.8	9.5	6.15	10.9	71.1	15.0
Ensilage, gräs (0% klöver) (162)	2	3		0.36667		82.7	4.8	5.88	10.4	70.0	13.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	13				83.9	3.1	6.15	10.9	76.3	3.3
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10				82.3	5.0	6.05	10.8	75.0	2.1
Ensilage, blandvall (1-50% klöver) (165)	1	56	3.1875	2.06250		81.7	18.2	6.15	10.7	70.9	12.9
Ensilage, blandvall (1-50% klöver) (165)	2	13	1.6000	0.93077		85.0	11.5	6.15	10.9	71.3	12.8
Ensilage, blandvall (1-50% klöver) (165)	3	1		1.00000		73.4	43.5	5.97	10.3	69.0	37.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1				71.5	19.8	5.73			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	0.0000	0.00000		70.0	49.6	6.24	10.3		
Hö, blandvall, 0-50% baljväxter (383)	1	2				87.6	-51	5.26	10.1	76.0	-53

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.5	3.6	1.3	4.7	0.1		1.3	9	1	102.0	18.0	28.0	4.8	
Ensilage, gräs (0% klöver) (162)	1	8	4.6	2.3	1.8	19.3	0.5	3.4	1.9	299	8	323.4	73.5	29.5	6.6	
Ensilage, gräs (0% klöver) (162)	2	3	6.4	2.3	2.3	18.8	0.6	5.4	1.8	243	3	152.0	85.3	31.0	8.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	13	4.5	2.5	1.6	20.9	0.3	1.7	1.8	309	12	115.3	48.8	25.6	5.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10	6.3	2.5	2.1	18.4	0.3		1.8	239	10	83.7	48.4	26.9	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	55	4.7	2.5	1.7	20.6	0.4	4.0	2.0	308	50	183.1	56.2	36.9	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	13	6.7	2.7	2.2	21.1	0.4	8.0	2.0	208	13	207.5	64.2	40.8	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	5.3	3.4	3.2	19.4	2.0	2.1	3.0	336	1	296.0	198.0	40.0	11.2	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	6.1	3.0	2.0	20.6	0.6	6.1	1.9	262	1	154.0	72.0	209.0	7.2	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	5.4	2.6	1.6	20.6	1.8	21.6	1.9	***	1	200.0	72.0	67.0	6.0	
Hö, blandvall, 0-50% baljväxter (383)	1	1	2.0	1.9	1.5	7.6	0.4		1.3	-10	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	806.500	79.9031	750.000	863.000
Aska	2	22.250	4.5962	19.000	25.500
OS smbh	2	86.000	0.0000	86.000	86.000
Råprot	2	118.650	10.8187	111.000	126.300
NH3-N	1	8.000	.	8.000	8.000
iNDF	2	162.000	0.0000	162.000	162.000
nhNDF	2	3.150	0.0000	3.150	3.150
Stä	2	584.300	15.9806	573.000	595.600
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	95.491	0.5229	95.122	95.861
PBVp20	2	-24.492	11.3409	-32.511	-16.473
NELp20	2	7.235	0.1351	7.140	7.331
Ca	1	0.500	.	0.500	0.500
P	1	3.600	.	3.600	3.600
Mg	1	1.300	.	1.300	1.300
K	1	4.700	.	4.700	4.700
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	9.500	.	9.500	9.500
Fe	1	102.000	.	102.000	102.000
Mn	1	18.000	.	18.000	18.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.800	.	4.800	4.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	351.500	67.182	276.000	468.000
Aska	8	66.000	12.166	48.000	87.000
OS smbh	8	74.125	2.388	70.500	77.500
Råprot	8	137.500	16.510	109.000	157.000
sRåprot	8	616.750	61.644	500.000	721.000
NH3-N	8	99.750	24.153	71.000	151.000
NDF	8	505.875	34.820	446.000	556.000
iNDF	8	158.052	20.492	128.962	186.273
nhNDF	8	4.599	0.407	4.098	5.209
TAF	8	66.250	25.552	15.400	99.100
Mjölksyra	8	50.500	21.902	8.000	80.000
Ättiksyra	8	12.875	4.704	5.000	19.000
Socker	8	43.875	23.430	15.000	92.000
BUF	8	1.875	2.829	0.100	8.300
AATp20	8	81.823	1.585	79.519	84.618
PBVp20	8	9.514	13.693	-13.377	27.910
NELp20	8	6.149	0.250	5.780	6.580
OE*	8	10.850	0.307	10.400	11.400
AAT*	8	71.125	0.991	70.000	73.000
PBV*	8	15.000	15.875	-14.000	34.000
Ca	8	4.550	1.128	3.000	7.000
P	8	2.288	0.482	1.800	3.300
Mg	8	1.763	0.250	1.300	2.200
K	8	19.250	4.102	14.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.450	0.160	0.100	0.600
Cl	8	3.388	2.631	0.700	7.800
S	8	1.888	0.173	1.500	2.000
CAB	8	298.501	164.029	56.017	481.073
Fe	8	323.375	178.739	78.000	645.000
Mn	8	73.500	34.197	34.000	123.000
Zn	8	29.500	4.071	23.000	35.000
Cu	8	6.588	1.274	4.800	8.600

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	392.667	151.573	285.000	566.000
Aska	3	65.333	16.166	56.000	84.000
OS smbh	3	71.767	5.326	66.000	76.500
Råprot	3	133.667	21.548	113.000	156.000
sRåprot	3	459.333	29.143	436.000	492.000
NH3-N	3	44.667	6.658	39.000	52.000
NDF	3	477.333	62.067	411.000	534.000
iNDF	3	192.891	42.000	156.311	238.757
nhNDF	3	3.811	0.590	3.149	4.280
TAF	3	57.367	21.891	32.900	75.100
Mjölksyra	3	43.333	20.817	20.000	60.000
Ättiksyra	3	12.667	1.528	11.000	14.000
Socker	3	50.333	33.501	30.000	89.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	3	0.367	0.462	0.100	0.900
AATp20	3	82.692	5.771	76.707	88.224
PBVp20	3	4.783	10.399	-4.206	16.173
NELp20	3	5.885	0.404	5.418	6.129
OE*	3	10.433	0.737	9.600	11.000
AAT*	3	70.000	2.646	67.000	72.000
PBV*	3	13.000	17.692	-3.000	32.000
Ca	3	6.433	2.268	4.700	9.000
P	3	2.333	0.850	1.700	3.300
Mg	3	2.300	0.361	2.000	2.700
K	3	18.800	4.359	15.800	23.800
Na	3	0.600	0.624	0.100	1.300
Cl	3	5.367	5.204	1.200	11.200
S	3	1.800	0.265	1.500	2.000
CAB	3	243.232	209.413	24.772	442.242
Fe	3	152.000	43.313	102.000	178.000
Mn	3	85.333	32.517	50.000	114.000
Zn	3	31.000	1.732	30.000	33.000
Cu	3	8.033	1.002	6.900	8.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	397.769	139.877	262.000	519.000
Aska	13	68.615	11.457	56.000	75.000
OS smbh	13	74.631	3.253	72.200	79.600
Råprot	13	131.769	26.322	104.000	159.000
sRåprot	1	380.000	.	380.000	380.000
NDF	13	519.385	30.256	482.000	561.000
iNDF	13	150.515	41.688	102.878	179.149
nhNDF	13	4.968	0.724	4.076	5.977
TAF	13	84.000	0.000	84.000	84.000
Socker	13	95.385	48.505	31.000	154.000
AATp20	13	83.893	3.278	79.512	87.551
PBVp20	13	3.062	21.983	-18.086	26.046
NELp20	13	6.155	0.304	5.824	6.476
OE*	13	10.904	0.489	10.400	11.700
AAT*	12	76.250	2.633	73.000	81.000
PBV*	12	3.250	26.667	-22.000	29.000
Ca	13	4.469	0.951	3.500	5.700
P	13	2.531	0.371	2.100	3.000
Mg	13	1.592	0.373	1.200	2.200
K	13	20.923	4.417	15.200	24.800
Na	13	0.254	0.233	0.100	0.500
Cl	1	1.700	.	1.700	1.700
S	13	1.777	0.487	1.200	2.400
CAB	13	309.202	109.043	158.650	436.116

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	12	115.250	40.556	71.000	181.000
Mn	12	48.833	15.272	35.000	60.000
Zn	12	25.583	7.242	18.000	34.000
Cu	12	5.233	1.215	4.100	6.700
Se	3	0.015	0.008	0.007	0.023

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	396.100	96.861	286.000	513.000
Aska	10	71.700	8.769	60.000	83.000
OS smbh	10	74.060	3.367	69.600	77.600
Råprot	10	131.100	12.521	114.000	146.500
NDF	10	492.300	30.750	441.500	521.000
iNDF	10	162.124	36.534	123.703	217.748
nhNDF	10	4.535	0.762	3.382	5.401
TAF	10	84.000	0.000	84.000	84.000
Socker	10	95.100	42.075	37.500	147.000
AATp20	10	82.344	3.677	77.324	86.217
PBVp20	10	4.999	11.560	-9.065	20.246
NELp20	10	6.047	0.311	5.604	6.391
OE*	10	10.770	0.564	10.000	11.450
AAT*	10	75.000	3.266	70.500	79.000
PBV*	10	2.100	12.679	-13.500	19.000
Ca	10	6.260	1.853	4.350	9.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	10	2.520	0.437	1.900	3.000
Mg	10	2.060	0.650	1.400	3.000
K	10	18.370	4.129	13.550	24.300
Na	10	0.290	0.328	0.100	0.900
S	10	1.780	0.379	1.200	2.250
CAB	10	238.785	102.584	99.751	365.312
Fe	10	83.700	27.737	52.500	122.500
Mn	10	48.400	27.802	24.500	97.500
Zn	10	26.900	3.872	21.000	31.000
Cu	10	6.370	1.317	4.750	8.500
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	56	341.589	106.349	243.000	492.000
Aska	56	64.893	10.550	50.000	77.000
OS smbh	57	73.277	2.978	69.900	77.200
Råprot	56	143.804	25.438	112.000	177.000
sRåprot	56	618.893	74.774	533.000	696.000
NH3-N	56	92.786	33.076	65.000	133.000
NDF	56	506.429	36.472	459.000	549.000
iNDF	57	166.908	29.163	137.820	194.000
nhNDF	57	4.399	0.529	3.744	5.199
TAF	57	69.219	27.868	32.600	104.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	56	51.232	22.685	22.000	81.000
Ättiksyra	56	14.125	8.266	6.000	23.000
Socker	56	47.179	29.265	15.000	95.000
PRF	16	3.188	2.738	0.000	8.000
BUF	56	2.063	2.930	0.000	6.000
AATp20	57	81.718	3.122	77.265	85.688
PBVp20	57	18.176	22.663	-12.907	51.691
NELp20	57	6.149	0.323	5.862	6.493
OE*	56	10.725	0.482	10.130	11.300
AAT*	40	70.925	1.492	69.000	73.000
PBV*	40	12.850	20.292	-14.000	37.500
Ca	55	4.740	1.336	3.000	6.800
P	55	2.456	0.407	1.900	3.000
Mg	55	1.722	0.420	1.200	2.300
K	55	20.611	4.558	15.000	26.200
Na	55	0.444	0.419	0.100	1.000
Cl	56	4.048	3.955	0.900	8.800
S	55	1.960	0.441	1.400	2.500
CAB	55	308.480	147.519	133.171	518.569
Fe	50	183.140	208.516	74.500	301.500
Mn	50	56.240	22.126	34.000	80.500
Zn	50	36.880	46.138	23.000	34.500
Cu	50	6.388	1.592	5.000	7.850
Se	6	0.022	0.020	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	445.615	156.272	278.000	651.000
Aska	13	71.923	10.428	55.000	84.000
OS smbh	13	74.692	2.301	71.100	77.100
Råprot	13	142.538	18.959	123.000	164.000
sRåprot	13	529.462	99.382	369.000	623.000
NH3-N	12	66.333	28.589	33.000	106.000
NDF	13	462.000	34.487	424.000	489.000
iNDF	13	162.151	24.768	128.000	190.233
nhNDF	13	4.286	0.512	3.656	4.853
TAF	13	55.238	35.478	14.000	115.100
Mjölksyra	13	42.000	32.016	5.000	95.000
Ättiksyra	13	11.077	4.406	6.000	17.000
Socker	13	75.385	44.054	22.000	134.000
PRF	5	1.600	2.074	0.000	5.000
BUF	13	0.931	0.944	0.000	2.100
AATp20	13	84.970	4.904	79.894	90.392
PBVp20	13	11.534	18.006	-6.789	30.277
NELp20	13	6.145	0.283	5.739	6.494
OE*	13	10.875	0.342	10.500	11.200
AAT*	8	71.250	1.035	70.000	73.000
PBV*	8	12.750	14.190	-2.000	38.000
Ca	13	6.692	1.526	4.700	8.600
P	13	2.685	0.324	2.200	2.900
Mg	13	2.200	0.486	1.600	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	13	21.123	4.996	14.100	25.000
Na	13	0.400	0.245	0.100	0.700
Cl	13	7.962	6.504	1.800	16.900
S	13	2.008	0.598	1.300	2.600
CAB	13	207.874	193.063	-8.122	386.754
Fe	13	207.538	175.428	74.000	434.000
Mn	13	64.231	25.911	35.000	104.000
Zn	13	40.846	32.754	22.000	66.000
Cu	13	7.769	2.321	6.000	8.600
Se	3	0.023	0.023	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	326.000	.	326.000	326.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	157.000	.	157.000	157.000
sRåprot	1	633.000	.	633.000	633.000
NH3-N	1	113.000	.	113.000	113.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	200.202	.	200.202	200.202
nhNDF	1	3.612	.	3.612	3.612
TAF	1	126.000	.	126.000	126.000
Mjölksyra	1	103.000	.	103.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	18.000	.	18.000	18.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	73.433	.	73.433	73.433
PBVp20	1	43.522	.	43.522	43.522
NELp20	1	5.969	.	5.969	5.969
OE*	1	10.300	.	10.300	10.300
AAT*	1	69.000	.	69.000	69.000
PBV*	1	37.000	.	37.000	37.000
Ca	1	5.300	.	5.300	5.300
P	1	3.400	.	3.400	3.400
Mg	1	3.200	.	3.200	3.200
K	1	19.400	.	19.400	19.400
Na	1	2.000	.	2.000	2.000
Cl	1	2.100	.	2.100	2.100
S	1	3.000	.	3.000	3.000
CAB	1	336.465	.	336.465	336.465
Fe	1	296.000	.	296.000	296.000
Mn	1	198.000	.	198.000	198.000
Zn	1	40.000	.	40.000	40.000
Cu	1	11.200	.	11.200	11.200
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	362.000	.	362.000	362.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	69.200	.	69.200	69.200
Råprot	1	134.000	.	134.000	134.000
sRåprot	1	702.000	.	702.000	702.000
NH3-N	1	109.000	.	109.000	109.000
NDF	1	472.000	.	472.000	472.000
iNDF	1	230.131	.	230.131	230.131
nhNDF	1	3.181	.	3.181	3.181
Stä	1	44.000	.	44.000	44.000
TAF	1	66.000	.	66.000	66.000
Mjölksyra	1	49.000	.	49.000	49.000
Ättiksyra	1	15.000	.	15.000	15.000
Socket	1	44.000	.	44.000	44.000
AATp20	1	71.464	.	71.464	71.464
PBVp20	1	19.804	.	19.804	19.804
NELp20	1	5.732	.	5.732	5.732
Ca	1	6.100	.	6.100	6.100
P	1	3.000	.	3.000	3.000
Mg	1	2.000	.	2.000	2.000
K	1	20.600	.	20.600	20.600
Na	1	0.600	.	0.600	0.600
Cl	1	6.100	.	6.100	6.100
S	1	1.900	.	1.900	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	262.360	.	262.360	262.360
Fe	1	154.000	.	154.000	154.000
Mn	1	72.000	.	72.000	72.000
Zn	1	209.000	.	209.000	209.000
Cu	1	7.200	.	7.200	7.200

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	353.000	.	353.000	353.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	71.100	.	71.100	71.100
Råprot	1	165.000	.	165.000	165.000
sRåprot	1	727.000	.	727.000	727.000
NH3-N	1	52.000	.	52.000	52.000
NDF	1	474.000	.	474.000	474.000
iNDF	1	242.000	.	242.000	242.000
nhNDF	1	4.248	.	4.248	4.248
Stä	1	43.000	.	43.000	43.000
TAF	1	88.000	.	88.000	88.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	19.000	.	19.000	19.000
Socker	1	45.000	.	45.000	45.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	69.982	.	69.982	69.982
PBVp20	1	49.625	.	49.625	49.625
NELp20	1	6.240	.	6.240	6.240
OE*	1	10.330	.	10.330	10.330
Ca	1	5.400	.	5.400	5.400
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	20.600	.	20.600	20.600
Na	1	1.800	.	1.800	1.800
Cl	1	21.600	.	21.600	21.600
S	1	1.900	.	1.900	1.900
CAB	1	-122.086	.	-122.086	-122.086
Fe	1	200.000	.	200.000	200.000
Mn	1	72.000	.	72.000	72.000
Zn	1	67.000	.	67.000	67.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	768.500	118.087	685.000	852.000
Aska	2	40.000	0.000	40.000	40.000
OS smbh	2	67.850	6.010	63.600	72.100
Råprot	2	80.000	5.657	76.000	84.000
sRåprot	1	414.000	.	414.000	414.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	543.500	30.406	522.000	565.000
iNDF	2	241.339	81.545	183.678	299.000
nhNDF	2	3.784	0.408	3.496	4.073
TAF	2	0.000	0.000	0.000	0.000
Socker	2	154.000	55.154	115.000	193.000
AATp20	2	87.635	2.631	85.775	89.495
PBVp20	2	-51.067	9.957	-58.108	-44.026
NELp20	2	5.256	0.455	4.935	5.578
OE*	2	10.080	1.018	9.360	10.800
AAT*	1	76.000	.	76.000	76.000
PBV*	1	-53.000	.	-53.000	-53.000
Ca	1	2.000	.	2.000	2.000
P	1	1.900	.	1.900	1.900
Mg	1	1.500	.	1.500	1.500
K	1	7.600	.	7.600	7.600
Na	1	0.400	.	0.400	0.400
S	1	1.300	.	1.300	1.300
CAB	1	-10.330	.	-10.330	-10.330

*= Parametrar från det gamla svenska fodervärderingssystemet