

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	76	839	23	59.8	117	300	6.7	182	122	3.15	569	8			95.8	-27	7.35
Vete, kärna (005)	1	48	861	18	66.4	120	313	7.0	121	147	3.50	636	7			114	-46	7.97
Rågvete (015)	1	15	868	18	47.7	113	378	54.0	109	111	3.50	627	5			110	-48	7.85
Blandsäd, kärna, 50%korn/50%vete (114)	1	13	837	19	87.0	118		6.2	168	173	3.30	631				105	-37	7.63
Majs hela plantan, grönmassa (030)	1	33	303	32	75.8	79	368		399	188	3.58	268	59			87.9	-60	6.32
Prognos, blandvall (1-50% baljv) (042)	1	20	217		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	105	425	66	72.6	144	398		488	183	4.25	22	108	0.0	0.7	87.4	6.6	5.85
Grönmassa, gräs (0% baljv.) (161)	2	16	597	76	72.9	134	393		500	167	4.26		106			83.8	3.2	5.86
Ensilage, gräs (0% klöver) (162)	1	98	429	68	74.6	133	609	75.0	465	162	4.39		78	49.2	12.6	81.3	6.2	6.05
Ensilage, gräs (0% klöver) (162)	2	41	460	75	73.4	145	547	72.0	472	175	4.21		63	39.4	11.7	82.7	14.8	5.95
Ensilage, gräs (0% klöver) (162)	3	18	423	81	75.3	155	521	71.4	436	165	4.36		62	48.8	11.9	84.2	22.0	6.11
Grönmassa blandvall (1-50 % baljväxter) (164)	0	66	526	82	75.9	165			476	144	4.97		107			85.3	28.3	6.26
Grönmassa blandvall (1-50 % baljväxter) (164)	1	577	418	70	77.3	143	431		457	130	5.18	18	131	0.0	2.1	88.6	5.6	6.30
Grönmassa blandvall (1-50 % baljväxter) (164)	2	275	504	80	74.8	149	421		471	157	4.65		100	0.0	0.6	84.4	18.5	6.11
Grönmassa blandvall (1-50 % baljväxter) (164)	3	132	479	88	73.6	156	377		475	169	4.40		82			82.9	27.2	6.01
Grönmassa blandvall (1-50 % baljväxter) (164)	4	44	403	89	75.7	173	413		444	152	4.53		94			85.3	39.2	6.20
Ensilage, blandvall (1-50% klöver) (165)	0	112	451	72	73.7	132	552	75.2	464	174	4.18		69	47.1	12.2	82.3	6.9	5.97
Ensilage, blandvall (1-50% klöver) (165)	1	1885	387	69	76.1	142	635	78.2	444	153	4.51	83	71	57.0	15.1	82.5	14.6	6.24
Ensilage, blandvall (1-50% klöver) (165)	2	1080	445	77	74.1	149	543	69.5	453	177	4.21	89	66	44.9	13.2	83.5	19.9	6.04
Ensilage, blandvall (1-50% klöver) (165)	3	449	439	83	74.0	156	525	71.4	444	183	4.20		60	46.6	13.8	83.7	26.4	6.03
Ensilage, blandvall (1-50% klöver) (165)	4	33	421	88	74.6	167	520	73.4	417	189	4.16		59	48.6	14.0	84.1	35.7	6.06
Korn, helsädesensilage (250)	1	107	421	58	68.9	109	610	83.6	445	253	2.91	122	62	41.7	13.4	71.6	-8.0	5.58
Havre-ärt, helsädesensilage, 50% ärter (251)	1	31	384	69	66.6	107	643	88.7	466	263	2.75	95	38	52.9	16.8	68.3	1.0	5.45
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	39	330	64	67.2	115	609	88.1	456	365	5.31	98	37	57.9	18.0	69.3	5.8	5.59
Havre helsädesensilage degmognad (296)	1	43	392	64	67.2	109	614	82.6	474	263	3.11	81	56	45.9	16.1	73.3	-8.3	5.49
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	21	377	68	67.5	120	625	94.7	455	267	2.88	77	47	50.5	18.3	68.4	11.0	5.49

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Vete, helsäd ensilage (299)	1	51	423	58	68.3	105	630	78.1	463	256	3.08	101	73	35.6	14.7	71.5	-12	5.56
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	34	384	61	69.3	116	640	99.2	431	258	2.84	125	45	50.7	15.8	72.6	1.2	5.69
Majs, helsädesensilage (305)	1	33	343	29	75.7	75	543	55.7	379	210	3.45	297	8	48.0	12.8	82.7	-55	6.43
Hö, blandvall, 0-50% baljväxter (383)	0	18	860	52	63.8	66			580	242	3.19		137			79.9	-51	4.84
Hö, blandvall, 0-50% baljväxter (383)	1	88	844	56	67.4	85	435		559	213	3.73		132	0.0	0.0	85.8	-43	5.22
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	286	80	68.4	179			440	395	6.21		69			78.7	60.7	5.62
Grönmassa, blandvall (51-100% baljväxter) (437)	1	18	251	80	77.4	198	393		387	210	5.63		101			87.7	64.1	6.43
Grönmassa, blandvall (51-100% baljväxter) (437)	3	18	389	88	68.2	167	383		414	409	5.29		66			76.9	51.5	5.49
Ensilage, blandvall (51-100% klöver) (438)	1	10	400	78	76.6	161	653	60.3	392	180	4.29		73	61.8	17.7	79.5	41.1	6.35
Ensilage, blandvall (1-50% klöver) (326)	1	22	445	68	74.2	148	508	66.4	369	233	3.37	144	44	37.2	14.0	85.9	18.9	6.28
Fullfoder (TMR) ej kompletta data (1E3)	1	15	448	64	75.4	154	495	57.5	367	195	3.39	135	48					0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	42	0.5	3.5	1.3	5.8	0.1	2.0	1.4	32	41	62.9	18.7	34.5	5.6	0.0
Vete, kärna (005)	1	36	0.4	3.1	1.1	4.8	0.1	1.6	1.3	16	36	52.2	35.0	30.8	4.6	0.0
Rågvete (015)	1	11	0.4	3.4	1.2	5.6	0.1	1.3	1.5	29	11	44.5	31.4	37.1	5.6	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	11	0.4	3.3	1.2	5.4	0.1		1.3	36	11	52.0	30.1	35.0	5.1	0.0
Majs hela plantan, grönmassa (030)	1	17	2.1	1.9	1.2	9.5	0.2	2.0	0.9	142	9	76.0	20.4	23.3	4.0	0.0
Grönmassa, gräs (0% baljv.) (161)	1	103	4.8	2.6	1.7	20.2	0.7	4.7	2.1	280	72	153.1	135.1	34.1	5.7	0.0
Grönmassa, gräs (0% baljv.) (161)	2	15	5.3	2.8	2.2	23.4	1.0	5.6	2.3	351	14	126.1	92.4	29.8	6.1	0.0
Ensilage, gräs (0% klöver) (162)	1	94	4.6	2.4	1.6	21.2	0.9	4.9	1.9	327	89	221.2	76.7	27.9	5.7	0.0
Ensilage, gräs (0% klöver) (162)	2	37	5.8	2.7	2.2	23.7	0.9	6.8	2.3	312	36	193.9	76.3	28.3	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	16	6.9	3.0	2.7	23.3	0.9	6.6	2.5	289	15	196.1	92.5	26.5	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	50	7.6	3.1	2.1	25.3	1.2		2.2	427	50	132.2	52.3	33.6	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	533	5.0	2.7	1.7	23.3	0.8	5.2	2.0	365	430	140.8	71.1	29.1	5.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	240	6.9	3.0	2.3	24.6	1.0	6.4	2.4	382	211	132.9	66.7	28.7	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	119	7.1	3.0	2.5	25.2	1.1	11.7	2.5	345	106	149.4	72.3	28.2	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	38	7.4	3.0	2.6	25.3	1.2	10.3	2.6	358	34	180.5	66.6	26.5	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	89	6.0	2.5	2.0	22.0	0.9	5.7	1.9	321	89	159.8	70.4	28.4	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	1803	5.3	2.6	1.7	22.4	0.9	4.8	2.0	353	1585	198.7	58.8	31.3	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1035	6.8	2.8	2.3	23.2	1.1	6.9	2.3	306	913	167.1	73.7	32.2	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	413	7.5	3.0	2.6	23.9	1.2	7.2	2.5	301	339	176.0	77.7	31.9	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	27	8.1	3.1	2.7	24.4	1.6	7.7	2.6	332	16	241.7	90.9	26.2	7.4	0.1
Korn, helsädesensilage (250)	1	98	4.3	2.6	1.6	16.0	1.0	4.7	1.8	202	78	203.1	54.9	34.2	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	29	4.5	2.7	1.8	19.2	1.2	4.3	1.7	319	29	253.2	74.3	61.9	5.4	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	35	5.2	2.7	1.8	18.4	1.1	5.4	1.7	265	27	262.0	75.0	33.7	5.9	0.0
Havre helsädesensilage degmognad (296)	1	35	4.0	2.5	1.6	19.1	4.4	10.0	1.8	259	27	202.7	73.3	31.1	5.1	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	20	5.4	2.5	1.9	17.9	0.5	3.5	1.6	281	20	188.1	66.6	100.4	6.7	0.1
Vete, helsäd ensilage (299)	1	50	3.6	2.2	1.5	15.7	0.6	3.6	1.6	224	43	178.0	53.6	27.1	4.8	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	31	5.4	2.9	1.9	17.2	0.8	3.8	1.7	255	26	166.2	55.0	37.7	6.1	0.1
Majs, helsädesensilage (305)	1	32	1.9	1.9	1.1	9.1	0.3	2.1	0.9	142	12	106.8	26.4	24.5	3.8	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	12	3.0	1.7	1.1	15.0	0.3		1.1	189	12	77.3	85.8	26.6	8.8	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	75	3.6	2.1	1.3	17.1	0.5	3.2	1.4	239	65	126.1	70.0	23.9	4.4	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	14.2	3.1	2.1	19.2	0.8		2.3	254	10	98.6	31.6	23.3	7.4	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	18	12.0	3.3	2.2	28.0	0.8	6.9	2.4	455	17	134.6	37.3	29.2	7.2	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	18	14.1	2.7	2.5	18.6	0.8	1.8	2.1	267	14	125.6	38.3	22.9	7.7	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	10	8.9	2.9	2.0	26.1	0.6	3.5	1.9	473	10	219.1	51.3	25.2	6.1	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	22	6.5	3.7	2.9	16.1	3.0	7.3	2.7	176	13	315.2	91.7	75.0	11.8	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	13	5.9	3.3	2.6	15.3	2.8	5.2	2.4	213	13	322.8	79.1	57.5	13.9	0.4

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	76	839.382	81.4024	782.000	914.000
Aska	74	23.130	4.5465	18.600	27.700
OS smbh	76	59.784	39.6792	0.000	86.000
Råprot	75	117.185	18.2294	98.600	140.800
sRåprot	24	300.375	94.2969	223.000	409.000
NH3-N	12	6.667	0.9847	6.000	8.000
NDF	38	182.158	53.0877	133.000	249.000
iNDF	76	121.645	64.8047	25.000	162.000
nhNDF	76	3.150	0.0000	3.150	3.150
Stä	75	568.755	73.6318	503.000	641.000
Socker	25	7.560	9.1564	5.000	5.000
TAF	76	0.000	0.0000	0.000	0.000
AAT20	76	95.781	2.6233	93.438	99.168
PBV20	76	-26.744	18.6348	-50.336	-3.881
NEL20	76	7.346	0.2043	7.136	7.554
Ca	42	0.531	0.3127	0.400	0.600
P	42	3.505	0.4627	2.900	4.200
Mg	42	1.307	0.1629	1.100	1.500
K	42	5.840	1.0010	5.000	6.400
Na	42	0.143	0.2166	0.100	0.200
S	42	1.360	0.2242	1.100	1.700
CAB	42	31.848	36.8771	-7.835	59.228
Fe	41	62.927	25.1231	44.000	92.000
Mn	41	18.659	8.1994	12.000	27.000
Zn	41	34.537	8.2131	26.000	47.000
Cu	41	5.610	1.7061	3.800	7.000
Se	10	0.020	0.0210	0.005	0.050

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	48	860.521	29.1970	831.000	914.000
Aska	48	18.042	3.1968	15.000	22.100
OS smbh	49	66.449	38.2345	0.000	88.000
Råprot	48	119.954	17.7090	99.800	146.000
sRåprot	12	313.000	44.6013	274.000	369.000
NDF	17	121.353	45.3044	90.000	174.000
iNDF	49	147.327	70.3863	25.000	187.000
nhNDF	49	3.500	0.0000	3.500	3.500
Stä	48	635.888	61.5875	550.000	697.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socker	13	7.077	9.0964	5.000	5.000
TAF	49	0.000	0.0000	0.000	0.000
AAT20	49	113.548	1.8535	111.400	116.455
PBV20	49	-46.474	15.9119	-63.757	-24.859
NEL20	49	7.968	0.1077	7.824	8.069
Ca	36	0.378	0.0959	0.300	0.500
P	36	3.064	0.3465	2.600	3.500
Mg	36	1.144	0.1482	1.000	1.400
K	36	4.822	0.4911	4.300	5.500
Na	30	0.100	0.0000	0.100	0.100
S	36	1.336	0.2368	1.100	1.600
CAB	36	15.768	20.1413	-11.192	42.103
Fe	36	52.167	23.0099	36.000	93.000
Mn	36	35.028	9.5663	25.000	47.000
Zn	36	30.778	7.2392	22.000	40.000
Cu	36	4.597	0.8307	3.700	5.700

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	867.533	37.3514	820.000	904.000
Aska	15	18.133	2.0311	16.000	21.000
OS smbh	15	47.722	46.2068	0.000	89.479
Råprot	15	113.320	19.8880	91.000	137.000
iNDF	15	111.400	83.6564	25.000	187.000
nhNDF	15	3.500	0.0000	3.500	3.500
Stä	15	626.713	55.0896	567.000	707.300
TAF	15	0.000	0.0000	0.000	0.000
AAT20	15	109.548	1.8135	107.413	111.598
PBV20	15	-47.775	18.3480	-71.071	-28.214
NEL20	15	7.853	0.1032	7.737	7.956
Ca	11	0.436	0.2292	0.300	0.500
P	11	3.355	0.2339	3.000	3.600
Mg	11	1.236	0.1027	1.100	1.400
K	11	5.618	0.4285	5.100	6.000
S	11	1.464	0.2541	1.200	1.700
CAB	11	28.901	25.7497	-12.720	50.582
Fe	11	44.455	6.7285	38.000	51.000
Mn	11	31.364	7.5269	24.000	39.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	11	37.091	5.7001	30.000	45.000
Cu	11	5.645	0.7421	5.000	6.000

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	837.308	17.0655	815.000	856.000
Aska	13	18.892	2.5892	16.600	23.000
OS smbh	14	87.000	0.0000	87.000	87.000
Råprot	13	117.885	15.3122	95.500	134.300
iNDF	14	173.000	0.0000	173.000	173.000
nhNDF	14	3.300	0.0000	3.300	3.300
Stä	13	630.808	37.7170	599.000	672.300
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	105.212	1.4434	103.230	106.979
PBV20	14	-37.333	12.7972	-56.641	-23.215
NEL20	14	7.626	0.1195	7.484	7.817
Ca	11	0.445	0.1214	0.300	0.600
P	11	3.336	0.3472	2.800	3.700
Mg	11	1.227	0.1104	1.100	1.400
K	11	5.445	0.5067	4.900	6.100
Na	11	0.100	0.0000	0.100	0.100
S	11	1.273	0.1679	1.100	1.500
CAB	11	35.903	14.3707	20.249	47.247
Fe	11	52.000	15.3948	36.000	72.000
Mn	11	30.091	8.5727	22.000	44.000
Zn	11	35.000	4.9598	30.000	40.000
Cu	11	5.109	1.0839	3.500	6.200

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	33	302.545	33.6211	259.000	337.000
Aska	33	31.667	4.8132	24.000	38.000
OS smbh	33	75.779	1.8286	72.400	77.800
Råprot	33	78.636	5.0176	72.000	85.000
sRåprot	33	368.485	36.8070	321.000	419.000
NDF	33	398.848	29.8717	369.000	438.000
iNDF	33	187.756	19.5774	168.882	223.000
nhNDF	33	3.584	0.4805	3.021	4.018
Stä	33	267.848	55.2150	216.000	345.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socker	33	58.606	48.2033	8.000	114.000
TAF	33	57.000	0.0000	57.000	57.000
AAT20	33	87.889	2.3492	84.737	90.575
PBV20	33	-60.188	3.4697	-64.549	-55.518
NEL20	33	6.317	0.1978	6.067	6.514
Ca	17	2.118	0.5525	1.500	2.800
P	17	1.947	0.1463	1.800	2.100
Mg	17	1.206	0.2904	0.900	1.800
K	17	9.488	1.1467	7.500	10.500
Na	15	0.207	0.1486	0.100	0.400
Cl	25	1.960	0.9743	1.200	3.200
S	17	0.912	0.1453	0.700	1.200
CAB	17	141.622	37.6158	90.016	187.801

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	216.600	25.6892	187.500	263.000
OS smbh	20	73.150	0.0000	73.150	73.150
iNDF	20	170.460	0.0000	170.460	170.460
nhNDF	20	4.315	0.0000	4.315	4.315
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	96.439	0.0000	96.439	96.439
PBV20	20	-4.418	0.0000	-4.418	-4.418
NEL20	20	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	105	424.838	225.325	203.000	800.000
Aska	105	66.010	15.226	49.000	88.000
OS smbh	105	72.589	5.937	65.200	79.400
Råprot	105	143.743	54.529	83.000	213.000
sRåprot	68	397.809	88.140	267.000	495.000
NDF	105	487.638	67.177	409.000	587.000
iNDF	105	182.505	74.667	90.000	273.000
nhNDF	105	4.247	0.993	3.494	5.321
Socker	105	107.981	39.781	58.000	160.000
TAF	105	42.638	25.229	6.000	61.000
Mjölksyra	37	0.000	0.000	0.000	0.000
Ättiksyra	35	0.657	1.830	0.000	3.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PRF	35	4.829	3.560	0.000	11.000
BUF	35	3.000	2.870	0.000	7.000
AAT20	105	87.366	10.277	75.688	100.062
PBV20	105	6.584	35.745	-34.645	56.389
NEL20	105	5.846	0.537	5.181	6.535
Ca	103	4.836	2.114	2.800	8.000
P	103	2.559	0.679	1.700	3.300
Mg	103	1.666	0.595	1.000	2.500
K	103	20.239	6.073	13.800	29.200
Na	102	0.699	0.588	0.100	1.300
Cl	61	4.680	3.496	1.200	10.600
S	103	2.120	0.910	1.200	3.300
CAB	103	279.973	146.700	96.462	487.000
Fe	72	153.139	114.002	60.000	307.000
Mn	72	135.056	175.769	28.000	425.000
Zn	72	34.083	17.154	19.000	50.000
Cu	72	5.719	1.845	4.000	8.000
Se	15	0.035	0.022	0.005	0.050

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	16	596.938	186.855	349.000	797.000
Aska	16	75.563	9.522	64.000	85.000
OS smbh	16	72.875	3.755	68.200	78.800
Råprot	16	134.125	28.902	93.000	165.000
NDF	16	499.563	44.325	438.000	550.000
iNDF	16	167.151	44.250	100.000	226.619
nhNDF	16	4.265	0.658	3.250	5.246
Socker	16	105.875	31.494	63.000	154.000
TAF	16	61.000	0.000	61.000	61.000
AAT20	16	83.803	5.217	76.792	91.191
PBV20	16	3.215	22.000	-29.291	34.150
NEL20	16	5.857	0.377	5.336	6.417
Ca	15	5.267	0.876	4.300	6.200
P	15	2.800	0.526	2.000	3.300
Mg	15	2.167	0.451	1.500	2.600
K	15	23.373	6.472	16.600	32.900
Na	15	0.973	0.643	0.200	2.200
S	15	2.287	0.504	1.600	2.900

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
CAB	15	350.895	149.805	177.438	593.522
Fe	14	126.143	42.612	73.000	183.000
Mn	14	92.357	40.355	55.000	130.000
Zn	14	29.786	11.859	14.000	46.000
Cu	14	6.071	1.447	3.700	7.900

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	98	429.235	165.297	265.000	736.000
Aska	98	68.265	12.168	56.000	77.000
OS smbh	99	74.596	5.011	67.400	79.700
Råprot	98	132.898	31.841	84.000	171.000
sRåprot	97	609.155	115.768	403.000	717.000
NH3-N	96	75.000	26.964	41.000	107.000
NDF	98	465.194	60.859	390.000	564.000
iNDF	99	161.912	41.471	120.350	218.105
nhNDF	99	4.394	0.655	3.468	5.136
Socker	98	77.837	42.749	20.000	136.000
TAF	99	64.228	34.292	22.000	117.100
Mjölksyra	97	49.237	29.381	13.000	94.000
Ättiksyra	97	12.567	6.525	5.000	22.000
PRF	17	3.059	1.749	0.000	5.000
BUF	97	1.068	1.252	0.000	2.700
AAT20	99	81.321	4.410	75.670	86.396
PBV20	99	6.174	26.229	-34.645	35.311
NEL20	99	6.047	0.529	5.432	6.531
Ca	94	4.643	1.233	3.300	6.300
P	94	2.398	0.468	1.700	2.900
Mg	94	1.641	0.305	1.200	2.000
K	94	21.184	4.778	15.800	27.500
Na	94	0.879	0.759	0.100	2.100
Cl	97	4.868	2.737	1.200	8.200
S	94	1.894	0.458	1.300	2.500
CAB	94	326.734	106.909	191.037	458.315
Fe	89	221.247	292.557	70.000	429.000
Mn	89	76.742	60.099	35.000	107.000
Zn	89	27.899	6.771	21.000	35.000
Cu	89	5.700	1.139	4.000	7.200
Se	19	0.022	0.015	0.007	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	41	459.829	140.603	316.000	680.000
Aska	41	75.366	8.873	64.000	85.000
OS smbh	41	73.434	3.791	69.300	78.400
Råprot	41	144.683	24.214	118.000	175.000
sRåprot	41	547.439	104.757	414.000	654.000
NH3-N	41	71.951	23.639	43.000	101.000
NDF	41	471.683	38.724	430.000	520.000
iNDF	41	174.882	41.186	127.060	207.195
nhNDF	41	4.205	0.669	3.584	4.997
Socker	41	63.415	28.111	29.000	96.000
TAF	41	53.527	26.785	20.000	87.100
Mjölksyra	41	39.390	21.064	12.000	65.000
Ättiksyra	41	11.732	6.723	4.000	20.000
BUF	41	0.893	1.025	0.000	1.900
AAT20	41	82.679	4.032	77.827	88.557
PBV20	41	14.831	20.215	-12.199	39.773
NEL20	41	5.949	0.424	5.526	6.453
Ca	37	5.824	2.190	3.800	8.600
P	37	2.686	0.449	2.200	3.300
Mg	37	2.157	0.453	1.700	2.800
K	37	23.749	5.414	16.200	31.300
Na	37	0.865	0.859	0.100	1.500
Cl	41	6.751	3.447	2.600	9.700
S	37	2.319	0.709	1.500	3.100
CAB	37	312.006	137.181	171.540	478.655
Fe	36	193.917	251.216	70.000	358.000
Mn	36	76.250	37.977	38.000	129.000
Zn	36	28.250	5.649	20.000	34.000
Cu	36	7.117	1.381	5.100	9.300
Se	12	0.027	0.020	0.008	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	423.222	161.031	266.000	648.000
Aska	18	80.778	10.356	64.000	95.000
OS smbh	18	75.333	2.954	72.000	77.500
Råprot	18	155.278	26.146	128.000	208.000
sRåprot	18	521.056	83.888	424.000	637.000
NH3-N	18	71.444	30.562	32.000	120.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NDF	18	436.333	41.500	393.000	495.000
iNDF	18	164.609	30.969	131.852	228.000
nhNDF	18	4.358	0.727	3.591	4.920
Socket	18	61.667	30.705	26.000	118.000
TAF	18	63.417	25.650	29.400	105.300
Mjölksyra	18	48.833	22.771	14.000	88.000
Ättiksyra	17	11.882	4.833	6.000	17.000
BUF	17	1.265	1.925	0.000	4.500
AAT20	18	84.166	4.441	78.641	88.748
PBV20	18	21.987	22.531	-6.885	68.067
NEL20	18	6.108	0.320	5.608	6.451
Ca	16	6.944	1.637	4.700	9.100
P	16	2.981	0.515	2.400	3.600
Mg	16	2.719	0.581	2.200	3.300
K	16	23.350	5.138	16.900	28.200
Na	16	0.925	0.319	0.600	1.400
Cl	18	6.589	4.643	1.700	14.700
S	16	2.544	0.498	1.900	3.200
CAB	16	288.631	91.262	157.798	383.136
Fe	15	196.067	171.644	84.000	479.000
Mn	15	92.467	30.981	64.000	149.000
Zn	15	26.467	4.824	20.000	32.000
Cu	15	7.800	1.218	6.200	9.100

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	66	525.909	297.062	190.000	1000.00
Aska	52	81.885	16.960	59.000	104.00
OS smbh	66	75.909	4.153	71.600	80.70
Råprot	52	165.231	51.305	116.000	251.00
NDF	62	475.871	86.338	332.000	597.00
iNDF	66	144.075	48.519	93.083	197.65
nhNDF	66	4.972	1.248	3.381	6.17
Socket	52	106.846	45.361	39.000	163.00
TAF	66	84.000	0.000	84.000	84.00
AAT20	66	85.300	5.037	80.081	90.57
PBV20	66	28.326	40.205	-2.480	103.53
NEL20	66	6.256	0.408	5.815	6.67
Ca	50	7.622	5.328	3.400	17.85

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
P	50	3.082	0.652	2.400	4.20
Mg	50	2.128	0.547	1.400	2.85
K	50	25.338	4.855	18.450	30.25
Na	50	1.166	0.874	0.100	2.55
S	50	2.226	0.633	1.400	3.10
CAB	50	427.207	113.504	259.310	567.53
Fe	50	132.240	86.026	67.000	216.50
Mn	50	52.320	28.083	30.500	92.00
Zn	50	33.600	42.115	23.000	34.00
Cu	50	6.634	1.665	4.350	8.80
Se	10	0.023	0.020	0.006	0.06

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	577	418.049	148.155	244.000	635.000
Aska	576	69.602	11.341	56.000	84.000
OS smbh	577	77.347	4.887	70.200	83.100
Råprot	576	142.611	30.288	103.000	177.000
sRåprot	224	431.107	76.583	347.000	516.000
NDF	576	457.368	57.249	386.000	537.000
iNDF	577	129.871	52.975	65.803	202.732
nhNDF	577	5.175	1.407	3.810	6.633
Socker	576	130.943	45.048	68.000	190.000
TAF	577	65.246	32.619	5.000	84.000
Mjölksyra	145	0.000	0.000	0.000	0.000
Ättiksyra	131	2.099	5.082	0.000	8.000
PRF	131	3.718	3.544	0.000	10.000
BUF	131	2.420	2.395	0.000	6.000
AAT20	577	88.623	6.642	80.376	96.889
PBV20	577	5.595	22.538	-22.116	33.777
NEL20	577	6.295	0.435	5.699	6.853
Ca	533	5.035	1.830	3.200	7.200
P	533	2.687	0.500	2.100	3.300
Mg	533	1.705	0.437	1.200	2.200
K	533	23.254	5.208	16.300	29.600
Na	531	0.786	0.691	0.100	1.600
Cl	208	5.175	3.351	1.400	8.700
S	533	2.020	0.497	1.400	2.600
CAB	533	365.017	137.655	190.588	524.944

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	430	140.830	185.553	66.500	231.000
Mn	430	71.114	83.336	31.500	96.500
Zn	430	29.060	9.194	21.000	37.000
Cu	430	5.733	2.663	4.000	7.400
Se	76	0.020	0.018	0.006	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	275	503.735	167.075	300.000	745.000
Aska	274	80.172	11.669	65.000	97.000
OS smbh	275	74.842	4.444	69.400	80.000
Råprot	274	149.088	27.067	116.000	187.000
sRåprot	61	420.705	80.913	343.000	550.000
NDF	274	471.398	42.709	419.000	523.000
iNDF	275	156.928	52.556	94.826	224.485
nhNDF	275	4.652	0.957	3.507	5.876
Socker	274	99.839	37.972	49.000	146.000
TAF	275	79.084	19.200	84.000	84.000
Mjölksyra	17	0.000	0.000	0.000	0.000
Ättiksyra	17	0.647	2.422	0.000	1.000
PRF	17	2.647	1.169	1.000	4.000
BUF	17	1.176	1.185	0.000	3.000
AAT20	275	84.426	6.181	77.291	93.163
PBV20	275	18.480	21.196	-7.922	47.320
NEL20	275	6.106	0.420	5.564	6.633
Ca	240	6.907	4.067	4.100	9.900
P	240	2.958	1.487	2.400	3.400
Mg	240	2.340	0.971	1.700	2.950
K	240	24.641	15.054	16.100	29.900
Na	240	1.035	0.874	0.200	2.100
Cl	61	6.444	4.207	2.600	11.700
S	240	2.377	1.537	1.700	3.000
CAB	240	381.769	308.973	193.876	531.957
Fe	211	132.877	109.590	70.000	218.000
Mn	211	66.701	27.745	36.000	108.000
Zn	211	28.701	7.757	21.000	37.000
Cu	211	6.932	1.672	5.000	9.000
Se	52	0.025	0.017	0.007	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	132	479.379	166.921	290.000	735.000
Aska	132	88.386	14.475	71.000	107.000
OS smbh	132	73.574	3.746	68.800	78.100
Råprot	132	155.818	27.360	121.000	193.000
sRåprot	34	377.382	39.819	320.000	425.000
NDF	132	475.030	41.142	419.000	529.000
iNDF	132	168.715	44.247	113.000	225.481
nhNDF	132	4.401	0.849	3.324	5.574
Socker	132	82.356	32.882	38.000	117.000
TAF	132	84.000	0.000	84.000	84.000
AAT20	132	82.933	5.290	76.345	90.453
PBV20	132	27.234	22.624	-2.519	55.780
NEL20	132	6.012	0.374	5.545	6.469
Ca	119	7.113	2.378	4.400	10.400
P	119	3.039	0.458	2.500	3.700
Mg	119	2.504	0.550	1.800	3.200
K	119	25.167	5.893	17.500	31.800
Na	119	1.060	0.798	0.300	2.000
Cl	34	11.721	7.249	4.400	22.300
S	119	2.491	0.433	1.900	3.100
CAB	119	345.165	191.883	67.858	548.376
Fe	106	149.358	88.690	77.000	271.000
Mn	106	72.264	32.995	34.000	108.000
Zn	106	28.226	6.015	22.000	36.000
Cu	106	7.432	1.594	6.000	9.800
Se	17	0.027	0.025	0.009	0.043

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	44	402.614	138.369	248.000	561.000
Aska	44	88.750	11.499	75.000	103.000
OS smbh	44	75.659	3.312	71.500	80.800
Råprot	44	172.614	31.272	133.000	203.000
sRåprot	10	412.800	61.833	359.000	512.000
NDF	44	443.977	37.274	385.000	492.000
iNDF	44	151.895	41.956	88.000	202.176
nhNDF	44	4.528	0.724	3.793	5.732
Socker	44	94.045	32.230	39.000	131.000
TAF	44	84.000	0.000	84.000	84.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
AAT20	44	85.273	4.496	79.548	91.963
PBV20	44	39.169	26.428	7.865	72.684
NEL20	44	6.202	0.333	5.819	6.766
Ca	38	7.379	2.439	5.500	10.700
P	38	3.011	0.546	2.500	3.800
Mg	38	2.571	0.498	2.000	3.500
K	38	25.250	5.812	17.100	33.000
Na	38	1.171	0.600	0.600	1.900
Cl	10	10.260	7.251	2.900	20.450
S	38	2.645	0.549	2.000	3.300
CAB	38	357.789	157.673	162.283	550.886
Fe	34	180.500	135.203	86.000	286.000
Mn	34	66.618	25.534	40.000	108.000
Zn	34	26.471	5.950	18.000	33.000
Cu	34	7.356	1.787	5.000	9.600

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	112	451.310	179.122	284.000	758.000
Aska	100	72.480	13.056	56.500	89.500
OS smbh	113	73.702	3.758	67.400	78.300
Råprot	105	131.774	24.566	99.000	158.000
sRåprot	96	551.788	111.557	358.000	653.000
NH3-N	97	75.237	29.799	31.000	112.000
NDF	104	463.933	45.756	409.000	532.000
iNDF	113	174.166	37.026	135.694	222.377
nhNDF	113	4.179	0.630	3.413	4.839
Socker	104	69.293	42.912	21.000	135.000
TAF	113	63.766	29.790	20.500	101.100
Mjölksyra	98	47.123	26.758	13.000	84.000
Ättiksyra	98	12.177	5.914	5.000	21.000
BUF	94	1.101	1.169	0.100	3.000
AAT20	113	82.305	4.268	77.392	87.813
PBV20	113	6.868	20.951	-17.713	28.187
NEL20	113	5.972	0.400	5.410	6.469
Ca	89	5.987	1.957	3.800	8.400
P	89	2.546	0.515	1.800	3.100
Mg	89	1.991	0.506	1.400	2.700
K	89	22.046	5.162	14.200	28.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Na	89	0.881	0.775	0.200	2.000
Cl	93	5.700	3.920	1.300	9.300
S	89	1.932	0.468	1.300	2.600
CAB	89	320.738	113.399	160.541	450.971
Fe	89	159.803	105.480	76.000	269.000
Mn	89	70.355	34.365	32.000	107.000
Zn	89	28.400	7.375	21.000	35.000
Cu	89	6.575	1.640	4.445	8.700
Se	15	0.028	0.048	0.005	0.052

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	1885	387.419	122.46	271.000	548.000
Aska	1879	68.688	11.24	55.000	81.000
OS smbh	1887	76.060	3.81	71.100	80.000
Råprot	1879	141.622	25.19	108.000	172.000
sRåprot	1879	634.629	84.51	522.000	724.000
NH3-N	1871	78.214	29.61	43.000	115.000
NDF	1879	444.228	51.57	383.000	514.000
iNDF	1887	153.111	37.36	112.744	200.106
nhNDF	1887	4.514	0.61	3.819	5.249
Socker	1879	71.088	42.91	23.000	134.000
TAF	1887	74.945	33.32	26.700	118.000
Mjölksyra	1876	56.977	28.97	17.000	95.000
Ättiksyra	1877	15.077	6.44	7.000	23.000
PRF	583	3.153	2.02	1.000	6.000
BUF	1877	1.200	2.40	0.000	3.000
AAT20	1887	82.472	4.00	77.890	87.313
PBV20	1887	14.619	22.84	-15.621	42.491
NEL20	1887	6.245	0.39	5.723	6.656
Ca	1803	5.310	1.58	3.700	7.500
P	1803	2.555	0.45	2.000	3.100
Mg	1803	1.715	0.34	1.400	2.100
K	1803	22.354	4.31	16.800	27.500
Na	1800	0.944	0.87	0.100	1.900
Cl	1869	4.834	3.77	1.500	8.300
S	1803	1.965	0.44	1.400	2.500
CAB	1803	353.422	125.51	206.585	485.669
Fe	1585	198.700	1064.52	74.000	307.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	1585	58.797	27.35	32.000	85.000
Zn	1585	31.316	33.88	21.000	36.000
Cu	1585	5.884	1.29	4.300	7.400
Se	299	0.035	0.04	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1080	445.369	137.550	291.000	648.000
Aska	1077	77.286	11.372	64.000	90.000
OS smbh	1081	74.077	3.076	70.100	77.700
Råprot	1077	148.979	22.991	120.000	178.000
sRåprot	1077	543.032	93.229	418.000	648.000
NH3-N	1071	69.528	26.928	37.000	102.000
NDF	1077	452.723	37.126	409.000	499.000
iNDF	1081	176.693	39.216	132.184	226.055
nhNDF	1081	4.206	0.610	3.387	4.903
Socker	1077	66.448	35.644	22.000	117.000
TAF	1081	60.750	28.633	21.500	99.000
Mjölksyra	1076	44.877	23.676	14.000	77.000
Ättiksyra	1076	13.190	6.546	6.000	21.000
PRF	316	2.968	2.120	0.000	6.000
BUF	1076	1.021	1.913	0.000	2.400
AAT20	1081	83.514	4.563	78.194	89.418
PBV20	1081	19.937	20.474	-8.007	45.588
NEL20	1081	6.039	0.336	5.599	6.451
Ca	1035	6.755	1.984	4.800	9.500
P	1035	2.783	0.445	2.200	3.300
Mg	1035	2.297	0.431	1.800	2.800
K	1035	23.237	4.637	17.300	28.900
Na	1035	1.128	0.854	0.200	2.200
Cl	1072	6.862	4.457	2.500	11.400
S	1035	2.301	0.480	1.700	2.900
CAB	1035	306.179	145.374	140.987	469.117
Fe	913	167.140	162.969	76.000	274.000
Mn	913	73.744	32.745	41.000	112.000
Zn	913	32.171	36.853	22.000	38.000
Cu	913	7.259	1.455	5.500	9.200
Se	136	0.035	0.043	0.008	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	449	438.842	137.855	291.000	641.000
Aska	449	82.637	13.195	69.000	97.000
OS smbh	450	74.045	2.516	70.600	76.900
Råprot	449	156.138	21.483	127.000	184.000
sRåprot	449	525.392	86.665	408.000	618.000
NH3-N	447	71.360	27.774	38.000	103.000
NDF	449	443.831	35.943	396.000	488.000
iNDF	450	183.053	37.902	142.000	235.251
nhNDF	450	4.196	0.614	3.319	4.857
Socker	449	60.223	33.125	21.000	105.000
TAF	450	63.162	29.157	20.500	98.350
Mjölksyra	449	46.612	23.789	12.000	75.000
Ättiksyra	447	13.843	7.452	5.000	23.000
PRF	151	2.715	2.507	0.000	5.000
BUF	447	1.075	1.737	0.000	2.900
AAT20	450	83.661	4.768	78.040	89.946
PBV20	450	26.363	20.474	0.731	51.824
NEL20	450	6.034	0.290	5.661	6.366
Ca	413	7.486	2.313	5.300	10.400
P	413	2.987	0.449	2.400	3.500
Mg	413	2.607	0.433	2.100	3.200
K	413	23.945	4.410	18.500	29.500
Na	413	1.226	0.927	0.300	2.200
Cl	447	7.230	4.738	2.900	12.300
S	413	2.542	0.477	2.000	3.200
CAB	413	300.922	153.992	120.555	454.986
Fe	339	176.003	206.687	78.000	275.000
Mn	339	77.676	32.575	39.000	117.000
Zn	339	31.891	32.040	22.000	38.000
Cu	339	7.678	1.380	6.000	9.400
Se	45	0.031	0.023	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	33	420.970	130.432	286.000	635.000
Aska	33	87.939	11.119	73.000	103.000
OS smbh	33	74.573	2.886	70.700	77.500
Råprot	33	166.879	24.133	133.000	192.000
sRåprot	33	519.939	76.510	412.000	587.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
NH3-N	33	73.424	41.074	38.000	122.000
NDF	33	417.364	40.562	370.000	469.000
iNDF	33	188.989	34.293	147.000	232.259
nhNDF	33	4.163	0.659	3.277	4.953
Socker	33	58.667	30.881	22.000	106.000
TAF	33	66.215	31.401	23.500	109.100
Mjölksyra	33	48.636	25.701	14.000	86.000
Ättiksyra	33	13.970	7.007	8.000	23.000
PRF	15	3.133	3.159	0.000	7.000
BUF	33	1.639	3.124	0.000	3.700
AAT20	33	84.085	4.730	77.846	90.411
PBV20	33	35.725	20.671	8.642	60.667
NEL20	33	6.065	0.310	5.647	6.391
Ca	27	8.052	1.883	5.500	10.700
P	27	3.122	0.433	2.500	3.700
Mg	27	2.670	0.475	2.000	3.300
K	27	24.430	3.457	18.400	29.000
Na	27	1.615	0.665	0.900	2.200
Cl	33	7.745	4.243	3.600	13.700
S	27	2.600	0.489	1.800	3.200
CAB	27	332.299	103.339	193.929	469.736
Fe	16	241.688	203.725	103.000	402.000
Mn	16	90.938	47.307	57.000	177.000
Zn	16	26.188	3.728	22.000	33.000
Cu	16	7.413	1.249	5.900	8.600

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	107	421.308	140.904	280.000	582.000
Aska	107	57.888	16.629	40.000	82.000
OS smbh	107	68.929	3.645	64.400	73.300
Råprot	107	108.514	24.907	78.000	143.000
sRåprot	107	610.421	97.939	485.000	732.000
NH3-N	106	83.575	36.295	36.000	131.000
NDF	107	445.000	54.411	369.000	516.000
iNDF	107	252.544	51.600	188.000	313.326
nhNDF	107	2.910	0.771	2.079	4.026
Stä	105	122.495	93.193	18.000	270.000
Socker	107	62.150	45.034	20.000	135.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	107	58.076	27.397	27.000	90.000
Mjölksyra	107	41.701	21.660	18.000	67.000
Ättiksyra	106	13.443	7.645	6.000	25.000
PRF	44	3.318	3.109	0.000	8.000
BUF	44	1.341	1.613	0.000	4.000
AAT20	107	71.569	4.870	66.178	77.669
PBV20	107	-8.041	21.629	-34.853	24.271
NEL20	107	5.577	0.330	5.149	5.979
Ca	98	4.284	2.245	1.900	7.100
P	98	2.568	0.509	2.000	3.200
Mg	98	1.637	0.578	1.000	2.300
K	98	15.964	5.431	10.100	22.800
Na	98	0.964	0.663	0.300	1.600
Cl	98	4.738	5.271	1.500	7.300
S	98	1.807	0.552	1.200	2.600
CAB	98	201.860	163.676	60.602	387.601
Fe	78	203.090	207.013	70.000	410.000
Mn	78	54.897	32.449	20.000	99.000
Zn	78	34.192	14.954	20.000	56.000
Cu	78	5.449	1.168	4.200	7.000
Se	17	0.035	0.023	0.006	0.060

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	31	384.323	67.042	314.000	462.000
Aska	31	68.645	17.904	50.000	84.000
OS smbh	31	66.594	2.808	63.400	69.400
Råprot	31	107.419	22.236	86.000	143.000
sRåprot	31	642.516	109.330	535.000	760.000
NH3-N	31	88.742	26.528	53.000	125.000
NDF	31	466.000	36.294	425.000	509.000
iNDF	31	262.659	31.798	220.082	296.011
nhNDF	31	2.749	0.458	2.176	3.391
Stä	31	95.323	64.844	24.000	183.000
Socker	31	38.129	31.820	14.000	62.000
TAF	31	71.742	23.691	50.000	100.000
Mjölksyra	31	52.903	22.153	29.000	82.000
Ättiksyra	31	16.839	5.628	11.000	21.000
AAT20	31	68.277	4.360	62.347	73.164

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	31	0.969	20.970	-20.215	31.938
NEL20	31	5.449	0.256	5.262	5.762
Ca	29	4.534	1.016	3.200	6.200
P	29	2.697	0.474	2.100	3.400
Mg	29	1.766	0.368	1.300	2.300
K	29	19.221	5.444	11.900	27.300
Na	29	1.179	0.962	0.400	2.700
Cl	31	4.252	2.321	1.800	6.400
S	29	1.672	0.379	1.200	2.200
CAB	29	319.336	117.469	121.722	454.191
Fe	29	253.207	238.643	84.000	590.000
Mn	29	74.345	40.465	21.000	135.000
Zn	29	61.931	147.852	22.000	47.000
Cu	29	5.428	1.129	3.800	7.000

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	39	330.000	59.538	261.000	405.000
Aska	39	64.282	11.286	53.000	77.000
OS smbh	39	67.226	3.525	61.700	72.100
Råprot	39	115.128	17.298	94.000	131.000
sRåprot	39	608.744	92.590	453.000	731.000
NH3-N	37	88.108	34.466	48.000	123.000
NDF	39	455.590	56.624	368.000	526.000
iNDF	39	364.896	88.831	252.000	474.612
nhNDF	39	5.308	2.419	2.341	8.725
Stä	39	98.359	58.498	37.000	185.000
Socket	39	36.590	22.471	14.000	67.000
TAF	39	78.782	24.951	42.500	104.000
Mjölksyra	39	57.949	21.162	30.000	88.000
Ättiksyra	39	17.974	6.784	8.000	29.000
PRF	20	3.950	2.544	0.000	7.000
BUF	20	1.150	1.348	0.000	3.500
AAT20	39	69.307	4.386	64.099	75.245
PBV20	39	5.780	15.463	-16.347	20.025
NEL20	39	5.594	0.335	5.114	5.997
Ca	35	5.217	1.353	3.900	6.900
P	35	2.720	0.479	2.100	3.200
Mg	35	1.834	0.360	1.400	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	35	18.409	5.037	12.300	23.600
Na	35	1.143	0.790	0.300	2.200
Cl	35	5.360	7.245	0.800	8.700
S	35	1.731	0.364	1.300	2.100
CAB	35	264.757	176.568	125.981	407.035
Fe	27	261.963	433.615	79.000	303.000
Mn	27	75.000	40.425	34.000	124.000
Zn	27	33.704	9.833	24.000	47.000
Cu	27	5.893	1.406	4.200	8.000

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	43	391.605	86.626	288.000	519.000
Aska	43	64.233	12.560	51.000	80.000
OS smbh	43	67.174	5.173	60.800	73.500
Råprot	43	109.279	29.140	78.000	149.000
sRåprot	43	614.395	92.994	487.000	731.000
NH3-N	43	82.558	33.302	49.000	134.000
NDF	43	473.674	57.524	402.000	539.000
iNDF	43	263.336	55.755	176.000	326.657
nhNDF	43	3.106	0.914	2.083	4.260
Stä	43	80.558	62.927	21.000	192.000
Socker	43	55.977	35.430	19.000	114.000
TAF	43	64.292	25.982	31.000	98.000
Mjölksyra	43	45.884	22.053	14.000	77.000
Ättiksyra	42	16.071	7.419	7.000	26.000
PRF	17	4.176	2.789	0.000	8.000
BUF	17	1.706	1.490	0.000	4.000
AAT20	43	73.294	5.528	66.341	80.178
PBV20	43	-8.341	24.200	-37.797	23.602
NEL20	43	5.495	0.458	4.927	6.015
Ca	35	4.023	1.810	2.300	6.800
P	35	2.534	0.469	2.000	3.000
Mg	35	1.577	0.420	1.100	2.200
K	35	19.089	5.907	13.500	27.300
Na	35	4.446	17.939	0.600	3.500
Cl	41	9.951	30.047	3.000	9.100
S	35	1.817	0.481	1.200	2.400
CAB	35	258.897	228.300	80.987	444.820

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	27	202.704	165.104	96.000	386.000
Mn	27	73.296	31.502	35.000	122.000
Zn	27	31.074	15.089	21.000	50.000
Cu	27	5.130	1.051	4.000	6.100

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	21	377.333	71.577	285.000	479.000
Aska	21	67.524	11.792	55.000	84.000
OS smbh	21	67.490	2.546	65.300	69.700
Råprot	21	120.000	23.843	95.000	148.000
sRåprot	21	624.762	75.145	547.000	681.000
NH3-N	21	94.667	27.645	64.000	129.000
NDF	21	454.952	41.841	394.000	498.000
iNDF	21	267.413	40.713	221.213	316.541
nhNDF	21	2.876	0.611	2.186	3.738
Stä	21	76.524	62.026	18.000	184.000
Socker	21	46.810	29.936	23.000	94.000
TAF	21	69.333	17.074	55.000	86.000
Mjölksyra	21	50.524	14.593	34.000	64.000
Ättiksyra	21	18.286	4.233	14.000	23.000
AAT20	21	68.415	3.015	65.134	72.109
PBV20	21	11.023	20.479	-11.902	34.415
NEL20	21	5.488	0.260	5.307	5.721
Ca	20	5.360	1.745	3.050	7.800
P	20	2.500	0.395	2.200	3.000
Mg	20	1.930	0.557	1.250	2.850
K	20	17.860	4.086	12.500	23.700
Na	20	0.545	0.520	0.150	0.900
Cl	21	3.467	1.730	0.600	5.400
S	20	1.625	0.380	1.150	2.100
CAB	20	280.742	84.473	209.037	428.116
Fe	20	188.050	172.958	91.500	295.000
Mn	20	66.550	27.169	37.000	114.000
Zn	20	100.350	297.557	26.000	51.500
Cu	20	6.675	3.058	4.200	9.900

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	51	423.490	99.545	306.000	559.000
Aska	51	57.588	13.063	37.000	74.000
OS smbh	51	68.325	4.326	63.300	73.700
Råprot	51	104.608	28.274	66.000	142.000
sRåprot	51	629.922	118.491	474.000	757.000
NH3-N	51	78.078	31.236	33.000	111.000
NDF	51	463.020	51.239	388.000	531.000
iNDF	51	255.608	55.983	178.000	317.043
nhNDF	51	3.085	0.864	2.089	4.346
Stä	51	100.725	77.309	17.000	223.000
Socker	51	73.451	36.374	33.000	127.000
TAF	51	53.313	25.851	22.960	88.000
Mjölksyra	51	35.608	20.024	10.000	59.000
Ättiksyra	50	14.680	7.316	5.500	25.500
PRF	18	2.833	2.093	0.000	5.000
BUF	18	1.333	1.372	0.000	4.000
AAT20	51	71.497	4.073	67.669	74.783
PBV20	51	-11.773	24.262	-45.084	22.298
NEL20	51	5.557	0.384	5.155	6.082
Ca	50	3.582	1.351	2.000	5.300
P	50	2.238	0.518	1.450	2.850
Mg	50	1.480	0.390	1.050	1.950
K	50	15.744	4.763	9.850	21.400
Na	50	0.630	0.691	0.100	1.400
Cl	49	3.633	3.187	1.000	7.200
S	50	1.642	0.449	1.050	2.100
CAB	50	223.663	151.296	83.545	413.348
Fe	43	178.047	188.038	69.000	411.000
Mn	43	53.558	23.700	28.000	81.000
Zn	43	27.116	11.048	16.000	35.000
Cu	43	4.840	1.823	3.000	6.700

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	383.559	80.018	276.000	480.000
Aska	34	60.559	10.689	46.000	75.000
OS smbh	34	69.265	2.856	65.500	72.300
Råprot	34	116.441	16.498	94.000	137.000
sRåprot	34	639.647	79.011	556.000	766.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	34	99.176	38.718	60.000	153.000
NDF	34	430.559	54.591	357.000	495.000
iNDF	34	257.611	36.037	208.000	311.069
nhNDF	34	2.841	0.638	2.277	3.534
Stä	33	124.879	80.425	36.000	242.000
Socker	34	44.706	32.568	19.000	80.000
TAF	34	67.324	18.798	36.000	93.000
Mjölksyra	34	50.706	18.709	20.000	73.000
Ättiksyra	34	15.765	6.387	9.000	23.000
PRF	11	1.455	1.293	0.000	3.000
BUF	11	1.182	1.662	0.000	3.000
AAT20	34	72.581	3.589	68.207	77.412
PBV20	34	1.221	17.809	-21.698	23.424
NEL20	34	5.689	0.284	5.353	6.003
Ca	31	5.413	1.481	4.000	7.000
P	31	2.855	0.543	2.300	3.600
Mg	31	1.858	0.385	1.400	2.300
K	31	17.197	3.667	12.000	22.100
Na	31	0.800	0.534	0.200	1.300
Cl	34	3.821	2.470	1.100	7.600
S	31	1.719	0.338	1.400	2.100
CAB	31	254.916	87.801	142.652	386.867
Fe	26	166.154	109.486	77.000	327.000
Mn	26	55.000	33.387	24.000	92.000
Zn	26	37.654	20.564	22.000	52.000
Cu	26	6.135	1.320	4.900	7.700

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	33	343.030	49.933	270.000	409.000
Aska	33	29.242	12.567	21.000	34.000
OS smbh	35	75.694	2.704	71.800	78.600
Råprot	33	75.333	7.960	65.000	86.000
sRåprot	33	543.030	121.168	389.000	725.000
NH3-N	29	55.655	39.555	12.000	124.000
NDF	33	378.515	54.399	314.000	446.000
iNDF	35	210.406	35.217	172.028	262.000
nhNDF	35	3.448	0.601	2.810	4.043
Stä	33	297.182	62.809	222.000	365.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socker	33	8.030	5.987	0.000	13.000
TAF	35	63.743	17.951	34.000	88.000
Mjölksyra	33	47.970	16.005	25.000	65.000
Ättiksyra	33	12.848	7.216	5.000	21.000
PRF	25	3.200	1.528	2.000	5.000
BUF	25	0.000	0.000	0.000	0.000
AAT20	35	82.660	3.890	78.042	88.328
PBV20	35	-54.549	8.299	-65.029	-42.964
NEL20	35	6.434	0.291	5.975	6.748
Ca	32	1.947	0.398	1.300	2.500
P	32	1.872	0.199	1.600	2.100
Mg	32	1.056	0.278	0.800	1.300
K	32	9.088	1.877	6.900	11.800
Na	30	0.310	0.197	0.100	0.500
Cl	10	2.060	0.645	1.400	3.000
S	32	0.913	0.177	0.800	1.200
CAB	32	141.925	51.217	89.476	214.428
Fe	12	106.750	51.321	68.000	178.000
Mn	12	26.417	18.412	10.000	39.000
Zn	12	24.500	7.167	18.000	32.000
Cu	12	3.833	0.720	3.000	5.000

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	18	860.444	72.704	716.000	943.000
Aska	18	52.444	13.035	39.000	74.000
OS smbh	18	63.783	4.262	58.100	70.400
Råprot	18	66.000	21.573	39.000	103.000
NDF	18	580.444	48.279	481.000	629.000
iNDF	18	241.794	38.161	201.421	287.853
nhNDF	18	3.194	0.546	2.488	3.862
Socker	18	136.833	22.576	101.000	161.000
TAF	18	0.000	0.000	0.000	0.000
AAT20	18	79.899	5.491	72.077	86.846
PBV20	18	-51.453	14.139	-71.441	-28.321
NEL20	18	4.842	0.393	4.289	5.352
Ca	12	2.983	1.713	1.500	6.300
P	12	1.650	0.552	1.100	2.300
Mg	12	1.075	0.374	0.700	1.700

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
K	12	15.025	4.713	8.400	20.300
Na	12	0.308	0.540	0.100	0.800
S	12	1.092	0.342	0.700	1.500
CAB	12	188.603	108.890	40.021	307.684
Fe	12	77.250	50.038	36.000	106.000
Mn	12	85.750	96.336	29.000	112.000
Zn	12	26.583	18.515	14.000	33.000
Cu	12	8.792	17.460	2.200	7.800

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	88	843.500	85.928	742.000	922.000
Aska	88	56.386	13.463	40.000	76.000
OS smbh	88	67.402	5.595	60.400	75.900
Råprot	88	85.398	28.284	57.000	132.000
sRåprot	17	435.118	57.410	370.000	478.000
NDF	88	559.284	55.854	474.000	631.000
iNDF	88	213.096	46.798	140.937	277.997
nhNDF	88	3.728	0.802	2.616	5.073
Socker	88	132.409	29.312	95.000	172.000
TAF	88	0.057	0.533	0.000	0.000
AAT20	88	85.804	7.680	76.140	96.619
PBV20	88	-43.175	17.408	-62.096	-17.293
NEL20	88	5.217	0.511	4.536	5.963
Ca	75	3.561	1.510	1.800	5.600
P	75	2.083	0.611	1.400	3.000
Mg	75	1.344	0.464	0.900	2.000
K	75	17.137	5.832	9.900	25.900
Na	74	0.509	0.675	0.100	1.300
Cl	13	3.223	2.400	0.700	6.500
S	75	1.429	0.444	0.900	2.100
CAB	75	238.996	143.136	77.915	454.615
Fe	65	126.092	172.251	47.000	205.000
Mn	65	69.969	40.861	28.000	120.000
Zn	65	23.892	7.534	17.000	35.000
Cu	65	4.422	2.096	2.800	5.900
Se	17	0.047	0.051	0.005	0.106

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	285.900	44.8961	234.500	338.500
Aska	10	80.000	5.6765	72.000	87.500
OS smbh	10	68.390	2.5445	65.200	71.800
Råprot	10	179.000	24.7880	148.500	210.500
NDF	10	439.500	22.6728	405.500	468.500
iNDF	10	394.923	60.4857	315.453	455.419
nhNDF	10	6.208	0.5643	5.438	7.020
Socker	10	68.900	13.8760	54.500	91.500
TAF	10	72.000	0.0000	72.000	72.000
AAT20	10	78.702	2.9631	75.068	82.106
PBV20	10	60.743	20.4043	37.287	87.844
NEL20	10	5.618	0.2532	5.314	5.922
Ca	10	14.220	1.6712	12.450	16.900
P	10	3.050	0.4170	2.600	3.500
Mg	10	2.120	0.3259	1.700	2.550
K	10	19.220	3.6772	14.800	23.800
Na	10	0.770	0.2497	0.450	1.100
S	10	2.260	0.5296	1.650	2.950
CAB	10	254.211	84.9802	153.735	362.582
Fe	10	98.600	7.6333	89.000	109.000
Mn	10	31.600	4.9035	26.000	38.500
Zn	10	23.300	2.9458	20.000	27.500
Cu	10	7.360	1.2322	5.400	8.300

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	250.833	131.556	144.000	535.000
Aska	18	80.056	11.894	65.000	97.000
OS smbh	18	77.367	3.100	73.300	82.100
Råprot	18	198.111	41.708	127.000	244.000
NDF	18	386.500	41.999	338.000	448.000
iNDF	18	209.850	72.212	67.882	274.000
nhNDF	18	5.635	0.723	4.343	6.417
Socker	18	101.222	41.924	47.000	156.000
TAF	18	72.000	0.000	72.000	72.000
AAT20	18	87.671	3.474	81.612	91.953
PBV20	18	64.113	36.418	7.040	105.673
NEL20	18	6.434	0.308	5.959	6.799
Ca	18	11.994	2.926	9.300	15.600

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	18	3.283	0.627	2.300	4.100
Mg	18	2.194	0.599	1.500	2.900
K	18	27.950	5.619	21.500	36.300
Na	18	0.767	0.497	0.200	1.500
S	18	2.389	0.881	1.400	3.700
CAB	18	455.200	130.479	335.784	641.842
Fe	17	134.647	66.217	100.000	160.000
Mn	17	37.294	16.236	26.000	59.000
Zn	17	29.235	11.487	21.000	37.000
Cu	17	7.235	1.676	5.200	10.000

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	388.889	169.684	256.000	712.000
Aska	18	88.389	11.413	78.000	109.000
OS smbh	18	68.161	2.529	64.100	71.800
Råprot	18	166.500	21.481	143.000	200.000
NDF	18	413.722	44.357	366.000	465.000
iNDF	18	409.439	59.584	344.302	514.792
nhNDF	18	5.290	0.756	4.572	6.434
Socker	18	66.056	20.752	44.000	89.000
TAF	18	72.000	0.000	72.000	72.000
AAT20	18	76.940	2.798	72.937	80.222
PBV20	18	51.474	17.944	28.393	78.251
NEL20	18	5.488	0.251	5.126	5.833
Ca	18	14.106	3.685	9.900	19.800
P	18	2.733	0.443	2.200	3.300
Mg	18	2.528	0.438	2.000	3.000
K	18	18.589	3.988	13.300	23.400
Na	18	0.761	0.350	0.300	1.400
S	18	2.072	0.471	1.400	2.800
CAB	18	267.103	111.552	110.464	387.238
Fe	14	125.643	55.669	83.000	204.000
Mn	14	38.286	14.085	26.000	51.000
Zn	14	22.857	3.483	19.000	27.000
Cu	14	7.679	1.665	6.000	10.700

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	399.800	72.917	315.500	506.500
Aska	10	78.400	11.491	65.000	96.000
OS smbh	10	76.620	2.241	73.700	79.700
Råprot	10	160.500	31.039	128.000	206.500
sRåprot	10	653.000	43.408	593.000	711.000
NH3-N	10	60.300	18.172	37.000	83.500
NDF	10	392.400	59.122	318.500	475.000
iNDF	10	180.478	66.872	108.000	288.284
nhNDF	10	4.294	0.387	3.789	4.816
Socker	10	73.000	35.390	30.500	120.000
TAF	10	82.190	38.662	33.000	127.550
Mjölksyra	10	61.800	32.437	20.500	100.000
Ättiksyra	10	17.700	7.747	8.000	28.000
BUF	10	0.390	0.644	0.000	1.400
AAT20	10	79.480	4.275	72.725	83.545
PBV20	10	41.146	32.863	6.722	89.850
NEL20	10	6.349	0.228	6.088	6.631
Ca	10	8.870	5.997	4.150	18.250
P	10	2.860	0.378	2.300	3.300
Mg	10	2.000	0.447	1.450	2.600
K	10	26.050	3.805	20.600	30.950
Na	10	0.570	0.347	0.250	1.100
Cl	10	3.450	1.632	1.450	5.650
S	10	1.940	0.347	1.600	2.400
CAB	10	472.590	121.386	297.535	628.464
Fe	10	219.100	245.947	77.500	608.500
Mn	10	51.300	13.056	34.000	66.000
Zn	10	25.200	5.692	18.000	33.000
Cu	10	6.080	1.048	5.000	7.400

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	444.500	57.062	399.000	519.000
Aska	22	67.591	9.313	59.000	77.000
OS smbh	22	74.191	3.139	70.100	77.400
Råprot	22	147.727	19.514	121.000	172.000
sRåprot	22	508.136	70.672	429.000	612.000
NH3-N	22	66.364	22.345	39.000	97.000
NDF	22	369.045	64.934	299.000	468.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	22	232.500	36.559	182.000	273.000
nhNDF	22	3.373	0.731	2.668	4.301
Stä	21	143.619	62.275	72.000	198.000
Socket	22	44.091	23.232	21.000	73.000
TAF	22	56.227	21.538	30.000	85.000
Mjölksyra	22	37.227	15.793	21.000	59.000
Ättiksyra	22	14.045	8.392	0.000	23.000
PRF	22	3.909	1.444	2.000	6.000
BUF	22	1.045	1.362	0.000	3.000
AAT20	22	85.927	5.132	80.283	91.565
PBV20	22	18.895	13.791	1.224	34.946
NEL20	22	6.283	0.297	5.779	6.565
Ca	22	6.482	1.370	5.100	8.600
P	22	3.664	0.662	3.000	4.600
Mg	22	2.905	0.790	2.200	3.600
K	22	16.095	2.749	13.200	19.900
Na	22	3.032	1.847	1.500	6.400
Cl	21	7.276	4.729	2.300	14.300
S	22	2.705	0.842	2.000	3.600
CAB	22	176.481	156.149	-34.820	359.775
Fe	13	315.231	145.602	209.000	371.000
Mn	13	91.692	36.915	64.000	119.000
Zn	13	75.000	22.364	48.000	102.000
Cu	13	11.846	3.288	8.000	17.000

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	447.867	74.107	353.000	541.000
Aska	15	64.200	8.604	48.000	73.000
OS smbh	15	75.440	4.819	68.600	82.000
Råprot	15	153.733	27.598	110.000	189.000
sRåprot	15	494.533	85.048	416.000	624.000
NH3-N	15	57.467	19.427	37.000	75.000
NDF	15	366.733	81.624	263.000	468.000
iNDF	15	194.626	35.868	159.869	247.903
nhNDF	15	3.389	0.402	2.880	4.024
Stä	15	134.733	86.678	40.000	252.000
Socket	15	47.600	19.675	30.000	59.000
NEL20	15	0.000	0.000	0.000	0.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	13	5.862	1.522	4.500	7.500
P	13	3.331	0.873	2.000	4.100
Mg	13	2.608	0.466	1.900	3.200
K	13	15.292	3.670	11.600	19.300
Na	13	2.800	1.986	1.300	4.200
Cl	15	5.173	1.779	3.000	7.100
S	13	2.446	0.458	2.000	2.900
CAB	13	212.833	127.682	74.355	356.005
Fe	13	322.846	135.602	124.000	430.000
Mn	13	79.077	28.689	39.000	105.000
Zn	13	57.462	20.313	33.000	79.000
Cu	13	13.869	5.825	6.500	19.700

*= Parametrar från det gamla svenska fodervärderingssystemet