

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	1	776	22	86.0	113		7.0	172	162	3.15	566	0.000			
Vete, kärna (005)	1	2	857	19	44.0	103	319	8.0	120	106	3.50	614	0.000			5
Majs hela plantan, grönmassa (030)	1	4	315	27	75.3	77	381		390	196	3.24	318	57.000			11
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	4	472	63	73.7	141	622	74.8	476	170	4.18		43.050	30.5	10.3	93
Ensilage, gräs (0% klöver) (162)	2	3	622	73	73.3	139	500	48.7	492	165	4.20		21.267	12.7	7.0	103
Ensilage, gräs (0% klöver) (162)	3	1	853	63	75.8	176	321	28.0	479	146	4.64		31.000	12.0		118
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	75	396	71	78.6	147	444		430	126	5.24	18	45.240	0.0	1.5	135
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	592	79	75.6	153	388		465	158	4.98		70.621	0.0	2.0	113
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	350	79	74.7	135	417		459	172	4.49		84.000			110
Ensilage, blandvall (1-50% klöver) (165)	0	2	348	75	78.1	158	627	112	448	126	5.22		80.400	60.0	16.5	55
Ensilage, blandvall (1-50% klöver) (165)	1	131	431	70	77.0	153	639	61.2	432	139	4.52	114	69.705	51.5	15.4	85
Ensilage, blandvall (1-50% klöver) (165)	2	83	456	76	75.7	162	580	61.9	452	153	4.54		67.837	50.2	14.7	66
Ensilage, blandvall (1-50% klöver) (165)	3	58	414	83	73.9	165	557	72.9	457	183	4.41		70.017	49.3	17.3	50
Ensilage, blandvall (1-50% klöver) (165)	4	11	493	81	72.9	172	500	56.0	444	203	4.06		50.864	36.4	12.3	65
Korn, helsädesensilage (250)	1	8	376	51	69.9	106	616	82.8	458	243	3.24	104	66.050	44.4	17.5	70
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	353	64	67.4	112	545	63.0	432	385	5.37	139	60.400	44.6	13.2	45
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76
Vete, helsäd ensilage (299)	1	7	326	61	73.2	118	667	72.0	472	193	4.18	28	62.857	43.3	15.0	99

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	401	58	69.3	129	619	131	388	318	2.62	205	67.500	54.5	11.0	26
Majs, helsädesensilage (305)	1	12	343	24	75.7	75	474	34.8	373	215	3.47	322	52.667	41.8	8.2	7
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	3	431	59	74.2	140	457	42.7	322	252	2.67	192	45.000	24.3	15.7	34
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				95.5	-30	7.18	10.2	62.0	-10
Vete, kärna (005)	1	2				111	-61	7.90	14.0		
Majs hela plantan, grönmassa (030)	1	4				87.4	-61	6.37	11.5	80.0	-74
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	4	1.50000	1.05000		83.1	10.7	5.97	10.8	70.5	16.0
Ensilage, gräs (0% klöver) (162)	2	3	1.50000	0.26667		86.7	3.3	5.89	10.6	70.0	23.0
Ensilage, gräs (0% klöver) (162)	3	1				96.5	21.4	6.27	11.2		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	75	4.74359	3.17949		91.8	4.7	6.33	11.5	81.0	10.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	3.00000	1.40000		86.9	17.7	6.16	10.9	76.0	19.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3				83.7	6.7	6.06	10.8	76.0	7.0
Ensilage, blandvall (1-50% klöver) (165)	0	2		2.90000		84.9	25.9	6.50	11.4	73.0	32.5
Ensilage, blandvall (1-50% klöver) (165)	1	131	2.76636	0.36107		84.0	22.7	6.36	11.3	73.2	18.1
Ensilage, blandvall (1-50% klöver) (165)	2	83	3.11290	0.37952		84.7	30.6	6.28	11.0	71.0	34.3
Ensilage, blandvall (1-50% klöver) (165)	3	58	3.31707	0.75439		83.1	36.0	6.12	10.6	69.9	47.1
Ensilage, blandvall (1-50% klöver) (165)	4	11	2.12500	0.40909		85.6	38.7	5.98	10.5	67.7	57.3
Korn, helsädesensilage (250)	1	8	3.66667	1.33333		71.8	-11	5.73	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	2.33333	1.66667		72.3	-2.4	5.56	10.1		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	7	4.40000	1.00000		74.0	-4.2	5.96	10.6		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	1.00000	1.00000		73.3	11.2	5.79	10.1		
Majs, helsädesensilage (305)	1	12	2.75000	0.00000		85.4	-60	6.46	11.6		
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	3	4.33333	0.66667		87.8	9.1	6.27	11.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.4	3.5	1.2	6.3	0.1		1.2	57	1	61.0	11.0	27.0	4.2	0.0
Vete, kärna (005)	1	1	0.3	3.1	1.2	5.2	0.1		1.1	43	1	48.0	27.0	21.0	4.6	
Majs hela plantan, grönmassa (030)	1	3	1.8	2.0	1.0	8.8	0.2	1.0	0.9	139	0					
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	3	5.0	2.6	2.1	18.4	1.8	3.7	2.5	307	3	89.3	159.7	28.3	5.3	0.1
Ensilage, gräs (0% klöver) (162)	2	2	4.4	2.6	2.2	22.2	1.4	6.4	2.1	365	1	1104	57.0	26.0	10.0	0.1
Ensilage, gräs (0% klöver) (162)	3	1	7.3	2.7	4.5	16.9	1.4	2.0	3.6	212	1	89.0	58.0	17.0	6.0	
Ensilage, gräs (0% klöver) (162)	4	1	5.4	3.7	2.1	27.7	1.4	13.6	2.3	242	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	74	5.1	2.8	1.7	24.4	1.0	4.7	2.1	405	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	25	6.0	3.0	2.2	24.7	1.8	5.1	2.5	416	20	131.2	63.7	29.9	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	6.2	3.1	2.2	22.2	1.7	3.6	2.4	381	1	112.0	115.0	24.0	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	1	6.5	3.4	2.8	23.2	2.9	5.8	2.9	299	1	330.0	95.0	31.0	8.2	
Ensilage, blandvall (1-50% klöver) (165)	1	129	5.3	2.8	1.8	23.3	1.4	5.9	2.2	358	78	161.6	55.2	35.3	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	78	6.0	3.1	2.2	24.5	1.8	8.8	2.5	309	50	161.6	62.9	36.8	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	54	7.0	3.2	2.6	24.3	1.7	8.7	2.7	292	27	175.6	66.0	37.1	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	8	7.5	3.2	2.6	24.0	1.6	8.8	2.7	325	2	151.0	60.0	30.5	7.5	0.1
Korn, helsädesensilage (250)	1	8	3.8	2.5	1.5	15.7	1.3	2.8	1.7	271	5	102.4	45.2	32.8	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	5.3	2.6	1.6	17.0	1.0	4.3	1.5	271	4	140.3	62.3	33.0	5.2	
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	7	3.8	2.6	1.2	19.8	0.7	2.2	1.7	353	3	126.7	43.7	27.0	4.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	5.0	3.6	2.0	12.8	1.3	2.1	2.1	195	0					

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Majs, helsådesensilage (305)	1	12	1.9	1.9	1.0	8.3	0.3		0.9	132	0					
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	3	6.5	3.8	2.6	14.7	2.9	8.6	2.2	120	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	776.000	.	776.000	776.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	86.000	.	86.000	86.000
Råprot	1	113.000	.	113.000	113.000
NH3-N	1	7.000	.	7.000	7.000
NDF	1	172.000	.	172.000	172.000
iNDF	1	162.000	.	162.000	162.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	566.000	.	566.000	566.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.502	.	95.502	95.502
PBVp20	1	-30.003	.	-30.003	-30.003
NELp20	1	7.180	.	7.180	7.180
OE*	1	10.200	.	10.200	10.200
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	1	0.400	.	0.400	0.400
P	1	3.500	.	3.500	3.500
Mg	1	1.200	.	1.200	1.200
K	1	6.300	.	6.300	6.300
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	56.670	.	56.670	56.670
Fe	1	61.000	.	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	11.000	.	11.000	11.000
Zn	1	27.000	.	27.000	27.000
Cu	1	4.200	.	4.200	4.200
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	856.500	31.820	834.000	879.000
Aska	2	18.500	3.536	16.000	21.000
OS smbh	2	44.000	62.225	0.000	88.000
Råprot	2	103.000	11.314	95.000	111.000
sRåprot	1	319.000	.	319.000	319.000
NH3-N	1	8.000	.	8.000	8.000
NDF	1	120.000	.	120.000	120.000
iNDF	2	106.000	114.551	25.000	187.000
nhNDF	2	3.500	0.000	3.500	3.500
Stä	2	613.500	88.388	551.000	676.000
TAF	2	0.000	0.000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	111.496	0.136	111.400	111.592
PBVp20	2	-61.028	10.692	-68.588	-53.468
NELp20	2	7.903	0.111	7.824	7.982
OE*	1	14.000	.	14.000	14.000
Ca	1	0.300	.	0.300	0.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	5.200	.	5.200	5.200
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	43.238	.	43.238	43.238
Fe	1	48.000	.	48.000	48.000
Mn	1	27.000	.	27.000	27.000
Zn	1	21.000	.	21.000	21.000
Cu	1	4.600	.	4.600	4.600

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	314.500	30.1164	288.000	357.000
Aska	4	27.000	4.0825	23.000	31.000
OS smbh	4	75.250	1.2396	74.100	77.000
Råprot	4	76.500	6.2450	68.000	83.000
sRåprot	4	381.000	55.2087	321.000	439.000
NDF	4	389.750	35.9015	349.000	434.000
iNDF	4	195.877	18.1475	185.509	223.000
nhNDF	4	3.244	0.6694	2.375	3.828
Stä	4	317.500	36.1617	288.000	370.000
TAF	4	57.000	0.0000	57.000	57.000
Socket	4	11.000	4.6904	8.000	18.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	87.436	0.8492	86.412	88.449
PBVp20	4	-61.193	4.0356	-66.842	-57.258
NELp20	4	6.367	0.1083	6.306	6.529
OE*	4	11.470	0.2109	11.300	11.770
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-74.000	.	-74.000	-74.000
Ca	3	1.800	0.2646	1.500	2.000
P	3	1.967	0.1155	1.900	2.100
Mg	3	1.033	0.1155	0.900	1.100
K	3	8.767	1.0970	7.500	9.400
Na	2	0.150	0.0707	0.100	0.200
Cl	1	1.000	.	1.000	1.000
S	3	0.867	0.0577	0.800	0.900
CAB	3	139.304	28.2959	106.727	157.766

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socker	1	118.000	.	118.000	118.000
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	472.000	101.150	384.000	578.000
Aska	4	63.250	2.754	60.000	66.000
OS smbh	4	73.700	4.416	68.500	78.400
Råprot	4	140.750	22.202	118.000	171.000
sRåprot	4	622.250	122.788	513.000	797.000
NH3-N	4	74.750	42.555	41.000	137.000
NDF	4	476.000	43.120	421.000	516.000
iNDF	4	170.306	42.638	122.000	218.105
nhNDF	4	4.175	0.543	3.461	4.633
TAF	4	43.050	22.032	27.900	75.300
Mjölksyra	4	30.500	17.059	20.000	56.000
Ättiksyra	4	10.250	4.425	6.000	15.000
Socker	4	93.250	32.958	56.000	133.000
PRF	2	1.500	2.121	0.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	4	1.050	1.559	0.000	3.300
AATp20	4	83.103	5.245	78.464	90.614
PBVp20	4	10.694	13.652	-7.050	26.244
NELp20	4	5.969	0.410	5.480	6.412
OE*	4	10.828	0.697	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	3	4.967	0.839	4.000	5.500
P	3	2.633	0.153	2.500	2.800
Mg	3	2.067	0.321	1.700	2.300
K	3	18.433	5.947	13.200	24.900
Na	3	1.800	0.458	1.300	2.200
Cl	4	3.725	1.997	1.100	5.900
S	3	2.533	0.321	2.300	2.900
CAB	3	306.861	161.532	162.121	481.114
Fe	3	89.333	12.220	76.000	100.000
Mn	3	159.667	183.919	50.000	372.000
Zn	3	28.333	6.506	22.000	35.000
Cu	3	5.267	1.419	4.000	6.800
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	622.33	57.501	565.00	680.00
Aska	3	73.00	10.817	64.00	85.00
OS smbh	3	73.30	1.970	71.10	74.90
Råprot	3	139.00	21.932	115.00	158.00
sRåprot	3	500.33	38.940	456.00	529.00
NH3-N	3	48.67	24.440	22.00	70.00
NDF	3	492.00	46.293	449.00	541.00
iNDF	3	165.39	21.257	141.00	180.00
nhNDF	3	4.20	0.109	4.07	4.28
TAF	3	21.27	5.217	16.80	27.00
Mjölksyra	3	12.67	3.055	10.00	16.00
Ättiksyra	3	7.00	5.292	3.00	13.00
Socker	3	102.67	21.779	85.00	127.00
PRF	2	1.50	0.707	1.00	2.00
BUF	3	0.27	0.462	0.00	0.80
AATp20	3	86.66	4.304	82.62	91.19
PBVp20	3	3.33	13.664	-12.20	13.52
NELp20	3	5.89	0.218	5.73	6.14
OE*	3	10.64	0.352	10.31	11.01
AAT*	1	70.00	.	70.00	70.00
PBV*	1	23.00	.	23.00	23.00
Ca	2	4.35	0.212	4.20	4.50
P	2	2.60	0.141	2.50	2.70
Mg	2	2.20	0.707	1.70	2.70

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	22.20	3.960	19.40	25.00
Na	2	1.40	0.141	1.30	1.50
Cl	3	6.43	3.029	4.30	9.90
S	2	2.10	0.566	1.70	2.50
CAB	2	365.00	126.843	275.31	454.69
Fe	1	1104.00	.	1104.00	1104.00
Mn	1	57.00	.	57.00	57.00
Zn	1	26.00	.	26.00	26.00
Cu	1	10.00	.	10.00	10.00
Se	1	0.05	.	0.05	0.05

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	853.000	.	853.000	853.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	176.000	.	176.000	176.000
sRåprot	1	321.000	.	321.000	321.000
NH3-N	1	28.000	.	28.000	28.000
NDF	1	479.000	.	479.000	479.000
iNDF	1	146.000	.	146.000	146.000
nhNDF	1	4.638	.	4.638	4.638
TAF	1	31.000	.	31.000	31.000
Mjölksyra	1	12.000	.	12.000	12.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	118.000	.	118.000	118.000
AATp20	1	96.464	.	96.464	96.464
PBVp20	1	21.419	.	21.419	21.419
NELp20	1	6.272	.	6.272	6.272
OE*	1	11.170	.	11.170	11.170
Ca	1	7.300	.	7.300	7.300
P	1	2.700	.	2.700	2.700
Mg	1	4.500	.	4.500	4.500
K	1	16.900	.	16.900	16.900
Na	1	1.400	.	1.400	1.400
Cl	1	2.000	.	2.000	2.000
S	1	3.600	.	3.600	3.600
CAB	1	211.757	.	211.757	211.757
Fe	1	89.000	.	89.000	89.000
Mn	1	58.000	.	58.000	58.000
Zn	1	17.000	.	17.000	17.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069
NElp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	5.400	.	5.400	5.400
P	1	3.700	.	3.700	3.700
Mg	1	2.100	.	2.100	2.100
K	1	27.700	.	27.700	27.700
Na	1	1.400	.	1.400	1.400
Cl	1	13.600	.	13.600	13.600
S	1	2.300	.	2.300	2.300
CAB	1	242.461	.	242.461	242.461

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	75	396.347	167.508	200.000	640.000
Aska	75	70.987	9.090	60.000	82.000
OS smbh	75	78.556	4.261	71.600	83.900
Råprot	75	146.987	28.201	117.000	174.000
sRåprot	50	444.360	60.504	374.500	508.500
NDF	75	429.907	44.094	383.000	493.000
iNDF	75	125.817	62.947	61.197	211.000
nhNDF	75	5.242	1.342	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	75	45.240	37.722	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	75	135.133	32.466	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	75	91.759	6.349	82.993	98.373
PBVp20	75	4.689	20.119	-20.091	28.165
NELp20	75	6.334	0.435	5.773	6.969
OE*	75	11.526	0.687	10.430	12.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	74	5.138	1.773	3.500	7.600
P	74	2.770	0.516	2.100	3.300
Mg	74	1.746	0.538	1.200	2.600
K	74	24.362	5.079	17.200	30.800
Na	72	1.004	0.756	0.400	1.600
Cl	46	4.709	3.114	1.500	8.100
S	74	2.055	0.409	1.600	2.500
CAB	74	405.248	111.284	266.150	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	592.207	193.653	290.000	836.000
Aska	29	79.069	10.590	64.000	91.000
OS smbh	29	75.634	5.080	69.800	83.000
Råprot	29	152.621	31.294	112.000	194.000
sRåprot	11	388.364	42.908	326.000	438.000
NDF	29	465.276	48.619	399.000	529.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	29	157.519	77.316	61.840	293.000
nhNDF	29	4.983	1.226	3.368	6.962
TAF	29	70.621	29.874	5.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000
Socker	29	112.586	29.594	79.000	151.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	29	86.936	7.166	77.291	95.868
PBVp20	29	17.748	22.258	-7.922	47.636
NELp20	29	6.161	0.513	5.548	6.872
OE*	29	10.945	0.783	9.910	12.000
AAT*	18	76.000	4.602	68.000	81.000
PBV*	18	19.833	31.894	-17.000	59.000
Ca	25	5.976	2.558	3.400	9.300
P	25	2.960	0.475	2.300	3.600
Mg	25	2.152	0.461	1.300	2.700
K	25	24.748	5.059	14.900	30.700
Na	25	1.752	1.315	0.400	3.800
Cl	11	5.064	2.470	1.700	7.800
S	25	2.504	0.464	2.000	3.100
CAB	25	415.714	114.699	222.129	563.641
Fe	20	131.150	59.622	78.000	216.000
Mn	20	63.650	21.286	44.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	20	29.900	5.046	25.000	35.500
Cu	20	6.375	1.282	4.750	7.900
Se	1	0.015	.	0.015	0.015

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	350.333	54.885	287.000	384.000
Aska	3	79.000	6.557	72.000	85.000
OS smbh	3	74.667	2.183	72.300	76.600
Råprot	3	135.333	12.220	122.000	146.000
sRåprot	2	416.500	53.033	379.000	454.000
NDF	3	459.333	11.547	446.000	466.000
iNDF	3	171.811	38.956	142.433	216.000
nhNDF	3	4.488	0.255	4.215	4.721
TAF	3	84.000	0.000	84.000	84.000
Socket	3	109.667	34.962	88.000	150.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	83.710	1.309	82.390	85.008
PBVp20	3	6.664	9.293	-3.569	14.579
NELp20	3	6.059	0.188	5.843	6.190
OE*	3	10.780	0.262	10.490	11.000
AAT*	1	76.000	.	76.000	76.000
PBV*	1	7.000	.	7.000	7.000
Ca	3	6.233	1.021	5.500	7.400
P	3	3.067	0.306	2.800	3.400
Mg	3	2.200	0.624	1.700	2.900
K	3	22.167	4.697	17.900	27.200
Na	3	1.733	1.457	0.700	3.400
Cl	2	3.550	1.626	2.400	4.700
S	3	2.400	0.819	1.700	3.300
CAB	3	381.487	105.108	266.982	473.584
Fe	1	112.000	.	112.000	112.000
Mn	1	115.000	.	115.000	115.000
Zn	1	24.000	.	24.000	24.000
Cu	1	6.800	.	6.800	6.800
Se	1	0.020	.	0.020	0.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	347.500	58.6899	306.000	389.000
Aska	2	75.000	11.3137	67.000	83.000
OS smbh	2	78.100	4.3841	75.000	81.200
Råprot	2	158.000	25.4558	140.000	176.000
sRåprot	2	626.500	71.4178	576.000	677.000
NH3-N	2	112.000	5.6569	108.000	116.000
NDF	2	447.500	20.5061	433.000	462.000
iNDF	2	125.705	45.0819	93.827	157.582
nhNDF	2	5.225	1.0782	4.463	5.987
TAF	2	80.400	0.8485	79.800	81.000
Mjölksyra	2	60.000	2.8284	58.000	62.000
Ättiksyra	2	16.500	2.1213	15.000	18.000
Socker	2	55.000	46.6690	22.000	88.000
BUF	2	2.900	1.5556	1.800	4.000
AATp20	2	84.874	2.4613	83.134	86.615
PBVp20	2	25.888	28.1784	5.963	45.813
NELp20	2	6.503	0.3026	6.289	6.717
OE*	2	11.400	0.8485	10.800	12.000
AAT*	2	73.000	2.8284	71.000	75.000
PBV*	2	32.500	28.9914	12.000	53.000
Ca	1	6.500	.	6.500	6.500
P	1	3.400	.	3.400	3.400
Mg	1	2.800	.	2.800	2.800
K	1	23.200	.	23.200	23.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.900	.	2.900	2.900
Cl	2	5.800	3.8184	3.100	8.500
S	1	2.900	.	2.900	2.900
CAB	1	298.751	.	298.751	298.751
Fe	1	330.000	.	330.000	330.000
Mn	1	95.000	.	95.000	95.000
Zn	1	31.000	.	31.000	31.000
Cu	1	8.200	.	8.200	8.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	131	431.412	127.568	310.000	610.000
Aska	131	70.000	8.203	61.000	79.000
OS smbh	131	77.026	3.602	71.700	80.000
Råprot	131	152.939	21.441	125.000	178.000
sRåprot	131	639.214	91.873	516.000	722.000
NH3-N	129	61.202	23.249	36.000	97.000
NDF	131	432.099	48.071	379.000	509.000
iNDF	131	138.807	39.804	104.000	189.000
nhNDF	131	4.525	0.508	3.975	5.089
Stä	1	114.000	.	114.000	114.000
TAF	131	69.705	32.989	23.500	110.000
Mjölksyra	131	51.519	28.633	11.000	89.000
Ättiksyra	131	15.382	6.209	7.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	131	85.107	37.331	40.000	136.000
PRF	107	2.766	1.686	1.000	5.000
BUF	131	0.361	0.731	0.000	1.000
AATp20	131	84.011	3.963	79.451	89.690
PBVp20	131	22.729	19.895	2.200	46.706
NELp20	131	6.362	0.340	5.877	6.680
OE*	131	11.286	0.555	10.500	11.780
AAT*	24	73.167	1.786	71.000	74.000
PBV*	24	18.083	20.479	0.000	39.000
Ca	129	5.280	1.231	4.000	7.200
P	129	2.847	0.398	2.400	3.300
Mg	129	1.832	0.341	1.400	2.300
K	129	23.286	4.178	17.800	28.800
Na	129	1.418	0.613	0.600	2.200
Cl	130	5.869	3.152	2.500	9.850
S	129	2.163	0.412	1.700	2.500
CAB	129	358.117	117.270	203.129	499.063
Fe	78	161.603	82.886	90.000	269.000
Mn	78	55.231	20.560	37.000	70.000
Zn	78	35.346	21.685	24.000	51.000
Cu	78	5.724	1.270	4.000	7.000
Se	28	0.044	0.015	0.011	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	83	455.566	139.501	317.000	661.000
Aska	83	76.386	9.361	66.000	86.000
OS smbh	83	75.733	2.983	72.700	78.600
Råprot	83	162.494	21.683	139.000	188.000
sRåprot	83	580.422	93.914	436.000	657.000
NH3-N	83	61.855	27.723	29.000	88.000
NDF	83	451.783	34.029	415.000	495.000
iNDF	83	152.875	35.225	116.000	183.000
nhNDF	83	4.536	0.532	4.070	5.023
TAF	83	67.837	32.087	18.000	107.000
Mjölksyra	83	50.193	27.158	11.000	85.000
Ättiksyra	83	14.687	7.203	5.000	21.000
Socker	83	66.482	27.238	35.000	103.000
PRF	62	3.113	2.033	1.000	6.000
BUF	83	0.380	1.150	0.000	1.000
AATp20	83	84.688	4.998	79.970	92.056
PBVp20	83	30.625	18.146	11.704	54.695
NELp20	83	6.282	0.315	6.012	6.592
OE*	83	11.000	0.465	10.590	11.410
AAT*	21	71.048	1.746	70.000	72.000
PBV*	21	34.333	20.404	11.000	59.000
Ca	78	5.981	1.222	4.900	7.600
P	78	3.060	0.396	2.500	3.500
Mg	78	2.209	0.432	1.800	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	78	24.546	4.770	18.200	30.100
Na	78	1.769	0.928	0.800	2.900
Cl	82	8.844	7.613	3.300	17.700
S	78	2.519	0.474	2.000	3.100
CAB	78	308.752	215.094	142.341	469.117
Fe	50	161.640	92.062	83.000	275.500
Mn	50	62.920	18.218	46.500	81.000
Zn	50	36.760	20.707	24.500	47.500
Cu	50	6.600	1.225	5.000	8.000
Se	9	0.043	0.014	0.014	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	414.000	132.262	273.000	621.000
Aska	58	82.741	16.508	66.000	101.000
OS smbh	58	73.947	2.481	71.200	76.500
Råprot	58	165.397	18.099	143.000	189.000
sRåprot	58	557.310	70.626	479.000	621.000
NH3-N	57	72.895	27.720	42.000	106.000
NDF	58	457.397	31.202	404.000	497.000
iNDF	58	183.239	40.270	146.000	243.565
nhNDF	58	4.408	0.501	3.832	5.038
TAF	58	70.017	26.747	26.000	100.400
Mjölksyra	58	49.276	22.539	11.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	57	17.333	9.557	7.000	28.000
Socker	58	49.655	23.149	26.000	82.000
PRF	41	3.317	3.142	0.000	6.000
BUF	57	0.754	1.561	0.000	2.000
AATp20	58	83.112	3.889	79.725	87.975
PBVp20	58	35.955	16.428	15.981	58.697
NELp20	58	6.117	0.302	5.724	6.441
OE*	58	10.639	0.500	10.090	11.130
AAT*	16	69.938	2.265	67.000	72.000
PBV*	16	47.063	20.732	25.000	73.000
Ca	54	7.004	1.740	5.800	8.300
P	54	3.230	0.350	2.900	3.800
Mg	54	2.606	0.498	2.100	3.100
K	54	24.346	4.080	20.000	29.800
Na	54	1.683	0.562	0.900	2.400
Cl	58	8.724	5.506	3.500	16.000
S	54	2.659	0.497	2.200	3.400
CAB	54	291.520	208.112	53.447	469.751
Fe	27	175.593	83.276	88.000	284.000
Mn	27	65.963	16.327	45.000	87.000
Zn	27	37.111	21.836	25.000	57.000
Cu	27	7.474	1.169	5.900	9.000
Se	4	0.042	0.016	0.019	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	492.909	166.539	290.000	684.000
Aska	11	80.636	6.546	74.000	87.000
OS smbh	11	72.936	3.268	66.700	75.300
Råprot	11	172.364	21.365	153.000	196.000
sRåprot	11	500.182	87.122	412.000	584.000
NH3-N	11	56.000	23.845	38.000	67.000
NDF	11	444.273	37.219	403.000	495.000
iNDF	11	202.620	32.417	162.000	232.259
nhNDF	11	4.055	0.715	3.109	4.742
TAF	11	50.864	34.362	6.500	94.000
Mjölksyra	11	36.364	27.365	2.000	65.000
Ättiksyra	11	12.273	6.842	3.000	23.000
Socker	11	65.455	28.804	35.000	101.000
PRF	8	2.125	1.885	0.000	5.000
BUF	11	0.409	0.889	0.000	0.500
AATp20	11	85.595	4.504	80.529	90.683
PBVp20	11	38.692	17.049	13.917	59.582
NELp20	11	5.984	0.383	5.297	6.266
OE*	11	10.492	0.544	9.500	10.900
AAT*	3	67.667	1.155	67.000	69.000
PBV*	3	57.333	36.474	16.000	85.000
Ca	8	7.500	1.219	5.600	9.300
P	8	3.225	0.337	2.600	3.700
Mg	8	2.588	0.368	2.300	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	8	24.038	2.514	21.000	27.400
Na	8	1.588	0.383	1.100	2.200
Cl	11	8.836	5.696	3.600	14.600
S	8	2.650	0.293	2.300	3.200
CAB	8	324.505	109.631	106.298	443.793
Fe	2	151.000	67.882	103.000	199.000
Mn	2	60.000	4.243	57.000	63.000
Zn	2	30.500	3.536	28.000	33.000
Cu	2	7.500	0.707	7.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	376.375	118.214	207.000	617.000
Aska	8	51.375	13.330	37.000	78.000
OS smbh	8	69.863	3.104	65.400	73.700
Råprot	8	105.625	18.454	89.000	142.000
sRåprot	8	616.250	111.083	415.000	750.000
NH3-N	8	82.750	37.370	45.000	168.000
NDF	8	458.375	38.548	402.000	505.000
iNDF	8	243.387	51.157	188.000	313.000
nhNDF	8	3.243	0.755	2.322	4.341
Stä	8	104.375	72.756	26.000	238.000
TAF	8	66.050	21.524	27.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	8	44.375	15.784	17.000	67.000
Ättiksyra	8	17.500	5.451	9.000	24.000
Socker	8	69.875	45.085	18.000	137.000
PRF	6	3.667	1.966	1.000	7.000
BUF	6	1.333	2.338	0.000	6.000
AATp20	8	71.848	1.618	69.184	73.578
PBVp20	8	-10.954	17.122	-25.351	24.271
NELp20	8	5.733	0.290	5.287	6.089
OE*	6	10.427	0.488	9.590	10.850
Ca	8	3.800	0.949	2.200	5.500
P	8	2.513	0.599	1.700	3.500
Mg	8	1.475	0.301	1.100	2.000
K	8	15.713	7.711	8.000	32.300
Na	8	1.250	0.623	0.200	2.400
Cl	8	2.800	2.053	0.900	6.400
S	8	1.700	0.267	1.400	2.200
CAB	8	271.079	194.175	98.909	649.395
Fe	5	102.400	22.233	70.000	124.000
Mn	5	45.200	27.968	15.000	85.000
Zn	5	32.800	8.955	25.000	47.000
Cu	5	4.880	0.729	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	353.200	92.6510	273.000	489.000
Aska	5	63.600	13.0499	51.000	82.000
OS smbh	5	67.420	4.1033	61.700	72.800
Råprot	5	111.600	24.5214	82.000	142.000
sRåprot	5	545.000	65.4255	438.000	603.000
NH3-N	4	63.000	32.9039	21.000	101.000
NDF	5	431.800	82.0134	344.000	547.000
iNDF	5	385.086	76.9081	316.000	474.612
nhNDF	5	5.366	3.2209	1.698	9.827
Stä	5	138.600	50.3915	96.000	211.000
TAF	5	60.400	37.4556	10.000	93.500
Mjölksyra	5	44.600	31.9421	0.000	77.000
Ättiksyra	5	13.200	4.7645	8.000	17.000
Socker	5	45.400	41.3195	11.000	104.000
PRF	3	2.333	4.0415	0.000	7.000
BUF	3	1.667	1.5275	0.000	3.000
AATp20	5	72.257	6.3693	64.833	80.014
PBVp20	5	-2.399	16.0586	-17.015	17.372
NELp20	5	5.558	0.2564	5.271	5.855
OE*	3	10.100	0.4085	9.830	10.570
Ca	5	5.320	1.4856	3.700	7.200
P	5	2.640	0.2702	2.400	3.100
Mg	5	1.580	0.1483	1.400	1.800
K	5	16.980	2.2643	14.800	20.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	0.980	1.0849	0.100	2.700
Cl	4	4.275	3.3150	1.000	8.700
S	5	1.480	0.3421	1.100	2.000
CAB	5	271.140	65.5289	187.219	366.399
Fe	4	140.250	93.7777	66.000	271.000
Mn	4	62.250	31.7530	22.000	91.000
Zn	4	33.000	6.8799	28.000	43.000
Cu	4	5.150	0.3697	4.900	5.700

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	325.857	74.790	233.000	436.000
Aska	7	60.714	11.131	44.000	79.000
OS smbh	7	73.200	3.085	69.500	78.200
Råprot	7	118.286	21.500	79.000	143.000
sRåprot	7	666.571	153.795	408.000	829.000
NH3-N	7	72.000	29.905	45.000	120.000
NDF	7	471.857	52.353	370.000	531.000
iNDF	7	192.750	39.554	149.000	264.000
nhNDF	7	4.177	0.297	3.618	4.467
Stä	7	27.857	7.647	17.000	38.000
TAF	7	62.857	43.269	9.000	123.000
Mjölksyra	7	43.286	33.634	0.000	93.000
Ättiksyra	7	15.000	10.832	0.000	28.000
Socker	7	98.571	42.007	49.000	157.000
PRF	5	4.400	1.342	2.000	5.000
BUF	5	1.000	1.732	0.000	4.000
AATp20	7	73.986	6.012	67.809	84.279
PBVp20	7	-4.213	25.089	-47.778	23.943
NELp20	7	5.959	0.292	5.613	6.507
OE*	5	10.574	0.409	10.270	11.280
Ca	7	3.786	0.747	3.000	5.300
P	7	2.614	0.488	2.100	3.400
Mg	7	1.186	0.324	0.800	1.800
K	7	19.814	5.645	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	0.714	0.406	0.200	1.300
Cl	5	2.160	1.866	0.700	4.200
S	7	1.686	0.313	1.200	2.100
CAB	7	352.860	149.143	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	400.500	3.5355	398.000	403.000
Aska	2	58.000	8.4853	52.000	64.000
OS smbh	2	69.300	2.4042	67.600	71.000
Råprot	2	129.000	8.4853	123.000	135.000
sRåprot	2	618.500	12.0208	610.000	627.000
NH3-N	2	131.000	12.7279	122.000	140.000
NDF	2	387.500	70.0036	338.000	437.000
iNDF	2	317.500	2.1213	316.000	319.000
nhNDF	2	2.620	0.4857	2.277	2.964
Stä	2	204.500	47.3762	171.000	238.000
TAF	2	67.500	7.7782	62.000	73.000
Mjölksyra	2	54.500	9.1924	48.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	11.000	1.4142	10.000	12.000
Socker	2	26.000	4.2426	23.000	29.000
PRF	2	1.000	1.4142	0.000	2.000
BUF	2	1.000	1.4142	0.000	2.000
AATp20	2	73.251	1.7765	71.995	74.508
PBVp20	2	11.246	4.5892	8.001	14.491
NELp20	2	5.786	0.1222	5.700	5.873
OE*	2	10.140	0.3111	9.920	10.360
Ca	2	5.000	1.2728	4.100	5.900
P	2	3.600	0.7071	3.100	4.100
Mg	2	2.000	0.1414	1.900	2.100
K	2	12.750	1.0607	12.000	13.500
Na	2	1.250	0.0707	1.200	1.300
Cl	2	2.050	1.9092	0.700	3.400
S	2	2.050	0.0707	2.000	2.100
CAB	2	194.563	73.4130	142.652	246.474

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	342.667	43.8372	303.000	409.000
Aska	12	23.750	2.9886	20.000	27.000
OS smbh	12	75.742	3.5367	70.500	79.600
Råprot	12	74.667	5.1227	72.000	79.000
sRåprot	12	473.500	88.6213	373.000	599.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	9	34.778	16.6717	12.000	63.000
NDF	12	372.583	56.9632	303.000	436.000
iNDF	12	214.833	29.5630	182.000	249.000
nhNDF	12	3.471	0.8020	2.806	4.229
Stä	12	322.333	63.4885	256.000	394.000
TAF	12	52.667	19.8601	31.000	73.000
Mjölksyra	12	41.750	16.7502	21.000	59.000
Ättiksyra	12	8.167	4.7450	5.000	12.000
Socker	12	6.667	4.3135	0.000	13.000
PRF	12	2.750	1.2154	2.000	4.000
BUF	12	0.000	0.0000	0.000	0.000
AATp20	12	85.421	4.3731	80.337	90.196
PBVp20	12	-59.511	5.5308	-66.507	-52.710
NELp20	12	6.455	0.3723	6.069	6.867
OE*	12	11.628	0.6234	10.760	12.300
Ca	12	1.942	0.2811	1.700	2.300
P	12	1.942	0.0793	1.900	2.000
Mg	12	0.983	0.1850	0.700	1.200
K	12	8.325	1.4833	6.500	10.400
Na	12	0.342	0.1730	0.100	0.500
S	12	0.858	0.0669	0.800	0.900
CAB	12	131.871	34.1244	89.476	180.637

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231
PBVp20	3	-37.941	9.7823	-46.152	-27.118
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981
Fe	8	93.250	84.9651	47.000	301.000
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socket	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285
PBVp20	1	-19.126	.	-19.126	-19.126
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000
iNDF	4	361.000	39.6821	304.000	396.000
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	430.667	29.0230	401.000	459.000
Aska	3	59.000	15.0997	43.000	73.000
OS smbh	3	74.233	4.3097	70.100	78.700
Råprot	3	140.333	28.1839	118.000	172.000
sRåprot	3	457.000	3.6056	453.000	460.000
NH3-N	3	42.667	10.0167	33.000	53.000
NDF	3	322.000	51.5073	286.000	381.000
iNDF	3	252.000	43.8634	220.000	302.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	2.669	0.8975	1.772	3.567
Stä	3	192.333	70.2092	145.000	273.000
TAF	3	45.000	16.8226	32.000	64.000
Mjölksyra	3	24.333	15.5027	9.000	40.000
Ättiksyra	3	15.667	3.0551	13.000	19.000
Socker	3	34.000	29.7153	0.000	55.000
PRF	3	4.333	2.0817	2.000	6.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	3	87.792	4.4953	82.791	91.498
PBVp20	3	9.068	20.9483	-4.214	33.216
NELp20	3	6.271	0.4718	5.779	6.720
OE*	3	10.953	0.6558	10.240	11.530
Ca	3	6.533	1.9218	4.800	8.600
P	3	3.833	0.8737	3.100	4.800
Mg	3	2.633	0.5132	2.200	3.200
K	3	14.733	5.0767	10.600	20.400
Na	3	2.900	1.0583	2.100	4.100
Cl	3	8.633	7.2666	3.900	17.000
S	3	2.233	0.3215	2.000	2.600
CAB	3	120.123	64.8030	58.627	187.791

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet