

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	16	861	20	80.6	118	299	6.0	228	153	3.15	606	0.000			17
Havre, kärna, hög NDF (002)	1	1	892	25	75.0	124				392	2.00	479	0.000			
Vete, kärna (005)	1	8	857	19	77.0	136	240		167	167	3.50	629	0.000			5
Råg (011)	1	1	872	15	89.0	79				199	6.60	708	0.000			
Rågvete (015)	1	1	844	17	89.5	82				187	3.50	707	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	851	18	87.0	126				173	3.30	641	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	862	20	81.6	150		5.0	220	324	2.50	557	0.000			
Ärter, kärna (006)	1	1	802	31	92.0	220		4.0		13	7.90	487	0.000			
Majs hela plantan, grönmassa (030)	1	19	299	33	76.1	80	362		403	182	3.73	246	57.000			81
Prognos, gräs (0% baljv.) (041)	1	1	201		72.7					171	4.34		0.000			
Prognos, blandvall (1-50% baljv) (042)	0	7	209		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	1	11	212		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	2	4	184		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	3	2	163		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	3	1	232		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	8	522	64	71.5	131	530		509	183	3.99	22	61.000			103
Grönmassa, gräs (0% baljv.) (161)	2	1	426	65	72.1	136	342		504	167	3.83		61.000			109
Ensilage, gräs (0% klöver) (162)	1	16	392	67	76.1	146	643	79.0	456	150	4.67		85.506	67.4	15.9	58
Ensilage, gräs (0% klöver) (162)	2	3	401	75	72.3	156	588	85.7	445	198	3.73		58.100	46.3	10.0	47
Ensilage, gräs (0% klöver) (162)	3	1	648	64	68.4	115	538	57.0	528	228	3.78		16.000	14.0	0.0	84
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	500	78	73.5	143			469	175	4.14		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	453	71	76.6	146	440		451	146	4.97	19	60.862	0.0	3.8	127
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	517	77	72.4	140	445		477	193	4.21		81.576	0.0	0.0	98
Grönmassa blandvall (1-50 % baljväxter) (164)	3	9	432	91	74.4	170	349		451	177	4.55		84.000			72
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	666	83	74.9	162	394		435	185	4.50		84.000			99

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	0	5	404	69	74.0	128	648	87.6	467	174	4.16		73.680	58.4	13.8	66
Ensilage, blandvall (1-50% klöver) (165)	1	301	344	72	76.3	154	666	88.0	432	157	4.51		92.344	71.9	18.0	53
Ensilage, blandvall (1-50% klöver) (165)	2	109	439	75	73.8	149	598	69.9	450	184	4.15	133	66.079	49.3	14.4	66
Ensilage, blandvall (1-50% klöver) (165)	3	37	442	83	72.3	162	555	73.3	446	216	4.12		69.008	49.5	17.1	50
Korn, helsädesensilage (250)	1	9	344	60	74.2	120	546	51.8	439	174	3.77	49	29.344	20.1	7.6	129
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	405	52	66.1	96	674	79.7	450	284	2.38	122	75.000	54.7	18.3	42
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	290	57	63.9	94	531	31.0	526	285	2.98	106	60.000	40.0	18.0	14
Havre helsädesensilage degmognad (296)	1	3	457	64	69.2	127	631	64.3	501	238	3.81	37	56.333	40.3	13.0	74
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	505	55	69.7	112	680	88.0	460	232	3.11	100	42.000	30.0	12.0	89
Vete, helsäd ensilage (299)	1	6	404	52	69.5	112	631	74.5	457	262	3.34	95	52.417	34.8	15.5	70
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	441	55	72.4	115	617	58.3	402	226	2.99	49	47.250	32.8	13.5	105
Majs, helsädesensilage (305)	1	6	375	29	76.9	77	645	76.8	369	192	3.47	288	80.833	61.3	16.7	10
Råg, helsädesensilage, axgång (311)	1	3	299	51	64.3	78	790	91.3	586	233	3.35	21	90.000	68.0	22.0	52
Ärter, helsädesensilage, sen skörd (315)	1	1	265	73	79.9	131	564	115	329	143	4.13	109	70.000	56.0	14.0	66
Hö, blandvall, 0-50% baljväxter (383)	0	1	705	43	63.6	80			591	242	3.14		0.000			130
Hö, blandvall, 0-50% baljväxter (383)	1	9	849	54	66.7	88	413		562	222	3.63		0.000			137
Hö, blandvall, 0-50% baljväxter (383)	2	2	899	70	69.8	122			513	203	3.73		0.000			129
Ensilage, blandvall (51-100% klöver) (438)	1	2	398	91	76.9	207	711	65.5	319	241	4.07		101.950	83.5	16.5	46
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	97	70.0	175	528	81.0	402	351	4.65		101.000	87.0	14.0	40
Straw, untreated (barley, wheat, oat) (468)	1	2	737	54	52.3	70	439		658	442	4.19	21	0.000			26
Ensilage, blandvall (1-50% klöver) (326)	1	5	432	63	74.7	140	518	76.4	332	241	2.83	183	73.600	44.6	22.4	44
Fullfoder (TMR) ej kompletta data (1E3)	1	2	511	54	73.8	117	545	58.0	388	212	3.23	146				72

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	16				94.2	-23	7.22	13.3		
Havre, kärna, hög NDF (002)	1	1				83.2	5.9	6.32			
Vete, kärna (005)	1	8				115	-31	7.94	13.8		
Råg (011)	1	1				103	-73	7.83			
Rågvete (015)	1	1				105	-73	7.74			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				106	-31	7.74			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				104	-1.6	7.08			
Ärter, kärna (006)	1	1				102	71.8	7.64			
Majs hela plantan, grönmassa (030)	1	19				88.4	-60	6.31	11.4		
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	11.0		
Prognos, blandvall (1-50% baljv) (042)	0	7				96.4	-4.4	5.94	12.6		
Prognos, blandvall (1-50% baljv) (042)	1	11				96.4	-4.4	5.94	12.5		
Prognos, blandvall (1-50% baljv) (042)	2	4				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	3	2				96.4	-4.4	5.94	11.4		
Prognos, blandvall (51-100% baljv.) (043)	3	1				93.0	14.4	5.95	11.1		
Grönmassa, gräs (0% baljv.) (161)	1	8				82.0	3.1	5.80	10.4	71.5	10.5
Grönmassa, gräs (0% baljv.) (161)	2	1				86.4	0.8	5.87	10.5		
Ensilage, gräs (0% klöver) (162)	1	16	3.50000	0.88125		81.0	18.6	6.29	11.2	72.2	22.7
Ensilage, gräs (0% klöver) (162)	2	3		0.76667		80.4	29.1	5.86	10.5	69.7	35.3
Ensilage, gräs (0% klöver) (162)	3	1	1.00000	1.00000		80.9	-9.0	5.46	9.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				81.7	17.3	5.95	10.6	74.0	15.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	1.50000	1.14286		88.4	9.2	6.21	11.2	77.3	3.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	3.00000	1.00000		81.6	15.0	5.87	10.4	72.3	17.3
Grönmassa blandvall (1-50 % baljväxter) (164)	3	9				85.8	35.9	6.12	10.6	72.5	47.3
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2				85.4	29.1	6.09	10.8	74.0	34.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	0	5		0.48000		79.9	5.9	6.02	10.8	71.2	5.6
Ensilage, blandvall (1-50% klöver) (165)	1	301	2.79348	0.93189		80.8	29.1	6.33	11.2	72.1	27.3
Ensilage, blandvall (1-50% klöver) (165)	2	109	2.86486	0.65370		81.8	22.5	6.04	10.7	70.6	25.4
Ensilage, blandvall (1-50% klöver) (165)	3	37	2.18750	0.84595		81.2	35.8	5.92	10.4	69.2	36.1
Korn, helsädesensilage (250)	1	9	0.50000	1.16667		79.9	-12	5.89	11.1	65.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				67.5	-7.4	5.49			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	2.00000	0.00000		68.6	-12	5.41	9.3		
Havre helsädesensilage degmognad (296)	1	3	4.00000	0.50000		77.0	1.2	5.67	10.3		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				73.2	-3.4	5.61			
Vete, helsäd ensilage (299)	1	6	1.33333	0.33333		72.9	-7.8	5.69	10.1	57.0	45.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	0.66667	0.66667		77.7	-8.4	5.87	10.9		
Majs, helsädesensilage (305)	1	6	2.66667	0.00000		80.5	-49	6.59	11.7		
Råg, helsädesensilage, axgång (311)	1	3				62.6	-19	5.28			
Ärter, helsädesensilage, sen skörd (315)	1	1				80.9	2.0	6.41	11.8	82.0	-9.0
Hö, blandvall, 0-50% baljväxter (383)	0	1				81.8	-41	4.94	9.3	67.0	-34
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.3	-39	5.16	9.7	70.1	-30
Hö, blandvall, 0-50% baljväxter (383)	2	2				89.7	-16	5.45	10.1	71.5	-1.0
Ensilage, blandvall (51-100% klöver) (438)	1	2		0.95000		76.8	89.8	6.37	11.0	71.0	83.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	0.00000	0.00000		73.8	64.5	5.79	9.8		
Straw, untreated (barley, wheat, oat) (468)	1	2				68.4	-43	3.85	7.3		
Ensilage, blandvall (1-50% klöver) (326)	1	5	4.80000	1.80000		84.0	14.2	6.37	11.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	2						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	7	0.6	3.5	1.2	5.4	0.1		1.4	24	7	66.6	13.4	36.6	4.3	
Havre, kärna, hög NDF (002)	1	1	0.9	3.6	1.5	5.9	0.2		2.0	15	1	128.0	113.0	56.0	6.6	
Vete, kärna (005)	1	5	0.4	3.1	1.1	4.8	0.1	1.0	1.4	12	5	81.2	28.2	28.8	3.9	
Råg (011)	1	1	0.3	2.8	1.0	5.0	0.1		1.0	50	1	33.0	20.0	27.0	3.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.5	3.3	1.2	4.9	0.1		1.3	20	1	41.0	28.0	31.0	3.5	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.4	1.3	6.8	0.1		1.5	62	1	58.0	24.0	45.0	5.2	
Majs hela plantan, grönmassa (030)	1	6	2.3	2.0	1.2	9.7	0.2	2.1	1.0	126	4	75.3	17.0	21.3	3.7	0.0
Grönmassa, gräs (0% baljv.) (161)	1	8	4.7	2.5	1.6	20.4	1.3	4.9	1.8	326	8	154.1	57.8	28.3	4.6	0.1
Grönmassa, gräs (0% baljv.) (161)	2	1	5.9	3.0	2.6	20.5	2.2	7.0	2.5	267	1	214.0	98.0	46.0	7.0	0.1
Ensilage, gräs (0% klöver) (162)	1	15	6.0	2.8	1.7	22.0	2.0	6.4	2.2	344	13	86.6	44.8	28.8	5.4	0.0
Ensilage, gräs (0% klöver) (162)	2	3	10.2	2.1	2.3	19.4	2.8	10.6	3.5	95	3	85.3	25.7	35.7	6.9	
Ensilage, gräs (0% klöver) (162)	3	1	4.2	2.8	2.2	19.2	1.5	9.5	2.0	164	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	7.2	2.6	1.6	25.2	0.7		1.5	449	1	65.0	23.0	23.0	3.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53	6.4	2.7	1.7	21.5	1.1	4.5	2.0	342	43	127.9	47.1	25.7	5.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	8.7	2.7	2.2	22.5	1.3	6.4	2.1	347	20	99.2	44.2	25.1	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	9	8.5	3.4	2.4	26.0	1.1	13.3	2.5	286	6	144.3	76.0	32.3	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	8.0	2.8	3.1	21.9	1.8	10.5	2.4	193	1	175.0	53.0	28.0	8.0	
Ensilage, blandvall (1-50% klöver) (165)	0	5	6.7	2.5	1.9	21.1	1.3	7.4	2.0	261	5	113.8	39.6	25.6	5.0	
Ensilage, blandvall (1-50% klöver) (165)	1	280	6.8	2.8	1.7	23.2	1.6	5.8	2.2	367	257	131.7	42.0	28.9	5.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	106	8.1	2.7	2.2	21.4	1.9	8.5	2.5	240	94	114.7	44.2	31.2	6.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	34	9.9	3.0	2.5	23.2	1.6	7.7	2.8	265	28	129.1	49.8	38.2	6.8	0.1
Korn, helsädesensilage (250)	1	8	4.9	2.4	1.0	18.2	0.4	3.4	1.6	277	5	87.2	29.4	22.4	4.3	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	5.0	2.3	1.4	15.2	1.3	4.8	1.5	219	3	82.3	26.7	23.3	3.8	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	4.5	2.4	1.4	21.0	0.9	3.0	1.4	404	1	132.0	36.0	23.0	4.0	
Havre helsädesensilage degmognad (296)	1	2	3.9	2.4	1.5	17.2	2.2	8.7	1.8	150	2	213.0	24.5	26.0	4.0	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete-ärt, helsädesensilage, degmognad, 50% ärtar (	1	1	4.7	2.3	1.7	16.4	0.8	3.8	1.7	241	1	119.0	69.0	30.0	4.4	
Vete, helsäd ensilage (299)	1	6	4.5	2.0	1.4	15.0	0.8	3.6	1.7	211	6	251.3	45.0	24.3	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärtar (30	1	4	5.7	2.4	1.6	17.0	1.2	5.0	2.1	214	4	94.8	38.5	51.3	6.3	0.1
Majs, helsädesensilage (305)	1	6	2.3	1.9	1.2	9.4	0.2	1.9	0.9	144	4	99.0	16.3	18.5	3.8	0.1
Råg, helsädesensilage, axgång (311)	1	3	2.5	2.4	1.0	17.9	0.2	2.5	1.3	318	3	104.3	21.0	17.0	4.0	0.0
Ärtar, helsädesensilage, sen skörd (315)	1	1	15.8	2.0	2.0	14.5	0.2	9.8	0.9	47	1	145.0	44.0	31.0	5.1	
Hö, blandvall, 0-50% baljväxter (383)	0	1	2.9	1.6	1.2	8.4	0.8		1.1	40	1	59.0	84.0	28.0	2.7	
Hö, blandvall, 0-50% baljväxter (383)	1	9	4.2	2.2	1.5	17.2	1.2	6.5	1.7	239	9	84.6	66.8	23.7	4.1	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	1	4.4	2.7	1.7	22.8	0.5		2.3	320	1	56.0	78.0	19.0	4.4	
Ensilage, blandvall (51-100% klöver) (438)	1	2	17.9	3.2	1.8	22.0	1.1	5.5	2.1	324	2	105.5	34.0	21.0	7.4	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	11.4	3.9	3.4	22.9	1.2	3.5	2.5	383	0					
Straw, untreated (barley, wheat, oat) (468)	1	2	9.1	0.9	1.3	5.8	0.7	2.8	1.3	21	2	126.0	21.0	9.5	4.5	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	5	7.4	3.7	2.8	16.2	2.1	6.4	2.5	168	4	275.0	66.3	64.5	10.5	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	2	7.2	2.5	2.0	12.2	1.6	4.1	2.0	144	2	258.0	38.5	34.0	6.9	0.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	861.438	21.1155	840.000	879.000
Aska	14	19.593	2.8851	16.200	23.400
OS smbh	16	80.625	21.5000	86.000	86.000
Råprot	15	118.493	18.2171	99.800	146.500
sRåprot	1	299.000	.	299.000	299.000
NH3-N	1	6.000	.	6.000	6.000
NDF	11	227.909	36.5909	193.000	249.000
iNDF	16	153.438	34.2500	162.000	162.000
nhNDF	16	3.150	0.0000	3.150	3.150
Stä	15	605.587	43.2350	546.000	642.800
TAF	16	0.000	0.0000	0.000	0.000
Socker	2	17.000	16.9706	5.000	29.000
AATp20	16	94.211	1.9307	92.183	96.107
PBVp20	16	-22.575	17.1838	-37.750	2.688
NELp20	16	7.223	0.1598	7.000	7.455
OE*	1	13.300	.	13.300	13.300
Ca	7	0.557	0.0787	0.400	0.600
P	7	3.529	0.5122	2.600	4.200
Mg	7	1.243	0.1134	1.100	1.400
K	7	5.429	0.6396	4.600	6.500
Na	7	0.100	0.0000	0.100	0.100
S	7	1.371	0.1254	1.200	1.600
CAB	7	23.669	14.9887	0.692	49.285
Fe	7	66.571	23.2440	43.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	7	13.429	4.6136	8.000	19.000
Zn	7	36.571	9.0343	29.000	50.000
Cu	7	4.271	0.9912	2.600	5.500

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	892.000	.	892.000	892.000
Aska	1	24.700	.	24.700	24.700
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	124.400	.	124.400	124.400
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	478.700	.	478.700	478.700
TAF	1	0.000	.	0.000	0.000
AATp20	1	83.174	.	83.174	83.174
PBVp20	1	5.903	.	5.903	5.903
NELp20	1	6.315	.	6.315	6.315
Ca	1	0.900	.	0.900	0.900
P	1	3.600	.	3.600	3.600
Mg	1	1.500	.	1.500	1.500
K	1	5.900	.	5.900	5.900
Na	1	0.200	.	0.200	0.200
S	1	2.000	.	2.000	2.000
CAB	1	14.872	.	14.872	14.872

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	128.000	.	128.000	128.000
Mn	1	113.000	.	113.000	113.000
Zn	1	56.000	.	56.000	56.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	856.500	13.2773	831.000	870.000
Aska	8	19.325	4.9167	15.100	29.000
OS smbh	8	77.000	31.1127	0.000	88.000
Råprot	8	136.425	25.1862	99.800	178.100
sRåprot	1	240.000	.	240.000	240.000
NDF	3	167.333	94.1134	112.000	276.000
iNDF	8	166.750	57.2756	25.000	187.000
nhNDF	8	3.500	0.0000	3.500	3.500
Stä	8	628.988	87.1650	466.000	699.800
TAF	8	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	8	114.645	2.1380	111.692	118.186
PBVp20	8	-31.106	24.4015	-63.757	6.220
NELp20	8	7.941	0.1767	7.524	8.055
OE*	1	13.800	.	13.800	13.800
Ca	5	0.440	0.1673	0.300	0.700
P	5	3.060	0.2191	2.800	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	5	1.100	0.0707	1.000	1.200
K	5	4.780	0.5020	4.300	5.300
Na	4	0.100	0.0000	0.100	0.100
Cl	1	1.000	.	1.000	1.000
S	5	1.420	0.3962	1.100	2.100
CAB	5	11.933	21.4377	-19.521	39.546
Fe	5	81.200	43.5913	35.000	137.000
Mn	5	28.200	8.5264	14.000	35.000
Zn	5	28.800	5.8907	21.000	36.000
Cu	5	3.900	0.4416	3.300	4.500

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	872.000	.	872.000	872.000
Aska	1	14.900	.	14.900	14.900
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	79.100	.	79.100	79.100
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	707.600	.	707.600	707.600
TAF	1	0.000	.	0.000	0.000
AATp20	1	103.246	.	103.246	103.246
PBVp20	1	-73.237	.	-73.237	-73.237
NELp20	1	7.833	.	7.833	7.833

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	0.300	.	0.300	0.300
P	1	2.800	.	2.800	2.800
Mg	1	1.000	.	1.000	1.000
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	50.007	.	50.007	50.007
Fe	1	33.000	.	33.000	33.000
Mn	1	20.000	.	20.000	20.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	16.600	.	16.600	16.600
OS smbh	1	89.479	.	89.479	89.479
Råprot	1	81.800	.	81.800	81.800
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	707.300	.	707.300	707.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.380	.	105.380	105.380

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-72.500	.	-72.500	-72.500
NELp20	1	7.744	.	7.744	7.744

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	851.333	8.1445	842.000	857.000
Aska	3	18.000	0.6245	17.500	18.700
OS smbh	3	87.000	0.0000	87.000	87.000
Råprot	3	126.167	13.1245	117.900	141.300
iNDF	3	173.000	0.0000	173.000	173.000
nhNDF	3	3.300	0.0000	3.300	3.300
Stä	3	641.067	20.1649	625.700	663.900
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	106.055	1.4349	105.113	107.706
PBVp20	3	-30.554	10.7876	-37.292	-18.112
NELp20	3	7.742	0.0708	7.696	7.824
Ca	1	0.500	.	0.500	0.500
P	1	3.300	.	3.300	3.300
Mg	1	1.200	.	1.200	1.200
K	1	4.900	.	4.900	4.900
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	20.249	.	20.249	20.249
Fe	1	41.000	.	41.000	41.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	28.000	.	28.000	28.000
Zn	1	31.000	.	31.000	31.000
Cu	1	3.500	.	3.500	3.500

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	20.000	.	20.000	20.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	150.000	.	150.000	150.000
NH3-N	1	5.000	.	5.000	5.000
NDF	1	220.000	.	220.000	220.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	557.000	.	557.000	557.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.382	.	104.382	104.382
PBVp20	1	-1.605	.	-1.605	-1.605
NElp20	1	7.083	.	7.083	7.083
Ca	1	0.600	.	0.600	0.600
P	1	3.400	.	3.400	3.400
Mg	1	1.300	.	1.300	1.300
K	1	6.800	.	6.800	6.800
Na	1	0.100	.	0.100	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	1.500	.	1.500	1.500
CAB	1	61.976	.	61.976	61.976
Fe	1	58.000	.	58.000	58.000
Mn	1	24.000	.	24.000	24.000
Zn	1	45.000	.	45.000	45.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	802.000	.	802.000	802.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	220.000	.	220.000	220.000
NH3-N	1	4.000	.	4.000	4.000
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	487.000	.	487.000	487.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.849	.	101.849	101.849
PBVp20	1	71.823	.	71.823	71.823
NELp20	1	7.640	.	7.640	7.640

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	298.842	36.3123	255.000	337.000
Aska	19	32.526	4.1948	25.000	38.000
OS smbh	19	76.105	1.7418	72.200	77.900
Råprot	19	80.158	5.2096	71.000	86.000
sRåprot	19	362.000	33.9689	320.000	407.000
NDF	19	403.368	25.2393	372.000	441.000
iNDF	19	181.543	18.9755	163.185	221.000
nhNDF	19	3.734	0.4423	3.165	4.103
Stä	19	246.000	49.6488	140.000	294.000
TAF	19	57.000	0.0000	57.000	57.000
Socker	19	80.947	46.9840	8.000	155.000
AATp20	19	88.358	2.3183	84.060	90.765
PBVp20	19	-59.684	2.8171	-64.101	-55.518
NELp20	19	6.310	0.2007	6.037	6.492
OE*	4	11.360	0.2526	11.000	11.590
Ca	6	2.300	0.8532	1.400	3.700
P	6	1.967	0.1211	1.900	2.200
Mg	6	1.233	0.3327	0.900	1.800
K	6	9.717	1.4770	7.300	11.800
Na	5	0.200	0.1225	0.100	0.400
Cl	17	2.065	1.1286	1.200	3.200
S	6	0.950	0.2258	0.700	1.200
CAB	6	126.253	44.0995	67.758	185.611
Fe	4	75.250	27.2809	59.000	116.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	4	17.000	3.8297	14.000	22.000
Zn	4	21.250	5.9090	13.000	26.000
Cu	4	3.725	0.8770	3.000	5.000
Se	2	0.042	0.0255	0.024	0.060

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	11.000	.	11.000	11.000

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	209.143	33.4536	166.000	259.000
OS smbh	7	73.150	0.0000	73.150	73.150
iNDF	7	170.460	0.0000	170.460	170.460
nhNDF	7	4.315	0.0000	4.315	4.315
TAF	7	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	96.439	0.0000	96.439	96.439
PBVp20	7	-4.418	0.0000	-4.418	-4.418
NELp20	7	5.943	0.0000	5.943	5.943
OE*	7	12.614	0.2340	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	212.000	27.6007	186.000	260.000
OS smbh	11	73.150	0.0000	73.150	73.150
iNDF	11	170.460	0.0000	170.460	170.460
nhNDF	11	4.315	0.0000	4.315	4.315
TAF	11	0.000	0.0000	0.000	0.000
AATp20	11	96.439	0.0000	96.439	96.439
PBVp20	11	-4.418	0.0000	-4.418	-4.418
NELp20	11	5.943	0.0000	5.943	5.943
OE*	11	12.536	0.3202	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	184.000	28.6938	152.000	218.000
OS smbh	4	73.150	0.0000	73.150	73.150
iNDF	4	170.460	0.0000	170.460	170.460
nhNDF	4	4.315	0.0000	4.315	4.315
TAF	4	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	96.439	0.0000	96.439	96.439
PBVp20	4	-4.418	0.0000	-4.418	-4.418
NELp20	4	5.943	0.0000	5.943	5.943
OE*	4	11.850	0.3873	11.400	12.300

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	163.000	9.89949	156.000	170.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	11.350	0.07071	11.300	11.400

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	232.000	.	232.000	232.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	92.987	.	92.987	92.987
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.100	.	11.100	11.100

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	522.125	221.381	261.000	831.000
Aska	8	63.750	17.144	49.000	103.000
OS smbh	8	71.538	3.200	66.200	76.000
Råprot	8	130.625	37.167	89.000	207.000
sRåprot	4	529.750	116.073	410.000	669.000
NDF	8	509.125	31.252	475.000	555.000
iNDF	8	183.015	30.849	134.785	229.710
nhNDF	8	3.988	0.492	3.307	5.015
Stä	1	22.000	.	22.000	22.000
TAF	8	61.000	0.000	61.000	61.000
Socker	8	103.125	45.085	48.000	181.000
AATp20	8	82.026	4.036	75.998	88.674
PBVp20	8	3.095	29.641	-33.035	62.241
NELp20	8	5.797	0.315	5.249	6.235
OE*	8	10.433	0.474	9.700	10.920
AAT*	4	71.500	2.887	69.000	74.000
PBV*	4	10.500	52.969	-37.000	78.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	8	4.738	1.683	2.900	8.000
P	8	2.513	0.579	1.800	3.700
Mg	8	1.563	0.431	1.000	2.500
K	8	20.388	6.383	15.600	35.600
Na	8	1.313	1.151	0.200	3.100
Cl	3	4.900	0.889	4.200	5.900
S	8	1.800	0.393	1.400	2.600
CAB	8	326.196	174.604	181.773	741.923
Fe	8	154.125	93.602	49.000	286.000
Mn	8	57.750	20.408	19.000	88.000
Zn	8	28.250	5.036	20.000	33.000
Cu	8	4.600	0.962	3.600	6.000
Se	4	0.050	0.000	0.050	0.050

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	426.000	.	426.000	426.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	136.000	.	136.000	136.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	504.000	.	504.000	504.000
iNDF	1	167.000	.	167.000	167.000
nhNDF	1	3.827	.	3.827	3.827

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	1	61.000	.	61.000	61.000
Socket	1	109.000	.	109.000	109.000
AATp20	1	86.448	.	86.448	86.448
PBVp20	1	0.810	.	0.810	0.810
NELp20	1	5.872	.	5.872	5.872
OE*	1	10.530	.	10.530	10.530
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.600	.	2.600	2.600
K	1	20.500	.	20.500	20.500
Na	1	2.200	.	2.200	2.200
Cl	1	7.000	.	7.000	7.000
S	1	2.500	.	2.500	2.500
CAB	1	266.516	.	266.516	266.516
Fe	1	214.000	.	214.000	214.000
Mn	1	98.000	.	98.000	98.000
Zn	1	46.000	.	46.000	46.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	392.000	138.766	271.000	633.000
Aska	16	67.125	5.920	61.000	75.000
OS smbh	16	76.138	3.513	71.800	80.200
Råprot	16	146.188	19.884	126.000	178.000
sRåprot	16	643.250	68.906	582.000	733.000
NH3-N	16	79.000	28.542	54.000	129.000
NDF	16	456.313	50.054	412.000	516.000
iNDF	16	150.147	30.809	109.114	193.076
nhNDF	16	4.673	0.456	3.904	5.375
TAF	16	85.506	38.294	22.000	127.900
Mjölksyra	16	67.438	33.564	11.000	101.000
Ättiksyra	16	15.875	7.089	6.000	24.000
Socker	16	57.500	32.496	20.000	111.000
PRF	2	3.500	0.707	3.000	4.000
BUF	16	0.881	1.439	0.000	3.800
AATp20	16	81.016	3.329	76.123	86.396
PBVp20	16	18.618	19.431	-6.905	48.845
NELp20	16	6.291	0.373	5.825	6.796
OE*	16	11.180	0.544	10.500	11.800
AAT*	14	72.214	1.311	71.000	74.000
PBV*	14	22.714	12.682	12.000	38.000
Ca	15	5.953	0.965	4.800	6.900
P	15	2.767	0.354	2.400	3.200
Mg	15	1.667	0.209	1.500	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	15	22.020	3.114	18.000	26.500
Na	15	1.960	0.627	1.200	2.800
Cl	16	6.413	2.411	3.200	9.200
S	15	2.153	0.245	1.900	2.500
CAB	15	343.665	100.500	200.759	458.318
Fe	13	86.615	17.390	61.000	102.000
Mn	13	44.846	19.252	26.000	75.000
Zn	13	28.769	4.285	23.000	33.000
Cu	13	5.408	1.091	4.000	6.800
Se	1	0.005	.	0.005	0.005

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.667	69.010	337.000	474.000
Aska	3	75.000	5.196	72.000	81.000
OS smbh	3	72.300	5.804	68.800	79.000
Råprot	3	156.000	21.932	140.000	181.000
sRåprot	3	587.667	51.228	550.000	646.000
NH3-N	3	85.667	17.039	68.000	102.000
NDF	3	444.667	39.425	409.000	487.000
iNDF	3	198.089	61.781	127.511	242.377
nhNDF	3	3.731	1.034	2.964	4.908
TAF	3	58.100	26.645	34.700	87.100
Mjölksyra	3	46.333	19.604	28.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	10.000	7.937	4.000	19.000
Socker	3	46.667	8.505	38.000	55.000
BUF	3	0.767	0.833	0.100	1.700
AATp20	3	80.398	3.373	77.827	84.218
PBVp20	3	29.115	14.294	18.772	45.426
NELp20	3	5.858	0.637	5.455	6.592
OE*	3	10.467	0.981	9.900	11.600
AAT*	3	69.667	2.887	68.000	73.000
PBV*	3	35.333	17.388	22.000	55.000
Ca	3	10.200	3.843	7.100	14.500
P	3	2.133	0.702	1.400	2.800
Mg	3	2.333	0.351	2.000	2.700
K	3	19.367	4.028	16.200	23.900
Na	3	2.767	1.914	1.000	4.800
Cl	3	10.633	5.559	5.600	16.600
S	3	3.533	1.274	2.700	5.000
CAB	3	95.237	259.779	-81.903	393.452
Fe	3	85.333	3.215	83.000	89.000
Mn	3	25.667	20.232	13.000	49.000
Zn	3	35.667	8.021	28.000	44.000
Cu	3	6.900	1.229	6.000	8.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	648.000	.	648.000	648.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	68.400	.	68.400	68.400
Råprot	1	115.000	.	115.000	115.000
sRåprot	1	538.000	.	538.000	538.000
NH3-N	1	57.000	.	57.000	57.000
NDF	1	528.000	.	528.000	528.000
iNDF	1	228.000	.	228.000	228.000
nhNDF	1	3.784	.	3.784	3.784
TAF	1	16.000	.	16.000	16.000
Mjölksyra	1	14.000	.	14.000	14.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	1	84.000	.	84.000	84.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	80.881	.	80.881	80.881
PBVp20	1	-9.018	.	-9.018	-9.018
NELp20	1	5.457	.	5.457	5.457
OE*	1	9.930	.	9.930	9.930
Ca	1	4.200	.	4.200	4.200
P	1	2.800	.	2.800	2.800
Mg	1	2.200	.	2.200	2.200
K	1	19.200	.	19.200	19.200
Na	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	9.500	.	9.500	9.500
S	1	2.000	.	2.000	2.000
CAB	1	163.660	.	163.660	163.660

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	500.000	.	500.000	500.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	143.000	.	143.000	143.000
NDF	1	469.000	.	469.000	469.000
iNDF	1	174.836	.	174.836	174.836
nhNDF	1	4.140	.	4.140	4.140
TAF	1	84.000	.	84.000	84.000
Socker	1	110.000	.	110.000	110.000
AATp20	1	81.702	.	81.702	81.702
PBVp20	1	17.278	.	17.278	17.278
NELp20	1	5.953	.	5.953	5.953
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	7.200	.	7.200	7.200
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	25.200	.	25.200	25.200
Na	1	0.700	.	0.700	0.700
S	1	1.500	.	1.500	1.500
CAB	1	448.792	.	448.792	448.792
Fe	1	65.000	.	65.000	65.000
Mn	1	23.000	.	23.000	23.000
Zn	1	23.000	.	23.000	23.000
Cu	1	3.800	.	3.800	3.800
Se	1	0.012	.	0.012	0.012

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	452.966	138.696	279.000	659.000
Aska	58	70.500	11.541	57.000	81.000
OS smbh	58	76.633	4.701	69.700	81.200
Råprot	58	145.983	29.113	103.000	182.000
sRåprot	24	439.750	88.697	351.000	581.000
NDF	58	450.672	60.960	373.000	536.000
iNDF	58	146.393	54.231	82.000	226.816
nhNDF	58	4.968	1.233	3.807	5.979
Stä	1	19.000	.	19.000	19.000
TAF	58	60.862	35.130	3.000	84.000
Mjölksyra	18	0.000	0.000	0.000	0.000
Ättiksyra	14	3.786	7.181	0.000	14.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	58	126.966	47.041	58.000	195.000
PRF	14	1.500	2.565	0.000	7.000
BUF	14	1.143	1.994	0.000	5.000
AATp20	58	88.395	7.165	79.484	96.921
PBVp20	58	9.223	22.349	-16.320	44.716
NELp20	58	6.213	0.391	5.635	6.659
OE*	58	11.218	0.795	10.240	12.100
AAT*	34	77.294	5.078	69.000	82.000
PBV*	34	3.621	27.081	-33.000	44.000
Ca	53	6.357	2.997	3.400	10.000
P	53	2.719	0.494	2.100	3.300
Mg	53	1.717	0.423	1.100	2.200
K	53	21.528	4.229	15.100	26.600
Na	53	1.111	0.939	0.200	2.200
Cl	22	4.468	3.211	0.900	9.000
S	53	2.028	0.475	1.500	2.600
CAB	53	342.462	96.787	201.253	442.501
Fe	43	127.907	114.262	63.000	259.000
Mn	43	47.070	26.611	16.000	82.000
Zn	43	25.674	5.651	19.000	32.000
Cu	43	5.056	1.012	3.800	6.500
Se	11	0.032	0.029	0.008	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	517.091	145.019	303.000	696.000
Aska	33	76.515	14.107	63.000	98.000
OS smbh	33	72.355	4.205	66.600	78.300
Råprot	33	140.333	25.678	103.000	171.000
sRåprot	12	445.083	92.472	382.000	601.000
NDF	33	477.273	43.594	429.000	534.000
iNDF	33	193.006	50.762	136.000	253.000
nhNDF	33	4.213	0.842	3.263	5.427
TAF	33	81.576	13.926	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	33	97.758	33.751	48.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	33	81.622	5.630	75.730	88.103
PBVp20	33	14.979	21.085	-13.318	36.563
NELp20	33	5.873	0.387	5.446	6.434
OE*	33	10.440	0.692	9.500	11.270
AAT*	21	72.286	4.406	67.000	77.000
PBV*	21	17.286	26.266	-19.000	40.000
Ca	29	8.676	4.282	4.300	15.000
P	29	2.745	0.370	2.200	3.200
Mg	29	2.162	0.475	1.500	2.800
K	29	22.528	4.985	16.000	28.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	29	1.293	0.848	0.500	2.800
Cl	12	6.392	3.469	2.600	11.700
S	29	2.128	0.309	1.600	2.500
CAB	29	347.288	117.135	163.210	494.843
Fe	20	99.200	48.279	55.500	165.000
Mn	20	44.150	26.595	20.500	85.000
Zn	20	25.100	6.874	19.000	36.500
Cu	20	6.320	1.815	4.650	9.150
Se	5	0.031	0.019	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	432.111	145.118	271.000	735.000
Aska	9	90.778	15.990	71.000	112.000
OS smbh	9	74.433	2.239	72.200	79.600
Råprot	9	170.111	29.362	134.000	224.000
sRåprot	5	349.200	37.566	309.000	395.000
NDF	9	451.222	38.405	382.000	494.000
iNDF	9	176.605	27.225	132.000	213.000
nhNDF	9	4.546	0.730	3.583	6.084
TAF	9	84.000	0.000	84.000	84.000
Socker	9	71.889	36.119	10.000	115.000
AATp20	9	85.831	5.312	78.985	93.862
PBVp20	9	35.919	25.540	4.228	90.180

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	9	6.118	0.222	5.847	6.481
OE*	9	10.613	0.375	10.000	11.270
AAT*	4	72.500	1.291	71.000	74.000
PBV*	4	47.250	39.093	8.000	99.000
Ca	9	8.500	3.354	4.700	15.100
P	9	3.356	0.403	2.700	3.800
Mg	9	2.389	0.389	1.700	2.800
K	9	26.011	2.801	21.600	30.800
Na	9	1.078	0.698	0.400	2.700
Cl	5	13.280	7.311	5.000	23.700
S	9	2.544	0.445	2.000	3.200
CAB	9	286.411	223.121	-114.808	565.112
Fe	6	144.333	129.893	64.000	398.000
Mn	6	76.000	54.987	27.000	152.000
Zn	6	32.333	7.607	22.000	43.000
Cu	6	7.500	1.260	6.000	9.000
Se	2	0.022	0.018	0.009	0.035

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	665.500	212.839	515.000	816.000
Aska	2	82.500	10.607	75.000	90.000
OS smbh	2	74.900	0.707	74.400	75.400
Råprot	2	162.000	0.000	162.000	162.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	394.000	.	394.000	394.000
NDF	2	435.000	4.243	432.000	438.000
iNDF	2	184.863	15.749	173.727	196.000
nhNDF	2	4.497	0.648	4.039	4.955
TAF	2	84.000	0.000	84.000	84.000
Socker	2	99.000	18.385	86.000	112.000
AATp20	2	85.385	4.162	82.442	88.328
PBVp20	2	29.064	6.778	24.272	33.857
NELp20	2	6.090	0.131	5.997	6.183
OE*	2	10.780	0.255	10.600	10.960
AAT*	1	74.000	.	74.000	74.000
PBV*	1	34.000	.	34.000	34.000
Ca	1	8.000	.	8.000	8.000
P	1	2.800	.	2.800	2.800
Mg	1	3.100	.	3.100	3.100
K	1	21.900	.	21.900	21.900
Na	1	1.800	.	1.800	1.800
Cl	1	10.500	.	10.500	10.500
S	1	2.400	.	2.400	2.400
CAB	1	192.589	.	192.589	192.589
Fe	1	175.000	.	175.000	175.000
Mn	1	53.000	.	53.000	53.000
Zn	1	28.000	.	28.000	28.000
Cu	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	403.800	69.719	298.000	465.000
Aska	5	68.800	8.526	57.000	80.000
OS smbh	5	73.960	1.647	71.800	75.900
Råprot	5	127.800	15.515	108.000	151.000
sRåprot	5	648.400	33.299	607.000	699.000
NH3-N	5	87.600	7.301	78.000	95.000
NDF	5	466.800	43.407	425.000	539.000
iNDF	5	173.540	17.818	155.047	193.506
nhNDF	5	4.159	0.389	3.664	4.546
TAF	5	73.680	25.495	51.300	116.100
Mjölksyra	5	58.400	21.548	40.000	94.000
Ättiksyra	5	13.800	4.207	10.000	21.000
Socker	5	66.200	25.830	33.000	101.000
BUF	5	0.480	0.349	0.100	0.900
AATp20	5	79.897	1.563	78.050	82.049
PBVp20	5	5.886	14.240	-10.717	26.964
NELp20	5	6.020	0.191	5.869	6.311
OE*	5	10.820	0.228	10.600	11.100
AAT*	5	71.200	0.837	70.000	72.000
PBV*	5	5.600	15.582	-13.000	30.000
Ca	5	6.740	1.750	4.700	9.300
P	5	2.520	0.205	2.300	2.700
Mg	5	1.940	0.559	1.200	2.700
K	5	21.060	2.086	18.900	24.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	1.280	0.502	0.800	2.000
Cl	5	7.380	3.729	3.500	13.200
S	5	2.000	0.255	1.800	2.400
CAB	5	261.384	111.322	79.192	363.729
Fe	5	113.800	36.867	63.000	150.000
Mn	5	39.600	20.888	22.000	72.000
Zn	5	25.600	4.037	19.000	30.000
Cu	5	5.020	0.746	4.100	6.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	301	344.475	86.145	268.000	431.000
Aska	301	72.439	7.925	62.000	82.000
OS smbh	301	76.348	2.745	72.900	79.500
Råprot	301	154.362	19.025	129.000	178.000
sRåprot	301	666.193	56.547	597.000	728.000
NH3-N	301	88.010	26.328	57.000	120.000
NDF	301	432.146	41.765	384.000	488.000
iNDF	301	156.658	30.498	121.000	202.000
nhNDF	301	4.508	0.464	3.930	5.069
TAF	301	92.344	28.066	55.500	124.100
Mjölksyra	301	71.857	24.803	38.000	99.000
Ättiksyra	301	18.007	5.775	11.000	24.000
Socker	301	53.027	29.741	21.000	91.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	92	2.793	1.849	1.000	5.000
BUF	301	0.932	2.008	0.000	2.900
AATp20	301	80.833	2.788	77.656	84.546
PBVp20	301	29.117	17.948	5.586	51.993
NELp20	301	6.330	0.280	5.972	6.635
OE*	301	11.151	0.442	10.600	11.700
AAT*	209	72.144	1.236	71.000	74.000
PBV*	209	27.288	16.762	4.000	49.000
Ca	280	6.836	1.903	4.600	9.100
P	280	2.799	0.375	2.300	3.300
Mg	280	1.714	0.258	1.500	2.100
K	280	23.243	3.641	18.750	27.600
Na	280	1.628	0.788	0.700	2.700
Cl	300	5.781	3.559	2.300	9.900
S	280	2.167	0.370	1.700	2.600
CAB	280	366.622	113.103	207.664	486.866
Fe	257	131.700	99.660	75.000	215.000
Mn	257	41.996	22.741	24.000	66.000
Zn	257	28.926	17.585	22.000	34.000
Cu	257	5.782	1.205	4.400	7.000
Se	44	0.066	0.065	0.017	0.150

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	109	439.138	127.043	301.000	620.000
Aska	109	74.679	10.676	64.000	86.000
OS smbh	109	73.839	2.948	69.700	77.200
Råprot	109	148.734	22.092	119.000	177.000
sRåprot	109	597.991	81.677	495.000	691.000
NH3-N	109	69.908	23.136	39.000	96.000
NDF	109	450.248	31.814	413.000	495.000
iNDF	109	184.336	40.070	139.000	243.000
nhNDF	109	4.152	0.551	3.368	4.903
Stä	1	133.000	.	133.000	133.000
TAF	109	66.079	31.566	22.500	109.000
Mjölksyra	109	49.339	26.600	13.000	89.000
Ättiksyra	108	14.417	6.208	7.000	24.000
Socker	109	66.413	32.911	22.000	112.000
PRF	37	2.865	1.813	0.000	6.000
BUF	108	0.654	0.931	0.000	1.600
AATp20	109	81.800	3.852	77.203	86.355
PBVp20	109	22.527	19.651	-5.492	48.657
NELp20	109	6.040	0.335	5.578	6.425
OE*	109	10.706	0.468	10.060	11.200
AAT*	71	70.634	1.505	69.000	72.000
PBV*	71	25.352	20.210	2.000	50.000
Ca	106	8.058	2.431	5.300	11.500
P	106	2.668	0.515	2.000	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	106	2.222	0.341	1.800	2.600
K	106	21.352	4.432	15.700	27.100
Na	106	1.937	1.003	0.800	3.400
Cl	108	8.466	4.618	3.800	12.900
S	106	2.471	0.429	1.900	3.100
CAB	106	239.729	139.526	81.604	413.673
Fe	94	114.745	74.540	62.000	169.000
Mn	94	44.191	20.108	20.000	68.000
Zn	94	31.181	22.356	21.000	36.000
Cu	94	6.394	1.179	5.200	8.000
Se	16	0.087	0.096	0.011	0.280

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	37	442.297	139.559	289.000	717.000
Aska	37	83.081	10.128	73.000	98.000
OS smbh	37	72.335	2.988	69.000	75.500
Råprot	37	161.703	23.702	124.000	195.000
sRåprot	37	555.027	81.018	438.000	650.000
NH3-N	37	73.270	27.495	40.000	107.000
NDF	37	446.405	40.081	394.000	506.000
iNDF	37	215.640	44.778	166.340	269.000
nhNDF	37	4.117	0.724	3.069	4.932
TAF	37	69.008	30.777	21.000	105.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	37	49.514	23.426	10.000	76.000
Ättiksyra	37	17.135	8.632	6.000	29.000
Socker	37	49.649	31.023	19.000	91.000
PRF	16	2.188	1.974	0.000	4.000
BUF	37	0.846	1.334	0.000	2.000
AATp20	37	81.156	4.189	75.456	87.928
PBVp20	37	35.783	22.008	4.212	66.769
NELp20	37	5.919	0.317	5.508	6.273
OE*	37	10.360	0.471	9.760	10.900
AAT*	21	69.238	1.670	66.000	71.000
PBV*	21	36.148	25.321	8.000	74.000
Ca	34	9.859	3.526	6.000	13.400
P	34	3.009	0.501	2.400	3.600
Mg	34	2.494	0.355	2.000	3.000
K	34	23.221	3.908	18.500	27.900
Na	34	1.594	0.937	0.700	2.700
Cl	36	7.739	5.643	3.400	12.000
S	34	2.806	0.511	2.200	3.400
CAB	34	265.035	186.797	108.316	441.484
Fe	28	129.071	69.781	72.000	214.000
Mn	28	49.786	30.934	21.000	86.000
Zn	28	38.214	38.989	20.000	76.000
Cu	28	6.807	1.067	5.800	8.300
Se	4	0.050	0.000	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	344.333	109.358	243.000	595.000
Aska	9	60.111	16.143	39.000	97.000
OS smbh	9	74.222	3.945	68.200	78.900
Råprot	9	119.889	21.860	88.000	144.000
sRåprot	9	546.111	124.949	410.000	843.000
NH3-N	8	51.750	41.630	13.000	129.000
NDF	9	438.667	36.524	385.000	512.000
iNDF	9	173.552	49.298	116.000	242.089
nhNDF	9	3.773	0.494	2.939	4.750
Stä	9	49.000	85.289	1.000	272.000
TAF	9	29.344	13.548	6.700	52.000
Mjölksyra	9	20.111	11.050	2.000	39.000
Ättiksyra	9	7.556	5.053	0.000	16.000
Socker	9	128.667	54.731	27.000	198.000
PRF	6	0.500	0.837	0.000	2.000
BUF	6	1.167	1.472	0.000	4.000
AATp20	9	79.920	5.958	68.736	85.730
PBVp20	9	-12.307	17.810	-45.633	13.849
NELp20	9	5.893	0.375	5.134	6.272
OE*	7	11.147	0.601	10.300	11.790
AAT*	1	65.000	.	65.000	65.000
PBV*	1	-35.000	.	-35.000	-35.000
Ca	8	4.888	4.763	1.500	16.100
P	8	2.375	0.292	2.000	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	8	0.988	0.452	0.400	1.600
K	8	18.225	4.543	10.800	23.900
Na	8	0.413	0.236	0.200	0.800
Cl	4	3.400	1.506	1.600	5.200
S	8	1.638	0.385	1.000	2.100
CAB	8	277.478	112.706	102.019	409.102
Fe	5	87.200	54.532	46.000	182.000
Mn	5	29.400	19.629	17.000	64.000
Zn	5	22.400	7.537	16.000	34.000
Cu	5	4.340	0.684	3.400	5.000
Se	1	0.007	.	0.007	0.007

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	405.333	82.863	356.000	501.000
Aska	3	51.667	12.583	40.000	65.000
OS smbh	3	66.067	3.055	63.400	69.400
Råprot	3	96.333	9.292	86.000	104.000
sRåprot	3	674.333	121.657	568.000	807.000
NH3-N	3	79.667	24.440	53.000	101.000
NDF	3	450.000	54.672	390.000	497.000
iNDF	3	283.869	3.874	280.538	288.121
nhNDF	3	2.384	0.105	2.317	2.506
Stä	3	122.000	92.731	65.000	229.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	75.000	9.539	65.000	84.000
Mjölksyra	3	54.667	10.066	44.000	64.000
Ättiksyra	3	18.333	0.577	18.000	19.000
Socker	3	42.000	31.177	24.000	78.000
AATp20	3	67.475	4.656	64.376	72.830
PBVp20	3	-7.360	10.228	-14.230	4.395
NELp20	3	5.487	0.310	5.262	5.840
Ca	3	4.967	1.387	3.800	6.500
P	3	2.300	0.458	1.800	2.700
Mg	3	1.367	0.153	1.200	1.500
K	3	15.200	4.403	11.900	20.200
Na	3	1.333	0.833	0.400	2.000
Cl	3	4.833	0.862	3.900	5.600
S	3	1.467	0.416	1.000	1.800
CAB	3	218.901	39.188	191.380	263.769
Fe	3	82.333	23.352	57.000	103.000
Mn	3	26.667	11.590	19.000	40.000
Zn	3	23.333	8.327	14.000	30.000
Cu	3	3.800	0.656	3.100	4.400
Se	1	0.022	.	0.022	0.022

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	290.000	.	290.000	290.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	63.900	.	63.900	63.900
Råprot	1	94.000	.	94.000	94.000
sRåprot	1	531.000	.	531.000	531.000
NH3-N	1	31.000	.	31.000	31.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	285.000	.	285.000	285.000
nhNDF	1	2.984	.	2.984	2.984
Stä	1	106.000	.	106.000	106.000
TAF	1	60.000	.	60.000	60.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	14.000	.	14.000	14.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	68.583	.	68.583	68.583
PBVp20	1	-11.835	.	-11.835	-11.835
NELp20	1	5.408	.	5.408	5.408
OE*	1	9.250	.	9.250	9.250
Ca	1	4.500	.	4.500	4.500
P	1	2.400	.	2.400	2.400
Mg	1	1.400	.	1.400	1.400
K	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.900	.	0.900	0.900
Cl	1	3.000	.	3.000	3.000
S	1	1.400	.	1.400	1.400
CAB	1	404.208	.	404.208	404.208
Fe	1	132.000	.	132.000	132.000
Mn	1	36.000	.	36.000	36.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	456.667	76.9697	404.000	545.000
Aska	3	64.000	14.1067	51.000	79.000
OS smbh	3	69.200	2.3431	67.700	71.900
Råprot	3	127.333	25.6580	99.000	149.000
sRåprot	3	631.333	91.7842	532.000	713.000
NH3-N	3	64.333	8.6217	55.000	72.000
NDF	3	501.333	47.5430	455.000	550.000
iNDF	3	237.951	27.5758	207.853	262.000
nhNDF	3	3.808	0.3430	3.501	4.179
Stä	3	37.000	17.3494	18.000	52.000
TAF	3	56.333	37.6342	14.000	86.000
Mjölksyra	3	40.333	28.7460	8.000	63.000
Ättiksyra	3	13.000	6.0828	6.000	17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	74.333	7.3711	66.000	80.000
PRF	2	4.000	2.8284	2.000	6.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	3	77.021	6.3439	73.138	84.342
PBVp20	3	1.189	15.8332	-16.858	12.747
NELp20	3	5.671	0.3305	5.356	6.015
OE*	2	10.265	0.3748	10.000	10.530
Ca	2	3.900	0.0000	3.900	3.900
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.3536	1.200	1.700
K	2	17.200	2.8284	15.200	19.200
Na	2	2.200	1.8385	0.900	3.500
Cl	3	8.733	5.8449	4.100	15.300
S	2	1.800	0.4243	1.500	2.100
CAB	2	149.810	97.3316	80.987	218.634
Fe	2	213.000	36.7696	187.000	239.000
Mn	2	24.500	7.7782	19.000	30.000
Zn	2	26.000	8.4853	20.000	32.000
Cu	2	4.000	0.0000	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	69.700	.	69.700	69.700
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	232.467	.	232.467	232.467
nhNDF	1	3.108	.	3.108	3.108
Stä	1	100.000	.	100.000	100.000
TAF	1	42.000	.	42.000	42.000
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	89.000	.	89.000	89.000
AATp20	1	73.196	.	73.196	73.196
PBVp20	1	-3.359	.	-3.359	-3.359
NELp20	1	5.610	.	5.610	5.610
Ca	1	4.700	.	4.700	4.700
P	1	2.300	.	2.300	2.300
Mg	1	1.700	.	1.700	1.700
K	1	16.400	.	16.400	16.400
Na	1	0.800	.	0.800	0.800
Cl	1	3.800	.	3.800	3.800
S	1	1.700	.	1.700	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	240.928	.	240.928	240.928
Fe	1	119.000	.	119.000	119.000
Mn	1	69.000	.	69.000	69.000
Zn	1	30.000	.	30.000	30.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	404.000	96.060	306.000	571.00
Aska	6	51.667	18.403	32.000	81.00
OS smbh	6	69.467	3.328	63.300	72.60
Råprot	6	112.000	18.889	97.000	139.00
sRåprot	6	630.833	109.044	474.000	747.00
NH3-N	6	74.500	45.995	12.000	130.00
NDF	6	456.833	43.874	384.000	511.00
iNDF	6	261.850	59.600	203.488	374.00
nhNDF	6	3.343	0.725	2.500	4.52
Stä	6	95.000	77.509	11.000	201.00
TAF	6	52.417	28.393	19.000	89.00
Mjölksyra	6	34.833	21.977	3.000	59.00
Ättiksyra	6	15.500	10.035	5.000	31.00
Socker	6	70.167	40.192	29.000	140.00
PRF	3	1.333	1.155	0.000	2.00
BUF	3	0.333	0.577	0.000	1.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	6	72.921	3.315	69.112	78.75
PBVp20	6	-7.813	19.489	-31.313	21.68
NELp20	6	5.690	0.281	5.182	5.96
OE*	4	10.123	0.491	9.390	10.41
AAT*	1	57.000	.	57.000	57.00
PBV*	1	45.000	.	45.000	45.00
Ca	6	4.467	1.271	3.400	6.40
P	6	1.983	0.504	1.200	2.50
Mg	6	1.417	0.248	1.100	1.80
K	6	15.033	3.292	11.300	19.90
Na	6	0.750	0.809	0.100	2.20
Cl	6	3.617	2.988	0.100	8.90
S	6	1.667	0.535	1.200	2.70
CAB	6	211.048	163.785	-21.245	425.11
Fe	6	251.333	381.409	54.000	1026.00
Mn	6	45.000	26.907	12.000	87.00
Zn	6	24.333	6.501	16.000	34.00
Cu	6	4.950	1.283	3.900	7.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	440.500	73.799	372.000	542.000
Aska	4	54.750	6.397	46.000	60.000
OS smbh	4	72.400	2.382	69.500	75.000
Råprot	4	115.250	3.202	113.000	120.000
sRåprot	4	616.750	105.196	496.000	715.000
NH3-N	4	58.250	30.467	15.000	84.000
NDF	4	402.250	81.879	284.000	470.000
iNDF	4	226.303	47.023	179.000	290.000
nhNDF	4	2.992	1.198	1.301	4.122
Stä	3	49.333	19.035	31.000	69.000
TAF	4	47.250	23.171	35.000	82.000
Mjölksyra	4	32.750	21.219	19.000	64.000
Ättiksyra	4	13.500	4.203	8.000	18.000
Socker	4	104.750	46.198	54.000	161.000
PRF	3	0.667	1.155	0.000	2.000
BUF	3	0.667	1.155	0.000	2.000
AATp20	4	77.724	1.717	75.505	79.544
PBVp20	4	-8.382	1.959	-9.984	-5.987
NELp20	4	5.870	0.287	5.557	6.238
OE*	3	10.877	0.270	10.570	11.080
Ca	4	5.650	1.279	4.000	7.000
P	4	2.400	0.648	1.800	3.300
Mg	4	1.600	0.572	1.100	2.400
K	4	17.025	3.160	13.900	21.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.175	1.053	0.200	2.600
Cl	4	5.000	3.642	1.700	10.100
S	4	2.100	0.432	1.700	2.700
CAB	4	214.414	105.455	101.091	321.451
Fe	4	94.750	4.573	89.000	100.000
Mn	4	38.500	24.893	14.000	70.000
Zn	4	51.250	42.011	22.000	113.000
Cu	4	6.325	2.454	5.000	10.000
Se	2	0.130	0.113	0.050	0.210

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	374.500	52.611	270.000	409.000
Aska	6	29.000	3.464	24.000	34.000
OS smbh	6	76.867	1.127	75.300	78.600
Råprot	6	77.333	11.708	65.000	95.000
sRåprot	6	644.833	110.166	446.000	744.000
NH3-N	6	76.833	41.763	23.000	124.000
NDF	6	368.833	43.273	331.000	446.000
iNDF	6	192.086	35.481	137.000	228.000
nhNDF	6	3.470	0.511	2.932	4.043
Stä	6	287.833	62.330	164.000	331.000
TAF	6	80.833	13.258	62.000	101.000
Mjölksyra	6	61.333	9.688	51.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	16.667	3.983	10.000	21.000
Socker	6	9.667	6.623	0.000	19.000
PRF	3	2.667	1.528	1.000	4.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	6	80.501	2.625	78.116	85.205
PBVp20	6	-49.440	9.332	-57.291	-31.704
NELp20	6	6.585	0.124	6.462	6.748
OE*	3	11.700	0.187	11.550	11.910
Ca	6	2.317	0.279	1.800	2.500
P	6	1.933	0.175	1.800	2.200
Mg	6	1.150	0.274	0.900	1.600
K	6	9.383	2.036	6.900	11.800
Na	5	0.180	0.130	0.100	0.400
Cl	3	1.900	0.173	1.700	2.000
S	6	0.917	0.160	0.800	1.200
CAB	6	144.224	48.237	95.975	214.428
Fe	4	99.000	52.732	69.000	178.000
Mn	4	16.250	6.850	10.000	24.000
Zn	4	18.500	1.732	16.000	20.000
Cu	4	3.750	0.858	3.100	5.000
Se	1	0.080	.	0.080	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	299.333	38.3970	255.000	322.000
Aska	3	51.000	6.5574	44.000	57.000
OS smbh	3	64.333	5.9911	59.400	71.000
Råprot	3	77.667	6.4291	73.000	85.000
sRåprot	3	790.333	18.8768	774.000	811.000
NH3-N	3	91.333	19.5021	72.000	111.000
NDF	3	586.000	31.4802	560.000	621.000
iNDF	3	233.463	47.8641	178.807	267.897
nhNDF	3	3.349	0.8021	2.790	4.268
Stä	3	20.667	5.5076	17.000	27.000
TAF	3	90.000	8.0000	82.000	98.000
Mjölksyra	3	68.000	7.5498	61.000	76.000
Ättiksyra	3	22.000	8.5440	14.000	31.000
Socker	3	52.333	20.5994	29.000	68.000
AATp20	3	62.551	5.0273	58.664	68.228
PBVp20	3	-18.831	12.1637	-32.579	-9.465
NELp20	3	5.276	0.5240	4.897	5.874
Ca	3	2.533	0.0577	2.500	2.600
P	3	2.433	0.5132	2.000	3.000
Mg	3	0.967	0.2082	0.800	1.200
K	3	17.867	3.1070	14.400	20.400
Na	3	0.233	0.2309	0.100	0.500
Cl	3	2.500	0.6000	1.900	3.100
S	3	1.267	0.2082	1.100	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	317.504	72.9058	233.462	363.763
Fe	3	104.333	47.2476	69.000	158.000
Mn	3	21.000	5.2915	15.000	25.000
Zn	3	17.000	2.6458	15.000	20.000
Cu	3	4.000	0.4583	3.600	4.500
Se	1	0.030	.	0.030	0.030

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	79.900	.	79.900	79.900
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	564.000	.	564.000	564.000
NH3-N	1	115.000	.	115.000	115.000
NDF	1	329.000	.	329.000	329.000
iNDF	1	142.714	.	142.714	142.714
nhNDF	1	4.134	.	4.134	4.134
Stä	1	109.000	.	109.000	109.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	66.000	.	66.000	66.000
AATp20	1	80.936	.	80.936	80.936

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	2.011	.	2.011	2.011
NELp20	1	6.412	.	6.412	6.412
OE*	1	11.800	.	11.800	11.800
AAT*	1	82.000	.	82.000	82.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	15.800	.	15.800	15.800
P	1	2.000	.	2.000	2.000
Mg	1	2.000	.	2.000	2.000
K	1	14.500	.	14.500	14.500
Na	1	0.200	.	0.200	0.200
Cl	1	9.800	.	9.800	9.800
S	1	0.900	.	0.900	0.900
CAB	1	47.233	.	47.233	47.233
Fe	1	145.000	.	145.000	145.000
Mn	1	44.000	.	44.000	44.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	80.000	.	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	591.000	.	591.000	591.000
iNDF	1	241.968	.	241.968	241.968
nhNDF	1	3.143	.	3.143	3.143
TAF	1	0.000	.	0.000	0.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	81.772	.	81.772	81.772
PBVp20	1	-41.271	.	-41.271	-41.271
NELp20	1	4.936	.	4.936	4.936
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-34.000	.	-34.000	-34.000
Ca	1	2.900	.	2.900	2.900
P	1	1.600	.	1.600	1.600
Mg	1	1.200	.	1.200	1.200
K	1	8.400	.	8.400	8.400
Na	1	0.800	.	0.800	0.800
S	1	1.100	.	1.100	1.100
CAB	1	40.021	.	40.021	40.021
Fe	1	59.000	.	59.000	59.000
Mn	1	84.000	.	84.000	84.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	848.667	101.563	637.000	935.000
Aska	9	54.333	9.836	39.000	76.000
OS smbh	9	66.678	5.345	60.400	76.400
Råprot	9	88.333	27.106	49.000	132.000
sRåprot	1	413.000	.	413.000	413.000
NDF	9	562.444	30.270	511.000	598.000
iNDF	9	222.432	50.129	136.153	285.886
nhNDF	9	3.629	0.772	2.503	5.156
TAF	9	0.000	0.000	0.000	0.000
Socker	9	136.667	62.656	76.000	259.000
AATp20	9	85.268	3.155	79.593	90.362
PBVp20	9	-39.487	28.550	-85.283	5.359
NELp20	9	5.162	0.348	4.746	5.755
OE*	9	9.731	0.918	8.700	11.400
AAT*	8	70.125	5.693	64.000	80.000
PBV*	8	-30.375	36.723	-86.000	22.000
Ca	9	4.211	1.917	2.000	8.300
P	9	2.222	0.509	1.600	3.300
Mg	9	1.533	0.604	0.900	2.700
K	9	17.156	5.152	6.800	25.100
Na	9	1.178	1.276	0.100	4.200
Cl	1	6.500	.	6.500	6.500
S	9	1.689	0.473	1.000	2.300
CAB	9	238.873	155.480	-23.726	539.957

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	84.556	53.278	41.000	205.000
Mn	9	66.778	34.608	12.000	110.000
Zn	9	23.667	7.826	16.000	38.000
Cu	9	4.089	1.506	2.600	7.700
Se	4	0.069	0.098	0.005	0.213

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	898.500	10.6066	891.000	906.000
Aska	2	69.500	14.8492	59.000	80.000
OS smbh	2	69.750	3.1820	67.500	72.000
Råprot	2	121.500	16.2635	110.000	133.000
NDF	2	512.500	34.6482	488.000	537.000
iNDF	2	203.053	16.4344	191.432	214.674
nhNDF	2	3.733	0.1820	3.604	3.862
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	129.000	24.0416	112.000	146.000
AATp20	2	89.702	5.4262	85.866	93.539
PBVp20	2	-15.956	6.3717	-20.462	-11.451
NELp20	2	5.451	0.3279	5.219	5.683
OE*	2	10.100	0.7071	9.600	10.600
AAT*	2	71.500	3.5355	69.000	74.000
PBV*	2	-1.000	9.8995	-8.000	6.000
Ca	1	4.400	.	4.400	4.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	1.700	.	1.700	1.700
K	1	22.800	.	22.800	22.800
Na	1	0.500	.	0.500	0.500
S	1	2.300	.	2.300	2.300
CAB	1	320.264	.	320.264	320.264
Fe	1	56.000	.	56.000	56.000
Mn	1	78.000	.	78.000	78.000
Zn	1	19.000	.	19.000	19.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	397.500	99.7021	327.000	468.000
Aska	2	91.000	9.8995	84.000	98.000
OS smbh	2	76.900	3.6770	74.300	79.500
Råprot	2	206.500	24.7487	189.000	224.000
sRåprot	2	711.000	1.4142	710.000	712.000
NH3-N	2	65.500	6.3640	61.000	70.000
NDF	2	318.500	20.5061	304.000	333.000
iNDF	2	241.389	90.7621	177.211	305.568
nhNDF	2	4.069	0.0282	4.049	4.089
TAF	2	101.950	41.2243	72.800	131.100
Mjölksyra	2	83.500	30.4056	62.000	105.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	16.500	12.0208	8.000	25.000
Socker	2	45.500	43.1335	15.000	76.000
BUF	2	0.950	1.2021	0.100	1.800
AATp20	2	76.786	8.0514	71.093	82.479
PBVp20	2	89.850	11.0585	82.030	97.669
NELp20	2	6.373	0.3070	6.156	6.590
OE*	2	11.000	0.7071	10.500	11.500
AAT*	2	71.000	1.4142	70.000	72.000
PBV*	2	83.000	21.2132	68.000	98.000
Ca	2	17.850	6.5761	13.200	22.500
P	2	3.150	0.0707	3.100	3.200
Mg	2	1.800	0.2828	1.600	2.000
K	2	21.950	3.4648	19.500	24.400
Na	2	1.050	0.4950	0.700	1.400
Cl	2	5.500	1.2728	4.600	6.400
S	2	2.050	0.3536	1.800	2.300
CAB	2	323.979	52.1847	287.079	360.879
Fe	2	105.500	10.6066	98.000	113.000
Mn	2	34.000	8.4853	28.000	40.000
Zn	2	21.000	5.6569	17.000	25.000
Cu	2	7.400	0.1414	7.300	7.500
Se	1	0.036	.	0.036	0.036

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	97.000	.	97.000	97.000
OS smbh	1	70.000	.	70.000	70.000
Råprot	1	175.000	.	175.000	175.000
sRåprot	1	528.000	.	528.000	528.000
NH3-N	1	81.000	.	81.000	81.000
NDF	1	402.000	.	402.000	402.000
iNDF	1	351.000	.	351.000	351.000
nhNDF	1	4.654	.	4.654	4.654
TAF	1	101.000	.	101.000	101.000
Mjölksyra	1	87.000	.	87.000	87.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	40.000	.	40.000	40.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.808	.	73.808	73.808
PBVp20	1	64.452	.	64.452	64.452
NELp20	1	5.792	.	5.792	5.792
OE*	1	9.830	.	9.830	9.830
Ca	1	11.400	.	11.400	11.400
P	1	3.900	.	3.900	3.900
Mg	1	3.400	.	3.400	3.400
K	1	22.900	.	22.900	22.900
Na	1	1.200	.	1.200	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	3.500	.	3.500	3.500
S	1	2.500	.	2.500	2.500
CAB	1	383.010	.	383.010	383.010

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	737.000	200.818	595.000	879.000
Aska	2	53.500	43.134	23.000	84.000
OS smbh	2	52.300	2.546	50.500	54.100
Råprot	2	69.500	7.778	64.000	75.000
sRåprot	2	439.000	35.355	414.000	464.000
NDF	2	657.500	70.004	608.000	707.000
iNDF	2	441.500	23.335	425.000	458.000
nhNDF	2	4.189	0.905	3.549	4.829
Stä	2	21.000	4.243	18.000	24.000
TAF	2	0.000	0.000	0.000	0.000
Socker	2	26.000	12.728	17.000	35.000
AATp20	2	68.402	1.065	67.649	69.156
PBVp20	2	-42.635	3.088	-44.818	-40.452
NELp20	2	3.852	0.031	3.830	3.874
OE*	2	7.320	0.099	7.250	7.390
Ca	2	9.050	5.020	5.500	12.600
P	2	0.900	0.141	0.800	1.000
Mg	2	1.250	0.354	1.000	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	5.800	0.283	5.600	6.000
Na	2	0.650	0.495	0.300	1.000
Cl	2	2.750	0.071	2.700	2.800
S	2	1.250	0.071	1.200	1.300
CAB	2	21.009	26.327	2.393	39.625
Fe	2	126.000	62.225	82.000	170.000
Mn	2	21.000	8.485	15.000	27.000
Zn	2	9.500	0.707	9.000	10.000
Cu	2	4.500	0.707	4.000	5.000
Se	2	0.075	0.007	0.070	0.080

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	431.600	32.807	400.000	470.000
Aska	5	62.800	7.120	51.000	70.000
OS smbh	5	74.720	1.445	73.600	77.200
Råprot	5	139.800	10.710	128.000	157.000
sRåprot	5	518.000	45.558	441.000	556.000
NH3-N	5	76.400	26.025	31.000	97.000
NDF	5	332.400	41.633	264.000	365.000
iNDF	5	241.200	11.054	226.000	257.000
nhNDF	5	2.832	0.344	2.292	3.160
Stä	5	183.200	31.515	145.000	230.000
TAF	5	73.600	13.050	56.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	5	44.600	15.043	21.000	59.000
Ättiksyra	5	22.400	2.510	20.000	26.000
Socker	5	43.800	15.434	27.000	66.000
PRF	5	4.800	1.924	2.000	7.000
BUF	5	1.800	1.924	0.000	5.000
AATp20	5	84.018	3.776	80.283	90.326
PBVp20	5	14.199	4.868	8.609	20.862
NELp20	5	6.374	0.109	6.297	6.565
OE*	5	10.990	0.234	10.800	11.390
Ca	5	7.360	1.189	6.300	9.400
P	5	3.740	0.770	3.000	4.900
Mg	5	2.760	0.666	1.900	3.600
K	5	16.200	1.275	14.100	17.400
Na	5	2.100	0.711	1.100	2.800
Cl	5	6.380	5.039	0.500	14.300
S	5	2.520	0.642	2.000	3.600
CAB	5	168.408	124.610	-30.342	295.442
Fe	4	275.000	76.118	209.000	351.000
Mn	4	66.250	12.339	52.000	82.000
Zn	4	64.500	14.663	43.000	76.000
Cu	4	10.500	1.291	9.000	12.000
Se	1	0.360	.	0.360	0.360

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	511.000	104.652	437.000	585.000
Aska	2	54.000	8.485	48.000	60.000
OS smbh	2	73.750	7.283	68.600	78.900
Råprot	2	117.000	21.213	102.000	132.000
sRåprot	2	544.500	68.589	496.000	593.000
NH3-N	2	58.000	4.243	55.000	61.000
NDF	2	387.500	92.631	322.000	453.000
iNDF	2	211.728	51.159	175.553	247.903
nhNDF	2	3.233	0.499	2.880	3.586
Stä	2	146.000	149.907	40.000	252.000
Socker	2	71.500	50.205	36.000	107.000
NELp20	2	0.000	0.000	0.000	0.000
Ca	2	7.150	3.606	4.600	9.700
P	2	2.500	0.707	2.000	3.000
Mg	2	2.000	0.141	1.900	2.100
K	2	12.200	1.131	11.400	13.000
Na	2	1.600	0.566	1.200	2.000
Cl	2	4.100	3.818	1.400	6.800
S	2	1.950	0.071	1.900	2.000
CAB	2	144.218	98.800	74.355	214.080
Fe	2	258.000	209.304	110.000	406.000
Mn	2	38.500	30.406	17.000	60.000
Zn	2	34.000	22.627	18.000	50.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	2	6.900	3.960	4.100	9.700
Se	1	0.190	.	0.190	0.190

*= Parametrar från det gamla svenska fodervärderingssystemet