

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	10	858	21	68.8	110	268	6.0	156	135	3.15	595	0.000			5
Havre, kärna, hög NDF (002)	1	1	856	21	75.0	113				392	2.00	492	0.000			
Vete, kärna (005)	1	14	862	18	70.4	115	317	6.5	108	155	3.50	647	0.000			12
Rågvete (015)	1	2	834	20	44.7	132	443	6.0	86	106	3.50	596	0.000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	791	22	80.5	125		6.0	202	304	2.50	566	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	4	830	20	87.0	112		7.0		173	3.30	617	0.000			
Majs hela plantan, grönmassa (030)	1	4	303	28	74.9	78	382		382	205	3.11	300	57.000			16
Prognos, gräs (0% baljv.) (041)	1	1	530		72.7					171	4.34		0.000			
Råg, helsäd, grönmassa (138)	1	1	381	42	71.2	116	604	64.0	537	187	4.03	19	22.000	9.0	13.0	170
Grönmassa, gräs (0% baljv.) (161)	0	1	611	69	72.8	110			563	155	4.83		61.000			104
Grönmassa, gräs (0% baljv.) (161)	1	11	588	59	74.3	124	476		507	156	4.91		55.636	0.0	0.0	140
Grönmassa, gräs (0% baljv.) (161)	2	6	550	75	74.3	155	401		504	155	4.71		61.000			95
Grönmassa, gräs (0% baljv.) (161)	3	2	627	82	75.5	193			476	148	4.75		61.000			77
Ensilage, gräs (0% klöver) (162)	1	7	344	70	76.7	157	642	89.3	461	140	4.88		72.471	55.7	14.1	51
Ensilage, gräs (0% klöver) (162)	2	4	551	66	74.9	154	549	65.0	477	160	4.61		46.375	33.8	10.5	66
Ensilage, gräs (0% klöver) (162)	3	1	266	79	77.1	159	595	72.0	433	142	4.67		111.100	90.0	20.0	21
Grönmassa blandvall (1-50 % baljväxter) (164)	0	8	416	64	74.9	126			496	153	4.70		84.000			137
Grönmassa blandvall (1-50 % baljväxter) (164)	1	92	486	67	77.3	143	446		469	126	5.16		64.652	0.0	1.4	132
Grönmassa blandvall (1-50 % baljväxter) (164)	2	53	531	75	75.6	157	459		467	151	4.67		79.396	0.0	0.3	104
Grönmassa blandvall (1-50 % baljväxter) (164)	3	26	479	84	74.7	167	376		459	169	4.61		84.000			91
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9	511	87	78.0	191			442	122	5.24		84.000			103
Ensilage, blandvall (1-50% klöver) (165)	0	12	407	66	74.8	142	573	77.6	469	163	4.39		66.225	52.3	12.0	67
Ensilage, blandvall (1-50% klöver) (165)	1	324	382	67	76.2	143	648	84.9	450	150	4.56	110	74.032	55.4	15.5	67
Ensilage, blandvall (1-50% klöver) (165)	2	197	478	73	74.1	152	527	66.0	460	173	4.24		53.024	38.9	11.9	73
Ensilage, blandvall (1-50% klöver) (165)	3	73	479	76	74.6	159	505	65.3	450	173	4.25		53.185	39.0	12.0	70

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	4	4	385	90	75.3	162	584	96.5	400	177	3.92		73.175	55.0	14.8	48
Ensilage, blandvall (1-50% klöver) (165)	*	1	387	63	74.3	152	558	82.0	456	175	4.08		57.100	46.0	10.0	63
Korn, helsädesensilage (250)	1	23	398	58	68.7	115	614	75.9	468	246	3.17	84	65.483	48.4	14.0	64
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	368	61	64.6	112	680	98.6	476	284	2.48	90	73.800	53.4	18.4	27
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	332	62	66.9	111	582	74.3	484	357	5.81	71	74.417	53.8	17.5	46
Havre helsädesensilage degmognad (296)	1	4	409	58	66.6	120	676	97.3	490	266	3.05	66	69.750	47.3	19.3	55
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	499	70	68.5	140	672	62.0	503	221	3.40	18	61.000	45.0	16.0	42
Vete, helsäd ensilage (299)	1	7	464	43	65.3	80	666	78.9	501	270	2.75	83	51.286	33.6	15.1	95
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	367	57	66.5	117	595	103	415	322	2.33	146	76.500	53.5	20.0	31
Majs, helsädesensilage (305)	1	4	322	28	73.2	69	538	74.3	423	230	3.41	286	55.500	31.0	20.8	10
Råg, helsädesensilage, axgång (311)	1	1	421	54	73.3	80	572	54.0	486	179	4.09	17	30.000	15.0	15.0	191
Hö, blandvall, 0-50% baljväxter (383)	0	1	885	39	58.1	36			606	288	2.49		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	8	832	50	66.1	90	426		584	220	3.57		0.000			117
Hö, blandvall, 0-50% baljväxter (383)	2	1	902	64	69.0	96			525	208	3.65		0.000			154
Ensilage, blandvall (51-100% klöver) (438)	1	3	384	68	76.2	140	638	65.3	462	124	4.23		92.000	70.3	18.0	62
Ensilage, blandvall (51-100% klöver) (438)	2	1	373	75	76.7	145	529	37.0	449	122	4.27		113.000	89.0	20.0	50
Ensilage, blandvall (1-50% klöver) (326)	1	4	436	69	76.6	155	566	55.3	369	183	3.71	123	52.500	35.8	12.5	69
Fullfoder (TMR) ej kompletta data (1E3)	1	6	454	64	73.1	150	518	60.3	412	208	3.38	86				50

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	10				95.8	-33	7.37	13.4	93.0	-45
Havre, kärna, hög NDF (002)	1	1				82.4	-3.9	6.41			
Vete, kärna (005)	1	14				113	-51	7.97	14.1		
Rågvete (015)	1	2				111	-31	7.87	14.0		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				94.3	-14	6.99			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Blandsäd, kärna, 50%korn/50%vete (114)	1	4				105	-43	7.57			
Majs hela plantan, grönmassa (030)	1	4				86.9	-59	6.28	11.3	80.0	-67
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	12.0		
Råg, helsäd, grönmassa (138)	1	1				78.0	-9.7	5.62			
Grönmassa, gräs (0% baljv.) (161)	0	1				83.0	-18	5.89	10.6	74.0	-17
Grönmassa, gräs (0% baljv.) (161)	1	11	2.00000	0.00000		85.8	-9.5	5.99	11.0	76.6	-8.0
Grönmassa, gräs (0% baljv.) (161)	2	6				86.9	17.7	6.07	10.8	74.8	31.3
Grönmassa, gräs (0% baljv.) (161)	3	2				88.6	49.1	6.22	10.9	75.0	62.5
Ensilage, gräs (0% klöver) (162)	1	7	3.00000	1.32857		83.2	25.1	6.35	11.2	72.0	32.7
Ensilage, gräs (0% klöver) (162)	2	4	2.00000	0.87500		86.2	17.6	6.14	11.0	71.7	41.0
Ensilage, gräs (0% klöver) (162)	3	1		0.10000		80.4	31.1	6.45	11.2	72.0	35.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	8				83.5	-1.8	6.12	11.0	76.4	-5.4
Grönmassa blandvall (1-50 % baljväxter) (164)	1	92	1.80000	1.40000		88.7	5.7	6.31	11.4	78.0	6.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	53	2.00000	0.33333		85.8	23.7	6.22	11.0	75.5	29.3
Grönmassa blandvall (1-50 % baljväxter) (164)	3	26				85.3	34.0	6.14	10.7	73.9	35.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9				88.4	51.7	6.48	11.2	76.7	58.3
Ensilage, blandvall (1-50% klöver) (165)	0	12		0.97500		83.7	12.9	6.15	11.0	71.6	18.7
Ensilage, blandvall (1-50% klöver) (165)	1	324	3.70270	1.55679		82.8	15.2	6.27	11.2	72.3	14.1
Ensilage, blandvall (1-50% klöver) (165)	2	197	2.51064	0.91269		85.2	20.3	6.06	10.8	70.9	27.1
Ensilage, blandvall (1-50% klöver) (165)	3	73	2.80000	0.77397		86.3	25.2	6.10	10.8	71.1	34.5
Ensilage, blandvall (1-50% klöver) (165)	4	4		2.42500		81.8	34.5	6.08	10.8	70.8	39.5
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.10000		85.0	20.5	6.10	10.9	71.0	29.0
Korn, helsädesensilage (250)	1	23	4.00000	0.80000		71.0	-1.3	5.58	10.2		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5				65.9	9.2	5.36	9.2	58.0	10.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.33333	1.33333		70.4	0.2	5.56	10.1		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Havre helsädesensilage degmognad (296)	1	4	8.00000	5.00000		71.4	4.0	5.48	9.6		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				69.9	26.6	5.64			
Vete, helsäd ensilage (299)	1	7	3.00000	0.00000		69.2	-28	5.27	9.8	64.0	-55
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	3.00000	3.00000		69.9	5.6	5.53	10.0		
Majs, helsädesensilage (305)	1	4	4.50000	0.00000		81.2	-57	6.20	10.8	78.0	-79
Råg, helsädesensilage, axgång (311)	1	1				78.5	-43	5.68			
Hö, blandvall, 0-50% baljväxter (383)	0	1				72.1	-66	4.29	8.4	61.0	-67
Hö, blandvall, 0-50% baljväxter (383)	1	8				86.1	-39	5.18	9.7	67.2	-38
Hö, blandvall, 0-50% baljväxter (383)	2	1				86.8	-35	5.30	10.0	71.0	-25
Ensilage, blandvall (51-100% klöver) (438)	1	3	3.33333	0.33333		79.3	21.3	6.43	11.2		
Ensilage, blandvall (51-100% klöver) (438)	2	1	4.00000	0.00000		79.5	25.8	6.53	11.2		
Ensilage, blandvall (1-50% klöver) (326)	1	4	4.00000	0.25000		87.5	22.8	6.50	11.2		
Fullfoder (TMR) ej kompletta data (1E3)	1	6						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	8	0.5	3.3	1.2	5.6	0.1	2.8	1.3	21	8	66.1	17.5	31.9	4.7	
Havre, kärna, hög NDF (002)	1	1	0.9	4.0	1.4	5.8	0.1		1.6	33	1	111.0	59.0	39.0	5.8	
Vete, kärna (005)	1	11	0.4	3.1	1.1	5.1	0.1	2.2	1.3	19	11	47.1	37.1	31.2	4.1	
Rågvete (015)	1	2	0.5	3.4	1.3	5.8	0.1	1.7	1.8	10	2	44.5	41.0	43.0	5.5	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.0	0.0	0.0	0.0	0.0		0.0	-25	1	74.0	55.0	48.0	5.1	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	4	0.5	3.4	1.3	5.9	0.1		1.2	50	4	53.8	28.3	35.3	5.2	
Majs hela plantan, grönmassa (030)	1	4	2.0	1.9	1.1	9.9	0.2	1.4	0.9	166	1	63.0	29.0	31.0	3.8	
Råg, helsäd, grönmassa (138)	1	1	1.7	2.3	1.0	16.4	0.1	5.5	2.0	144	1	70.0	47.0	39.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	0	1	4.9	2.8	2.0	21.8	1.5		2.4	332	1	69.0	85.0	33.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	11	4.0	2.4	1.3	18.7	0.6	3.5	1.6	271	10	155.9	62.0	28.0	4.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	2	6	5.3	2.9	1.9	25.1	1.1	5.7	2.3	394	5	132.0	113.0	36.8	6.7	0.0
Grönmassa, gräs (0% baljv.) (161)	3	2	7.0	3.1	2.9	25.5	1.3		3.4	355	2	142.0	124.0	40.5	7.9	0.1
Ensilage, gräs (0% klöver) (162)	1	7	4.2	2.5	1.7	20.5	0.8	3.6	2.0	332	7	276.9	59.1	34.9	5.4	0.0
Ensilage, gräs (0% klöver) (162)	2	3	5.0	2.7	1.9	21.3	0.9	6.4	2.2	265	3	84.3	79.3	29.7	6.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	8	4.0	2.5	1.9	21.6	0.6		1.8	336	8	114.9	79.6	30.1	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	89	4.6	2.8	1.7	22.9	0.8	4.4	2.0	369	70	122.3	60.3	30.6	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	47	7.2	3.4	2.6	27.1	1.2	4.3	2.8	440	38	159.0	72.9	31.0	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	7.5	3.1	2.5	25.7	0.9	9.6	2.4	361	20	145.8	66.7	28.7	7.3	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	5	5.9	3.4	2.8	26.6	0.9		2.9	409	5	298.6	78.6	31.4	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	11	5.3	2.7	2.1	20.0	1.4	6.4	2.1	264	11	151.8	87.3	33.1	6.5	
Ensilage, blandvall (1-50% klöver) (165)	1	306	4.9	2.6	1.8	21.8	1.1	5.3	1.9	335	283	186.9	67.0	39.2	5.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	193	6.2	2.9	2.4	21.6	1.4	7.6	2.3	254	178	167.6	84.8	42.9	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	71	7.0	3.0	2.7	22.7	1.4	8.2	2.5	250	64	176.1	86.6	40.6	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	3	7.8	3.0	2.6	22.6	2.2	7.6	2.8	258	3	462.0	101.0	25.3	7.2	
Ensilage, blandvall (1-50% klöver) (165)	*	1	6.3	3.2	2.3	18.1	1.7	6.2	2.2	225	1	107.0	61.0	34.0	5.1	
Korn, helsädesensilage (250)	1	23	4.8	2.6	1.8	16.4	1.2	7.2	2.0	142	20	203.9	62.5	40.5	5.8	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	4.8	2.8	1.8	19.5	1.0	5.5	1.6	288	5	117.0	77.2	51.4	5.6	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.7	2.9	1.8	20.5	1.0	5.9	1.9	285	6	158.0	110.7	44.7	5.2	0.0
Havre helsädesensilage degmognad (296)	1	4	4.0	2.5	1.6	19.3	1.8	6.1	2.0	276	4	156.8	104.0	44.5	5.6	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	5.5	3.1	1.6	24.6	0.2	4.0	1.7	419	1	120.0	48.0	1364	5.2	
Vete, helsäd ensilage (299)	1	7	3.2	2.1	1.3	13.8	0.3	2.2	1.3	224	7	171.3	61.9	25.9	3.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	4.4	2.6	1.8	16.2	0.5	3.8	2.0	207	1	77.0	39.0	22.0	5.0	
Majs, helsädesensilage (305)	1	4	1.6	1.7	1.2	8.7	0.4	2.0	0.9	132	4	127.3	39.3	32.5	4.2	0.1
Råg, helsädesensilage, axgång (311)	1	1	2.5	2.0	1.0	23.9	0.6	4.8	1.3	421	1	139.0	35.0	19.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	1	6	3.8	2.4	1.7	15.2	1.0	2.2	1.6	217	4	118.8	54.5	27.0	3.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (51-100% klöver) (438)	1	3	4.3	2.4	1.6	24.5	0.6	3.6	1.9	430	3	241.0	51.3	26.3	6.0	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	1	5.6	2.7	1.9	22.6	0.8	6.0	2.0	319	1	166.0	56.0	24.0	7.0	0.2
Ensilage, blandvall (1-50% klöver) (326)	1	4	6.5	3.5	2.7	16.9	2.9	8.0	2.4	184	3	425.0	98.7	80.7	14.0	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	6	5.5	3.1	2.9	14.5	2.9	5.5	2.6	178	6	362.0	96.2	65.8	15.1	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	857.900	28.0731	819.000	894.000
Aska	10	21.330	2.2554	18.600	24.150
OS smbh	10	68.800	36.2608	0.000	86.000
Råprot	10	110.130	14.9994	90.600	128.950
sRåprot	2	268.000	18.3848	255.000	281.000
NH3-N	1	6.000	.	6.000	6.000
NDF	3	156.333	18.8768	140.000	177.000
iNDF	10	134.600	57.7643	25.000	162.000
nhNDF	10	3.150	0.0000	3.150	3.150
Stä	10	595.040	54.2224	515.000	656.400
TAF	10	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	10	95.821	1.8390	94.339	99.194
PBVp20	10	-33.495	14.8099	-52.611	-14.047
NELp20	10	7.371	0.1057	7.247	7.531
OE*	3	13.400	0.1000	13.300	13.500
AAT*	1	93.000	.	93.000	93.000
PBV*	1	-45.000	.	-45.000	-45.000
Ca	8	0.450	0.0756	0.400	0.600
P	8	3.288	0.1458	3.000	3.500
Mg	8	1.225	0.0886	1.100	1.300
K	8	5.563	0.3623	4.900	6.000
Na	8	0.100	0.0000	0.100	0.100
Cl	2	2.850	0.6364	2.400	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	8	1.288	0.2588	0.900	1.700
CAB	8	20.720	40.2811	-54.195	65.190
Fe	8	66.125	33.0387	37.000	142.000
Mn	8	17.500	3.2514	14.000	23.000
Zn	8	31.875	6.1976	23.000	43.000
Cu	8	4.725	0.8746	3.300	6.000

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	856.000	.	856.000	856.000
Aska	1	21.000	.	21.000	21.000
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	113.300	.	113.300	113.300
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	491.800	.	491.800	491.800
TAF	1	0.000	.	0.000	0.000
AATp20	1	82.444	.	82.444	82.444
PBVp20	1	-3.937	.	-3.937	-3.937
NELp20	1	6.414	.	6.414	6.414
Ca	1	0.900	.	0.900	0.900
P	1	4.000	.	4.000	4.000
Mg	1	1.400	.	1.400	1.400
K	1	5.800	.	5.800	5.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
CAB	1	32.967	.	32.967	32.967
Fe	1	111.000	.	111.000	111.000
Mn	1	59.000	.	59.000	59.000
Zn	1	39.000	.	39.000	39.000
Cu	1	5.800	.	5.800	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	861.929	17.0495	852.000	868.000
Aska	14	17.557	1.8425	15.100	19.600
OS smbh	15	70.400	36.4355	0.000	88.000
Råprot	14	114.886	14.1072	96.300	137.000
sRåprot	3	317.000	48.1352	274.000	369.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	5	108.400	12.5419	92.000	127.000
iNDF	15	154.600	67.0744	25.000	187.000
nhNDF	15	3.500	0.0000	3.500	3.500
Stä	14	647.043	44.6846	584.000	697.000
TAF	15	0.000	0.0000	0.000	0.000
Socker	4	11.750	16.9975	0.000	37.000
AATp20	15	113.496	2.0526	110.706	116.636
PBVp20	15	-51.060	11.3167	-67.282	-33.301

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	15	7.967	0.1054	7.846	8.116
OE*	3	14.100	0.1000	14.000	14.200
Ca	11	0.382	0.0874	0.300	0.400
P	11	3.100	0.2608	2.700	3.400
Mg	11	1.127	0.1191	1.000	1.300
K	11	5.055	0.4677	4.500	5.600
Na	9	0.100	0.0000	0.100	0.100
Cl	2	2.200	1.1314	1.400	3.000
S	11	1.327	0.1272	1.200	1.500
CAB	11	18.655	26.1100	-11.192	42.103
Fe	11	47.091	16.7419	37.000	61.000
Mn	11	37.091	10.3097	29.000	43.000
Zn	11	31.182	7.3732	22.000	39.000
Cu	11	4.136	0.8322	3.600	5.000

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	834.000	19.799	820.000	848.000
Aska	2	19.500	2.121	18.000	21.000
OS smbh	2	44.740	63.271	0.000	89.479
Råprot	2	131.500	7.778	126.000	137.000
sRåprot	1	443.000	.	443.000	443.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	86.000	.	86.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	106.000	114.551	25.000	187.000
nhNDF	2	3.500	0.000	3.500	3.500
Stä	2	595.500	40.305	567.000	624.000
TAF	2	0.000	0.000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	110.727	1.233	109.855	111.598
PBVp20	2	-31.489	4.631	-34.764	-28.214
NELp20	2	7.873	0.286	7.671	8.075
OE*	1	14.000	.	14.000	14.000
Ca	2	0.450	0.071	0.400	0.500
P	2	3.400	0.141	3.300	3.500
Mg	2	1.300	0.141	1.200	1.400
K	2	5.800	0.283	5.600	6.000
Na	1	0.100	.	0.100	0.100
Cl	1	1.700	.	1.700	1.700
S	2	1.750	0.354	1.500	2.000
CAB	2	9.508	49.249	-25.317	44.332
Fe	2	44.500	6.364	40.000	49.000
Mn	2	41.000	2.828	39.000	43.000
Zn	2	43.000	5.657	39.000	47.000
Cu	2	5.500	0.707	5.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	791.000	.	791.000	791.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	125.000	.	125.000	125.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	202.000	.	202.000	202.000
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	566.000	.	566.000	566.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	94.336	.	94.336	94.336
PBVp20	1	-14.337	.	-14.337	-14.337
NELp20	1	6.986	.	6.986	6.986
Ca	1	0.000	.	0.000	0.000
P	1	0.000	.	0.000	0.000
Mg	1	0.000	.	0.000	0.000
K	1	0.000	.	0.000	0.000
Na	1	0.000	.	0.000	0.000
S	1	0.000	.	0.000	0.000
CAB	1	-25.352	.	-25.352	-25.352
Fe	1	74.000	.	74.000	74.000
Mn	1	55.000	.	55.000	55.000
Zn	1	48.000	.	48.000	48.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	5.100	.	5.100	5.100
Se	1	0.005	.	0.005	0.005

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	829.750	18.9451	802.000	844.000
Aska	4	20.250	3.5341	16.600	25.000
OS smbh	4	87.000	0.0000	87.000	87.000
Råprot	4	111.900	20.1125	88.000	134.300
NH3-N	2	7.000	1.4142	6.000	8.000
iNDF	4	173.000	0.0000	173.000	173.000
nhNDF	4	3.300	0.0000	3.300	3.300
Stä	4	617.200	60.7276	533.000	677.700
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	104.746	1.4252	103.301	106.536
PBVp20	4	-42.742	18.4926	-64.348	-23.215
NELp20	4	7.566	0.1431	7.414	7.732
Ca	4	0.450	0.1915	0.300	0.700
P	4	3.425	0.4856	2.700	3.700
Mg	4	1.250	0.1291	1.100	1.400
K	4	5.875	0.4031	5.300	6.200
Na	4	0.100	0.0000	0.100	0.100
S	4	1.225	0.2062	1.000	1.400
CAB	4	49.872	9.9569	42.979	64.574

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	53.750	20.5000	36.000	72.000
Mn	4	28.250	11.4419	18.000	44.000
Zn	4	35.250	5.5603	30.000	43.000
Cu	4	5.150	1.3102	3.200	6.000

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	303.000	37.7448	271.000	356.000
Aska	4	28.000	3.6515	24.000	32.000
OS smbh	4	74.925	2.3585	72.400	78.100
Råprot	4	77.750	2.9861	75.000	82.000
sRåprot	4	381.500	28.8039	351.000	419.000
NDF	4	381.750	39.4831	328.000	423.000
iNDF	4	204.939	18.2703	193.756	232.000
nhNDF	4	3.110	0.2914	2.737	3.347
Stä	4	300.250	51.0514	243.000	367.000
TAF	4	57.000	0.0000	57.000	57.000
Socker	4	15.750	12.3390	7.000	34.000
AATp20	4	86.863	2.1495	84.737	89.619
PBVp20	4	-59.163	5.1665	-64.549	-53.544
NELp20	4	6.282	0.2039	6.127	6.573
OE*	4	11.325	0.2138	11.020	11.500
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-67.000	.	-67.000	-67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	4	2.000	0.0816	1.900	2.100
P	4	1.925	0.2363	1.600	2.100
Mg	4	1.050	0.1291	0.900	1.200
K	4	9.850	0.7326	8.800	10.500
Na	4	0.150	0.0577	0.100	0.200
Cl	1	1.400	.	1.400	1.400
S	4	0.850	0.0577	0.800	0.900
CAB	4	165.878	19.8608	139.975	187.801
Fe	1	63.000	.	63.000	63.000
Mn	1	29.000	.	29.000	29.000
Zn	1	31.000	.	31.000	31.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	12.000	.	12.000	12.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	381.000	.	381.000	381.000
Aska	1	42.000	.	42.000	42.000
OS smbh	1	71.200	.	71.200	71.200
Råprot	1	116.000	.	116.000	116.000
sRåprot	1	604.000	.	604.000	604.000
NH3-N	1	64.000	.	64.000	64.000
NDF	1	537.000	.	537.000	537.000
iNDF	1	187.341	.	187.341	187.341
nhNDF	1	4.031	.	4.031	4.031
Stä	1	19.000	.	19.000	19.000
TAF	1	22.000	.	22.000	22.000
Mjölksyra	1	9.000	.	9.000	9.000
Ättiksyra	1	13.000	.	13.000	13.000
Socket	1	170.000	.	170.000	170.000
AATp20	1	78.044	.	78.044	78.044
PBVp20	1	-9.654	.	-9.654	-9.654
NELp20	1	5.624	.	5.624	5.624
Ca	1	1.700	.	1.700	1.700
P	1	2.300	.	2.300	2.300
Mg	1	1.000	.	1.000	1.000
K	1	16.400	.	16.400	16.400
Na	1	0.100	.	0.100	0.100
Cl	1	5.500	.	5.500	5.500
S	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	143.856	.	143.856	143.856
Fe	1	70.000	.	70.000	70.000
Mn	1	47.000	.	47.000	47.000
Zn	1	39.000	.	39.000	39.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	611.000	.	611.000	611.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	110.000	.	110.000	110.000
NDF	1	563.000	.	563.000	563.000
iNDF	1	155.149	.	155.149	155.149
nhNDF	1	4.832	.	4.832	4.832
TAF	1	61.000	.	61.000	61.000
Socker	1	104.000	.	104.000	104.000
AATp20	1	82.962	.	82.962	82.962
PBVp20	1	-17.743	.	-17.743	-17.743
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-17.000	.	-17.000	-17.000
Ca	1	4.900	.	4.900	4.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	21.800	.	21.800	21.800
Na	1	1.500	.	1.500	1.500
S	1	2.400	.	2.400	2.400
CAB	1	331.917	.	331.917	331.917
Fe	1	69.000	.	69.000	69.000
Mn	1	85.000	.	85.000	85.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	588.000	209.554	326.000	815.000
Aska	11	58.636	8.524	48.000	65.000
OS smbh	11	74.255	6.840	65.300	83.500
Råprot	11	123.818	40.531	85.000	170.000
sRåprot	2	476.000	2.828	474.000	478.000
NDF	11	507.273	60.652	437.000	582.000
iNDF	11	155.802	64.561	63.209	237.977
nhNDF	11	4.907	1.389	3.712	7.212
TAF	11	55.636	17.789	61.000	61.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	11	140.273	26.654	115.000	160.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	11	85.795	8.275	75.536	95.739
PBVp20	11	-9.463	27.122	-31.753	18.973
NELp20	11	5.988	0.639	5.199	6.896
OE*	11	10.959	1.081	9.570	12.400
AAT*	9	76.556	5.769	67.000	84.000
PBV*	9	-8.000	34.406	-43.000	68.000
Ca	11	4.045	1.654	2.800	4.600
P	11	2.391	0.493	1.700	2.900
Mg	11	1.336	0.298	1.000	1.600
K	11	18.736	4.474	14.800	26.500
Na	11	0.636	0.401	0.300	1.200
Cl	2	3.450	0.778	2.900	4.000
S	11	1.645	0.563	1.100	2.600
CAB	11	271.111	102.499	164.302	441.796
Fe	10	155.900	184.538	51.000	419.000
Mn	10	62.000	17.068	36.500	84.500
Zn	10	28.000	5.228	21.000	34.000
Cu	10	4.830	0.696	3.900	5.700
Se	3	0.012	0.004	0.009	0.017

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	549.833	187.052	349.000	786.000
Aska	6	74.500	3.987	69.000	80.000
OS smbh	6	74.300	3.103	70.100	78.800
Råprot	6	155.333	19.977	126.000	181.000
sRåprot	2	401.000	52.326	364.000	438.000
NDF	6	503.500	52.455	438.000	554.000
iNDF	6	155.121	28.289	119.538	197.117
nhNDF	6	4.709	0.570	3.848	5.350
TAF	6	61.000	0.000	61.000	61.000
Socker	6	94.833	24.028	63.000	137.000
AATp20	6	86.893	3.402	82.466	91.191
PBVp20	6	17.712	16.216	-4.916	34.190
NELp20	6	6.073	0.247	5.718	6.417
OE*	6	10.788	0.487	10.100	11.500
AAT*	4	74.750	2.986	71.000	78.000
PBV*	4	31.250	17.538	7.000	46.000
Ca	6	5.333	1.189	3.500	7.000
P	6	2.867	0.327	2.500	3.300
Mg	6	1.883	0.407	1.400	2.400
K	6	25.100	5.352	17.100	32.900
Na	6	1.050	0.701	0.400	2.300
Cl	2	5.700	5.657	1.700	9.700
S	6	2.333	0.393	1.700	2.900
CAB	6	394.345	131.557	246.495	593.522

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	132.000	22.528	96.000	154.000
Mn	5	113.000	56.626	53.000	201.000
Zn	5	36.800	10.426	28.000	54.000
Cu	5	6.740	0.896	6.000	7.900
Se	3	0.015	0.006	0.011	0.021

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	626.500	75.660	573.000	680.000
Aska	2	82.000	2.828	80.000	84.000
OS smbh	2	75.450	2.758	73.500	77.400
Råprot	2	192.500	6.364	188.000	197.000
NDF	2	476.000	15.556	465.000	487.000
iNDF	2	147.551	26.677	128.688	166.415
nhNDF	2	4.752	0.540	4.370	5.133
TAF	2	61.000	0.000	61.000	61.000
Socker	2	76.500	6.364	72.000	81.000
AATp20	2	88.643	3.080	86.465	90.821
PBVp20	2	49.131	0.734	48.612	49.650
NELp20	2	6.217	0.302	6.003	6.430
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.000	2.828	73.000	77.000
PBV*	2	62.500	2.121	61.000	64.000
Ca	2	6.950	0.354	6.700	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	3.050	0.636	2.600	3.500
Mg	2	2.850	0.495	2.500	3.200
K	2	25.500	6.788	20.700	30.300
Na	2	1.300	0.000	1.300	1.300
S	2	3.400	0.141	3.300	3.500
CAB	2	355.351	182.451	226.338	484.363
Fe	2	142.000	53.740	104.000	180.000
Mn	2	124.000	41.012	95.000	153.000
Zn	2	40.500	12.021	32.000	49.000
Cu	2	7.850	2.051	6.400	9.300
Se	1	0.061	.	0.061	0.061

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	344.429	110.731	232.000	542.000
Aska	7	70.429	25.864	46.000	125.000
OS smbh	7	76.686	3.243	72.200	82.800
Råprot	7	157.000	21.087	123.000	188.000
sRåprot	7	642.000	70.510	528.000	710.000
NH3-N	7	89.286	12.672	77.000	107.000
NDF	7	461.429	54.043	372.000	544.000
iNDF	7	140.086	25.750	87.691	169.720
nhNDF	7	4.885	0.487	4.351	5.793
TAF	7	72.471	32.856	26.900	122.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	7	55.714	32.134	16.000	106.000
Ättiksyra	7	14.143	3.671	8.000	18.000
Socker	7	51.000	35.861	13.000	95.000
PRF	1	3.000	.	3.000	3.000
BUF	7	1.329	1.179	0.100	2.700
AATp20	7	83.193	6.550	69.353	88.858
PBVp20	7	25.103	11.871	10.181	47.944
NELp20	7	6.346	0.356	5.796	6.970
OE*	7	11.249	0.753	9.900	12.400
AAT*	6	72.000	2.366	68.000	75.000
PBV*	6	32.667	19.096	6.000	58.000
Ca	7	4.200	0.730	3.300	5.500
P	7	2.486	0.302	1.900	2.800
Mg	7	1.671	0.269	1.200	2.000
K	7	20.457	4.562	15.000	27.000
Na	7	0.757	0.207	0.500	1.100
Cl	7	3.557	2.417	0.800	6.500
S	7	1.986	0.273	1.600	2.500
CAB	7	331.811	116.089	158.350	458.315
Fe	7	276.857	173.512	81.000	586.000
Mn	7	59.143	13.209	41.000	74.000
Zn	7	34.857	13.741	26.000	65.000
Cu	7	5.386	0.758	4.100	6.400
Se	2	0.040	0.015	0.029	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	550.750	204.072	347.000	759.000
Aska	4	66.000	9.092	56.000	78.000
OS smbh	4	74.925	4.048	71.200	79.000
Råprot	4	153.750	24.088	119.000	174.000
sRåprot	4	549.250	169.116	353.000	718.000
NH3-N	4	65.000	43.043	23.000	106.000
NDF	4	477.000	48.146	430.000	540.000
iNDF	4	160.045	39.445	123.502	196.255
nhNDF	4	4.611	0.638	3.767	5.130
TAF	4	46.375	34.636	10.000	82.600
Mjölksyra	4	33.750	24.157	8.000	59.000
Ättiksyra	4	10.500	10.083	0.000	21.000
Socker	4	66.000	38.756	21.000	110.000
PRF	1	2.000	.	2.000	2.000
BUF	4	0.875	0.754	0.000	1.600
AATp20	4	86.153	3.837	82.623	91.412
PBVp20	4	17.601	22.985	-14.540	39.166
NELp20	4	6.136	0.431	5.686	6.563
OE*	4	10.998	0.609	10.390	11.700
AAT*	3	71.667	1.528	70.000	73.000
PBV*	3	41.000	9.165	31.000	49.000
Ca	3	4.967	1.767	3.800	7.000
P	3	2.700	0.400	2.300	3.100
Mg	3	1.900	0.529	1.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	21.300	5.742	14.900	26.000
Na	3	0.900	0.300	0.600	1.200
Cl	4	6.400	2.387	3.300	9.000
S	3	2.167	0.462	1.900	2.700
CAB	3	265.372	99.370	171.540	369.482
Fe	3	84.333	37.608	56.000	127.000
Mn	3	79.333	43.662	47.000	129.000
Zn	3	29.667	0.577	29.000	30.000
Cu	3	5.967	1.060	5.000	7.100
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	266.000	.	266.000	266.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	77.100	.	77.100	77.100
Råprot	1	159.000	.	159.000	159.000
sRåprot	1	595.000	.	595.000	595.000
NH3-N	1	72.000	.	72.000	72.000
NDF	1	433.000	.	433.000	433.000
iNDF	1	142.446	.	142.446	142.446
nhNDF	1	4.669	.	4.669	4.669
TAF	1	111.100	.	111.100	111.100
Mjölksyra	1	90.000	.	90.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	21.000	.	21.000	21.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	80.430	.	80.430	80.430
PBVp20	1	31.070	.	31.070	31.070
NELp20	1	6.451	.	6.451	6.451
OE*	1	11.200	.	11.200	11.200
AAT*	1	72.000	.	72.000	72.000
PBV*	1	35.000	.	35.000	35.000
CI	1	9.000	.	9.000	9.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	415.500	191.116	205.000	716.000
Aska	8	63.500	16.733	47.000	98.000
OS smbh	8	74.875	3.257	69.600	78.600
Råprot	8	125.875	25.329	94.000	165.000
NDF	8	495.625	32.227	449.000	529.000
iNDF	8	153.279	27.210	119.370	190.280
nhNDF	8	4.703	0.527	3.987	5.402
TAF	8	84.000	0.000	84.000	84.000
Socker	8	137.000	36.886	60.000	188.000
AATp20	8	83.521	3.239	77.780	88.161
PBVp20	8	-1.829	23.727	-32.567	30.266

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	8	6.117	0.267	5.688	6.492
OE*	8	11.038	0.609	9.800	11.500
AAT*	8	76.375	3.583	69.000	80.000
PBV*	8	-5.375	27.697	-42.000	30.000
Ca	8	4.000	0.958	2.400	5.500
P	8	2.450	0.558	1.700	3.200
Mg	8	1.888	0.439	1.400	2.800
K	8	21.563	4.716	14.200	27.800
Na	8	0.613	0.656	0.100	2.000
S	8	1.750	0.581	1.000	2.900
CAB	8	336.332	95.606	192.734	470.994
Fe	8	114.875	107.938	55.000	379.000
Mn	8	79.625	44.865	34.000	151.000
Zn	8	30.125	5.276	21.000	36.000
Cu	8	5.325	2.006	3.100	9.600
Se	3	0.008	0.005	0.005	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	92	485.935	148.619	310.000	680.000
Aska	92	67.283	10.334	55.000	79.000
OS smbh	92	77.293	4.184	71.300	81.600
Råprot	92	142.935	29.650	103.000	176.000
sRåprot	32	446.281	68.255	385.000	495.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	92	469.033	59.935	386.000	538.000
iNDF	92	125.573	37.973	74.000	175.581
nhNDF	92	5.159	1.245	4.026	6.167
TAF	92	64.652	33.838	4.000	84.000
Mjölksyra	23	0.000	0.000	0.000	0.000
Ättiksyra	20	1.400	3.500	0.000	6.000
Socker	92	132.489	38.640	86.000	181.000
PRF	20	1.800	1.322	0.000	3.500
BUF	20	1.400	1.667	0.000	4.000
AATp20	92	88.748	6.538	80.654	98.262
PBVp20	92	5.717	21.663	-21.359	33.777
NELp20	92	6.314	0.386	5.770	6.737
OE*	92	11.366	0.661	10.500	12.070
AAT*	60	77.950	3.615	73.000	83.500
PBV*	60	6.802	26.871	-27.500	40.500
Ca	89	4.622	1.262	3.000	6.200
P	89	2.751	0.491	2.100	3.400
Mg	89	1.716	0.434	1.100	2.200
K	89	22.942	5.399	15.100	29.600
Na	89	0.824	0.584	0.200	1.500
Cl	32	4.416	2.770	1.300	7.000
S	89	1.991	0.456	1.300	2.600
CAB	89	368.597	134.904	204.514	532.296
Fe	70	122.314	82.188	57.000	218.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	70	60.300	20.319	35.000	87.000
Zn	70	30.643	8.820	22.500	38.000
Cu	70	5.293	1.075	4.000	6.750
Se	7	0.014	0.008	0.008	0.031

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	53	531.396	154.684	348.000	725.000
Aska	53	75.132	9.602	64.000	85.000
OS smbh	53	75.557	3.458	70.600	80.400
Råprot	53	157.000	26.415	124.000	191.000
sRåprot	17	458.588	104.049	361.000	617.000
NDF	53	466.736	35.743	421.000	513.000
iNDF	53	150.555	40.191	98.679	198.511
nhNDF	53	4.671	0.762	3.922	5.685
TAF	53	79.396	18.975	84.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	0.333	0.577	0.000	1.000
Socker	53	104.453	35.781	65.000	146.000
PRF	3	2.000	0.000	2.000	2.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	53	85.848	5.035	80.641	93.672
PBVp20	53	23.654	22.080	-0.994	54.844
NELp20	53	6.218	0.339	5.894	6.707

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	53	10.988	0.581	10.100	11.800
AAT*	36	75.528	3.176	71.000	79.000
PBV*	36	29.250	29.712	-15.000	65.000
Ca	47	7.223	7.287	4.400	8.600
P	47	3.411	3.236	2.500	3.400
Mg	47	2.628	1.922	1.700	3.100
K	47	27.147	32.569	14.200	27.900
Na	47	1.191	0.855	0.400	2.200
Cl	17	4.300	2.171	1.000	6.100
S	47	2.843	3.337	1.800	3.000
CAB	47	440.117	649.692	165.624	532.439
Fe	38	159.026	133.403	74.000	378.000
Mn	38	72.895	23.328	40.000	106.000
Zn	38	31.000	8.699	20.000	42.000
Cu	38	6.618	1.316	5.000	8.700
Se	7	0.039	0.019	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	26	478.885	147.947	313.000	664.000
Aska	26	83.923	9.099	74.000	94.000
OS smbh	26	74.715	3.506	69.600	78.100
Råprot	26	167.038	26.865	138.000	213.000
sRåprot	8	376.375	29.818	327.000	405.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	26	458.692	38.777	406.000	517.000
iNDF	26	168.585	44.996	116.093	234.000
nhNDF	26	4.613	0.920	3.380	6.000
TAF	26	84.000	0.000	84.000	84.000
Socker	26	90.769	28.573	47.000	126.000
AATp20	26	85.276	5.591	77.663	91.597
PBVp20	26	33.984	19.734	13.618	67.053
NELp20	26	6.140	0.381	5.602	6.541
OE*	26	10.746	0.587	9.900	11.400
AAT*	18	73.944	3.190	69.000	77.000
PBV*	18	35.056	24.211	13.000	81.000
Ca	21	7.495	2.515	4.500	10.700
P	21	3.129	0.473	2.600	3.800
Mg	21	2.510	0.575	1.900	3.400
K	21	25.667	5.740	18.800	35.100
Na	21	0.943	0.593	0.300	1.600
Cl	8	9.638	4.256	3.100	17.000
S	21	2.414	0.436	1.900	2.900
CAB	21	361.158	149.568	204.195	548.376
Fe	20	145.750	76.789	79.500	225.000
Mn	20	66.700	24.070	36.000	106.500
Zn	20	28.700	5.787	23.500	35.000
Cu	20	7.265	1.728	5.100	9.550
Se	2	0.062	0.073	0.010	0.113

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	510.667	146.002	297.000	723.000
Aska	9	86.778	15.180	58.000	108.000
OS smbh	9	77.967	4.753	70.300	83.000
Råprot	9	191.333	16.286	165.000	219.000
NDF	9	441.556	48.382	372.000	502.000
iNDF	9	121.982	49.232	71.518	195.384
nhNDF	9	5.243	0.959	3.876	6.336
TAF	9	84.000	0.000	84.000	84.000
Socker	9	103.444	36.916	39.000	165.000
AATp20	9	88.357	4.855	79.647	93.587
PBVp20	9	51.685	13.005	31.926	73.123
NELp20	9	6.479	0.389	5.825	6.867
OE*	9	11.233	0.778	9.900	12.100
AAT*	9	76.667	3.775	70.000	81.000
PBV*	9	58.333	14.603	35.000	84.000
Ca	5	5.900	1.369	3.800	7.400
P	5	3.440	0.879	2.600	4.600
Mg	5	2.820	0.421	2.200	3.300
K	5	26.600	7.253	17.100	35.000
Na	5	0.920	0.740	0.100	2.100
S	5	2.860	0.434	2.500	3.500
CAB	5	409.163	167.679	162.283	578.779
Fe	5	298.600	174.211	175.000	606.000
Mn	5	78.600	25.205	55.000	110.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	31.400	5.225	26.000	39.000
Cu	5	7.560	2.110	5.000	10.400
Se	2	0.018	0.001	0.017	0.019

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	406.917	127.099	267.000	460.000
Aska	12	65.750	9.440	57.000	76.000
OS smbh	12	74.750	2.862	70.900	78.300
Råprot	12	141.750	24.889	116.000	171.000
sRåprot	12	572.667	78.676	533.000	629.000
NH3-N	12	77.583	19.797	68.000	93.000
NDF	12	468.667	34.249	437.000	490.000
iNDF	12	163.407	29.058	129.767	208.510
nhNDF	12	4.391	0.559	3.532	5.002
TAF	12	66.225	26.528	48.100	100.100
Mjölksyra	12	52.250	23.246	35.000	84.000
Ättiksyra	12	12.000	4.112	7.000	16.000
Socker	12	67.000	36.232	29.000	106.000
BUF	12	0.975	1.234	0.100	2.200
AATp20	12	83.694	3.778	79.506	88.132
PBVp20	12	12.859	20.657	-10.022	36.846
NELp20	12	6.148	0.307	5.743	6.470
OE*	12	10.958	0.434	10.400	11.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	12	71.583	1.165	70.000	73.000
PBV*	12	18.667	23.815	-9.000	47.000
Ca	11	5.282	1.305	4.000	6.900
P	11	2.718	0.477	2.200	3.100
Mg	11	2.100	0.440	1.600	2.500
K	11	20.027	3.843	16.100	23.900
Na	11	1.436	1.107	0.400	2.700
Cl	12	6.367	1.931	4.000	8.300
S	11	2.109	0.541	1.600	2.600
CAB	11	263.582	68.146	186.412	339.407
Fe	11	151.818	58.139	86.000	204.000
Mn	11	87.273	25.935	70.000	117.000
Zn	11	33.091	6.862	24.000	40.000
Cu	11	6.455	1.438	4.800	7.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	324	382.185	109.215	268.000	538.000
Aska	324	66.688	9.870	54.000	78.000
OS smbh	324	76.205	3.185	71.600	79.900
Råprot	324	142.787	22.001	115.000	172.000
sRåprot	324	648.346	71.462	559.000	728.000
NH3-N	324	84.907	30.099	48.000	122.000
NDF	324	449.840	52.812	384.000	518.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	324	150.291	27.928	118.014	189.500
nhNDF	324	4.564	0.486	3.923	5.181
Stä	1	110.000	.	110.000	110.000
TAF	324	74.032	31.063	30.000	117.900
Mjölksyra	324	55.395	26.441	19.000	92.000
Ättiksyra	324	15.463	6.836	7.000	23.000
Socker	324	67.225	40.182	21.000	128.000
PRF	74	3.703	2.403	1.000	6.000
BUF	324	1.557	2.359	0.000	4.100
AATp20	324	82.760	3.811	78.302	87.042
PBVp20	324	15.240	20.123	-9.483	40.151
NELp20	324	6.274	0.316	5.826	6.641
OE*	324	11.193	0.526	10.490	11.800
AAT*	250	72.316	1.537	70.000	74.000
PBV*	250	14.120	19.796	-11.000	41.000
Ca	306	4.913	1.288	3.600	6.200
P	306	2.639	0.373	2.200	3.100
Mg	306	1.756	0.284	1.400	2.100
K	306	21.839	3.471	17.100	26.300
Na	306	1.111	0.760	0.300	2.100
Cl	324	5.318	2.815	2.300	8.600
S	306	1.944	0.409	1.500	2.500
CAB	306	334.921	101.523	208.607	450.993
Fe	283	186.880	159.992	74.000	337.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	283	66.968	19.711	45.000	93.000
Zn	283	39.155	65.975	23.000	41.000
Cu	283	5.565	1.253	4.100	7.000
Se	45	0.034	0.036	0.007	0.060

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	197	478.193	147.207	300.000	698.000
Aska	197	72.858	11.354	62.000	86.000
OS smbh	197	74.147	2.883	70.200	77.800
Råprot	197	152.208	22.421	124.000	180.000
sRåprot	197	527.401	97.916	394.000	645.000
NH3-N	197	65.964	25.872	35.000	92.000
NDF	197	460.162	36.425	413.000	504.000
iNDF	197	173.099	33.060	135.727	217.121
nhNDF	197	4.235	0.501	3.501	4.813
TAF	197	53.024	27.755	19.500	89.100
Mjölksyra	197	38.868	22.735	12.000	71.000
Ättiksyra	197	11.883	6.491	5.000	21.000
Socker	197	73.244	37.011	25.000	124.000
PRF	47	2.511	2.052	0.000	4.000
BUF	197	0.913	1.656	0.000	2.000
AATp20	197	85.212	4.866	79.521	91.910
PBVp20	197	20.301	19.589	-6.184	45.407

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	197	6.064	0.314	5.631	6.437
OE*	197	10.777	0.488	10.100	11.400
AAT*	150	70.887	1.440	69.000	72.000
PBV*	150	27.093	21.465	1.000	54.000
Ca	193	6.242	1.542	4.700	8.100
P	193	2.863	0.409	2.300	3.400
Mg	193	2.427	0.429	1.900	3.000
K	193	21.596	4.248	16.100	27.200
Na	193	1.419	0.848	0.400	2.500
Cl	197	7.611	3.818	3.700	12.300
S	193	2.335	0.488	1.800	2.800
CAB	193	254.326	129.956	114.940	398.680
Fe	178	167.646	133.686	81.000	303.000
Mn	178	84.820	27.654	48.000	124.000
Zn	178	42.854	78.806	24.000	44.000
Cu	178	6.855	1.368	5.400	8.500
Se	19	0.021	0.015	0.007	0.035

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	73	478.575	144.688	302.000	691.000
Aska	73	75.699	8.642	65.000	86.000
OS smbh	73	74.579	2.058	71.900	76.900
Råprot	73	159.342	18.059	139.000	179.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	73	505.068	92.516	373.000	605.000
NH3-N	73	65.315	26.358	34.000	95.000
NDF	73	449.685	30.916	409.000	488.000
iNDF	73	172.729	27.244	140.952	207.000
nhNDF	73	4.255	0.555	3.558	4.753
TAF	73	53.185	28.558	15.500	91.100
Mjölksyra	73	38.959	22.590	9.000	71.000
Ättiksyra	73	11.959	7.310	3.000	20.000
Socker	73	69.548	32.859	27.000	119.000
PRF	20	2.800	2.648	0.000	6.000
BUF	73	0.774	1.098	0.000	1.900
AATp20	73	86.324	5.178	80.437	94.157
PBVp20	73	25.154	16.904	5.199	47.552
NELp20	73	6.104	0.232	5.794	6.366
OE*	73	10.820	0.351	10.320	11.200
AAT*	53	71.057	1.082	70.000	72.000
PBV*	53	34.528	16.616	16.000	52.000
Ca	71	7.030	1.834	5.400	9.800
P	71	3.031	0.450	2.500	3.600
Mg	71	2.701	0.449	2.200	3.300
K	71	22.654	4.054	17.200	26.500
Na	71	1.403	0.897	0.500	2.400
Cl	73	8.190	5.645	3.300	13.200
S	71	2.535	0.501	1.800	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	71	250.334	156.624	89.166	398.939
Fe	64	176.063	113.059	79.000	296.000
Mn	64	86.563	30.635	55.000	122.000
Zn	64	40.563	64.089	22.000	41.000
Cu	64	7.739	1.373	6.200	9.800
Se	5	0.024	0.017	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	385.250	92.924	301.000	473.000
Aska	4	89.750	13.251	73.000	105.000
OS smbh	4	75.250	3.193	70.700	78.100
Råprot	4	161.750	20.172	151.000	192.000
sRåprot	4	584.250	53.749	545.000	660.000
NH3-N	4	96.500	29.861	72.000	140.000
NDF	4	399.500	21.142	386.000	431.000
iNDF	4	176.584	45.272	137.380	241.930
nhNDF	4	3.923	0.733	2.870	4.553
TAF	4	73.175	24.866	53.800	109.100
Mjölksyra	4	55.000	21.213	38.000	86.000
Ättiksyra	4	14.750	5.123	10.000	22.000
Socker	4	48.000	21.213	22.000	69.000
BUF	4	2.425	3.129	0.100	7.000
AATp20	4	81.841	6.176	75.568	88.330

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	34.493	14.055	18.155	52.294
NELp20	4	6.084	0.392	5.515	6.391
OE*	4	10.775	0.591	9.900	11.200
AAT*	4	70.750	1.893	68.000	72.000
PBV*	4	39.500	19.227	27.000	68.000
Ca	3	7.767	2.203	6.300	10.300
P	3	2.967	0.635	2.600	3.700
Mg	3	2.600	0.608	1.900	3.000
K	3	22.633	1.168	21.600	23.900
Na	3	2.167	1.795	0.800	4.200
Cl	4	7.550	3.074	4.400	11.000
S	3	2.767	0.814	2.200	3.700
CAB	3	257.890	82.337	193.929	350.789
Fe	3	462.000	412.217	145.000	928.000
Mn	3	101.000	66.008	58.000	177.000
Zn	3	25.333	4.163	22.000	30.000
Cu	3	7.167	1.617	5.300	8.100

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	152.000	.	152.000	152.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	558.000	.	558.000	558.000
NH3-N	1	82.000	.	82.000	82.000
NDF	1	456.000	.	456.000	456.000
iNDF	1	175.226	.	175.226	175.226
nhNDF	1	4.084	.	4.084	4.084
TAF	1	57.100	.	57.100	57.100
Mjölksyra	1	46.000	.	46.000	46.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	63.000	.	63.000	63.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.003	.	85.003	85.003
PBVp20	1	20.534	.	20.534	20.534
NELp20	1	6.104	.	6.104	6.104
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	6.300	.	6.300	6.300
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	18.100	.	18.100	18.100
Na	1	1.700	.	1.700	1.700
Cl	1	6.200	.	6.200	6.200
S	1	2.200	.	2.200	2.200
CAB	1	224.681	.	224.681	224.681

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	107.000	.	107.000	107.000
Mn	1	61.000	.	61.000	61.000
Zn	1	34.000	.	34.000	34.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	23	397.696	117.665	265.000	575.000
Aska	23	58.174	15.698	40.000	75.000
OS smbh	23	68.730	3.785	63.100	71.800
Råprot	23	115.435	26.976	79.000	151.000
sRåprot	23	614.087	95.265	505.000	733.000
NH3-N	23	75.913	27.281	41.000	109.000
NDF	23	468.043	34.958	431.000	509.000
iNDF	23	246.261	49.723	188.371	315.089
nhNDF	23	3.173	0.803	2.167	4.132
Stä	23	84.304	70.910	17.000	193.000
TAF	23	65.483	35.944	31.700	126.000
Mjölksyra	23	48.435	30.997	23.000	95.000
Ättiksyra	23	14.000	6.068	7.000	23.000
Socker	23	63.652	43.224	22.000	135.000
PRF	10	4.000	2.625	0.500	7.500
BUF	10	0.800	1.229	0.000	2.500
AATp20	23	71.009	5.345	64.072	76.953

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	23	-1.303	22.873	-28.346	35.717
NELp20	23	5.585	0.369	5.081	5.951
OE*	10	10.151	0.434	9.455	10.585
Ca	23	4.826	1.870	2.700	7.400
P	23	2.557	0.464	2.100	3.100
Mg	23	1.778	0.717	1.100	2.500
K	23	16.387	4.984	9.900	22.800
Na	23	1.152	0.900	0.500	2.700
Cl	23	7.204	9.431	1.500	12.300
S	23	1.996	0.612	1.500	2.800
CAB	23	141.531	234.861	26.299	326.533
Fe	20	203.850	134.124	75.500	405.500
Mn	20	62.500	36.700	26.000	111.500
Zn	20	40.500	17.340	23.000	65.000
Cu	20	5.830	1.290	4.450	7.550
Se	5	0.036	0.018	0.007	0.050

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	368.400	77.928	252.000	441.000
Aska	5	61.400	7.956	53.000	72.000
OS smbh	5	64.600	1.884	62.500	66.300
Råprot	5	111.800	9.338	101.000	124.000
sRåprot	5	680.400	69.601	578.000	749.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	5	98.600	33.724	53.000	148.000
NDF	5	476.000	30.191	438.000	511.000
iNDF	5	283.523	30.396	245.620	323.276
nhNDF	5	2.476	0.431	1.952	3.050
Stä	5	89.600	71.894	18.000	183.000
TAF	5	73.800	20.548	56.000	100.000
Mjölksyra	5	53.400	16.471	38.000	77.000
Ättiksyra	5	18.400	9.965	10.000	35.000
Socker	5	26.800	20.608	11.000	62.000
AATp20	5	65.884	4.244	61.010	70.438
PBVp20	5	9.161	11.647	-5.547	27.098
NELp20	5	5.362	0.118	5.162	5.460
OE*	1	9.200	.	9.200	9.200
AAT*	1	58.000	.	58.000	58.000
PBV*	1	10.000	.	10.000	10.000
Ca	5	4.760	0.764	3.900	5.600
P	5	2.800	0.485	2.100	3.200
Mg	5	1.780	0.356	1.400	2.300
K	5	19.460	5.273	14.200	27.300
Na	5	1.040	0.986	0.100	2.700
Cl	5	5.500	3.774	1.700	11.400
S	5	1.600	0.245	1.400	2.000
CAB	5	287.986	111.443	121.722	408.325
Fe	5	117.000	30.504	84.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	77.200	20.753	48.000	106.000
Zn	5	51.400	48.263	22.000	137.000
Cu	5	5.600	0.908	4.400	6.800

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	331.500	33.644	291.000	377.000
Aska	6	61.500	8.781	53.000	77.000
OS smbh	6	66.850	3.085	62.900	71.000
Råprot	6	111.000	11.331	97.000	127.000
sRåprot	6	582.000	103.214	430.000	721.000
NH3-N	6	74.333	16.071	48.000	97.000
NDF	6	483.833	27.154	441.000	509.000
iNDF	6	357.061	90.405	253.000	460.456
nhNDF	6	5.814	2.501	3.269	8.316
Stä	6	70.667	29.797	24.000	96.000
TAF	6	74.417	21.297	42.500	99.000
Mjölksyra	6	53.833	16.068	30.000	69.000
Ättiksyra	6	17.500	6.285	8.000	25.000
Socker	6	46.167	11.514	35.000	67.000
PRF	3	4.333	1.528	3.000	6.000
BUF	3	1.333	1.155	0.000	2.000
AATp20	6	70.420	2.807	66.855	75.245
PBVp20	6	0.183	7.880	-6.161	15.343

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	6	5.562	0.320	5.147	5.963
OE*	3	10.073	0.393	9.630	10.380
Ca	6	4.733	0.944	3.400	6.100
P	6	2.933	0.582	2.300	3.800
Mg	6	1.817	0.232	1.600	2.100
K	6	20.500	4.909	15.900	29.600
Na	6	1.000	0.792	0.200	2.200
Cl	6	5.917	3.881	0.600	10.400
S	6	1.850	0.327	1.400	2.200
CAB	6	285.483	112.054	125.981	399.467
Fe	6	158.000	63.696	114.000	277.000
Mn	6	110.667	45.333	63.000	188.000
Zn	6	44.667	10.482	34.000	63.000
Cu	6	5.217	0.895	4.000	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	409.000	165.519	215.000	601.000
Aska	4	58.250	12.580	46.000	71.000
OS smbh	4	66.600	1.203	65.000	67.900
Råprot	4	119.500	22.531	87.000	139.000
sRåprot	4	675.750	58.483	638.000	762.000
NH3-N	4	97.250	37.783	57.000	148.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	4	490.000	52.421	421.000	539.000
iNDF	4	265.742	22.479	232.373	281.182
nhNDF	4	3.048	0.734	2.452	4.006
Stä	4	66.250	41.963	21.000	109.000
TAF	4	69.750	35.547	32.000	103.000
Mjölksyra	4	47.250	24.690	19.000	77.000
Ättiksyra	4	19.250	11.442	9.000	35.000
Socker	4	54.500	33.838	24.000	96.000
PRF	1	8.000	.	8.000	8.000
BUF	1	5.000	.	5.000	5.000
AATp20	4	71.399	1.833	69.509	73.849
PBVp20	4	3.984	22.256	-27.999	23.602
NELp20	4	5.481	0.191	5.226	5.636
OE*	1	9.600	.	9.600	9.600
Ca	4	3.975	1.780	2.700	6.600
P	4	2.500	0.365	2.100	2.900
Mg	4	1.550	0.342	1.100	1.900
K	4	19.250	7.826	13.000	29.700
Na	4	1.775	1.427	0.900	3.900
Cl	4	6.075	5.219	3.300	13.900
S	4	1.950	0.370	1.500	2.300
CAB	4	276.500	57.656	215.083	354.374
Fe	4	156.750	25.316	125.000	180.000
Mn	4	104.000	35.393	56.000	134.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	44.500	33.966	22.000	95.000
Cu	4	5.600	0.490	5.000	6.000
Se	1	0.022	.	0.022	0.022

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	499.00	.	499.00	499.00
Aska	1	70.00	.	70.00	70.00
OS smbh	1	68.50	.	68.50	68.50
Råprot	1	140.00	.	140.00	140.00
sRåprot	1	672.00	.	672.00	672.00
NH3-N	1	62.00	.	62.00	62.00
NDF	1	503.00	.	503.00	503.00
iNDF	1	221.21	.	221.21	221.21
nhNDF	1	3.40	.	3.40	3.40
Stä	1	18.00	.	18.00	18.00
TAF	1	61.00	.	61.00	61.00
Mjölksyra	1	45.00	.	45.00	45.00
Ättiksyra	1	16.00	.	16.00	16.00
Socker	1	42.00	.	42.00	42.00
AATp20	1	69.89	.	69.89	69.89
PBVp20	1	26.58	.	26.58	26.58
NELp20	1	5.64	.	5.64	5.64
Ca	1	5.50	.	5.50	5.50

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.10	.	3.10	3.10
Mg	1	1.60	.	1.60	1.60
K	1	24.60	.	24.60	24.60
Na	1	0.20	.	0.20	0.20
Cl	1	4.00	.	4.00	4.00
S	1	1.70	.	1.70	1.70
CAB	1	418.93	.	418.93	418.93
Fe	1	120.00	.	120.00	120.00
Mn	1	48.00	.	48.00	48.00
Zn	1	1364.00	.	1364.00	1364.00
Cu	1	5.20	.	5.20	5.20

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	464.286	98.152	324.000	617.000
Aska	7	42.571	11.208	33.000	61.000
OS smbh	7	65.271	4.124	58.100	71.000
Råprot	7	80.143	19.760	60.000	117.000
sRåprot	7	666.286	154.513	322.000	757.000
NH3-N	7	78.857	28.667	24.000	106.000
NDF	7	501.000	43.962	450.000	573.000
iNDF	7	269.924	29.282	219.154	306.096
nhNDF	7	2.750	0.568	2.190	3.713
Stä	7	83.286	59.802	18.000	175.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	7	51.286	21.346	25.500	86.000
Mjölksyra	7	33.571	17.213	6.000	59.000
Ättiksyra	7	15.143	5.928	8.000	24.000
Socker	7	94.571	42.762	46.000	145.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	7	69.198	2.897	63.802	72.280
PBVp20	7	-28.089	19.537	-47.458	5.309
NELp20	7	5.272	0.375	4.527	5.735
OE*	2	9.770	0.240	9.600	9.940
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-55.000	.	-55.000	-55.000
Ca	7	3.186	1.006	2.000	4.700
P	7	2.071	0.439	1.300	2.500
Mg	7	1.286	0.261	0.900	1.600
K	7	13.771	5.468	8.800	22.400
Na	7	0.329	0.368	0.100	1.000
Cl	7	2.157	0.822	1.000	3.400
S	7	1.300	0.337	1.000	1.900
CAB	7	224.482	135.354	72.224	422.864
Fe	7	171.286	224.843	69.000	680.000
Mn	7	61.857	26.473	30.000	114.000
Zn	7	25.857	6.890	18.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	7	3.514	0.904	2.500	5.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	366.500	30.4056	345.000	388.000
Aska	2	57.000	7.0711	52.000	62.000
OS smbh	2	66.450	2.6163	64.600	68.300
Råprot	2	116.500	31.8198	94.000	139.000
sRåprot	2	595.000	19.7990	581.000	609.000
NH3-N	2	103.000	18.3848	90.000	116.000
NDF	2	415.000	24.0416	398.000	432.000
iNDF	2	322.035	15.5072	311.069	333.000
nhNDF	2	2.327	0.3646	2.069	2.584
Stä	2	145.500	50.2046	110.000	181.000
TAF	2	76.500	6.3640	72.000	81.000
Mjölksyra	2	53.500	3.5355	51.000	56.000
Ättiksyra	2	20.000	1.4142	19.000	21.000
Socker	2	30.500	12.0208	22.000	39.000
PRF	1	3.000	.	3.000	3.000
BUF	1	3.000	.	3.000	3.000
AATp20	2	69.881	0.9390	69.217	70.545
PBVp20	2	5.576	29.7423	-15.455	26.607
NELp20	2	5.528	0.1760	5.403	5.652

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.040	.	10.040	10.040
Ca	1	4.400	.	4.400	4.400
P	1	2.600	.	2.600	2.600
Mg	1	1.800	.	1.800	1.800
K	1	16.200	.	16.200	16.200
Na	1	0.500	.	0.500	0.500
Cl	2	3.750	0.0707	3.700	3.800
S	1	2.000	.	2.000	2.000
CAB	1	206.836	.	206.836	206.836
Fe	1	77.000	.	77.000	77.000
Mn	1	39.000	.	39.000	39.000
Zn	1	22.000	.	22.000	22.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	321.750	62.3719	243.000	393.000
Aska	4	27.750	7.9320	20.000	36.000
OS smbh	4	73.175	2.7897	69.700	76.300
Råprot	4	69.000	7.2572	59.000	76.000
sRåprot	4	538.000	70.0238	459.000	606.000
NH3-N	4	74.250	36.3719	39.000	120.000
NDF	4	422.750	23.9357	394.000	449.000
iNDF	4	229.811	49.8668	186.480	285.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	4	3.414	0.4221	2.880	3.803
Stä	4	286.250	36.9809	240.000	327.000
TAF	4	55.500	5.5678	48.000	61.000
Mjölksyra	4	31.000	15.3623	8.000	40.000
Ättiksyra	4	20.750	11.4419	11.000	37.000
Socker	4	10.250	13.3260	0.000	28.000
PRF	2	4.500	0.7071	4.000	5.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	4	81.184	0.9633	80.107	82.373
PBVp20	4	-57.317	6.5377	-65.312	-49.315
NELp20	4	6.204	0.1917	5.968	6.436
OE*	3	10.837	0.2371	10.620	11.090
AAT*	1	78.000	.	78.000	78.000
PBV*	1	-79.000	.	-79.000	-79.000
Ca	4	1.625	0.4272	1.000	1.900
P	4	1.725	0.1708	1.500	1.900
Mg	4	1.175	0.1258	1.000	1.300
K	4	8.650	1.5067	6.400	9.500
Na	4	0.350	0.1732	0.100	0.500
Cl	2	2.000	0.7071	1.500	2.500
S	4	0.875	0.2217	0.700	1.200
CAB	4	132.462	33.0957	95.071	172.452
Fe	4	127.250	65.0404	70.000	211.000
Mn	4	39.250	23.2002	20.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	32.500	5.9161	28.000	41.000
Cu	4	4.225	0.5315	3.800	5.000
Se	1	0.076	.	0.076	0.076

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	421.000	.	421.000	421.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	80.000	.	80.000	80.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	486.000	.	486.000	486.000
iNDF	1	178.877	.	178.877	178.877
nhNDF	1	4.094	.	4.094	4.094
Stä	1	17.000	.	17.000	17.000
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	15.000	.	15.000	15.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	191.000	.	191.000	191.000
AATp20	1	78.484	.	78.484	78.484
PBVp20	1	-43.378	.	-43.378	-43.378
NELp20	1	5.680	.	5.680	5.680
Ca	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.000	.	2.000	2.000
Mg	1	1.000	.	1.000	1.000
K	1	23.900	.	23.900	23.900
Na	1	0.600	.	0.600	0.600
Cl	1	4.800	.	4.800	4.800
S	1	1.300	.	1.300	1.300
CAB	1	420.879	.	420.879	420.879
Fe	1	139.000	.	139.000	139.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	885.000	.	885.000	885.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	58.100	.	58.100	58.100
Råprot	1	36.000	.	36.000	36.000
NDF	1	606.000	.	606.000	606.000
iNDF	1	287.853	.	287.853	287.853
nhNDF	1	2.488	.	2.488	2.488
TAF	1	0.000	.	0.000	0.000
Socker	1	128.000	.	128.000	128.000
AATp20	1	72.077	.	72.077	72.077

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-66.296	.	-66.296	-66.296
NELp20	1	4.289	.	4.289	4.289
OE*	1	8.400	.	8.400	8.400
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-67.000	.	-67.000	-67.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	831.500	39.130	766.000	878.000
Aska	8	49.625	9.380	39.000	68.000
OS smbh	8	66.050	4.062	61.200	73.100
Råprot	8	90.125	27.607	62.000	134.000
sRåprot	2	425.500	14.849	415.000	436.000
NDF	8	583.625	60.682	486.000	664.000
iNDF	8	219.796	27.609	177.000	267.152
nhNDF	8	3.567	0.462	2.764	4.099
TAF	8	0.000	0.000	0.000	0.000
Socker	8	116.875	22.969	77.000	145.000
AATp20	8	86.131	7.765	77.919	99.321
PBVp20	8	-39.133	13.655	-53.702	-19.968
NELp20	8	5.181	0.432	4.629	5.932
OE*	8	9.659	0.626	8.900	10.800
AAT*	6	67.167	2.137	64.000	69.000
PBV*	6	-37.667	12.580	-49.000	-15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	6	3.833	1.131	2.400	5.300
P	6	2.400	0.657	1.600	3.400
Mg	6	1.667	0.520	1.000	2.400
K	6	15.217	5.189	8.300	22.000
Na	6	0.983	0.556	0.400	1.700
Cl	2	2.150	1.626	1.000	3.300
S	6	1.617	0.325	1.300	2.100
CAB	6	216.801	169.516	27.953	443.362
Fe	4	118.750	108.121	49.000	280.000
Mn	4	54.500	18.628	41.000	82.000
Zn	4	27.000	2.160	24.000	29.000
Cu	4	3.750	0.592	3.300	4.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	902.000	.	902.000	902.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	96.000	.	96.000	96.000
NDF	1	525.000	.	525.000	525.000
iNDF	1	208.427	.	208.427	208.427
nhNDF	1	3.647	.	3.647	3.647
TAF	1	0.000	.	0.000	0.000
Socket	1	154.000	.	154.000	154.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.804	.	86.804	86.804
PBVp20	1	-35.027	.	-35.027	-35.027
NELp20	1	5.304	.	5.304	5.304
OE*	1	10.000	.	10.000	10.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-25.000	.	-25.000	-25.000

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.333	12.662	373.000	398.000
Aska	3	68.333	6.028	62.000	74.000
OS smbh	3	76.167	2.627	73.200	78.200
Råprot	3	139.667	10.786	132.000	152.000
sRåprot	3	637.667	11.015	625.000	645.000
NH3-N	3	65.333	7.024	58.000	72.000
NDF	3	462.333	22.143	437.000	478.000
iNDF	3	124.000	28.355	102.000	156.000
nhNDF	3	4.228	0.512	3.666	4.667
TAF	3	92.000	52.000	32.000	124.000
Mjölksyra	3	70.333	42.724	21.000	95.000
Ättiksyra	3	18.000	6.928	10.000	22.000
Socker	3	62.000	22.716	46.000	88.000
PRF	3	3.333	2.517	1.000	6.000
BUF	3	0.333	0.577	0.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	79.281	2.422	77.213	81.945
PBVp20	3	21.303	11.007	13.157	33.824
NELp20	3	6.425	0.353	6.021	6.672
OE*	3	11.163	0.363	10.750	11.430
Ca	3	4.267	0.252	4.000	4.500
P	3	2.400	0.200	2.200	2.600
Mg	3	1.633	0.351	1.300	2.000
K	3	24.467	2.658	21.700	27.000
Na	3	0.567	0.208	0.400	0.800
Cl	3	3.600	1.127	2.900	4.900
S	3	1.900	0.346	1.700	2.300
CAB	3	430.225	110.075	307.992	521.519
Fe	3	241.000	85.294	171.000	336.000
Mn	3	51.333	13.051	41.000	66.000
Zn	3	26.333	7.767	20.000	35.000
Cu	3	6.000	1.000	5.000	7.000
Se	3	0.067	0.029	0.050	0.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	373.000	.	373.000	373.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	145.000	.	145.000	145.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	529.000	.	529.000	529.000
NH3-N	1	37.000	.	37.000	37.000
NDF	1	449.000	.	449.000	449.000
iNDF	1	122.000	.	122.000	122.000
nhNDF	1	4.273	.	4.273	4.273
TAF	1	113.000	.	113.000	113.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	50.000	.	50.000	50.000
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	79.526	.	79.526	79.526
PBVp20	1	25.760	.	25.760	25.760
NELp20	1	6.525	.	6.525	6.525
OE*	1	11.180	.	11.180	11.180
Ca	1	5.600	.	5.600	5.600
P	1	2.700	.	2.700	2.700
Mg	1	1.900	.	1.900	1.900
K	1	22.600	.	22.600	22.600
Na	1	0.800	.	0.800	0.800
Cl	1	6.000	.	6.000	6.000
S	1	2.000	.	2.000	2.000
CAB	1	318.774	.	318.774	318.774
Fe	1	166.000	.	166.000	166.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	56.000	.	56.000	56.000
Zn	1	24.000	.	24.000	24.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.230	.	0.230	0.230

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	435.500	75.013	348.000	519.000
Aska	4	69.250	5.679	63.000	75.000
OS smbh	4	76.600	1.324	74.700	77.600
Råprot	4	154.750	2.217	152.000	157.000
sRåprot	4	566.000	72.719	494.000	666.000
NH3-N	4	55.250	4.573	50.000	60.000
NDF	4	369.000	66.468	325.000	468.000
iNDF	4	183.000	14.629	168.000	203.000
nhNDF	4	3.712	0.524	3.354	4.491
Stä	4	123.250	68.970	22.000	168.000
TAF	4	52.500	27.453	23.000	81.000
Mjölksyra	4	35.750	17.212	20.000	59.000
Ättiksyra	4	12.500	11.958	0.000	27.000
Socker	4	68.500	21.947	39.000	92.000
PRF	4	4.000	0.816	3.000	5.000
BUF	4	0.250	0.500	0.000	1.000
AATp20	4	87.468	4.701	81.246	91.565

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	22.838	6.039	18.779	31.689
NELp20	4	6.505	0.106	6.412	6.633
OE*	4	11.230	0.270	10.870	11.470
Ca	4	6.500	2.241	5.100	9.800
P	4	3.450	0.379	3.200	4.000
Mg	4	2.700	0.560	2.000	3.200
K	4	16.900	2.012	15.600	19.900
Na	4	2.925	1.072	1.700	4.200
Cl	4	7.950	5.746	2.400	16.000
S	4	2.425	0.320	2.200	2.900
CAB	4	183.893	176.376	-50.369	377.759
Fe	3	425.000	299.070	182.000	759.000
Mn	3	98.667	19.218	78.000	116.000
Zn	3	80.667	25.106	53.000	102.000
Cu	3	14.000	4.000	10.000	18.000
Se	1	0.500	.	0.500	0.500

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	454.167	73.0080	369.000	541.000
Aska	6	64.167	3.8166	61.000	71.000
OS smbh	6	73.100	4.2308	67.200	77.200
Råprot	6	149.500	28.6269	110.000	183.000
sRåprot	6	517.500	89.0118	416.000	630.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	6	60.333	21.4072	18.000	75.000
NDF	6	411.833	63.8824	305.000	475.000
iNDF	6	207.689	31.1675	167.977	252.592
nhNDF	6	3.376	0.4513	2.859	4.024
Stä	6	86.167	44.4721	44.000	169.000
Socker	6	50.000	8.5790	36.000	59.000
NELp20	6	0.000	0.0000	0.000	0.000
Ca	6	5.517	0.9326	4.100	6.700
P	6	3.117	0.8134	1.900	4.100
Mg	6	2.917	0.3601	2.400	3.400
K	6	14.517	2.3387	11.600	18.100
Na	6	2.900	1.2602	1.500	4.200
Cl	6	5.517	1.3790	3.800	7.100
S	6	2.617	0.2787	2.200	2.900
CAB	6	178.416	87.7293	32.641	264.274
Fe	6	362.000	55.5878	290.000	430.000
Mn	6	96.167	12.4164	84.000	117.000
Zn	6	65.833	16.2778	34.000	79.000
Cu	6	15.117	3.6706	9.200	19.000
Se	2	0.340	0.2503	0.163	0.517

*= Parametrar från det gamla svenska fodervärderingssystemet