

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	2	859	32	78.8	101	621		341	204	3.15	454	0.0000			45
Havre, kärna, hög NDF (002)	1	2	863	25	75.0	102				392	2.00	606	0.0000			
Vete, kärna (005)	1	7	869	17	75.4	114	393	7.0	124	164	3.50	649	0.0000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	844	23	80.5	95				304	2.50	596	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	834	18	87.0	119		6.0	189	173	3.30	643	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	844	20	81.6	116				324	2.50	610	0.0000			
Åkerböna, kärna (007)	1	2	858	33	89.0	299		2.0		32	4.70	402	0.0000			
Majs hela plantan, grönmassa (030)	1	1	332	31	76.6	75	371		379	190	3.58	348	57.0000			20
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.0000			177
Grönmassa, gräs (0% baljv.) (161)	2	2	580	84	76.6	135	402		457	130	4.65		61.0000			103
Ensilage, gräs (0% klöver) (162)	1	19	436	66	75.9	129	633	74.0	448	150	4.47		59.6158	43.8	13.2	100
Ensilage, gräs (0% klöver) (162)	2	13	445	76	73.3	138	550	74.2	463	178	4.04		51.4769	37.3	11.6	66
Ensilage, gräs (0% klöver) (162)	3	6	425	87	76.5	163	518	63.5	434	151	4.79		62.3000	50.5	9.8	52
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	682	103	64.8	159			416	305	2.22		84.0000			69
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	422	71	78.6	138	443		443	114	5.33		68.1711	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	472	83	75.8	142	411		454	143	4.50		70.6905	0.0	0.0	110
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25	486	85	73.3	138	386		492	162	4.36		84.0000			91
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9	358	90	75.7	159	383		445	140	4.28		84.0000			91
Ensilage, blandvall (1-50% klöver) (165)	0	16	471	72	74.0	121	547	69.3	446	177	4.05		59.4813	45.6	11.7	86
Ensilage, blandvall (1-50% klöver) (165)	1	194	426	71	77.5	135	626	71.9	417	142	4.62		63.9603	47.9	13.5	99
Ensilage, blandvall (1-50% klöver) (165)	2	147	460	80	75.0	144	532	67.5	441	168	4.29		59.1844	44.4	12.5	76
Ensilage, blandvall (1-50% klöver) (165)	3	78	422	89	74.5	152	526	78.8	433	177	4.14		65.3167	48.2	14.2	58
Ensilage, blandvall (1-50% klöver) (165)	4	9	412	94	75.8	164	516	68.4	399	178	4.28		66.7000	50.0	13.6	66
Ensilage, blandvall (1-50% klöver) (165)	5	1	382	92	79.1	159	629	86.0	374	140	4.85		79.0000	65.0	13.0	60

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Korn, helsädesensilage (250)	1	12	442	60	68.4	92	614	86.3	402	279	2.32	199	61.2500	46.7	11.8	39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	360	64	69.4	107	680	78.8	429	251	2.83	113	82.8000	66.0	14.8	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	311	65	66.6	121	614	106	455	419	6.51	71	76.5833	60.8	14.8	29
Havre helsädesensilage degmognad (296)	1	16	382	65	65.7	93	575	80.8	460	290	2.75	116	62.5625	45.0	14.6	50
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	375	65	66.0	107	548	84.8	449	282	2.49	97	62.5000	45.3	17.3	61
Vete, helsäd ensilage (299)	1	4	507	68	69.7	112	644	67.5	493	214	3.52	41	44.5000	27.5	14.5	106
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	372	60	70.7	110	631	83.5	417	251	3.02	155	70.1667	53.2	17.0	36
Majs, helsädesensilage (305)	1	1	351	27	75.9	68	475	24.0	375	225	3.61	322	49.0000	36.0	9.0	7
Ärter, helsädesensilage, sen skörd (315)	1	1	462	52	77.6	145	697	153	345	183	3.55	250	92.0000	55.0	37.0	13
Hö, blandvall, 0-50% baljväxter (383)	0	1	716	53	67.4	103			551	218	3.51		0.0000			126
Hö, blandvall, 0-50% baljväxter (383)	1	6	827	63	67.4	75			547	218	3.56		0.0000			152
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.0000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	372	98	66.5	151			411	446	5.41		72.0000			79
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	102	70.4	170			377	374	4.69		72.0000			82
Ensilage, blandvall (1-50% klöver) (326)	1	1	419	59	67.7	114	612	103	495	273	3.59		85.0000	58.0	22.0	27
Övrigt foder ej kompletta data (1E3)	1	1	861	19	0.0	125		6.0				565				

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	2				88.7	-31	6.85	10.7		
Havre, kärna, hög NDF (002)	1	2				83.3	-17	6.40			
Vete, kärna (005)	1	7				113	-51	7.95	14.1		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				90.0	-37	7.00			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				105	-36	7.65	13.3	95.0	-31
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				101	-31	7.42			
Åkerböna, kärna (007)	1	2				102	146	7.85			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Majs hela plantan, grönmassa (030)	1	1				88.7	-65	6.51			
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	2				86.4	-0.6	6.10	11.1	74.0	37.0
Ensilage, gräs (0% klöver) (162)	1	19	3.66667	1.19474		82.2	1.2	6.10	11.1	71.8	-1.1
Ensilage, gräs (0% klöver) (162)	2	13	3.00000	1.24615		82.1	10.0	5.88	10.6	69.9	10.6
Ensilage, gräs (0% klöver) (162)	3	6	2.00000	0.80000		85.4	27.3	6.23	11.0	71.2	32.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				71.9	48.8	5.06	8.9	65.0	46.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	4.66667	3.40000		88.7	1.0	6.36	11.5	79.1	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	2.57143	1.57143		85.2	10.8	6.10	10.9	74.7	9.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25				82.1	11.4	5.96	10.5	73.1	12.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9				85.5	26.1	6.18	10.8	72.3	43.8
Ensilage, blandvall (1-50% klöver) (165)	0	16		1.16875		82.0	-3.6	5.91	10.8	71.0	-0.7
Ensilage, blandvall (1-50% klöver) (165)	1	194	3.53846	1.23351		84.2	5.2	6.26	11.4	72.8	7.5
Ensilage, blandvall (1-50% klöver) (165)	2	147	3.90909	0.88503		84.2	14.3	6.06	10.8	71.1	19.4
Ensilage, blandvall (1-50% klöver) (165)	3	78	3.30769	1.49615		83.1	23.6	6.02	10.6	70.4	29.7
Ensilage, blandvall (1-50% klöver) (165)	4	9	2.66667	1.58889		84.5	32.2	6.10	10.8	70.5	40.2
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	1.00000		83.5	28.9	6.41	11.4		
Korn, helsädesensilage (250)	1	12	6.50000	1.50000		70.0	-19	5.53	10.1	59.0	4.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5				69.4	-1.3	5.71			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	3.00000	0.00000		69.5	10.5	5.48	9.8	61.0	4.7
Havre helsädesensilage degmognad (296)	1	16	4.71429	2.14286		72.5	-22	5.36	9.9	62.5	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4				68.5	-1.4	5.32			
Vete, helsäd ensilage (299)	1	4				73.3	-9.0	5.53	9.5	61.0	-17
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	0.00000	0.00000		73.6	-6.4	5.84	9.8	61.0	-6.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Majs, helsädesensilage (305)	1	1	4.00000	0.00000		85.3	-65	6.44	11.6		
Ärter, helsädesensilage, sen skörd (315)	1	1				77.1	22.0	6.60			
Hö, blandvall, 0-50% baljväxter (383)	0	1				86.8	-28	5.30	9.9	70.0	-17
Hö, blandvall, 0-50% baljväxter (383)	1	6				83.4	-49	5.11	9.8	69.5	-44
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3				73.7	42.1	5.23	9.3	67.0	36.0
Ensilage, blandvall (51-100% klöver) (438)	3	1				76.8	54.9	5.58	9.8	70.0	49.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.00000	0.00000		74.3	5.0	5.77	9.9		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	1.4	3.3	1.5	8.2	0.8		1.5	120	1	50.0	16.0	30.0	5.8	
Havre, kärna, hög NDF (002)	1	1	0.6	3.0	1.2	5.0	0.1		1.2	38	1	97.0	40.0	28.0	4.4	
Vete, kärna (005)	1	7	0.4	3.0	1.1	4.5	0.1	0.8	1.2	18	7	48.6	37.4	28.0	4.8	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	0.5	3.1	1.1	5.3	0.1		1.3	28	3	56.3	35.7	35.0	5.3	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.4	3.2	1.3	4.5	0.1		1.4	9	1	60.0	49.0	35.0	5.6	
Åkerböna, kärna (007)	1	2	1.0	4.5	1.4	12.8	0.2		1.7	203	2	60.0	16.0	52.5	17.2	0.0
Majs hela plantan, grönmassa (030)	1	1	2.2	1.8	1.2	9.3	0.1	2.1	0.9	127	1	68.0	35.0	23.0	4.3	0.0
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	2	5.8	2.6	2.1	22.2	0.8	4.2	2.5	315	2	82.5	57.0	25.0	6.7	
Ensilage, gräs (0% klöver) (162)	1	19	4.6	2.3	1.7	21.9	0.6	5.1	1.8	332	19	156.4	74.6	24.5	5.7	0.0
Ensilage, gräs (0% klöver) (162)	2	12	5.8	2.7	2.2	25.5	0.5	6.0	2.1	374	12	100.7	70.5	25.1	6.6	0.0
Ensilage, gräs (0% klöver) (162)	3	6	6.8	3.0	2.6	25.2	0.9	6.2	2.5	349	6	138.0	78.7	25.7	7.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	12.8	2.9	2.1	21.5	0.3		2.0	306	1	182.0	60.0	31.0	10.6	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	66	5.1	2.5	1.7	24.3	0.6	6.8	1.9	379	61	137.0	59.5	25.7	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	6.9	2.7	2.4	24.5	0.8	9.8	2.2	353	36	155.2	63.6	26.4	7.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25	6.4	2.9	2.5	25.7	1.0	17.8	2.5	274	25	122.0	74.4	24.6	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	8	7.7	2.9	2.6	29.8	0.8	15.5	3.1	281	8	119.8	76.0	22.9	7.2	0.2
Ensilage, blandvall (1-50% klöver) (165)	0	15	5.7	2.3	1.9	21.4	0.7	5.2	1.6	345	15	164.2	79.6	26.9	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	186	4.9	2.4	1.7	23.0	0.8	4.9	1.8	369	172	191.7	66.0	28.5	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	145	6.5	2.7	2.3	24.5	1.0	6.7	2.2	344	133	166.6	74.3	25.6	7.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	71	7.6	2.8	2.7	25.3	1.3	7.5	2.5	335	64	193.1	81.6	26.7	7.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	9	8.6	3.1	2.9	26.5	1.4	8.4	2.5	350	7	153.1	77.1	25.4	7.6	
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.4	3.2	2.0	29.2	0.6	3.9	3.6	438	1	117.0	126.0	18.0	7.0	
Korn, helsädesensilage (250)	1	10	3.7	2.5	1.7	15.2	1.1	3.0	1.6	246	9	342.4	65.8	27.6	5.3	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	5.0	2.7	1.8	17.7	1.2	3.9	1.3	313	5	240.4	63.4	26.6	5.0	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	6.0	2.9	2.2	17.8	1.5	3.7	1.6	357	2	137.5	74.5	24.5	5.5	
Havre helsädesensilage degmognad (296)	1	13	4.3	2.4	1.5	16.8	9.3	17.0	1.7	191	10	207.9	60.4	28.7	5.0	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.6	2.0	15.3	1.0	3.3	1.5	253	4	148.3	99.3	32.8	5.7	
Vete, helsäd ensilage (299)	1	4	2.8	2.3	1.4	17.4	1.4	4.4	1.6	281	4	254.8	57.5	24.5	4.8	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	5.3	2.9	2.1	17.3	1.0	2.1	1.6	312	3	136.7	101.3	48.3	6.0	0.0
Majs, helsädesensilage (305)	1	1	1.1	1.6	0.8	7.7	0.1	2.2	1.2	64	1	68.0	39.0	24.0	3.0	
Ärter, helsädesensilage, sen skörd (315)	1	1	8.3	2.5	2.7	13.9	0.3	3.5	1.3	189	1	76.0	28.0	33.0	8.0	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	4	2.9	1.6	1.4	15.7	0.6		1.3	206	4	160.0	141.0	20.0	4.2	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	11.0	2.3	3.0	21.7	0.5		1.6	348	3	167.7	34.7	25.7	10.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	9.8	2.3	3.1	25.9	0.8		1.8	447	1	134.0	38.0	24.0	9.8	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.2	2.7	2.3	14.0	1.5	1.8	2.1	241	0					
Övrigt foder ej kompletta data (1E3)	1	1	0.4	3.1	1.2	5.7	0.1		1.2		1	47.0	18.0	31.0	5.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	859.000	9.899	852.000	866.000
Aska	2	31.550	11.950	23.100	40.000
OS smbh	2	78.800	10.182	71.600	86.000
Råprot	2	101.150	2.616	99.300	103.000
sRåprot	1	621.000	.	621.000	621.000
NDF	1	341.000	.	341.000	341.000
iNDF	2	204.000	59.397	162.000	246.000
nhNDF	2	3.150	0.000	3.150	3.150
Stä	2	453.600	268.135	264.000	643.200
TAF	2	0.000	0.000	0.000	0.000
Socker	1	45.000	.	45.000	45.000
AATp20	2	88.668	8.197	82.872	94.464
PBVp20	2	-30.957	14.984	-41.552	-20.361
NELp20	2	6.845	0.661	6.378	7.313
OE*	1	10.730	.	10.730	10.730
Ca	2	1.400	1.414	0.400	2.400
P	2	3.300	0.283	3.100	3.500
Mg	2	1.500	0.283	1.300	1.700
K	2	8.200	3.818	5.500	10.900
Na	2	0.800	0.990	0.100	1.500
S	2	1.450	0.495	1.100	1.800
CAB	2	120.073	109.762	42.460	197.687
Fe	1	50.000	.	50.000	50.000
Mn	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	30.000	.	30.000	30.000
Cu	1	5.800	.	5.800	5.800

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	862.500	16.263	851.000	874.000
Aska	2	24.900	5.233	21.200	28.600
OS smbh	2	75.000	0.000	75.000	75.000
Råprot	2	101.500	7.637	96.100	106.900
iNDF	2	392.000	0.000	392.000	392.000
nhNDF	2	2.000	0.000	2.000	2.000
Stä	2	605.600	100.833	534.300	676.900
TAF	2	0.000	0.000	0.000	0.000
AATp20	2	83.316	2.485	81.559	85.073
PBVp20	2	-17.313	3.524	-19.805	-14.821
NELp20	2	6.404	0.141	6.304	6.504
Ca	1	0.600	.	0.600	0.600
P	1	3.000	.	3.000	3.000
Mg	1	1.200	.	1.200	1.200
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	37.507	.	37.507	37.507
Fe	1	97.000	.	97.000	97.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	40.000	.	40.000	40.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	869.286	30.4779	837.000	934.000
Aska	7	17.286	2.7510	14.000	21.900
OS smbh	7	75.429	33.2609	0.000	88.000
Råprot	7	114.000	11.5766	103.400	137.000
sRåprot	1	393.000	.	393.000	393.000
NH3-N	1	7.000	.	7.000	7.000
NDF	2	124.000	70.7107	74.000	174.000
iNDF	7	163.857	61.2302	25.000	187.000
nhNDF	7	3.500	0.0000	3.500	3.500
Stä	7	648.571	46.9161	552.000	687.700
TAF	7	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	7	112.580	1.2265	110.101	113.847
PBVp20	7	-50.965	10.3921	-60.929	-31.571
NELp20	7	7.946	0.1131	7.800	8.101
OE*	1	14.100	.	14.100	14.100
Ca	7	0.357	0.0787	0.300	0.500
P	7	3.014	0.3532	2.400	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	7	1.114	0.2410	0.700	1.500
K	7	4.514	0.5305	3.700	5.100
Na	6	0.100	0.0000	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	7	1.229	0.1113	1.100	1.400
CAB	7	18.067	10.7948	3.740	29.315
Fe	7	48.571	13.9027	38.000	77.000
Mn	7	37.429	10.1465	22.000	56.000
Zn	7	28.000	6.3509	23.000	42.000
Cu	7	4.757	0.7277	3.800	5.900
Se	1	0.048	.	0.048	0.048

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	22.500	.	22.500	22.500
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	94.800	.	94.800	94.800
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	596.000	.	596.000	596.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	90.033	.	90.033	90.033

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-36.859	.	-36.859	-36.859
NELp20	1	7.002	.	7.002	7.002

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	834.000	19.0788	822.000	856.000
Aska	3	17.633	1.7039	16.000	19.400
OS smbh	3	87.000	0.0000	87.000	87.000
Råprot	3	118.633	8.1953	109.200	124.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	189.000	.	189.000	189.000
iNDF	3	173.000	0.0000	173.000	173.000
nhNDF	3	3.300	0.0000	3.300	3.300
Stä	3	643.000	38.7981	599.000	672.300
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	104.995	1.7961	102.973	106.407
PBVp20	3	-36.341	5.2762	-42.434	-33.273
NELp20	3	7.646	0.1491	7.549	7.817
OE*	1	13.300	.	13.300	13.300
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-31.000	.	-31.000	-31.000
Ca	3	0.467	0.1155	0.400	0.600
P	3	3.100	0.2646	2.800	3.300
Mg	3	1.133	0.0577	1.100	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	5.300	0.3000	5.000	5.600
Na	3	0.100	0.0000	0.100	0.100
S	3	1.333	0.1528	1.200	1.500
CAB	3	28.395	14.0701	17.979	44.401
Fe	3	56.333	19.8578	39.000	78.000
Mn	3	35.667	10.0167	28.000	47.000
Zn	3	35.000	4.3589	32.000	40.000
Cu	3	5.300	0.7810	4.800	6.200
Se	1	0.024	.	0.024	0.024

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	20.100	.	20.100	20.100
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	116.100	.	116.100	116.100
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	610.200	.	610.200	610.200
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.410	.	101.410	101.410
PBVp20	1	-31.177	.	-31.177	-31.177
NELp20	1	7.416	.	7.416	7.416
Ca	1	0.400	.	0.400	0.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.200	.	3.200	3.200
Mg	1	1.300	.	1.300	1.300
K	1	4.500	.	4.500	4.500
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	9.402	.	9.402	9.402
Fe	1	60.000	.	60.000	60.000
Mn	1	49.000	.	49.000	49.000
Zn	1	35.000	.	35.000	35.000
Cu	1	5.600	.	5.600	5.600

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	857.500	36.0624	832.000	883.000
Aska	2	32.500	0.7071	32.000	33.000
OS smbh	2	88.959	0.0000	88.959	88.959
Råprot	2	299.000	8.4853	293.000	305.000
NH3-N	2	2.000	0.0000	2.000	2.000
iNDF	2	32.000	0.0000	32.000	32.000
nhNDF	2	4.700	0.0000	4.700	4.700
Stä	2	402.000	18.3848	389.000	415.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	102.378	0.4994	102.024	102.731
PBVp20	2	146.147	7.5915	140.779	151.515

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	7.852	0.0082	7.846	7.857
Ca	2	1.000	0.0000	1.000	1.000
P	2	4.500	1.4142	3.500	5.500
Mg	2	1.400	0.1414	1.300	1.500
K	2	12.800	1.4142	11.800	13.800
Na	2	0.150	0.0707	0.100	0.200
S	2	1.650	0.2121	1.500	1.800
CAB	2	202.593	46.3530	169.817	235.370
Fe	2	60.000	0.0000	60.000	60.000
Mn	2	16.000	0.0000	16.000	16.000
Zn	2	52.500	7.7782	47.000	58.000
Cu	2	17.150	4.7376	13.800	20.500
Se	1	0.020	.	0.020	0.020

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	332.000	.	332.000	332.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	76.600	.	76.600	76.600
Råprot	1	75.000	.	75.000	75.000
sRåprot	1	371.000	.	371.000	371.000
NDF	1	379.000	.	379.000	379.000
iNDF	1	190.266	.	190.266	190.266
nhNDF	1	3.583	.	3.583	3.583

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	348.000	.	348.000	348.000
TAF	1	57.000	.	57.000	57.000
Socket	1	20.000	.	20.000	20.000
AATp20	1	88.713	.	88.713	88.713
PBVp20	1	-64.704	.	-64.704	-64.704
NELp20	1	6.505	.	6.505	6.505
Ca	1	2.200	.	2.200	2.200
P	1	1.800	.	1.800	1.800
Mg	1	1.200	.	1.200	1.200
K	1	9.300	.	9.300	9.300
Na	1	0.100	.	0.100	0.100
Cl	1	2.100	.	2.100	2.100
S	1	0.900	.	0.900	0.900
CAB	1	126.795	.	126.795	126.795
Fe	1	68.000	.	68.000	68.000
Mn	1	35.000	.	35.000	35.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.300	.	4.300	4.300
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	580.000	272.943	387.000	773.000
Aska	2	83.500	0.707	83.000	84.000
OS smbh	2	76.550	4.031	73.700	79.400
Råprot	2	135.000	41.012	106.000	164.000
sRåprot	1	402.000	.	402.000	402.000
NDF	2	456.500	64.347	411.000	502.000
iNDF	2	129.764	42.093	100.000	159.528

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	4.652	0.127	4.562	4.742
TAF	2	61.000	0.000	61.000	61.000
Socker	2	103.000	38.184	76.000	130.000
AATp20	2	86.447	1.502	85.385	87.509
PBVp20	2	-0.573	40.613	-29.291	28.144
NELp20	2	6.103	0.151	5.996	6.209
OE*	2	11.055	0.643	10.600	11.510
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	2	5.750	0.636	5.300	6.200
P	2	2.550	0.212	2.400	2.700
Mg	2	2.050	0.212	1.900	2.200
K	2	22.200	7.920	16.600	27.800
Na	2	0.750	0.778	0.200	1.300
Cl	1	4.200	.	4.200	4.200
S	2	2.500	0.424	2.200	2.800
CAB	2	314.556	193.914	177.438	451.674
Fe	2	82.500	27.577	63.000	102.000
Mn	2	57.000	2.828	55.000	59.000
Zn	2	25.000	15.556	14.000	36.000
Cu	2	6.650	2.333	5.000	8.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	435.737	152.715	278.000	689.000
Aska	19	66.211	7.488	60.000	76.000
OS smbh	19	75.879	4.926	66.900	80.200
Råprot	19	129.316	37.038	77.000	179.000
sRåprot	19	633.316	108.574	390.000	745.000
NH3-N	19	74.000	25.976	26.000	109.000
NDF	19	447.632	57.043	388.000	549.000
iNDF	19	150.423	42.571	110.000	221.315
nhNDF	19	4.470	0.748	3.468	5.479
TAF	19	59.616	39.137	17.500	122.900
Mjölksyra	19	43.789	31.757	11.000	89.000
Ättiksyra	19	13.211	8.203	5.000	28.000
Socker	19	99.579	53.117	20.000	177.000
PRF	3	3.667	1.528	2.000	5.000
BUF	19	1.195	0.900	0.100	2.600
AATp20	19	82.246	4.631	75.857	87.651
PBVp20	19	1.227	31.818	-43.554	57.088
NELp20	19	6.104	0.537	5.234	6.699
OE*	19	11.141	0.801	9.700	11.800
AAT*	16	71.813	2.482	68.000	74.000
PBV*	16	-1.125	30.177	-43.000	39.000
Ca	19	4.600	0.783	3.700	6.200
P	19	2.284	0.450	1.500	2.900
Mg	19	1.721	0.230	1.500	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	19	21.874	5.558	14.200	31.700
Na	19	0.647	0.567	0.200	2.000
Cl	19	5.063	2.853	1.900	10.100
S	19	1.811	0.495	1.100	2.500
CAB	19	331.794	113.612	182.360	514.478
Fe	19	156.421	109.433	59.000	420.000
Mn	19	74.579	38.875	40.000	112.000
Zn	19	24.474	5.729	15.000	31.000
Cu	19	5.679	1.531	3.700	8.000
Se	4	0.014	0.006	0.010	0.023

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	445.000	114.831	370.000	501.000
Aska	13	76.308	5.603	68.000	83.000
OS smbh	13	73.315	3.401	70.500	77.100
Råprot	13	138.385	25.893	111.000	175.000
sRåprot	13	549.615	134.338	453.000	668.000
NH3-N	13	74.154	21.236	51.000	101.000
NDF	13	463.154	37.276	426.000	512.000
iNDF	13	178.021	43.341	138.155	207.195
nhNDF	13	4.040	0.632	3.584	4.597
TAF	13	51.477	25.593	27.400	85.000
Mjölksyra	13	37.308	20.569	14.000	58.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	13	11.615	6.076	7.000	20.000
Socker	13	66.462	17.251	45.000	89.000
PRF	2	3.000	0.000	3.000	3.000
BUF	13	1.246	1.244	0.000	2.800
AATp20	13	82.097	2.514	78.794	84.432
PBVp20	13	9.972	22.247	-15.988	39.773
NELp20	13	5.884	0.421	5.526	6.411
OE*	13	10.605	0.555	10.100	11.300
AAT*	11	69.909	1.578	69.000	71.000
PBV*	11	10.636	19.454	-10.000	36.000
Ca	12	5.792	1.899	3.800	7.900
P	12	2.692	0.264	2.500	2.900
Mg	12	2.183	0.395	1.800	2.700
K	12	25.458	4.994	18.300	31.300
Na	12	0.492	0.291	0.200	0.900
Cl	13	6.000	3.052	3.200	9.700
S	12	2.067	0.630	1.200	3.000
CAB	12	373.835	107.310	264.085	478.655
Fe	12	100.667	31.853	60.000	148.000
Mn	12	70.500	33.085	45.000	103.000
Zn	12	25.083	5.534	19.000	32.000
Cu	12	6.608	1.119	5.100	7.900
Se	1	0.008	.	0.008	0.008

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	425.167	127.650	280.000	630.000
Aska	6	86.833	6.616	80.000	95.000
OS smbh	6	76.467	3.183	73.300	82.100
Råprot	6	163.333	25.121	143.000	208.000
sRåprot	6	517.667	86.685	424.000	651.000
NH3-N	6	63.500	22.528	32.000	89.000
NDF	6	434.000	47.125	357.000	495.000
iNDF	6	150.658	24.357	119.000	180.944
nhNDF	6	4.791	0.949	3.822	6.552
TAF	6	62.300	21.902	40.500	98.000
Mjölksyra	6	50.500	21.879	29.000	88.000
Ättiksyra	6	9.833	2.787	6.000	14.000
Socker	6	52.333	17.189	36.000	78.000
PRF	1	2.000	.	2.000	2.000
BUF	6	0.800	0.881	0.000	2.100
AATp20	6	85.421	1.310	82.989	86.635
PBVp20	6	27.263	22.741	7.752	68.067
NELp20	6	6.231	0.353	5.920	6.855
OE*	6	10.983	0.445	10.600	11.800
AAT*	5	71.200	0.837	70.000	72.000
PBV*	5	32.000	13.000	21.000	51.000
Ca	6	6.767	1.476	5.000	9.100
P	6	2.967	0.561	2.200	3.600
Mg	6	2.550	0.259	2.200	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	6	25.183	2.501	22.500	28.200
Na	6	0.850	0.356	0.300	1.400
Cl	6	6.217	2.489	3.100	8.600
S	6	2.517	0.392	1.900	3.100
CAB	6	348.623	26.563	314.892	383.136
Fe	6	138.000	71.864	79.000	276.000
Mn	6	78.667	17.317	64.000	112.000
Zn	6	25.667	3.933	22.000	32.000
Cu	6	7.883	0.731	7.000	9.100
Se	1	0.014	.	0.014	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	682.000	.	682.000	682.000
Aska	1	103.000	.	103.000	103.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	159.000	.	159.000	159.000
NDF	1	416.000	.	416.000	416.000
iNDF	1	304.671	.	304.671	304.671
nhNDF	1	2.217	.	2.217	2.217
TAF	1	84.000	.	84.000	84.000
Socker	1	69.000	.	69.000	69.000
AATp20	1	71.853	.	71.853	71.853
PBVp20	1	48.784	.	48.784	48.784

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.060	.	5.060	5.060
OE*	1	8.900	.	8.900	8.900
AAT*	1	65.000	.	65.000	65.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	12.800	.	12.800	12.800
P	1	2.900	.	2.900	2.900
Mg	1	2.100	.	2.100	2.100
K	1	21.500	.	21.500	21.500
Na	1	0.300	.	0.300	0.300
S	1	2.000	.	2.000	2.000
CAB	1	305.521	.	305.521	305.521
Fe	1	182.000	.	182.000	182.000
Mn	1	60.000	.	60.000	60.000
Zn	1	31.000	.	31.000	31.000
Cu	1	10.600	.	10.600	10.600
Se	1	0.063	.	0.063	0.063

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	76	421.776	132.189	258.000	625.000
Aska	75	70.507	9.473	58.000	83.000
OS smbh	76	78.559	5.027	69.000	84.200
Råprot	75	137.827	27.769	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	75	442.507	54.987	376.000	522.000
iNDF	76	114.331	52.763	56.000	187.447
nhNDF	76	5.325	1.416	4.029	6.901
TAF	76	68.171	31.001	6.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	75	146.947	43.157	92.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	76	88.695	7.214	77.584	97.973
PBVp20	76	0.960	19.293	-28.599	24.607
NELp20	76	6.362	0.450	5.588	6.860
OE*	75	11.546	0.842	10.100	12.400
AAT*	54	79.093	5.010	71.000	84.000
PBV*	54	-4.035	22.480	-38.000	24.000
Ca	66	5.092	1.800	3.200	7.500
P	66	2.541	0.458	2.100	3.100
Mg	66	1.676	0.367	1.200	2.200
K	66	24.294	4.402	17.700	29.900
Na	66	0.639	0.475	0.200	1.200
Cl	19	6.758	3.536	0.300	12.200
S	66	1.938	0.409	1.400	2.500
CAB	66	378.928	117.246	226.739	545.835
Fe	61	137.016	73.957	74.000	214.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	61	59.459	22.826	39.000	84.000
Zn	61	25.672	4.603	20.000	32.000
Cu	61	5.534	1.215	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	42	471.619	123.810	340.000	658.000
Aska	41	83.024	8.990	71.000	92.000
OS smbh	42	75.752	3.687	71.100	79.900
Råprot	41	142.146	20.440	120.000	168.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	41	454.439	36.690	410.000	496.000
iNDF	42	143.086	53.126	70.000	210.117
nhNDF	42	4.499	0.832	3.366	5.440
TAF	42	70.690	30.133	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	41	110.341	32.227	59.000	146.000
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	42	85.181	7.426	77.864	99.137
PBVp20	42	10.789	14.951	-6.786	32.631
NELp20	42	6.104	0.356	5.652	6.522

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	41	10.934	0.652	10.200	11.710
AAT*	31	74.742	3.356	70.000	79.000
PBV*	31	9.584	18.802	-11.000	35.000
Ca	36	6.919	2.526	3.800	10.700
P	36	2.675	0.400	2.200	3.100
Mg	36	2.372	0.575	1.700	3.100
K	36	24.547	3.377	21.300	28.600
Na	36	0.828	0.444	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	36	2.225	0.449	1.700	3.000
CAB	36	352.668	117.036	233.095	467.333
Fe	36	155.167	199.073	72.000	216.000
Mn	36	63.583	24.380	36.000	91.000
Zn	36	26.417	6.518	21.000	32.000
Cu	36	7.061	1.645	5.000	9.000
Se	12	0.021	0.010	0.010	0.034

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	486.120	144.699	291.000	733.000
Aska	25	85.280	12.664	69.000	103.000
OS smbh	25	73.264	3.444	70.100	77.800
Råprot	25	137.520	20.779	116.000	172.000
sRåprot	9	385.556	44.590	313.000	452.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	25	492.400	36.590	445.000	537.000
iNDF	25	162.458	37.961	112.300	216.590
nhNDF	25	4.360	0.733	3.324	5.578
TAF	25	84.000	0.000	84.000	84.000
Socker	25	91.040	35.610	42.000	121.000
AATp20	25	82.057	4.819	77.177	87.308
PBVp20	25	11.424	17.058	-8.484	35.437
NELp20	25	5.961	0.337	5.607	6.435
OE*	25	10.496	0.579	9.700	11.100
AAT*	16	73.125	3.948	68.000	77.000
PBV*	16	12.125	20.046	-10.000	40.000
Ca	25	6.444	1.749	4.300	9.500
P	25	2.908	0.436	2.500	3.500
Mg	25	2.452	0.587	1.600	3.300
K	25	25.668	4.903	19.100	30.600
Na	25	0.964	0.487	0.400	1.500
Cl	9	17.844	7.790	8.800	31.700
S	25	2.540	0.468	1.900	3.200
CAB	25	273.943	229.855	-74.653	510.333
Fe	25	122.000	56.789	84.000	156.000
Mn	25	74.360	27.949	45.000	106.000
Zn	25	24.640	4.232	19.000	30.000
Cu	25	6.920	1.287	5.300	9.000
Se	4	0.014	0.005	0.008	0.019

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	358.000	85.742	242.000	493.000
Aska	9	90.000	15.091	73.000	115.000
OS smbh	9	75.700	3.610	69.300	79.500
Råprot	9	159.222	30.971	108.000	213.000
sRåprot	5	383.200	23.015	358.000	409.000
NDF	9	445.000	52.882	348.000	494.000
iNDF	9	140.343	51.823	85.000	234.029
nhNDF	9	4.285	0.629	2.961	5.042
TAF	9	84.000	0.000	84.000	84.000
Socker	9	91.444	33.746	37.000	120.000
AATp20	9	85.546	5.680	76.297	91.963
PBVp20	9	26.053	29.585	-11.524	75.219
NELp20	9	6.180	0.373	5.565	6.579
OE*	9	10.836	0.683	9.600	11.560
AAT*	4	72.250	2.754	69.000	75.000
PBV*	4	43.750	46.507	-18.000	83.000
Ca	8	7.688	3.752	4.700	16.500
P	8	2.925	0.413	2.600	3.700
Mg	8	2.613	0.675	2.000	3.700
K	8	29.750	6.970	19.300	42.000
Na	8	0.813	0.259	0.500	1.200
Cl	5	15.500	6.288	6.500	21.200
S	8	3.088	0.772	2.000	4.200
CAB	8	280.692	252.741	-37.758	727.755

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	119.750	66.341	82.000	281.000
Mn	8	76.000	22.709	41.000	108.000
Zn	8	22.875	5.330	17.000	31.000
Cu	8	7.175	2.114	3.900	10.300
Se	1	0.193	.	0.193	0.193

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	470.875	158.618	314.000	775.000
Aska	16	71.813	14.423	47.000	92.000
OS smbh	16	74.019	4.415	67.000	78.700
Råprot	16	121.250	30.719	85.000	156.000
sRåprot	16	546.938	77.525	431.000	645.000
NH3-N	16	69.250	24.518	31.000	100.000
NDF	16	446.188	54.749	391.000	518.000
iNDF	16	176.638	39.086	134.729	234.995
nhNDF	16	4.053	0.666	3.242	4.761
TAF	16	59.481	32.734	17.500	101.100
Mjölksyra	16	45.625	27.973	6.000	83.000
Ättiksyra	16	11.688	5.851	5.000	21.000
Socker	16	86.375	51.381	29.000	174.000
BUF	16	1.169	1.185	0.100	2.700
AATp20	16	81.972	3.479	78.541	85.594
PBVp20	16	-3.618	26.119	-36.353	26.912

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	16	5.911	0.476	5.145	6.480
OE*	16	10.756	0.683	9.600	11.600
AAT*	16	71.000	2.221	67.000	74.000
PBV*	16	-0.688	28.399	-35.000	33.000
Ca	15	5.720	1.764	4.000	8.400
P	15	2.340	0.711	1.400	3.200
Mg	15	1.920	0.556	1.400	2.700
K	15	21.373	5.186	13.000	27.800
Na	15	0.727	0.620	0.200	1.800
Cl	16	5.231	4.129	0.500	10.700
S	15	1.640	0.498	0.900	2.100
CAB	15	345.398	56.178	264.910	414.037
Fe	15	164.200	90.357	68.000	255.000
Mn	15	79.600	47.815	32.000	107.000
Zn	15	26.867	11.319	18.000	33.000
Cu	15	6.347	1.774	3.900	7.800
Se	1	0.020	.	0.020	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	194	425.649	125.242	293.000	617.000
Aska	194	70.572	15.030	60.000	79.000
OS smbh	194	77.535	4.104	73.700	81.300
Råprot	194	134.773	26.297	99.000	168.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	194	625.851	90.769	511.000	723.000
NH3-N	194	71.933	26.007	41.000	101.000
NDF	194	417.134	49.694	364.000	478.000
iNDF	194	141.781	39.864	104.998	186.498
nhNDF	194	4.619	0.674	3.784	5.421
TAF	194	63.960	33.676	20.400	112.100
Mjölksyra	194	47.902	28.901	12.000	88.000
Ättiksyra	194	13.485	6.418	6.000	22.000
Socker	194	99.454	55.091	33.000	178.000
PRF	26	3.538	2.195	1.000	6.000
BUF	194	1.234	3.285	0.100	2.500
AATp20	194	84.245	5.000	79.411	91.408
PBVp20	194	5.221	22.907	-27.647	31.892
NELp20	194	6.259	0.411	5.754	6.655
OE*	194	11.364	0.676	10.700	12.000
AAT*	168	72.780	2.134	71.000	75.000
PBV*	168	7.501	24.470	-26.000	40.000
Ca	186	4.888	1.298	3.600	6.500
P	186	2.371	0.395	1.900	2.800
Mg	186	1.682	0.260	1.400	2.100
K	186	22.978	3.988	17.400	27.600
Na	186	0.760	0.605	0.200	1.500
Cl	194	4.870	2.632	1.900	8.300
S	186	1.811	0.448	1.200	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	186	369.228	94.264	247.735	479.893
Fe	172	191.744	200.948	79.000	357.000
Mn	172	65.959	27.824	41.000	92.000
Zn	172	28.506	28.512	19.000	33.000
Cu	172	5.533	1.090	4.300	7.000
Se	44	0.017	0.016	0.007	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	147	459.946	140.093	292.000	703.000
Aska	147	79.694	9.476	69.000	91.000
OS smbh	147	74.994	2.918	70.800	78.800
Råprot	147	144.177	24.671	112.000	178.000
sRåprot	147	532.054	102.530	395.000	647.000
NH3-N	145	67.483	23.100	34.000	98.000
NDF	147	441.136	38.251	395.000	491.000
iNDF	147	167.628	40.380	118.362	220.493
nhNDF	147	4.286	0.700	3.316	5.155
TAF	147	59.184	29.466	19.500	98.100
Mjölksyra	147	44.395	24.324	13.000	76.000
Ättiksyra	147	12.469	6.533	4.000	20.000
Socker	147	76.374	40.858	24.000	139.000
PRF	22	3.909	2.689	0.000	7.000
BUF	147	0.885	0.964	0.000	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	147	84.160	4.202	79.477	90.392
PBVp20	147	14.285	22.414	-15.377	43.159
NELp20	147	6.063	0.342	5.602	6.531
OE*	147	10.837	0.485	10.100	11.450
AAT*	125	71.064	1.324	69.000	73.000
PBV*	125	19.377	23.469	-9.000	51.000
Ca	145	6.472	1.974	4.300	9.600
P	145	2.686	0.388	2.200	3.100
Mg	145	2.277	0.438	1.800	2.900
K	145	24.481	3.736	20.500	29.200
Na	145	1.014	0.622	0.300	1.800
Cl	147	6.707	3.264	2.700	11.100
S	145	2.177	0.454	1.600	2.700
CAB	145	344.332	98.705	230.253	480.916
Fe	133	166.639	152.445	78.000	280.000
Mn	133	74.263	28.724	48.000	109.000
Zn	133	25.586	5.195	21.000	32.000
Cu	133	7.140	1.221	5.500	8.600
Se	21	0.020	0.013	0.010	0.042

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	78	421.615	126.419	296.000	627.000
Aska	78	88.744	15.638	75.000	99.000
OS smbh	78	74.477	2.313	71.600	77.100
Råprot	78	152.231	19.577	128.000	180.000
sRåprot	78	526.154	83.715	390.000	619.000
NH3-N	78	78.821	27.550	42.000	109.000
NDF	78	433.359	38.807	377.000	481.000
iNDF	78	176.560	36.931	138.326	220.321
nhNDF	78	4.141	0.673	3.168	4.883
TAF	78	65.317	27.119	23.500	98.000
Mjölksyra	78	48.192	22.412	13.000	75.000
Ättiksyra	78	14.244	6.386	6.000	23.000
Socker	78	57.564	33.422	18.000	103.000
PRF	13	3.308	1.601	2.000	5.000
BUF	78	1.496	1.754	0.000	3.200
AATp20	78	83.053	4.916	76.665	89.958
PBVp20	78	23.590	18.954	-2.393	48.389
NELp20	78	6.020	0.267	5.660	6.314
OE*	78	10.647	0.436	10.100	11.100
AAT*	65	70.431	1.311	69.000	72.000
PBV*	65	29.723	20.169	7.000	57.000
Ca	71	7.559	2.261	5.500	10.800
P	71	2.834	0.391	2.400	3.300
Mg	71	2.723	0.431	2.300	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	71	25.349	4.001	20.400	30.500
Na	71	1.279	1.251	0.500	1.900
Cl	77	7.470	4.116	3.400	13.000
S	71	2.482	0.487	1.900	3.300
CAB	71	334.971	100.324	186.008	441.152
Fe	64	193.094	375.743	82.000	236.000
Mn	64	81.594	32.148	47.000	120.000
Zn	64	26.703	6.026	21.000	32.000
Cu	64	7.866	1.488	6.100	9.800
Se	13	0.029	0.019	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	412.222	113.582	255.000	635.000
Aska	9	94.222	9.628	73.000	104.000
OS smbh	9	75.778	2.150	72.800	79.500
Råprot	9	163.889	21.809	133.000	189.000
sRåprot	9	515.556	71.668	376.000	602.000
NH3-N	9	68.444	35.578	36.000	140.000
NDF	9	398.556	32.094	367.000	466.000
iNDF	9	177.932	30.081	120.375	220.000
nhNDF	9	4.281	0.655	3.367	5.200
TAF	9	66.700	29.028	23.500	113.000
Mjölksyra	9	50.000	24.663	14.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	9	13.556	3.779	8.000	19.000
Socker	9	66.000	31.615	22.000	122.000
PRF	3	2.667	1.155	2.000	4.000
BUF	9	1.589	2.148	0.000	6.400
AATp20	9	84.453	5.083	79.057	94.934
PBVp20	9	32.168	20.360	8.642	64.529
NELp20	9	6.100	0.197	5.862	6.437
OE*	9	10.792	0.264	10.500	11.300
AAT*	6	70.500	0.837	70.000	72.000
PBV*	6	40.167	22.851	12.000	68.000
Ca	9	8.600	1.979	5.100	11.200
P	9	3.056	0.461	2.200	3.600
Mg	9	2.933	0.583	2.000	4.100
K	9	26.533	3.549	18.400	29.500
Na	9	1.411	0.451	0.700	2.100
Cl	9	8.400	3.524	4.700	13.000
S	9	2.456	0.577	1.700	3.200
CAB	9	349.863	81.532	195.033	473.078
Fe	7	153.143	67.699	75.000	292.000
Mn	7	77.143	16.004	56.000	106.000
Zn	7	25.429	4.237	22.000	34.000
Cu	7	7.643	1.350	6.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	382.000	.	382.000	382.000
Aska	1	92.000	.	92.000	92.000
OS smbh	1	79.100	.	79.100	79.100
Råprot	1	159.000	.	159.000	159.000
sRåprot	1	629.000	.	629.000	629.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.852	.	4.852	4.852
TAF	1	79.000	.	79.000	79.000
Mjölksyra	1	65.000	.	65.000	65.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	60.000	.	60.000	60.000
PRF	1	0.000	.	0.000	0.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	83.488	.	83.488	83.488
PBVp20	1	28.924	.	28.924	28.924
NELp20	1	6.411	.	6.411	6.411
OE*	1	11.360	.	11.360	11.360
Ca	1	6.400	.	6.400	6.400
P	1	3.200	.	3.200	3.200
Mg	1	2.000	.	2.000	2.000
K	1	29.200	.	29.200	29.200
Na	1	0.600	.	0.600	0.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	3.900	.	3.900	3.900
S	1	3.600	.	3.600	3.600
CAB	1	438.031	.	438.031	438.031
Fe	1	117.000	.	117.000	117.000
Mn	1	126.000	.	126.000	126.000
Zn	1	18.000	.	18.000	18.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	442.417	45.574	388.000	481.00
Aska	12	60.417	18.894	41.000	84.00
OS smbh	12	68.425	2.636	65.000	70.90
Råprot	12	92.250	17.089	75.000	120.00
sRåprot	12	614.333	75.012	505.000	703.00
NH3-N	12	86.333	26.286	69.000	114.00
NDF	12	402.333	57.953	346.000	474.00
iNDF	12	278.920	32.735	227.688	308.44
nhNDF	12	2.317	0.518	2.071	3.18
Stä	12	199.083	102.086	29.000	300.00
TAF	12	61.250	22.100	36.700	74.70
Mjölksyra	12	46.667	15.120	27.000	59.00
Ättiksyra	12	11.833	6.191	6.000	16.00
Socker	12	39.000	17.257	20.000	58.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	6.500	6.364	2.000	11.00
BUF	2	1.500	0.707	1.000	2.00
AATp20	12	69.996	3.768	65.456	74.19
PBVp20	12	-19.301	18.289	-40.478	6.31
NELp20	12	5.534	0.287	5.217	5.96
OE*	3	10.130	0.520	9.600	10.64
AAT*	1	59.000	.	59.000	59.00
PBV*	1	4.000	.	4.000	4.00
Ca	10	3.650	1.399	2.050	5.60
P	10	2.530	0.481	2.050	3.25
Mg	10	1.690	0.303	1.300	2.10
K	10	15.160	4.180	10.800	21.15
Na	10	1.090	0.511	0.250	1.55
Cl	11	2.964	1.258	1.600	3.80
S	10	1.630	0.414	1.200	2.25
CAB	10	246.198	107.180	116.915	401.28
Fe	9	342.444	434.974	94.000	1277.00
Mn	9	65.778	25.611	25.000	99.00
Zn	9	27.556	5.102	21.000	37.00
Cu	9	5.333	0.986	4.300	7.40
Se	1	0.049	.	0.049	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	360.200	34.766	325.000	406.000
Aska	5	64.000	12.450	53.000	84.000
OS smbh	5	69.420	2.757	65.400	72.400
Råprot	5	107.000	13.134	89.000	125.000
sRåprot	5	679.800	48.936	632.000	760.000
NH3-N	5	78.800	14.272	58.000	91.000
NDF	5	429.200	35.010	375.000	458.000
iNDF	5	250.544	35.956	198.909	290.488
nhNDF	5	2.835	0.541	2.176	3.643
Stä	5	112.600	73.602	38.000	231.000
TAF	5	82.800	14.325	68.000	101.000
Mjölksyra	5	66.000	12.865	52.000	82.000
Ättiksyra	5	14.800	1.924	12.000	17.000
Socker	5	26.400	9.127	16.000	39.000
AATp20	5	69.409	2.474	65.191	71.425
PBVp20	5	-1.313	13.909	-20.215	14.103
NELp20	5	5.713	0.272	5.293	5.983
Ca	5	4.980	0.814	4.100	6.200
P	5	2.660	0.532	2.100	3.400
Mg	5	1.840	0.321	1.600	2.400
K	5	17.660	3.714	13.700	23.300
Na	5	1.240	1.246	0.400	3.400
Cl	5	3.860	1.601	1.500	5.800
S	5	1.340	0.089	1.200	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	313.093	47.402	259.761	368.669
Fe	5	240.400	202.387	100.000	590.000
Mn	5	63.400	38.410	15.000	103.000
Zn	5	26.600	3.782	22.000	30.000
Cu	5	5.000	0.758	3.900	5.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	310.667	43.339	268.000	381.000
Aska	6	65.167	8.134	58.000	77.000
OS smbh	6	66.617	4.139	61.100	70.300
Råprot	6	120.667	6.593	113.000	131.000
sRåprot	6	614.333	125.583	453.000	737.000
NH3-N	6	106.167	46.465	43.000	158.000
NDF	6	455.167	60.704	371.000	519.000
iNDF	6	419.171	70.139	323.000	496.534
nhNDF	6	6.514	2.185	3.074	8.725
Stä	6	70.667	43.844	32.000	149.000
TAF	6	76.583	22.879	36.500	101.500
Mjölksyra	6	60.833	24.466	23.000	93.000
Ättiksyra	6	14.833	4.309	8.000	19.000
Socket	6	28.500	19.987	11.000	63.000
PRF	1	3.000	.	3.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	6	69.490	6.244	63.054	79.371
PBVp20	6	10.468	6.964	2.608	18.858
NELp20	6	5.484	0.335	5.050	5.740
OE*	4	9.778	0.445	9.300	10.200
AAT*	3	61.000	2.646	59.000	64.000
PBV*	3	4.667	4.933	-1.000	8.000
Ca	3	5.967	0.702	5.300	6.700
P	3	2.933	0.379	2.500	3.200
Mg	3	2.233	0.115	2.100	2.300
K	3	17.833	7.262	12.100	26.000
Na	3	1.500	0.985	0.400	2.300
Cl	6	3.717	3.273	0.700	9.300
S	3	1.600	0.265	1.400	1.900
CAB	3	357.463	183.301	243.090	568.885
Fe	2	137.500	3.536	135.000	140.000
Mn	2	74.500	16.263	63.000	86.000
Zn	2	24.500	0.707	24.000	25.000
Cu	2	5.500	0.141	5.400	5.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	382.063	54.105	339.000	455.000
Aska	16	65.250	9.052	54.000	80.000
OS smbh	16	65.731	4.893	60.600	73.500
Råprot	16	92.750	22.846	73.000	122.000
sRåprot	16	575.375	92.888	474.000	721.000
NH3-N	16	80.750	26.519	45.000	107.000
NDF	16	460.250	54.162	385.000	517.000
iNDF	16	289.901	50.611	228.000	339.000
nhNDF	16	2.750	0.943	1.723	4.260
Stä	16	115.813	76.266	31.000	210.000
TAF	16	62.563	25.526	32.000	95.000
Mjölksyra	16	45.000	21.071	16.000	78.000
Ättiksyra	16	14.563	8.041	6.000	29.000
Socker	16	50.313	31.711	19.000	114.000
PRF	7	4.714	3.546	0.000	9.000
BUF	7	2.143	1.345	0.000	4.000
AATp20	16	72.532	6.136	65.585	79.811
PBVp20	16	-21.575	17.499	-40.467	-2.131
NELp20	16	5.363	0.444	4.767	5.982
OE*	9	9.862	0.693	8.670	10.690
AAT*	2	62.500	0.707	62.000	63.000
PBV*	2	-32.500	0.707	-33.000	-32.000
Ca	13	4.269	2.142	2.500	8.200
P	13	2.431	0.371	2.000	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	13	1.508	0.371	1.200	2.200
K	13	16.769	3.703	14.300	19.900
Na	13	9.323	29.477	0.600	2.900
Cl	15	17.033	49.732	3.100	7.900
S	13	1.654	0.506	1.000	2.400
CAB	13	191.256	320.674	159.504	400.417
Fe	10	207.900	153.166	97.500	434.500
Mn	10	60.400	18.674	41.000	90.500
Zn	10	28.700	11.982	20.500	51.000
Cu	10	5.020	1.276	3.850	7.000
Se	1	0.020	.	0.020	0.020

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	375.000	56.7861	328.000	449.000
Aska	4	64.750	2.5000	62.000	68.000
OS smbh	4	66.025	4.6400	59.200	69.300
Råprot	4	106.500	11.3871	98.000	123.000
sRåprot	4	548.250	25.7860	513.000	573.000
NH3-N	4	84.750	30.4344	64.000	130.000
NDF	4	449.000	45.8112	381.000	479.000
iNDF	4	281.631	55.4576	228.461	354.525
nhNDF	4	2.491	0.6947	1.671	3.208
Stä	4	96.500	82.9237	18.000	192.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	4	62.500	9.2556	50.000	70.000
Mjölksyra	4	45.250	10.7510	32.000	54.000
Ättiksyra	4	17.250	2.2174	15.000	20.000
Socker	4	60.750	46.9210	11.000	107.000
AATp20	4	68.536	5.2947	60.895	72.719
PBVp20	4	-1.407	8.2448	-11.902	6.116
NELp20	4	5.316	0.3701	4.795	5.583
Ca	4	5.625	1.4104	3.900	7.200
P	4	2.625	0.4573	2.300	3.300
Mg	4	1.950	0.1732	1.700	2.100
K	4	15.325	1.6500	13.900	17.400
Na	4	1.000	1.0231	0.200	2.500
Cl	4	3.250	2.0174	0.600	5.100
S	4	1.450	0.3000	1.300	1.900
CAB	4	253.248	26.6309	218.684	276.961
Fe	4	148.250	73.6812	99.000	257.000
Mn	4	99.250	23.3435	66.000	116.000
Zn	4	32.750	8.0156	27.000	44.000
Cu	4	5.725	0.8382	4.600	6.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	507.000	130.609	375.000	665.000
Aska	4	67.500	5.745	61.000	75.000
OS smbh	4	69.700	3.917	66.200	74.800
Råprot	4	111.750	52.525	60.000	185.000
sRåprot	4	643.750	112.684	572.000	810.000
NH3-N	4	67.500	15.843	55.000	90.000
NDF	4	492.750	85.007	388.000	571.000
iNDF	4	214.190	36.979	166.233	256.255
nhNDF	4	3.516	0.676	2.634	4.276
Stä	4	40.500	45.000	18.000	108.000
TAF	4	44.500	23.367	21.500	72.500
Mjölksyra	4	27.500	15.351	11.000	45.000
Ättiksyra	4	14.500	8.185	8.000	25.000
Socker	4	106.000	18.385	88.000	126.000
AATp20	4	73.269	5.123	69.110	80.622
PBVp20	4	-8.978	35.550	-45.084	40.045
NELp20	4	5.534	0.385	5.222	6.082
OE*	2	9.500	0.000	9.500	9.500
AAT*	2	61.000	0.000	61.000	61.000
PBV*	2	-17.000	1.414	-18.000	-16.000
Ca	4	2.825	1.050	1.900	4.300
P	4	2.275	0.403	1.700	2.600
Mg	4	1.400	0.374	1.000	1.900
K	4	17.350	5.045	9.800	20.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.350	1.308	0.300	3.100
Cl	4	4.350	1.025	3.000	5.400
S	4	1.575	0.538	1.000	2.300
CAB	4	281.457	109.668	121.024	353.669
Fe	4	254.750	150.416	142.000	471.000
Mn	4	57.500	21.424	28.000	79.000
Zn	4	24.500	5.260	20.000	32.000
Cu	4	4.825	1.056	3.300	5.700

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	371.667	79.9842	276.000	469.000
Aska	6	59.667	8.3586	50.000	69.000
OS smbh	6	70.667	1.9159	67.400	72.800
Råprot	6	109.833	12.1559	98.000	125.000
sRåprot	6	630.667	99.0428	498.000	774.000
NH3-N	6	83.500	15.9593	60.000	101.000
NDF	6	416.833	42.1019	369.000	467.000
iNDF	6	251.184	24.0455	211.499	280.352
nhNDF	6	3.024	0.7168	2.412	4.283
Stä	6	155.333	87.5024	47.000	246.000
TAF	6	70.167	16.3758	53.000	95.000
Mjölksyra	6	53.167	17.7247	40.000	87.000
Ättiksyra	6	17.000	7.1833	8.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	6	35.833	15.5617	22.000	66.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	6	73.595	3.2486	70.430	78.084
PBVp20	6	-6.440	14.9782	-21.698	12.891
NELp20	6	5.843	0.1623	5.536	6.003
OE*	5	9.814	0.4062	9.300	10.270
AAT*	4	61.000	1.1547	60.000	62.000
PBV*	4	-6.250	11.1168	-15.000	9.000
Ca	4	5.275	0.7320	4.700	6.300
P	4	2.850	0.3697	2.400	3.200
Mg	4	2.100	0.4397	1.600	2.600
K	4	17.325	3.3390	13.700	20.500
Na	4	0.950	0.4509	0.300	1.300
Cl	6	2.117	0.8658	1.100	3.400
S	4	1.625	0.4031	1.200	2.100
CAB	4	311.710	88.2698	220.801	387.914
Fe	3	136.667	47.2899	97.000	189.000
Mn	3	101.333	62.0833	47.000	169.000
Zn	3	48.333	32.3161	21.000	84.000
Cu	3	6.000	1.2530	4.700	7.200
Se	2	0.020	0.0085	0.014	0.026

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	351.000	.	351.000	351.000
Aska	1	27.000	.	27.000	27.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	68.000	.	68.000	68.000
sRåprot	1	475.000	.	475.000	475.000
NH3-N	1	24.000	.	24.000	24.000
NDF	1	375.000	.	375.000	375.000
iNDF	1	225.000	.	225.000	225.000
nhNDF	1	3.614	.	3.614	3.614
Stä	1	322.000	.	322.000	322.000
TAF	1	49.000	.	49.000	49.000
Mjölksyra	1	36.000	.	36.000	36.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	7.000	.	7.000	7.000
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	85.296	.	85.296	85.296
PBVp20	1	-65.029	.	-65.029	-65.029
NELp20	1	6.436	.	6.436	6.436
OE*	1	11.620	.	11.620	11.620
Ca	1	1.100	.	1.100	1.100
P	1	1.600	.	1.600	1.600
Mg	1	0.800	.	0.800	0.800
K	1	7.700	.	7.700	7.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	2.200	.	2.200	2.200
S	1	1.200	.	1.200	1.200
CAB	1	64.307	.	64.307	64.307
Fe	1	68.000	.	68.000	68.000
Mn	1	39.000	.	39.000	39.000
Zn	1	24.000	.	24.000	24.000
Cu	1	3.000	.	3.000	3.000

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	462.000	.	462.000	462.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	153.000	.	153.000	153.000
NDF	1	345.000	.	345.000	345.000
iNDF	1	183.107	.	183.107	183.107
nhNDF	1	3.552	.	3.552	3.552
Stä	1	250.000	.	250.000	250.000
TAF	1	92.000	.	92.000	92.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	37.000	.	37.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	13.000	.	13.000	13.000
AATp20	1	77.055	.	77.055	77.055
PBVp20	1	22.034	.	22.034	22.034
NELp20	1	6.602	.	6.602	6.602
Ca	1	8.300	.	8.300	8.300
P	1	2.500	.	2.500	2.500
Mg	1	2.700	.	2.700	2.700
K	1	13.900	.	13.900	13.900
Na	1	0.300	.	0.300	0.300
Cl	1	3.500	.	3.500	3.500
S	1	1.300	.	1.300	1.300
CAB	1	188.701	.	188.701	188.701
Fe	1	76.000	.	76.000	76.000
Mn	1	28.000	.	28.000	28.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	716.000	.	716.000	716.000
Aska	1	53.000	.	53.000	53.000
OS smbh	1	67.400	.	67.400	67.400
Råprot	1	103.000	.	103.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	551.000	.	551.000	551.000
iNDF	1	218.027	.	218.027	218.027
nhNDF	1	3.505	.	3.505	3.505
TAF	1	0.000	.	0.000	0.000
Socker	1	126.000	.	126.000	126.000
AATp20	1	86.846	.	86.846	86.846
PBVp20	1	-28.321	.	-28.321	-28.321
NELp20	1	5.298	.	5.298	5.298
OE*	1	9.900	.	9.900	9.900
AAT*	1	70.000	.	70.000	70.000
PBV*	1	-17.000	.	-17.000	-17.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	827.000	60.640	738.000	893.000
Aska	6	63.167	9.283	54.000	77.000
OS smbh	6	67.400	2.805	63.500	70.600
Råprot	6	74.833	19.773	60.000	114.000
NDF	6	546.833	53.094	442.000	590.000
iNDF	6	217.931	29.749	182.735	251.103
nhNDF	6	3.556	0.543	2.907	4.185
TAF	6	0.000	0.000	0.000	0.000
Socker	6	151.667	29.029	123.000	196.000
AATp20	6	83.427	3.199	78.434	86.250

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	6	-49.265	17.800	-67.105	-17.293
NELp20	6	5.107	0.240	4.732	5.337
OE*	6	9.767	0.524	9.000	10.400
AAT*	6	69.500	3.271	65.000	73.000
PBV*	6	-43.667	20.675	-64.000	-6.000
Ca	4	2.875	1.830	1.300	4.700
P	4	1.625	0.263	1.400	2.000
Mg	4	1.375	0.275	1.100	1.700
K	4	15.650	3.053	11.800	19.200
Na	4	0.575	0.822	0.100	1.800
S	4	1.250	0.451	0.900	1.900
CAB	4	206.286	76.824	120.456	306.997
Fe	4	160.000	174.534	49.000	420.000
Mn	4	141.000	43.182	87.000	190.000
Zn	4	20.000	6.055	16.000	29.000
Cu	4	4.150	1.136	3.400	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	372.333	32.021	341.000	405.000
Aska	3	98.000	10.149	89.000	109.000
OS smbh	3	66.533	2.610	63.600	68.600
Råprot	3	151.333	19.140	131.000	169.000
NDF	3	411.000	37.987	377.000	452.000
iNDF	3	445.631	36.701	415.085	486.343
nhNDF	3	5.414	0.944	4.572	6.434
TAF	3	72.000	0.000	72.000	72.000
Socker	3	79.333	6.807	74.000	87.000
AATp20	3	73.687	2.220	71.151	75.283
PBVp20	3	42.094	14.832	26.775	56.386
NELp20	3	5.226	0.207	4.989	5.373
OE*	3	9.267	0.321	8.900	9.500
AAT*	3	67.000	1.732	65.000	68.000
PBV*	3	36.000	15.524	20.000	51.000
Ca	3	10.967	1.893	8.800	12.300
P	3	2.300	0.361	2.000	2.700
Mg	3	3.000	0.500	2.500	3.500
K	3	21.667	2.501	18.800	23.400
Na	3	0.533	0.351	0.200	0.900
S	3	1.600	0.346	1.200	1.800
CAB	3	347.746	60.684	277.871	387.238
Fe	3	167.667	102.496	87.000	283.000
Mn	3	34.667	14.572	23.000	51.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	25.667	4.163	21.000	29.000
Cu	3	10.067	1.274	8.600	10.900
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	170.000	.	170.000	170.000
NDF	1	377.000	.	377.000	377.000
iNDF	1	374.074	.	374.074	374.074
nhNDF	1	4.688	.	4.688	4.688
TAF	1	72.000	.	72.000	72.000
Socker	1	82.000	.	82.000	82.000
AATp20	1	76.774	.	76.774	76.774
PBVp20	1	54.906	.	54.906	54.906
NELp20	1	5.584	.	5.584	5.584
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	49.000	.	49.000	49.000
Ca	1	9.800	.	9.800	9.800
P	1	2.300	.	2.300	2.300
Mg	1	3.100	.	3.100	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	25.900	.	25.900	25.900
Na	1	0.800	.	0.800	0.800
S	1	1.800	.	1.800	1.800
CAB	1	446.659	.	446.659	446.659
Fe	1	134.000	.	134.000	134.000
Mn	1	38.000	.	38.000	38.000
Zn	1	24.000	.	24.000	24.000
Cu	1	9.800	.	9.800	9.800
Se	1	0.023	.	0.023	0.023

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	67.700	.	67.700	67.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	495.000	.	495.000	495.000
iNDF	1	273.000	.	273.000	273.000
nhNDF	1	3.589	.	3.589	3.589
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	58.000	.	58.000	58.000
Ättiksyra	1	22.000	.	22.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	27.000	.	27.000	27.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.315	.	74.315	74.315
PBVp20	1	5.034	.	5.034	5.034
NELp20	1	5.773	.	5.773	5.773
OE*	1	9.860	.	9.860	9.860
Ca	1	5.200	.	5.200	5.200
P	1	2.700	.	2.700	2.700
Mg	1	2.300	.	2.300	2.300
K	1	14.000	.	14.000	14.000
Na	1	1.500	.	1.500	1.500
Cl	1	1.800	.	1.800	1.800
S	1	2.100	.	2.100	2.100
CAB	1	241.319	.	241.319	241.319

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.0	.	861.0	861.0
Aska	1	19.0	.	19.0	19.0
OS smbh	1	0.0	.	0.0	0.0
Råprot	1	125.0	.	125.0	125.0
NH3-N	1	6.0	.	6.0	6.0
Stä	1	565.0	.	565.0	565.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	0.0	.	0.0	0.0
Ca	1	0.4	.	0.4	0.4
P	1	3.1	.	3.1	3.1
Mg	1	1.2	.	1.2	1.2
K	1	5.7	.	5.7	5.7
Na	1	0.1	.	0.1	0.1
S	1	1.2	.	1.2	1.2
Fe	1	47.0	.	47.0	47.0
Mn	1	18.0	.	18.0	18.0
Zn	1	31.0	.	31.0	31.0
Cu	1	5.8	.	5.8	5.8

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet