

| Fodermedel                                         | Sk.<br>nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjök-<br>syra | Ättik-<br>syra | Socker |
|----------------------------------------------------|------------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|---------|---------------|----------------|--------|
| Korn, kärna (001)                                  | 1          | 5    | 801 | 25   | 51.6       | 133         | 243          |       | 153 | 107  | 3.15  | 564 | 0.0000  |               |                | 5      |
| Havre, kärna, hög NDF (002)                        | 1          | 1    | 835 | 22   | 75.0       | 121         |              |       | 313 | 392  | 2.00  | 511 | 0.0000  |               |                |        |
| Majs hela plantan, grönmassa (030)                 | 1          | 1    | 318 | 27   | 77.6       | 81          | 365          |       | 384 | 175  | 3.89  | 314 | 57.0000 |               |                | 18     |
| Prognos, blandvall (1-50% baljv) (042)             | 1          | 1    | 201 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.0000  |               |                |        |
| Prognos, blandvall (1-50% baljv) (042)             | 2          | 1    | 202 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.0000  |               |                |        |
| Ensilage, gräs (0% klöver) (162)                   | 0          | 1    | 416 | 77   | 77.0       | 178         | 536          | 79.0  | 410 | 153  | 4.36  |     | 67.1000 | 57.0          | 9.0            | 64     |
| Ensilage, gräs (0% klöver) (162)                   | 1          | 2    | 378 | 63   | 76.5       | 152         | 708          | 83.0  | 430 | 151  | 4.24  |     | 44.8500 | 33.0          | 9.5            | 104    |
| Ensilage, gräs (0% klöver) (162)                   | 2          | 1    | 509 | 73   | 73.5       | 151         | 548          | 70.0  | 444 | 186  | 3.84  |     | 41.5000 | 30.0          | 9.0            | 87     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 0          | 1    | 469 | 75   | 83.8       | 192         |              |       | 401 | 62   | 6.78  |     | 84.0000 |               |                | 155    |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 17   | 369 | 63   | 76.8       | 139         | 400          |       | 485 | 130  | 5.26  |     | 84.0000 |               |                | 133    |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 11   | 488 | 74   | 76.2       | 151         |              |       | 472 | 142  | 4.96  |     | 84.0000 |               |                | 104    |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 2    | 365 | 91   | 73.7       | 158         |              |       | 425 | 189  | 3.81  |     | 84.0000 |               |                | 76     |
| Ensilage, blandvall (1-50% klöver) (165)           | 0          | 6    | 447 | 72   | 73.4       | 144         | 535          | 59.6  | 464 | 178  | 4.12  |     | 48.9167 | 32.6          | 7.8            | 86     |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 119  | 369 | 61   | 75.1       | 137         | 615          | 78.2  | 463 | 158  | 4.40  |     | 73.7109 | 57.9          | 13.4           | 69     |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 58   | 387 | 74   | 73.0       | 142         | 544          | 73.9  | 461 | 184  | 3.95  |     | 60.8898 | 44.6          | 13.2           | 62     |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 23   | 366 | 80   | 74.8       | 153         | 530          | 69.7  | 425 | 175  | 4.04  |     | 72.0391 | 56.8          | 13.0           | 62     |
| Korn, helsädesensilage (250)                       | 1          | 4    | 370 | 55   | 68.3       | 112         | 626          | 115   | 404 | 275  | 2.27  | 201 | 58.5250 | 39.8          | 16.8           | 25     |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 8    | 391 | 86   | 66.8       | 120         | 590          | 95.8  | 480 | 247  | 3.02  | 62  | 60.0000 | 40.6          | 17.4           | 47     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 2    | 342 | 71   | 70.6       | 135         | 618          | 73.0  | 462 | 253  | 4.02  | 57  | 75.5000 | 49.5          | 21.0           | 51     |
| Havre helsädesensilage degmognad (296)             | 1          | 4    | 374 | 80   | 76.2       | 144         | 671          | 62.3  | 384 | 186  | 4.31  | 55  | 80.5000 | 59.5          | 18.3           | 82     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 5    | 341 | 73   | 67.8       | 132         | 633          | 106   | 477 | 241  | 3.05  | 34  | 66.2000 | 48.8          | 17.4           | 35     |
| Vete, helsäd ensilage (299)                        | 1          | 5    | 390 | 61   | 67.7       | 114         | 646          | 95.2  | 450 | 262  | 2.73  | 122 | 63.1000 | 43.2          | 17.0           | 50     |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 1    | 738 | 74   | 70.4       | 97          |              |       | 476 | 210  | 3.53  |     | 0.0000  |               |                | 130    |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 3    | 865 | 69   | 71.8       | 103         | 424          |       | 476 | 214  | 4.27  |     | 0.0000  |               |                | 124    |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                               | Sk.<br>nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjök-<br>syra | Ättik-<br>syra | Socker |
|------------------------------------------|------------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|---------|---------------|----------------|--------|
| Hö, blandvall, 0-50% baljväxter (383)    | 2          | 1    | 776 | 64   | 64.7       | 108         |              |       | 512 | 261  | 2.82  |     | 0.0000  |               |                | 111    |
| Ensilage, blandvall (1-50% klöver) (326) | 1          | 1    | 399 | 72   | 74.4       | 170         | 646          | 68.0  | 419 | 216  | 4.30  | 10  | 85.0000 | 62.0          | 20.0           | 59     |

| Fodermedel                                         | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|----------------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Korn, kärna (001)                                  | 1          | 5    |         |         |     | 96.9        | -14         | 7.49        | 13.2 | 94.0 | -4.0 |
| Havre, kärna, hög NDF (002)                        | 1          | 1    |         |         |     | 85.0        | -0.5        | 6.62        |      |      |      |
| Majs hela plantan, grönmassa (030)                 | 1          | 1    |         |         |     | 90.6        | -63         | 6.59        |      |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 1          | 1    |         |         |     | 96.4        | -4.4        | 5.94        | 11.9 |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 2          | 1    |         |         |     | 96.4        | -4.4        | 5.94        | 11.1 |      |      |
| Ensilage, gräs (0% klöver) (162)                   | 0          | 1    |         | 0.10000 |     | 86.5        | 39.1        | 6.29        | 11.2 | 72.0 | 54.0 |
| Ensilage, gräs (0% klöver) (162)                   | 1          | 2    | 2.00000 | 0.85000 |     | 83.4        | 20.0        | 6.19        | 11.3 | 73.0 | 24.0 |
| Ensilage, gräs (0% klöver) (162)                   | 2          | 1    |         | 1.50000 |     | 84.0        | 18.6        | 5.89        | 10.7 | 71.0 | 29.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 0          | 1    |         |         |     | 94.8        | 41.5        | 7.00        | 12.3 | 82.0 | 50.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 17   |         |         |     | 86.7        | 4.8         | 6.33        | 11.3 | 78.1 | 3.7  |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 11   |         |         |     | 85.4        | 18.8        | 6.28        | 11.1 | 76.6 | 19.2 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 2    |         |         |     | 81.3        | 32.0        | 5.92        | 10.5 | 73.5 | 31.5 |
| Ensilage, blandvall (1-50% klöver) (165)           | 0          | 6    |         | 1.50000 |     | 84.4        | 14.9        | 5.96        | 10.7 | 70.4 | 22.8 |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 119  | 2.84615 | 1.03025 |     | 82.5        | 10.4        | 6.19        | 11.1 | 71.9 | 10.9 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 58   | 2.70000 | 1.50862 |     | 82.3        | 16.0        | 5.94        | 10.6 | 70.2 | 17.9 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 23   | 1.00000 | 1.25652 |     | 83.3        | 24.1        | 6.09        | 10.8 | 70.8 | 31.1 |
| Korn, helsädesensilage (250)                       | 1          | 4    | 2.00000 | 1.00000 |     | 70.3        | -3.2        | 5.58        | 10.1 |      |      |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 8    |         |         |     | 69.9        | 8.9         | 5.36        | 8.8  | 55.0 | 16.5 |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 2    | 4.00000 | 1.00000 |     | 72.3        | 18.0        | 5.93        | 10.2 |      |      |
| Havre helsädesensilage degmognad (296)             | 1          | 4    | 3.00000 | 0.66667 |     | 78.0        | 13.7        | 6.26        | 11.4 |      |      |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 5    |         |         |     | 68.6        | 21.2        | 5.50        | 9.3  | 56.7 | 26.3 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                               | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Vete, helsäd ensilage (299)              | 1          | 5    | 3.00000 | 0.50000 |     | 69.7        | -0.8        | 5.57        | 10.2 |      |      |
| Hö, blandvall, 0-50% baljväxter (383)    | 0          | 1    |         |         |     | 86.8        | -34         | 5.35        | 10.1 | 72.0 | -26  |
| Hö, blandvall, 0-50% baljväxter (383)    | 1          | 3    |         |         |     | 93.3        | -39         | 5.56        | 10.4 |      |      |
| Hö, blandvall, 0-50% baljväxter (383)    | 2          | 1    |         |         |     | 83.4        | -18         | 4.97        | 9.3  | 67.0 | -7.0 |
| Ensilage, blandvall (1-50% klöver) (326) | 1          | 1    | 3.00000 | 0.00000 |     | 81.3        | 47.1        | 6.35        | 10.8 |      |      |

| Fodermedel                                         | Sk.<br>nr. | Ant.<br>Ca | Ca  | P   | Mg  | K    | Na  | Cl  | S   | CAB | Ant.<br>Fe | Fe    | Mn   | Zn    | Cu  | Se  |
|----------------------------------------------------|------------|------------|-----|-----|-----|------|-----|-----|-----|-----|------------|-------|------|-------|-----|-----|
| Korn, kärna (001)                                  | 1          | 5          | 0.4 | 3.8 | 1.4 | 5.8  | 0.1 | 1.9 | 1.5 | 20  | 5          | 66.6  | 21.6 | 42.0  | 7.3 | 0.0 |
| Havre, kärna, hög NDF (002)                        | 1          | 1          | 0.6 | 4.0 | 1.5 | 5.5  | 0.1 |     | 1.6 | 25  | 1          | 88.0  | 32.0 | 33.0  | 6.1 |     |
| Majs hela plantan, grönmassa (030)                 | 1          | 1          | 2.7 | 1.8 | 1.9 | 7.8  | 0.1 | 1.6 | 1.1 | 90  | 1          | 59.0  | 10.0 | 33.0  | 4.8 |     |
| Ensilage, gräs (0% klöver) (162)                   | 0          | 1          | 8.3 | 3.0 | 2.5 | 20.7 | 0.5 | 4.6 | 2.3 | 278 | 1          | 172.0 | 72.0 | 36.0  | 9.7 | 0.0 |
| Ensilage, gräs (0% klöver) (162)                   | 1          | 2          | 5.2 | 2.7 | 2.0 | 19.4 | 0.4 | 1.8 | 2.1 | 335 | 1          | 96.0  | 51.0 | 29.0  | 6.7 |     |
| Ensilage, gräs (0% klöver) (162)                   | 2          | 1          | 7.6 | 3.0 | 3.0 | 20.1 | 0.1 | 1.6 | 2.3 | 330 | 1          | 71.0  | 77.0 | 34.0  | 9.3 |     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 0          | 1          | 4.7 | 3.1 | 2.2 | 28.5 | 0.1 |     | 2.4 | 451 | 1          | 86.0  | 21.0 | 22.0  | 7.3 |     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 14         | 4.3 | 2.5 | 1.7 | 18.2 | 0.2 | 1.8 | 1.8 | 241 | 12         | 140.5 | 51.3 | 29.5  | 6.6 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 11         | 6.5 | 2.8 | 2.4 | 20.0 | 0.3 |     | 2.2 | 258 | 11         | 100.7 | 58.1 | 29.5  | 7.7 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 2          | 8.5 | 2.6 | 2.8 | 24.6 | 0.3 |     | 2.0 | 387 | 2          | 109.5 | 46.0 | 25.5  | 9.1 |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 0          | 4          | 6.7 | 2.9 | 2.6 | 23.3 | 0.7 | 4.8 | 2.3 | 324 | 4          | 140.5 | 74.3 | 40.5  | 8.0 | 0.1 |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 116        | 4.7 | 2.3 | 1.7 | 18.5 | 0.5 | 2.4 | 1.9 | 304 | 107        | 207.1 | 60.2 | 31.3  | 6.2 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 55         | 6.2 | 2.7 | 2.3 | 21.4 | 0.5 | 4.8 | 2.1 | 301 | 52         | 167.0 | 79.9 | 32.7  | 7.7 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 22         | 7.1 | 3.0 | 2.4 | 23.1 | 0.6 | 5.4 | 2.3 | 323 | 18         | 174.7 | 74.8 | 37.1  | 8.4 | 0.0 |
| Korn, helsädesensilage (250)                       | 1          | 4          | 3.2 | 2.8 | 2.0 | 14.4 | 1.3 | 3.9 | 1.9 | 196 | 4          | 295.5 | 45.3 | 40.5  | 7.2 | 0.0 |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 8          | 4.8 | 3.0 | 2.1 | 21.8 | 0.8 | 4.5 | 2.1 | 334 | 8          | 473.8 | 99.6 | 135.6 | 6.5 | 0.0 |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 2          | 5.7 | 3.0 | 2.3 | 21.6 | 1.6 | 4.8 | 2.5 | 331 | 1          | 145.0 | 82.0 | 42.0  | 8.0 | 0.1 |
| Havre helsädesensilage degmognad (296)             | 1          | 3          | 6.1 | 3.6 | 2.4 | 27.5 | 1.7 | 6.9 | 2.4 | 405 | 1          | 100.0 | 88.0 | 36.0  | 5.0 |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant.<br>Ca | Ca  | P   | Mg  | K    | Na  | Cl  | S   | CAB | Ant.<br>Fe | Fe    | Mn    | Zn   | Cu  | Se  |
|----------------------------------------------------|------------|------------|-----|-----|-----|------|-----|-----|-----|-----|------------|-------|-------|------|-----|-----|
| Vete-ärt, helsådesensilage, degmognad, 50% ärter ( | 1          | 5          | 5.7 | 2.6 | 2.4 | 19.4 | 0.5 | 4.0 | 1.8 | 293 | 5          | 328.2 | 68.4  | 37.0 | 8.9 |     |
| Vete, helsäd ensilage (299)                        | 1          | 5          | 3.3 | 2.5 | 1.8 | 15.2 | 0.6 | 2.6 | 1.9 | 224 | 4          | 160.5 | 78.8  | 36.3 | 6.5 | 0.1 |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 1          | 6.3 | 2.3 | 1.7 | 19.7 | 0.1 |     | 1.5 | 274 | 1          | 103.0 | 84.0  | 22.0 | 5.9 | 0.0 |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 3          | 3.8 | 1.6 | 1.2 | 13.8 | 0.2 | 3.8 | 1.3 | 177 | 3          | 384.3 | 87.0  | 25.3 | 9.0 | 0.1 |
| Hö, blandvall, 0-50% baljväxter (383)              | 2          | 1          | 4.3 | 1.9 | 1.6 | 13.7 | 0.1 |     | 1.4 | 126 | 1          | 200.0 | 133.0 | 40.0 | 5.4 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 1          | 7.2 | 3.2 | 2.6 | 19.7 | 1.5 | 2.3 | 2.6 | 342 | 0          |       |       |      |     |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 801.400    | 42.4064 | 729.000       | 838.000       |
| Aska      | 5     | 24.920     | 2.4263  | 21.900        | 28.600        |
| OS smbh   | 5     | 51.600     | 47.1041 | 0.000         | 86.000        |
| Råprot    | 5     | 132.880    | 13.5627 | 118.000       | 148.000       |
| sRåprot   | 2     | 242.500    | 27.5772 | 223.000       | 262.000       |
| NDF       | 2     | 153.000    | 12.7279 | 144.000       | 162.000       |
| iNDF      | 5     | 107.200    | 75.0380 | 25.000        | 162.000       |
| nhNDF     | 5     | 3.150      | 0.0000  | 3.150         | 3.150         |
| Stä       | 5     | 563.840    | 60.0945 | 492.000       | 626.400       |
| TAF       | 5     | 0.000      | 0.0000  | 0.000         | 0.000         |
| Socker    | 2     | 5.000      | 0.0000  | 5.000         | 5.000         |
| AATp20    | 5     | 96.928     | 1.8840  | 95.231        | 99.290        |
| PBVp20    | 5     | -13.518    | 16.7296 | -31.517       | 3.669         |
| NELp20    | 5     | 7.492      | 0.0516  | 7.445         | 7.549         |
| OE*       | 3     | 13.167     | 0.4041  | 12.700        | 13.400        |
| AAT*      | 1     | 94.000     | .       | 94.000        | 94.000        |
| PBV*      | 1     | -4.000     | .       | -4.000        | -4.000        |
| Ca        | 5     | 0.420      | 0.0447  | 0.400         | 0.500         |
| P         | 5     | 3.820      | 0.5263  | 2.900         | 4.200         |
| Mg        | 5     | 1.440      | 0.1517  | 1.200         | 1.600         |
| K         | 5     | 5.800      | 0.7314  | 4.800         | 6.700         |
| Na        | 5     | 0.140      | 0.0548  | 0.100         | 0.200         |
| Cl        | 2     | 1.900      | 0.5657  | 1.500         | 2.300         |
| S         | 5     | 1.480      | 0.2387  | 1.300         | 1.900         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 5     | 20.234     | 21.1497 | -7.835        | 45.961        |
| Fe        | 5     | 66.600     | 12.0540 | 49.000        | 83.000        |
| Mn        | 5     | 21.600     | 5.5498  | 14.000        | 27.000        |
| Zn        | 5     | 42.000     | 6.7082  | 35.000        | 51.000        |
| Cu        | 5     | 7.340      | 1.0383  | 6.000         | 8.700         |
| Se        | 4     | 0.028      | 0.0260  | 0.005         | 0.050         |

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 835.000    | .       | 835.000       | 835.000       |
| Aska      | 1     | 21.600     | .       | 21.600        | 21.600        |
| OS smbh   | 1     | 75.000     | .       | 75.000        | 75.000        |
| Råprot    | 1     | 121.000    | .       | 121.000       | 121.000       |
| NDF       | 1     | 313.000    | .       | 313.000       | 313.000       |
| iNDF      | 1     | 392.000    | .       | 392.000       | 392.000       |
| nhNDF     | 1     | 2.000      | .       | 2.000         | 2.000         |
| Stä       | 1     | 511.400    | .       | 511.400       | 511.400       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 84.960     | .       | 84.960        | 84.960        |
| PBVp20    | 1     | -0.490     | .       | -0.490        | -0.490        |
| NELp20    | 1     | 6.625      | .       | 6.625         | 6.625         |
| Ca        | 1     | 0.600      | .       | 0.600         | 0.600         |
| P         | 1     | 4.000      | .       | 4.000         | 4.000         |
| Mg        | 1     | 1.500      | .       | 1.500         | 1.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 1     | 5.500      | .       | 5.500         | 5.500         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.600      | .       | 1.600         | 1.600         |
| CAB       | 1     | 25.294     | .       | 25.294        | 25.294        |
| Fe        | 1     | 88.000     | .       | 88.000        | 88.000        |
| Mn        | 1     | 32.000     | .       | 32.000        | 32.000        |
| Zn        | 1     | 33.000     | .       | 33.000        | 33.000        |
| Cu        | 1     | 6.100      | .       | 6.100         | 6.100         |

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 318.000    | .       | 318.000       | 318.000       |
| Aska      | 1     | 27.000     | .       | 27.000        | 27.000        |
| OS smbh   | 1     | 77.600     | .       | 77.600        | 77.600        |
| Råprot    | 1     | 81.000     | .       | 81.000        | 81.000        |
| sRåprot   | 1     | 365.000    | .       | 365.000       | 365.000       |
| NDF       | 1     | 384.000    | .       | 384.000       | 384.000       |
| iNDF      | 1     | 174.862    | .       | 174.862       | 174.862       |
| nhNDF     | 1     | 3.893      | .       | 3.893         | 3.893         |
| Stä       | 1     | 314.000    | .       | 314.000       | 314.000       |
| TAF       | 1     | 57.000     | .       | 57.000        | 57.000        |
| Socker    | 1     | 18.000     | .       | 18.000        | 18.000        |
| AATp20    | 1     | 90.575     | .       | 90.575        | 90.575        |
| PBVp20    | 1     | -62.642    | .       | -62.642       | -62.642       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 1     | 6.587      | .       | 6.587         | 6.587         |
| Ca        | 1     | 2.700      | .       | 2.700         | 2.700         |
| P         | 1     | 1.800      | .       | 1.800         | 1.800         |
| Mg        | 1     | 1.900      | .       | 1.900         | 1.900         |
| K         | 1     | 7.800      | .       | 7.800         | 7.800         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| Cl        | 1     | 1.600      | .       | 1.600         | 1.600         |
| S         | 1     | 1.100      | .       | 1.100         | 1.100         |
| CAB       | 1     | 90.016     | .       | 90.016        | 90.016        |
| Fe        | 1     | 59.000     | .       | 59.000        | 59.000        |
| Mn        | 1     | 10.000     | .       | 10.000        | 10.000        |
| Zn        | 1     | 33.000     | .       | 33.000        | 33.000        |
| Cu        | 1     | 4.800      | .       | 4.800         | 4.800         |

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 201.000    | .       | 201.000       | 201.000       |
| OS smbh   | 1     | 73.150     | .       | 73.150        | 73.150        |
| iNDF      | 1     | 170.460    | .       | 170.460       | 170.460       |
| nhNDF     | 1     | 4.315      | .       | 4.315         | 4.315         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 96.439     | .       | 96.439        | 96.439        |
| PBVp20    | 1     | -4.418     | .       | -4.418        | -4.418        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 1     | 5.943      | .       | 5.943         | 5.943         |
| OE*       | 1     | 11.900     | .       | 11.900        | 11.900        |

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 202.000    | .       | 202.000       | 202.000       |
| OS smbh   | 1     | 73.150     | .       | 73.150        | 73.150        |
| iNDF      | 1     | 170.460    | .       | 170.460       | 170.460       |
| nhNDF     | 1     | 4.315      | .       | 4.315         | 4.315         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 96.439     | .       | 96.439        | 96.439        |
| PBVp20    | 1     | -4.418     | .       | -4.418        | -4.418        |
| NELp20    | 1     | 5.943      | .       | 5.943         | 5.943         |
| OE*       | 1     | 11.100     | .       | 11.100        | 11.100        |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 416.000    | .       | 416.000       | 416.000       |
| Aska      | 1     | 77.000     | .       | 77.000        | 77.000        |
| OS smbh   | 1     | 77.000     | .       | 77.000        | 77.000        |
| Råprot    | 1     | 178.000    | .       | 178.000       | 178.000       |
| sRåprot   | 1     | 536.000    | .       | 536.000       | 536.000       |
| NH3-N     | 1     | 79.000     | .       | 79.000        | 79.000        |
| NDF       | 1     | 410.000    | .       | 410.000       | 410.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 1     | 152.578    | .       | 152.578       | 152.578       |
| nhNDF     | 1     | 4.356      | .       | 4.356         | 4.356         |
| TAF       | 1     | 67.100     | .       | 67.100        | 67.100        |
| Mjölksyra | 1     | 57.000     | .       | 57.000        | 57.000        |
| Ättiksyra | 1     | 9.000      | .       | 9.000         | 9.000         |
| Socker    | 1     | 64.000     | .       | 64.000        | 64.000        |
| BUF       | 1     | 0.100      | .       | 0.100         | 0.100         |
| AATp20    | 1     | 86.540     | .       | 86.540        | 86.540        |
| PBVp20    | 1     | 39.078     | .       | 39.078        | 39.078        |
| NELp20    | 1     | 6.293      | .       | 6.293         | 6.293         |
| OE*       | 1     | 11.200     | .       | 11.200        | 11.200        |
| AAT*      | 1     | 72.000     | .       | 72.000        | 72.000        |
| PBV*      | 1     | 54.000     | .       | 54.000        | 54.000        |
| Ca        | 1     | 8.300      | .       | 8.300         | 8.300         |
| P         | 1     | 3.000      | .       | 3.000         | 3.000         |
| Mg        | 1     | 2.500      | .       | 2.500         | 2.500         |
| K         | 1     | 20.700     | .       | 20.700        | 20.700        |
| Na        | 1     | 0.500      | .       | 0.500         | 0.500         |
| Cl        | 1     | 4.600      | .       | 4.600         | 4.600         |
| S         | 1     | 2.300      | .       | 2.300         | 2.300         |
| CAB       | 1     | 277.823    | .       | 277.823       | 277.823       |
| Fe        | 1     | 172.000    | .       | 172.000       | 172.000       |
| Mn        | 1     | 72.000     | .       | 72.000        | 72.000        |
| Zn        | 1     | 36.000     | .       | 36.000        | 36.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 1     | 9.700      | .       | 9.700         | 9.700         |
| Se        | 1     | 0.007      | .       | 0.007         | 0.007         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 378.000    | 38.184  | 351.000       | 405.000       |
| Aska      | 2     | 63.000     | 14.142  | 53.000        | 73.000        |
| OS smbh   | 2     | 76.500     | 0.990   | 75.800        | 77.200        |
| Råprot    | 2     | 151.500    | 2.121   | 150.000       | 153.000       |
| sRåprot   | 2     | 708.000    | 9.899   | 701.000       | 715.000       |
| NH3-N     | 2     | 83.000     | 21.213  | 68.000        | 98.000        |
| NDF       | 2     | 429.500    | 20.506  | 415.000       | 444.000       |
| iNDF      | 2     | 151.118    | 8.652   | 145.000       | 157.236       |
| nhNDF     | 2     | 4.239      | 0.105   | 4.164         | 4.313         |
| TAF       | 2     | 44.850     | 23.829  | 28.000        | 61.700        |
| Mjölksyra | 2     | 33.000     | 22.627  | 17.000        | 49.000        |
| Ättiksyra | 2     | 9.500      | 0.707   | 9.000         | 10.000        |
| Socker    | 2     | 104.000    | 22.627  | 88.000        | 120.000       |
| PRF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| BUF       | 2     | 0.850      | 1.202   | 0.000         | 1.700         |
| AATp20    | 2     | 83.438     | 0.044   | 83.408        | 83.469        |
| PBVp20    | 2     | 19.962     | 2.122   | 18.462        | 21.463        |
| NELp20    | 2     | 6.186      | 0.107   | 6.111         | 6.261         |
| OE*       | 2     | 11.275     | 0.318   | 11.050        | 11.500        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AAT*      | 1     | 73.000     | .       | 73.000        | 73.000        |
| PBV*      | 1     | 24.000     | .       | 24.000        | 24.000        |
| Ca        | 2     | 5.200      | 0.566   | 4.800         | 5.600         |
| P         | 2     | 2.700      | 0.283   | 2.500         | 2.900         |
| Mg        | 2     | 1.950      | 0.212   | 1.800         | 2.100         |
| K         | 2     | 19.350     | 4.031   | 16.500        | 22.200        |
| Na        | 2     | 0.400      | 0.424   | 0.100         | 0.700         |
| Cl        | 2     | 1.750      | 1.061   | 1.000         | 2.500         |
| S         | 2     | 2.050      | 0.212   | 1.900         | 2.200         |
| CAB       | 2     | 334.855    | 138.148 | 237.170       | 432.541       |
| Fe        | 1     | 96.000     | .       | 96.000        | 96.000        |
| Mn        | 1     | 51.000     | .       | 51.000        | 51.000        |
| Zn        | 1     | 29.000     | .       | 29.000        | 29.000        |
| Cu        | 1     | 6.700      | .       | 6.700         | 6.700         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 509.000    | .       | 509.000       | 509.000       |
| Aska      | 1     | 73.000     | .       | 73.000        | 73.000        |
| OS smbh   | 1     | 73.500     | .       | 73.500        | 73.500        |
| Råprot    | 1     | 151.000    | .       | 151.000       | 151.000       |
| sRåprot   | 1     | 548.000    | .       | 548.000       | 548.000       |
| NH3-N     | 1     | 70.000     | .       | 70.000        | 70.000        |
| NDF       | 1     | 444.000    | .       | 444.000       | 444.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 1     | 186.471    | .       | 186.471       | 186.471       |
| nhNDF     | 1     | 3.841      | .       | 3.841         | 3.841         |
| TAF       | 1     | 41.500     | .       | 41.500        | 41.500        |
| Mjölksyra | 1     | 30.000     | .       | 30.000        | 30.000        |
| Ättiksyra | 1     | 9.000      | .       | 9.000         | 9.000         |
| Socker    | 1     | 87.000     | .       | 87.000        | 87.000        |
| BUF       | 1     | 1.500      | .       | 1.500         | 1.500         |
| AATp20    | 1     | 84.013     | .       | 84.013        | 84.013        |
| PBVp20    | 1     | 18.646     | .       | 18.646        | 18.646        |
| NELp20    | 1     | 5.886      | .       | 5.886         | 5.886         |
| OE*       | 1     | 10.700     | .       | 10.700        | 10.700        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | 29.000     | .       | 29.000        | 29.000        |
| Ca        | 1     | 7.600      | .       | 7.600         | 7.600         |
| P         | 1     | 3.000      | .       | 3.000         | 3.000         |
| Mg        | 1     | 3.000      | .       | 3.000         | 3.000         |
| K         | 1     | 20.100     | .       | 20.100        | 20.100        |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| Cl        | 1     | 1.600      | .       | 1.600         | 1.600         |
| S         | 1     | 2.300      | .       | 2.300         | 2.300         |
| CAB       | 1     | 329.594    | .       | 329.594       | 329.594       |
| Fe        | 1     | 71.000     | .       | 71.000        | 71.000        |
| Mn        | 1     | 77.000     | .       | 77.000        | 77.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 34.000     | .       | 34.000        | 34.000        |
| Cu        | 1     | 9.300      | .       | 9.300         | 9.300         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 469.000    | .       | 469.000       | 469.000       |
| Aska      | 1     | 75.000     | .       | 75.000        | 75.000        |
| OS smbh   | 1     | 83.800     | .       | 83.800        | 83.800        |
| Råprot    | 1     | 192.000    | .       | 192.000       | 192.000       |
| NDF       | 1     | 401.000    | .       | 401.000       | 401.000       |
| iNDF      | 1     | 61.833     | .       | 61.833        | 61.833        |
| nhNDF     | 1     | 6.779      | .       | 6.779         | 6.779         |
| TAF       | 1     | 84.000     | .       | 84.000        | 84.000        |
| Socker    | 1     | 155.000    | .       | 155.000       | 155.000       |
| AATp20    | 1     | 94.829     | .       | 94.829        | 94.829        |
| PBVp20    | 1     | 41.515     | .       | 41.515        | 41.515        |
| NELp20    | 1     | 6.999      | .       | 6.999         | 6.999         |
| OE*       | 1     | 12.300     | .       | 12.300        | 12.300        |
| AAT*      | 1     | 82.000     | .       | 82.000        | 82.000        |
| PBV*      | 1     | 50.000     | .       | 50.000        | 50.000        |
| Ca        | 1     | 4.700      | .       | 4.700         | 4.700         |
| P         | 1     | 3.100      | .       | 3.100         | 3.100         |
| Mg        | 1     | 2.200      | .       | 2.200         | 2.200         |
| K         | 1     | 28.500     | .       | 28.500        | 28.500        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 2.400      | .       | 2.400         | 2.400         |
| CAB       | 1     | 450.854    | .       | 450.854       | 450.854       |
| Fe        | 1     | 86.000     | .       | 86.000        | 86.000        |
| Mn        | 1     | 21.000     | .       | 21.000        | 21.000        |
| Zn        | 1     | 22.000     | .       | 22.000        | 22.000        |
| Cu        | 1     | 7.300      | .       | 7.300         | 7.300         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 17    | 369.176    | 132.175 | 230.000       | 537.000       |
| Aska      | 17    | 63.471     | 10.835  | 51.000        | 84.000        |
| OS smbh   | 17    | 76.841     | 5.349   | 67.800        | 83.000        |
| Råprot    | 17    | 138.529    | 31.653  | 91.000        | 169.000       |
| sRåprot   | 2     | 400.000    | 28.284  | 380.000       | 420.000       |
| NDF       | 17    | 485.059    | 52.937  | 423.000       | 568.000       |
| iNDF      | 17    | 129.977    | 44.920  | 80.907        | 203.692       |
| nhNDF     | 17    | 5.256      | 0.991   | 3.810         | 6.454         |
| TAF       | 17    | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 17    | 133.059    | 47.519  | 53.000        | 167.000       |
| AATp20    | 17    | 86.688     | 6.629   | 74.215        | 93.416        |
| PBVp20    | 17    | 4.815      | 21.710  | -34.573       | 25.747        |
| NELp20    | 17    | 6.329      | 0.515   | 5.349         | 6.855         |
| OE*       | 17    | 11.329     | 0.932   | 9.900         | 12.400        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| AAT*      | 15    | 78.133     | 5.125   | 71.000           | 82.000           |
| PBV*      | 15    | 3.667      | 28.447  | -42.000          | 30.000           |
| Ca        | 14    | 4.329      | 0.986   | 3.100            | 6.000            |
| P         | 14    | 2.500      | 0.568   | 1.800            | 3.200            |
| Mg        | 14    | 1.700      | 0.538   | 1.200            | 2.600            |
| K         | 14    | 18.207     | 3.492   | 14.200           | 22.200           |
| Na        | 14    | 0.243      | 0.145   | 0.100            | 0.400            |
| Cl        | 2     | 1.750      | 1.202   | 0.900            | 2.600            |
| S         | 14    | 1.843      | 0.427   | 1.200            | 2.300            |
| CAB       | 14    | 240.513    | 116.704 | 159.006          | 386.160          |
| Fe        | 12    | 140.500    | 113.947 | 71.000           | 227.000          |
| Mn        | 12    | 51.333     | 16.577  | 37.000           | 73.000           |
| Zn        | 12    | 29.500     | 8.744   | 22.000           | 40.000           |
| Cu        | 12    | 6.600      | 2.372   | 4.900            | 10.200           |
| Se        | 3     | 0.007      | 0.002   | 0.006            | 0.010            |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| TS        | 11    | 487.545    | 117.712 | 374.000          | 626.000          |
| Aska      | 11    | 74.182     | 14.393  | 60.000           | 84.000           |
| OS smbh   | 11    | 76.182     | 4.142   | 69.900           | 79.400           |
| Råprot    | 11    | 151.182    | 22.811  | 124.000          | 176.000          |
| NDF       | 11    | 472.000    | 20.712  | 456.000          | 500.000          |
| iNDF      | 11    | 142.373    | 43.532  | 109.541          | 195.312          |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| nhNDF     | 11    | 4.958      | 0.911   | 3.912            | 5.653            |
| TAF       | 11    | 84.000     | 0.000   | 84.000           | 84.000           |
| Socker    | 11    | 104.273    | 40.964  | 68.000           | 154.000          |
| AATp20    | 11    | 85.400     | 5.117   | 78.544           | 89.567           |
| PBVp20    | 11    | 18.820     | 20.234  | -3.125           | 41.338           |
| NELp20    | 11    | 6.275      | 0.413   | 5.706            | 6.647            |
| OE*       | 11    | 11.100     | 0.778   | 9.900            | 11.800           |
| AAT*      | 11    | 76.636     | 4.154   | 70.000           | 80.000           |
| PBV*      | 11    | 19.182     | 23.511  | -7.000           | 49.000           |
| Ca        | 11    | 6.491      | 1.678   | 5.000            | 8.600            |
| P         | 11    | 2.800      | 0.454   | 2.500            | 3.200            |
| Mg        | 11    | 2.400      | 0.523   | 1.900            | 3.100            |
| K         | 11    | 20.036     | 4.827   | 15.100           | 23.900           |
| Na        | 11    | 0.336      | 0.622   | 0.100            | 0.300            |
| S         | 11    | 2.182      | 0.328   | 1.800            | 2.600            |
| CAB       | 11    | 258.305    | 139.652 | 119.300          | 341.902          |
| Fe        | 11    | 100.727    | 39.621  | 66.000           | 156.000          |
| Mn        | 11    | 58.091     | 19.952  | 40.000           | 64.000           |
| Zn        | 11    | 29.455     | 5.355   | 23.000           | 35.000           |
| Cu        | 11    | 7.673      | 1.299   | 5.700            | 8.700            |
| Se        | 3     | 0.010      | 0.006   | 0.006            | 0.017            |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 365.000    | 93.338  | 299.000       | 431.000       |
| Aska      | 2     | 90.500     | 3.536   | 88.000        | 93.000        |
| OS smbh   | 2     | 73.700     | 1.556   | 72.600        | 74.800        |
| Råprot    | 2     | 158.000    | 1.414   | 157.000       | 159.000       |
| NDF       | 2     | 424.500    | 61.518  | 381.000       | 468.000       |
| iNDF      | 2     | 189.415    | 49.296  | 154.558       | 224.273       |
| nhNDF     | 2     | 3.806      | 1.054   | 3.060         | 4.551         |
| TAF       | 2     | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 2     | 75.500     | 24.749  | 58.000        | 93.000        |
| AATp20    | 2     | 81.291     | 2.143   | 79.776        | 82.806        |
| PBVp20    | 2     | 32.008     | 5.031   | 28.451        | 35.566        |
| NELp20    | 2     | 5.925      | 0.262   | 5.740         | 6.110         |
| OE*       | 2     | 10.450     | 0.212   | 10.300        | 10.600        |
| AAT*      | 2     | 73.500     | 0.707   | 73.000        | 74.000        |
| PBV*      | 2     | 31.500     | 3.536   | 29.000        | 34.000        |
| Ca        | 2     | 8.500      | 4.101   | 5.600         | 11.400        |
| P         | 2     | 2.600      | 0.849   | 2.000         | 3.200         |
| Mg        | 2     | 2.800      | 0.000   | 2.800         | 2.800         |
| K         | 2     | 24.550     | 4.455   | 21.400        | 27.700        |
| Na        | 2     | 0.300      | 0.000   | 0.300         | 0.300         |
| S         | 2     | 1.950      | 0.778   | 1.400         | 2.500         |
| CAB       | 2     | 386.651    | 162.546 | 271.714       | 501.589       |
| Fe        | 2     | 109.500    | 43.134  | 79.000        | 140.000       |
| Mn        | 2     | 46.000     | 33.941  | 22.000        | 70.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 2     | 25.500     | 4.950   | 22.000        | 29.000        |
| Cu        | 2     | 9.050      | 2.616   | 7.200         | 10.900        |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 6     | 447.000    | 104.219 | 260.000       | 560.000       |
| Aska      | 5     | 72.200     | 15.802  | 55.000        | 95.000        |
| OS smbh   | 6     | 73.350     | 3.760   | 67.100        | 77.400        |
| Råprot    | 5     | 144.200    | 16.664  | 133.000       | 173.000       |
| sRåprot   | 5     | 534.800    | 105.694 | 425.000       | 688.000       |
| NH3-N     | 5     | 59.600     | 15.868  | 41.000        | 81.000        |
| NDF       | 5     | 463.800    | 28.075  | 427.000       | 500.000       |
| iNDF      | 6     | 177.649    | 38.066  | 134.258       | 241.400       |
| nhNDF     | 6     | 4.116      | 0.657   | 3.062         | 4.959         |
| TAF       | 6     | 48.917     | 29.225  | 25.400        | 93.100        |
| Mjölksyra | 5     | 32.600     | 25.452  | 19.000        | 78.000        |
| Ättiksyra | 5     | 7.800      | 3.768   | 4.000         | 14.000        |
| Socker    | 5     | 86.200     | 44.544  | 14.000        | 124.000       |
| BUF       | 5     | 1.500      | 0.997   | 0.100         | 2.900         |
| AATp20    | 6     | 84.387     | 5.691   | 76.900        | 94.025        |
| PBVp20    | 6     | 14.919     | 9.888   | -0.294        | 25.485        |
| NELp20    | 6     | 5.958      | 0.284   | 5.634         | 6.389         |
| OE*       | 5     | 10.660     | 0.647   | 9.800         | 11.300        |
| AAT*      | 5     | 70.400     | 1.817   | 68.000        | 72.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBV*      | 5     | 22.800     | 15.450  | 9.000         | 48.000        |
| Ca        | 4     | 6.675      | 0.737   | 5.800         | 7.500         |
| P         | 4     | 2.875      | 0.403   | 2.400         | 3.300         |
| Mg        | 4     | 2.550      | 0.265   | 2.300         | 2.900         |
| K         | 4     | 23.325     | 6.948   | 14.200        | 31.100        |
| Na        | 4     | 0.675      | 1.021   | 0.100         | 2.200         |
| Cl        | 5     | 4.800      | 1.864   | 1.600         | 6.300         |
| S         | 4     | 2.300      | 0.216   | 2.000         | 2.500         |
| CAB       | 4     | 324.399    | 177.184 | 73.486        | 483.547       |
| Fe        | 4     | 140.500    | 40.146  | 94.000        | 192.000       |
| Mn        | 4     | 74.250     | 27.729  | 39.000        | 101.000       |
| Zn        | 4     | 40.500     | 14.572  | 25.000        | 59.000        |
| Cu        | 4     | 8.000      | 1.402   | 6.800         | 9.900         |
| Se        | 2     | 0.100      | 0.133   | 0.006         | 0.194         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 119   | 369.109    | 128.746 | 255.000       | 543.000       |
| Aska      | 119   | 61.126     | 9.976   | 48.000        | 72.000        |
| OS smbh   | 119   | 75.103     | 4.229   | 69.100        | 80.300        |
| Råprot    | 119   | 137.151    | 28.254  | 102.000       | 174.000       |
| sRåprot   | 119   | 614.504    | 87.699  | 489.000       | 718.000       |
| NH3-N     | 118   | 78.161     | 29.294  | 45.000        | 117.000       |
| NDF       | 119   | 463.445    | 53.686  | 398.000       | 539.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 119   | 158.113    | 36.984  | 114.915       | 214.565       |
| nhNDF     | 119   | 4.403      | 0.668   | 3.545         | 5.298         |
| TAF       | 119   | 73.711     | 32.726  | 26.000        | 114.900       |
| Mjölksyra | 119   | 57.924     | 28.702  | 17.000        | 95.000        |
| Ättiksyra | 119   | 13.353     | 5.292   | 7.000         | 20.000        |
| Socker    | 119   | 68.933     | 45.514  | 20.000        | 130.000       |
| PRF       | 26    | 2.846      | 1.592   | 0.000         | 5.000         |
| BUF       | 119   | 1.030      | 1.491   | 0.000         | 3.500         |
| AATp20    | 119   | 82.538     | 4.026   | 77.179        | 88.535        |
| PBVp20    | 119   | 10.395     | 23.966  | -23.415       | 39.040        |
| NELp20    | 119   | 6.191      | 0.435   | 5.548         | 6.672         |
| OE*       | 119   | 11.077     | 0.685   | 10.100        | 12.000        |
| AAT*      | 93    | 71.935     | 2.125   | 69.000        | 74.000        |
| PBV*      | 93    | 10.935     | 25.813  | -20.000       | 42.000        |
| Ca        | 116   | 4.705      | 1.053   | 3.500         | 6.000         |
| P         | 116   | 2.256      | 0.397   | 1.800         | 2.800         |
| Mg        | 116   | 1.661      | 0.384   | 1.200         | 2.200         |
| K         | 116   | 18.476     | 3.750   | 14.000        | 23.100        |
| Na        | 113   | 0.462      | 0.591   | 0.100         | 1.000         |
| Cl        | 116   | 2.449      | 2.167   | 0.600         | 5.200         |
| S         | 116   | 1.875      | 0.417   | 1.300         | 2.400         |
| CAB       | 116   | 304.227    | 104.218 | 165.244       | 431.166       |
| Fe        | 107   | 207.056    | 143.241 | 71.000        | 372.000       |
| Mn        | 107   | 60.206     | 28.325  | 37.000        | 86.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 107   | 31.280     | 36.666  | 21.000        | 35.000        |
| Cu        | 107   | 6.165      | 1.298   | 4.500         | 7.900         |
| Se        | 36    | 0.025      | 0.019   | 0.005         | 0.050         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 58    | 386.759    | 108.253 | 285.000       | 543.000       |
| Aska      | 58    | 74.034     | 10.101  | 64.000        | 85.000        |
| OS smbh   | 59    | 73.005     | 3.051   | 68.500        | 76.300        |
| Råprot    | 58    | 142.414    | 19.289  | 111.000       | 167.000       |
| sRåprot   | 58    | 544.241    | 78.107  | 468.000       | 630.000       |
| NH3-N     | 58    | 73.897     | 27.424  | 43.000        | 102.000       |
| NDF       | 58    | 460.741    | 33.677  | 418.000       | 495.000       |
| iNDF      | 59    | 184.096    | 31.377  | 149.000       | 225.037       |
| nhNDF     | 59    | 3.952      | 0.522   | 3.215         | 4.517         |
| TAF       | 59    | 60.890     | 23.047  | 27.900        | 84.100        |
| Mjölksyra | 58    | 44.586     | 19.202  | 17.000        | 66.000        |
| Ättiksyra | 58    | 13.190     | 5.280   | 6.000         | 21.000        |
| Socker    | 58    | 62.241     | 34.191  | 23.000        | 113.000       |
| PRF       | 10    | 2.700      | 0.949   | 1.500         | 4.000         |
| BUF       | 58    | 1.509      | 4.069   | 0.000         | 2.900         |
| AATp20    | 59    | 82.264     | 3.355   | 78.316        | 86.069        |
| PBVp20    | 59    | 15.992     | 17.140  | -11.440       | 37.063        |
| NELp20    | 59    | 5.941      | 0.314   | 5.423         | 6.335         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 58    | 10.571     | 0.511   | 9.800         | 11.150        |
| AAT*      | 48    | 70.188     | 1.671   | 68.000        | 72.000        |
| PBV*      | 48    | 17.917     | 17.443  | -9.000        | 41.000        |
| Ca        | 55    | 6.164      | 1.593   | 4.500         | 8.000         |
| P         | 55    | 2.655      | 0.342   | 2.300         | 3.100         |
| Mg        | 55    | 2.271      | 0.580   | 1.700         | 3.000         |
| K         | 55    | 21.375     | 4.733   | 16.300        | 28.100        |
| Na        | 55    | 0.522      | 0.469   | 0.100         | 1.000         |
| Cl        | 58    | 4.771      | 3.421   | 0.900         | 9.400         |
| S         | 55    | 2.096      | 0.368   | 1.700         | 2.600         |
| CAB       | 55    | 300.966    | 137.414 | 138.263       | 456.039       |
| Fe        | 52    | 167.000    | 104.004 | 79.000        | 286.000       |
| Mn        | 52    | 79.942     | 44.435  | 46.000        | 132.000       |
| Zn        | 52    | 32.712     | 18.120  | 23.000        | 36.000        |
| Cu        | 52    | 7.683      | 1.321   | 6.000         | 9.300         |
| Se        | 16    | 0.028      | 0.020   | 0.007         | 0.050         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 23    | 366.130    | 105.617 | 250.000       | 513.000       |
| Aska      | 23    | 80.174     | 11.408  | 64.000        | 95.000        |
| OS smbh   | 23    | 74.835     | 2.356   | 72.500        | 77.200        |
| Råprot    | 23    | 153.261    | 18.558  | 129.000       | 173.000       |
| sRåprot   | 23    | 529.870    | 72.443  | 444.000       | 587.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 23    | 69.652     | 30.217  | 43.000        | 95.000        |
| NDF       | 23    | 425.000    | 24.591  | 404.000       | 451.000       |
| iNDF      | 23    | 174.815    | 27.642  | 147.000       | 206.896       |
| nhNDF     | 23    | 4.038      | 0.489   | 3.395         | 4.611         |
| TAF       | 23    | 72.039     | 28.522  | 23.000        | 99.100        |
| Mjölksyra | 23    | 56.826     | 24.037  | 16.000        | 84.000        |
| Ättiksyra | 23    | 12.957     | 5.121   | 6.000         | 20.000        |
| Socker    | 23    | 62.217     | 36.005  | 21.000        | 105.000       |
| PRF       | 5     | 1.000      | 1.414   | 0.000         | 3.000         |
| BUF       | 23    | 1.257      | 3.322   | 0.000         | 1.900         |
| AATp20    | 23    | 83.328     | 4.108   | 79.243        | 89.705        |
| PBVp20    | 23    | 24.134     | 18.213  | 2.360         | 43.939        |
| NELp20    | 23    | 6.092      | 0.244   | 5.802         | 6.402         |
| OE*       | 23    | 10.808     | 0.447   | 10.300        | 11.300        |
| AAT*      | 18    | 70.778     | 1.396   | 68.000        | 72.000        |
| PBV*      | 18    | 31.056     | 19.630  | 6.000         | 64.000        |
| Ca        | 22    | 7.059      | 2.037   | 4.600         | 9.300         |
| P         | 22    | 3.018      | 0.411   | 2.500         | 3.400         |
| Mg        | 22    | 2.414      | 0.387   | 1.900         | 3.000         |
| K         | 22    | 23.082     | 4.549   | 18.900        | 29.000        |
| Na        | 22    | 0.600      | 0.587   | 0.100         | 1.500         |
| Cl        | 23    | 5.365      | 2.169   | 2.900         | 7.900         |
| S         | 22    | 2.273      | 0.306   | 1.900         | 2.600         |
| CAB       | 22    | 323.281    | 105.476 | 195.125       | 428.616       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 18    | 174.667    | 113.631 | 61.000        | 354.000       |
| Mn        | 18    | 74.778     | 34.676  | 39.000        | 122.000       |
| Zn        | 18    | 37.111     | 30.854  | 22.000        | 38.000        |
| Cu        | 18    | 8.439      | 1.361   | 6.600         | 10.800        |
| Se        | 5     | 0.017      | 0.018   | 0.007         | 0.050         |

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 370.000    | 36.551  | 340.000       | 422.000       |
| Aska      | 4     | 55.000     | 11.972  | 42.000        | 71.000        |
| OS smbh   | 4     | 68.275     | 3.222   | 65.600        | 72.800        |
| Råprot    | 4     | 111.500    | 27.148  | 72.000        | 132.000       |
| sRåprot   | 4     | 625.500    | 82.383  | 507.000       | 683.000       |
| NH3-N     | 4     | 114.500    | 34.971  | 65.000        | 142.000       |
| NDF       | 4     | 403.750    | 53.300  | 343.000       | 449.000       |
| iNDF      | 4     | 274.597    | 29.034  | 232.083       | 296.000       |
| nhNDF     | 4     | 2.268      | 0.631   | 1.405         | 2.918         |
| Stä       | 4     | 200.500    | 54.237  | 154.000       | 270.000       |
| TAF       | 4     | 58.525     | 5.691   | 51.700        | 63.700        |
| Mjölksyra | 4     | 39.750     | 6.602   | 32.000        | 47.000        |
| Ättiksyra | 4     | 16.750     | 6.397   | 10.000        | 25.000        |
| Socker    | 4     | 25.250     | 13.376  | 11.000        | 39.000        |
| PRF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| BUF       | 1     | 1.000      | .       | 1.000         | 1.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AATp20    | 4     | 70.281     | 2.590   | 67.191        | 73.140        |
| PBVp20    | 4     | -3.189     | 24.264  | -38.837       | 14.485        |
| NELp20    | 4     | 5.583      | 0.236   | 5.373         | 5.916         |
| OE*       | 1     | 10.140     | .       | 10.140        | 10.140        |
| Ca        | 4     | 3.175      | 1.237   | 1.600         | 4.500         |
| P         | 4     | 2.825      | 0.263   | 2.600         | 3.200         |
| Mg        | 4     | 2.025      | 0.580   | 1.400         | 2.800         |
| K         | 4     | 14.350     | 5.642   | 9.900         | 22.500        |
| Na        | 4     | 1.275      | 0.974   | 0.300         | 2.300         |
| Cl        | 4     | 3.875      | 1.559   | 1.700         | 5.400         |
| S         | 4     | 1.875      | 0.287   | 1.500         | 2.100         |
| CAB       | 4     | 196.100    | 96.433  | 124.603       | 336.922       |
| Fe        | 4     | 295.500    | 304.636 | 114.000       | 749.000       |
| Mn        | 4     | 45.250     | 32.149  | 24.000        | 93.000        |
| Zn        | 4     | 40.500     | 15.674  | 27.000        | 63.000        |
| Cu        | 4     | 7.225      | 1.658   | 5.600         | 8.800         |
| Se        | 3     | 0.024      | 0.031   | 0.006         | 0.060         |

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 8     | 391.125    | 78.048  | 304.000       | 544.00        |
| Aska      | 8     | 85.500     | 23.146  | 47.000        | 119.00        |
| OS smbh   | 8     | 66.825     | 0.965   | 65.300        | 68.40         |
| Råprot    | 8     | 119.625    | 29.981  | 59.000        | 151.00        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 8     | 590.000    | 117.035 | 322.000       | 679.00        |
| NH3-N     | 8     | 95.750     | 29.193  | 47.000        | 130.00        |
| NDF       | 8     | 480.375    | 36.746  | 425.000       | 537.00        |
| iNDF      | 8     | 246.755    | 13.674  | 220.082       | 258.91        |
| nhNDF     | 8     | 3.019      | 0.280   | 2.736         | 3.59          |
| Stä       | 8     | 61.750     | 46.570  | 17.000        | 144.00        |
| TAF       | 8     | 60.000     | 24.634  | 11.000        | 93.00         |
| Mjölksyra | 8     | 40.625     | 20.234  | 5.000         | 75.00         |
| Ättiksyra | 8     | 17.375     | 6.760   | 4.000         | 28.00         |
| Socker    | 8     | 47.375     | 45.154  | 10.000        | 151.00        |
| AATp20    | 8     | 69.948     | 4.033   | 64.548        | 75.39         |
| PBVp20    | 8     | 8.853      | 30.156  | -54.571       | 37.32         |
| NELp20    | 8     | 5.361      | 0.214   | 4.900         | 5.61          |
| OE*       | 2     | 8.800      | 0.141   | 8.700         | 8.90          |
| AAT*      | 2     | 55.000     | 0.000   | 55.000        | 55.00         |
| PBV*      | 2     | 16.500     | 23.335  | 0.000         | 33.00         |
| Ca        | 8     | 4.825      | 0.860   | 3.700         | 6.30          |
| P         | 8     | 2.963      | 0.366   | 2.400         | 3.60          |
| Mg        | 8     | 2.100      | 0.185   | 1.800         | 2.40          |
| K         | 8     | 21.750     | 6.167   | 11.100        | 29.80         |
| Na        | 8     | 0.813      | 0.603   | 0.200         | 2.10          |
| Cl        | 8     | 4.475      | 2.787   | 0.600         | 9.50          |
| S         | 8     | 2.113      | 0.196   | 1.900         | 2.50          |
| CAB       | 8     | 333.504    | 130.913 | 115.042       | 469.34        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 8     | 473.750    | 320.340 | 123.000       | 1041.00       |
| Mn        | 8     | 99.625     | 47.129  | 35.000        | 171.00        |
| Zn        | 8     | 135.625    | 277.778 | 32.000        | 823.00        |
| Cu        | 8     | 6.475      | 0.686   | 5.500         | 7.30          |
| Se        | 2     | 0.015      | 0.013   | 0.006         | 0.02          |

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 342.000    | 29.6985 | 321.000       | 363.000       |
| Aska      | 2     | 71.000     | 1.4142  | 70.000        | 72.000        |
| OS smbh   | 2     | 70.600     | 2.5456  | 68.800        | 72.400        |
| Råprot    | 2     | 134.500    | 10.6066 | 127.000       | 142.000       |
| sRåprot   | 2     | 617.500    | 27.5772 | 598.000       | 637.000       |
| NH3-N     | 2     | 73.000     | 5.6569  | 69.000        | 77.000        |
| NDF       | 2     | 462.000    | 25.4558 | 444.000       | 480.000       |
| iNDF      | 2     | 253.000    | 29.6985 | 232.000       | 274.000       |
| nhNDF     | 2     | 4.023      | 0.1290  | 3.932         | 4.114         |
| Stä       | 2     | 57.000     | 5.6569  | 53.000        | 61.000        |
| TAF       | 2     | 75.500     | 23.3345 | 59.000        | 92.000        |
| Mjölksyra | 2     | 49.500     | 16.2635 | 38.000        | 61.000        |
| Ättiksyra | 2     | 21.000     | 5.6569  | 17.000        | 25.000        |
| Socker    | 2     | 51.000     | 2.8284  | 49.000        | 53.000        |
| PRF       | 2     | 4.000      | 1.4142  | 3.000         | 5.000         |
| BUF       | 2     | 1.000      | 0.0000  | 1.000         | 1.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AATp20    | 2     | 72.269     | 0.2362  | 72.102        | 72.436        |
| PBVp20    | 2     | 18.049     | 9.6862  | 11.200        | 24.898        |
| NELp20    | 2     | 5.927      | 0.2782  | 5.731         | 6.124         |
| OE*       | 2     | 10.215     | 0.4031  | 9.930         | 10.500        |
| Ca        | 2     | 5.700      | 0.2828  | 5.500         | 5.900         |
| P         | 2     | 3.000      | 0.2828  | 2.800         | 3.200         |
| Mg        | 2     | 2.250      | 0.0707  | 2.200         | 2.300         |
| K         | 2     | 21.600     | 2.5456  | 19.800        | 23.400        |
| Na        | 2     | 1.550      | 0.3536  | 1.300         | 1.800         |
| Cl        | 2     | 4.800      | 2.1213  | 3.300         | 6.300         |
| S         | 2     | 2.450      | 0.4950  | 2.100         | 2.800         |
| CAB       | 2     | 331.485    | 51.6568 | 294.958       | 368.012       |
| Fe        | 1     | 145.000    | .       | 145.000       | 145.000       |
| Mn        | 1     | 82.000     | .       | 82.000        | 82.000        |
| Zn        | 1     | 42.000     | .       | 42.000        | 42.000        |
| Cu        | 1     | 8.000      | .       | 8.000         | 8.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 373.750    | 18.7861 | 353.000       | 397.000       |
| Aska      | 4     | 79.750     | 4.3493  | 74.000        | 84.000        |
| OS smbh   | 4     | 76.200     | 4.8956  | 69.000        | 79.600        |
| Råprot    | 4     | 144.000    | 25.4296 | 113.000       | 175.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 4     | 670.750    | 48.1966 | 601.000       | 709.000       |
| NH3-N     | 4     | 62.250     | 13.5984 | 49.000        | 81.000        |
| NDF       | 4     | 384.250    | 32.5308 | 343.000       | 417.000       |
| iNDF      | 4     | 186.445    | 47.4943 | 145.000       | 254.782       |
| nhNDF     | 4     | 4.313      | 1.0689  | 2.754         | 5.165         |
| Stä       | 4     | 55.000     | 29.8775 | 27.000        | 97.000        |
| TAF       | 4     | 80.500     | 16.0520 | 61.000        | 100.000       |
| Mjölksyra | 4     | 59.500     | 19.5363 | 39.000        | 86.000        |
| Ättiksyra | 4     | 18.250     | 3.5000  | 14.000        | 22.000        |
| Socker    | 4     | 81.500     | 43.3090 | 30.000        | 128.000       |
| PRF       | 3     | 3.000      | 0.0000  | 3.000         | 3.000         |
| BUF       | 3     | 0.667      | 1.1547  | 0.000         | 2.000         |
| AATp20    | 4     | 78.003     | 4.7751  | 70.855        | 80.816        |
| PBVp20    | 4     | 13.662     | 16.6923 | -1.791        | 37.067        |
| NELp20    | 4     | 6.260      | 0.4053  | 5.654         | 6.494         |
| OE*       | 3     | 11.443     | 0.1935  | 11.220        | 11.560        |
| Ca        | 3     | 6.100      | 1.8520  | 4.000         | 7.500         |
| P         | 3     | 3.633      | 0.5033  | 3.100         | 4.100         |
| Mg        | 3     | 2.400      | 0.2000  | 2.200         | 2.600         |
| K         | 3     | 27.533     | 3.1565  | 24.500        | 30.800        |
| Na        | 3     | 1.667      | 0.9292  | 0.600         | 2.300         |
| Cl        | 4     | 6.875      | 3.4471  | 3.700         | 11.500        |
| S         | 3     | 2.367      | 0.1155  | 2.300         | 2.500         |
| CAB       | 3     | 405.250    | 52.1787 | 346.117       | 444.820       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 1     | 100.000    | .       | 100.000       | 100.000       |
| Mn        | 1     | 88.000     | .       | 88.000        | 88.000        |
| Zn        | 1     | 36.000     | .       | 36.000        | 36.000        |
| Cu        | 1     | 5.000      | .       | 5.000         | 5.000         |

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 340.800    | 83.676  | 272.000       | 479.000       |
| Aska      | 5     | 73.400     | 14.843  | 53.000        | 88.000        |
| OS smbh   | 5     | 67.760     | 1.653   | 65.300        | 69.000        |
| Råprot    | 5     | 131.800    | 25.273  | 89.000        | 152.000       |
| sRåprot   | 5     | 632.800    | 48.360  | 572.000       | 681.000       |
| NH3-N     | 5     | 106.000    | 26.363  | 73.000        | 129.000       |
| NDF       | 5     | 477.200    | 45.735  | 430.000       | 546.000       |
| iNDF      | 5     | 241.171    | 15.436  | 216.743       | 254.844       |
| nhNDF     | 5     | 3.054      | 0.287   | 2.743         | 3.497         |
| Stä       | 5     | 34.200     | 17.796  | 18.000        | 63.000        |
| TAF       | 5     | 66.200     | 8.468   | 55.000        | 76.000        |
| Mjölksyra | 5     | 48.800     | 9.834   | 34.000        | 58.000        |
| Ättiksyra | 5     | 17.400     | 2.302   | 15.000        | 21.000        |
| Socker    | 5     | 35.000     | 23.948  | 14.000        | 75.000        |
| AATp20    | 5     | 68.612     | 1.001   | 67.659        | 70.161        |
| PBVp20    | 5     | 21.222     | 22.529  | -15.974       | 41.208        |
| NELp20    | 5     | 5.504      | 0.161   | 5.310         | 5.682         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 3     | 9.267      | 0.115   | 9.200         | 9.400         |
| AAT*      | 3     | 56.667     | 1.155   | 56.000        | 58.000        |
| PBV*      | 3     | 26.333     | 9.018   | 17.000        | 35.000        |
| Ca        | 5     | 5.660      | 1.270   | 3.500         | 6.700         |
| P         | 5     | 2.560      | 0.219   | 2.300         | 2.900         |
| Mg        | 5     | 2.440      | 0.555   | 1.600         | 3.100         |
| K         | 5     | 19.420     | 2.775   | 15.500        | 22.800        |
| Na        | 5     | 0.480      | 0.303   | 0.200         | 1.000         |
| Cl        | 5     | 3.980      | 1.990   | 1.800         | 6.000         |
| S         | 5     | 1.800      | 0.406   | 1.300         | 2.400         |
| CAB       | 5     | 292.932    | 86.787  | 221.187       | 437.307       |
| Fe        | 5     | 328.200    | 311.802 | 104.000       | 864.000       |
| Mn        | 5     | 68.400     | 28.483  | 38.000        | 113.000       |
| Zn        | 5     | 37.000     | 7.681   | 25.000        | 46.000        |
| Cu        | 5     | 8.920      | 4.991   | 4.600         | 17.400        |

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 390.400    | 73.9919 | 306.000       | 476.000       |
| Aska      | 5     | 61.000     | 8.5440  | 50.000        | 72.000        |
| OS smbh   | 5     | 67.740     | 2.9492  | 63.100        | 71.000        |
| Råprot    | 5     | 114.000    | 15.7639 | 101.000       | 140.000       |
| sRåprot   | 5     | 645.600    | 85.8825 | 568.000       | 775.000       |
| NH3-N     | 5     | 95.200     | 23.3174 | 77.000        | 136.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 5     | 450.000    | 37.4366 | 401.000       | 496.000       |
| iNDF      | 5     | 261.921    | 40.4142 | 226.000       | 320.000       |
| nhNDF     | 5     | 2.733      | 0.4036  | 2.184         | 3.074         |
| Stä       | 5     | 122.400    | 71.8178 | 51.000        | 223.000       |
| TAF       | 5     | 63.100     | 16.8352 | 41.000        | 81.500        |
| Mjölksyra | 5     | 43.200     | 13.6455 | 31.000        | 64.000        |
| Ättiksyra | 5     | 17.000     | 6.5192  | 8.000         | 26.000        |
| Socker    | 5     | 50.000     | 10.9545 | 41.000        | 69.000        |
| PRF       | 2     | 3.000      | 2.8284  | 1.000         | 5.000         |
| BUF       | 2     | 0.500      | 0.7071  | 0.000         | 1.000         |
| AATp20    | 5     | 69.666     | 4.4926  | 62.340        | 73.441        |
| PBVp20    | 5     | -0.772     | 15.1293 | -17.478       | 16.381        |
| NELp20    | 5     | 5.573      | 0.3516  | 5.079         | 6.072         |
| OE*       | 2     | 10.160     | 0.4101  | 9.870         | 10.450        |
| Ca        | 5     | 3.340      | 0.6542  | 2.500         | 4.300         |
| P         | 5     | 2.480      | 0.3114  | 2.000         | 2.800         |
| Mg        | 5     | 1.760      | 0.3130  | 1.300         | 2.100         |
| K         | 5     | 15.160     | 2.0157  | 11.800        | 16.700        |
| Na        | 5     | 0.620      | 0.3271  | 0.200         | 1.100         |
| Cl        | 5     | 2.640      | 1.4346  | 0.500         | 4.500         |
| S         | 5     | 1.860      | 0.1517  | 1.700         | 2.100         |
| CAB       | 5     | 224.064    | 81.3074 | 94.867        | 301.469       |
| Fe        | 4     | 160.500    | 98.0119 | 65.000        | 293.000       |
| Mn        | 4     | 78.750     | 14.2449 | 67.000        | 98.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 4     | 36.250     | 6.6521  | 32.000        | 46.000        |
| Cu        | 4     | 6.500      | 1.6371  | 4.200         | 8.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 738.000    | .       | 738.000       | 738.000       |
| Aska      | 1     | 74.000     | .       | 74.000        | 74.000        |
| OS smbh   | 1     | 70.400     | .       | 70.400        | 70.400        |
| Råprot    | 1     | 97.000     | .       | 97.000        | 97.000        |
| NDF       | 1     | 476.000    | .       | 476.000       | 476.000       |
| iNDF      | 1     | 210.071    | .       | 210.071       | 210.071       |
| nhNDF     | 1     | 3.528      | .       | 3.528         | 3.528         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 1     | 130.000    | .       | 130.000       | 130.000       |
| AATp20    | 1     | 86.834     | .       | 86.834        | 86.834        |
| PBVp20    | 1     | -34.286    | .       | -34.286       | -34.286       |
| NELp20    | 1     | 5.352      | .       | 5.352         | 5.352         |
| OE*       | 1     | 10.100     | .       | 10.100        | 10.100        |
| AAT*      | 1     | 72.000     | .       | 72.000        | 72.000        |
| PBV*      | 1     | -26.000    | .       | -26.000       | -26.000       |
| Ca        | 1     | 6.300      | .       | 6.300         | 6.300         |
| P         | 1     | 2.300      | .       | 2.300         | 2.300         |
| Mg        | 1     | 1.700      | .       | 1.700         | 1.700         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 1     | 19.700     | .       | 19.700        | 19.700        |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 273.589    | .       | 273.589       | 273.589       |
| Fe        | 1     | 103.000    | .       | 103.000       | 103.000       |
| Mn        | 1     | 84.000     | .       | 84.000        | 84.000        |
| Zn        | 1     | 22.000     | .       | 22.000        | 22.000        |
| Cu        | 1     | 5.900      | .       | 5.900         | 5.900         |
| Se        | 1     | 0.010      | .       | 0.010         | 0.010         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 864.667    | 78.526  | 774.000       | 911.000       |
| Aska      | 3     | 69.000     | 21.656  | 56.000        | 94.000        |
| OS smbh   | 3     | 71.767     | 5.572   | 66.500        | 77.600        |
| Råprot    | 3     | 103.000    | 31.796  | 69.000        | 132.000       |
| sRåprot   | 3     | 423.667    | 46.801  | 370.000       | 456.000       |
| NDF       | 3     | 476.000    | 85.159  | 382.000       | 548.000       |
| iNDF      | 3     | 214.000    | 34.073  | 190.000       | 253.000       |
| nhNDF     | 3     | 4.272      | 0.883   | 3.733         | 5.291         |
| TAF       | 3     | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 3     | 124.333    | 13.317  | 113.000       | 139.000       |
| AATp20    | 3     | 93.334     | 8.528   | 84.730        | 101.785       |
| PBVp20    | 3     | -39.315    | 15.637  | -56.741       | -26.507       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 3     | 5.559      | 0.466   | 5.055         | 5.974         |
| OE*       | 3     | 10.417     | 0.707   | 9.680         | 11.090        |
| Ca        | 3     | 3.800      | 0.854   | 2.900         | 4.600         |
| P         | 3     | 1.600      | 0.346   | 1.200         | 1.800         |
| Mg        | 3     | 1.200      | 0.300   | 0.900         | 1.500         |
| K         | 3     | 13.800     | 2.343   | 12.300        | 16.500        |
| Na        | 2     | 0.200      | 0.000   | 0.200         | 0.200         |
| Cl        | 3     | 3.800      | 1.732   | 1.800         | 4.800         |
| S         | 3     | 1.333      | 0.252   | 1.100         | 1.600         |
| CAB       | 3     | 177.058    | 71.787  | 95.735        | 231.621       |
| Fe        | 3     | 384.333    | 456.334 | 49.000        | 904.000       |
| Mn        | 3     | 87.000     | 53.019  | 26.000        | 122.000       |
| Zn        | 3     | 25.333     | 16.289  | 14.000        | 44.000        |
| Cu        | 3     | 9.000      | 7.810   | 4.000         | 18.000        |
| Se        | 2     | 0.065      | 0.021   | 0.050         | 0.080         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 776.000    | .       | 776.000       | 776.000       |
| Aska      | 1     | 64.000     | .       | 64.000        | 64.000        |
| OS smbh   | 1     | 64.700     | .       | 64.700        | 64.700        |
| Råprot    | 1     | 108.000    | .       | 108.000       | 108.000       |
| NDF       | 1     | 512.000    | .       | 512.000       | 512.000       |
| iNDF      | 1     | 260.750    | .       | 260.750       | 260.750       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| nhNDF     | 1     | 2.817      | .       | 2.817         | 2.817         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 1     | 111.000    | .       | 111.000       | 111.000       |
| AATp20    | 1     | 83.413     | .       | 83.413        | 83.413        |
| PBVp20    | 1     | -17.943    | .       | -17.943       | -17.943       |
| NELp20    | 1     | 4.972      | .       | 4.972         | 4.972         |
| OE*       | 1     | 9.300      | .       | 9.300         | 9.300         |
| AAT*      | 1     | 67.000     | .       | 67.000        | 67.000        |
| PBV*      | 1     | -7.000     | .       | -7.000        | -7.000        |
| Ca        | 1     | 4.300      | .       | 4.300         | 4.300         |
| P         | 1     | 1.900      | .       | 1.900         | 1.900         |
| Mg        | 1     | 1.600      | .       | 1.600         | 1.600         |
| K         | 1     | 13.700     | .       | 13.700        | 13.700        |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.400      | .       | 1.400         | 1.400         |
| CAB       | 1     | 126.386    | .       | 126.386       | 126.386       |
| Fe        | 1     | 200.000    | .       | 200.000       | 200.000       |
| Mn        | 1     | 133.000    | .       | 133.000       | 133.000       |
| Zn        | 1     | 40.000     | .       | 40.000        | 40.000        |
| Cu        | 1     | 5.400      | .       | 5.400         | 5.400         |
| Se        | 1     | 0.012      | .       | 0.012         | 0.012         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 399.000    | .       | 399.000       | 399.000       |
| Aska      | 1     | 72.000     | .       | 72.000        | 72.000        |
| OS smbh   | 1     | 74.400     | .       | 74.400        | 74.400        |
| Råprot    | 1     | 170.000    | .       | 170.000       | 170.000       |
| sRåprot   | 1     | 646.000    | .       | 646.000       | 646.000       |
| NH3-N     | 1     | 68.000     | .       | 68.000        | 68.000        |
| NDF       | 1     | 419.000    | .       | 419.000       | 419.000       |
| iNDF      | 1     | 216.000    | .       | 216.000       | 216.000       |
| nhNDF     | 1     | 4.301      | .       | 4.301         | 4.301         |
| Stä       | 1     | 10.000     | .       | 10.000        | 10.000        |
| TAF       | 1     | 85.000     | .       | 85.000        | 85.000        |
| Mjölksyra | 1     | 62.000     | .       | 62.000        | 62.000        |
| Ättiksyra | 1     | 20.000     | .       | 20.000        | 20.000        |
| Socker    | 1     | 59.000     | .       | 59.000        | 59.000        |
| PRF       | 1     | 3.000      | .       | 3.000         | 3.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 81.345     | .       | 81.345        | 81.345        |
| PBVp20    | 1     | 47.094     | .       | 47.094        | 47.094        |
| NELp20    | 1     | 6.347      | .       | 6.347         | 6.347         |
| OE*       | 1     | 10.830     | .       | 10.830        | 10.830        |
| Ca        | 1     | 7.200      | .       | 7.200         | 7.200         |
| P         | 1     | 3.200      | .       | 3.200         | 3.200         |
| Mg        | 1     | 2.600      | .       | 2.600         | 2.600         |
| K         | 1     | 19.700     | .       | 19.700        | 19.700        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 1     | 1.500      | .       | 1.500         | 1.500         |
| Cl        | 1     | 2.300      | .       | 2.300         | 2.300         |
| S         | 1     | 2.600      | .       | 2.600         | 2.600         |
| CAB       | 1     | 341.765    | .       | 341.765       | 341.765       |

\*= Parametrar från det gamla svenska fodervärderingssystemet