

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	873	22	28.7	123	388		110	71	3.15	558	0.0000			5
Havre, kärna, medel NDF (003)	1	1	642	32	0.0	113	297		267	25	2.00	374	0.0000			5
Vete, kärna (005)	1	1	841	19	88.0	127				187	3.50	664	0.0000			
Råg (011)	1	1	718	15	0.0	78	557		134	25	6.60	548	0.0000			5
Grönmassa, gräs (0% baljv.) (161)	1	1	396	62	81.5	161			476	83	6.65		61.0000			140
Ensilage, gräs (0% klöver) (162)	1	9	402	72	74.7	153	635	89.8	468	155	4.69		61.6444	47.2	12.5	60
Ensilage, gräs (0% klöver) (162)	2	7	342	75	75.0	162	624	90.7	471	156	4.53		61.6286	46.6	12.9	42
Ensilage, gräs (0% klöver) (162)	3	3	442	73	75.9	151	567	80.3	448	154	4.49		53.4333	39.7	11.3	82
Grönmassa blandvall (1-50 % baljväxter) (164)	1	19	362	72	74.9	155	368		512	138	4.97		84.0000			80
Grönmassa blandvall (1-50 % baljväxter) (164)	2	17	568	83	75.9	170	267		473	144	4.83		84.0000			91
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5	591	80	74.6	176	382		475	156	4.62		84.0000			89
Ensilage, blandvall (1-50% klöver) (165)	0	1	340	61	71.3	141	679	125	498	195	3.83		53.8000	37.0	10.0	51
Ensilage, blandvall (1-50% klöver) (165)	1	35	387	68	75.6	144	651	93.1	479	143	4.74		59.8029	44.9	11.4	63
Ensilage, blandvall (1-50% klöver) (165)	2	26	486	74	74.5	163	537	63.3	461	169	4.30		48.4077	36.1	10.3	73
Ensilage, blandvall (1-50% klöver) (165)	3	9	412	75	76.4	177	565	64.3	430	157	4.52		61.5667	48.7	11.6	68
Ensilage, blandvall (1-50% klöver) (165)	4	1	319	84	76.0	189	603	103	453	148	4.63		80.7000	57.0	21.0	34
Korn, helsädesensilage (250)	1	6	428	60	69.7	110	606	78.5	473	233	3.38	75	57.3500	39.2	15.0	85
Havre helsädesensilage degmognad (296)	1	3	396	77	69.5	108	706	84.7	486	226	3.73	30	77.0000	52.7	19.0	75
Vete, helsäd ensilage (299)	1	1	564	62	66.7	117	493	68.0	485	253	2.88	48	46.5000	32.0	12.0	94
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	328	56	70.2	108	682	62.5	388	264	2.48	119	89.0000	71.5	17.5	65
Råg, helsädesensilage, axgång (311)	1	1	239	59	73.8	131	794	141	533	156	4.71	17	91.0000	68.0	23.0	22
Hö, blandvall, 0-50% baljväxter (383)	1	2	896	59	65.5	79			624	208	3.81		0.0000			111
Grunnblanding Middels ford.grovför (326)	1	2	406	50	76.2	162	487	30.0	294	224	2.33	208	75.0000	42.0	30.5	9

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				97.3	-24	7.47	12.7		
Havre, kärna, medel NDF (003)	1	1				94.0	-24	7.21	11.2		
Vete, kärna (005)	1	1				113	-39	7.99			
Råg (011)	1	1				102	-73	7.76	13.2		
Majs hela plantan, grönmassa (030)	1	0				88.0	-61	6.40			
Grönmassa, gräs (0% baljv.) (161)	1	1				94.5	10.1	6.78	12.1	82.0	20.0
Ensilage, gräs (0% klöver) (162)	1	9	1.00000	0.97500		81.8	24.1	6.19	10.9	71.3	29.0
Ensilage, gräs (0% klöver) (162)	2	7		1.20000		82.8	30.2	6.24	10.9	71.1	38.6
Ensilage, gräs (0% klöver) (162)	3	3		1.43333		85.1	16.9	6.22	11.1	71.7	27.7
Grönmassa blandvall (1-50 % baljväxter) (164)	1	19				86.2	20.7	6.27	10.9	75.3	17.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	17				86.4	34.8	6.29	10.9	76.1	37.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5				85.5	42.4	6.22	10.8	75.5	58.3
Ensilage, blandvall (1-50% klöver) (165)	0	1		5.80000		79.7	19.1	5.90	10.4	70.0	20.0
Ensilage, blandvall (1-50% klöver) (165)	1	35	2.33333	2.26000		83.6	15.4	6.29	11.1	71.7	14.4
Ensilage, blandvall (1-50% klöver) (165)	2	26	1.60000	0.86923		86.3	28.9	6.18	10.8	71.1	37.6
Ensilage, blandvall (1-50% klöver) (165)	3	9	0.50000	0.56667		87.0	40.9	6.41	11.1	72.2	38.6
Ensilage, blandvall (1-50% klöver) (165)	4	1		1.70000		84.1	56.5	6.42	11.0	71.0	66.0
Korn, helsädesensilage (250)	1	6	5.00000	3.00000		73.1	-9.1	5.64	9.9	62.5	-28
Havre helsädesensilage degmognad (296)	1	3	8.00000	8.00000		71.1	-5.9	5.70	10.3		
Vete, helsäd ensilage (299)	1	1				72.0	-3.4	5.40			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	0.00000	0.00000		70.0	-1.9	5.86	11.0		
Majs, helsädesensilage (305)	1	0				82.6	-56	6.55			
Råg, helsädesensilage, axgång (311)	1	1				69.2	15.7	6.22	9.9	60.0	10.0
Hö, blandvall, 0-50% baljväxter (383)	1	2				83.4	-45	5.09	9.5	68.0	-37
Grunnblanding Middels ford.grovfôr (326)	1	2	2.50000	0.00000		88.5	28.6	6.69	11.4		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.5	3.1	1.1	5.0	0.2	1.2	1.5	6	2	51.5	23.5	28.5	5.1	
Vete, kärna (005)	1	1	0.4	2.8	1.0	4.7	0.1		1.4	12	1	47.0	38.0	27.0	3.9	
Ensilage, gräs (0% klöver) (162)	1	5	4.1	2.9	1.7	22.5	1.0	7.5	2.2	287	5	204.0	75.0	34.2	5.9	0.1
Ensilage, gräs (0% klöver) (162)	2	4	4.9	3.1	2.2	29.6	1.4	12.0	2.6	275	4	136.5	91.8	34.8	8.3	
Ensilage, gräs (0% klöver) (162)	3	2	6.0	2.5	2.3	26.2	1.1	12.3	2.6	192	2	146.0	100.0	28.5	7.1	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	17	4.8	2.6	1.9	22.0	1.1	4.8	2.1	344	15	146.3	63.1	30.0	5.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14	6.2	2.7	2.6	22.6	1.0	9.8	2.4	316	13	236.4	78.7	32.2	10.6	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	5.7	2.5	2.5	23.4	0.8	5.0	2.4	344	2	80.5	65.5	28.0	7.5	
Ensilage, blandvall (1-50% klöver) (165)	0	1	5.0	2.3	2.3	19.3	0.5	8.5	2.3	132	1	293.0	57.0	29.0	7.2	
Ensilage, blandvall (1-50% klöver) (165)	1	32	4.5	2.8	1.8	23.4	0.9	6.8	2.0	313	30	201.9	71.7	31.5	5.7	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	23	6.3	2.7	2.6	23.2	1.4	9.1	2.4	251	21	191.4	91.2	35.3	7.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	8	6.5	2.8	2.7	22.1	1.6	7.9	2.8	243	6	246.7	116.8	36.3	8.1	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.6	3.7	2.6	24.1	1.2	5.6	3.0	323	1	171.0	132.0	34.0	7.6	
Korn, helsädesensilage (250)	1	4	4.8	2.7	2.3	17.7	1.6	6.5	2.0	187	4	233.5	109.0	67.5	13.4	
Havre helsädesensilage degmognad (296)	1	3	4.2	2.9	1.8	22.9	1.1	6.5	1.8	339	2	356.0	115.0	23.5	4.8	
Vete, helsäd ensilage (299)	1	1	4.7	2.2	1.6	22.2	0.6	8.5	1.6	254	1	183.0	315.0	49.0	4.6	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	5.4	2.7	1.7	16.9	0.6	8.8	1.5	120	2	152.0	106.0	44.0	5.4	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.7	2.5	1.4	22.2	0.2		1.2	361	2	58.0	41.0	23.0	4.3	
Grunnblanding Middels ford.grovfôr (326)	1	2	9.4	4.7	4.6	11.4	3.0	5.1	2.7	106	2	219.5	99.0	83.0	19.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	872.667	16.5630	857.000	890.000
Aska	3	21.733	2.5325	19.000	24.000
OS smbh	3	28.667	49.6521	0.000	86.000
Råprot	3	122.967	8.6893	117.900	133.000
sRåprot	2	388.000	70.7107	338.000	438.000
NDF	2	109.500	9.1924	103.000	116.000
iNDF	3	70.667	79.0970	25.000	162.000
nhNDF	3	3.150	0.0000	3.150	3.150
Stä	3	558.367	44.5725	513.000	602.100
TAF	3	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	3	97.349	2.3066	94.948	99.547
PBVp20	3	-23.629	8.6749	-32.084	-14.750
NELp20	3	7.470	0.1023	7.355	7.549
OE*	2	12.700	0.1414	12.600	12.800
Ca	2	0.500	0.1414	0.400	0.600
P	2	3.100	0.4243	2.800	3.400
Mg	2	1.100	0.2828	0.900	1.300
K	2	4.950	0.3536	4.700	5.200
Na	1	0.200	.	0.200	0.200
Cl	1	1.200	.	1.200	1.200
S	2	1.500	0.2828	1.300	1.700
CAB	2	5.567	29.7943	-15.500	26.635
Fe	2	51.500	6.3640	47.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	23.500	12.0208	15.000	32.000
Zn	2	28.500	2.1213	27.000	30.000
Cu	2	5.100	0.1414	5.000	5.200

Fodermedel=Havre, kärna, medel NDF (003) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	642.000	.	642.000	642.000
Aska	1	32.000	.	32.000	32.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	113.000	.	113.000	113.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	267.000	.	267.000	267.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	374.000	.	374.000	374.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	94.033	.	94.033	94.033
PBVp20	1	-24.412	.	-24.412	-24.412
NELp20	1	7.205	.	7.205	7.205
OE*	1	11.200	.	11.200	11.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	841.000	.	841.000	841.000
Aska	1	19.000	.	19.000	19.000
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	127.200	.	127.200	127.200
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	663.500	.	663.500	663.500
TAF	1	0.000	.	0.000	0.000
AATp20	1	113.321	.	113.321	113.321
PBVp20	1	-38.681	.	-38.681	-38.681
NELp20	1	7.985	.	7.985	7.985
Ca	1	0.400	.	0.400	0.400
P	1	2.800	.	2.800	2.800
Mg	1	1.000	.	1.000	1.000
K	1	4.700	.	4.700	4.700
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	11.700	.	11.700	11.700
Fe	1	47.000	.	47.000	47.000
Mn	1	38.000	.	38.000	38.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.900	.	3.900	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	718.000	.	718.000	718.000
Aska	1	15.000	.	15.000	15.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	78.000	.	78.000	78.000
sRåprot	1	557.000	.	557.000	557.000
NDF	1	134.000	.	134.000	134.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	548.000	.	548.000	548.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	101.944	.	101.944	101.944
PBVp20	1	-72.974	.	-72.974	-72.974
NELp20	1	7.763	.	7.763	7.763
OE*	1	13.200	.	13.200	13.200

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	76.000	.	76.000	76.000
iNDF	1	197.873	.	197.873	197.873
nhNDF	1	3.448	.	3.448	3.448
TAF	1	57.000	.	57.000	57.000
AATp20	1	88.033	.	88.033	88.033

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-61.009	.	-61.009	-61.009
NELp20	1	6.396	.	6.396	6.396

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	396.000	.	396.000	396.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	81.500	.	81.500	81.500
Råprot	1	161.000	.	161.000	161.000
NDF	1	476.000	.	476.000	476.000
iNDF	1	83.492	.	83.492	83.492
nhNDF	1	6.647	.	6.647	6.647
TAF	1	61.000	.	61.000	61.000
Socker	1	140.000	.	140.000	140.000
AATp20	1	94.543	.	94.543	94.543
PBVp20	1	10.133	.	10.133	10.133
NELp20	1	6.781	.	6.781	6.781
OE*	1	12.100	.	12.100	12.100
AAT*	1	82.000	.	82.000	82.000
PBV*	1	20.000	.	20.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	402.111	155.216	227.000	690.000
Aska	9	72.333	21.708	34.000	107.000
OS smbh	9	74.700	8.897	55.000	81.000
Råprot	9	153.222	32.851	95.000	200.000
sRåprot	9	635.222	100.886	459.000	773.000
NH3-N	8	89.750	31.157	51.000	149.000
NDF	9	468.444	65.347	405.000	584.000
iNDF	9	155.115	84.701	94.000	329.067
nhNDF	9	4.691	1.122	2.194	5.732
TAF	9	61.644	44.824	15.000	143.000
Mjölksyra	9	47.222	42.237	1.000	124.000
Ättiksyra	8	12.500	5.632	5.000	21.000
Socker	9	60.333	48.562	10.000	145.000
PRF	1	1.000	.	1.000	1.000
BUF	8	0.975	1.260	0.000	3.900
AATp20	9	81.801	8.493	62.305	92.148
PBVp20	9	24.066	25.323	-5.350	73.273
NELp20	9	6.187	0.870	4.232	6.920
OE*	9	10.871	1.505	7.300	11.800
AAT*	7	71.286	5.024	60.000	74.000
PBV*	7	29.000	22.091	-8.000	51.000
Ca	5	4.120	0.421	3.700	4.800
P	5	2.880	0.507	2.000	3.300
Mg	5	1.720	0.217	1.500	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	22.480	7.253	10.000	28.300
Na	5	1.000	0.480	0.600	1.700
Cl	9	7.544	1.905	5.400	10.400
S	5	2.200	0.308	1.900	2.700
CAB	5	286.548	180.421	-31.275	406.526
Fe	5	204.000	178.515	56.000	509.000
Mn	5	75.000	22.394	43.000	103.000
Zn	5	34.200	4.324	29.000	38.000
Cu	5	5.900	1.170	4.000	7.200
Se	2	0.090	0.057	0.050	0.130

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	341.714	68.549	234.000	441.000
Aska	7	75.000	12.234	57.000	95.000
OS smbh	7	75.029	2.177	73.000	78.100
Råprot	7	161.571	16.582	134.000	183.000
sRåprot	7	624.000	68.872	531.000	718.000
NH3-N	7	90.714	10.547	72.000	105.000
NDF	7	471.286	32.392	419.000	511.000
iNDF	7	155.954	19.193	125.753	176.864
nhNDF	7	4.530	0.334	4.153	5.106
TAF	7	61.629	20.596	21.500	81.100
Mjölksyra	7	46.571	17.077	15.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	7	12.857	5.521	2.000	19.000
Socker	7	42.429	35.547	10.000	106.000
BUF	7	1.200	1.212	0.100	3.500
AATp20	7	82.774	2.187	80.101	86.679
PBVp20	7	30.168	13.720	5.545	45.456
NELp20	7	6.238	0.209	5.933	6.523
OE*	7	10.886	0.308	10.600	11.400
AAT*	7	71.143	1.069	70.000	73.000
PBV*	7	38.571	15.490	12.000	58.000
Ca	4	4.925	0.287	4.600	5.300
P	4	3.050	0.058	3.000	3.100
Mg	4	2.175	0.236	2.000	2.500
K	4	29.575	2.421	26.600	32.300
Na	4	1.400	0.337	1.000	1.800
Cl	7	12.029	4.300	7.600	21.000
S	4	2.550	0.191	2.400	2.800
CAB	4	274.790	100.796	128.559	356.552
Fe	4	136.500	18.339	115.000	158.000
Mn	4	91.750	8.995	81.000	101.000
Zn	4	34.750	3.862	29.000	37.000
Cu	4	8.325	0.450	7.700	8.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	442.333	70.946	379.000	519.000
Aska	3	73.333	9.292	63.000	81.000
OS smbh	3	75.933	0.961	74.900	76.800
Råprot	3	151.333	6.429	144.000	156.000
sRåprot	3	567.333	102.549	497.000	685.000
NH3-N	3	80.333	18.339	66.000	101.000
NDF	3	448.333	4.933	445.000	454.000
iNDF	3	154.099	11.606	141.348	164.044
nhNDF	3	4.490	0.232	4.300	4.749
TAF	3	53.433	4.285	49.500	58.000
Mjölksyra	3	39.667	1.528	38.000	41.000
Ättiksyra	3	11.333	2.309	10.000	14.000
Socker	3	82.333	20.033	63.000	103.000
BUF	3	1.433	0.814	0.500	2.000
AATp20	3	85.111	2.005	82.805	86.435
PBVp20	3	16.907	2.563	14.010	18.882
NELp20	3	6.217	0.099	6.114	6.312
OE*	3	11.067	0.153	10.900	11.200
AAT*	3	71.667	0.577	71.000	72.000
PBV*	3	27.667	6.658	20.000	32.000
Ca	2	5.950	0.636	5.500	6.400
P	2	2.500	0.141	2.400	2.600
Mg	2	2.250	0.212	2.100	2.400
K	2	26.200	1.838	24.900	27.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	1.100	0.000	1.100	1.100
Cl	3	12.300	2.524	10.600	15.200
S	2	2.600	0.141	2.500	2.700
CAB	2	192.023	53.444	154.232	229.813
Fe	2	146.000	82.024	88.000	204.000
Mn	2	100.000	12.728	91.000	109.000
Zn	2	28.500	2.121	27.000	30.000
Cu	2	7.100	0.000	7.100	7.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	362.158	103.067	245.000	505.000
Aska	19	71.526	9.918	57.000	87.000
OS smbh	19	74.911	5.462	68.200	82.700
Råprot	19	154.579	33.447	107.000	202.000
sRåprot	5	368.200	64.982	301.000	469.000
NDF	19	511.947	72.091	406.000	605.000
iNDF	19	138.217	44.650	65.694	198.575
nhNDF	19	4.969	0.916	3.777	6.273
TAF	19	84.000	0.000	84.000	84.000
Socker	19	80.000	51.515	15.000	165.000
AATp20	19	86.225	7.116	77.099	98.908
PBVp20	19	20.742	22.748	-10.494	54.874
NELp20	19	6.269	0.477	5.605	6.878

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	19	10.917	0.903	9.800	12.300
AAT*	14	75.286	5.180	70.000	83.000
PBV*	14	17.643	23.529	-15.000	47.000
Ca	17	4.771	1.012	3.700	6.500
P	17	2.624	0.466	2.100	3.400
Mg	17	1.859	0.442	1.300	2.500
K	17	21.976	4.450	15.800	28.100
Na	16	1.050	0.888	0.200	2.400
Cl	5	4.760	2.110	1.500	7.000
S	17	2.076	0.470	1.400	2.600
CAB	17	344.310	101.947	191.167	472.417
Fe	15	146.333	73.426	69.000	230.000
Mn	15	63.133	18.524	50.000	94.000
Zn	15	30.000	4.736	21.000	35.000
Cu	15	5.800	1.136	4.900	7.400
Se	2	0.060	0.071	0.010	0.110

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	568.059	177.546	337.000	825.000
Aska	17	82.588	10.577	65.000	93.000
OS smbh	17	75.859	2.939	70.500	79.300
Råprot	17	169.941	21.385	140.000	196.000
sRåprot	2	266.500	132.229	173.000	360.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	17	472.529	41.216	431.000	530.000
iNDF	17	143.685	38.789	110.229	176.091
nhNDF	17	4.834	0.832	3.845	5.590
TAF	17	84.000	0.000	84.000	84.000
Socker	17	91.059	29.668	38.000	123.000
AATp20	17	86.415	3.210	82.513	90.634
PBVp20	17	34.800	19.322	8.704	65.557
NELp20	17	6.290	0.279	5.880	6.638
OE*	17	10.939	0.487	9.970	11.600
AAT*	15	76.067	2.314	73.000	78.000
PBV*	15	37.600	23.518	8.000	68.000
Ca	14	6.186	2.363	4.500	8.800
P	14	2.729	0.356	2.300	3.100
Mg	14	2.636	0.656	1.900	3.500
K	14	22.586	5.576	13.700	30.000
Na	14	0.964	0.508	0.200	1.500
Cl	2	9.800	4.950	6.300	13.300
S	14	2.407	0.443	1.900	2.900
CAB	14	316.201	171.745	60.924	504.626
Fe	13	236.385	420.514	72.000	238.000
Mn	13	78.692	23.030	54.000	93.000
Zn	13	32.231	10.879	22.000	40.000
Cu	13	10.585	12.806	5.000	10.500
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	591.000	115.319	445.000	720.000
Aska	5	79.600	15.710	58.000	100.000
OS smbh	5	74.640	5.159	68.400	79.500
Råprot	5	176.400	32.883	127.000	218.000
sRåprot	1	382.000	.	382.000	382.000
NDF	5	475.400	53.841	414.000	562.000
iNDF	5	156.143	49.942	98.751	212.505
nhNDF	5	4.619	1.003	3.496	5.984
TAF	5	84.000	0.000	84.000	84.000
Socker	5	88.600	8.173	81.000	100.000
AATp20	5	85.537	5.501	78.646	91.662
PBVp20	5	42.448	25.837	3.667	71.500
NELp20	5	6.222	0.486	5.686	6.676
OE*	5	10.798	0.848	9.800	11.600
AAT*	4	75.500	3.786	70.000	78.000
PBV*	4	58.250	18.892	37.000	83.000
Ca	3	5.700	1.389	4.100	6.600
P	3	2.500	0.173	2.400	2.700
Mg	3	2.500	1.114	1.500	3.700
K	3	23.367	4.013	21.000	28.000
Na	3	0.767	0.473	0.400	1.300
Cl	1	5.000	.	5.000	5.000
S	3	2.433	0.643	1.700	2.900
CAB	3	343.652	102.718	262.027	458.990

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	80.500	0.707	80.000	81.000
Mn	2	65.500	28.991	45.000	86.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	7.450	0.495	7.100	7.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	340.000	.	340.000	340.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	71.300	.	71.300	71.300
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	679.000	.	679.000	679.000
NH3-N	1	125.000	.	125.000	125.000
NDF	1	498.000	.	498.000	498.000
iNDF	1	194.821	.	194.821	194.821
nhNDF	1	3.826	.	3.826	3.826
TAF	1	53.800	.	53.800	53.800
Mjölksyra	1	37.000	.	37.000	37.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	51.000	.	51.000	51.000
BUF	1	5.800	.	5.800	5.800
AATp20	1	79.681	.	79.681	79.681
PBVp20	1	19.121	.	19.121	19.121
NELp20	1	5.902	.	5.902	5.902

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.400	.	10.400	10.400
AAT*	1	70.000	.	70.000	70.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	5.000	.	5.000	5.000
P	1	2.300	.	2.300	2.300
Mg	1	2.300	.	2.300	2.300
K	1	19.300	.	19.300	19.300
Na	1	0.500	.	0.500	0.500
Cl	1	8.500	.	8.500	8.500
S	1	2.300	.	2.300	2.300
CAB	1	132.159	.	132.159	132.159
Fe	1	293.000	.	293.000	293.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.200	.	7.200	7.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	35	386.771	102.803	262.000	519.000
Aska	35	67.971	9.522	50.000	78.000
OS smbh	35	75.643	4.588	67.800	80.200
Råprot	35	144.257	36.132	100.000	185.000
sRåprot	35	651.486	74.033	566.000	747.000
NH3-N	35	93.057	33.146	62.000	130.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	35	478.829	67.218	408.000	593.000
iNDF	35	142.983	37.096	103.000	186.498
nhNDF	35	4.735	0.678	3.948	5.591
TAF	35	59.803	26.883	24.700	88.100
Mjölksyra	35	44.886	23.597	13.000	69.000
Ättiksyra	35	11.429	4.785	6.000	18.000
Socker	35	63.314	31.781	19.000	107.000
PRF	6	2.333	1.751	0.000	5.000
BUF	35	2.260	3.260	0.000	6.200
AATp20	35	83.593	4.518	78.973	89.203
PBVp20	35	15.380	30.360	-17.761	51.622
NELp20	35	6.288	0.463	5.615	6.838
OE*	35	11.085	0.723	10.000	11.800
AAT*	29	71.724	2.051	69.000	74.000
PBV*	29	14.414	28.666	-25.000	55.000
Ca	32	4.528	1.104	3.600	6.200
P	32	2.800	0.436	2.200	3.300
Mg	32	1.809	0.328	1.500	2.200
K	32	23.384	4.597	18.400	28.100
Na	32	0.891	0.504	0.300	1.500
Cl	35	6.777	3.186	3.800	13.200
S	32	2.044	0.426	1.500	2.600
CAB	32	313.280	159.847	52.318	507.220
Fe	30	201.933	103.768	96.500	362.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	30	71.667	16.668	52.500	82.000
Zn	30	31.533	5.612	23.500	37.000
Cu	30	5.713	1.173	4.000	7.400
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	26	486.346	160.850	290.000	722.000
Aska	26	74.038	10.239	61.000	89.000
OS smbh	26	74.465	2.038	71.700	77.200
Råprot	26	163.115	26.316	131.000	189.000
sRåprot	26	536.731	98.881	401.000	658.000
NH3-N	26	63.308	26.444	37.000	104.000
NDF	26	460.808	31.604	416.000	499.000
iNDF	26	168.582	22.944	139.541	201.387
nhNDF	26	4.296	0.389	3.662	4.756
TAF	26	48.408	29.788	8.500	89.000
Mjölksyra	26	36.115	25.319	4.000	70.000
Ättiksyra	26	10.308	5.183	4.000	18.000
Socker	26	72.731	37.209	19.000	128.000
PRF	5	1.600	1.140	0.000	3.000
BUF	26	0.869	1.098	0.000	2.100
AATp20	26	86.257	4.790	80.609	91.693
PBVp20	26	28.889	24.740	-5.054	54.783

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	26	6.181	0.266	5.826	6.562
OE*	26	10.807	0.325	10.400	11.300
AAT*	21	71.143	0.793	70.000	72.000
PBV*	21	37.571	21.198	11.000	64.000
Ca	23	6.339	1.497	4.900	8.300
P	23	2.739	0.386	2.200	3.400
Mg	23	2.561	0.495	1.900	3.200
K	23	23.178	4.082	17.900	27.000
Na	23	1.378	0.546	0.700	2.200
Cl	26	9.108	3.084	5.000	13.300
S	23	2.400	0.328	2.000	2.800
CAB	23	250.790	107.835	117.519	390.898
Fe	21	191.429	200.596	85.000	247.000
Mn	21	91.190	21.442	67.000	124.000
Zn	21	35.333	11.390	27.000	39.000
Cu	21	7.381	1.302	6.200	8.800
Se	1	0.130	.	0.130	0.130

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	411.667	108.431	250.000	535.000
Aska	9	74.889	8.328	64.000	87.000
OS smbh	9	76.422	1.920	73.500	79.400
Råprot	9	177.333	28.018	145.000	218.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	9	565.222	53.983	511.000	648.000
NH3-N	9	64.333	18.166	27.000	84.000
NDF	9	430.333	13.096	416.000	450.000
iNDF	9	156.578	24.610	123.038	186.935
nhNDF	9	4.517	0.395	3.841	5.078
TAF	9	61.567	38.861	13.800	136.100
Mjölksyra	9	48.667	33.045	4.000	113.000
Ättiksyra	9	11.556	6.692	3.000	22.000
Socker	9	68.111	36.460	15.000	123.000
PRF	4	0.500	0.577	0.000	1.000
BUF	9	0.567	0.950	0.000	2.800
AATp20	9	86.982	4.111	82.201	93.743
PBVp20	9	40.913	24.993	13.987	84.258
NELp20	9	6.412	0.248	6.054	6.934
OE*	9	11.127	0.361	10.690	11.800
AAT*	5	72.200	0.837	71.000	73.000
PBV*	5	38.600	16.727	22.000	62.000
Ca	8	6.513	1.020	4.600	8.000
P	8	2.813	0.242	2.300	3.100
Mg	8	2.688	0.549	1.900	3.500
K	8	22.138	4.258	16.000	29.100
Na	8	1.625	0.492	1.100	2.400
Cl	9	7.944	2.916	3.500	13.200
S	8	2.775	0.369	2.200	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	8	242.616	85.673	118.790	320.512
Fe	6	246.667	127.589	122.000	484.000
Mn	6	116.833	19.010	85.000	132.000
Zn	6	36.333	4.227	32.000	42.000
Cu	6	8.117	1.250	6.800	10.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	319.000	.	319.000	319.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	76.000	.	76.000	76.000
Råprot	1	189.000	.	189.000	189.000
sRåprot	1	603.000	.	603.000	603.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	453.000	.	453.000	453.000
iNDF	1	148.000	.	148.000	148.000
nhNDF	1	4.630	.	4.630	4.630
TAF	1	80.700	.	80.700	80.700
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	34.000	.	34.000	34.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	84.058	.	84.058	84.058
PBVp20	1	56.505	.	56.505	56.505

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.416	.	6.416	6.416
OE*	1	11.000	.	11.000	11.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	66.000	.	66.000	66.000
Ca	1	6.600	.	6.600	6.600
P	1	3.700	.	3.700	3.700
Mg	1	2.600	.	2.600	2.600
K	1	24.100	.	24.100	24.100
Na	1	1.200	.	1.200	1.200
Cl	1	5.600	.	5.600	5.600
S	1	3.000	.	3.000	3.000
CAB	1	323.296	.	323.296	323.296
Fe	1	171.000	.	171.000	171.000
Mn	1	132.000	.	132.000	132.000
Zn	1	34.000	.	34.000	34.000
Cu	1	7.600	.	7.600	7.600

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	428.000	36.562	370.000	473.000
Aska	6	59.500	14.571	46.000	83.000
OS smbh	6	69.733	2.144	67.300	73.100
Råprot	6	110.333	24.378	73.000	145.000
sRåprot	6	605.500	154.193	356.000	747.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	6	78.500	34.530	14.000	104.000
NDF	6	473.333	60.836	425.000	585.000
iNDF	6	233.425	33.898	203.984	285.000
nhNDF	6	3.382	0.444	2.667	3.755
Stä	6	75.000	49.968	18.000	162.000
TAF	6	57.350	23.650	25.700	81.000
Mjölksyra	6	39.167	17.429	18.000	62.000
Ättiksyra	6	15.000	6.197	6.000	22.000
Socker	6	84.833	25.903	46.000	113.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	6	73.066	4.257	68.402	80.004
PBVp20	6	-9.091	17.902	-39.468	9.500
NELp20	6	5.640	0.191	5.416	5.916
OE*	3	9.890	0.165	9.700	10.000
AAT*	2	62.500	3.536	60.000	65.000
PBV*	2	-27.500	28.991	-48.000	-7.000
Ca	4	4.800	1.840	3.000	7.200
P	4	2.675	0.727	2.000	3.600
Mg	4	2.325	1.040	1.500	3.800
K	4	17.675	0.922	16.600	18.800
Na	4	1.550	0.768	1.100	2.700
Cl	6	6.517	2.057	3.300	9.300
S	4	2.025	0.275	1.700	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	186.537	59.604	99.905	235.358
Fe	4	233.500	126.463	119.000	401.000
Mn	4	109.000	73.788	59.000	216.000
Zn	4	67.500	65.552	29.000	165.000
Cu	4	13.375	15.169	4.500	36.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	396.000	76.3151	308.000	444.000
Aska	3	77.333	9.0738	69.000	87.000
OS smbh	3	69.500	2.7221	67.000	72.400
Råprot	3	108.000	53.3573	70.000	169.000
sRåprot	3	706.333	44.7363	655.000	737.000
NH3-N	3	84.667	75.7386	37.000	172.000
NDF	3	485.667	18.0093	465.000	498.000
iNDF	3	225.861	19.1255	205.000	242.569
nhNDF	3	3.733	1.0563	3.055	4.951
Stä	3	30.000	3.4641	26.000	32.000
TAF	3	77.000	18.1934	66.000	98.000
Mjölksyra	3	52.667	1.1547	52.000	54.000
Ättiksyra	3	19.000	9.5394	13.000	30.000
Socker	3	75.000	42.1545	27.000	106.000
PRF	1	8.000	.	8.000	8.000
BUF	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	71.117	3.8504	68.443	75.530
PBVp20	3	-5.938	39.9866	-36.022	39.438
NELp20	3	5.698	0.3813	5.462	6.138
OE*	1	10.330	.	10.330	10.330
Ca	3	4.167	1.6803	2.700	6.000
P	3	2.933	0.5132	2.500	3.500
Mg	3	1.800	0.2646	1.600	2.100
K	3	22.933	3.7005	20.600	27.200
Na	3	1.133	0.8083	0.400	2.000
Cl	3	6.467	1.0408	5.300	7.300
S	3	1.833	0.6110	1.300	2.500
CAB	3	339.063	72.3934	282.763	420.725
Fe	2	356.000	98.9949	286.000	426.000
Mn	2	115.000	60.8112	72.000	158.000
Zn	2	23.500	0.7071	23.000	24.000
Cu	2	4.800	0.5657	4.400	5.200

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	564.000	.	564.000	564.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	66.700	.	66.700	66.700
Råprot	1	117.000	.	117.000	117.000
sRåprot	1	493.000	.	493.000	493.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	68.000	.	68.000	68.000
NDF	1	485.000	.	485.000	485.000
iNDF	1	252.829	.	252.829	252.829
nhNDF	1	2.876	.	2.876	2.876
Stä	1	48.000	.	48.000	48.000
TAF	1	46.500	.	46.500	46.500
Mjölksyra	1	32.000	.	32.000	32.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	94.000	.	94.000	94.000
AATp20	1	72.013	.	72.013	72.013
PBVp20	1	-3.446	.	-3.446	-3.446
NELp20	1	5.395	.	5.395	5.395
Ca	1	4.700	.	4.700	4.700
P	1	2.200	.	2.200	2.200
Mg	1	1.600	.	1.600	1.600
K	1	22.200	.	22.200	22.200
Na	1	0.600	.	0.600	0.600
Cl	1	8.500	.	8.500	8.500
S	1	1.600	.	1.600	1.600
CAB	1	254.425	.	254.425	254.425
Fe	1	183.000	.	183.000	183.000
Mn	1	315.000	.	315.000	315.000
Zn	1	49.000	.	49.000	49.000
Cu	1	4.600	.	4.600	4.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	327.500	30.4056	306.000	349.000
Aska	2	56.000	7.0711	51.000	61.000
OS smbh	2	70.200	5.2326	66.500	73.900
Råprot	2	108.000	21.2132	93.000	123.000
sRåprot	2	682.000	69.2965	633.000	731.000
NH3-N	2	62.500	36.0624	37.000	88.000
NDF	2	388.000	59.3970	346.000	430.000
iNDF	2	263.571	34.7485	239.000	288.142
nhNDF	2	2.483	0.2255	2.323	2.642
Stä	2	118.500	26.1630	100.000	137.000
TAF	2	89.000	11.3137	81.000	97.000
Mjölksyra	2	71.500	12.0208	63.000	80.000
Ättiksyra	2	17.500	0.7071	17.000	18.000
Socker	2	65.000	57.9828	24.000	106.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	69.957	4.7811	66.576	73.337
PBVp20	2	-1.930	11.2847	-9.910	6.049
NELp20	2	5.856	0.5259	5.484	6.228
OE*	1	10.990	.	10.990	10.990
Ca	2	5.400	0.0000	5.400	5.400
P	2	2.650	0.2121	2.500	2.800
Mg	2	1.650	0.2121	1.500	1.800
K	2	16.900	0.1414	16.800	17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.600	0.4243	0.300	0.900
Cl	2	8.800	0.4243	8.500	9.100
S	2	1.450	0.2121	1.300	1.600
CAB	2	119.800	20.7560	105.123	134.476
Fe	2	152.000	59.3970	110.000	194.000
Mn	2	106.000	21.2132	91.000	121.000
Zn	2	44.000	1.4142	43.000	45.000
Cu	2	5.400	0.8485	4.800	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	8	76.000	0	76.000	76.000
iNDF	8	207.205	0	207.205	207.205
nhNDF	8	3.256	0	3.256	3.256
TAF	8	65.000	0	65.000	65.000
AATp20	8	82.611	0	82.611	82.611
PBVp20	8	-55.617	0	-55.617	-55.617
NELp20	8	6.552	0	6.552	6.552

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	239.000	.	239.000	239.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	73.800	.	73.800	73.800
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	794.000	.	794.000	794.000
NH3-N	1	141.000	.	141.000	141.000
NDF	1	533.000	.	533.000	533.000
iNDF	1	156.358	.	156.358	156.358
nhNDF	1	4.713	.	4.713	4.713
Stä	1	17.000	.	17.000	17.000
TAF	1	91.000	.	91.000	91.000
Mjölksyra	1	68.000	.	68.000	68.000
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	22.000	.	22.000	22.000
AATp20	1	69.186	.	69.186	69.186
PBVp20	1	15.670	.	15.670	15.670
NELp20	1	6.219	.	6.219	6.219
OE*	1	9.900	.	9.900	9.900
AAT*	1	60.000	.	60.000	60.000
PBV*	1	10.000	.	10.000	10.000
CI	1	0.800	.	0.800	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	896.000	9.8995	889.000	903.000
Aska	2	58.500	0.7071	58.000	59.000
OS smbh	2	65.500	0.0000	65.500	65.500
Råprot	2	79.000	2.8284	77.000	81.000
NDF	2	623.500	16.2635	612.000	635.000
iNDF	2	208.411	5.6165	204.439	212.382
nhNDF	2	3.808	0.1314	3.715	3.901
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	110.500	6.3640	106.000	115.000
AATp20	2	83.408	0.4886	83.063	83.754
PBVp20	2	-45.229	1.8302	-46.524	-43.935
NELp20	2	5.091	0.0439	5.060	5.123
OE*	2	9.500	0.0000	9.500	9.500
AAT*	2	68.000	0.0000	68.000	68.000
PBV*	2	-37.000	2.8284	-39.000	-35.000
Ca	2	2.700	1.5556	1.600	3.800
P	2	2.500	0.2828	2.300	2.700
Mg	2	1.350	0.4950	1.000	1.700
K	2	22.200	1.5556	21.100	23.300
Na	2	0.200	0.1414	0.100	0.300
S	2	1.200	0.0000	1.200	1.200
CAB	2	360.626	33.6373	336.840	384.411
Fe	2	58.000	29.6985	37.000	79.000
Mn	2	41.000	0.0000	41.000	41.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	23.000	1.4142	22.000	24.000
Cu	2	4.300	0.9899	3.600	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	406.000	5.6569	402.000	410.000
Aska	2	49.500	2.1213	48.000	51.000
OS smbh	2	76.150	0.6364	75.700	76.600
Råprot	2	162.000	1.4142	161.000	163.000
sRåprot	2	486.500	14.8492	476.000	497.000
NH3-N	2	30.000	9.8995	23.000	37.000
NDF	2	293.500	19.0919	280.000	307.000
iNDF	2	223.500	7.7782	218.000	229.000
nhNDF	2	2.330	0.0583	2.289	2.371
Stä	2	208.000	8.4853	202.000	214.000
TAF	2	75.000	2.8284	73.000	77.000
Mjölksyra	2	42.000	0.0000	42.000	42.000
Ättiksyra	2	30.500	3.5355	28.000	33.000
Socker	2	8.500	4.9497	5.000	12.000
PRF	2	2.500	0.7071	2.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	88.500	1.0916	87.728	89.272
PBVp20	2	28.611	0.3747	28.346	28.876
NELp20	2	6.685	0.0426	6.655	6.715

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	11.390	0.0849	11.330	11.450
Ca	2	9.400	0.0000	9.400	9.400
P	2	4.700	0.1414	4.600	4.800
Mg	2	4.600	0.1414	4.500	4.700
K	2	11.350	0.3536	11.100	11.600
Na	2	2.950	0.2121	2.800	3.100
Cl	2	5.100	0.0000	5.100	5.100
S	2	2.700	0.0000	2.700	2.700
CAB	2	106.130	0.1808	106.002	106.258
Fe	2	219.500	3.5355	217.000	222.000
Mn	2	99.000	2.8284	97.000	101.000
Zn	2	83.000	1.4142	82.000	84.000
Cu	2	19.500	0.7071	19.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet