

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Vete, kärna (005)	1	7	869	19	62.9	134	506		82	141	3.50	651	0.000			5
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	432	80	76.9	153	444		493	124	5.36		84.000			90
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	394	101	74.2	161			486	153	4.70		84.000			61
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4	576	102	74.6	177			425	168	4.18		84.000			78
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	266	97	77.1	189			399	147	4.39		84.000			82
Ensilage, blandvall (1-50% klöver) (165)	0	8	478	76	73.9	140	552	79.4	483	165	4.47		59.400	43.8	12.8	59
Ensilage, blandvall (1-50% klöver) (165)	1	77	388	74	75.6	144	638	89.9	473	147	4.75		69.770	53.5	13.6	52
Ensilage, blandvall (1-50% klöver) (165)	2	52	452	84	73.1	144	537	74.9	456	184	4.04		56.906	42.4	12.3	59
Ensilage, blandvall (1-50% klöver) (165)	3	8	521	87	73.5	155	506	70.6	421	193	3.71		41.150	29.0	10.0	75
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	382	56	66.5	118	648	79.5	493	251	2.90	57	46.000	36.5	7.5	91
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	272	73	71.6	163	624	45.0	356	321	3.07	90	133.000	99.0	32.0	57
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	2	328	66	71.7	123	636	42.0	454	248	4.08	48	44.500	30.0	12.5	94
Vete, helsäd ensilage (299)	1	3	490	68	68.1	107	709	84.0	471	246	3.03	97	57.167	40.3	14.3	60
Råg, helsädesensilage, axgång (311)	1	1	275	88	76.2	145	720	96.0	481	136	5.02	17	84.000	69.0	15.0	21
Hö, blandvall, 0-50% baljväxter (383)	1	2	895	52	61.3	78			655	236	3.34		0.000			82
Grönmassa, blandvall (51-100% baljväxter) (437)	4	1	213	92	79.5	266	379		321	289	12.2		70.000			91
Ensilage, blandvall (51-100% klöver) (438)	1	1	388	66	79.1	150	595	39.0	391	129	4.56		72.000	58.0	13.0	109
Ensilage, blandvall (51-100% klöver) (438)	2	1	385	85	75.2	169	574	54.0	474	142	4.48		99.000	75.0	24.0	16
Ensilage, blandvall (51-100% klöver) (438)	4	1	272	100	75.7	215	599	42.0	334	271	4.45		176.000	146	26.0	10

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	7				115	-34	8.02	14.2		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16				86.5	18.4	6.37	11.1	76.9	14.9
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7				82.3	33.1	6.06	10.5	73.1	35.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4				82.6	47.3	6.04	10.5	73.5	49.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1				85.7	53.8	6.30	11.0	75.0	58.0
Ensilage, blandvall (1-50% klöver) (165)	0	8		1.90000		83.2	11.7	6.09	10.7	70.6	18.0
Ensilage, blandvall (1-50% klöver) (165)	1	77	0.83333	1.67922		82.6	16.7	6.28	11.0	71.6	19.0
Ensilage, blandvall (1-50% klöver) (165)	2	52	2.00000	1.13654		82.3	17.4	5.95	10.5	70.0	20.6
Ensilage, blandvall (1-50% klöver) (165)	3	8		1.15000		84.7	23.7	5.90	10.5	70.0	34.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2				72.3	4.1	5.40			
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	2.00000	0.00000		67.2	51.5	6.14	10.4		
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	2	2.00000	0.00000		75.6	2.2	5.96	10.5		
Vete, helsäd ensilage (299)	1	3				69.2	-5.7	5.57	10.1	63.0	-22
Råg, helsädesensilage, axgång (311)	1	1				70.9	24.3	6.30			
Hö, blandvall, 0-50% baljväxter (383)	1	2				79.7	-40	4.77	8.9	64.0	-32
Grönmassa, blandvall (51-100% baljväxter) (437)	4	1				94.9	118	6.82	11.4		
Ensilage, blandvall (51-100% klöver) (438)	1	1	1.00000	0.00000		84.4	23.0	6.63	11.7		
Ensilage, blandvall (51-100% klöver) (438)	2	1	0.00000	0.00000		79.3	49.5	6.49	10.8		
Ensilage, blandvall (51-100% klöver) (438)	4	1	4.00000	0.00000		71.9	105	6.58	10.7		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, kärna (005)	1	6	0.6	3.2	1.1	4.5	0.1	1.0	1.2	19	6	41.7	31.2	27.0	4.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	4.8	2.9	1.6	29.1	0.4	9.3	2.0	488	15	111.9	48.4	28.7	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	6.4	2.9	2.5	29.6	0.7		2.4	506	7	81.7	61.7	26.3	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	12.4	3.0	2.8	28.3	0.8		3.0	436	3	118.0	56.7	29.3	8.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	8	5.2	2.7	1.8	26.2	0.6	5.4	2.1	412	8	184.0	52.3	27.8	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	76	4.7	2.7	1.7	26.1	0.5	5.1	2.0	420	74	139.4	58.3	28.4	6.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	50	7.1	2.8	2.3	25.4	0.6	6.7	2.3	345	49	131.0	65.7	27.0	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	7	8.7	2.6	2.5	23.5	1.0	6.6	2.9	267	7	137.3	84.9	25.6	7.7	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	5.0	2.4	1.6	15.0	3.3	12.3	1.6	81	2	97.5	65.5	27.5	5.9	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	11.0	2.2	2.3	19.5	1.7	4.7	2.1	309	1	89.0	32.0	39.0	11.0	
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	2	4.8	2.5	1.6	19.0	0.5	6.8	2.0	190	2	82.5	39.5	24.5	5.5	
Vete, helsäd ensilage (299)	1	3	3.2	2.7	1.5	20.4	0.4	4.9	1.9	284	3	93.0	32.0	23.3	5.4	
Råg, helsädesensilage, axgång (311)	1	1	3.5	3.3	1.5	32.3	0.6	16.0	2.0	276	1	128.0	37.0	28.0	6.6	
Hö, blandvall, 0-50% baljväxter (383)	1	1	1.7	2.1	0.8	18.5	0.1		1.0	274	1	66.0	41.0	17.0	3.6	
Grönmassa, blandvall (51-100% baljväxter) (437)	4	1	11.4	3.0	2.1	32.0	1.5	5.8	3.2	520	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	5.7	2.9	2.1	21.9	1.2	3.4	2.1	385	0					
Ensilage, blandvall (51-100% klöver) (438)	2	1	6.8	3.4	1.9	33.1	1.1	7.9	2.3	528	0					
Ensilage, blandvall (51-100% klöver) (438)	4	1	10.7	3.4	2.7	23.3	1.8		2.8	361	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	868.571	31.806	830.000	929.000
Aska	7	19.157	3.882	15.000	24.100
OS smbh	7	62.857	42.940	0.000	88.000
Råprot	7	134.414	32.325	109.400	197.000
sRåprot	2	505.500	210.011	357.000	654.000
NDF	2	81.500	13.435	72.000	91.000
iNDF	7	140.714	79.048	25.000	187.000
nhNDF	7	3.500	0.000	3.500	3.500
Stä	7	650.786	56.849	557.000	710.200
TAF	7	0.000	0.000	0.000	0.000
Socker	2	5.000	0.000	5.000	5.000
AATp20	7	114.531	1.920	112.851	117.782
PBVp20	7	-33.618	31.422	-55.922	29.613
NELp20	7	8.021	0.110	7.938	8.251
OE*	2	14.150	0.071	14.100	14.200
Ca	6	0.567	0.459	0.300	1.500
P	6	3.183	0.194	2.900	3.500
Mg	6	1.067	0.121	0.900	1.200
K	6	4.483	0.376	3.900	4.900
Na	4	0.100	0.000	0.100	0.100
Cl	2	1.000	0.283	0.800	1.200
S	6	1.183	0.160	1.000	1.400
CAB	6	18.762	13.167	-2.510	34.402
Fe	6	41.667	4.412	38.000	50.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	6	31.167	6.113	23.000	40.000
Zn	6	27.000	1.673	24.000	29.000
Cu	6	4.700	0.268	4.400	5.000
Se	3	0.013	0.013	0.005	0.028

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	432.313	157.835	277.000	758.000
Aska	16	79.938	9.726	67.000	93.000
OS smbh	16	76.888	3.849	72.000	81.900
Råprot	16	152.813	30.387	105.000	193.000
sRåprot	2	443.500	60.104	401.000	486.000
NDF	16	493.188	70.973	416.000	573.000
iNDF	16	123.690	28.484	77.740	156.375
nhNDF	16	5.355	0.634	4.642	6.237
TAF	16	84.000	0.000	84.000	84.000
Socker	16	90.063	41.640	39.000	173.000
AATp20	16	86.497	4.636	78.841	92.866
PBVp20	16	18.434	23.315	-11.862	44.787
NELp20	16	6.368	0.326	5.813	6.793
OE*	16	11.143	0.637	10.300	11.900
AAT*	14	76.857	3.634	73.000	82.000
PBV*	14	14.929	24.941	-15.000	49.000
Ca	16	4.794	1.539	2.900	7.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	16	2.850	0.299	2.400	3.200
Mg	16	1.631	0.377	1.200	2.200
K	16	29.063	3.436	26.900	33.300
Na	16	0.400	0.278	0.100	0.800
Cl	2	9.250	0.071	9.200	9.300
S	16	1.988	0.370	1.500	2.400
CAB	16	488.044	104.883	357.737	618.453
Fe	15	111.867	39.792	72.000	172.000
Mn	15	48.400	19.522	29.000	77.000
Zn	15	28.667	4.923	21.000	35.000
Cu	15	6.333	1.146	4.600	8.000
Se	3	0.015	0.004	0.012	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	394.143	73.0261	302.000	522.000
Aska	7	101.143	3.2878	97.000	107.000
OS smbh	7	74.243	2.1946	70.000	76.900
Råprot	7	161.143	26.5859	128.000	208.000
NDF	7	486.429	16.0089	469.000	516.000
iNDF	7	152.889	27.8817	123.327	206.861
nhNDF	7	4.704	0.5906	3.629	5.346
TAF	7	84.000	0.0000	84.000	84.000
Socker	7	61.286	15.3375	34.000	79.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	82.333	3.9058	75.904	88.321
PBVp20	7	33.058	19.2637	12.572	67.396
NELp20	7	6.063	0.2982	5.533	6.490
OE*	7	10.457	0.3552	9.800	10.900
AAT*	7	73.143	1.6762	70.000	75.000
PBV*	7	35.143	24.0169	8.000	78.000
Ca	7	6.414	1.5225	3.900	8.000
P	7	2.943	0.4198	2.300	3.400
Mg	7	2.514	0.3237	2.000	3.000
K	7	29.629	2.5118	24.900	32.200
Na	7	0.657	0.3690	0.200	1.300
S	7	2.371	0.6370	1.500	3.200
CAB	7	505.727	65.3846	380.521	572.929
Fe	7	81.714	10.8737	67.000	99.000
Mn	7	61.714	30.8043	25.000	106.000
Zn	7	26.286	4.4615	19.000	31.000
Cu	7	7.614	1.2199	6.300	10.100
Se	2	0.010	0.0028	0.008	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	575.500	137.658	427.000	759.000
Aska	4	101.500	2.517	98.000	104.000
OS smbh	4	74.625	4.559	68.700	79.800
Råprot	4	176.750	14.221	163.000	196.000
NDF	4	425.000	52.820	376.000	499.000
iNDF	4	167.921	47.510	101.664	211.820
nhNDF	4	4.178	0.925	3.560	5.533
TAF	4	84.000	0.000	84.000	84.000
Socker	4	78.250	36.700	32.000	112.000
AATp20	4	82.634	3.844	77.997	86.958
PBVp20	4	47.343	15.906	26.957	62.902
NELp20	4	6.042	0.318	5.707	6.450
OE*	4	10.500	0.698	9.600	11.300
AAT*	4	73.500	3.697	69.000	78.000
PBV*	4	49.750	17.270	29.000	68.000
Ca	3	12.367	2.413	9.700	14.400
P	3	3.000	0.721	2.200	3.600
Mg	3	2.767	0.208	2.600	3.000
K	3	28.333	0.252	28.100	28.600
Na	3	0.767	0.208	0.600	1.000
S	3	3.033	0.493	2.700	3.600
CAB	3	435.993	16.360	417.542	448.728
Fe	3	118.000	64.583	73.000	192.000
Mn	3	56.667	25.325	34.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	29.333	3.055	26.000	32.000
Cu	3	8.533	0.451	8.100	9.000
Se	2	0.035	0.001	0.034	0.036

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	266.000	.	266.000	266.000
Aska	1	97.000	.	97.000	97.000
OS smbh	1	77.100	.	77.100	77.100
Råprot	1	189.000	.	189.000	189.000
NDF	1	399.000	.	399.000	399.000
iNDF	1	147.411	.	147.411	147.411
nhNDF	1	4.386	.	4.386	4.386
TAF	1	84.000	.	84.000	84.000
Socker	1	82.000	.	82.000	82.000
AATp20	1	85.689	.	85.689	85.689
PBVp20	1	53.844	.	53.844	53.844
NELp20	1	6.303	.	6.303	6.303
OE*	1	11.000	.	11.000	11.000
AAT*	1	75.000	.	75.000	75.000
PBV*	1	58.000	.	58.000	58.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	478.000	190.478	301.000	758.000
Aska	8	76.000	6.279	67.000	82.000
OS smbh	8	73.850	4.731	64.800	79.900
Råprot	8	139.625	35.972	67.000	185.000
sRåprot	8	552.000	137.236	256.000	692.000
NH3-N	8	79.375	38.719	25.000	139.000
NDF	8	483.125	45.458	412.000	548.000
iNDF	8	164.876	46.973	100.398	241.728
nhNDF	8	4.466	0.960	3.156	5.850
TAF	8	59.400	41.479	7.500	106.100
Mjölksyra	8	43.750	34.611	2.000	87.000
Ättiksyra	8	12.750	7.246	4.000	23.000
Socker	8	58.500	45.201	11.000	103.000
BUF	8	1.900	2.463	0.100	6.100
AATp20	8	83.190	5.598	73.138	88.700
PBVp20	8	11.660	28.209	-39.595	49.660
NELp20	8	6.091	0.620	5.013	6.930
OE*	8	10.688	0.724	9.300	11.600
AAT*	8	70.625	2.264	66.000	73.000
PBV*	8	18.000	31.857	-46.000	59.000
Ca	8	5.200	1.435	3.800	7.600
P	8	2.713	0.442	1.900	3.200
Mg	8	1.788	0.242	1.500	2.200
K	8	26.238	4.964	18.400	32.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.563	0.307	0.200	1.200
Cl	8	5.400	3.282	1.100	9.500
S	8	2.100	0.370	1.300	2.400
CAB	8	412.130	81.691	305.460	544.622
Fe	8	184.000	135.941	92.000	506.000
Mn	8	52.250	22.777	26.000	97.000
Zn	8	27.750	5.825	22.000	37.000
Cu	8	6.325	1.452	4.600	8.300
Se	5	0.014	0.010	0.005	0.029

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	387.649	119.586	273.000	550.000
Aska	77	74.195	8.237	63.000	84.000
OS smbh	77	75.591	4.232	70.400	79.600
Råprot	77	144.065	28.076	103.000	184.000
sRåprot	77	637.909	85.396	525.000	720.000
NH3-N	77	89.896	28.799	52.000	125.000
NDF	77	473.364	48.841	415.000	549.000
iNDF	77	146.501	38.687	105.718	209.450
nhNDF	77	4.755	0.709	3.748	5.541
TAF	77	69.770	30.608	27.400	107.100
Mjölksyra	77	53.455	26.024	19.000	89.000
Ättiksyra	77	13.649	6.071	6.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	77	51.701	32.054	15.000	103.000
PRF	6	0.833	0.983	0.000	2.000
BUF	77	1.679	2.026	0.100	5.000
AATp20	77	82.583	4.859	76.997	88.658
PBVp20	77	16.702	21.508	-11.996	42.903
NELp20	77	6.283	0.440	5.667	6.725
OE*	77	10.998	0.667	10.200	11.600
AAT*	71	71.563	1.918	69.000	73.000
PBV*	71	19.042	25.264	-10.000	56.000
Ca	76	4.724	1.247	3.300	6.200
P	76	2.716	0.415	2.200	3.200
Mg	76	1.691	0.343	1.300	2.100
K	76	26.054	4.025	20.300	30.400
Na	76	0.547	0.453	0.100	1.000
Cl	77	5.053	2.165	2.800	7.900
S	76	2.029	0.416	1.400	2.600
CAB	76	419.854	102.623	278.983	539.422
Fe	74	139.378	110.817	68.000	204.000
Mn	74	58.324	26.289	36.000	83.000
Zn	74	28.351	9.194	21.000	33.000
Cu	74	6.469	1.081	5.200	7.600
Se	3	0.035	0.026	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	52	451.923	114.728	329.000	622.000
Aska	52	84.385	10.225	72.000	98.000
OS smbh	52	73.137	2.789	69.900	76.700
Råprot	52	144.096	27.298	115.000	186.000
sRåprot	52	537.250	82.633	425.000	631.000
NH3-N	52	74.885	20.859	50.000	101.000
NDF	52	455.962	38.580	401.000	502.000
iNDF	52	183.967	33.581	147.631	226.075
nhNDF	52	4.042	0.649	3.176	4.718
TAF	52	56.906	27.266	20.800	93.000
Mjölksyra	52	42.404	22.556	14.000	71.000
Ättiksyra	52	12.308	6.150	5.000	21.000
Socker	52	59.365	34.616	18.000	107.000
PRF	3	2.000	3.464	0.000	6.000
BUF	52	1.137	1.099	0.100	2.400
AATp20	52	82.282	4.329	77.296	87.387
PBVp20	52	17.357	23.804	-10.889	52.991
NELp20	52	5.952	0.319	5.562	6.379
OE*	52	10.475	0.406	10.000	11.000
AAT*	49	69.980	1.164	68.000	71.000
PBV*	49	20.592	24.130	-6.000	55.000
Ca	50	7.078	2.112	4.700	9.700
P	50	2.786	0.395	2.300	3.250
Mg	50	2.290	0.429	1.800	2.950

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	50	25.438	4.925	20.100	32.200
Na	50	0.626	0.404	0.200	1.150
Cl	52	6.677	3.645	2.400	12.500
S	50	2.300	0.441	1.700	2.900
CAB	50	344.985	108.837	210.697	470.760
Fe	49	131.041	87.483	65.000	200.000
Mn	49	65.673	25.675	38.000	100.000
Zn	49	27.041	3.931	23.000	34.000
Cu	49	7.622	1.498	6.000	9.600
Se	4	0.044	0.036	0.014	0.096

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	520.875	132.058	366.000	687.000
Aska	8	87.250	7.025	79.000	102.000
OS smbh	8	73.463	1.861	71.400	76.200
Råprot	8	154.875	16.137	138.000	185.000
sRåprot	8	506.250	73.406	402.000	629.000
NH3-N	8	70.625	31.699	33.000	125.000
NDF	8	421.375	32.575	375.000	478.000
iNDF	8	192.795	31.487	146.928	227.437
nhNDF	8	3.705	0.615	2.998	4.621
TAF	8	41.150	19.069	14.500	63.800
Mjölksyra	8	29.000	17.329	8.000	50.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	8	10.000	2.619	5.000	14.000
Socker	8	75.250	25.336	47.000	105.000
BUF	8	1.150	0.932	0.100	2.800
AATp20	8	84.703	4.214	78.270	91.288
PBVp20	8	23.662	15.244	9.112	51.383
NELp20	8	5.895	0.182	5.565	6.106
OE*	8	10.500	0.251	10.200	10.900
AAT*	8	70.000	0.926	69.000	71.000
PBV*	8	34.000	16.062	18.000	64.000
Ca	7	8.700	2.737	4.900	12.700
P	7	2.586	0.329	2.200	3.200
Mg	7	2.543	0.594	1.800	3.400
K	7	23.471	3.638	19.400	28.000
Na	7	1.029	0.871	0.300	2.700
Cl	8	6.575	3.821	2.700	14.500
S	7	2.914	0.699	2.300	4.100
CAB	7	266.894	78.209	153.363	345.349
Fe	7	137.286	105.296	74.000	369.000
Mn	7	84.857	51.483	41.000	193.000
Zn	7	25.571	4.826	21.000	34.000
Cu	7	7.700	1.467	6.200	9.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	381.500	45.962	349.000	414.000
Aska	2	56.000	7.071	51.000	61.000
OS smbh	2	66.500	5.091	62.900	70.100
Råprot	2	118.000	1.414	117.000	119.000
sRåprot	2	647.500	171.827	526.000	769.000
NH3-N	2	79.500	41.719	50.000	109.000
NDF	2	492.500	50.205	457.000	528.000
iNDF	2	251.429	34.542	227.004	275.854
nhNDF	2	2.897	0.420	2.600	3.194
Stä	2	57.000	28.284	37.000	77.000
TAF	2	46.000	22.627	30.000	62.000
Mjölksyra	2	36.500	20.506	22.000	51.000
Ättiksyra	2	7.500	2.121	6.000	9.000
Socker	2	91.000	56.569	51.000	131.000
AATp20	2	72.323	9.762	65.420	79.225
PBVp20	2	4.099	18.320	-8.855	17.054
NELp20	2	5.400	0.314	5.178	5.622
Ca	2	4.950	1.061	4.200	5.700
P	2	2.400	0.849	1.800	3.000
Mg	2	1.550	0.071	1.500	1.600
K	2	14.950	6.010	10.700	19.200
Na	2	3.300	2.970	1.200	5.400
Cl	2	12.250	11.526	4.100	20.400
S	2	1.600	0.141	1.500	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	80.761	291.238	-125.175	286.697
Fe	2	97.500	28.991	77.000	118.000
Mn	2	65.500	50.205	30.000	101.000
Zn	2	27.500	3.536	25.000	30.000
Cu	2	5.900	1.980	4.500	7.300
Se	1	0.006	.	0.006	0.006

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	272.000	.	272.000	272.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	71.600	.	71.600	71.600
Råprot	1	163.000	.	163.000	163.000
sRåprot	1	624.000	.	624.000	624.000
NH3-N	1	45.000	.	45.000	45.000
NDF	1	356.000	.	356.000	356.000
iNDF	1	321.000	.	321.000	321.000
nhNDF	1	3.067	.	3.067	3.067
Stä	1	90.000	.	90.000	90.000
TAF	1	133.000	.	133.000	133.000
Mjölksyra	1	99.000	.	99.000	99.000
Ättiksyra	1	32.000	.	32.000	32.000
Socker	1	57.000	.	57.000	57.000
PRF	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	1	67.247	.	67.247	67.247
PBVp20	1	51.520	.	51.520	51.520
NELp20	1	6.142	.	6.142	6.142
OE*	1	10.360	.	10.360	10.360
Ca	1	11.000	.	11.000	11.000
P	1	2.200	.	2.200	2.200
Mg	1	2.300	.	2.300	2.300
K	1	19.500	.	19.500	19.500
Na	1	1.700	.	1.700	1.700
Cl	1	4.700	.	4.700	4.700
S	1	2.100	.	2.100	2.100
CAB	1	308.990	.	308.990	308.990
Fe	1	89.000	.	89.000	89.000
Mn	1	32.000	.	32.000	32.000
Zn	1	39.000	.	39.000	39.000
Cu	1	11.000	.	11.000	11.000

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	328.000	142.836	227.000	429.000
Aska	2	65.500	0.707	65.000	66.000
OS smbh	2	71.650	1.202	70.800	72.500
Råprot	2	122.500	14.849	112.000	133.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	2	635.500	136.472	539.000	732.000
NH3-N	2	42.000	28.284	22.000	62.000
NDF	2	453.500	40.305	425.000	482.000
iNDF	2	248.000	57.983	207.000	289.000
nhNDF	2	4.085	0.389	3.809	4.360
Stä	2	48.000	38.184	21.000	75.000
TAF	2	44.500	48.790	10.000	79.000
Mjölksyra	2	30.000	33.941	6.000	54.000
Ättiksyra	2	12.500	17.678	0.000	25.000
Socker	2	94.000	36.770	68.000	120.000
PRF	2	2.000	2.828	0.000	4.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	75.610	8.396	69.673	81.547
PBVp20	2	2.186	27.459	-17.231	21.602
NELp20	2	5.964	0.033	5.941	5.988
OE*	2	10.455	0.191	10.320	10.590
Ca	2	4.750	0.212	4.600	4.900
P	2	2.450	0.071	2.400	2.500
Mg	2	1.550	0.354	1.300	1.800
K	2	19.000	5.233	15.300	22.700
Na	2	0.450	0.212	0.300	0.600
Cl	2	6.750	4.031	3.900	9.600
S	2	2.000	0.000	2.000	2.000
CAB	2	190.358	29.514	169.489	211.227

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	82.500	24.749	65.000	100.000
Mn	2	39.500	23.335	23.000	56.000
Zn	2	24.500	10.607	17.000	32.000
Cu	2	5.500	0.707	5.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	490.333	100.957	374.000	555.000
Aska	3	68.333	3.786	64.000	71.000
OS smbh	3	68.100	3.000	65.100	71.100
Råprot	3	106.667	6.110	100.000	112.000
sRåprot	3	709.000	136.495	560.000	828.000
NH3-N	3	84.000	8.718	78.000	94.000
NDF	3	470.667	72.542	387.000	516.000
iNDF	3	246.300	54.976	187.114	295.773
nhNDF	3	3.027	0.942	2.159	4.029
Stä	3	97.333	137.409	18.000	256.000
TAF	3	57.167	28.537	29.500	86.500
Mjölksyra	3	40.333	26.502	14.000	67.000
Ättiksyra	3	14.333	2.309	13.000	17.000
Socker	3	60.333	44.411	22.000	109.000
AATp20	3	69.202	2.672	67.330	72.262
PBVp20	3	-5.703	10.441	-17.688	1.420
NELp20	3	5.573	0.451	5.056	5.889

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.100	.	10.100	10.100
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-22.000	.	-22.000	-22.000
Ca	3	3.233	0.611	2.700	3.900
P	3	2.700	0.436	2.200	3.000
Mg	3	1.500	0.300	1.200	1.800
K	3	20.367	6.550	13.400	26.400
Na	3	0.400	0.436	0.100	0.900
Cl	3	4.900	1.323	3.400	5.900
S	3	1.867	0.416	1.400	2.200
CAB	3	283.583	141.169	148.567	430.190
Fe	3	93.000	26.058	66.000	118.000
Mn	3	32.000	12.124	21.000	45.000
Zn	3	23.333	3.512	20.000	27.000
Cu	3	5.433	0.651	4.800	6.100

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	275.000	.	275.000	275.000
Aska	1	88.000	.	88.000	88.000
OS smbh	1	76.200	.	76.200	76.200
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	720.000	.	720.000	720.000
NH3-N	1	96.000	.	96.000	96.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	481.000	.	481.000	481.000
iNDF	1	135.734	.	135.734	135.734
nhNDF	1	5.024	.	5.024	5.024
Stä	1	17.000	.	17.000	17.000
TAF	1	84.000	.	84.000	84.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	21.000	.	21.000	21.000
AATp20	1	70.868	.	70.868	70.868
PBVp20	1	24.301	.	24.301	24.301
NELp20	1	6.299	.	6.299	6.299
Ca	1	3.500	.	3.500	3.500
P	1	3.300	.	3.300	3.300
Mg	1	1.500	.	1.500	1.500
K	1	32.300	.	32.300	32.300
Na	1	0.600	.	0.600	0.600
Cl	1	16.000	.	16.000	16.000
S	1	2.000	.	2.000	2.000
CAB	1	276.470	.	276.470	276.470
Fe	1	128.000	.	128.000	128.000
Mn	1	37.000	.	37.000	37.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.600	.	6.600	6.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	894.500	10.6066	887.000	902.000
Aska	2	52.000	7.0711	47.000	57.000
OS smbh	2	61.250	1.7678	60.000	62.500
Råprot	2	77.500	43.1335	47.000	108.000
NDF	2	654.500	30.4056	633.000	676.000
iNDF	2	236.276	5.8666	232.128	240.425
nhNDF	2	3.336	0.0875	3.274	3.398
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	82.000	82.0244	24.000	140.000
AATp20	2	79.695	3.4678	77.243	82.147
PBVp20	2	-40.244	34.9433	-64.952	-15.535
NELp20	2	4.773	0.1164	4.691	4.855
OE*	2	8.850	0.2121	8.700	9.000
AAT*	2	64.000	1.4142	63.000	65.000
PBV*	2	-32.000	43.8406	-63.000	-1.000
Ca	1	1.700	.	1.700	1.700
P	1	2.100	.	2.100	2.100
Mg	1	0.800	.	0.800	0.800
K	1	18.500	.	18.500	18.500
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	274.149	.	274.149	274.149
Fe	1	66.000	.	66.000	66.000
Mn	1	41.000	.	41.000	41.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	17.000	.	17.000	17.000
Cu	1	3.600	.	3.600	3.600

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	213.000	.	213.000	213.000
Aska	1	92.000	.	92.000	92.000
OS smbh	1	79.500	.	79.500	79.500
Råprot	1	266.000	.	266.000	266.000
sRåprot	1	379.000	.	379.000	379.000
NDF	1	321.000	.	321.000	321.000
iNDF	1	289.000	.	289.000	289.000
nhNDF	1	12.191	.	12.191	12.191
TAF	1	70.000	.	70.000	70.000
Socker	1	91.000	.	91.000	91.000
AATp20	1	94.862	.	94.862	94.862
PBVp20	1	117.846	.	117.846	117.846
NELp20	1	6.822	.	6.822	6.822
OE*	1	11.420	.	11.420	11.420
Ca	1	11.400	.	11.400	11.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	32.000	.	32.000	32.000
Na	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	5.800	.	5.800	5.800
S	1	3.200	.	3.200	3.200
CAB	1	520.251	.	520.251	520.251

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	388.000	.	388.000	388.000
Aska	1	66.000	.	66.000	66.000
OS smbh	1	79.100	.	79.100	79.100
Råprot	1	150.000	.	150.000	150.000
sRåprot	1	595.000	.	595.000	595.000
NH3-N	1	39.000	.	39.000	39.000
NDF	1	391.000	.	391.000	391.000
iNDF	1	129.000	.	129.000	129.000
nhNDF	1	4.559	.	4.559	4.559
TAF	1	72.000	.	72.000	72.000
Mjölksyra	1	58.000	.	58.000	58.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	109.000	.	109.000	109.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	84.409	.	84.409	84.409
PBVp20	1	22.960	.	22.960	22.960
NELp20	1	6.634	.	6.634	6.634

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.680	.	11.680	11.680
Ca	1	5.700	.	5.700	5.700
P	1	2.900	.	2.900	2.900
Mg	1	2.100	.	2.100	2.100
K	1	21.900	.	21.900	21.900
Na	1	1.200	.	1.200	1.200
Cl	1	3.400	.	3.400	3.400
S	1	2.100	.	2.100	2.100
CAB	1	385.252	.	385.252	385.252

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	385.000	.	385.000	385.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	75.200	.	75.200	75.200
Råprot	1	169.000	.	169.000	169.000
sRåprot	1	574.000	.	574.000	574.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	474.000	.	474.000	474.000
iNDF	1	142.000	.	142.000	142.000
nhNDF	1	4.476	.	4.476	4.476
TAF	1	99.000	.	99.000	99.000
Mjölksyra	1	75.000	.	75.000	75.000
Ättiksyra	1	24.000	.	24.000	24.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	16.000	.	16.000	16.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	79.279	.	79.279	79.279
PBVp20	1	49.490	.	49.490	49.490
NELp20	1	6.492	.	6.492	6.492
OE*	1	10.810	.	10.810	10.810
Ca	1	6.800	.	6.800	6.800
P	1	3.400	.	3.400	3.400
Mg	1	1.900	.	1.900	1.900
K	1	33.100	.	33.100	33.100
Na	1	1.100	.	1.100	1.100
Cl	1	7.900	.	7.900	7.900
S	1	2.300	.	2.300	2.300
CAB	1	528.088	.	528.088	528.088

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	272.000	.	272.000	272.000
Aska	1	100.000	.	100.000	100.000
OS smbh	1	75.700	.	75.700	75.700
Råprot	1	215.000	.	215.000	215.000
sRåprot	1	599.000	.	599.000	599.000
NH3-N	1	42.000	.	42.000	42.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	334.000	.	334.000	334.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.445	.	4.445	4.445
TAF	1	176.000	.	176.000	176.000
Mjölksyra	1	146.000	.	146.000	146.000
Ättiksyra	1	26.000	.	26.000	26.000
Socker	1	10.000	.	10.000	10.000
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	71.936	.	71.936	71.936
PBVp20	1	105.323	.	105.323	105.323
NELp20	1	6.583	.	6.583	6.583
OE*	1	10.710	.	10.710	10.710
Ca	1	10.700	.	10.700	10.700
P	1	3.400	.	3.400	3.400
Mg	1	2.700	.	2.700	2.700
K	1	23.300	.	23.300	23.300
Na	1	1.800	.	1.800	1.800
S	1	2.800	.	2.800	2.800
CAB	1	361.141	.	361.141	361.141

*= Parametrar från det gamla svenska fodervärderingssystemet