

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjöl- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	862	25	57.3	135	310		143	116	3.15	413	0.000			8
Vete, kärna (005)	1	3	854	17	88.0	122		5.5	124	187	3.50	656	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	857	20	87.0	120			167	173	3.30	644	0.000			
Ärter, kärna (006)	1	1	857	28	92.0	224		3.0		13	7.90	474	0.000			
Åkerböna, kärna (007)	1	1	866	33	89.0	299		2.0	209	32	4.70	406	0.000			
Majs hela plantan, grönmassa (030)	1	2	338	29	77.4	72	404		373	186	3.76	326	57.000			14
Grönmassa, gräs (0% baljv.) (161)	1	2	300	77	80.7	215	362		417	83	5.24		61.000			113
Grönmassa, gräs (0% baljv.) (161)	3	1	158	110	85.4	277	297		388	51	9.24		61.000			99
Grönmassa, gräs (0% baljv.) (161)	4	2	271	80	76.4	210	179		428	180	4.65		61.000			82
Ensilage, gräs (0% klöver) (162)	1	21	471	64	72.9	124	567	73.8	489	183	4.35		69.238	49.9	16.8	64
Ensilage, gräs (0% klöver) (162)	2	6	330	83	74.7	146	556	93.8	429	175	4.04		82.117	63.5	16.3	40
Ensilage, gräs (0% klöver) (162)	3	4	364	82	73.4	150	535	136	452	191	4.22		79.200	40.3	25.5	72
Ensilage, gräs (0% klöver) (162)	5	2	271	88	72.9	194	555	175	475	192	4.53		118.000	56.5	44.0	10
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	339	70	79.2	133			454	113	5.52		84.000			143
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53	387	72	78.0	148	433		458	113	5.10		84.000			123
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	421	87	76.3	159	402		470	131	4.80		84.000			91
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	430	90	74.2	164	390		436	178	4.21		84.000			87
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	490	92	77.0	185			418	145	4.63		84.000			99
Ensilage, blandvall (1-50% klöver) (165)	0	8	374	88	72.5	130	572	91.4	433	201	3.64		70.800	52.8	12.9	64
Ensilage, blandvall (1-50% klöver) (165)	1	170	404	73	76.4	143	644	86.5	453	144	4.73		65.543	49.6	13.0	68
Ensilage, blandvall (1-50% klöver) (165)	2	141	460	83	74.9	149	541	75.4	448	168	4.40	80	56.202	41.1	12.3	67
Ensilage, blandvall (1-50% klöver) (165)	3	50	473	83	75.7	161	516	67.1	416	169	4.28		51.437	37.9	10.9	77
Ensilage, blandvall (1-50% klöver) (165)	4	5	385	89	73.8	150	567	83.6	441	182	4.09		71.380	58.0	12.2	40
Ensilage, blandvall (1-50% klöver) (165)	5	1	519	84	79.8	166	632	58.0	417	107	5.28		76.000	69.0	7.0	75
Korn, helsädesensilage (250)	1	15	459	66	69.4	99	626	76.7	447	240	3.01	119	48.827	32.0	14.2	79

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	410	72	67.6	107	590	78.6	441	264	2.69	101	60.875	44.5	14.4	50
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	371	75	68.0	130	568	75.5	402	353	3.10	98	112.000	68.0	34.5	41
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	1	515	72	62.3	103	485	33.0	470	516	7.21	79	27.500	17.0	10.0	58
Havre helsädesensilage degmognad (296)	1	5	333	61	66.6	105	548	101	456	287	2.82	82	77.600	57.8	16.4	37
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	399	61	66.8	127	540	68.7	459	263	2.71	71	69.333	49.3	20.0	45
Vete, helsäd ensilage (299)	1	6	430	64	67.7	97	635	85.0	498	242	3.22	60	62.417	43.8	16.0	68
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	12	394	57	71.4	106	589	64.9	389	246	2.68	172	54.500	41.3	11.9	51
Majs, helsädesensilage (305)	1	4	334	29	75.2	76	607	57.5	385	192	3.16	299	85.250	63.8	15.3	7
Råg, helsädesensilage, axgång (311)	1	1	333	85	76.8	77	829	107	440	142	4.71	17	64.000	40.0	24.0	149
Hö, blandvall, 0-50% baljväxter (383)	0	1	879	54	64.1	113			591	234	3.30		0.000			104
Hö, blandvall, 0-50% baljväxter (383)	1	7	803	56	65.9	90	414		582	222	3.56		0.000			107
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	545	87	68.5	111			401	421	5.30		70.000			122
Grunnblanding Middels ford.grovfôr (326)	1	4	436	60	74.3	146	510	56.0	334	236	2.72	203	41.250	28.0	8.8	49
Fullfoder (TMR) ej kompletta data (1E3)	1	1	435	79	68.0	128	477	72.0	458	246	2.96	74				34
Råvarublandning - ej kompletta data (1E3)	1	1	849	19	0.0	131		6.0	151			614	0.000			

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				95.0	-7.6	7.32	12.7	114	-18
Vete, kärna (005)	1	3				114	-44	7.89	14.0	95.0	-23
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				105	-34	7.62			
Ärter, kärna (006)	1	1				103	74.6	7.65	13.8	99.0	65.0
Åkerböna, kärna (007)	1	1				101	149	7.71			
Majs hela plantan, grönmassa (030)	1	2				88.4	-67	6.58	11.6		
Grönmassa, gräs (0% baljv.) (161)	1	2				99.8	51.5	6.75	11.8		
Grönmassa, gräs (0% baljv.) (161)	3	1				110	91.1	7.23	12.1		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	4	2				101	45.0	6.32	11.1		
Ensilage, gräs (0% klöver) (162)	1	21	3.00000	0.8571		79.7	1.0	5.98	10.7	71.4	-9.0
Ensilage, gräs (0% klöver) (162)	2	6		1.2833		80.2	19.9	6.09	10.7	70.8	24.2
Ensilage, gräs (0% klöver) (162)	3	4	9.50000	8.2000		80.3	23.7	5.95	10.6	71.0	-11
Ensilage, gräs (0% klöver) (162)	5	2	7.50000	10.0000		78.3	67.1	6.17	10.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.4	-1.8	6.45	11.6	80.0	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53				87.9	11.7	6.42	11.4	78.4	8.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42				86.2	24.4	6.27	11.0	74.8	25.2
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.5	32.3	6.03	10.6	72.8	34.4
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3				86.3	49.2	6.31	11.0	76.0	53.3
Ensilage, blandvall (1-50% klöver) (165)	0	8		4.1750		78.4	10.2	5.79	10.3	69.6	10.1
Ensilage, blandvall (1-50% klöver) (165)	1	170	1.80645	1.7906		83.4	14.1	6.31	11.2	72.2	16.8
Ensilage, blandvall (1-50% klöver) (165)	2	141	1.90476	1.6007		84.3	18.7	6.12	10.8	70.9	24.6
Ensilage, blandvall (1-50% klöver) (165)	3	50	0.81818	1.3860		86.4	25.7	6.18	10.9	71.3	32.7
Ensilage, blandvall (1-50% klöver) (165)	4	5	0.00000	0.5800		80.9	25.1	6.06	10.6	69.3	19.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	0.0000		86.1	31.2	6.68	11.6		
Korn, helsädesensilage (250)	1	15	6.50000	1.5000		72.2	-17	5.57	10.1	63.0	-40
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8				70.9	-4.3	5.50	10.1	62.5	-14
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	7.50000	2.0000		66.4	23.2	5.71	9.7		
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	1				71.2	-8.2	5.09			
Havre helsädesensilage degmognad (296)	1	5	5.00000	3.5000		72.8	-11	5.53	9.5		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3				69.4	15.3	5.53			
Vete, helsäd ensilage (299)	1	6	2.00000	1.0000		69.6	-15	5.50	10.1		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	12	2.50000	1.2500		76.5	-14	5.91	10.4	63.5	-27
Majs, helsädesensilage (305)	1	4	6.25000	0.0000		79.0	-48	6.62	11.5		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Råg, helsädesensilage, axgång (311)	1	1				73.0	-37	5.92			
Hö, blandvall, 0-50% baljväxter (383)	0	1				85.2	-16	5.07	9.3	67.0	-2.0
Hö, blandvall, 0-50% baljväxter (383)	1	7				85.6	-39	5.14	9.6	68.3	-28
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				72.5	5.0	5.30	9.7	69.0	-8.0
Grunnblanding Middels ford.grovför (326)	1	4	4.50000	0.0000		87.6	14.9	6.32	11.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	3	1.1	4.0	1.3	4.0	0.1	4.4	1.6	-57	3	103.7	23.7	52.3	6.4	0.1
Vete, kärna (005)	1	2	0.4	3.7	1.4	5.0	0.1		1.3	26	2	47.0	43.5	29.5	5.3	
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.4	3.5	1.3	5.7	0.1		1.3	41	1	57.0	17.0	37.0	5.8	
Ärter, kärna (006)	1	1	1.0	3.9	1.4	10.8	0.1		2.0	99	1	55.0	10.0	28.0	7.3	0.0
Åkerböna, kärna (007)	1	1	1.2	3.9	1.3	10.9	0.1		2.2	117	1	53.0	15.0	47.0	15.7	
Majs hela plantan, grönmassa (030)	1	2	1.8	1.7	1.2	8.6	0.1	1.6	0.9	133	1	56.0	21.0	15.0	2.8	0.0
Grönmassa, gräs (0% baljv.) (161)	1	2	6.1	2.8	2.2	26.5	1.1	10.1	2.6	345	1	65.0	53.0	28.0	9.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	4.7	3.4	2.1	35.7	0.4	17.7	3.9	188	1	88.0	33.0	31.0	9.0	
Grönmassa, gräs (0% baljv.) (161)	4	2	8.3	3.5	2.7	24.6	1.1	5.6	3.0	330	0					
Ensilage, gräs (0% klöver) (162)	1	21	5.1	2.4	1.8	19.8	0.5	4.5	1.6	303	20	155.0	96.2	24.8	6.3	0.0
Ensilage, gräs (0% klöver) (162)	2	6	7.6	2.9	2.4	25.8	0.5	5.9	2.1	389	6	125.2	58.7	24.0	7.5	
Ensilage, gräs (0% klöver) (162)	3	4	7.3	2.9	2.7	21.1	1.0	5.5	2.6	268	3	159.3	116.7	24.7	7.1	0.1
Ensilage, gräs (0% klöver) (162)	5	2	6.1	3.6	2.3	28.2	1.1	8.1	3.2	344	1	188.0	60.0	25.0	10.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	50	5.1	2.6	1.7	25.7	0.6	7.7	1.9	397	41	107.2	55.1	25.6	6.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	39	6.4	2.9	2.3	27.7	1.0	9.9	2.3	410	32	104.2	61.8	28.8	7.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	16	8.5	2.7	2.9	23.9	1.2	8.2	2.3	349	10	167.4	59.8	26.0	8.4	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	9.9	2.4	2.9	20.5	1.7		3.3	262	2	171.0	44.0	38.0	7.7	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	8	7.5	2.7	2.3	23.5	0.9	6.1	1.6	370	8	420.8	87.5	24.5	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	168	5.2	2.6	1.7	24.6	0.6	5.6	1.9	378	152	175.1	60.8	28.3	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	139	6.7	2.8	2.3	26.8	0.9	8.5	2.2	347	129	156.5	69.8	28.3	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	49	8.4	2.6	2.7	24.4	1.1	9.3	2.5	255	43	148.7	66.1	25.7	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	5	8.2	2.6	2.6	25.2	0.8	12.3	2.5	179	5	238.8	69.4	26.0	7.9	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.6	3.6	1.7	25.4	0.8	14.8	3.0	80	1	88.0	122.0	18.0	8.0	
Korn, helsädesensilage (250)	1	12	4.0	2.6	1.7	18.1	0.8	5.8	1.7	234	11	226.6	53.9	23.4	5.1	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	7	5.4	2.7	2.1	19.6	0.9	7.2	1.5	237	7	342.7	80.6	31.1	5.7	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	7.0	2.2	1.6	19.7	7.2	17.0	2.5	182	2	421.5	82.5	63.0	8.5	
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	1	6.6	3.5	2.6	22.1	0.5	4.3	2.0	341	1	183.0	173.0	169.0	6.5	
Havre helsädesensilage degmognad (296)	1	5	5.9	2.2	1.7	19.0	0.9	4.9	1.4	299	5	100.4	52.2	21.4	6.8	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	6.7	2.6	2.5	15.5	0.7	5.0	1.6	188	3	133.7	83.7	29.7	5.9	0.0
Vete, helsäd ensilage (299)	1	5	3.5	2.0	1.5	17.7	0.5	6.0	1.4	216	5	152.4	84.0	22.8	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	12	4.8	2.5	1.8	14.9	0.5	5.9	1.4	153	11	106.4	39.6	26.3	6.1	0.0
Majs, helsädesensilage (305)	1	4	1.8	1.8	1.0	8.6	0.2	3.0	0.8	105	3	141.7	28.3	19.3	7.7	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	1	4.7	2.4	1.7	8.3	2.0		1.9	40	1	63.0	62.0	23.0	5.9	
Hö, blandvall, 0-50% baljväxter (383)	1	5	3.8	1.8	1.6	14.0	0.6	5.9	1.6	142	4	139.3	119.8	26.3	6.0	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	12.1	2.0	5.2	16.6	0.4		1.4	267	1	66.0	96.0	32.0	8.7	
Grunnblanding Middels ford.grovfôr (326)	1	4	6.1	3.9	3.2	15.8	3.1	13.3	2.3	19	2	251.0	65.0	31.5	12.0	0.1
Fullfoder (TMR) ej kompletta data (1E3)	1	1	5.5	3.0	4.3	16.1	2.1	5.3	2.6	191	1	463.0	199.0	137.0	25.6	
Råvarublandning - ej kompletta data (1E3)	1	1	0.5	3.2	1.3	5.7	0.1		1.6		1	58.0	31.0	36.0	4.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	861.667	18.771	845.000	882.000
Aska	3	24.600	8.141	19.800	34.000
OS smbh	3	57.333	49.652	0.000	86.000
Råprot	3	135.033	64.844	84.000	208.000
sRåprot	1	310.000	.	310.000	310.000
NDF	1	143.000	.	143.000	143.000
iNDF	3	116.333	79.097	25.000	162.000
nhNDF	3	3.150	0.000	3.150	3.150
Stä	3	412.967	305.468	62.000	618.900
TAF	3	0.000	0.000	0.000	0.000
Socker	2	8.000	4.243	5.000	11.000
AATp20	3	94.995	1.727	93.249	96.702
PBVp20	3	-7.622	65.937	-60.172	66.367
NELp20	3	7.321	0.081	7.231	7.388
OE*	3	12.733	1.155	11.400	13.400
AAT*	2	114.000	29.698	93.000	135.000
PBV*	2	-18.000	28.284	-38.000	2.000
Ca	3	1.133	1.270	0.400	2.600
P	3	3.967	1.002	3.200	5.100
Mg	3	1.267	0.379	1.000	1.700
K	3	3.967	3.175	0.300	5.800
Na	3	0.133	0.058	0.100	0.200
Cl	1	4.400	.	4.400	4.400
S	3	1.600	0.781	1.100	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	-56.603	112.430	-178.032	43.883
Fe	3	103.667	93.088	45.000	211.000
Mn	3	23.667	16.258	11.000	42.000
Zn	3	52.333	43.039	26.000	102.000
Cu	3	6.367	2.761	4.000	9.400
Se	1	0.050	.	0.050	0.050

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	854.333	13.4288	839.000	864.000
Aska	3	16.733	0.4619	16.200	17.000
OS smbh	3	88.000	0.0000	88.000	88.000
Råprot	3	122.433	14.9721	105.300	133.000
NH3-N	2	5.500	0.7071	5.000	6.000
NDF	1	124.000	.	124.000	124.000
iNDF	3	187.000	0.0000	187.000	187.000
nhNDF	3	3.500	0.0000	3.500	3.500
Stä	3	655.567	28.7117	638.000	688.700
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	113.920	2.0979	111.787	115.981
PBVp20	3	-44.423	12.3273	-58.639	-36.683
NELp20	3	7.886	0.0435	7.859	7.937
OE*	1	14.000	.	14.000	14.000
AAT*	1	95.000	.	95.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-23.000	.	-23.000	-23.000
Ca	2	0.350	0.0707	0.300	0.400
P	2	3.650	0.0707	3.600	3.700
Mg	2	1.350	0.2121	1.200	1.500
K	2	5.000	0.2828	4.800	5.200
Na	2	0.100	0.0000	0.100	0.100
S	2	1.300	0.1414	1.200	1.400
CAB	2	25.623	1.6050	24.488	26.758
Fe	2	47.000	5.6569	43.000	51.000
Mn	2	43.500	12.0208	35.000	52.000
Zn	2	29.500	2.1213	28.000	31.000
Cu	2	5.300	0.1414	5.200	5.400

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	857.000	.	857.000	857.000
Aska	1	19.800	.	19.800	19.800
OS smbh	1	87.000	.	87.000	87.000
Råprot	1	120.200	.	120.200	120.200
NDF	1	167.000	.	167.000	167.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
Stä	1	644.100	.	644.100	644.100
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	104.702	.	104.702	104.702
PBVp20	1	-34.294	.	-34.294	-34.294
NELp20	1	7.623	.	7.623	7.623
Ca	1	0.400	.	0.400	0.400
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	5.700	.	5.700	5.700
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	40.709	.	40.709	40.709
Fe	1	57.000	.	57.000	57.000
Mn	1	17.000	.	17.000	17.000
Zn	1	37.000	.	37.000	37.000
Cu	1	5.800	.	5.800	5.800

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	857.000	.	857.000	857.000
Aska	1	28.000	.	28.000	28.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	224.000	.	224.000	224.000
NH3-N	1	3.000	.	3.000	3.000
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	474.000	.	474.000	474.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.604	.	102.604	102.604
PBVp20	1	74.640	.	74.640	74.640
NELp20	1	7.648	.	7.648	7.648
OE*	1	13.800	.	13.800	13.800
AAT*	1	99.000	.	99.000	99.000
PBV*	1	65.000	.	65.000	65.000
Ca	1	1.000	.	1.000	1.000
P	1	3.900	.	3.900	3.900
Mg	1	1.400	.	1.400	1.400
K	1	10.800	.	10.800	10.800
Na	1	0.100	.	0.100	0.100
S	1	2.000	.	2.000	2.000
CAB	1	99.225	.	99.225	99.225
Fe	1	55.000	.	55.000	55.000
Mn	1	10.000	.	10.000	10.000
Zn	1	28.000	.	28.000	28.000
Cu	1	7.300	.	7.300	7.300
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	866.000	.	866.000	866.000
Aska	1	33.000	.	33.000	33.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	299.000	.	299.000	299.000
NH3-N	1	2.000	.	2.000	2.000
NDF	1	209.000	.	209.000	209.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	406.000	.	406.000	406.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	100.772	.	100.772	100.772
PBVp20	1	148.863	.	148.863	148.863
NELp20	1	7.706	.	7.706	7.706
Ca	1	1.200	.	1.200	1.200
P	1	3.900	.	3.900	3.900
Mg	1	1.300	.	1.300	1.300
K	1	10.900	.	10.900	10.900
Na	1	0.100	.	0.100	0.100
S	1	2.200	.	2.200	2.200
CAB	1	117.451	.	117.451	117.451
Fe	1	53.000	.	53.000	53.000
Mn	1	15.000	.	15.000	15.000
Zn	1	47.000	.	47.000	47.000
Cu	1	15.700	.	15.700	15.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	337.500	68.5894	289.000	386.000
Aska	2	28.500	2.1213	27.000	30.000
OS smbh	2	77.350	1.9092	76.000	78.700
Råprot	2	72.000	12.7279	63.000	81.000
sRåprot	2	403.500	16.2635	392.000	415.000
NDF	2	373.000	1.4142	372.000	374.000
iNDF	2	186.331	33.4735	162.661	210.000
nhNDF	2	3.759	0.4648	3.430	4.088
Stä	2	325.500	23.3345	309.000	342.000
TAF	2	57.000	0.0000	57.000	57.000
Socker	2	13.500	9.1924	7.000	20.000
AATp20	2	88.427	1.4148	87.426	89.427
PBVp20	2	-66.781	13.3560	-76.225	-57.336
NELp20	2	6.577	0.1601	6.464	6.690
OE*	1	11.630	.	11.630	11.630
Ca	2	1.800	0.1414	1.700	1.900
P	2	1.700	0.4243	1.400	2.000
Mg	2	1.150	0.0707	1.100	1.200
K	2	8.600	1.2728	7.700	9.500
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	2	0.850	0.0707	0.800	0.900
CAB	2	133.266	38.2653	106.208	160.324
Fe	1	56.000	.	56.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	21.000	.	21.000	21.000
Zn	1	15.000	.	15.000	15.000
Cu	1	2.800	.	2.800	2.800
Se	1	0.005	.	0.005	0.005

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	299.500	116.673	217.000	382.000
Aska	2	77.000	8.485	71.000	83.000
OS smbh	2	80.650	0.212	80.500	80.800
Råprot	2	215.000	55.154	176.000	254.000
sRåprot	2	362.000	49.497	327.000	397.000
NDF	2	416.500	23.335	400.000	433.000
iNDF	2	82.500	50.205	47.000	118.000
nhNDF	2	5.239	1.137	4.435	6.043
TAF	2	61.000	0.000	61.000	61.000
Socker	2	112.500	4.950	109.000	116.000
AATp20	2	99.814	6.187	95.439	104.190
PBVp20	2	51.507	40.842	22.627	80.387
NELp20	2	6.751	0.131	6.658	6.843
OE*	2	11.800	0.071	11.750	11.850
Ca	2	6.050	2.616	4.200	7.900
P	2	2.800	0.707	2.300	3.300
Mg	2	2.200	1.131	1.400	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	26.500	1.980	25.100	27.900
Na	1	1.100	.	1.100	1.100
Cl	1	10.100	.	10.100	10.100
S	2	2.550	0.636	2.100	3.000
CAB	2	344.829	179.698	217.763	471.895
Fe	1	65.000	.	65.000	65.000
Mn	1	53.000	.	53.000	53.000
Zn	1	28.000	.	28.000	28.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	158.000	.	158.000	158.000
Aska	1	110.000	.	110.000	110.000
OS smbh	1	85.400	.	85.400	85.400
Råprot	1	277.000	.	277.000	277.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	388.000	.	388.000	388.000
iNDF	1	51.000	.	51.000	51.000
nhNDF	1	9.241	.	9.241	9.241
TAF	1	61.000	.	61.000	61.000
Socker	1	99.000	.	99.000	99.000
AATp20	1	110.336	.	110.336	110.336
PBVp20	1	91.054	.	91.054	91.054

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	7.232	.	7.232	7.232
OE*	1	12.130	.	12.130	12.130
Ca	1	4.700	.	4.700	4.700
P	1	3.400	.	3.400	3.400
Mg	1	2.100	.	2.100	2.100
K	1	35.700	.	35.700	35.700
Na	1	0.400	.	0.400	0.400
Cl	1	17.700	.	17.700	17.700
S	1	3.900	.	3.900	3.900
CAB	1	188.093	.	188.093	188.093
Fe	1	88.000	.	88.000	88.000
Mn	1	33.000	.	33.000	33.000
Zn	1	31.000	.	31.000	31.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	270.500	24.749	253.000	288.000
Aska	2	80.000	9.899	73.000	87.000
OS smbh	2	76.350	4.596	73.100	79.600
Råprot	2	210.000	19.799	196.000	224.000
sRåprot	2	179.000	38.184	152.000	206.000
NDF	2	427.500	67.175	380.000	475.000
iNDF	2	179.500	163.342	64.000	295.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	4.648	0.325	4.419	4.878
TAF	2	61.000	0.000	61.000	61.000
Socker	2	81.500	10.607	74.000	89.000
AATp20	2	101.098	9.375	94.469	107.727
PBVp20	2	44.990	2.795	43.014	46.967
NELp20	2	6.324	0.690	5.837	6.812
OE*	2	11.065	0.870	10.450	11.680
Ca	2	8.300	4.384	5.200	11.400
P	2	3.500	0.283	3.300	3.700
Mg	2	2.700	0.566	2.300	3.100
K	2	24.550	2.475	22.800	26.300
Na	2	1.100	0.141	1.000	1.200
Cl	2	5.600	3.111	3.400	7.800
S	2	3.000	0.424	2.700	3.300
CAB	2	330.457	44.713	298.840	362.074

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	471.238	212.708	284.000	833.000
Aska	21	64.238	13.450	51.000	78.000
OS smbh	21	72.876	5.811	65.700	78.800
Råprot	21	124.476	48.793	70.000	212.000
sRåprot	21	566.619	156.327	319.000	682.000
NH3-N	20	73.800	31.985	17.500	107.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	21	488.857	56.065	424.000	572.000
iNDF	21	182.605	67.195	117.404	287.000
nhNDF	21	4.346	0.839	3.504	5.379
TAF	21	69.238	38.564	10.000	111.100
Mjölksyra	21	49.905	30.492	5.000	81.000
Ättiksyra	21	16.810	9.357	8.000	31.000
Socker	21	64.143	44.234	22.000	116.000
PRF	7	3.000	2.380	0.000	6.000
BUF	21	0.857	0.896	0.000	2.000
AATp20	21	79.674	3.422	76.071	83.741
PBVp20	21	1.047	43.514	-41.669	81.682
NELp20	21	5.983	0.664	5.036	6.629
OE*	21	10.658	0.906	9.400	11.700
AAT*	14	71.357	2.735	67.000	74.000
PBV*	14	-9.000	27.627	-40.000	34.000
Ca	21	5.110	1.142	3.900	6.600
P	21	2.367	0.483	1.800	3.000
Mg	21	1.767	0.376	1.400	2.300
K	21	19.757	6.076	12.900	28.300
Na	21	0.514	0.403	0.200	0.900
Cl	20	4.500	2.127	1.600	7.250
S	21	1.557	0.584	1.000	2.300
CAB	21	302.905	126.663	179.919	465.501
Fe	20	154.950	84.592	69.000	291.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	20	96.150	70.949	48.500	225.500
Zn	20	24.800	3.651	21.000	29.000
Cu	20	6.300	2.806	4.100	11.000
Se	2	0.035	0.021	0.020	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	330.333	22.4024	292.000	353.000
Aska	6	83.167	6.7355	73.000	94.000
OS smbh	6	74.650	1.6233	72.200	76.600
Råprot	6	146.167	11.8561	129.000	162.000
sRåprot	6	555.500	45.9293	487.000	630.000
NH3-N	6	93.833	21.3393	76.000	135.000
NDF	6	429.333	22.5359	399.000	464.000
iNDF	6	175.359	30.6530	137.935	221.762
nhNDF	6	4.040	0.6342	3.148	4.903
TAF	6	82.117	13.0391	60.200	96.100
Mjölksyra	6	63.500	12.4378	47.000	73.000
Ättiksyra	6	16.333	6.1210	8.000	24.000
Socker	6	40.167	15.2501	21.000	62.000
BUF	6	1.283	2.4774	0.100	6.300
AATp20	6	80.210	2.3912	75.659	81.929
PBVp20	6	19.905	11.7485	5.016	33.847
NELp20	6	6.092	0.2450	5.770	6.419

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	6	10.733	0.2733	10.300	11.100
AAT*	6	70.833	0.7528	70.000	72.000
PBV*	6	24.167	11.8223	8.000	40.000
Ca	6	7.583	1.4006	5.800	9.400
P	6	2.883	0.1169	2.800	3.100
Mg	6	2.433	0.3559	2.100	3.100
K	6	25.800	3.8074	21.200	32.600
Na	6	0.533	0.2066	0.300	0.800
Cl	6	5.900	4.4672	3.100	14.600
S	6	2.050	0.3728	1.500	2.500
CAB	6	388.713	55.4308	292.329	440.667
Fe	6	125.167	44.7456	83.000	202.000
Mn	6	58.667	13.0179	36.000	76.000
Zn	6	24.000	2.0976	21.000	26.000
Cu	6	7.483	0.6676	6.500	8.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	363.500	158.807	242.000	582.000
Aska	4	81.500	15.588	60.000	93.000
OS smbh	4	73.425	3.524	68.600	76.900
Råprot	4	150.250	49.358	97.000	210.000
sRåprot	4	535.250	83.060	439.000	624.000
NH3-N	4	135.500	138.856	51.000	341.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	4	451.500	48.267	406.000	516.000
iNDF	4	191.088	51.578	135.000	260.000
nhNDF	4	4.222	0.476	3.770	4.774
TAF	4	79.200	50.219	18.600	134.000
Mjölksyra	4	40.250	37.748	11.000	91.000
Ättiksyra	4	25.500	20.761	5.000	48.000
Socker	4	72.000	80.718	5.000	172.000
PRF	2	9.500	9.192	3.000	16.000
BUF	4	8.200	13.219	0.600	28.000
AATp20	4	80.268	3.819	75.595	83.409
PBVp20	4	23.708	49.955	-30.056	80.821
NELp20	4	5.955	0.450	5.569	6.593
OE*	4	10.560	0.613	9.650	10.990
AAT*	2	71.000	0.000	71.000	71.000
PBV*	2	-10.500	20.506	-25.000	4.000
Ca	4	7.300	0.993	6.100	8.500
P	4	2.925	0.650	2.300	3.800
Mg	4	2.700	0.271	2.300	2.900
K	4	21.075	5.826	13.700	27.600
Na	4	1.025	0.450	0.800	1.700
Cl	4	5.475	0.793	4.500	6.300
S	4	2.575	0.435	2.200	3.000
CAB	4	268.405	129.974	120.906	426.098
Fe	3	159.333	151.477	64.000	334.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	3	116.667	42.395	78.000	162.000
Zn	3	24.667	3.055	22.000	28.000
Cu	3	7.133	3.421	4.500	11.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	270.500	4.950	267.000	274.000
Aska	2	88.000	1.414	87.000	89.000
OS smbh	2	72.900	4.950	69.400	76.400
Råprot	2	194.000	22.627	178.000	210.000
sRåprot	2	554.500	120.915	469.000	640.000
NH3-N	2	174.500	91.217	110.000	239.000
NDF	2	475.000	63.640	430.000	520.000
iNDF	2	191.500	65.761	145.000	238.000
nhNDF	2	4.529	0.137	4.432	4.625
TAF	2	118.000	15.556	107.000	129.000
Mjölksyra	2	56.500	31.820	34.000	79.000
Ättiksyra	2	44.000	0.000	44.000	44.000
Socker	2	9.500	2.121	8.000	11.000
PRF	2	7.500	6.364	3.000	12.000
BUF	2	10.000	9.899	3.000	17.000
AATp20	2	78.280	0.228	78.119	78.441
PBVp20	2	67.118	20.149	52.871	81.365

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	6.166	0.535	5.787	6.544
OE*	2	10.405	0.785	9.850	10.960
Ca	2	6.050	0.071	6.000	6.100
P	2	3.550	0.354	3.300	3.800
Mg	2	2.300	0.424	2.000	2.600
K	2	28.200	4.101	25.300	31.100
Na	2	1.100	0.707	0.600	1.600
Cl	2	8.100	5.940	3.900	12.300
S	2	3.150	0.354	2.900	3.400
CAB	2	344.010	115.266	262.505	425.515
Fe	1	188.000	.	188.000	188.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	10.000	.	10.000	10.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	339.000	.	339.000	339.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	79.200	.	79.200	79.200
Råprot	1	133.000	.	133.000	133.000
NDF	1	454.000	.	454.000	454.000
iNDF	1	113.106	.	113.106	113.106

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	5.517	.	5.517	5.517
TAF	1	84.000	.	84.000	84.000
Socker	1	143.000	.	143.000	143.000
AATp20	1	87.430	.	87.430	87.430
PBVp20	1	-1.804	.	-1.804	-1.804
NELp20	1	6.452	.	6.452	6.452
OE*	1	11.600	.	11.600	11.600
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-4.000	.	-4.000	-4.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	53	386.528	87.116	280.000	497.000
Aska	53	72.189	11.998	57.000	90.000
OS smbh	53	78.032	3.941	72.900	82.600
Råprot	53	148.000	25.400	119.000	179.000
sRåprot	21	432.714	27.341	396.000	458.000
NDF	53	457.623	45.216	405.000	510.000
iNDF	53	113.094	45.042	67.000	177.692
nhNDF	53	5.099	1.083	3.811	6.672
TAF	53	84.000	0.000	84.000	84.000
Socker	53	123.038	39.857	69.000	165.000
AATp20	53	87.866	5.040	81.364	92.948
PBVp20	53	11.698	18.433	-8.118	30.238

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	53	6.424	0.388	5.959	6.850
OE*	53	11.430	0.653	10.540	12.200
AAT*	32	78.406	3.991	73.000	83.000
PBV*	32	8.531	23.104	-13.000	47.000
Ca	50	5.098	1.688	3.400	7.550
P	50	2.624	0.461	2.100	3.150
Mg	50	1.744	0.414	1.300	2.350
K	50	25.720	3.686	19.800	28.950
Na	46	0.617	0.377	0.200	1.100
Cl	21	7.748	3.269	4.300	12.200
S	50	1.904	0.328	1.550	2.300
CAB	50	397.189	107.871	249.369	538.467
Fe	41	107.171	43.220	69.000	153.000
Mn	41	55.122	23.014	34.000	69.000
Zn	41	25.585	4.135	21.000	31.000
Cu	41	6.085	1.271	4.700	8.000
Se	19	0.010	0.005	0.005	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	42	420.571	109.612	299.000	547.000
Aska	42	87.357	13.443	72.000	105.000
OS smbh	42	76.269	2.913	72.800	79.500
Råprot	42	158.690	19.937	132.000	188.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	17	401.941	61.005	354.000	450.000
NDF	42	470.405	48.172	399.000	514.000
iNDF	42	130.639	39.800	70.000	182.205
nhNDF	42	4.800	0.745	3.951	5.857
TAF	42	84.000	0.000	84.000	84.000
Socker	42	90.548	41.599	25.000	134.000
AATp20	42	86.208	5.020	80.908	92.811
PBVp20	42	24.436	15.726	5.135	43.569
NELp20	42	6.274	0.309	5.934	6.622
OE*	42	10.964	0.543	10.280	11.650
AAT*	25	74.800	2.754	72.000	79.000
PBV*	25	25.200	18.901	5.000	49.000
Ca	39	6.444	2.572	3.900	11.300
P	39	2.910	0.415	2.400	3.600
Mg	39	2.305	0.620	1.600	3.100
K	39	27.662	4.397	22.100	34.100
Na	39	0.972	0.721	0.400	1.400
Cl	17	9.912	4.685	3.700	17.100
S	39	2.295	0.329	1.900	2.600
CAB	39	409.962	124.033	190.661	536.979
Fe	32	104.156	42.052	74.000	141.000
Mn	32	61.844	26.125	32.000	84.000
Zn	32	28.844	12.977	21.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	32	7.847	1.305	6.600	10.000
Se	11	0.079	0.196	0.009	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	430.143	108.489	322.000	558.000
Aska	19	90.421	11.918	74.000	109.000
OS smbh	21	74.200	3.652	68.400	78.500
Råprot	19	163.895	18.885	136.000	193.000
sRåprot	6	389.667	93.583	319.000	565.000
NDF	19	436.105	46.771	353.000	487.000
iNDF	21	178.374	63.742	117.000	276.884
nhNDF	21	4.209	1.106	2.344	5.407
TAF	21	84.000	0.000	84.000	84.000
Socker	19	86.842	29.142	53.000	131.000
AATp20	21	83.532	5.967	74.356	90.074
PBVp20	21	32.341	14.220	17.392	53.142
NELp20	21	6.034	0.410	5.375	6.488
OE*	19	10.576	0.675	9.500	11.500
AAT*	13	72.846	3.870	68.000	78.000
PBV*	13	34.385	13.438	19.000	57.000
Ca	16	8.513	3.162	5.400	13.900
P	16	2.694	0.607	1.900	3.200
Mg	16	2.900	0.757	2.000	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	16	23.881	3.936	18.600	27.900
Na	16	1.150	0.261	0.900	1.600
Cl	6	8.167	2.830	5.900	13.500
S	16	2.306	0.345	1.900	2.700
CAB	16	348.675	93.708	228.631	468.710
Fe	10	167.400	167.766	78.500	414.000
Mn	10	59.800	14.559	40.000	78.000
Zn	10	26.000	2.211	23.000	29.000
Cu	10	8.410	1.977	6.150	11.500
Se	8	0.033	0.020	0.009	0.067

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	490.333	310.910	231.000	835.000
Aska	3	91.667	25.423	64.000	114.000
OS smbh	3	77.033	2.919	75.200	80.400
Råprot	3	185.000	41.761	137.000	213.000
NDF	3	417.667	32.517	381.000	443.000
iNDF	3	145.151	38.053	106.256	182.302
nhNDF	3	4.632	0.958	3.687	5.602
TAF	3	84.000	0.000	84.000	84.000
Socker	3	98.667	85.442	29.000	194.000
AATp20	3	86.254	2.398	84.605	89.005
PBVp20	3	49.173	43.237	-0.593	77.515

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	6.313	0.200	6.150	6.537
OE*	3	11.033	0.757	10.500	11.900
AAT*	3	76.000	4.359	73.000	81.000
PBV*	3	53.333	48.911	-3.000	85.000
Ca	2	9.900	3.960	7.100	12.700
P	2	2.350	0.495	2.000	2.700
Mg	2	2.900	0.000	2.900	2.900
K	2	20.500	6.223	16.100	24.900
Na	2	1.650	0.919	1.000	2.300
S	2	3.250	0.212	3.100	3.400
CAB	2	261.925	134.427	166.870	356.979
Fe	2	171.000	142.836	70.000	272.000
Mn	2	44.000	8.485	38.000	50.000
Zn	2	38.000	14.142	28.000	48.000
Cu	2	7.700	2.828	5.700	9.700
Se	2	0.086	0.107	0.010	0.162

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	374.000	87.567	205.000	474.00
Aska	8	87.875	30.926	62.000	162.00
OS smbh	8	72.450	4.608	64.900	78.40
Råprot	8	129.875	22.203	80.000	153.00
sRåprot	8	571.875	90.069	462.000	668.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	8	91.375	47.168	51.000	198.00
NDF	8	432.625	91.129	366.000	646.00
iNDF	8	200.574	47.978	143.402	264.05
nhNDF	8	3.638	0.771	2.688	4.44
TAF	8	70.800	23.470	41.100	120.10
Mjölksyra	8	52.750	16.122	25.000	76.00
Ättiksyra	8	12.875	3.907	8.000	21.00
Socker	8	63.500	37.925	21.000	135.00
BUF	8	4.175	7.310	0.100	22.10
AATp20	8	78.408	6.543	69.679	85.93
PBVp20	8	10.199	21.887	-27.180	44.95
NELp20	8	5.789	0.417	5.098	6.23
OE*	8	10.338	0.891	8.900	11.50
AAT*	8	69.625	2.825	65.000	73.00
PBV*	8	10.125	21.034	-34.000	35.00
Ca	8	7.463	2.717	4.100	10.90
P	8	2.663	0.329	2.100	3.00
Mg	8	2.325	0.709	1.300	3.30
K	8	23.500	3.145	19.200	28.30
Na	8	0.925	0.781	0.200	2.60
Cl	8	6.075	1.802	2.400	8.30
S	8	1.600	0.262	1.200	2.00
CAB	8	370.114	98.179	267.659	571.13
Fe	8	420.750	650.387	65.000	2020.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	8	87.500	37.622	42.000	161.00
Zn	8	24.500	2.507	20.000	27.00
Cu	8	6.850	1.189	5.400	9.00
Se	2	0.021	0.003	0.019	0.02

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	170	404.294	114.728	283.500	551.500
Aska	170	72.535	11.291	63.000	82.000
OS smbh	172	76.393	3.994	70.000	80.100
Råprot	170	142.571	27.406	104.500	177.000
sRåprot	170	644.271	81.589	537.000	728.500
NH3-N	170	86.465	31.541	48.500	118.500
NDF	170	452.953	48.520	400.500	519.500
iNDF	172	144.321	45.102	104.230	202.595
nhNDF	172	4.728	0.702	3.767	5.588
TAF	172	65.543	27.967	23.400	100.600
Mjölksyra	170	49.582	24.144	14.500	82.500
Ättiksyra	170	13.018	6.417	6.500	20.000
Socker	170	68.424	39.151	22.000	122.000
PRF	31	1.806	2.104	0.000	5.000
BUF	170	1.791	2.867	0.000	4.050
AATp20	172	83.360	4.300	77.651	88.223
PBVp20	172	14.081	23.045	-13.403	41.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	172	6.311	0.421	5.727	6.723
OE*	170	11.160	0.663	10.200	11.800
AAT*	139	72.151	1.829	70.000	74.000
PBV*	139	16.827	24.658	-15.000	50.000
Ca	168	5.211	1.494	3.800	7.400
P	168	2.556	0.411	2.000	3.100
Mg	168	1.741	0.361	1.400	2.200
K	168	24.611	3.955	19.100	29.100
Na	168	0.608	0.466	0.200	1.300
Cl	170	5.629	2.841	1.950	9.450
S	168	1.895	0.405	1.300	2.400
CAB	168	378.254	94.628	261.101	478.829
Fe	152	175.066	127.663	80.000	339.000
Mn	152	60.842	27.625	39.000	85.000
Zn	152	28.257	19.563	21.000	31.000
Cu	152	5.974	1.234	4.500	7.300
Se	36	0.019	0.015	0.006	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	141	460.404	140.456	301.000	666.000
Aska	141	82.957	10.219	69.000	95.000
OS smbh	141	74.877	2.491	71.700	77.800
Råprot	141	149.078	27.491	113.000	183.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	141	541.014	94.505	417.000	640.000
NH3-N	137	75.431	30.386	36.000	116.000
NDF	141	448.135	40.371	384.000	495.000
iNDF	141	167.535	37.189	129.954	213.247
nhNDF	141	4.396	0.821	3.432	5.103
Stä	1	80.000	.	80.000	80.000
TAF	141	56.202	26.747	18.500	90.200
Mjölksyra	141	41.121	22.058	11.000	68.000
Ättiksyra	139	12.273	6.235	6.000	20.000
Socker	141	67.035	39.457	19.000	120.000
PRF	21	1.905	2.278	0.000	5.000
BUF	139	1.601	3.655	0.000	3.800
AATp20	141	84.257	4.563	79.293	89.999
PBVp20	141	18.748	25.689	-14.816	49.342
NELp20	141	6.123	0.295	5.729	6.484
OE*	141	10.779	0.383	10.300	11.300
AAT*	118	70.941	1.134	69.000	72.000
PBV*	118	24.576	24.136	-8.000	56.000
Ca	139	6.716	1.954	4.500	9.900
P	139	2.816	0.373	2.300	3.300
Mg	139	2.288	0.416	1.800	2.800
K	139	26.758	4.632	20.800	32.200
Na	139	0.875	0.680	0.200	1.600
Cl	140	8.480	5.199	3.900	13.250

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	139	2.193	0.492	1.600	2.800
CAB	139	346.817	131.910	206.771	493.302
Fe	129	156.512	159.528	73.000	253.000
Mn	129	69.845	24.612	40.000	106.000
Zn	129	28.256	13.806	22.000	32.000
Cu	129	7.571	1.644	5.600	9.700
Se	28	0.021	0.013	0.010	0.044

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	50	473.140	122.629	338.500	640.500
Aska	50	83.160	8.819	73.000	94.000
OS smbh	51	75.714	2.599	72.900	78.500
Råprot	50	160.500	22.701	133.000	189.500
sRåprot	50	515.700	88.524	409.000	620.500
NH3-N	50	67.140	28.556	37.000	95.500
NDF	50	415.780	32.539	370.000	450.000
iNDF	51	168.884	37.010	129.229	220.000
nhNDF	51	4.275	0.811	3.313	4.875
TAF	51	51.437	27.759	18.400	87.000
Mjölksyra	50	37.860	24.434	11.000	71.500
Ättiksyra	50	10.940	5.235	5.000	18.500
Socker	50	77.440	38.960	32.500	137.500
PRF	11	0.818	0.982	0.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	50	1.386	2.972	0.000	2.600
AATp20	51	86.405	4.539	80.577	91.150
PBVp20	51	25.744	20.702	2.067	52.429
NELp20	51	6.176	0.295	5.714	6.533
OE*	50	10.922	0.449	10.400	11.400
AAT*	39	71.282	1.395	70.000	73.000
PBV*	39	32.744	20.951	9.000	58.000
Ca	49	8.355	2.293	6.000	12.500
P	49	2.639	0.480	2.000	3.300
Mg	49	2.700	0.530	2.200	3.500
K	49	24.380	3.724	19.800	27.400
Na	49	1.080	0.718	0.300	2.200
Cl	50	9.260	3.394	5.850	14.450
S	49	2.488	0.521	1.900	3.000
CAB	49	255.301	106.839	123.054	406.417
Fe	43	148.651	91.934	83.000	223.000
Mn	43	66.093	20.330	44.000	93.000
Zn	43	25.721	4.506	21.000	31.000
Cu	43	7.816	1.830	5.600	10.400
Se	13	0.036	0.023	0.012	0.065

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	385.000	65.161	308.000	450.000
Aska	5	88.800	5.215	82.000	95.000
OS smbh	5	73.840	3.230	70.900	79.200
Råprot	5	150.000	24.310	119.000	186.000
sRåprot	5	566.600	52.946	517.000	626.000
NH3-N	5	83.600	16.165	68.000	107.000
NDF	5	441.400	37.984	410.000	504.000
iNDF	5	182.081	56.089	97.000	229.347
nhNDF	5	4.095	0.883	3.093	5.062
TAF	5	71.380	14.053	58.000	94.100
Mjölksyra	5	58.000	9.407	50.000	74.000
Ättiksyra	5	12.200	6.058	5.000	19.000
Socker	5	40.000	34.213	10.000	90.000
PRF	2	0.000	0.000	0.000	0.000
BUF	5	0.580	0.829	0.000	1.900
AATp20	5	80.851	3.468	77.905	86.403
PBVp20	5	25.087	21.537	-0.340	57.480
NELp20	5	6.059	0.373	5.575	6.532
OE*	5	10.562	0.537	10.100	11.460
AAT*	3	69.333	0.577	69.000	70.000
PBV*	3	19.000	18.682	-1.000	36.000
Ca	5	8.220	1.580	6.100	10.000
P	5	2.620	0.327	2.200	3.100
Mg	5	2.620	0.455	1.900	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	25.240	3.629	21.500	29.700
Na	5	0.760	0.391	0.200	1.300
Cl	5	12.260	8.128	4.500	24.000
S	5	2.460	0.503	1.900	3.200
CAB	5	179.466	160.583	-61.942	354.553
Fe	5	238.800	122.261	123.000	426.000
Mn	5	69.400	20.095	52.000	102.000
Zn	5	26.000	4.528	19.000	30.000
Cu	5	7.900	1.493	6.000	10.000
Se	1	0.070	.	0.070	0.070

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	519.000	.	519.000	519.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	79.800	.	79.800	79.800
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	632.000	.	632.000	632.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	417.000	.	417.000	417.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	5.278	.	5.278	5.278
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	69.000	.	69.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	75.000	.	75.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.115	.	86.115	86.115
PBVp20	1	31.239	.	31.239	31.239
NELp20	1	6.677	.	6.677	6.677
OE*	1	11.570	.	11.570	11.570
Ca	1	6.600	.	6.600	6.600
P	1	3.600	.	3.600	3.600
Mg	1	1.700	.	1.700	1.700
K	1	25.400	.	25.400	25.400
Na	1	0.800	.	0.800	0.800
Cl	1	14.800	.	14.800	14.800
S	1	3.000	.	3.000	3.000
CAB	1	79.998	.	79.998	79.998
Fe	1	88.000	.	88.000	88.000
Mn	1	122.000	.	122.000	122.000
Zn	1	18.000	.	18.000	18.000
Cu	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	459.133	91.037	375.000	578.000
Aska	15	66.067	14.444	51.000	86.000
OS smbh	15	69.440	3.129	64.900	73.000
Råprot	15	98.933	26.432	70.000	123.000
sRåprot	15	625.733	124.882	475.000	767.000
NH3-N	15	76.667	28.999	45.000	106.000
NDF	15	447.400	68.922	374.000	539.000
iNDF	15	239.947	39.679	183.978	283.818
nhNDF	15	3.012	0.708	2.386	3.929
Stä	15	118.667	88.191	18.000	257.000
TAF	15	48.827	23.932	18.700	71.700
Mjölksyra	15	32.000	14.995	9.000	50.000
Ättiksyra	15	14.200	10.101	7.000	18.000
Socker	15	79.000	35.004	37.000	123.000
PRF	2	6.500	9.192	0.000	13.000
BUF	2	1.500	2.121	0.000	3.000
AATp20	15	72.182	3.313	67.772	77.074
PBVp20	15	-17.239	23.775	-41.590	1.590
NELp20	15	5.566	0.316	5.145	5.921
OE*	3	10.110	0.373	9.700	10.430
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-40.000	.	-40.000	-40.000
Ca	12	4.008	1.156	2.300	5.000
P	12	2.550	0.767	1.800	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	12	1.683	0.518	1.100	2.300
K	12	18.058	5.766	12.100	23.500
Na	12	0.808	0.326	0.400	1.200
Cl	15	5.820	3.137	2.700	9.400
S	12	1.650	0.516	1.100	2.200
CAB	12	234.011	93.689	142.290	381.679
Fe	11	226.636	431.997	65.000	170.000
Mn	11	53.909	45.426	13.000	85.000
Zn	11	23.364	6.712	18.000	30.000
Cu	11	5.109	1.338	3.900	6.200

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	409.500	78.404	305.000	552.000
Aska	8	71.875	16.093	47.000	98.000
OS smbh	8	67.613	1.617	65.200	70.100
Råprot	8	106.750	22.391	76.000	146.000
sRåprot	8	589.625	137.330	361.000	729.000
NH3-N	8	78.625	32.676	40.000	127.000
NDF	8	441.125	24.427	407.000	493.000
iNDF	8	263.994	29.349	215.168	300.757
nhNDF	8	2.689	0.433	2.199	3.494
Stä	8	101.250	68.199	31.000	214.000
TAF	8	60.875	21.630	37.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	8	44.500	18.898	22.000	80.000
Ättiksyra	8	14.375	3.926	9.000	20.000
Socker	8	50.125	36.121	11.000	121.000
AATp20	8	70.940	3.911	65.143	78.619
PBVp20	8	-4.260	21.049	-30.453	29.644
NELp20	8	5.501	0.153	5.324	5.800
OE*	2	10.100	0.000	10.100	10.100
AAT*	2	62.500	2.121	61.000	64.000
PBV*	2	-14.000	9.899	-21.000	-7.000
Ca	7	5.400	0.819	4.700	6.900
P	7	2.657	0.513	2.100	3.400
Mg	7	2.071	0.390	1.500	2.800
K	7	19.586	5.388	13.900	28.600
Na	7	0.943	0.489	0.400	1.500
Cl	8	7.188	3.656	2.700	11.500
S	7	1.514	0.285	1.200	2.100
CAB	7	236.802	119.159	59.360	324.905
Fe	7	342.714	276.102	106.000	762.000
Mn	7	80.571	42.197	27.000	151.000
Zn	7	31.143	8.214	20.000	46.000
Cu	7	5.657	0.971	4.300	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	370.500	67.175	323.000	418.000
Aska	2	75.000	2.828	73.000	77.000
OS smbh	2	67.950	1.485	66.900	69.000
Råprot	2	129.500	0.707	129.000	130.000
sRåprot	2	568.000	26.870	549.000	587.000
NH3-N	2	75.500	28.991	55.000	96.000
NDF	2	401.500	40.305	373.000	430.000
iNDF	2	352.500	20.506	338.000	367.000
nhNDF	2	3.098	0.689	2.611	3.586
Stä	2	97.500	30.406	76.000	119.000
TAF	2	112.000	4.243	109.000	115.000
Mjölksyra	2	68.000	8.485	62.000	74.000
Ättiksyra	2	34.500	7.778	29.000	40.000
Socker	2	40.500	26.163	22.000	59.000
PRF	2	7.500	0.707	7.000	8.000
BUF	2	2.000	2.828	0.000	4.000
AATp20	2	66.379	1.020	65.658	67.100
PBVp20	2	23.159	0.976	22.469	23.849
NELp20	2	5.706	0.107	5.630	5.781
OE*	2	9.735	0.276	9.540	9.930
Ca	2	7.000	2.121	5.500	8.500
P	2	2.150	0.354	1.900	2.400
Mg	2	1.550	0.071	1.500	1.600
K	2	19.650	1.344	18.700	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	7.200	8.344	1.300	13.100
Cl	2	16.950	16.051	5.600	28.300
S	2	2.500	1.273	1.600	3.400
CAB	2	181.886	134.562	86.736	277.036
Fe	2	421.500	287.792	218.000	625.000
Mn	2	82.500	48.790	48.000	117.000
Zn	2	63.000	12.728	54.000	72.000
Cu	2	8.500	0.707	8.000	9.000

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	515.000	.	515.000	515.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	62.300	.	62.300	62.300
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	485.000	.	485.000	485.000
NH3-N	1	33.000	.	33.000	33.000
NDF	1	470.000	.	470.000	470.000
iNDF	1	515.736	.	515.736	515.736
nhNDF	1	7.209	.	7.209	7.209
Stä	1	79.000	.	79.000	79.000
TAF	1	27.500	.	27.500	27.500
Mjölksyra	1	17.000	.	17.000	17.000
Ättiksyra	1	10.000	.	10.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	58.000	.	58.000	58.000
AATp20	1	71.187	.	71.187	71.187
PBVp20	1	-8.163	.	-8.163	-8.163
NELp20	1	5.093	.	5.093	5.093
Ca	1	6.600	.	6.600	6.600
P	1	3.500	.	3.500	3.500
Mg	1	2.600	.	2.600	2.600
K	1	22.100	.	22.100	22.100
Na	1	0.500	.	0.500	0.500
Cl	1	4.300	.	4.300	4.300
S	1	2.000	.	2.000	2.000
CAB	1	340.830	.	340.830	340.830
Fe	1	183.000	.	183.000	183.000
Mn	1	173.000	.	173.000	173.000
Zn	1	169.000	.	169.000	169.000
Cu	1	6.500	.	6.500	6.500

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	332.600	68.098	243.000	397.000
Aska	5	61.400	25.958	22.000	88.000
OS smbh	5	66.580	5.416	60.700	73.000
Råprot	5	105.200	43.717	59.000	160.000
sRåprot	5	548.000	71.711	432.000	622.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	5	101.400	27.052	75.000	142.000
NDF	5	455.800	38.068	397.000	503.000
iNDF	5	286.886	74.530	183.836	378.000
nhNDF	5	2.820	0.871	1.747	3.950
Stä	5	82.400	86.254	19.000	224.000
TAF	5	77.600	27.291	50.000	114.000
Mjölksyra	5	57.800	24.803	31.000	94.000
Ättiksyra	5	16.400	5.128	8.000	21.000
Socker	5	37.000	16.186	14.000	51.000
PRF	2	5.000	1.414	4.000	6.000
BUF	2	3.500	0.707	3.000	4.000
AATp20	5	72.779	5.106	68.140	81.519
PBVp20	5	-11.279	33.897	-49.221	37.640
NELp20	5	5.534	0.474	4.825	6.062
OE*	2	9.520	0.495	9.170	9.870
Ca	5	5.940	4.239	2.100	13.100
P	5	2.220	0.782	0.900	2.800
Mg	5	1.700	0.933	0.500	3.000
K	5	19.000	9.874	5.200	27.500
Na	5	0.860	0.744	0.300	2.100
Cl	5	4.860	5.041	0.800	12.100
S	5	1.400	0.671	0.500	2.300
CAB	5	298.923	186.379	47.831	537.455
Fe	5	100.400	23.755	77.000	136.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	52.200	31.252	17.000	91.000
Zn	5	21.400	7.057	10.000	28.000
Cu	5	6.780	2.892	3.200	10.000

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	399.000	76.177	340.000	485.000
Aska	3	61.333	6.658	54.000	67.000
OS smbh	3	66.800	5.909	60.200	71.600
Råprot	3	127.000	24.637	101.000	150.000
sRåprot	3	540.000	147.075	441.000	709.000
NH3-N	3	68.667	38.592	38.000	112.000
NDF	3	459.333	45.281	410.000	499.000
iNDF	3	263.444	46.711	231.763	317.088
nhNDF	3	2.705	0.514	2.112	3.013
Stä	3	71.333	36.005	35.000	107.000
TAF	3	69.333	22.368	54.000	95.000
Mjölksyra	3	49.333	23.965	35.000	77.000
Ättiksyra	3	20.000	3.464	18.000	24.000
Socker	3	44.667	37.233	17.000	87.000
AATp20	3	69.358	4.075	65.485	73.608
PBVp20	3	15.296	27.062	-15.005	37.058
NELp20	3	5.534	0.481	5.054	6.016
Ca	3	6.733	0.493	6.400	7.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	3	2.633	0.404	2.200	3.000
Mg	3	2.467	0.306	2.200	2.800
K	3	15.533	1.762	13.900	17.400
Na	3	0.700	0.000	0.700	0.700
Cl	3	5.033	1.387	3.500	6.200
S	3	1.567	0.306	1.300	1.900
CAB	3	188.006	52.990	128.341	229.585
Fe	3	133.667	48.809	82.000	179.000
Mn	3	83.667	25.541	55.000	104.000
Zn	3	29.667	6.028	24.000	36.000
Cu	3	5.933	1.457	4.900	7.600
Se	2	0.025	0.000	0.025	0.025

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	430.333	127.550	292.000	664.000
Aska	6	64.333	7.118	54.000	72.000
OS smbh	6	67.650	2.839	63.400	71.300
Råprot	6	97.000	6.782	88.000	109.000
sRåprot	6	634.500	77.482	543.000	763.000
NH3-N	6	85.000	37.699	25.000	137.000
NDF	6	497.500	69.276	417.000	582.000
iNDF	6	241.854	26.960	218.879	292.000
nhNDF	6	3.222	0.235	2.960	3.585

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	6	60.333	41.200	17.000	104.000
TAF	6	62.417	21.308	24.500	85.500
Mjölksyra	6	43.833	18.894	10.000	61.000
Ättiksyra	6	16.000	4.940	11.000	22.000
Socker	6	68.000	51.057	16.000	145.000
PRF	1	2.000	.	2.000	2.000
BUF	1	1.000	.	1.000	1.000
AATp20	6	69.601	4.693	64.981	75.780
PBVp20	6	-15.227	8.176	-25.981	-8.311
NELp20	6	5.498	0.210	5.178	5.781
OE*	1	10.080	.	10.080	10.080
Ca	5	3.480	0.988	2.700	5.200
P	5	2.020	0.259	1.700	2.300
Mg	5	1.500	0.453	1.200	2.300
K	5	17.720	2.965	14.100	22.100
Na	5	0.460	0.230	0.200	0.700
Cl	6	6.000	1.845	3.200	8.900
S	5	1.420	0.164	1.300	1.700
CAB	5	215.996	31.223	173.755	252.891
Fe	5	152.400	82.712	92.000	294.000
Mn	5	84.000	49.573	51.000	170.000
Zn	5	22.800	3.033	18.000	26.000
Cu	5	5.280	0.740	4.500	6.400
Se	1	0.010	.	0.010	0.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	393.583	91.815	301.000	529.000
Aska	12	57.083	11.820	41.000	74.000
OS smbh	12	71.433	1.993	69.300	73.100
Råprot	12	106.417	22.893	83.000	135.000
sRåprot	12	588.667	113.658	451.000	740.000
NH3-N	12	64.917	30.634	27.000	112.000
NDF	12	389.250	58.464	326.000	453.000
iNDF	12	246.060	39.811	219.957	286.752
nhNDF	12	2.679	0.829	1.424	3.223
Stä	12	171.583	106.485	30.000	338.000
TAF	12	54.500	31.044	14.000	89.000
Mjölksyra	12	41.333	26.304	0.000	72.000
Ättiksyra	12	11.917	6.612	4.000	20.000
Socker	12	51.083	32.732	17.000	98.000
PRF	4	2.500	2.517	0.000	6.000
BUF	4	1.250	2.500	0.000	5.000
AATp20	12	76.512	5.286	71.399	83.470
PBVp20	12	-14.402	19.862	-38.592	12.280
NELp20	12	5.911	0.195	5.686	6.107
OE*	6	10.448	0.473	9.900	11.000
AAT*	2	63.500	0.707	63.000	64.000
PBV*	2	-26.500	14.849	-37.000	-16.000
Ca	12	4.833	1.250	2.900	6.100
P	12	2.492	0.412	2.100	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	12	1.750	0.390	1.400	2.200
K	12	14.875	5.234	8.600	21.300
Na	12	0.542	0.360	0.300	0.900
Cl	11	5.909	3.234	2.600	8.200
S	12	1.433	0.557	1.100	2.000
CAB	12	153.440	145.243	18.586	290.151
Fe	11	106.364	52.876	55.000	195.000
Mn	11	39.636	29.797	18.000	62.000
Zn	11	26.273	5.623	21.000	29.000
Cu	11	6.091	1.224	4.700	7.100
Se	1	0.012	.	0.012	0.012

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	334.250	20.4675	308.000	358.000
Aska	4	28.750	3.5940	26.000	34.000
OS smbh	4	75.225	2.5052	72.500	77.500
Råprot	4	75.750	5.1235	70.000	81.000
sRåprot	4	607.000	47.2440	549.000	657.000
NH3-N	4	57.500	13.7235	37.000	66.000
NDF	4	385.250	33.5398	356.000	423.000
iNDF	4	191.500	13.8924	179.000	211.000
nhNDF	4	3.158	0.3669	2.704	3.556
Stä	4	299.250	24.1851	275.000	322.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	4	85.250	9.1788	77.000	97.000
Mjölksyra	4	63.750	11.0265	50.000	76.000
Ättiksyra	4	15.250	3.7749	11.000	20.000
Socker	4	6.500	1.0000	5.000	7.000
PRF	4	6.250	1.8930	5.000	9.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	4	78.954	2.5669	76.318	81.997
PBVp20	4	-48.210	0.6595	-48.861	-47.450
NELp20	4	6.618	0.2637	6.353	6.883
OE*	4	11.483	0.4640	10.950	11.910
Ca	4	1.750	0.2646	1.400	2.000
P	4	1.750	0.1291	1.600	1.900
Mg	4	0.950	0.1732	0.700	1.100
K	4	8.625	0.6185	7.800	9.100
Na	4	0.200	0.1414	0.100	0.400
Cl	3	3.000	0.5568	2.400	3.500
S	4	0.800	0.3367	0.300	1.000
CAB	4	105.340	36.8460	58.360	145.374
Fe	3	141.667	66.0177	70.000	200.000
Mn	3	28.333	7.3711	20.000	34.000
Zn	3	19.333	3.5119	16.000	23.000
Cu	3	7.667	4.7258	4.000	13.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	333.000	.	333.000	333.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	76.800	.	76.800	76.800
Råprot	1	77.000	.	77.000	77.000
sRåprot	1	829.000	.	829.000	829.000
NH3-N	1	107.000	.	107.000	107.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	141.830	.	141.830	141.830
nhNDF	1	4.708	.	4.708	4.708
Stä	1	17.000	.	17.000	17.000
TAF	1	64.000	.	64.000	64.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	149.000	.	149.000	149.000
AATp20	1	73.008	.	73.008	73.008
PBVp20	1	-37.271	.	-37.271	-37.271
NELp20	1	5.925	.	5.925	5.925
CI	1	3.900	.	3.900	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	879.000	.	879.000	879.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	64.100	.	64.100	64.100
Råprot	1	113.000	.	113.000	113.000
NDF	1	591.000	.	591.000	591.000
iNDF	1	234.271	.	234.271	234.271
nhNDF	1	3.298	.	3.298	3.298
TAF	1	0.000	.	0.000	0.000
Socker	1	104.000	.	104.000	104.000
AATp20	1	85.187	.	85.187	85.187
PBVp20	1	-16.082	.	-16.082	-16.082
NELp20	1	5.071	.	5.071	5.071
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.700	.	4.700	4.700
P	1	2.400	.	2.400	2.400
Mg	1	1.700	.	1.700	1.700
K	1	8.300	.	8.300	8.300
Na	1	2.000	.	2.000	2.000
S	1	1.900	.	1.900	1.900
CAB	1	39.638	.	39.638	39.638
Fe	1	63.000	.	63.000	63.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	23.000	.	23.000	23.000
Cu	1	5.900	.	5.900	5.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	802.571	47.356	747.000	873.000
Aska	7	55.571	6.949	50.000	69.000
OS smbh	7	65.857	1.927	62.400	67.600
Råprot	7	89.714	23.726	53.000	123.000
sRåprot	1	414.000	.	414.000	414.000
NDF	7	582.143	24.909	535.000	618.000
iNDF	7	222.345	17.642	199.424	256.224
nhNDF	7	3.556	0.334	2.934	3.927
TAF	7	0.000	0.000	0.000	0.000
Socker	7	107.000	19.925	74.000	133.000
AATp20	7	85.567	3.739	79.417	90.007
PBVp20	7	-38.654	17.020	-62.871	-13.536
NELp20	7	5.137	0.166	4.887	5.322
OE*	7	9.576	0.265	9.100	9.800
AAT*	6	68.333	1.506	66.000	70.000
PBV*	6	-28.333	25.618	-60.000	10.000
Ca	5	3.820	1.849	2.100	6.100
P	5	1.780	0.526	1.200	2.600
Mg	5	1.560	0.594	1.000	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	13.980	3.370	9.600	18.700
Na	5	0.600	0.316	0.100	0.900
Cl	1	5.900	.	5.900	5.900
S	5	1.560	0.783	1.000	2.900
CAB	5	141.906	111.474	-37.685	265.053
Fe	4	139.250	104.203	52.000	290.000
Mn	4	119.750	60.096	75.000	208.000
Zn	4	26.250	10.996	17.000	42.000
Cu	4	6.025	2.473	3.900	9.600
Se	1	0.025	.	0.025	0.025

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	545.000	.	545.000	545.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	68.500	.	68.500	68.500
Råprot	1	111.000	.	111.000	111.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	421.249	.	421.249	421.249
nhNDF	1	5.304	.	5.304	5.304
TAF	1	70.000	.	70.000	70.000
Socker	1	122.000	.	122.000	122.000
AATp20	1	72.526	.	72.526	72.526
PBVp20	1	4.997	.	4.997	4.997

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.297	.	5.297	5.297
OE*	1	9.700	.	9.700	9.700
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-8.000	.	-8.000	-8.000
Ca	1	12.100	.	12.100	12.100
P	1	2.000	.	2.000	2.000
Mg	1	5.200	.	5.200	5.200
K	1	16.600	.	16.600	16.600
Na	1	0.400	.	0.400	0.400
S	1	1.400	.	1.400	1.400
CAB	1	267.120	.	267.120	267.120
Fe	1	66.000	.	66.000	66.000
Mn	1	96.000	.	96.000	96.000
Zn	1	32.000	.	32.000	32.000
Cu	1	8.700	.	8.700	8.700

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	436.250	44.522	395.000	497.000
Aska	4	60.000	4.397	55.000	65.000
OS smbh	4	74.300	3.696	68.800	76.600
Råprot	4	146.250	2.500	143.000	149.000
sRåprot	4	510.250	29.590	477.000	542.000
NH3-N	4	56.000	8.042	46.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	4	334.250	55.972	289.000	416.000
iNDF	4	236.250	64.886	199.000	333.000
nhNDF	4	2.716	0.416	2.370	3.305
Stä	4	203.000	24.940	173.000	225.000
TAF	4	41.250	25.316	24.000	78.000
Mjölksyra	4	28.000	15.100	17.000	49.000
Ättiksyra	4	8.750	9.743	2.000	23.000
Socker	4	48.500	24.201	25.000	80.000
PRF	4	4.500	2.380	1.000	6.000
BUF	4	0.000	0.000	0.000	0.000
AATp20	4	87.626	2.633	84.910	90.472
PBVp20	4	14.880	4.883	9.184	20.412
NELp20	4	6.316	0.368	5.775	6.594
OE*	4	10.955	0.631	10.010	11.310
Ca	4	6.125	2.052	5.000	9.200
P	4	3.925	0.665	3.400	4.900
Mg	4	3.225	0.780	2.600	4.300
K	4	15.800	2.202	12.800	17.500
Na	4	3.075	1.468	2.000	5.200
Cl	4	13.325	10.664	4.400	26.000
S	4	2.300	0.200	2.000	2.400
CAB	4	18.686	281.188	-259.888	261.087
Fe	2	251.000	15.556	240.000	262.000
Mn	2	65.000	14.142	55.000	75.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	31.500	2.121	30.000	33.000
Cu	2	12.000	0.000	12.000	12.000
Se	2	0.110	0.000	0.110	0.110

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	435.000	.	435.000	435.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	68.000	.	68.000	68.000
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	477.000	.	477.000	477.000
NH3-N	1	72.000	.	72.000	72.000
NDF	1	458.000	.	458.000	458.000
iNDF	1	245.937	.	245.937	245.937
nhNDF	1	2.958	.	2.958	2.958
Stä	1	74.000	.	74.000	74.000
Socker	1	34.000	.	34.000	34.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	5.500	.	5.500	5.500
P	1	3.000	.	3.000	3.000
Mg	1	4.300	.	4.300	4.300
K	1	16.100	.	16.100	16.100
Na	1	2.100	.	2.100	2.100
Cl	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	2.600	.	2.600	2.600
CAB	1	191.273	.	191.273	191.273
Fe	1	463.000	.	463.000	463.000
Mn	1	199.000	.	199.000	199.000
Zn	1	137.000	.	137.000	137.000
Cu	1	25.600	.	25.600	25.600

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	849.000	.	849.000	849.000
Aska	1	19.000	.	19.000	19.000
OS smbh	2	0.000	0	0.000	0.000
Råprot	1	131.000	.	131.000	131.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	151.000	.	151.000	151.000
Stä	1	614.000	.	614.000	614.000
TAF	2	0.000	0	0.000	0.000
NELp20	2	0.000	0	0.000	0.000
Ca	1	0.500	.	0.500	0.500
P	1	3.200	.	3.200	3.200
Mg	1	1.300	.	1.300	1.300
K	1	5.700	.	5.700	5.700
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	58.000	.	58.000	58.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	4.700	.	4.700	4.700
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet