

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	11	843	24	79.9	100	287		183	152	3.15	623	0.0000			5
Vete, kärna (005)	1	1	814	15	88.0	112				187	3.50	661	0.0000			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	844	25	80.5	88				304	2.50	636	0.0000			
Grönmassa, gräs (0% baljv.) (161)	2	1	645	63	76.9	142			466	140	4.88		61.0000			138
Ensilage, gräs (0% klöver) (162)	1	10	374	65	75.1	131	618	77.8	463	159	4.42		67.4400	51.3	13.7	73
Ensilage, gräs (0% klöver) (162)	2	5	412	81	73.5	144	536	101	456	183	4.10		55.4000	37.6	12.4	55
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	458	71	74.8	130	476		517	145	5.13		84.0000			98
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16	539	82	74.4	142	331		492	159	4.76		84.0000			97
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	379	92	72.1	141	404		452	202	3.97		84.0000			70
Ensilage, blandvall (1-50% klöver) (165)	0	7	386	81	74.4	141	609	92.7	467	158	4.51		59.9571	44.7	12.3	65
Ensilage, blandvall (1-50% klöver) (165)	1	138	365	69	74.5	137	600	84.5	485	157	4.55		69.0986	53.2	13.3	50
Ensilage, blandvall (1-50% klöver) (165)	2	99	440	76	74.8	138	514	65.3	453	166	4.32		58.2384	44.7	11.6	68
Ensilage, blandvall (1-50% klöver) (165)	3	30	449	80	75.1	137	499	64.7	426	175	4.20		56.9400	43.4	11.5	84
Ensilage, blandvall (1-50% klöver) (165)	5	1	432	85	72.0	130	471	86.0	421	212	3.36		85.9000	71.0	13.0	74
Ensilage, blandvall (1-50% klöver) (165)	*	1	311	67	72.9	117	644	49.0	506	143	3.80		84.0000	69.0	14.0	45
Korn, helsädesensilage (250)	1	6	425	62	68.9	108	622	81.7	428	252	2.68	104	64.6167	48.7	13.0	65
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	483	64	69.4	98	659	67.3	447	240	3.01	95	49.3333	32.3	15.0	84
Havre helsädesensilage degmognad (296)	1	4	364	61	67.7	93	655	73.8	476	247	2.95	69	90.2500	74.8	15.5	48
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	7	437	69	68.5	123	639	74.0	443	274	3.13	98	64.4286	47.1	16.7	45
Vete, helsäd ensilage (299)	1	2	515	52	65.1	87	537	59.5	529	252	2.93	56	44.0000	29.0	12.5	102
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	399	63	69.8	122	655	89.5	418	258	2.79	100	65.3333	51.3	13.5	61
Hö, blandvall, 0-50% baljväxter (383)	0	1	789	57	66.8	82			595	206	3.79		0.0000			115
Hö, blandvall, 0-50% baljväxter (383)	1	12	865	58	66.0	70	523		552	237	3.45		0.0000			131
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	652	64	64.8	118	456		519	360	4.71		72.0000			92
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	820	104	76.4	217	381		354	340	15.0		72.0000			65

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	11				94.8	-38	7.28	13.4		
Vete, kärna (005)	1	1				112	-52	7.93			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				89.7	-43	7.02			
Blandsäd, kärna, 50%korn/50%vete (114)	1	0				106	-36	7.58			
Grönmassa, gräs (0% baljv.) (161)	2	1				88.1	3.5	6.23	11.4	78.0	8.0
Ensilage, gräs (0% klöver) (162)	1	10	1.00000	1.44000		81.6	3.8	6.16	11.0	72.0	1.8
Ensilage, gräs (0% klöver) (162)	2	5	1.00000	4.40000		81.9	15.8	5.95	10.6	70.5	23.8
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34				83.7	1.7	6.16	10.9	76.3	2.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16				83.5	13.2	6.08	10.7	74.4	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10				79.3	19.6	5.77	10.2	71.9	17.8
Ensilage, blandvall (1-50% klöver) (165)	0	7		1.95714		81.8	15.1	6.08	10.7	70.6	19.1
Ensilage, blandvall (1-50% klöver) (165)	1	138	1.22222	1.48613		82.3	10.8	6.20	10.9	71.4	11.4
Ensilage, blandvall (1-50% klöver) (165)	2	99	1.09091	0.90505		84.5	8.0	6.13	10.9	71.3	15.2
Ensilage, blandvall (1-50% klöver) (165)	3	30	2.00000	0.90667		84.4	7.1	6.07	10.9	71.3	8.8
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.90000		78.5	10.2	5.72	10.3	70.0	10.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	1.00000	0.00000		77.9	-1.0	6.11	10.6		
Korn, helsädesensilage (250)	1	6	1.50000	2.00000		70.2	-6.5	5.57	10.2	62.0	-11
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				72.8	-15	5.61	9.2	60.0	-18
Havre helsädesensilage degmognad (296)	1	4				69.5	-17	5.65			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	7	0.00000	1.33333		69.5	11.9	5.65	10.0		
Vete, helsäd ensilage (299)	1	2				71.0	-26	5.23			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	3.00000	0.00000		72.9	5.4	5.72	10.6		
Hö, blandvall, 0-50% baljväxter (383)	0	1				87.9	-50	5.19	9.7	69.0	-36
Hö, blandvall, 0-50% baljväxter (383)	1	12				82.5	-52	5.01	9.6	68.5	-44

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				73.6	10.4	5.28	9.3		
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				88.5	80.8	6.33	10.8		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.3	3.3	1.5	4.5	0.1		1.4	-2	1	76.0	24.0	35.0	6.9	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.5	3.5	1.3	5.0	0.1		1.0	44	1	51.0	23.0	27.0	4.2	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.9	2.3	2.7	14.6	0.3		2.8	96	1	88.0	116.0	33.0	6.8	
Ensilage, gräs (0% klöver) (162)	1	9	5.1	2.4	1.6	19.8	0.4	5.2	1.7	286	9	233.1	74.8	23.7	5.7	0.1
Ensilage, gräs (0% klöver) (162)	2	5	8.0	2.8	2.3	24.1	0.6	8.1	2.1	283	5	113.6	79.8	24.8	7.6	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	30	4.1	2.4	1.5	23.1	0.2	4.5	1.7	360	30	122.1	54.1	28.6	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14	6.5	2.9	2.5	24.7	0.6	10.7	2.3	361	14	121.9	71.6	26.9	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	9.2	2.7	3.0	22.2	0.6	5.4	2.4	312	10	144.6	87.1	29.3	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	6	5.0	2.4	1.8	24.2	0.3	6.5	2.0	334	6	115.5	101.7	25.2	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	137	5.0	2.4	1.7	21.8	0.3	4.1	1.8	341	135	232.9	66.6	28.0	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	93	6.8	2.7	2.4	22.9	0.7	5.5	2.1	320	91	136.9	73.8	26.4	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	28	8.0	2.6	2.6	20.7	0.8	5.4	2.4	259	27	179.1	82.4	24.9	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	5.8	2.5	2.5	16.0	2.0	6.5	2.3	169	1	405.0	268.0	36.0	6.9	
Ensilage, blandvall (1-50% klöver) (165)	*	1	4.8	2.5	1.4	22.5	0.2	7.5	1.6	273	1	104.0	48.0	25.0	5.0	
Korn, helsädesensilage (250)	1	6	4.9	2.7	1.8	18.9	0.4	4.1	1.5	296	6	152.0	40.5	30.0	6.9	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	5.1	2.3	2.0	16.4	0.8	3.5	1.3	274	1	313.0	94.0	31.0	5.7	
Havre helsädesensilage degmognad (296)	1	4	4.5	2.3	1.8	16.4	1.0	4.6	1.5	238	4	185.5	101.0	26.5	4.9	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	6	5.4	2.7	1.8	20.4	0.3	6.0	1.6	262	6	334.2	71.0	35.2	7.4	
Vete, helsäd ensilage (299)	1	1	2.4	1.9	1.3	11.7	0.1	3.9	1.5	170	1	91.0	49.0	26.0	5.4	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	6.1	2.6	1.8	15.9	1.7	6.0	1.8	197	6	112.7	37.5	35.0	5.7	
Hö, blandvall, 0-50% baljväxter (383)	0	1	4.1	2.0	1.2	18.5	0.1		1.3	264	1	63.0	39.0	21.0	5.6	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Hö, blandvall, 0-50% baljväxter (383)	1	10	3.3	1.7	1.4	14.7	0.2	1.7	1.2	192	10	125.5	66.8	18.3	4.1	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	6.2	1.7	1.9	18.3	0.2	7.7	1.2	185	1	42.0	17.0	15.0	7.0	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	11.1	2.2	2.2	23.0	0.2	4.2	2.1	347	1	63.0	32.0	26.0	9.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	842.636	17.6877	828.000	858.000
Aska	11	24.118	2.2776	21.300	26.100
OS smbh	14	79.857	22.9845	86.000	86.000
Råprot	11	100.464	10.6170	87.000	115.700
sRåprot	1	287.000	.	287.000	287.000
NDF	2	183.000	50.9117	147.000	219.000
iNDF	14	152.214	36.6148	162.000	162.000
nhNDF	14	3.150	0.0000	3.150	3.150
Stä	11	622.664	38.2905	570.600	653.000
TAF	14	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	14	94.828	1.3047	93.890	95.450
PBVp20	14	-37.621	11.6955	-54.866	-25.876
NELp20	14	7.281	0.0935	7.211	7.347
OE*	1	13.400	.	13.400	13.400
Ca	1	0.300	.	0.300	0.300
P	1	3.300	.	3.300	3.300
Mg	1	1.500	.	1.500	1.500
K	1	4.500	.	4.500	4.500
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	-1.865	.	-1.865	-1.865
Fe	1	76.000	.	76.000	76.000
Mn	1	24.000	.	24.000	24.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	35.000	.	35.000	35.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	814.000	.	814.000	814.000
Aska	1	14.700	.	14.700	14.700
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	111.800	.	111.800	111.800
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	660.900	.	660.900	660.900
TAF	1	0.000	.	0.000	0.000
AATp20	1	112.012	.	112.012	112.012
PBVp20	1	-52.290	.	-52.290	-52.290
NELp20	1	7.932	.	7.932	7.932

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	24.900	.	24.900	24.900
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	87.700	.	87.700	87.700
iNDF	1	304.000	.	304.000	304.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	2.500	.	2.500	2.500
Stä	1	636.300	.	636.300	636.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	89.721	.	89.721	89.721
PBVp20	1	-43.379	.	-43.379	-43.379
NELp20	1	7.019	.	7.019	7.019
Ca	1	0.500	.	0.500	0.500
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	44.373	.	44.373	44.373
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	27.000	.	27.000	27.000
Cu	1	4.200	.	4.200	4.200

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	87.000	.	87.000	87.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	105.637	.	105.637	105.637
PBVp20	1	-36.086	.	-36.086	-36.086
NELp20	1	7.582	.	7.582	7.582

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	645.000	.	645.000	645.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	76.900	.	76.900	76.900
Råprot	1	142.000	.	142.000	142.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	140.221	.	140.221	140.221
nhNDF	1	4.878	.	4.878	4.878
TAF	1	61.000	.	61.000	61.000
Socker	1	138.000	.	138.000	138.000
AATp20	1	88.061	.	88.061	88.061
PBVp20	1	3.451	.	3.451	3.451
NELp20	1	6.234	.	6.234	6.234
OE*	1	11.400	.	11.400	11.400
AAT*	1	78.000	.	78.000	78.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	5.900	.	5.900	5.900
P	1	2.300	.	2.300	2.300
Mg	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	14.600	.	14.600	14.600
Na	1	0.300	.	0.300	0.300
S	1	2.800	.	2.800	2.800
CAB	1	95.952	.	95.952	95.952
Fe	1	88.000	.	88.000	88.000
Mn	1	116.000	.	116.000	116.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	374.400	76.097	276.000	487.500
Aska	10	65.200	8.244	52.500	74.500
OS smbh	10	75.110	3.589	69.950	79.350
Råprot	10	130.900	28.404	90.500	168.500
sRåprot	10	618.400	77.661	506.500	681.000
NH3-N	10	77.800	25.883	43.500	113.000
NDF	10	463.200	44.276	409.000	530.500
iNDF	10	159.211	33.513	122.585	210.021
nhNDF	10	4.422	0.620	3.561	5.114
TAF	10	67.440	24.275	37.350	102.950
Mjölksyra	10	51.300	20.662	25.000	82.000
Ättiksyra	10	13.700	5.314	8.500	22.000
Socker	10	73.200	46.327	20.500	147.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	1.000	1.414	0.000	2.000
BUF	10	1.440	1.284	0.050	3.300
AATp20	10	81.573	3.043	78.819	86.007
PBVp20	10	3.781	25.916	-32.092	38.379
NELp20	10	6.159	0.340	5.652	6.538
OE*	10	11.020	0.566	10.200	11.700
AAT*	8	72.000	1.852	69.000	74.000
PBV*	8	1.750	24.996	-41.000	34.000
Ca	9	5.144	1.164	4.200	8.000
P	9	2.389	0.267	2.000	2.900
Mg	9	1.633	0.409	1.000	2.400
K	9	19.800	3.851	14.300	24.700
Na	9	0.389	0.262	0.100	0.700
Cl	10	5.210	2.889	2.250	9.450
S	9	1.711	0.404	1.100	2.300
CAB	9	285.528	93.703	132.347	448.963
Fe	9	233.111	226.115	77.000	822.000
Mn	9	74.778	36.183	28.000	159.000
Zn	9	23.667	4.528	17.000	30.000
Cu	9	5.667	0.840	4.100	6.500
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	411.800	142.838	257.000	549.000
Aska	5	81.000	6.325	72.000	88.000
OS smbh	5	73.460	2.533	69.800	76.000
Råprot	5	144.400	25.136	103.000	169.000
sRåprot	5	536.000	93.694	389.000	643.000
NH3-N	5	100.800	53.504	56.000	166.000
NDF	5	455.600	33.329	404.000	494.000
iNDF	5	182.850	31.530	147.377	231.411
nhNDF	5	4.103	0.599	3.126	4.679
TAF	5	55.400	19.561	41.000	87.000
Mjölksyra	5	37.600	5.459	33.000	47.000
Ättiksyra	5	12.400	8.961	4.000	24.000
Socker	5	55.000	41.737	10.000	92.000
PRF	1	1.000	.	1.000	1.000
BUF	5	4.400	6.043	1.000	15.000
AATp20	5	81.904	2.467	79.731	85.958
PBVp20	5	15.795	22.814	-19.455	41.693
NELp20	5	5.945	0.325	5.420	6.291
OE*	5	10.574	0.372	10.100	11.000
AAT*	4	70.500	1.291	69.000	72.000
PBV*	4	23.750	26.862	-15.000	46.000
Ca	5	8.020	1.103	6.700	9.200
P	5	2.820	0.512	2.000	3.400
Mg	5	2.340	0.472	1.500	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	24.100	4.057	18.800	29.000
Na	5	0.600	0.200	0.400	0.900
Cl	5	8.100	4.509	4.300	14.900
S	5	2.100	0.539	1.200	2.600
CAB	5	283.036	143.198	75.774	468.778
Fe	5	113.600	41.860	77.000	180.000
Mn	5	79.800	32.995	31.000	114.000
Zn	5	24.800	8.106	18.000	38.000
Cu	5	7.560	1.503	5.700	9.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	34	458.176	138.353	289.000	582.000
Aska	34	70.706	10.253	58.000	82.000
OS smbh	34	74.818	5.454	66.800	82.400
Råprot	34	130.118	33.416	89.000	184.000
sRåprot	4	475.750	26.171	449.000	511.000
NDF	34	517.206	56.819	454.000	602.000
iNDF	34	144.546	50.872	73.080	222.808
nhNDF	34	5.130	1.086	3.873	6.906
TAF	34	84.000	0.000	84.000	84.000
Socker	34	98.294	42.119	38.000	157.000
AATp20	34	83.728	6.280	75.129	92.533
PBVp20	34	1.741	23.517	-29.164	38.398

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	34	6.164	0.521	5.359	6.869
OE*	34	10.917	0.864	9.640	12.100
AAT*	30	76.267	4.487	70.500	81.500
PBV*	30	2.467	28.057	-35.000	45.500
Ca	30	4.080	1.270	2.300	5.450
P	30	2.443	0.474	1.800	3.050
Mg	30	1.513	0.446	0.950	2.050
K	30	23.057	3.877	18.700	28.700
Na	28	0.229	0.205	0.100	0.500
Cl	4	4.525	3.089	2.400	9.100
S	30	1.740	0.513	1.100	2.550
CAB	30	360.400	90.331	266.639	493.469
Fe	30	122.133	70.965	53.500	233.000
Mn	30	54.067	24.540	31.500	79.000
Zn	30	28.567	14.061	18.500	36.000
Cu	30	5.560	1.129	4.100	7.000
Se	9	0.027	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	538.750	160.107	307.000	735.000
Aska	16	81.625	11.569	68.000	95.000
OS smbh	16	74.413	2.404	71.800	77.400
Råprot	16	141.875	27.422	104.000	160.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	2	330.500	23.335	314.000	347.000
NDF	16	492.063	47.164	403.000	534.000
iNDF	16	158.705	28.858	127.291	180.553
nhNDF	16	4.755	0.526	4.234	5.451
TAF	16	84.000	0.000	84.000	84.000
Socker	16	97.250	42.120	36.000	156.000
AATp20	16	83.461	4.476	78.491	88.547
PBVp20	16	13.205	21.041	-19.515	33.954
NELp20	16	6.075	0.226	5.795	6.378
OE*	16	10.711	0.449	10.100	11.200
AAT*	14	74.357	2.530	72.000	78.000
PBV*	14	8.000	21.884	-27.000	32.000
Ca	14	6.493	1.646	5.200	8.200
P	14	2.871	0.432	2.300	3.400
Mg	14	2.450	0.470	1.900	3.000
K	14	24.707	4.133	20.800	30.700
Na	14	0.607	0.478	0.100	1.300
Cl	2	10.700	9.758	3.800	17.600
S	14	2.250	0.467	1.800	2.600
CAB	14	361.130	138.342	205.042	540.384
Fe	14	121.857	57.906	64.000	194.000
Mn	14	71.571	29.207	27.000	114.000
Zn	14	26.929	5.106	21.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	14	7.279	1.315	5.600	8.500
Se	6	0.022	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	379.100	167.113	209.000	622.000
Aska	10	91.500	7.948	81.000	102.500
OS smbh	10	72.090	2.979	68.500	76.600
Råprot	10	141.300	13.969	122.500	162.000
sRåprot	1	404.000	.	404.000	404.000
NDF	10	452.000	30.507	415.000	493.000
iNDF	10	202.022	45.126	145.382	270.960
nhNDF	10	3.971	0.725	3.026	5.067
TAF	10	84.000	0.000	84.000	84.000
Socker	10	70.100	22.502	48.000	100.500
AATp20	10	79.272	3.415	74.716	83.224
PBVp20	10	19.597	10.895	6.373	37.120
NELp20	10	5.774	0.278	5.392	6.160
OE*	10	10.245	0.476	9.650	10.950
AAT*	9	71.889	2.571	67.000	76.000
PBV*	9	17.778	13.141	-4.000	42.000
Ca	10	9.190	1.939	6.900	12.050
P	10	2.720	0.457	2.150	3.400
Mg	10	3.040	0.467	2.450	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	10	22.200	4.143	16.000	27.450
Na	10	0.590	0.273	0.200	0.950
Cl	1	5.400	.	5.400	5.400
S	10	2.380	0.535	1.800	3.250
CAB	10	312.283	118.343	158.656	457.261
Fe	10	144.600	86.163	78.000	269.500
Mn	10	87.100	48.968	36.000	162.500
Zn	10	29.300	7.747	22.500	41.000
Cu	10	8.050	0.890	6.950	9.300
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	386.286	96.915	265.000	509.000
Aska	7	81.143	18.252	62.000	113.000
OS smbh	7	74.429	5.957	64.800	82.900
Råprot	7	140.857	40.172	89.000	194.000
sRåprot	7	608.714	98.424	466.000	776.000
NH3-N	7	92.714	24.486	52.000	127.000
NDF	7	466.857	74.517	381.000	577.000
iNDF	7	157.696	49.320	82.898	227.925
nhNDF	7	4.509	0.848	3.439	5.987
TAF	7	59.957	37.173	23.400	111.600
Mjölksyra	7	44.714	31.009	15.000	93.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	7	12.286	7.455	5.000	25.000
Socker	7	64.571	44.691	14.000	131.000
BUF	7	1.957	1.788	0.100	4.900
AATp20	7	81.770	6.347	73.138	92.400
PBVp20	7	15.089	32.467	-19.034	50.266
NELp20	7	6.077	0.569	5.183	6.850
OE*	7	10.729	0.971	9.200	12.300
AAT*	7	70.571	2.760	66.000	75.000
PBV*	7	19.143	35.946	-24.000	64.000
Ca	6	4.950	0.616	4.100	5.600
P	6	2.417	0.611	1.500	3.200
Mg	6	1.817	0.407	1.400	2.500
K	6	24.200	8.329	13.900	38.600
Na	6	0.317	0.299	0.100	0.700
Cl	7	6.529	6.254	1.900	19.300
S	6	2.033	0.493	1.300	2.600
CAB	6	333.780	116.432	124.371	440.436
Fe	6	115.500	24.761	80.000	139.000
Mn	6	101.667	58.990	45.000	196.000
Zn	6	25.167	1.835	23.000	27.000
Cu	6	5.917	0.671	4.900	6.800
Se	1	0.007	.	0.007	0.007

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	138	365.065	121.997	251.000	570.000
Aska	138	68.906	15.054	53.000	86.000
OS smbh	138	74.464	4.456	68.300	79.800
Råprot	138	137.152	27.573	103.000	175.000
sRåprot	138	599.775	89.670	481.000	702.000
NH3-N	138	84.486	32.869	38.000	121.000
NDF	138	485.304	55.029	419.000	556.000
iNDF	138	156.624	42.223	106.963	214.055
nhNDF	138	4.554	0.729	3.649	5.603
TAF	138	69.099	29.144	26.400	103.100
Mjölksyra	138	53.246	24.916	18.000	82.000
Ättiksyra	137	13.292	5.398	7.000	20.000
Socker	138	50.217	34.225	16.000	107.000
PRF	27	1.222	1.528	0.000	4.000
BUF	137	1.486	2.636	0.000	3.900
AATp20	138	82.301	4.145	76.852	86.956
PBVp20	138	10.756	23.396	-19.800	45.030
NELp20	138	6.196	0.450	5.493	6.757
OE*	138	10.872	0.722	9.800	11.800
AAT*	110	71.445	2.127	68.000	74.000
PBV*	110	11.382	23.133	-21.500	36.500
Ca	137	5.017	1.164	3.800	6.500
P	137	2.421	0.458	1.800	3.000
Mg	137	1.693	0.355	1.300	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	137	21.831	5.057	15.700	28.500
Na	137	0.350	0.324	0.100	0.800
Cl	137	4.121	3.710	0.900	8.100
S	137	1.849	0.429	1.300	2.400
CAB	137	341.101	129.828	180.931	487.154
Fe	135	232.859	244.372	73.000	444.000
Mn	135	66.570	26.276	41.000	93.000
Zn	135	28.037	7.735	21.000	33.000
Cu	135	6.364	1.272	4.900	8.000
Se	6	0.025	0.020	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	99	439.515	133.383	308.000	666.000
Aska	99	76.051	9.928	64.000	91.000
OS smbh	99	74.847	2.490	72.100	78.000
Råprot	99	137.990	20.739	114.000	169.000
sRåprot	99	514.182	81.736	405.000	606.000
NH3-N	99	65.273	24.199	35.000	98.000
NDF	99	452.556	39.845	401.000	499.000
iNDF	99	165.630	27.641	131.312	203.989
nhNDF	99	4.320	0.582	3.518	5.022
TAF	99	58.238	25.951	21.500	92.700
Mjölksyra	99	44.707	22.353	14.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	99	11.616	4.631	6.000	17.000
Socker	99	68.455	34.357	29.000	125.000
PRF	11	1.091	1.221	0.000	3.000
BUF	99	0.905	1.018	0.000	2.500
AATp20	99	84.483	3.807	79.869	89.628
PBVp20	99	7.962	18.072	-14.892	31.248
NELp20	99	6.126	0.299	5.739	6.494
OE*	99	10.855	0.410	10.260	11.380
AAT*	88	71.250	1.215	70.000	73.000
PBV*	88	15.205	20.193	-8.000	45.000
Ca	93	6.771	1.724	5.100	9.200
P	93	2.710	0.368	2.300	3.100
Mg	93	2.360	0.510	1.800	2.900
K	93	22.889	5.050	16.800	28.500
Na	93	0.655	0.407	0.100	1.200
Cl	99	5.523	2.990	2.100	9.400
S	93	2.128	0.411	1.600	2.600
CAB	93	320.162	107.668	197.818	462.060
Fe	91	136.912	72.938	77.000	235.000
Mn	91	73.802	24.733	48.000	100.000
Zn	91	26.374	4.404	21.000	32.000
Cu	91	7.425	1.279	6.000	9.100
Se	3	0.024	0.023	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	448.933	117.560	324.500	621.000
Aska	30	80.033	12.397	65.500	98.000
OS smbh	30	75.110	2.037	72.150	77.400
Råprot	30	137.000	27.509	108.500	170.000
sRåprot	30	499.333	78.294	404.500	586.000
NH3-N	30	64.667	22.819	33.500	92.000
NDF	30	426.300	28.805	389.000	459.500
iNDF	30	174.905	27.755	137.079	210.884
nhNDF	30	4.200	0.693	3.310	5.191
TAF	30	56.940	33.166	14.950	109.800
Mjölksyra	30	43.433	28.223	8.500	87.500
Ättiksyra	30	11.467	5.444	5.000	18.500
Socker	30	83.967	36.961	25.500	129.000
PRF	4	2.000	2.449	0.000	5.000
BUF	30	0.907	0.904	0.050	2.100
AATp20	30	84.429	4.281	80.651	89.951
PBVp20	30	7.086	24.457	-12.147	33.132
NELp20	30	6.074	0.304	5.648	6.421
OE*	30	10.854	0.376	10.300	11.300
AAT*	26	71.269	1.185	70.000	73.000
PBV*	26	8.846	20.023	-12.000	29.000
Ca	28	8.039	2.144	6.000	11.700
P	28	2.550	0.427	1.900	3.000
Mg	28	2.632	0.503	2.100	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	28	20.718	4.956	14.300	28.000
Na	28	0.779	0.504	0.100	1.500
Cl	30	5.393	2.376	2.850	9.100
S	28	2.404	0.458	1.900	3.100
CAB	28	258.768	99.803	113.278	388.108
Fe	27	179.148	123.005	73.000	311.000
Mn	27	82.370	28.493	55.000	125.000
Zn	27	24.852	3.687	19.000	29.000
Cu	27	6.985	1.210	5.700	8.400
Se	1	0.009	.	0.009	0.009

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	432.000	.	432.000	432.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	471.000	.	471.000	471.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	212.078	.	212.078	212.078
nhNDF	1	3.361	.	3.361	3.361
TAF	1	85.900	.	85.900	85.900
Mjölksyra	1	71.000	.	71.000	71.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	74.000	.	74.000	74.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	78.453	.	78.453	78.453
PBVp20	1	10.170	.	10.170	10.170
NELp20	1	5.721	.	5.721	5.721
OE*	1	10.300	.	10.300	10.300
AAT*	1	70.000	.	70.000	70.000
PBV*	1	10.000	.	10.000	10.000
Ca	1	5.800	.	5.800	5.800
P	1	2.500	.	2.500	2.500
Mg	1	2.500	.	2.500	2.500
K	1	16.000	.	16.000	16.000
Na	1	2.000	.	2.000	2.000
Cl	1	6.500	.	6.500	6.500
S	1	2.300	.	2.300	2.300
CAB	1	169.315	.	169.315	169.315
Fe	1	405.000	.	405.000	405.000
Mn	1	268.000	.	268.000	268.000
Zn	1	36.000	.	36.000	36.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	311.000	.	311.000	311.000
Aska	1	67.000	.	67.000	67.000
OS smbh	1	72.900	.	72.900	72.900
Råprot	1	117.000	.	117.000	117.000
sRåprot	1	644.000	.	644.000	644.000
NH3-N	1	49.000	.	49.000	49.000
NDF	1	506.000	.	506.000	506.000
iNDF	1	143.000	.	143.000	143.000
nhNDF	1	3.801	.	3.801	3.801
TAF	1	84.000	.	84.000	84.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	45.000	.	45.000	45.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	77.877	.	77.877	77.877
PBVp20	1	-1.030	.	-1.030	-1.030
NELp20	1	6.112	.	6.112	6.112
OE*	1	10.640	.	10.640	10.640
Ca	1	4.800	.	4.800	4.800
P	1	2.500	.	2.500	2.500
Mg	1	1.400	.	1.400	1.400
K	1	22.500	.	22.500	22.500
Na	1	0.200	.	0.200	0.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	7.500	.	7.500	7.500
S	1	1.600	.	1.600	1.600
CAB	1	272.876	.	272.876	272.876
Fe	1	104.000	.	104.000	104.000
Mn	1	48.000	.	48.000	48.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	425.333	91.314	300.000	543.000
Aska	6	61.833	20.439	44.000	101.000
OS smbh	6	68.883	3.311	64.200	73.600
Råprot	6	107.833	16.869	88.000	130.000
sRåprot	6	621.500	121.278	471.000	808.000
NH3-N	6	81.667	20.539	52.000	102.000
NDF	6	428.333	44.189	341.000	464.000
iNDF	6	252.033	42.638	205.000	326.000
nhNDF	6	2.680	0.433	2.166	3.258
Stä	6	103.500	83.253	17.000	210.000
TAF	6	64.617	29.306	31.000	109.700
Mjölksyra	6	48.667	23.813	30.000	92.000
Ättiksyra	6	13.000	8.099	0.000	23.000
Socker	6	64.833	27.007	34.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	1.500	2.121	0.000	3.000
BUF	2	2.000	1.414	1.000	3.000
AATp20	6	70.208	3.309	65.941	73.714
PBVp20	6	-6.451	14.133	-23.404	13.296
NELp20	6	5.569	0.376	5.170	6.196
OE*	3	10.173	0.812	9.400	11.020
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-11.000	.	-11.000	-11.000
Ca	6	4.850	2.228	3.000	8.600
P	6	2.717	0.462	2.100	3.400
Mg	6	1.800	0.610	1.200	2.600
K	6	18.883	7.016	12.400	32.500
Na	6	0.433	0.163	0.200	0.600
Cl	6	4.100	1.652	2.100	6.800
S	6	1.450	0.561	0.600	2.300
CAB	6	295.672	169.861	135.637	614.458
Fe	6	152.000	71.445	66.000	261.000
Mn	6	40.500	16.634	19.000	65.000
Zn	6	30.000	8.270	23.000	44.000
Cu	6	6.867	2.276	5.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	482.667	55.1029	435.000	543.000
Aska	3	64.000	7.8102	59.000	73.000
OS smbh	3	69.367	3.1501	67.400	73.000
Råprot	3	97.667	9.2916	90.000	108.000
sRåprot	3	659.000	76.0789	581.000	733.000
NH3-N	3	67.333	8.9629	57.000	73.000
NDF	3	446.667	16.5630	431.000	464.000
iNDF	3	239.768	31.2131	203.756	259.040
nhNDF	3	3.006	0.4250	2.740	3.496
Stä	3	95.000	32.0780	75.000	132.000
TAF	3	49.333	10.5987	38.000	59.000
Mjölksyra	3	32.333	9.6090	22.000	41.000
Ättiksyra	3	15.000	1.0000	14.000	16.000
Socker	3	84.333	44.9704	54.000	136.000
AATp20	3	72.785	3.1538	70.495	76.382
PBVp20	3	-15.055	11.4437	-23.123	-1.958
NELp20	3	5.614	0.1993	5.457	5.838
OE*	1	9.200	.	9.200	9.200
AAT*	1	60.000	.	60.000	60.000
PBV*	1	-18.000	.	-18.000	-18.000
Ca	1	5.100	.	5.100	5.100
P	1	2.300	.	2.300	2.300
Mg	1	2.000	.	2.000	2.000
K	1	16.400	.	16.400	16.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.800	.	0.800	0.800
Cl	3	3.467	0.4509	3.000	3.900
S	1	1.300	.	1.300	1.300
CAB	1	274.378	.	274.378	274.378
Fe	1	313.000	.	313.000	313.000
Mn	1	94.000	.	94.000	94.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.700	.	5.700	5.700

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	363.750	63.269	279.000	432.000
Aska	4	60.750	7.890	54.000	69.000
OS smbh	4	67.650	2.575	64.200	69.900
Råprot	4	92.500	14.059	73.000	105.000
sRåprot	4	654.500	125.609	474.000	764.000
NH3-N	4	73.750	25.773	41.000	104.000
NDF	4	475.500	35.903	422.000	498.000
iNDF	4	247.265	25.969	217.160	279.138
nhNDF	4	2.946	0.389	2.519	3.405
Stä	4	68.500	42.977	27.000	109.000
TAF	4	90.250	43.038	44.000	146.000
Mjölksyra	4	74.750	41.764	31.000	130.000
Ättiksyra	4	15.500	2.082	13.000	18.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	48.000	36.139	24.000	101.000
AATp20	4	69.470	1.598	67.543	71.152
PBVp20	4	-16.700	11.152	-33.007	-8.462
NELp20	4	5.650	0.241	5.384	5.938
Ca	4	4.525	0.532	4.100	5.300
P	4	2.250	0.311	2.000	2.700
Mg	4	1.750	0.265	1.400	2.000
K	4	16.425	2.864	12.800	19.800
Na	4	0.975	0.746	0.100	1.900
Cl	4	4.600	2.670	2.300	7.600
S	4	1.525	0.250	1.400	1.900
CAB	4	237.578	83.300	169.212	358.453
Fe	4	185.500	99.279	99.000	302.000
Mn	4	101.000	40.669	41.000	130.000
Zn	4	26.500	4.203	22.000	32.000
Cu	4	4.925	0.411	4.400	5.300

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	436.714	86.490	345.000	562.00
Aska	7	69.000	20.688	39.000	99.00
OS smbh	7	68.529	2.484	65.500	72.00
Råprot	7	122.857	21.629	97.000	163.00
sRåprot	7	639.429	101.188	525.000	812.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	7	74.000	15.969	54.000	101.00
NDF	7	442.857	48.240	380.000	519.00
iNDF	7	273.596	50.140	227.528	363.00
nhNDF	7	3.126	0.723	1.878	4.01
Stä	7	98.429	82.158	18.000	241.00
TAF	7	64.429	25.922	33.000	99.00
Mjölksyra	7	47.143	22.079	20.000	80.00
Ättiksyra	7	16.714	5.992	9.000	26.00
Socker	7	45.286	16.245	22.000	75.00
PRF	3	0.000	0.000	0.000	0.00
BUF	3	1.333	1.528	0.000	3.00
AATp20	7	69.467	2.209	66.277	71.60
PBVp20	7	11.916	22.454	-12.726	53.77
NELp20	7	5.648	0.353	5.147	6.13
OE*	3	9.983	0.364	9.690	10.39
Ca	6	5.350	1.432	3.900	7.90
P	6	2.733	0.459	2.000	3.10
Mg	6	1.800	0.613	1.100	2.60
K	6	20.400	7.363	10.900	29.80
Na	6	0.333	0.383	0.100	1.10
Cl	7	6.000	3.019	2.300	11.20
S	6	1.583	0.417	1.000	2.10
CAB	6	261.687	125.519	133.612	438.31
Fe	6	334.167	390.247	80.000	1089.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	6	71.000	39.156	13.000	113.00
Zn	6	35.167	8.542	27.000	46.00
Cu	6	7.350	4.296	4.600	16.00

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	514.500	163.342	399.000	630.000
Aska	2	52.000	15.556	41.000	63.000
OS smbh	2	65.050	0.778	64.500	65.600
Råprot	2	87.000	22.627	71.000	103.000
sRåprot	2	537.000	72.125	486.000	588.000
NH3-N	2	59.500	16.263	48.000	71.000
NDF	2	529.000	4.243	526.000	532.000
iNDF	2	252.266	1.535	251.181	253.352
nhNDF	2	2.931	0.025	2.914	2.949
Stä	2	55.500	10.607	48.000	63.000
TAF	2	44.000	14.849	33.500	54.500
Mjölksyra	2	29.000	21.213	14.000	44.000
Ättiksyra	2	12.500	6.364	8.000	17.000
Socker	2	101.500	43.134	71.000	132.000
AATp20	2	71.023	1.895	69.683	72.363
PBVp20	2	-26.432	21.311	-41.501	-11.362
NELp20	2	5.231	0.006	5.226	5.235
Ca	1	2.400	.	2.400	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	1.900	.	1.900	1.900
Mg	1	1.300	.	1.300	1.300
K	1	11.700	.	11.700	11.700
Na	1	0.100	.	0.100	0.100
Cl	2	3.850	3.465	1.400	6.300
S	1	1.500	.	1.500	1.500
CAB	1	170.394	.	170.394	170.394
Fe	1	91.000	.	91.000	91.000
Mn	1	49.000	.	49.000	49.000
Zn	1	26.000	.	26.000	26.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	399.000	83.2082	278.000	512.000
Aska	6	63.167	8.4479	55.000	78.000
OS smbh	6	69.800	2.3178	67.200	72.700
Råprot	6	121.833	16.2901	111.000	154.000
sRåprot	6	654.500	69.7245	559.000	722.000
NH3-N	6	89.500	27.1422	47.000	117.000
NDF	6	418.167	57.5792	332.000	479.000
iNDF	6	257.527	27.5133	236.656	310.000
nhNDF	6	2.793	0.2193	2.473	3.133
Stä	6	100.333	72.4256	17.000	189.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	6	65.333	12.5007	50.000	81.000
Mjölksyra	6	51.333	11.7927	37.000	71.000
Ättiksyra	6	13.500	2.9496	10.000	19.000
Socker	6	60.667	29.5612	21.000	109.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	6	72.921	1.7042	69.859	74.851
PBVp20	6	5.446	14.0056	-5.676	33.466
NELp20	6	5.724	0.2431	5.424	6.086
OE*	1	10.600	.	10.600	10.600
Ca	6	6.133	0.8287	5.000	7.300
P	6	2.600	0.4427	2.200	3.400
Mg	6	1.833	0.3724	1.400	2.400
K	6	15.850	2.8662	11.000	18.900
Na	6	1.667	1.4514	0.500	3.800
Cl	6	5.950	2.6764	3.400	10.800
S	6	1.817	0.4262	1.500	2.600
CAB	6	196.687	46.9462	127.131	262.491
Fe	6	112.667	27.1195	83.000	143.000
Mn	6	37.500	17.4213	19.000	70.000
Zn	6	35.000	9.0995	27.000	48.000
Cu	6	5.717	0.7360	4.700	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	789.000	.	789.000	789.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	66.800	.	66.800	66.800
Råprot	1	82.000	.	82.000	82.000
NDF	1	595.000	.	595.000	595.000
iNDF	1	206.482	.	206.482	206.482
nhNDF	1	3.794	.	3.794	3.794
TAF	1	0.000	.	0.000	0.000
Socker	1	115.000	.	115.000	115.000
AATp20	1	87.917	.	87.917	87.917
PBVp20	1	-49.823	.	-49.823	-49.823
NELp20	1	5.191	.	5.191	5.191
OE*	1	9.700	.	9.700	9.700
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-36.000	.	-36.000	-36.000
Ca	1	4.100	.	4.100	4.100
P	1	2.000	.	2.000	2.000
Mg	1	1.200	.	1.200	1.200
K	1	18.500	.	18.500	18.500
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	263.849	.	263.849	263.849
Fe	1	63.000	.	63.000	63.000
Mn	1	39.000	.	39.000	39.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	21.000	.	21.000	21.000
Cu	1	5.600	.	5.600	5.600
Se	1	0.005	.	0.005	0.005

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	865.417	78.187	784.000	919.000
Aska	12	57.750	14.303	45.000	77.000
OS smbh	12	65.983	4.052	62.200	69.700
Råprot	12	69.917	14.638	46.000	81.000
sRåprot	2	523.000	15.556	512.000	534.000
NDF	12	551.667	48.942	486.000	604.000
iNDF	12	237.311	41.801	187.357	281.642
nhNDF	12	3.446	0.589	2.643	4.116
TAF	12	0.000	0.000	0.000	0.000
Socker	12	131.250	30.142	98.000	180.000
AATp20	12	82.510	4.552	78.416	88.374
PBVp20	12	-52.227	12.432	-70.255	-38.663
NELp20	12	5.010	0.338	4.638	5.365
OE*	12	9.587	0.706	8.900	10.300
AAT*	10	68.500	4.790	62.500	75.000
PBV*	10	-44.300	14.878	-66.000	-29.000
Ca	10	3.320	1.178	1.700	4.900
P	10	1.730	0.302	1.450	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	10	1.370	0.587	0.750	2.300
K	10	14.670	1.675	12.400	16.600
Na	9	0.189	0.154	0.100	0.500
Cl	2	1.650	0.354	1.400	1.900
S	10	1.160	0.341	0.950	1.650
CAB	10	191.565	61.515	115.149	279.384
Fe	10	125.500	134.838	47.000	332.000
Mn	10	66.800	29.329	40.000	118.500
Zn	10	18.300	2.710	15.000	22.000
Cu	10	4.070	0.893	3.100	5.450
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	652.000	.	652.000	652.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	118.000	.	118.000	118.000
sRåprot	1	456.000	.	456.000	456.000
NDF	1	519.000	.	519.000	519.000
iNDF	1	360.000	.	360.000	360.000
nhNDF	1	4.713	.	4.713	4.713
TAF	1	72.000	.	72.000	72.000
Socket	1	92.000	.	92.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	73.583	.	73.583	73.583
PBVp20	1	10.402	.	10.402	10.402
NELp20	1	5.277	.	5.277	5.277
OE*	1	9.330	.	9.330	9.330
Ca	1	6.200	.	6.200	6.200
P	1	1.700	.	1.700	1.700
Mg	1	1.900	.	1.900	1.900
K	1	18.300	.	18.300	18.300
Na	1	0.200	.	0.200	0.200
Cl	1	7.700	.	7.700	7.700
S	1	1.200	.	1.200	1.200
CAB	1	184.825	.	184.825	184.825
Fe	1	42.000	.	42.000	42.000
Mn	1	17.000	.	17.000	17.000
Zn	1	15.000	.	15.000	15.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	820.000	.	820.000	820.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	76.400	.	76.400	76.400
Råprot	1	217.000	.	217.000	217.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	381.000	.	381.000	381.000
NDF	1	354.000	.	354.000	354.000
iNDF	1	340.000	.	340.000	340.000
nhNDF	1	15.005	.	15.005	15.005
TAF	1	72.000	.	72.000	72.000
Socker	1	65.000	.	65.000	65.000
AATp20	1	88.485	.	88.485	88.485
PBVp20	1	80.807	.	80.807	80.807
NELp20	1	6.333	.	6.333	6.333
OE*	1	10.780	.	10.780	10.780
Ca	1	11.100	.	11.100	11.100
P	1	2.200	.	2.200	2.200
Mg	1	2.200	.	2.200	2.200
K	1	23.000	.	23.000	23.000
Na	1	0.200	.	0.200	0.200
Cl	1	4.200	.	4.200	4.200
S	1	2.100	.	2.100	2.100
CAB	1	347.371	.	347.371	347.371
Fe	1	63.000	.	63.000	63.000
Mn	1	32.000	.	32.000	32.000
Zn	1	26.000	.	26.000	26.000
Cu	1	9.000	.	9.000	9.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet