

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	4	793	24	64.5	136	523	7.0	153	128	3.15	554	0.000			5
Vete, kärna (005)	1	1	677	19	88.0	150		16.0		187	3.50	612	0.000			
Ensilage, gräs (0% klöver) (162)	1	15	346	66	72.9	134	610	104	517	170	4.45		64.507	47.9	13.3	39
Ensilage, gräs (0% klöver) (162)	2	5	364	73	71.8	132	479	62.6	475	192	3.84		62.660	47.8	13.6	47
Grönmassa blandvall (1-50 % baljväxter) (164)	1	15	395	68	74.7	132	380		520	150	4.96		84.000			98
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	392	73	73.7	131			497	164	4.51		84.000			90
Ensilage, blandvall (1-50% klöver) (165)	0	1	238	71	68.5	133	609	130	546	204	3.79		83.900	55.0	24.0	16
Ensilage, blandvall (1-50% klöver) (165)	1	74	348	64	72.9	142	619	93.9	509	170	4.34		65.947	48.2	13.7	48
Ensilage, blandvall (1-50% klöver) (165)	2	39	394	73	73.6	134	536	72.2	466	175	4.13		60.410	45.3	12.3	69
Ensilage, blandvall (1-50% klöver) (165)	3	6	362	93	73.9	142	600	91.5	440	188	4.26		68.471	51.3	14.3	59
Ensilage, blandvall (1-50% klöver) (165)	4	1	248	77	75.5	147	572	43.0	458	151	4.42		117.000	102	15.0	29
Korn, helsädesensilage (250)	1	5	366	47	69.5	91	669	98.0	399	272	2.40	196	76.600	57.2	15.6	37
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	398	73	62.4	112	624	98.7	525	271	2.73	49	60.667	42.7	16.0	29
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	2	392	89	67.4	138	662	66.5	492	326	5.80	48	71.000	53.5	16.5	40
Havre helsädesensilage degmognad (296)	1	1	391	81	72.0	136	737	121	454	198	3.68	25	73.000	50.0	23.0	51
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	293	107	82.9	175	601	27.0	385	85	7.14	32	103.000	100	2.0	17
Vete, helsäd ensilage (299)	1	1	346	67	69.5	125	735	125	555	232	3.23	21	66.210	48.0	12.0	39
Hö, blandvall, 0-50% baljväxter (383)	1	4	737	48	68.7	78	414		547	218	3.89		0.000			149
Hö, blandvall, 0-50% baljväxter (383)	5	1	882	57	64.5	98	401		572	276	3.80		0.000			83
Fullfoder (TMR) ej kompletta data (1E3)	1	1	426	64	70.5	130	769	118	489	207	3.60	23				76

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	4				95.6	-8.6	7.29	13.4		
Vete, kärna (005)	1	1				116	-19	7.90			
Ensilage, gräs (0% klöver) (162)	1	15	2.00000	2.24000		80.8	8.2	6.04	10.7	70.7	14.1
Ensilage, gräs (0% klöver) (162)	2	5		0.26000		81.1	5.5	5.86	10.4	69.6	11.6
Grönmassa blandvall (1-50 % baljväxter) (164)	1	15				84.0	3.4	6.16	10.9	76.3	3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11				82.0	5.3	6.02	10.7	74.6	2.5
Ensilage, blandvall (1-50% klöver) (165)	0	1		3.90000		75.2	18.6	5.77	9.9	68.0	15.0
Ensilage, blandvall (1-50% klöver) (165)	1	74	3.44444	2.21622		81.6	16.3	6.10	10.7	70.7	12.2
Ensilage, blandvall (1-50% klöver) (165)	2	39	2.11111	1.56410		82.7	7.6	6.04	10.7	70.6	8.2
Ensilage, blandvall (1-50% klöver) (165)	3	6	1.00000	2.21667		80.2	19.1	6.00	10.5	70.2	18.4
Ensilage, blandvall (1-50% klöver) (165)	4	1	0.00000	0.00000		79.6	23.9	6.44	11.0		
Korn, helsädesensilage (250)	1	5	7.00000	0.00000		70.0	-20	5.76	10.6		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				66.2	8.4	5.12	8.4	58.0	-28
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	2	0.00000	0.00000		68.4	27.7	5.71	10.3		
Havre helsädesensilage degmognad (296)	1	1				72.5	16.4	5.87	9.8	59.0	15.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	1.00000	0.00000		78.4	41.5	7.05	11.8		
Vete, helsäd ensilage (299)	1	1				70.9	-5.4	5.75	9.7	59.0	5.0
Hö, blandvall, 0-50% baljväxter (383)	1	4				88.4	-55	5.30	10.1	73.7	-49
Hö, blandvall, 0-50% baljväxter (383)	5	1				88.2	-35	5.04	9.4		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.5	3.8	1.3	5.0	0.1		1.4	14	2	104.5	18.5	30.0	5.3	
Vete, kärna (005)	1	1	0.4	4.1	1.5	5.4	0.1		1.5	23	1	64.0	31.0	35.0	6.8	
Ensilage, gräs (0% klöver) (162)	1	15	4.6	2.4	1.7	19.6	0.3	3.5	1.9	296	15	249.7	67.3	29.9	6.5	
Ensilage, gräs (0% klöver) (162)	2	5	5.9	2.6	2.3	20.2	0.6	6.5	1.9	238	5	244.0	91.4	31.4	8.1	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	15	4.4	2.5	1.6	20.9	0.3	1.7	1.8	311	14	131.9	49.6	26.3	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	6.2	2.6	2.1	18.8	0.3		1.8	248	11	85.4	49.8	27.5	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	1	4.1	2.6	1.9	21.2	1.4	4.2	2.2	347	1	178.0	66.0	33.0	7.7	
Ensilage, blandvall (1-50% klöver) (165)	1	72	4.8	2.4	1.7	20.2	0.4	3.9	2.0	299	68	177.7	55.1	35.1	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	38	6.2	2.7	2.2	21.0	0.5	5.7	2.1	272	38	237.9	72.1	39.7	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	5	4.9	3.1	2.1	24.1	0.6	7.4	2.5	278	5	178.8	109.0	33.0	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	1	5.5	2.9	2.0	20.7	1.5	1.7	2.2	409	0					
Korn, helsädesensilage (250)	1	5	2.4	2.3	1.3	11.4	0.8	3.4	1.6	133	5	167.0	69.2	27.8	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	5.2	2.5	1.7	20.0	0.7	4.3	2.8	249	3	175.7	95.7	95.7	6.5	
Ärter/Vicker/Havre, hel, ax till blomma, ensilage	1	1	5.4	2.6	1.6	20.6	1.8	14.7	1.9	***	1	200.0	72.0	67.0	6.0	
Havre helsädesensilage degmognad (296)	1	1	3.9	2.8	1.9	13.9	1.9	2.8	3.1	165	1	443.0	119.0	46.0	6.8	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	8.7	3.0	2.4	20.3	1.3	3.8	2.3	325	1	224.0	40.0	33.0	6.0	
Vete, helsäd ensilage (299)	1	1	4.8	2.4	2.0	9.4	0.5	6.1	2.2	-47	1	196.0	133.0	27.0	7.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	3	3.1	1.8	1.3	12.4	0.2		1.3	111	2	46.0	58.0	21.0	4.7	
Hö, blandvall, 0-50% baljväxter (383)	5	1	2.6	2.4	1.5	16.6	1.0	7.2	1.6	165	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	1	5.3	2.6	1.7	18.6	1.2	4.0	1.9	296	1	203.0	108.0	31.0	7.6	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	792.750	59.1685	738.000	863.000
Aska	4	24.375	3.8161	19.000	28.000
OS smbh	4	64.500	43.0000	0.000	86.000
Råprot	4	135.575	24.5450	111.000	169.000
sRåprot	1	523.000	.	523.000	523.000
NH3-N	2	7.000	1.4142	6.000	8.000
NDF	1	153.000	.	153.000	153.000
iNDF	4	127.750	68.5000	25.000	162.000
nhNDF	4	3.150	0.0000	3.150	3.150
Stä	4	554.400	49.2474	483.000	595.600
TAF	4	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	4	95.628	0.5436	95.122	96.284
PBVp20	4	-8.604	23.4730	-32.511	23.325
NELp20	4	7.293	0.1692	7.140	7.516
OE*	1	13.400	.	13.400	13.400
Ca	2	0.450	0.0707	0.400	0.500
P	2	3.750	0.2121	3.600	3.900
Mg	2	1.300	0.0000	1.300	1.300
K	2	5.000	0.4243	4.700	5.300
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.0707	1.300	1.400
CAB	2	14.047	6.4313	9.500	18.595
Fe	2	104.500	3.5355	102.000	107.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	18.500	0.7071	18.000	19.000
Zn	2	30.000	2.8284	28.000	32.000
Cu	2	5.300	0.7071	4.800	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	677.000	.	677.000	677.000
Aska	1	19.000	.	19.000	19.000
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	150.000	.	150.000	150.000
NH3-N	1	16.000	.	16.000	16.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	612.000	.	612.000	612.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	115.651	.	115.651	115.651
PBVp20	1	-19.147	.	-19.147	-19.147
NELp20	1	7.899	.	7.899	7.899
Ca	1	0.400	.	0.400	0.400
P	1	4.100	.	4.100	4.100
Mg	1	1.500	.	1.500	1.500
K	1	5.400	.	5.400	5.400
Na	1	0.100	.	0.100	0.100
S	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	23.353	.	23.353	23.353
Fe	1	64.000	.	64.000	64.000
Mn	1	31.000	.	31.000	31.000
Zn	1	35.000	.	35.000	35.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	346.467	87.296	267.000	468.000
Aska	15	65.667	10.808	52.000	77.000
OS smbh	15	72.907	2.804	69.300	76.100
Råprot	15	134.067	14.772	109.000	154.000
sRåprot	15	610.467	60.020	534.000	677.000
NH3-N	15	103.733	28.841	71.000	151.000
NDF	15	516.667	35.728	472.000	556.000
iNDF	15	169.757	28.469	133.380	187.348
nhNDF	15	4.452	0.389	3.990	5.173
TAF	15	64.507	21.580	32.000	82.500
Mjölksyra	15	47.933	19.211	21.000	66.000
Ättiksyra	15	13.267	3.882	8.000	18.000
Socker	15	39.333	24.248	15.000	88.000
PRF	1	2.000	.	2.000	2.000
BUF	15	2.240	2.765	0.100	7.700
AATp20	15	80.759	2.039	77.966	83.202

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	15	8.162	12.138	-12.679	23.919
NELp20	15	6.043	0.266	5.742	6.291
OE*	15	10.653	0.412	10.000	11.100
AAT*	14	70.714	1.139	69.000	72.000
PBV*	14	14.143	12.757	7.000	31.000
Ca	15	4.560	0.890	3.400	5.300
P	15	2.353	0.407	1.900	2.800
Mg	15	1.740	0.277	1.300	2.100
K	15	19.573	3.802	14.000	24.800
Na	15	0.340	0.213	0.100	0.600
Cl	15	3.527	2.433	0.800	7.500
S	15	1.913	0.185	1.600	2.000
CAB	15	296.453	133.707	75.130	474.446
Fe	15	249.667	153.081	109.000	419.000
Mn	15	67.267	34.406	35.000	123.000
Zn	15	29.933	3.936	24.000	35.000
Cu	15	6.520	1.377	4.800	8.600

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	364.400	114.323	285.000	566.000
Aska	5	73.400	16.994	56.000	94.000
OS smbh	5	71.780	4.357	66.000	76.500
Råprot	5	131.800	23.478	104.000	156.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	479.400	35.648	436.000	523.000
NH3-N	5	62.600	25.205	39.000	94.000
NDF	5	475.200	49.792	411.000	534.000
iNDF	5	191.544	35.124	156.311	238.757
nhNDF	5	3.841	0.497	3.149	4.280
TAF	5	62.660	17.386	32.900	75.100
Mjölksyra	5	47.800	15.975	20.000	60.000
Ättiksyra	5	13.600	2.702	11.000	18.000
Socker	5	46.600	24.603	30.000	89.000
BUF	5	0.260	0.358	0.100	0.900
AATp20	5	81.130	5.224	75.306	88.224
PBVp20	5	5.487	14.226	-10.625	23.711
NELp20	5	5.858	0.364	5.418	6.132
OE*	5	10.360	0.619	9.600	11.000
AAT*	5	69.600	2.074	67.000	72.000
PBV*	5	11.600	20.330	-13.000	32.000
Ca	5	5.940	1.791	4.600	9.000
P	5	2.580	0.712	1.700	3.300
Mg	5	2.260	0.261	2.000	2.700
K	5	20.160	4.144	15.800	25.100
Na	5	0.620	0.589	0.100	1.300
Cl	5	6.500	4.115	1.200	11.200
S	5	1.940	0.365	1.500	2.500
CAB	5	238.209	150.500	24.772	442.242

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	244.000	153.414	102.000	498.000
Mn	5	91.400	40.408	50.000	146.000
Zn	5	31.400	3.130	28.000	36.000
Cu	5	8.100	1.522	6.300	10.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	394.733	133.851	262.000	519.000
Aska	15	67.933	11.035	56.000	75.000
OS smbh	15	74.653	3.041	72.200	79.600
Råprot	15	132.267	24.464	104.000	159.000
sRåprot	1	380.000	.	380.000	380.000
NDF	15	520.133	28.985	482.000	561.000
iNDF	15	149.967	38.753	102.878	179.149
nhNDF	15	4.963	0.672	4.076	5.977
TAF	15	84.000	0.000	84.000	84.000
Socker	15	97.800	45.446	31.000	154.000
AATp20	15	83.980	3.055	79.512	87.551
PBVp20	15	3.395	20.403	-18.086	26.046
NELp20	15	6.161	0.283	5.824	6.476
OE*	15	10.917	0.456	10.400	11.700
AAT*	14	76.286	2.431	73.000	81.000
PBV*	14	3.429	24.572	-22.000	29.000
Ca	15	4.407	0.899	3.500	5.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	15	2.513	0.348	2.100	3.000
Mg	15	1.593	0.345	1.200	2.200
K	15	20.860	4.146	15.200	24.800
Na	15	0.340	0.322	0.100	0.900
Cl	1	1.700	.	1.700	1.700
S	15	1.780	0.451	1.200	2.400
CAB	15	310.651	103.027	158.650	436.116
Fe	14	131.857	66.172	71.000	193.000
Mn	14	49.571	14.195	35.000	60.000
Zn	14	26.286	6.900	18.000	34.000
Cu	14	5.286	1.132	4.100	6.700
Se	3	0.015	0.008	0.007	0.023

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	392.273	92.763	291.000	513.000
Aska	11	72.818	9.108	61.000	84.000
OS smbh	11	73.718	3.389	70.300	75.100
Råprot	11	130.818	11.915	117.000	142.000
NDF	11	497.000	33.076	458.000	523.000
iNDF	11	163.924	35.170	146.293	195.214
nhNDF	11	4.507	0.729	3.641	4.910
TAF	11	84.000	0.000	84.000	84.000
Socker	11	90.000	43.352	39.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	11	81.970	3.702	78.231	83.568
PBVp20	11	5.349	11.028	-2.183	13.840
NELp20	11	6.020	0.308	5.756	6.195
OE*	11	10.700	0.583	10.000	11.100
AAT*	11	74.636	3.325	71.000	77.000
PBV*	11	2.455	12.086	-6.000	13.000
Ca	11	6.236	1.760	4.500	7.700
P	11	2.564	0.439	2.200	3.000
Mg	11	2.145	0.679	1.400	3.000
K	11	18.764	4.129	16.000	22.700
Na	11	0.327	0.335	0.100	0.900
S	11	1.827	0.393	1.300	2.300
CAB	11	247.775	101.785	162.411	337.670
Fe	11	85.364	26.886	55.000	118.000
Mn	11	49.818	26.791	25.000	81.000
Zn	11	27.545	4.251	23.000	32.000
Cu	11	6.427	1.264	5.200	8.000
Se	1	0.018	.	0.018	0.018

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	238.000	.	238.000	238.000
Aska	1	71.000	.	71.000	71.000
OS smbh	1	68.500	.	68.500	68.500
Råprot	1	133.000	.	133.000	133.000
sRåprot	1	609.000	.	609.000	609.000
NH3-N	1	130.000	.	130.000	130.000
NDF	1	546.000	.	546.000	546.000
iNDF	1	203.500	.	203.500	203.500
nhNDF	1	3.794	.	3.794	3.794
TAF	1	83.900	.	83.900	83.900
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	16.000	.	16.000	16.000
BUF	1	3.900	.	3.900	3.900
AATp20	1	75.228	.	75.228	75.228
PBVp20	1	18.617	.	18.617	18.617
NELp20	1	5.769	.	5.769	5.769
OE*	1	9.900	.	9.900	9.900
AAT*	1	68.000	.	68.000	68.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	4.100	.	4.100	4.100
P	1	2.600	.	2.600	2.600
Mg	1	1.900	.	1.900	1.900
K	1	21.200	.	21.200	21.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.400	.	1.400	1.400
Cl	1	4.200	.	4.200	4.200
S	1	2.200	.	2.200	2.200
CAB	1	347.259	.	347.259	347.259
Fe	1	178.000	.	178.000	178.000
Mn	1	66.000	.	66.000	66.000
Zn	1	33.000	.	33.000	33.000
Cu	1	7.700	.	7.700	7.700

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	74	347.595	109.231	241.000	492.000
Aska	74	64.230	10.016	51.000	76.000
OS smbh	75	72.916	3.307	69.400	76.400
Råprot	74	141.514	25.315	109.000	176.000
sRåprot	74	619.405	80.594	525.000	706.000
NH3-N	74	93.946	32.181	65.000	133.000
NDF	74	508.865	36.939	464.000	552.000
iNDF	75	170.056	31.204	139.199	214.000
nhNDF	75	4.342	0.543	3.706	4.957
TAF	75	65.947	26.967	32.400	99.100
Mjölksyra	74	48.243	21.977	22.000	79.000
Ättiksyra	74	13.716	8.522	6.000	22.000
Socker	74	47.973	29.942	14.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	18	3.444	2.935	0.000	9.000
BUF	74	2.216	2.797	0.000	6.000
AATp20	75	81.559	3.292	77.235	85.185
PBVp20	75	16.339	22.279	-12.907	51.656
NELp20	75	6.104	0.354	5.748	6.470
OE*	74	10.675	0.542	10.020	11.300
AAT*	56	70.714	1.745	68.000	73.000
PBV*	56	12.214	20.234	-14.000	37.000
Ca	72	4.765	1.307	3.000	6.500
P	72	2.426	0.425	1.900	2.900
Mg	72	1.733	0.410	1.200	2.300
K	72	20.197	4.509	14.500	26.100
Na	72	0.422	0.389	0.100	0.900
Cl	74	3.945	3.608	0.800	6.800
S	72	1.961	0.420	1.400	2.500
CAB	72	298.922	145.827	133.171	503.955
Fe	68	177.691	185.433	76.000	317.000
Mn	68	55.118	20.547	34.000	79.000
Zn	68	35.059	39.685	23.000	38.000
Cu	68	6.401	1.498	4.900	7.900
Se	15	0.022	0.022	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	39	394.231	120.355	256.000	608.000
Aska	39	72.744	11.030	58.000	88.000
OS smbh	39	73.628	3.044	69.400	76.600
Råprot	39	134.385	25.247	103.000	167.000
sRåprot	39	535.897	85.818	422.000	624.000
NH3-N	38	72.158	35.082	38.000	119.000
NDF	39	465.615	35.991	424.000	514.000
iNDF	39	174.956	31.551	139.438	218.346
nhNDF	39	4.128	0.518	3.514	4.737
TAF	39	60.410	28.251	20.500	100.100
Mjölksyra	39	45.308	25.195	13.000	81.000
Ättiksyra	39	12.282	5.301	6.000	19.000
Socker	39	68.974	38.838	17.000	134.000
PRF	9	2.111	1.616	0.000	5.000
BUF	39	1.564	2.897	0.000	3.400
AATp20	39	82.701	4.350	77.357	87.259
PBVp20	39	7.573	21.825	-21.615	35.990
NELp20	39	6.038	0.307	5.628	6.480
OE*	39	10.692	0.454	10.100	11.110
AAT*	30	70.633	1.426	68.500	72.000
PBV*	30	8.233	21.000	-17.000	37.500
Ca	38	6.189	1.397	4.400	8.100
P	38	2.650	0.333	2.100	3.000
Mg	38	2.153	0.477	1.500	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	38	21.018	5.217	13.400	27.100
Na	38	0.550	0.519	0.100	1.200
Cl	39	5.715	4.536	1.200	16.400
S	38	2.076	0.448	1.600	2.600
CAB	38	272.173	155.284	50.397	432.762
Fe	38	237.868	344.708	71.000	423.000
Mn	38	72.079	22.875	44.000	100.000
Zn	38	39.737	36.270	22.000	66.000
Cu	38	7.500	1.697	5.900	9.000
Se	8	0.025	0.021	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	361.667	47.433	314.000	439.000
Aska	6	92.500	11.675	81.000	114.000
OS smbh	7	73.943	1.987	71.100	76.600
Råprot	6	142.000	21.606	100.000	157.000
sRåprot	6	599.500	89.034	459.000	701.000
NH3-N	6	91.500	25.328	59.000	127.000
NDF	6	439.833	23.250	411.000	467.000
iNDF	7	187.995	59.182	133.304	312.000
nhNDF	7	4.258	0.467	3.612	5.017
TAF	7	68.471	28.732	34.700	126.000
Mjölksyra	6	51.333	28.119	22.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	14.333	5.645	9.000	21.000
Socker	6	58.667	36.220	18.000	127.000
PRF	1	1.000	.	1.000	1.000
BUF	6	2.217	2.398	0.000	6.300
AATp20	7	80.216	4.019	73.433	83.044
PBVp20	7	19.125	22.188	-24.517	43.522
NELp20	7	5.998	0.147	5.836	6.257
OE*	6	10.532	0.283	10.190	10.900
AAT*	5	70.200	0.837	69.000	71.000
PBV*	5	18.400	23.808	-22.000	37.000
Ca	5	4.940	0.744	4.200	6.000
P	5	3.100	0.308	2.600	3.400
Mg	5	2.120	0.646	1.600	3.200
K	5	24.120	4.845	19.400	31.300
Na	5	0.620	0.785	0.100	2.000
Cl	6	7.367	3.837	2.100	13.400
S	5	2.460	0.568	1.800	3.100
CAB	5	277.692	94.965	182.845	413.222
Fe	5	178.800	127.480	60.000	336.000
Mn	5	109.000	63.726	52.000	198.000
Zn	5	33.000	9.327	18.000	40.000
Cu	5	8.100	2.408	5.100	11.200
Se	3	0.032	0.033	0.009	0.070

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	248.000	.	248.000	248.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	75.500	.	75.500	75.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	458.000	.	458.000	458.000
iNDF	1	151.000	.	151.000	151.000
nhNDF	1	4.423	.	4.423	4.423
TAF	1	117.000	.	117.000	117.000
Mjölksyra	1	102.000	.	102.000	102.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	29.000	.	29.000	29.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	79.621	.	79.621	79.621
PBVp20	1	23.885	.	23.885	23.885
NELp20	1	6.437	.	6.437	6.437
OE*	1	10.950	.	10.950	10.950
Ca	1	5.500	.	5.500	5.500
P	1	2.900	.	2.900	2.900
Mg	1	2.000	.	2.000	2.000
K	1	20.700	.	20.700	20.700
Na	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	1.700	.	1.700	1.700
S	1	2.200	.	2.200	2.200
CAB	1	409.242	.	409.242	409.242

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	365.600	43.4891	322.000	437.000
Aska	5	47.200	8.1670	36.000	56.000
OS smbh	5	69.540	1.4809	67.300	71.200
Råprot	5	90.800	16.2080	69.000	112.000
sRåprot	5	669.000	33.1361	618.000	707.000
NH3-N	5	98.000	16.7183	70.000	110.000
NDF	5	399.400	39.2467	343.000	449.000
iNDF	5	272.313	8.4280	265.000	286.810
nhNDF	5	2.404	0.1576	2.147	2.539
Stä	5	195.600	63.5830	124.000	298.000
TAF	5	76.600	23.4585	51.000	115.000
Mjölksyra	5	57.200	18.1989	39.000	87.000
Ättiksyra	5	15.600	4.9295	9.000	21.000
Socker	5	36.600	12.5419	23.000	53.000
PRF	1	7.000	.	7.000	7.000
BUF	1	0.000	.	0.000	0.000
AATp20	5	69.964	1.8767	67.721	72.567
PBVp20	5	-20.424	14.6311	-39.018	-3.893

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	5.764	0.2027	5.481	6.029
OE*	1	10.550	.	10.550	10.550
Ca	5	2.360	0.5683	1.800	3.100
P	5	2.300	0.4062	1.800	2.700
Mg	5	1.320	0.1304	1.100	1.400
K	5	11.380	2.0241	8.100	13.500
Na	5	0.820	0.2683	0.600	1.200
Cl	5	3.400	1.0271	2.700	5.200
S	5	1.560	0.3578	1.200	2.100
CAB	5	133.426	43.5955	80.833	192.804
Fe	5	167.000	55.5473	76.000	212.000
Mn	5	69.200	47.2567	39.000	153.000
Zn	5	27.800	4.5497	20.000	31.000
Cu	5	5.440	1.3686	4.200	7.500
Se	2	0.006	0.0007	0.005	0.006

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	397.667	37.6342	362.000	437.000
Aska	3	73.000	11.5326	62.000	85.000
OS smbh	3	62.367	9.2045	51.900	69.200
Råprot	3	111.667	28.9194	79.000	134.000
sRåprot	3	624.333	81.2055	540.000	702.000
NH3-N	3	98.667	19.6554	76.000	111.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	3	525.333	94.9860	469.000	635.000
iNDF	3	271.473	44.0850	230.131	317.866
nhNDF	3	2.730	0.4319	2.320	3.181
Stä	3	49.333	27.3922	25.000	79.000
TAF	3	60.667	6.1101	54.000	66.000
Mjölksyra	3	42.667	5.6862	38.000	49.000
Ättiksyra	3	16.000	5.5678	11.000	22.000
Socker	3	29.000	14.5258	15.000	44.000
AATp20	3	66.182	7.1449	58.052	71.464
PBVp20	3	8.380	14.1561	-7.457	19.804
NELp20	3	5.124	0.8219	4.189	5.732
OE*	1	8.400	.	8.400	8.400
AAT*	1	58.000	.	58.000	58.000
PBV*	1	-28.000	.	-28.000	-28.000
Ca	3	5.233	0.9609	4.200	6.100
P	3	2.500	0.5000	2.000	3.000
Mg	3	1.733	0.3055	1.400	2.000
K	3	20.000	1.6823	18.100	21.300
Na	3	0.733	0.1155	0.600	0.800
Cl	3	4.300	1.7088	2.700	6.100
S	3	2.767	0.9609	1.900	3.800
CAB	3	249.350	25.7366	219.705	265.983
Fe	3	175.667	23.7136	154.000	201.000
Mn	3	95.667	40.1290	72.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	95.667	98.3988	32.000	209.000
Cu	3	6.500	1.2124	5.100	7.200

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	392.000	55.154	353.000	431.000
Aska	2	89.000	29.698	68.000	110.000
OS smbh	2	67.350	5.303	63.600	71.100
Råprot	2	138.000	38.184	111.000	165.000
sRåprot	2	661.500	92.631	596.000	727.000
NH3-N	2	66.500	20.506	52.000	81.000
NDF	2	491.500	24.749	474.000	509.000
iNDF	2	326.275	119.183	242.000	410.550
nhNDF	2	5.805	2.201	4.248	7.361
Stä	2	47.500	6.364	43.000	52.000
TAF	2	71.000	24.042	54.000	88.000
Mjölksyra	2	53.500	21.920	38.000	69.000
Ättiksyra	2	16.500	3.536	14.000	19.000
Socker	2	39.500	7.778	34.000	45.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	68.427	2.200	66.871	69.982
PBVp20	2	27.709	30.993	5.794	49.625
NELp20	2	5.708	0.753	5.175	6.240

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hel, ax till blomma, ensilage Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.330	.	10.330	10.330
Ca	1	5.400	.	5.400	5.400
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	20.600	.	20.600	20.600
Na	1	1.800	.	1.800	1.800
Cl	2	14.650	9.829	7.700	21.600
S	1	1.900	.	1.900	1.900
CAB	1	-122.086	.	-122.086	-122.086
Fe	1	200.000	.	200.000	200.000
Mn	1	72.000	.	72.000	72.000
Zn	1	67.000	.	67.000	67.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	391.000	.	391.000	391.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	136.000	.	136.000	136.000
sRåprot	1	737.000	.	737.000	737.000
NH3-N	1	121.000	.	121.000	121.000
NDF	1	454.000	.	454.000	454.000
iNDF	1	198.064	.	198.064	198.064

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	3.679	.	3.679	3.679
Stä	1	25.000	.	25.000	25.000
TAF	1	73.000	.	73.000	73.000
Mjölksyra	1	50.000	.	50.000	50.000
Ättiksyra	1	23.000	.	23.000	23.000
Socket	1	51.000	.	51.000	51.000
AATp20	1	72.485	.	72.485	72.485
PBVp20	1	16.380	.	16.380	16.380
NELp20	1	5.870	.	5.870	5.870
OE*	1	9.800	.	9.800	9.800
AAT*	1	59.000	.	59.000	59.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	3.900	.	3.900	3.900
P	1	2.800	.	2.800	2.800
Mg	1	1.900	.	1.900	1.900
K	1	13.900	.	13.900	13.900
Na	1	1.900	.	1.900	1.900
Cl	1	2.800	.	2.800	2.800
S	1	3.100	.	3.100	3.100
CAB	1	165.484	.	165.484	165.484
Fe	1	443.000	.	443.000	443.000
Mn	1	119.000	.	119.000	119.000
Zn	1	46.000	.	46.000	46.000
Cu	1	6.800	.	6.800	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	293.000	.	293.000	293.000
Aska	1	107.000	.	107.000	107.000
OS smbh	1	82.900	.	82.900	82.900
Råprot	1	175.000	.	175.000	175.000
sRåprot	1	601.000	.	601.000	601.000
NH3-N	1	27.000	.	27.000	27.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	85.000	.	85.000	85.000
nhNDF	1	7.142	.	7.142	7.142
Stä	1	32.000	.	32.000	32.000
TAF	1	103.000	.	103.000	103.000
Mjölksyra	1	100.000	.	100.000	100.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	17.000	.	17.000	17.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	78.405	.	78.405	78.405
PBVp20	1	41.478	.	41.478	41.478
NELp20	1	7.051	.	7.051	7.051
OE*	1	11.770	.	11.770	11.770
Ca	1	8.700	.	8.700	8.700
P	1	3.000	.	3.000	3.000
Mg	1	2.400	.	2.400	2.400
K	1	20.300	.	20.300	20.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.300	.	1.300	1.300
Cl	1	3.800	.	3.800	3.800
S	1	2.300	.	2.300	2.300
CAB	1	324.911	.	324.911	324.911
Fe	1	224.000	.	224.000	224.000
Mn	1	40.000	.	40.000	40.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	346.000	.	346.000	346.000
Aska	1	67.000	.	67.000	67.000
OS smbh	2	69.475	0.1765	69.350	69.600
Råprot	1	125.000	.	125.000	125.000
sRåprot	1	735.000	.	735.000	735.000
NH3-N	1	125.000	.	125.000	125.000
NDF	1	555.000	.	555.000	555.000
iNDF	2	232.461	59.7000	190.247	274.675
nhNDF	2	3.229	1.1630	2.407	4.051
Stä	1	21.000	.	21.000	21.000
TAF	2	66.210	5.2467	62.500	69.920
Mjölksyra	1	48.000	.	48.000	48.000
Ättiksyra	1	12.000	.	12.000	12.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	39.000	.	39.000	39.000
AATp20	2	70.945	1.0751	70.184	71.705
PBVp20	2	-5.416	19.7447	-19.377	8.546
NELp20	2	5.745	0.0102	5.738	5.753
OE*	1	9.700	.	9.700	9.700
AAT*	1	59.000	.	59.000	59.000
PBV*	1	5.000	.	5.000	5.000
Ca	1	4.800	.	4.800	4.800
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	9.400	.	9.400	9.400
Na	1	0.500	.	0.500	0.500
Cl	1	6.100	.	6.100	6.100
S	1	2.200	.	2.200	2.200
CAB	1	-47.183	.	-47.183	-47.183
Fe	1	196.000	.	196.000	196.000
Mn	1	133.000	.	133.000	133.000
Zn	1	27.000	.	27.000	27.000
Cu	1	7.700	.	7.700	7.700
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	737.250	93.632	641.000	852.000
Aska	4	48.250	9.605	40.000	58.000
OS smbh	4	68.725	4.608	63.600	73.100
Råprot	4	77.750	11.026	63.000	88.000
sRåprot	1	414.000	.	414.000	414.000
NDF	4	546.750	18.025	522.000	565.000
iNDF	4	218.111	61.396	159.522	299.000
nhNDF	4	3.889	0.619	3.309	4.679
TAF	4	0.000	0.000	0.000	0.000
Socker	4	149.250	32.745	115.000	193.000
AATp20	4	88.436	4.677	83.941	94.535
PBVp20	4	-54.638	7.440	-61.028	-44.026
NELp20	4	5.302	0.412	4.935	5.732
OE*	4	10.140	0.768	9.360	10.800
AAT*	3	73.667	4.041	69.000	76.000
PBV*	3	-49.333	7.234	-54.000	-41.000
Ca	3	3.133	1.102	2.000	4.200
P	3	1.800	0.173	1.600	1.900
Mg	3	1.300	0.200	1.100	1.500
K	3	12.367	4.259	7.600	15.800
Na	3	0.200	0.173	0.100	0.400
S	3	1.267	0.252	1.000	1.500
CAB	3	110.601	113.017	-10.330	213.546
Fe	2	46.000	9.899	39.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	58.000	25.456	40.000	76.000
Zn	2	21.000	4.243	18.000	24.000
Cu	2	4.700	0.283	4.500	4.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	882.000	.	882.000	882.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	98.000	.	98.000	98.000
sRåprot	1	401.000	.	401.000	401.000
NDF	1	572.000	.	572.000	572.000
iNDF	1	276.000	.	276.000	276.000
nhNDF	1	3.801	.	3.801	3.801
TAF	1	0.000	.	0.000	0.000
Socker	1	83.000	.	83.000	83.000
AATp20	1	88.150	.	88.150	88.150
PBVp20	1	-35.047	.	-35.047	-35.047
NELp20	1	5.042	.	5.042	5.042
OE*	1	9.350	.	9.350	9.350
Ca	1	2.600	.	2.600	2.600
P	1	2.400	.	2.400	2.400
Mg	1	1.500	.	1.500	1.500
K	1	16.600	.	16.600	16.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.000	.	1.000	1.000
Cl	1	7.200	.	7.200	7.200
S	1	1.600	.	1.600	1.600
CAB	1	165.214	.	165.214	165.214

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	426.000	.	426.000	426.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	70.500	.	70.500	70.500
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	769.000	.	769.000	769.000
NH3-N	1	118.000	.	118.000	118.000
NDF	1	489.000	.	489.000	489.000
iNDF	1	206.593	.	206.593	206.593
nhNDF	1	3.601	.	3.601	3.601
Stä	1	23.000	.	23.000	23.000
Socker	1	76.000	.	76.000	76.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	5.300	.	5.300	5.300
P	1	2.600	.	2.600	2.600
Mg	1	1.700	.	1.700	1.700
K	1	18.600	.	18.600	18.600
Na	1	1.200	.	1.200	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	4.000	.	4.000	4.000
S	1	1.900	.	1.900	1.900
CAB	1	296.451	.	296.451	296.451
Fe	1	203.000	.	203.000	203.000
Mn	1	108.000	.	108.000	108.000
Zn	1	31.000	.	31.000	31.000
Cu	1	7.600	.	7.600	7.600
Se	1	0.011	.	0.011	0.011

*= Parametrar från det gamla svenska fodervärderingssystemet