

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	91	841	23	60.3	117	301	6.6	183	122	3.15	575	7			95.7	-27	7.35
Havre, kärna, hög NDF (002)	1	10	856	25	75.0	115		6.0	326	392	2.00	522				83.0	-3.4	6.40
Vete, kärna (005)	1	55	861	19	64.4	121	316	6.6	140	144	3.50	621	7			113	-45	7.94
Rågvete (015)	1	19	867	18	51.8	116	397	39.0	114	119	3.50	629	5			109	-45	7.84
Blandsäd, kärna, 50%korn/50%vete (114)	1	16	840	19	87.0	120		6.2	174	173	3.30	628				105	-36	7.62
Majs hela plantan, grönmassa (030)	1	55	304	31	75.4	79	376		400	189	3.45	265	51			87.3	-59	6.28
Prognos, blandvall (1-50% baljv) (042)	1	20	217		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	107	423	66	72.5	144	397		488	183	4.24	22	107	0.0	0.7	87.3	6.7	5.84
Grönmassa, gräs (0% baljv.) (161)	2	16	597	76	72.9	134	393		500	167	4.26		106			83.8	3.2	5.86
Ensilage, gräs (0% klöver) (162)	1	102	428	68	74.6	133	608	74.4	466	162	4.40		77	49.8	12.6	81.3	6.0	6.05
Ensilage, gräs (0% klöver) (162)	2	46	465	75	73.4	145	551	70.4	470	177	4.20		63	40.3	12.0	82.5	15.8	5.95
Ensilage, gräs (0% klöver) (162)	3	21	417	81	75.3	154	528	73.4	441	164	4.38		61	48.8	12.3	83.9	21.5	6.11
Grönmassa blandvall (1-50 % baljväxter) (164)	0	68	529	82	75.9	165			476	144	4.96		107			85.3	28.5	6.25
Grönmassa blandvall (1-50 % baljväxter) (164)	1	584	418	70	77.3	142	431		458	130	5.17	18	131	0.0	2.1	88.6	5.5	6.29
Grönmassa blandvall (1-50 % baljväxter) (164)	2	281	506	80	74.8	149	419		471	158	4.65		100	0.0	0.6	84.4	18.9	6.10
Grönmassa blandvall (1-50 % baljväxter) (164)	3	146	477	88	73.6	156	379		472	170	4.37		83			82.8	27.3	6.01
Grönmassa blandvall (1-50 % baljväxter) (164)	4	52	413	88	75.6	173	411		441	154	4.52		95			85.3	39.7	6.20
Ensilage, blandvall (1-50% klöver) (165)	0	117	450	72	73.6	132	549	74.6	464	176	4.15		69	46.7	12.1	82.3	6.9	5.96
Ensilage, blandvall (1-50% klöver) (165)	1	1982	388	69	76.0	142	634	78.3	445	154	4.51	83	71	56.9	15.0	82.5	14.6	6.24
Ensilage, blandvall (1-50% klöver) (165)	2	1166	445	77	74.0	149	543	69.8	453	177	4.20	89	66	44.8	13.2	83.5	19.7	6.04
Ensilage, blandvall (1-50% klöver) (165)	3	519	435	83	74.0	156	527	72.1	443	184	4.18		60	47.1	13.9	83.5	26.1	6.03
Ensilage, blandvall (1-50% klöver) (165)	4	52	420	87	74.2	167	521	75.7	423	188	4.05		59	48.5	13.1	83.9	36.5	6.03
Korn, helsädesensilage (250)	1	118	419	58	69.1	109	613	84.4	445	251	2.93	122	61	42.1	13.8	71.6	-7.6	5.59
Havre-ärt, helsädesensilage, 50% ärter (251)	1	36	385	70	66.9	111	644	89.4	463	261	2.77	93	36	53.5	16.8	68.5	4.1	5.48
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	41	337	64	67.2	115	611	87.5	455	369	5.37	100	38	57.0	18.0	69.4	5.1	5.59
Havre helsädesensilage degmognad (296)	1	45	389	66	67.3	111	620	85.6	474	261	3.13	78	55	46.0	16.4	73.1	-6.2	5.50

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	22	385	67	67.4	121	621	92.9	453	269	2.84	81	46	49.5	17.8	68.6	11.3	5.48
Vete, helsäd ensilage (299)	1	53	424	57	68.0	103	633	79.0	465	258	3.05	101	73	35.7	14.7	71.2	-12	5.53
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	39	385	59	69.3	114	640	99.7	427	259	2.80	135	43	50.6	15.4	72.7	-1.4	5.70
Majs, helsädesensilage (305)	1	47	338	31	75.8	76	522	52.0	377	206	3.41	295	11	46.2	12.9	83.1	-55	6.43
Hö, blandvall, 0-50% baljväxter (383)	0	19	850	53	63.9	65			583	240	3.23		135			80.0	-52	4.85
Hö, blandvall, 0-50% baljväxter (383)	1	95	845	56	67.3	85	433		558	215	3.69		134	0.0	0.0	85.6	-44	5.20
Hö, blandvall, 0-50% baljväxter (383)	2	10	797	65	69.1	108	464		513	208	3.65		122			89.1	-28	5.39
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	286	80	68.4	179			440	395	6.21		69			78.7	60.7	5.62
Grönmassa, blandvall (51-100% baljväxter) (437)	1	18	251	80	77.4	198	393		387	210	5.63		101			87.7	64.1	6.43
Grönmassa, blandvall (51-100% baljväxter) (437)	3	18	389	88	68.2	167	383		414	409	5.29		66			76.9	51.5	5.49
Ensilage, blandvall (51-100% klöver) (438)	1	10	400	78	76.6	161	653	60.3	392	180	4.29		73	61.8	17.7	79.5	41.1	6.35
Ensilage, blandvall (1-50% klöver) (326)	1	27	436	65	73.8	146	513	71.7	374	242	3.42	142	44	35.2	16.2	85.4	18.0	6.25
Fullfoder (TMR) ej kompletta data (1E3)	1	16	448	64	75.3	154	494	57.7	366	197	3.36	131	49					0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	49	0.5	3.5	1.3	5.8	0.1	2.0	1.4	32	48	61.0	18.3	34.7	5.6	0.0
Havre, kärna, hög NDF (002)	1	8	0.7	3.7	1.4	5.6	0.1		1.5	35	8	89.5	56.4	38.5	5.4	
Vete, kärna (005)	1	38	0.4	3.1	1.2	4.8	0.1	1.6	1.3	16	38	54.7	35.6	30.9	4.7	0.0
Rågvete (015)	1	13	0.4	3.4	1.3	5.6	0.1	1.3	1.5	30	13	44.8	34.0	38.5	5.9	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	12	0.5	3.3	1.2	5.4	0.1		1.3	34	12	50.9	28.9	35.3	5.0	0.0
Majs hela plantan, grönmassa (030)	1	37	1.9	1.9	1.2	9.6	0.2	1.9	0.9	149	19	70.4	25.1	25.6	4.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	105	4.8	2.6	1.7	20.1	0.7	4.7	2.1	276	74	153.4	140.4	34.1	5.7	0.0
Grönmassa, gräs (0% baljv.) (161)	2	15	5.3	2.8	2.2	23.4	1.0	5.6	2.3	351	14	126.1	92.4	29.8	6.1	0.0
Ensilage, gräs (0% klöver) (162)	1	98	4.7	2.4	1.6	21.1	0.9	4.8	1.9	325	93	215.9	76.0	27.8	5.7	0.0
Ensilage, gräs (0% klöver) (162)	2	42	5.8	2.7	2.2	23.4	0.9	6.8	2.3	303	40	188.9	77.8	28.5	7.1	0.0
Ensilage, gräs (0% klöver) (162)	3	18	6.9	3.0	2.7	23.6	0.9	7.0	2.5	285	17	187.1	89.9	26.3	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	52	7.6	3.1	2.1	25.3	1.1		2.2	424	52	135.3	52.5	33.4	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	540	5.0	2.7	1.7	23.2	0.8	5.2	2.0	365	436	140.8	70.7	29.0	5.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	243	6.9	3.0	2.3	24.7	1.0	6.5	2.4	382	213	133.0	66.9	28.8	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	131	7.3	3.0	2.5	24.9	1.1	11.8	2.5	340	117	154.4	72.5	28.4	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	46	7.5	3.0	2.6	24.7	1.2	10.5	2.6	346	41	187.1	70.7	26.5	7.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	93	6.1	2.5	2.0	21.9	0.9	5.6	1.9	318	93	158.3	70.4	28.2	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	1896	5.3	2.6	1.7	22.3	0.9	4.9	2.0	351	1668	196.1	58.9	31.4	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1118	6.7	2.8	2.3	23.1	1.1	6.9	2.3	302	983	167.5	74.6	32.1	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	480	7.6	3.0	2.6	23.8	1.2	7.3	2.5	294	397	175.8	77.3	31.6	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	45	8.1	3.1	2.7	24.0	1.6	8.5	2.6	288	32	222.2	85.3	29.7	8.0	0.1
Korn, helsädesensilage (250)	1	107	4.3	2.6	1.7	15.9	1.0	4.8	1.8	199	86	192.5	55.9	33.7	5.5	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	34	4.7	2.7	1.8	19.9	1.3	4.2	1.7	338	34	238.7	71.0	59.0	5.4	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	36	5.2	2.7	1.8	18.3	1.1	5.2	1.7	265	28	264.9	75.0	33.4	5.8	0.0
Havre helsädesensilage degmognad (296)	1	37	4.0	2.6	1.6	19.8	4.3	9.8	1.9	274	29	212.1	73.3	31.1	5.2	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	21	5.4	2.5	1.9	17.6	0.5	3.4	1.6	277	21	190.6	66.5	97.1	6.7	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, helsäd ensilage (299)	1	51	3.6	2.2	1.5	15.7	0.6	3.5	1.6	224	44	177.1	54.1	27.2	4.8	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	36	5.3	2.8	1.8	16.6	0.8	3.6	1.7	247	31	154.5	52.7	35.6	6.0	0.1
Majs, helsädesensilage (305)	1	45	1.9	1.9	1.1	9.2	0.3	2.1	0.9	145	16	96.4	24.9	24.3	4.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	13	2.9	1.6	1.1	14.9	0.3		1.1	186	13	89.3	83.8	25.9	8.4	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	81	3.5	2.1	1.3	17.0	0.5	3.2	1.4	235	70	126.2	71.5	23.8	4.4	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	7	4.7	2.5	1.6	20.3	0.8	6.2	1.9	283	5	94.2	60.8	24.0	4.8	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	14.2	3.1	2.1	19.2	0.8		2.3	254	10	98.6	31.6	23.3	7.4	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	18	12.0	3.3	2.2	28.0	0.8	6.9	2.4	455	17	134.6	37.3	29.2	7.2	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	18	14.1	2.7	2.5	18.6	0.8	1.8	2.1	267	14	125.6	38.3	22.9	7.7	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	10	8.9	2.9	2.0	26.1	0.6	3.5	1.9	473	10	219.1	51.3	25.2	6.1	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	27	6.1	3.7	2.9	15.7	2.9	7.5	2.8	150	17	295.9	85.8	76.1	12.9	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	13	5.9	3.3	2.6	15.3	2.8	5.0	2.4	213	13	322.8	79.1	57.5	13.9	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	91	841.231	77.5137	784.000	917.000
Aska	89	23.142	4.3936	18.600	28.000
OS smbh	91	60.325	39.4283	0.000	86.000
Råprot	90	116.922	18.2476	98.300	140.650
sRåprot	28	301.214	88.1343	223.000	409.000
NH3-N	13	6.615	0.9608	6.000	8.000
NDF	47	182.596	51.3681	133.000	247.000
iNDF	91	122.275	64.1363	25.000	162.000
nhNDF	91	3.150	0.0000	3.150	3.150
Stä	90	574.733	72.9332	502.500	647.300
Socker	29	7.207	8.5247	5.000	5.000
TAF	91	0.000	0.0000	0.000	0.000
AAT20	91	95.733	2.6115	93.149	99.168
PBV20	91	-26.906	18.6873	-47.922	-4.361
NEL20	91	7.352	0.2021	7.139	7.566
Ca	49	0.529	0.2930	0.400	0.600
P	49	3.529	0.4532	2.900	4.200
Mg	49	1.306	0.1600	1.100	1.500
K	49	5.843	0.9509	5.000	6.600
Na	49	0.141	0.2020	0.100	0.200
Cl	10	1.960	0.7560	1.100	2.950
S	49	1.365	0.2204	1.100	1.700
CAB	49	32.053	35.0204	-7.835	59.228
Fe	48	60.979	23.8189	42.000	92.000
Mn	48	18.313	7.7711	11.000	27.000
Zn	48	34.729	8.0153	26.000	49.000
Cu	48	5.581	1.6791	3.800	8.000
Se	11	0.020	0.0199	0.005	0.050

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	855.600	20.5923	827.000	883.000
Aska	10	25.080	3.2010	21.100	28.750
OS smbh	10	75.000	0.0000	75.000	75.000
Råprot	10	114.960	11.1809	98.600	127.400
iNDF	10	392.000	0.0000	392.000	392.000
nhNDF	10	2.000	0.0000	2.000	2.000
Stä	10	522.400	61.4851	477.700	621.950
TAF	10	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	10	83.049	1.5570	81.513	85.268
PBV20	10	-3.361	10.5776	-17.313	10.215
NEL20	10	6.398	0.1197	6.259	6.564

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	55	860.782	32.9886	831.000	916.000
Aska	55	18.871	4.7272	15.100	22.900
OS smbh	56	64.429	39.3228	0.000	88.000
Råprot	55	121.122	17.3547	103.300	146.000
sRåprot	15	316.000	48.6092	255.000	393.000
NDF	22	139.727	59.7799	92.000	252.000
iNDF	56	143.607	72.3898	25.000	187.000
nhNDF	56	3.500	0.0000	3.500	3.500
Stä	55	621.316	86.6281	518.700	692.800
Socket	16	6.688	8.1790	5.000	5.000
TAF	56	0.000	0.0000	0.000	0.000
AAT20	56	113.225	2.5802	110.706	116.455
PBV20	56	-44.810	16.1347	-60.929	-19.392
NEL20	56	7.942	0.1407	7.784	8.064
Ca	38	0.389	0.1060	0.300	0.600
P	38	3.097	0.3921	2.600	3.600
Mg	38	1.161	0.1636	1.000	1.400
K	38	4.826	0.4786	4.300	5.500
Na	32	0.100	0.0000	0.100	0.100
S	38	1.342	0.2321	1.100	1.600
CAB	38	15.658	19.6395	-11.192	42.103
Fe	38	54.658	29.2337	35.000	93.000
Mn	38	35.605	9.9636	25.000	51.000
Zn	38	30.868	7.1288	22.000	40.000
Cu	38	4.729	1.0544	3.700	5.900

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	19	867.211	33.6693	820.000	904.000
Aska	19	18.232	2.0119	16.000	21.000
OS smbh	19	51.804	45.3889	0.000	89.479
Råprot	19	115.874	23.6889	81.800	163.000
NDF	10	114.100	27.8984	90.500	163.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	19	118.789	82.1757	25.000	187.000
nhNDF	19	3.500	0.0000	3.500	3.500
Stä	19	629.174	54.3098	565.000	707.300
TAF	19	0.000	0.0000	0.000	0.000
AAT20	19	109.460	2.1718	105.380	112.280
PBV20	19	-45.038	21.2698	-71.416	-3.242
NEL20	19	7.844	0.1471	7.671	8.075
Ca	13	0.438	0.2103	0.300	0.500
P	13	3.377	0.2743	3.000	3.700
Mg	13	1.269	0.1251	1.100	1.400
K	13	5.646	0.3992	5.100	6.000
S	13	1.469	0.2323	1.200	1.700
CAB	13	30.488	23.8461	-12.720	50.582
Fe	13	44.846	6.8416	38.000	54.000
Mn	13	34.000	10.0333	24.000	43.000
Zn	13	38.538	6.5525	30.000	47.000
Cu	13	5.923	0.9602	5.000	7.300

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	16	839.625	16.2885	815.000	857.000
Aska	16	19.275	2.8982	16.600	25.000
OS smbh	17	87.000	0.0000	87.000	87.000
Råprot	16	119.531	14.4977	95.500	136.500
iNDF	17	173.000	0.0000	173.000	173.000
nhNDF	17	3.300	0.0000	3.300	3.300
Stä	16	628.344	39.8552	555.000	672.300
TAF	17	0.000	0.0000	0.000	0.000
AAT20	17	105.239	1.3456	103.230	106.979
PBV20	17	-35.850	12.4437	-56.641	-18.167
NEL20	17	7.615	0.1248	7.414	7.817
Ca	12	0.450	0.1168	0.300	0.600
P	12	3.333	0.3312	2.800	3.700
Mg	12	1.233	0.1073	1.100	1.400
K	12	5.433	0.4849	4.900	6.100
Na	12	0.100	0.0000	0.100	0.100
S	12	1.292	0.1730	1.100	1.500
CAB	12	34.410	14.6464	17.979	47.247
Fe	12	50.917	15.1505	36.000	72.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	12	28.917	9.1300	18.000	44.000
Zn	12	35.333	4.8680	30.000	40.000
Cu	12	5.042	1.0596	3.500	6.200

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	55	303.709	44.9793	251.000	360.000
Aska	55	30.891	5.0099	24.000	37.000
OS smbh	55	75.367	2.2671	72.100	78.000
Råprot	55	78.727	6.1145	71.000	85.000
sRåprot	55	375.964	38.9320	321.000	434.000
NDF	55	399.855	36.1081	361.000	441.000
iNDF	55	188.580	21.2842	163.185	221.000
nhNDF	55	3.455	0.5724	2.445	4.103
Stä	55	265.491	61.3789	196.000	345.000
Socket	55	51.200	48.8707	8.000	121.000
TAF	55	57.000	0.0000	57.000	57.000
AAT20	55	87.341	2.4585	83.775	90.093
PBV20	55	-59.174	6.0284	-65.181	-51.626
NEL20	55	6.283	0.2147	5.981	6.509
Ca	37	1.943	0.4670	1.500	2.600
P	37	1.919	0.1543	1.700	2.100
Mg	37	1.211	0.2492	0.900	1.500
K	37	9.554	1.2139	7.800	10.500
Na	32	0.228	0.1591	0.100	0.400
Cl	37	1.922	0.8142	1.200	2.400
S	37	0.908	0.1605	0.800	1.100
CAB	37	148.599	36.6720	93.891	190.726
Fe	19	70.421	21.2297	56.000	116.000
Mn	19	25.105	13.6378	12.000	40.000
Zn	19	25.632	6.3702	16.000	34.000
Cu	19	4.400	1.0165	3.100	5.700

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	216.600	25.6892	187.500	263.000
OS smbh	20	73.150	0.0000	73.150	73.150
iNDF	20	170.460	0.0000	170.460	170.460
nhNDF	20	4.315	0.0000	4.315	4.315

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	96.439	0.0000	96.439	96.439
PBV20	20	-4.418	0.0000	-4.418	-4.418
NEL20	20	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	107	423.402	223.453	203.000	800.000
Aska	107	66.187	15.144	49.000	88.000
OS smbh	107	72.536	5.897	65.200	79.400
Råprot	107	143.729	54.026	83.000	213.000
sRåprot	69	397.000	87.747	267.000	495.000
NDF	107	487.636	66.583	409.000	587.000
iNDF	107	183.398	74.476	90.000	273.000
nhNDF	107	4.238	0.987	3.494	5.321
Socker	107	107.458	39.622	58.000	160.000
TAF	107	42.981	25.114	6.000	61.000
Mjölksyra	37	0.000	0.000	0.000	0.000
Ättiksyra	35	0.657	1.830	0.000	3.000
PRF	35	4.829	3.560	0.000	11.000
BUF	35	3.000	2.870	0.000	7.000
AAT20	107	87.266	10.205	75.688	100.062
PBV20	107	6.732	35.440	-34.645	56.389
NEL20	107	5.842	0.534	5.181	6.535
Ca	105	4.831	2.095	2.800	8.000
P	105	2.557	0.676	1.700	3.300
Mg	105	1.680	0.598	1.000	2.500
K	105	20.117	6.080	13.700	29.200
Na	104	0.710	0.602	0.100	1.400
Cl	62	4.685	3.467	1.200	10.600
S	105	2.136	0.909	1.200	3.300
CAB	105	276.228	147.812	92.179	487.000
Fe	74	153.365	112.517	60.000	307.000
Mn	74	140.351	179.894	28.000	475.000
Zn	74	34.108	16.918	19.000	50.000
Cu	74	5.739	1.825	4.000	8.000
Se	16	0.034	0.021	0.005	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	16	596.938	186.855	349.000	797.000
Aska	16	75.563	9.522	64.000	85.000
OS smbh	16	72.875	3.755	68.200	78.800
Råprot	16	134.125	28.902	93.000	165.000
NDF	16	499.563	44.325	438.000	550.000
iNDF	16	167.151	44.250	100.000	226.619
nhNDF	16	4.265	0.658	3.250	5.246
Socket	16	105.875	31.494	63.000	154.000
TAF	16	61.000	0.000	61.000	61.000
AAT20	16	83.803	5.217	76.792	91.191
PBV20	16	3.215	22.000	-29.291	34.150
NEL20	16	5.857	0.377	5.336	6.417
Ca	15	5.267	0.876	4.300	6.200
P	15	2.800	0.526	2.000	3.300
Mg	15	2.167	0.451	1.500	2.600
K	15	23.373	6.472	16.600	32.900
Na	15	0.973	0.643	0.200	2.200
S	15	2.287	0.504	1.600	2.900
CAB	15	350.895	149.805	177.438	593.522
Fe	14	126.143	42.612	73.000	183.000
Mn	14	92.357	40.355	55.000	130.000
Zn	14	29.786	11.859	14.000	46.000
Cu	14	6.071	1.447	3.700	7.900

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	102	427.676	165.397	271.000	717.000
Aska	102	67.882	12.285	56.000	76.000
OS smbh	103	74.578	5.018	67.400	79.700
Råprot	102	132.676	31.454	87.000	168.000
sRåprot	101	608.356	114.083	426.000	716.000
NH3-N	100	74.390	26.863	38.000	106.500
NDF	102	466.010	61.159	391.000	564.000
iNDF	103	161.939	41.392	120.350	218.105
nhNDF	103	4.396	0.656	3.471	5.136
Socket	102	76.912	42.478	21.000	133.000
TAF	103	64.799	34.489	22.000	117.100
Mjölksyra	101	49.812	29.498	14.000	94.000
Ättiksyra	101	12.614	6.576	5.000	22.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PRF	18	3.000	1.715	0.000	5.000
BUF	101	1.033	1.240	0.000	2.600
AAT20	103	81.303	4.334	75.688	86.241
PBV20	103	5.997	25.925	-33.734	34.886
NEL20	103	6.050	0.530	5.432	6.531
Ca	98	4.650	1.232	3.300	6.300
P	98	2.391	0.469	1.700	2.900
Mg	98	1.643	0.312	1.200	2.000
K	98	21.099	4.755	15.700	27.500
Na	98	0.876	0.759	0.100	2.100
Cl	101	4.833	2.792	1.200	8.200
S	98	1.901	0.466	1.300	2.500
CAB	98	324.892	106.430	191.037	458.315
Fe	93	215.946	287.262	73.000	420.000
Mn	93	75.968	59.007	35.000	104.000
Zn	93	27.806	6.689	21.000	35.000
Cu	93	5.701	1.120	4.100	7.200
Se	20	0.024	0.016	0.008	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	46	464.609	145.241	316.000	690.000
Aska	46	75.065	8.642	63.000	85.000
OS smbh	46	73.409	3.801	69.100	78.400
Råprot	46	145.457	24.203	118.000	176.000
sRåprot	46	550.783	100.890	414.000	654.000
NH3-N	46	70.391	23.639	33.000	101.000
NDF	46	470.174	37.918	426.000	520.000
iNDF	46	176.987	43.301	127.060	224.378
nhNDF	46	4.199	0.654	3.584	5.037
Socker	46	63.370	27.589	28.000	96.000
TAF	46	54.583	26.474	20.000	96.000
Mjölksyra	46	40.326	21.049	12.000	67.000
Ättiksyra	46	11.978	6.493	4.000	21.000
PRF	12	2.833	2.250	1.000	5.000
BUF	46	0.800	1.003	0.000	1.900
AAT20	46	82.527	3.856	77.827	88.557
PBV20	46	15.792	20.415	-12.199	44.495
NEL20	46	5.953	0.423	5.469	6.465

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Ca	42	5.812	2.117	3.800	8.000
P	42	2.676	0.439	2.200	3.200
Mg	42	2.160	0.435	1.700	2.700
K	42	23.400	5.491	16.200	29.800
Na	42	0.893	0.815	0.100	1.400
Cl	46	6.752	3.385	2.600	9.900
S	42	2.338	0.676	1.700	3.000
CAB	42	302.824	139.393	169.479	475.034
Fe	40	188.850	239.154	70.500	300.000
Mn	40	77.750	37.546	41.500	131.500
Zn	40	28.450	5.764	20.500	34.500
Cu	40	7.090	1.312	5.400	9.150
Se	15	0.030	0.020	0.008	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	21	417.190	154.383	266.000	630.000
Aska	21	80.952	11.338	67.000	95.000
OS smbh	21	75.262	2.813	72.700	77.300
Råprot	21	154.286	26.475	128.000	186.000
sRåprot	21	528.381	79.920	427.000	603.000
NH3-N	21	73.381	30.751	41.000	120.000
NDF	21	441.000	42.958	397.000	495.000
iNDF	21	163.603	29.012	138.106	195.034
nhNDF	21	4.378	0.681	3.709	4.802
Socker	21	61.143	30.289	26.000	84.000
TAF	21	63.676	24.412	31.000	98.000
Mjölksyra	21	48.810	21.801	19.000	81.000
Ättiksyra	20	12.250	4.756	7.000	18.000
BUF	20	1.260	1.769	0.050	3.300
AAT20	21	83.925	4.506	79.177	88.748
PBV20	21	21.459	22.000	-1.786	42.645
NEL20	21	6.106	0.304	5.865	6.359
Ca	18	6.900	1.546	4.700	9.100
P	18	3.000	0.502	2.400	3.600
Mg	18	2.656	0.596	2.200	3.300
K	18	23.617	5.073	16.900	29.700
Na	18	0.917	0.338	0.400	1.400
Cl	21	6.967	4.704	1.800	14.700

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
S	18	2.544	0.483	1.900	3.200
CAB	18	285.460	87.950	157.798	383.136
Fe	17	187.059	162.664	84.000	479.000
Mn	17	89.941	29.846	64.000	149.000
Zn	17	26.294	4.538	20.000	32.000
Cu	17	7.641	1.240	6.000	9.100

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	68	529.015	294.455	190.000	1000.00
Aska	54	81.944	16.674	59.000	104.00
OS smbh	68	75.882	4.096	71.600	80.70
Råprot	54	165.185	50.526	116.000	251.00
NDF	64	475.531	85.068	332.000	597.00
iNDF	68	144.462	47.940	93.083	197.65
nhNDF	68	4.958	1.234	3.381	6.17
Socker	54	106.815	44.957	39.000	163.00
TAF	68	84.000	0.000	84.000	84.00
AAT20	68	85.267	4.979	80.081	90.57
PBV20	68	28.461	39.729	-2.480	103.53
NEL20	68	6.253	0.404	5.815	6.67
Ca	52	7.608	5.223	3.400	17.80
P	52	3.071	0.642	2.500	4.20
Mg	52	2.140	0.542	1.400	2.80
K	52	25.323	4.966	17.800	30.40
Na	52	1.140	0.868	0.100	2.50
S	52	2.248	0.632	1.400	3.00
CAB	52	424.332	117.865	245.387	562.68
Fe	52	135.250	88.530	67.000	250.00
Mn	52	52.519	27.554	31.000	86.00
Zn	52	33.442	41.289	23.000	34.00
Cu	52	6.646	1.637	4.500	8.80
Se	11	0.022	0.020	0.006	0.05

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	584	418.212	147.944	245.000	635.000
Aska	583	69.597	11.348	56.000	84.000
OS smbh	584	77.329	4.861	70.200	83.100
Råprot	583	142.395	30.300	102.000	177.000
sRåprot	225	430.702	76.653	345.000	516.000
NDF	583	457.738	57.226	386.000	537.000
iNDF	584	130.139	52.779	66.000	202.732
nhNDF	584	5.174	1.399	3.812	6.583
Socker	583	130.743	44.979	68.000	189.000
TAF	584	65.471	32.486	5.000	84.000
Mjölksyra	145	0.000	0.000	0.000	0.000
Ättiksyra	131	2.099	5.082	0.000	8.000
PRF	131	3.718	3.544	0.000	10.000
BUF	131	2.420	2.395	0.000	6.000
AAT20	584	88.576	6.624	80.406	96.878
PBV20	584	5.467	22.533	-22.169	33.777
NEL20	584	6.294	0.433	5.705	6.849
Ca	540	5.033	1.833	3.200	7.250
P	540	2.686	0.503	2.100	3.300
Mg	540	1.705	0.438	1.200	2.200
K	540	23.241	5.192	16.300	29.600
Na	538	0.784	0.689	0.100	1.600
Cl	209	5.181	3.345	1.400	8.700
S	540	2.016	0.498	1.400	2.600
CAB	540	364.798	137.036	191.886	524.798
Fe	436	140.835	185.014	66.000	231.000
Mn	436	70.718	82.845	31.000	96.000
Zn	436	29.025	9.162	21.000	37.000
Cu	436	5.719	2.649	4.000	7.400
Se	79	0.020	0.018	0.006	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	281	505.633	167.455	300.000	745.000
Aska	280	80.161	11.640	65.000	97.000
OS smbh	281	74.807	4.431	69.400	79.900
Råprot	280	149.479	27.345	116.000	187.000
sRåprot	62	418.790	81.650	336.000	550.000
NDF	280	471.361	42.585	418.000	523.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
iNDF	281	157.600	52.697	94.878	225.017
nhNDF	281	4.646	0.955	3.507	5.871
Socket	280	99.525	37.811	48.500	146.000
TAF	281	79.189	19.007	84.000	84.000
Mjölksyra	17	0.000	0.000	0.000	0.000
Ättiksyra	17	0.647	2.422	0.000	1.000
PRF	17	2.647	1.169	1.000	4.000
BUF	17	1.176	1.185	0.000	3.000
AAT20	281	84.416	6.169	77.291	92.835
PBV20	281	18.866	21.407	-7.310	47.320
NEL20	281	6.104	0.419	5.564	6.632
Ca	243	6.910	4.048	4.100	9.900
P	243	2.958	1.478	2.400	3.400
Mg	243	2.343	0.965	1.700	2.900
K	243	24.672	14.970	16.100	29.900
Na	243	1.035	0.871	0.200	2.100
Cl	62	6.477	4.181	2.600	11.700
S	243	2.378	1.527	1.700	3.000
CAB	243	382.188	307.298	199.639	532.439
Fe	213	133.033	109.114	70.000	218.000
Mn	213	66.892	27.688	36.000	108.000
Zn	213	28.779	7.801	21.000	37.000
Cu	213	6.938	1.667	5.000	9.000
Se	54	0.024	0.016	0.007	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	146	476.945	166.200	287.000	735.000
Aska	146	88.322	14.404	71.000	107.000
OS smbh	146	73.579	3.716	68.800	78.100
Råprot	146	155.678	26.815	121.000	193.000
sRåprot	36	378.833	39.234	320.000	425.000
NDF	146	472.212	42.545	411.000	528.000
iNDF	146	169.727	43.601	113.000	225.481
nhNDF	146	4.369	0.835	3.324	5.541
Socket	146	83.199	33.318	38.000	119.000
TAF	146	84.000	0.000	84.000	84.000
AAT20	146	82.838	5.209	76.128	89.867
PBV20	146	27.260	22.238	-2.519	55.780

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NEL20	146	6.007	0.369	5.543	6.469
Ca	131	7.271	2.478	4.500	10.600
P	131	3.025	0.456	2.500	3.700
Mg	131	2.547	0.567	1.900	3.300
K	131	24.883	5.923	17.500	31.400
Na	131	1.068	0.877	0.300	1.900
Cl	36	11.756	7.100	4.400	22.300
S	131	2.490	0.426	1.900	3.000
CAB	131	340.189	189.007	68.469	532.407
Fe	117	154.444	95.497	77.000	336.000
Mn	117	72.479	32.571	36.000	108.000
Zn	117	28.376	5.965	22.000	37.000
Cu	117	7.489	1.630	6.000	9.900
Se	18	0.027	0.024	0.009	0.043

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	52	413.115	138.629	258.000	611.000
Aska	52	88.288	11.281	75.000	103.000
OS smbh	52	75.640	3.422	71.500	80.800
Råprot	52	173.154	30.272	134.000	203.000
sRåprot	11	411.364	58.853	360.000	454.000
NDF	52	441.250	35.597	385.000	488.000
iNDF	52	154.276	44.303	88.000	208.453
nhNDF	52	4.523	0.781	3.547	5.732
Socker	52	95.212	31.495	51.000	135.000
TAF	52	84.000	0.000	84.000	84.000
AAT20	52	85.262	4.561	79.548	91.963
PBV20	52	39.706	25.332	8.984	72.310
NEL20	52	6.198	0.346	5.802	6.766
Ca	46	7.502	2.319	5.500	10.000
P	46	3.035	0.582	2.500	3.800
Mg	46	2.617	0.559	2.000	3.500
K	46	24.674	6.164	17.000	32.100
Na	46	1.163	0.666	0.500	1.900
Cl	11	10.473	6.915	3.400	19.700
S	46	2.630	0.530	2.000	3.200
CAB	46	345.931	160.485	112.666	540.624
Fe	41	187.122	160.705	85.000	286.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
Mn	41	70.732	36.357	38.000	108.000
Zn	41	26.512	5.788	19.000	33.000
Cu	41	7.402	1.781	5.000	10.000
Se	10	0.060	0.069	0.014	0.189

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	117	450.366	178.074	283.000	758.000
Aska	105	72.124	13.271	55.000	89.000
OS smbh	118	73.595	3.901	67.400	78.300
Råprot	110	131.785	24.734	97.250	159.500
sRåprot	101	549.195	112.709	358.000	651.000
NH3-N	102	74.637	29.714	31.000	110.000
NDF	109	463.890	47.332	400.000	532.000
iNDF	118	175.567	38.911	135.694	223.137
nhNDF	118	4.154	0.654	3.315	4.839
Socker	109	69.170	42.678	21.000	135.000
TAF	118	63.261	29.575	20.500	101.100
Mjölksyra	103	46.729	26.438	14.000	83.000
Ättiksyra	103	12.090	5.855	5.000	21.000
BUF	99	1.118	1.181	0.100	3.000
AAT20	118	82.296	4.284	77.066	88.132
PBV20	118	6.857	20.956	-21.217	28.307
NEL20	118	5.962	0.406	5.379	6.469
Ca	93	6.063	2.046	3.800	8.800
P	93	2.541	0.525	1.800	3.100
Mg	93	2.000	0.510	1.400	2.700
K	93	21.871	5.277	14.000	28.500
Na	93	0.870	0.765	0.200	2.000
Cl	98	5.623	3.879	1.100	9.300
S	93	1.928	0.477	1.300	2.600
CAB	93	318.011	115.061	160.541	450.971
Fe	93	158.252	104.160	77.000	259.000
Mn	93	70.372	34.086	32.785	107.000
Zn	93	28.243	7.265	21.000	35.000
Cu	93	6.578	1.622	4.500	8.700
Se	15	0.028	0.048	0.005	0.052

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	1982	388.343	123.42	270.000	555.000
Aska	1976	68.597	11.25	55.000	81.000
OS smbh	1986	76.013	3.81	71.000	80.000
Råprot	1976	141.543	25.24	108.000	172.000
sRåprot	1976	633.977	85.04	519.000	724.000
NH3-N	1968	78.337	29.81	42.000	116.000
NDF	1976	444.760	51.66	384.000	515.000
iNDF	1986	153.565	37.42	113.000	200.963
nhNDF	1986	4.508	0.61	3.804	5.239
Socker	1976	71.008	42.70	23.000	133.000
TAF	1986	74.764	33.51	26.500	118.000
Mjölksyra	1973	56.856	29.16	16.000	95.000
Ättiksyra	1974	15.005	6.43	7.000	23.000
PRF	606	3.153	2.02	1.000	6.000
BUF	1974	1.215	2.40	0.000	3.000
AAT20	1986	82.464	4.00	77.852	87.267
PBV20	1986	14.568	22.86	-15.713	42.517
NEL20	1986	6.241	0.39	5.721	6.656
Ca	1896	5.323	1.58	3.700	7.500
P	1896	2.555	0.45	2.000	3.100
Mg	1896	1.720	0.34	1.400	2.100
K	1896	22.336	4.36	16.800	27.600
Na	1893	0.940	0.87	0.100	1.900
Cl	1966	4.889	3.87	1.500	8.300
S	1896	1.967	0.44	1.400	2.500
CAB	1896	351.061	127.07	205.477	486.289
Fe	1668	196.055	1037.98	74.000	308.000
Mn	1668	58.920	27.35	32.000	85.000
Zn	1668	31.396	34.69	21.000	36.000
Cu	1668	5.885	1.30	4.300	7.400
Se	314	0.034	0.04	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1166	444.522	136.361	292.000	647.000
Aska	1163	77.068	11.372	64.000	90.000
OS smbh	1168	74.029	3.106	70.000	77.700
Råprot	1163	148.681	23.062	120.000	178.000
sRåprot	1163	543.273	93.060	420.000	648.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NH3-N	1157	69.816	26.890	37.000	101.000
NDF	1163	453.334	37.537	408.000	500.000
iNDF	1168	177.004	39.236	132.000	227.211
nhNDF	1168	4.199	0.614	3.369	4.901
Socker	1163	66.067	35.266	22.000	116.000
TAF	1168	60.692	28.391	21.500	98.100
Mjölksyra	1162	44.827	23.489	14.000	76.000
Ättiksyra	1162	13.174	6.480	6.000	21.000
PRF	336	2.985	2.081	1.000	6.000
BUF	1162	1.023	1.896	0.000	2.400
AAT20	1168	83.474	4.583	78.147	89.404
PBV20	1168	19.728	20.373	-7.593	45.407
NEL20	1168	6.035	0.338	5.587	6.451
Ca	1118	6.749	1.971	4.800	9.500
P	1118	2.780	0.439	2.200	3.300
Mg	1118	2.301	0.429	1.800	2.800
K	1118	23.136	4.640	17.000	28.800
Na	1118	1.122	0.853	0.200	2.200
Cl	1158	6.897	4.518	2.400	11.700
S	1118	2.298	0.477	1.700	2.900
CAB	1118	302.216	146.102	137.359	467.833
Fe	983	167.471	161.096	76.000	280.000
Mn	983	74.628	33.532	41.000	114.000
Zn	983	32.066	35.651	22.000	38.000
Cu	983	7.238	1.451	5.500	9.200
Se	145	0.035	0.042	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	519	434.988	134.560	293.000	628.000
Aska	519	82.686	13.071	69.000	97.000
OS smbh	521	74.000	2.592	70.500	76.900
Råprot	519	155.551	22.031	125.000	184.000
sRåprot	519	527.277	85.666	417.000	619.000
NH3-N	516	72.087	28.060	38.000	107.000
NDF	519	442.711	36.766	393.000	488.000
iNDF	521	183.797	37.786	142.866	236.000
nhNDF	521	4.182	0.724	3.237	4.825
Socker	519	60.010	32.751	22.000	105.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TAF	521	63.702	28.663	21.500	98.100
Mjölksyra	519	47.085	23.490	13.000	75.000
Ättiksyra	516	13.905	7.250	5.000	23.000
PRF	168	2.607	2.432	0.000	5.000
BUF	516	1.110	1.762	0.000	3.000
AAT20	521	83.468	4.740	78.004	89.854
PBV20	521	26.116	20.840	0.442	52.484
NEL20	521	6.027	0.292	5.643	6.364
Ca	480	7.567	2.476	5.300	10.600
P	480	2.966	0.447	2.400	3.500
Mg	480	2.598	0.443	2.100	3.200
K	480	23.835	4.445	18.400	29.550
Na	480	1.199	0.915	0.300	2.200
Cl	517	7.324	4.724	2.900	12.300
S	480	2.535	0.479	2.000	3.200
CAB	480	294.279	151.880	116.642	454.499
Fe	397	175.753	199.667	78.000	277.000
Mn	397	77.254	33.450	37.000	115.000
Zn	397	31.630	30.934	22.000	37.000
Cu	397	7.634	1.383	6.000	9.400
Se	54	0.029	0.022	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	52	420.000	136.324	281.000	635.000
Aska	52	87.135	11.088	73.000	100.000
OS smbh	52	74.173	3.484	69.400	77.500
Råprot	52	167.308	25.761	133.000	199.000
sRåprot	52	521.115	82.666	399.000	608.000
NH3-N	51	75.725	37.243	41.000	129.000
NDF	52	422.615	44.941	369.000	474.000
iNDF	52	187.648	44.073	131.000	241.930
nhNDF	52	4.046	0.737	3.109	4.989
Socker	52	58.712	30.307	22.000	106.000
TAF	52	64.917	32.203	19.500	109.100
Mjölksyra	52	48.462	27.189	10.000	86.000
Ättiksyra	51	13.118	6.665	7.000	22.000
PRF	18	2.889	3.008	0.000	7.000
BUF	51	1.602	2.785	0.000	3.900

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
AAT20	52	83.862	4.929	77.674	89.690
PBV20	52	36.536	23.379	6.928	64.529
NEL20	52	6.034	0.366	5.515	6.459
Ca	45	8.147	2.209	5.600	11.100
P	45	3.093	0.439	2.500	3.700
Mg	45	2.676	0.490	2.100	3.300
K	45	23.951	4.662	18.300	29.500
Na	45	1.618	0.864	0.700	2.700
Cl	52	8.517	4.414	3.600	13.700
S	45	2.649	0.515	1.900	3.300
CAB	45	288.423	122.880	116.159	443.793
Fe	32	222.156	159.451	88.000	351.000
Mn	32	85.344	43.195	34.000	148.000
Zn	32	29.719	8.463	22.000	41.000
Cu	32	7.991	2.863	5.900	10.000

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	118	418.949	139.052	280.000	586.000
Aska	118	58.127	16.432	40.000	82.000
OS smbh	118	69.064	3.572	64.900	73.300
Råprot	118	109.085	24.780	78.000	142.000
sRåprot	118	613.127	96.504	489.000	733.000
NH3-N	117	84.376	37.393	36.000	132.000
NDF	118	444.915	54.718	368.000	516.000
iNDF	118	250.930	50.743	188.371	313.326
nhNDF	118	2.932	0.763	2.079	4.013
Stä	116	121.948	93.703	18.000	270.000
Socker	118	61.415	43.899	19.000	128.000
TAF	118	58.774	27.643	27.700	92.000
Mjölksyra	118	42.059	21.665	19.000	67.000
Ättiksyra	117	13.829	7.925	6.000	25.000
PRF	49	3.327	3.078	0.000	8.000
BUF	49	1.204	1.581	0.000	4.000
AAT20	118	71.572	4.750	66.178	77.133
PBV20	118	-7.566	21.664	-34.853	24.271
NEL20	118	5.592	0.330	5.163	5.988
Ca	107	4.318	2.189	1.900	6.800
P	107	2.569	0.503	2.000	3.200

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mg	107	1.663	0.574	1.000	2.300
K	107	15.950	5.330	10.100	22.600
Na	107	0.971	0.656	0.300	1.600
Cl	109	4.823	5.113	1.500	8.300
S	107	1.836	0.575	1.200	2.600
CAB	107	199.151	158.753	60.602	367.609
Fe	86	192.523	199.901	70.000	380.000
Mn	86	55.884	32.767	20.000	99.000
Zn	86	33.651	14.462	21.000	52.000
Cu	86	5.497	1.165	4.300	7.000
Se	17	0.035	0.023	0.006	0.060

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	36	385.000	64.415	314.000	462.000
Aska	36	69.528	17.259	50.000	88.000
OS smbh	36	66.864	2.743	63.400	69.900
Råprot	36	111.306	23.884	86.000	145.000
sRåprot	36	643.833	102.392	535.000	760.000
NH3-N	36	89.444	25.855	53.000	125.000
NDF	36	463.361	35.661	415.000	509.000
iNDF	36	260.679	32.104	219.855	296.011
nhNDF	36	2.773	0.465	2.176	3.468
Stä	36	92.694	66.656	19.000	196.000
Socker	36	36.250	29.868	14.000	62.000
TAF	36	72.306	22.252	50.000	100.000
Mjölksyra	36	53.528	20.759	29.000	82.000
Ättiksyra	36	16.778	5.493	10.000	22.000
AAT20	36	68.502	4.115	62.347	73.164
PBV20	36	4.052	21.679	-20.215	32.212
NEL20	36	5.477	0.257	5.262	5.835
Ca	34	4.735	1.244	3.700	6.300
P	34	2.706	0.442	2.100	3.200
Mg	34	1.803	0.402	1.300	2.300
K	34	19.871	5.622	13.500	27.600
Na	34	1.288	1.190	0.400	2.700
Cl	36	4.233	2.218	1.800	6.700
S	34	1.729	0.396	1.200	2.200
CAB	34	337.563	120.971	160.105	469.345

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	34	238.735	226.072	79.000	528.000
Mn	34	71.029	38.974	21.000	133.000
Zn	34	58.971	136.478	22.000	47.000
Cu	34	5.444	1.124	3.800	6.800

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	41	336.902	65.741	268.000	409.000
Aska	41	63.976	11.141	53.000	76.000
OS smbh	41	67.249	3.486	61.700	71.600
Råprot	41	114.610	17.414	94.000	131.000
sRåprot	41	611.073	93.219	468.000	731.000
NH3-N	39	87.462	33.768	48.000	123.000
NDF	41	454.732	55.454	371.000	519.000
iNDF	41	368.663	89.751	253.000	474.612
nhNDF	41	5.369	2.377	2.736	8.486
Stä	41	100.390	58.851	42.000	185.000
Socker	41	37.537	23.359	16.000	67.000
TAF	41	77.744	24.762	50.500	101.500
Mjölksyra	41	57.024	21.041	35.000	82.000
Ättiksyra	41	17.976	6.612	9.000	27.000
PRF	20	3.950	2.544	0.000	7.000
BUF	20	1.150	1.348	0.000	3.500
AAT20	41	69.420	4.313	64.509	74.555
PBV20	41	5.146	15.767	-16.347	18.858
NEL20	41	5.591	0.328	5.147	5.963
Ca	36	5.181	1.352	3.900	6.900
P	36	2.706	0.480	2.100	3.200
Mg	36	1.825	0.359	1.400	2.300
K	36	18.297	5.010	12.300	23.600
Na	36	1.119	0.791	0.300	2.200
Cl	37	5.224	7.072	0.800	8.700
S	36	1.706	0.391	1.300	2.100
CAB	36	265.433	174.075	125.981	407.035
Fe	28	264.929	425.798	79.000	345.000
Mn	28	75.000	39.669	34.000	124.000
Zn	28	33.357	9.821	24.000	47.000
Cu	28	5.839	1.408	4.200	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	45	388.867	86.346	277.000	519.000
Aska	45	65.533	14.450	51.000	80.000
OS smbh	45	67.251	5.248	60.800	74.100
Råprot	45	111.356	31.393	78.000	150.000
sRåprot	45	620.489	95.293	487.000	740.000
NH3-N	45	85.622	36.196	49.000	142.000
NDF	45	474.156	57.268	402.000	539.000
iNDF	45	261.018	56.954	174.871	326.657
nhNDF	45	3.128	0.917	2.083	4.463
Stä	45	77.978	62.675	18.000	192.000
Socker	45	54.778	35.215	17.000	114.000
TAF	45	64.635	25.663	31.000	98.000
Mjölksyra	45	46.000	21.560	14.000	77.000
Ättiksyra	44	16.409	7.963	7.000	29.000
PRF	17	4.176	2.789	0.000	8.000
BUF	17	1.706	1.490	0.000	4.000
AAT20	45	73.073	5.526	65.797	80.178
PBV20	45	-6.152	26.666	-37.797	24.569
NEL20	45	5.498	0.463	4.927	6.072
Ca	37	4.030	1.761	2.300	6.800
P	37	2.586	0.549	2.000	3.100
Mg	37	1.592	0.413	1.100	2.200
K	37	19.800	7.118	13.500	29.700
Na	37	4.303	17.445	0.600	3.500
Cl	43	9.805	29.331	3.000	9.100
S	37	1.865	0.529	1.200	2.500
CAB	37	274.242	239.540	80.987	465.137
Fe	29	212.069	163.138	96.000	386.000
Mn	29	73.345	33.846	30.000	127.000
Zn	29	31.138	14.604	21.000	50.000
Cu	29	5.179	1.040	4.000	6.400

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	385.455	79.564	285.000	499.000
Aska	22	67.136	11.651	55.000	84.000
OS smbh	22	67.414	2.511	65.300	69.700
Råprot	22	120.545	23.409	95.000	148.000
sRåprot	22	621.136	75.280	545.000	681.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	22	92.909	28.210	62.000	129.000
NDF	22	453.409	41.469	394.000	498.000
iNDF	22	269.093	40.505	221.213	316.541
nhNDF	22	2.842	0.618	2.118	3.738
Stä	22	80.591	63.466	18.000	184.000
Socker	22	45.955	29.488	23.000	94.000
TAF	22	67.818	18.115	50.000	86.000
Mjölksyra	22	49.500	15.029	32.000	64.000
Ättiksyra	22	17.818	4.677	12.000	23.000
AAT20	22	68.565	3.025	65.134	72.109
PBV20	22	11.254	20.015	-11.902	34.415
NEL20	22	5.481	0.256	5.307	5.721
Ca	21	5.352	1.702	3.500	7.200
P	21	2.514	0.390	2.300	2.900
Mg	21	1.914	0.548	1.300	2.700
K	21	17.610	4.145	12.600	22.800
Na	21	0.533	0.509	0.200	0.800
Cl	22	3.409	1.710	0.600	5.400
S	21	1.600	0.387	1.100	2.000
CAB	21	277.115	83.995	204.572	418.926
Fe	21	190.619	168.989	94.000	257.000
Mn	21	66.524	26.481	38.000	113.000
Zn	21	97.095	290.406	27.000	46.000
Cu	21	6.700	2.983	4.400	9.000

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	53	424.472	98.481	306.000	559.000
Aska	53	57.377	13.280	37.000	74.000
OS smbh	53	68.013	4.541	63.100	73.700
Råprot	53	103.226	28.629	63.000	142.000
sRåprot	53	633.151	117.690	474.000	761.000
NH3-N	53	78.981	30.979	33.000	111.000
NDF	53	464.717	51.709	388.000	536.000
iNDF	53	258.085	56.862	178.000	320.000
nhNDF	53	3.046	0.874	2.082	4.346
Stä	53	101.264	77.346	17.000	223.000
Socker	53	73.075	36.468	32.000	127.000
TAF	53	53.339	25.381	22.960	88.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	53	35.660	19.653	10.000	59.000
Ättiksyra	52	14.673	7.189	6.000	25.000
PRF	18	2.833	2.093	0.000	5.000
BUF	18	1.333	1.372	0.000	4.000
AAT20	53	71.200	4.276	66.503	74.783
PBV20	53	-12.421	24.054	-45.084	22.298
NEL20	53	5.528	0.405	5.116	6.082
Ca	51	3.578	1.338	2.000	5.300
P	51	2.245	0.515	1.500	2.800
Mg	51	1.486	0.388	1.100	1.900
K	51	15.671	4.744	9.900	20.400
Na	51	0.637	0.686	0.100	1.300
Cl	51	3.524	3.171	1.000	5.400
S	51	1.633	0.448	1.100	2.100
CAB	51	224.014	149.797	94.867	403.832
Fe	44	177.068	185.952	69.000	411.000
Mn	44	54.068	23.666	28.000	81.000
Zn	44	27.182	10.927	16.000	35.000
Cu	44	4.834	1.802	3.000	6.700

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	39	385.154	77.569	276.000	480.000
Aska	39	58.590	11.297	44.000	75.000
OS smbh	39	69.341	2.744	65.500	72.800
Råprot	39	113.769	17.156	90.000	137.000
sRåprot	39	640.410	74.228	556.000	766.000
NH3-N	39	99.692	37.472	60.000	153.000
NDF	39	427.051	53.613	354.000	495.000
iNDF	39	258.875	34.323	208.000	311.069
nhNDF	39	2.798	0.613	2.076	3.534
Stä	38	134.921	80.776	36.000	242.000
Socker	39	42.821	30.970	18.000	80.000
TAF	39	66.744	18.320	36.000	93.000
Mjölksyra	39	50.641	18.133	20.000	74.000
Ättiksyra	39	15.359	6.059	9.000	23.000
PRF	11	1.455	1.293	0.000	3.000
BUF	11	1.182	1.662	0.000	3.000
AAT20	39	72.740	3.405	68.207	77.412

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	39	-1.388	18.132	-24.438	23.424
NEL20	39	5.700	0.275	5.353	6.007
Ca	36	5.314	1.443	3.600	7.000
P	36	2.786	0.535	2.100	3.600
Mg	36	1.819	0.379	1.300	2.300
K	36	16.553	3.795	11.900	22.100
Na	36	0.778	0.502	0.200	1.300
Cl	39	3.649	2.354	1.100	7.600
S	36	1.661	0.353	1.200	2.100
CAB	36	247.004	84.126	142.652	386.867
Fe	31	154.548	103.847	77.000	275.000
Mn	31	52.742	31.448	24.000	88.000
Zn	31	35.645	19.380	22.000	50.000
Cu	31	6.016	1.242	5.000	7.500

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	47	337.809	48.491	277.000	409.000
Aska	47	30.553	14.199	21.000	35.000
OS smbh	49	75.759	2.620	71.800	79.100
Råprot	47	75.702	7.434	68.000	86.000
sRåprot	47	521.851	118.587	361.000	707.000
NH3-N	40	51.950	35.699	15.000	115.000
NDF	47	377.277	52.986	313.000	438.000
iNDF	49	206.341	34.909	162.000	259.000
nhNDF	49	3.413	0.578	2.806	4.043
Stä	47	295.468	56.889	222.000	361.000
Socket	47	11.021	16.463	0.000	19.000
TAF	49	62.327	17.603	33.000	85.000
Mjölksyra	47	46.191	15.445	23.000	65.000
Ättiksyra	47	12.851	6.494	5.000	20.000
PRF	35	3.514	1.652	2.000	5.000
BUF	35	0.000	0.000	0.000	0.000
AAT20	49	83.083	3.719	78.116	88.328
PBV20	49	-54.945	7.899	-65.029	-44.441
NEL20	49	6.429	0.273	6.069	6.754
Ca	45	1.920	0.368	1.400	2.400
P	45	1.891	0.179	1.600	2.100
Mg	45	1.058	0.303	0.700	1.400

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	45	9.247	1.971	6.900	12.100
Na	41	0.302	0.188	0.100	0.500
Cl	15	2.140	1.205	1.200	3.500
S	45	0.911	0.167	0.800	1.200
CAB	45	144.619	59.683	86.263	214.428
Fe	16	96.438	47.705	66.000	178.000
Mn	16	24.875	16.366	10.000	39.000
Zn	16	24.250	7.197	16.000	32.000
Cu	16	3.969	0.717	3.000	5.000

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	19	849.789	84.553	705.000	943.000
Aska	19	52.579	12.681	39.000	74.000
OS smbh	19	63.905	4.176	58.100	70.400
Råprot	19	65.263	21.210	39.000	103.000
NDF	19	583.211	48.443	481.000	629.000
iNDF	19	239.636	38.261	200.782	287.853
nhNDF	19	3.234	0.559	2.488	3.936
Socket	19	135.368	22.850	101.000	161.000
TAF	19	0.000	0.000	0.000	0.000
AAT20	19	79.986	5.350	72.077	86.846
PBV20	19	-52.300	14.227	-71.441	-28.321
NEL20	19	4.855	0.386	4.289	5.352
Ca	13	2.885	1.679	1.500	6.300
P	13	1.638	0.530	1.100	2.300
Mg	13	1.054	0.367	0.700	1.700
K	13	14.900	4.535	8.400	20.300
Na	13	0.292	0.520	0.100	0.800
S	13	1.077	0.332	0.700	1.500
CAB	13	185.630	104.804	40.021	307.684
Fe	13	89.308	64.693	36.000	216.000
Mn	13	83.846	92.490	29.000	112.000
Zn	13	25.923	17.886	14.000	33.000
Cu	13	8.377	16.784	2.200	7.800

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	95	845.411	83.606	747.000	920.000
Aska	95	56.263	13.326	41.000	76.000
OS smbh	95	67.259	5.588	60.000	75.500
Råprot	95	84.568	28.442	56.000	132.000
sRåprot	18	432.722	56.615	370.000	478.000
NDF	95	558.484	54.277	486.000	621.000
iNDF	95	214.571	47.667	144.000	278.626
nhNDF	95	3.689	0.805	2.604	5.055
Socker	95	133.874	29.637	97.000	172.000
TAF	95	0.053	0.513	0.000	0.000
AAT20	95	85.559	7.690	76.093	96.551
PBV20	95	-43.541	17.888	-62.096	-17.293
NEL20	95	5.199	0.513	4.506	5.932
Ca	81	3.532	1.482	1.800	5.600
P	81	2.060	0.610	1.400	3.000
Mg	81	1.347	0.457	0.900	2.000
K	81	16.979	5.808	9.900	25.600
Na	80	0.506	0.654	0.100	1.300
Cl	13	3.223	2.400	0.700	6.500
S	81	1.415	0.442	0.900	2.000
CAB	81	235.069	143.189	77.915	453.001
Fe	70	126.214	167.849	47.000	218.500
Mn	70	71.543	41.549	28.500	121.000
Zn	70	23.757	7.343	17.000	35.000
Cu	70	4.427	2.049	2.900	5.950
Se	18	0.046	0.050	0.005	0.106

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	10	796.500	184.968	526.500	904.000
Aska	10	65.300	11.206	50.000	77.500
OS smbh	10	69.140	5.642	60.400	74.900
Råprot	10	107.500	35.315	61.500	155.500
NDF	10	512.600	54.500	446.500	584.500
iNDF	10	207.995	41.160	165.500	276.864
nhNDF	10	3.647	0.582	2.635	4.213
Socker	10	121.700	32.489	76.000	150.500
TAF	10	0.000	0.000	0.000	0.000
AAT20	10	89.065	8.670	77.075	99.698

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
PBV20	10	-27.943	21.768	-52.890	3.505
NEL20	10	5.387	0.567	4.567	6.029

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	285.900	44.8961	234.500	338.500
Aska	10	80.000	5.6765	72.000	87.500
OS smbh	10	68.390	2.5445	65.200	71.800
Råprot	10	179.000	24.7880	148.500	210.500
NDF	10	439.500	22.6728	405.500	468.500
iNDF	10	394.923	60.4857	315.453	455.419
nhNDF	10	6.208	0.5643	5.438	7.020
Socker	10	68.900	13.8760	54.500	91.500
TAF	10	72.000	0.0000	72.000	72.000
AAT20	10	78.702	2.9631	75.068	82.106
PBV20	10	60.743	20.4043	37.287	87.844
NEL20	10	5.618	0.2532	5.314	5.922
Ca	10	14.220	1.6712	12.450	16.900
P	10	3.050	0.4170	2.600	3.500
Mg	10	2.120	0.3259	1.700	2.550
K	10	19.220	3.6772	14.800	23.800
Na	10	0.770	0.2497	0.450	1.100
S	10	2.260	0.5296	1.650	2.950
CAB	10	254.211	84.9802	153.735	362.582
Fe	10	98.600	7.6333	89.000	109.000
Mn	10	31.600	4.9035	26.000	38.500
Zn	10	23.300	2.9458	20.000	27.500
Cu	10	7.360	1.2322	5.400	8.300

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	250.833	131.556	144.000	535.000
Aska	18	80.056	11.894	65.000	97.000
OS smbh	18	77.367	3.100	73.300	82.100
Råprot	18	198.111	41.708	127.000	244.000
NDF	18	386.500	41.999	338.000	448.000
iNDF	18	209.850	72.212	67.882	274.000
nhNDF	18	5.635	0.723	4.343	6.417
Socker	18	101.222	41.924	47.000	156.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	18	72.000	0.000	72.000	72.000
AAT20	18	87.671	3.474	81.612	91.953
PBV20	18	64.113	36.418	7.040	105.673
NEL20	18	6.434	0.308	5.959	6.799
Ca	18	11.994	2.926	9.300	15.600
P	18	3.283	0.627	2.300	4.100
Mg	18	2.194	0.599	1.500	2.900
K	18	27.950	5.619	21.500	36.300
Na	18	0.767	0.497	0.200	1.500
S	18	2.389	0.881	1.400	3.700
CAB	18	455.200	130.479	335.784	641.842
Fe	17	134.647	66.217	100.000	160.000
Mn	17	37.294	16.236	26.000	59.000
Zn	17	29.235	11.487	21.000	37.000
Cu	17	7.235	1.676	5.200	10.000

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	388.889	169.684	256.000	712.000
Aska	18	88.389	11.413	78.000	109.000
OS smbh	18	68.161	2.529	64.100	71.800
Råprot	18	166.500	21.481	143.000	200.000
NDF	18	413.722	44.357	366.000	465.000
iNDF	18	409.439	59.584	344.302	514.792
nhNDF	18	5.290	0.756	4.572	6.434
Socker	18	66.056	20.752	44.000	89.000
TAF	18	72.000	0.000	72.000	72.000
AAT20	18	76.940	2.798	72.937	80.222
PBV20	18	51.474	17.944	28.393	78.251
NEL20	18	5.488	0.251	5.126	5.833
Ca	18	14.106	3.685	9.900	19.800
P	18	2.733	0.443	2.200	3.300
Mg	18	2.528	0.438	2.000	3.000
K	18	18.589	3.988	13.300	23.400
Na	18	0.761	0.350	0.300	1.400
S	18	2.072	0.471	1.400	2.800
CAB	18	267.103	111.552	110.464	387.238
Fe	14	125.643	55.669	83.000	204.000
Mn	14	38.286	14.085	26.000	51.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Zn	14	22.857	3.483	19.000	27.000
Cu	14	7.679	1.665	6.000	10.700

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	399.800	72.917	315.500	506.500
Aska	10	78.400	11.491	65.000	96.000
OS smbh	10	76.620	2.241	73.700	79.700
Råprot	10	160.500	31.039	128.000	206.500
sRåprot	10	653.000	43.408	593.000	711.000
NH3-N	10	60.300	18.172	37.000	83.500
NDF	10	392.400	59.122	318.500	475.000
iNDF	10	180.478	66.872	108.000	288.284
nhNDF	10	4.294	0.387	3.789	4.816
Socker	10	73.000	35.390	30.500	120.000
TAF	10	82.190	38.662	33.000	127.550
Mjölksyra	10	61.800	32.437	20.500	100.000
Ättiksyra	10	17.700	7.747	8.000	28.000
BUF	10	0.390	0.644	0.000	1.400
AAT20	10	79.480	4.275	72.725	83.545
PBV20	10	41.146	32.863	6.722	89.850
NEL20	10	6.349	0.228	6.088	6.631
Ca	10	8.870	5.997	4.150	18.250
P	10	2.860	0.378	2.300	3.300
Mg	10	2.000	0.447	1.450	2.600
K	10	26.050	3.805	20.600	30.950
Na	10	0.570	0.347	0.250	1.100
Cl	10	3.450	1.632	1.450	5.650
S	10	1.940	0.347	1.600	2.400
CAB	10	472.590	121.386	297.535	628.464
Fe	10	219.100	245.947	77.500	608.500
Mn	10	51.300	13.056	34.000	66.000
Zn	10	25.200	5.692	18.000	33.000
Cu	10	6.080	1.048	5.000	7.400

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	436.444	77.412	352.000	560.000
Aska	27	65.148	10.567	51.000	77.000
OS smbh	27	73.770	3.532	67.700	77.400
Råprot	27	145.889	20.249	115.000	172.000
sRåprot	27	512.778	67.772	429.000	612.000
NH3-N	27	71.704	40.324	39.000	98.000
NDF	27	374.481	66.961	299.000	495.000
iNDF	27	242.333	49.653	182.000	315.000
nhNDF	27	3.418	0.707	2.668	4.301
Stä	26	141.885	61.852	33.000	207.000
Socker	27	43.926	21.060	21.000	73.000
TAF	27	57.741	23.787	27.000	88.000
Mjölksyra	27	35.185	18.391	9.000	59.000
Ättiksyra	26	16.192	11.607	0.000	27.000
PRF	26	4.269	1.867	2.000	7.000
BUF	26	2.423	7.168	0.000	3.000
AAT20	27	85.383	5.365	79.090	91.565
PBV20	27	18.017	13.816	-1.800	34.946
NEL20	27	6.252	0.352	5.631	6.601
Ca	27	6.100	1.653	4.800	8.600
P	27	3.730	0.661	3.000	4.800
Mg	27	2.941	0.899	2.000	4.500
K	27	15.693	3.038	11.100	19.900
Na	27	2.944	1.766	1.300	6.400
Cl	26	7.538	5.272	2.300	16.000
S	27	2.774	0.793	2.000	3.600
CAB	27	149.621	176.007	-50.369	359.775
Fe	17	295.941	135.583	182.000	371.000
Mn	17	85.765	36.547	40.000	119.000
Zn	17	76.118	30.802	34.000	121.000
Cu	17	12.941	6.159	7.000	21.000

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	16	447.875	71.594	353.000	541.000
Aska	16	64.125	8.318	48.000	73.000
OS smbh	16	75.338	4.674	68.600	82.000
Råprot	16	153.688	26.663	110.000	189.000
sRåprot	16	494.188	82.176	416.000	624.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	16	57.688	18.789	37.000	75.000
NDF	16	366.313	78.874	263.000	468.000
iNDF	16	196.820	35.746	159.869	247.903
nhNDF	16	3.359	0.407	2.880	4.024
Stä	16	130.563	85.385	40.000	252.000
Socker	16	48.625	19.445	30.000	64.000
NEL20	16	0.000	0.000	0.000	0.000
Ca	13	5.862	1.522	4.500	7.500
P	13	3.331	0.873	2.000	4.100
Mg	13	2.608	0.466	1.900	3.200
K	13	15.292	3.670	11.600	19.300
Na	13	2.800	1.986	1.300	4.200
Cl	16	4.963	1.914	1.800	7.100
S	13	2.446	0.458	2.000	2.900
CAB	13	212.833	127.682	74.355	356.005
Fe	13	322.846	135.602	124.000	430.000
Mn	13	79.077	28.689	39.000	105.000
Zn	13	57.462	20.313	33.000	79.000
Cu	13	13.869	5.825	6.500	19.700

*= Parametrar från det gamla svenska fodervärderingssystemet