

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	2	847	21	43.0	107	317	7.0	153	94	3.15	553	0.000			5
Vete, kärna (005)	1	2	857	19	44.0	103	319	8.0	120	106	3.50	614	0.000			5
Majs hela plantan, grönmassa (030)	1	7	335	28	74.5	75	371		397	189	3.11	304	57.000			27
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	4	472	63	73.7	141	622	74.8	476	170	4.18		43.050	30.5	10.3	93
Ensilage, gräs (0% klöver) (162)	2	4	678	73	73.2	135	505	41.5	485	172	4.15		28.450	18.8	8.3	99
Ensilage, gräs (0% klöver) (162)	3	1	853	63	75.8	176	321	28.0	479	146	4.64		31.000	12.0		118
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	396	71	78.5	147	442		430	127	5.25	18	45.750	0.0	1.5	135
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	581	79	75.6	153	381		463	161	4.98		71.067	0.0	2.0	112
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	350	79	74.7	135	417		459	172	4.49		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	256	86	73.6	160	309		449	177	4.16		84.000			89
Ensilage, blandvall (1-50% klöver) (165)	0	2	348	75	78.1	158	627	112	448	126	5.22		80.400	60.0	16.5	55
Ensilage, blandvall (1-50% klöver) (165)	1	139	432	71	76.9	152	635	60.9	434	140	4.52	114	70.349	52.0	15.4	84
Ensilage, blandvall (1-50% klöver) (165)	2	89	458	77	75.8	163	577	61.4	451	153	4.55		67.107	49.5	14.6	67
Ensilage, blandvall (1-50% klöver) (165)	3	63	422	83	74.1	166	552	71.5	456	183	4.43		69.222	48.7	17.1	51
Ensilage, blandvall (1-50% klöver) (165)	4	12	518	81	73.3	171	483	56.0	447	190	4.06		48.542	33.6	12.3	70
Korn, helsädesensilage (250)	1	9	383	52	69.7	107	618	85.6	448	252	3.11	121	64.156	43.4	16.9	66
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	353	64	67.4	112	545	63.0	432	385	5.37	139	60.400	44.6	13.2	45
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Vete, helsäd ensilage (299)	1	7	326	61	73.2	118	667	72.0	472	193	4.18	28	62.857	43.3	15.0	99
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	368	53	69.0	119	635	137	387	312	2.44	209	63.667	51.3	11.0	24
Majs, helsädesensilage (305)	1	15	341	24	75.5	75	478	34.7	378	214	3.44	319	55.533	43.1	9.2	6
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	4	424	61	74.2	142	469	47.3	343	249	3.07	178	50.500	31.8	13.3	35
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	2				97.4	-40	7.38	11.4	62.0	-10
Vete, kärna (005)	1	2				111	-61	7.90	14.0		
Majs hela plantan, grönmassa (030)	1	7				86.6	-61	6.28	11.2	80.0	-74
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	4	1.50000	1.05000		83.1	10.7	5.97	10.8	70.5	16.0
Ensilage, gräs (0% klöver) (162)	2	4	1.33333	0.20000		85.5	1.5	5.88	10.6	70.0	23.0
Ensilage, gräs (0% klöver) (162)	3	1				96.5	21.4	6.27	11.2		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	4.74359	3.17949		91.8	5.1	6.33	11.5	81.0	10.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	3.00000	1.40000		87.0	18.3	6.16	10.9	76.0	19.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3				83.7	6.7	6.06	10.8	76.0	7.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2				84.9	27.5	6.00	10.5	69.0	24.0
Ensilage, blandvall (1-50% klöver) (165)	0	2		2.90000		84.9	25.9	6.50	11.4	73.0	32.5
Ensilage, blandvall (1-50% klöver) (165)	1	139	2.87719	0.36331		83.9	22.4	6.35	11.3	73.1	16.9
Ensilage, blandvall (1-50% klöver) (165)	2	89	3.05882	0.39888		84.8	30.4	6.28	11.0	71.0	34.3
Ensilage, blandvall (1-50% klöver) (165)	3	63	3.23913	0.75806		83.4	36.2	6.13	10.7	69.9	47.1
Ensilage, blandvall (1-50% klöver) (165)	4	12	2.12500	0.40909		86.4	36.0	6.01	10.5	67.7	57.3
Korn, helsädesensilage (250)	1	9	3.28571	1.14286		71.8	-9.6	5.72	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	2.33333	1.66667		72.3	-2.4	5.56	10.1		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	7	4.40000	1.00000		74.0	-4.2	5.96	10.6		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	1.00000	1.00000		73.0	2.6	5.74	10.2	64.0	-25
Majs, helsädesensilage (305)	1	15	3.20000	0.00000		84.8	-59	6.45	11.6		
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.00000	0.50000		87.3	11.6	6.29	10.9		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.4	3.3	1.1	6.0	0.1	1.4	1.5	26	2	51.0	13.5	27.5	4.1	0.0
Vete, kärna (005)	1	1	0.3	3.1	1.2	5.2	0.1		1.1	43	1	48.0	27.0	21.0	4.6	
Majs hela plantan, grönmassa (030)	1	6	1.8	1.9	1.1	9.2	0.2	1.7	1.0	136	2	71.0	37.0	32.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	3	5.0	2.6	2.1	18.4	1.8	3.7	2.5	307	3	89.3	159.7	28.3	5.3	0.1
Ensilage, gräs (0% klöver) (162)	2	3	5.0	2.7	2.2	21.8	1.3	5.7	2.0	369	1	1104	57.0	26.0	10.0	0.1
Ensilage, gräs (0% klöver) (162)	3	1	7.3	2.7	4.5	16.9	1.4	2.0	3.6	212	1	89.0	58.0	17.0	6.0	
Ensilage, gräs (0% klöver) (162)	4	1	6.0	3.9	2.9	30.2	3.2	11.4	3.8	353	1	97.0	73.0	25.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	75	5.2	2.8	1.8	24.4	1.0	4.7	2.1	405	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	26	6.1	3.0	2.2	24.8	1.7	5.4	2.5	411	20	131.2	63.7	29.9	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	6.2	3.1	2.2	22.2	1.7	3.6	2.4	381	1	112.0	115.0	24.0	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	7.3	3.5	2.5	21.1	1.9	2.7	2.7	349	1	201.0	184.0	30.0	7.6	
Ensilage, blandvall (1-50% klöver) (165)	0	1	6.5	3.4	2.8	23.2	2.9	5.8	2.9	299	1	330.0	95.0	31.0	8.2	
Ensilage, blandvall (1-50% klöver) (165)	1	137	5.4	2.9	1.8	23.5	1.4	6.2	2.2	354	81	160.5	55.0	35.1	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	84	6.0	3.1	2.2	24.5	1.8	9.2	2.5	296	52	163.9	63.0	36.6	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	59	7.0	3.2	2.6	24.3	1.7	8.9	2.7	283	29	169.9	65.7	36.2	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	9	7.3	3.2	2.5	24.9	1.4	9.2	2.7	315	3	127.0	51.3	26.7	7.0	0.1
Korn, helsädesensilage (250)	1	9	3.9	2.6	1.5	15.4	1.3	3.1	1.7	253	5	102.4	45.2	32.8	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	5.3	2.6	1.6	17.0	1.0	4.3	1.5	271	4	140.3	62.3	33.0	5.2	
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	7	3.8	2.6	1.2	19.8	0.7	2.2	1.7	353	3	126.7	43.7	27.0	4.5	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	4.6	3.2	1.8	12.8	1.0	2.5	1.7	194	1	76.0	20.0	20.0	5.2	
Majs, helsädesensilage (305)	1	15	1.9	1.9	1.0	8.6	0.3	5.9	0.9	127	1	59.0	23.0	25.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	4	6.3	3.9	3.1	15.7	3.3	8.9	2.6	131	1	292.0	99.0	140.0	31.0	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	846.500	99.7021	776.000	917.000
Aska	2	21.000	1.4142	20.000	22.000
OS smbh	2	43.000	60.8112	0.000	86.000
Råprot	2	106.500	9.1924	100.000	113.000
sRåprot	1	317.000	.	317.000	317.000
NH3-N	1	7.000	.	7.000	7.000
NDF	2	152.500	27.5772	133.000	172.000
iNDF	2	93.500	96.8736	25.000	162.000
nhNDF	2	3.150	0.0000	3.150	3.150
Stä	2	553.000	18.3848	540.000	566.000
TAF	2	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	97.421	2.7135	95.502	99.340
PBVp20	2	-40.049	14.2070	-50.095	-30.003
NELp20	2	7.380	0.2830	7.180	7.580
OE*	2	11.400	1.6971	10.200	12.600
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.300	0.2828	3.100	3.500
Mg	2	1.100	0.1414	1.000	1.200
K	2	5.950	0.4950	5.600	6.300
Na	2	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	2	1.500	0.4243	1.200	1.800
CAB	2	26.152	43.1594	-4.366	56.670
Fe	2	51.000	14.1421	41.000	61.000
Mn	2	13.500	3.5355	11.000	16.000
Zn	2	27.500	0.7071	27.000	28.000
Cu	2	4.100	0.1414	4.000	4.200
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	856.500	31.820	834.000	879.000
Aska	2	18.500	3.536	16.000	21.000
OS smbh	2	44.000	62.225	0.000	88.000
Råprot	2	103.000	11.314	95.000	111.000
sRåprot	1	319.000	.	319.000	319.000
NH3-N	1	8.000	.	8.000	8.000
NDF	1	120.000	.	120.000	120.000
iNDF	2	106.000	114.551	25.000	187.000
nhNDF	2	3.500	0.000	3.500	3.500
Stä	2	613.500	88.388	551.000	676.000
TAF	2	0.000	0.000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	111.496	0.136	111.400	111.592
PBVp20	2	-61.028	10.692	-68.588	-53.468

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	7.903	0.111	7.824	7.982
OE*	1	14.000	.	14.000	14.000
Ca	1	0.300	.	0.300	0.300
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	5.200	.	5.200	5.200
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	43.238	.	43.238	43.238
Fe	1	48.000	.	48.000	48.000
Mn	1	27.000	.	27.000	27.000
Zn	1	21.000	.	21.000	21.000
Cu	1	4.600	.	4.600	4.600

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	334.571	53.5003	281.000	424.000
Aska	7	27.857	4.7409	23.000	36.000
OS smbh	7	74.529	3.1068	69.200	78.900
Råprot	7	75.429	5.7982	68.000	83.000
sRåprot	7	371.429	49.4026	304.000	439.000
NDF	7	396.571	38.6085	349.000	461.000
iNDF	7	188.596	20.0981	156.665	223.000
nhNDF	7	3.110	0.8080	2.293	4.198

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	7	303.857	37.9580	249.000	370.000
TAF	7	57.000	0.0000	57.000	57.000
Socker	7	26.571	43.5464	8.000	125.000
AATp20	7	86.620	2.2863	83.380	89.438
PBVp20	7	-60.734	6.4505	-70.311	-50.385
NELp20	7	6.279	0.2286	5.850	6.529
OE*	6	11.237	0.4425	10.460	11.770
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-74.000	.	-74.000	-74.000
Ca	6	1.800	0.4000	1.300	2.300
P	6	1.933	0.0516	1.900	2.000
Mg	6	1.117	0.2041	0.900	1.400
K	6	9.183	1.0439	7.500	10.500
Na	6	0.167	0.0816	0.100	0.300
Cl	3	1.700	0.6557	1.000	2.300
S	6	0.967	0.2658	0.800	1.500
CAB	6	136.158	32.9930	93.891	185.899
Fe	2	71.000	4.2426	68.000	74.000
Mn	2	37.000	4.2426	34.000	40.000
Zn	2	32.000	1.4142	31.000	33.000
Cu	2	5.950	1.4849	4.900	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socket	1	118.000	.	118.000	118.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	472.000	101.150	384.000	578.000
Aska	4	63.250	2.754	60.000	66.000
OS smbh	4	73.700	4.416	68.500	78.400
Råprot	4	140.750	22.202	118.000	171.000
sRåprot	4	622.250	122.788	513.000	797.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	74.750	42.555	41.000	137.000
NDF	4	476.000	43.120	421.000	516.000
iNDF	4	170.306	42.638	122.000	218.105
nhNDF	4	4.175	0.543	3.461	4.633
TAF	4	43.050	22.032	27.900	75.300
Mjölksyra	4	30.500	17.059	20.000	56.000
Ättiksyra	4	10.250	4.425	6.000	15.000
Socker	4	93.250	32.958	56.000	133.000
PRF	2	1.500	2.121	0.000	3.000
BUF	4	1.050	1.559	0.000	3.300
AATp20	4	83.103	5.245	78.464	90.614
PBVp20	4	10.694	13.652	-7.050	26.244
NELp20	4	5.969	0.410	5.480	6.412
OE*	4	10.828	0.697	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	3	4.967	0.839	4.000	5.500
P	3	2.633	0.153	2.500	2.800
Mg	3	2.067	0.321	1.700	2.300
K	3	18.433	5.947	13.200	24.900
Na	3	1.800	0.458	1.300	2.200
Cl	4	3.725	1.997	1.100	5.900
S	3	2.533	0.321	2.300	2.900
CAB	3	306.861	161.532	162.121	481.114

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	89.333	12.220	76.000	100.000
Mn	3	159.667	183.919	50.000	372.000
Zn	3	28.333	6.506	22.000	35.000
Cu	3	5.267	1.419	4.000	6.800
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	678.00	120.828	565.00	845.00
Aska	4	73.00	8.832	64.00	85.00
OS smbh	4	73.23	1.615	71.10	74.90
Råprot	4	135.00	19.613	115.00	158.00
sRåprot	4	505.00	33.136	456.00	529.00
NH3-N	4	41.50	24.570	20.00	70.00
NDF	4	484.75	40.484	449.00	541.00
iNDF	4	171.54	21.277	141.00	190.00
nhNDF	4	4.15	0.126	4.02	4.28
TAF	4	28.45	14.985	16.80	50.00
Mjölksyra	4	18.75	12.420	10.00	37.00
Ättiksyra	4	8.25	4.992	3.00	13.00
Socker	4	99.00	19.235	85.00	127.00
PRF	3	1.33	0.577	1.00	2.00
BUF	4	0.20	0.400	0.00	0.80
AATp20	4	85.51	4.208	82.03	91.19

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	1.47	11.761	-12.20	13.52
NELp20	4	5.88	0.179	5.73	6.14
OE*	4	10.63	0.288	10.31	11.01
AAT*	1	70.00	.	70.00	70.00
PBV*	1	23.00	.	23.00	23.00
Ca	3	5.03	1.193	4.20	6.40
P	3	2.67	0.153	2.50	2.80
Mg	3	2.17	0.503	1.70	2.70
K	3	21.83	2.871	19.40	25.00
Na	3	1.33	0.153	1.20	1.50
Cl	4	5.68	2.901	3.40	9.90
S	3	2.03	0.416	1.70	2.50
CAB	3	369.10	89.972	275.31	454.69
Fe	1	1104.00	.	1104.00	1104.00
Mn	1	57.00	.	57.00	57.00
Zn	1	26.00	.	26.00	26.00
Cu	1	10.00	.	10.00	10.00
Se	1	0.05	.	0.05	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	853.000	.	853.000	853.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	176.000	.	176.000	176.000
sRåprot	1	321.000	.	321.000	321.000
NH3-N	1	28.000	.	28.000	28.000
NDF	1	479.000	.	479.000	479.000
iNDF	1	146.000	.	146.000	146.000
nhNDF	1	4.638	.	4.638	4.638
TAF	1	31.000	.	31.000	31.000
Mjölksyra	1	12.000	.	12.000	12.000
Socker	1	118.000	.	118.000	118.000
AATp20	1	96.464	.	96.464	96.464
PBVp20	1	21.419	.	21.419	21.419
NELp20	1	6.272	.	6.272	6.272
OE*	1	11.170	.	11.170	11.170
Ca	1	7.300	.	7.300	7.300
P	1	2.700	.	2.700	2.700
Mg	1	4.500	.	4.500	4.500
K	1	16.900	.	16.900	16.900
Na	1	1.400	.	1.400	1.400
Cl	1	2.000	.	2.000	2.000
S	1	3.600	.	3.600	3.600
CAB	1	211.757	.	211.757	211.757

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	89.000	.	89.000	89.000
Mn	1	58.000	.	58.000	58.000
Zn	1	17.000	.	17.000	17.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	6.000	.	6.000	6.000
P	1	3.900	.	3.900	3.900
Mg	1	2.900	.	2.900	2.900
K	1	30.200	.	30.200	30.200
Na	1	3.200	.	3.200	3.200
Cl	1	11.400	.	11.400	11.400
S	1	3.800	.	3.800	3.800
CAB	1	352.882	.	352.882	352.882
Fe	1	97.000	.	97.000	97.000
Mn	1	73.000	.	73.000	73.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	76	395.921	166.429	200.000	640.000
Aska	76	71.197	9.215	60.000	85.000
OS smbh	76	78.533	4.237	71.600	83.900
Råprot	76	147.421	28.267	117.000	175.000
sRåprot	51	442.314	61.653	368.000	508.000
NDF	76	429.553	43.908	383.000	493.000
iNDF	76	126.911	63.250	61.197	211.000
nhNDF	76	5.248	1.334	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	76	45.750	37.733	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	76	134.684	32.486	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	76	91.755	6.307	82.993	98.373
PBVp20	76	5.101	20.305	-20.091	28.303
NELp20	76	6.334	0.432	5.773	6.969
OE*	76	11.520	0.685	10.430	12.400
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	75	5.187	1.811	3.500	8.200
P	75	2.784	0.526	2.100	3.300
Mg	75	1.759	0.546	1.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	75	24.389	5.050	17.200	30.800
Na	73	1.010	0.752	0.400	1.600
Cl	47	4.747	3.091	1.500	8.100
S	75	2.061	0.409	1.600	2.500
CAB	75	405.134	110.534	266.150	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	581.333	199.388	278.000	831.000
Aska	30	79.333	10.506	65.000	90.000
OS smbh	30	75.587	4.998	70.250	82.850
Råprot	30	153.367	31.020	114.500	193.500
sRåprot	12	381.167	47.909	316.000	438.000
NDF	30	463.033	49.328	398.500	525.000
iNDF	30	160.835	78.112	62.969	282.630
nhNDF	30	4.979	1.205	3.481	6.857
TAF	30	71.067	29.456	7.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	30	112.100	29.201	85.000	143.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	30	87.011	7.054	78.821	95.660
PBVp20	30	18.325	22.098	-7.616	46.543
NELp20	30	6.156	0.505	5.556	6.866
OE*	30	10.934	0.772	9.980	11.950
AAT*	18	76.000	4.602	68.000	81.000
PBV*	18	19.833	31.894	-17.000	59.000
Ca	26	6.131	2.628	3.400	10.000
P	26	2.981	0.478	2.300	3.600
Mg	26	2.173	0.464	1.300	2.700
K	26	24.773	4.958	14.900	30.700
Na	26	1.723	1.297	0.400	3.800
Cl	12	5.350	2.556	1.700	8.100
S	26	2.500	0.455	2.000	3.100
CAB	26	411.404	114.510	222.129	563.641
Fe	20	131.150	59.622	78.000	216.000
Mn	20	63.650	21.286	44.000	103.000
Zn	20	29.900	5.046	25.000	35.500
Cu	20	6.375	1.282	4.750	7.900
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	350.333	54.885	287.000	384.000
Aska	3	79.000	6.557	72.000	85.000
OS smbh	3	74.667	2.183	72.300	76.600
Råprot	3	135.333	12.220	122.000	146.000
sRåprot	2	416.500	53.033	379.000	454.000
NDF	3	459.333	11.547	446.000	466.000
iNDF	3	171.811	38.956	142.433	216.000
nhNDF	3	4.488	0.255	4.215	4.721
TAF	3	84.000	0.000	84.000	84.000
Socker	3	109.667	34.962	88.000	150.000
AATp20	3	83.710	1.309	82.390	85.008
PBVp20	3	6.664	9.293	-3.569	14.579
NELp20	3	6.059	0.188	5.843	6.190
OE*	3	10.780	0.262	10.490	11.000
AAT*	1	76.000	.	76.000	76.000
PBV*	1	7.000	.	7.000	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	3	6.233	1.021	5.500	7.400
P	3	3.067	0.306	2.800	3.400
Mg	3	2.200	0.624	1.700	2.900
K	3	22.167	4.697	17.900	27.200
Na	3	1.733	1.457	0.700	3.400
Cl	2	3.550	1.626	2.400	4.700
S	3	2.400	0.819	1.700	3.300
CAB	3	381.487	105.108	266.982	473.584
Fe	1	112.000	.	112.000	112.000
Mn	1	115.000	.	115.000	115.000
Zn	1	24.000	.	24.000	24.000
Cu	1	6.800	.	6.800	6.800
Se	1	0.020	.	0.020	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	256.000	66.4680	209.000	303.000
Aska	2	85.500	4.9497	82.000	89.000
OS smbh	2	73.600	6.7882	68.800	78.400
Råprot	2	159.500	21.9203	144.000	175.000
sRåprot	1	309.000	.	309.000	309.000
NDF	2	448.500	53.0330	411.000	486.000
iNDF	2	176.639	60.3005	134.000	219.278
nhNDF	2	4.156	1.0157	3.438	4.874

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	89.000	33.9411	65.000	113.000
AATp20	2	84.917	11.9086	76.496	93.338
PBVp20	2	27.500	0.8607	26.892	28.109
NELp20	2	6.001	0.6481	5.543	6.459
OE*	2	10.535	1.1809	9.700	11.370
AAT*	1	69.000	.	69.000	69.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	7.250	1.7678	6.000	8.500
P	2	3.450	0.0707	3.400	3.500
Mg	2	2.500	0.5657	2.100	2.900
K	2	21.100	2.5456	19.300	22.900
Na	2	1.900	0.7071	1.400	2.400
Cl	1	2.700	.	2.700	2.700
S	2	2.700	0.2828	2.500	2.900
CAB	2	349.275	91.8754	284.310	414.241
Fe	1	201.000	.	201.000	201.000
Mn	1	184.000	.	184.000	184.000
Zn	1	30.000	.	30.000	30.000
Cu	1	7.600	.	7.600	7.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	347.500	58.6899	306.000	389.000
Aska	2	75.000	11.3137	67.000	83.000
OS smbh	2	78.100	4.3841	75.000	81.200
Råprot	2	158.000	25.4558	140.000	176.000
sRåprot	2	626.500	71.4178	576.000	677.000
NH3-N	2	112.000	5.6569	108.000	116.000
NDF	2	447.500	20.5061	433.000	462.000
iNDF	2	125.705	45.0819	93.827	157.582
nhNDF	2	5.225	1.0782	4.463	5.987
TAF	2	80.400	0.8485	79.800	81.000
Mjölksyra	2	60.000	2.8284	58.000	62.000
Ättiksyra	2	16.500	2.1213	15.000	18.000
Socker	2	55.000	46.6690	22.000	88.000
BUF	2	2.900	1.5556	1.800	4.000
AATp20	2	84.874	2.4613	83.134	86.615
PBVp20	2	25.888	28.1784	5.963	45.813
NELp20	2	6.503	0.3026	6.289	6.717
OE*	2	11.400	0.8485	10.800	12.000
AAT*	2	73.000	2.8284	71.000	75.000
PBV*	2	32.500	28.9914	12.000	53.000
Ca	1	6.500	.	6.500	6.500
P	1	3.400	.	3.400	3.400
Mg	1	2.800	.	2.800	2.800
K	1	23.200	.	23.200	23.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.900	.	2.900	2.900
Cl	2	5.800	3.8184	3.100	8.500
S	1	2.900	.	2.900	2.900
CAB	1	298.751	.	298.751	298.751
Fe	1	330.000	.	330.000	330.000
Mn	1	95.000	.	95.000	95.000
Zn	1	31.000	.	31.000	31.000
Cu	1	8.200	.	8.200	8.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	139	432.173	130.816	299.000	620.000
Aska	139	70.597	8.499	61.000	80.000
OS smbh	139	76.899	3.600	71.300	80.000
Råprot	139	152.410	21.406	122.000	178.000
sRåprot	139	634.914	94.242	484.000	722.000
NH3-N	137	60.912	24.271	34.000	97.000
NDF	139	433.532	47.882	379.000	509.000
iNDF	139	140.441	41.693	104.000	201.000
nhNDF	139	4.521	0.509	3.956	5.110
Stä	1	114.000	.	114.000	114.000
TAF	139	70.349	34.046	22.000	111.000
Mjölksyra	139	52.000	29.710	11.000	90.000
Ättiksyra	139	15.446	6.182	7.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	139	83.712	37.077	39.000	136.000
PRF	114	2.877	1.720	1.000	5.000
BUF	139	0.363	0.731	0.000	1.100
AATp20	139	83.881	4.146	78.627	89.871
PBVp20	139	22.436	19.673	-1.502	46.706
NELp20	139	6.350	0.343	5.867	6.681
OE*	139	11.258	0.563	10.440	11.780
AAT*	25	73.080	1.801	71.000	74.000
PBV*	25	16.920	20.874	-5.000	39.000
Ca	137	5.358	1.336	4.000	7.600
P	137	2.866	0.405	2.400	3.400
Mg	137	1.850	0.357	1.400	2.300
K	137	23.531	4.346	18.100	28.800
Na	137	1.420	0.624	0.600	2.200
Cl	138	6.216	4.249	2.500	10.600
S	137	2.166	0.412	1.700	2.500
CAB	137	354.325	125.425	181.601	500.557
Fe	81	160.457	82.467	90.000	264.000
Mn	81	55.037	20.302	37.000	69.000
Zn	81	35.099	21.330	24.000	50.000
Cu	81	5.732	1.259	4.000	7.000
Se	29	0.044	0.015	0.011	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	89	457.809	138.540	298.000	661.000
Aska	89	76.685	9.651	66.000	87.000
OS smbh	89	75.757	2.996	72.700	79.000
Råprot	89	162.528	21.758	137.000	189.000
sRåprot	89	576.517	96.328	431.000	657.000
NH3-N	89	61.360	27.842	26.000	91.000
NDF	89	451.247	34.327	414.000	497.000
iNDF	89	152.906	36.050	112.000	185.000
nhNDF	89	4.545	0.534	4.067	5.138
TAF	89	67.107	31.954	18.000	107.000
Mjölksyra	89	49.528	27.029	8.000	85.000
Ättiksyra	89	14.607	7.240	5.000	21.000
Socker	89	67.112	27.741	34.000	107.000
PRF	68	3.059	1.969	1.000	6.000
BUF	89	0.399	1.140	0.000	1.200
AATp20	89	84.846	5.187	79.970	93.421
PBVp20	89	30.399	18.056	10.104	54.695
NELp20	89	6.280	0.316	5.940	6.600
OE*	89	11.000	0.465	10.530	11.490
AAT*	21	71.048	1.746	70.000	72.000
PBV*	21	34.333	20.404	11.000	59.000
Ca	84	6.038	1.275	5.000	7.600
P	84	3.055	0.396	2.500	3.500
Mg	84	2.205	0.423	1.800	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	84	24.502	4.650	18.500	29.400
Na	84	1.789	0.943	0.800	2.900
Cl	88	9.223	7.894	3.300	18.200
S	84	2.529	0.483	2.000	3.100
CAB	84	295.983	222.545	85.307	469.117
Fe	52	163.904	94.294	84.000	287.000
Mn	52	63.000	18.484	46.000	82.000
Zn	52	36.558	20.352	25.000	47.000
Cu	52	6.635	1.217	5.000	8.000
Se	10	0.044	0.013	0.019	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	63	422.143	136.031	274.000	630.000
Aska	63	82.683	16.197	68.000	101.000
OS smbh	63	74.051	2.478	71.300	76.500
Råprot	63	166.238	18.467	144.000	192.000
sRåprot	63	552.270	74.586	479.000	619.000
NH3-N	62	71.484	28.019	42.000	99.000
NDF	63	455.873	31.353	408.000	489.000
iNDF	63	183.173	39.367	146.000	231.000
nhNDF	63	4.434	0.524	3.848	5.038
TAF	63	69.222	27.108	26.000	97.000
Mjölksyra	63	48.667	22.740	11.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	62	17.145	9.324	8.000	26.000
Socker	63	50.825	24.306	27.000	82.000
PRF	46	3.239	3.005	0.000	6.000
BUF	62	0.758	1.565	0.000	2.000
AATp20	63	83.434	3.997	79.746	88.743
PBVp20	63	36.222	17.017	15.981	59.234
NELp20	63	6.125	0.297	5.837	6.441
OE*	63	10.656	0.486	10.230	11.130
AAT*	16	69.938	2.265	67.000	72.000
PBV*	16	47.063	20.732	25.000	73.000
Ca	59	7.039	1.690	5.700	8.300
P	59	3.236	0.351	2.800	3.800
Mg	59	2.585	0.495	2.100	3.100
K	59	24.337	3.986	20.000	29.800
Na	59	1.695	0.615	0.900	2.600
Cl	63	8.922	6.045	3.300	15.800
S	59	2.688	0.499	2.200	3.400
CAB	59	283.384	210.690	50.770	481.261
Fe	29	169.862	83.116	82.000	284.000
Mn	29	65.690	16.408	45.000	87.000
Zn	29	36.172	21.333	24.000	57.000
Cu	29	7.407	1.162	5.900	9.000
Se	5	0.044	0.014	0.019	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	518.333	181.578	290.000	720.000
Aska	12	81.333	6.692	74.000	89.000
OS smbh	12	73.342	3.418	66.700	75.900
Råprot	12	171.000	20.911	153.000	196.000
sRåprot	12	482.500	103.208	376.000	584.000
NH3-N	11	56.000	23.845	38.000	67.000
NDF	12	446.500	36.316	403.000	495.000
iNDF	12	190.485	52.177	147.000	232.259
nhNDF	12	4.057	0.681	3.109	4.742
TAF	12	48.542	33.736	6.500	94.000
Mjölksyra	12	33.583	27.813	2.000	65.000
Ättiksyra	11	12.273	6.842	3.000	23.000
Socker	12	69.750	31.236	35.000	107.000
PRF	8	2.125	1.885	0.000	5.000
BUF	11	0.409	0.889	0.000	0.500
AATp20	12	86.416	5.153	80.529	91.744
PBVp20	12	36.045	18.664	6.928	59.582
NELp20	12	6.010	0.376	5.297	6.295
OE*	12	10.549	0.556	9.500	10.940
AAT*	3	67.667	1.155	67.000	69.000
PBV*	3	57.333	36.474	16.000	85.000
Ca	9	7.311	1.273	5.600	9.300
P	9	3.178	0.346	2.600	3.700
Mg	9	2.500	0.433	1.800	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	9	24.900	3.496	21.000	31.800
Na	9	1.444	0.559	0.300	2.200
Cl	12	9.200	5.575	3.600	14.600
S	9	2.744	0.394	2.300	3.500
CAB	9	314.644	106.732	106.298	443.793
Fe	3	127.000	63.498	79.000	199.000
Mn	3	51.333	15.308	34.000	63.000
Zn	3	26.667	7.095	19.000	33.000
Cu	3	7.000	1.000	6.000	8.000
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	382.556	112.123	207.000	617.000
Aska	9	51.556	12.481	37.000	78.000
OS smbh	9	69.733	2.929	65.400	73.700
Råprot	9	107.111	17.829	89.000	142.000
sRåprot	9	617.556	103.982	415.000	750.000
NH3-N	9	85.556	35.955	45.000	168.000
NDF	9	448.222	47.201	367.000	505.000
iNDF	9	251.566	53.778	188.000	317.000
nhNDF	9	3.108	0.813	2.031	4.341
Stä	9	120.889	84.179	26.000	253.000
TAF	9	64.156	20.921	27.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	9	43.444	15.026	17.000	67.000
Ättiksyra	9	16.889	5.419	9.000	24.000
Socker	9	65.556	44.119	18.000	137.000
PRF	7	3.286	2.059	1.000	7.000
BUF	7	1.143	2.193	0.000	6.000
AATp20	9	71.834	1.514	69.184	73.578
PBVp20	9	-9.637	16.496	-25.351	24.271
NELp20	9	5.721	0.274	5.287	6.089
OE*	7	10.379	0.464	9.590	10.850
Ca	9	3.889	0.927	2.200	5.500
P	9	2.644	0.686	1.700	3.700
Mg	9	1.544	0.350	1.100	2.100
K	9	15.411	7.270	8.000	32.300
Na	9	1.256	0.583	0.200	2.400
Cl	9	3.111	2.135	0.900	6.400
S	9	1.733	0.269	1.400	2.200
CAB	9	252.765	189.761	98.909	649.395
Fe	5	102.400	22.233	70.000	124.000
Mn	5	45.200	27.968	15.000	85.000
Zn	5	32.800	8.955	25.000	47.000
Cu	5	4.880	0.729	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	353.200	92.6510	273.000	489.000
Aska	5	63.600	13.0499	51.000	82.000
OS smbh	5	67.420	4.1033	61.700	72.800
Råprot	5	111.600	24.5214	82.000	142.000
sRåprot	5	545.000	65.4255	438.000	603.000
NH3-N	4	63.000	32.9039	21.000	101.000
NDF	5	431.800	82.0134	344.000	547.000
iNDF	5	385.086	76.9081	316.000	474.612
nhNDF	5	5.366	3.2209	1.698	9.827
Stä	5	138.600	50.3915	96.000	211.000
TAF	5	60.400	37.4556	10.000	93.500
Mjölksyra	5	44.600	31.9421	0.000	77.000
Ättiksyra	5	13.200	4.7645	8.000	17.000
Socker	5	45.400	41.3195	11.000	104.000
PRF	3	2.333	4.0415	0.000	7.000
BUF	3	1.667	1.5275	0.000	3.000
AATp20	5	72.257	6.3693	64.833	80.014
PBVp20	5	-2.399	16.0586	-17.015	17.372
NELp20	5	5.558	0.2564	5.271	5.855
OE*	3	10.100	0.4085	9.830	10.570
Ca	5	5.320	1.4856	3.700	7.200
P	5	2.640	0.2702	2.400	3.100
Mg	5	1.580	0.1483	1.400	1.800
K	5	16.980	2.2643	14.800	20.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	0.980	1.0849	0.100	2.700
Cl	4	4.275	3.3150	1.000	8.700
S	5	1.480	0.3421	1.100	2.000
CAB	5	271.140	65.5289	187.219	366.399
Fe	4	140.250	93.7777	66.000	271.000
Mn	4	62.250	31.7530	22.000	91.000
Zn	4	33.000	6.8799	28.000	43.000
Cu	4	5.150	0.3697	4.900	5.700

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	325.857	74.790	233.000	436.000
Aska	7	60.714	11.131	44.000	79.000
OS smbh	7	73.200	3.085	69.500	78.200
Råprot	7	118.286	21.500	79.000	143.000
sRåprot	7	666.571	153.795	408.000	829.000
NH3-N	7	72.000	29.905	45.000	120.000
NDF	7	471.857	52.353	370.000	531.000
iNDF	7	192.750	39.554	149.000	264.000
nhNDF	7	4.177	0.297	3.618	4.467
Stä	7	27.857	7.647	17.000	38.000
TAF	7	62.857	43.269	9.000	123.000
Mjölksyra	7	43.286	33.634	0.000	93.000
Ättiksyra	7	15.000	10.832	0.000	28.000
Socker	7	98.571	42.007	49.000	157.000
PRF	5	4.400	1.342	2.000	5.000
BUF	5	1.000	1.732	0.000	4.000
AATp20	7	73.986	6.012	67.809	84.279
PBVp20	7	-4.213	25.089	-47.778	23.943
NELp20	7	5.959	0.292	5.613	6.507
OE*	5	10.574	0.409	10.270	11.280
Ca	7	3.786	0.747	3.000	5.300
P	7	2.614	0.488	2.100	3.400
Mg	7	1.186	0.324	0.800	1.800
K	7	19.814	5.645	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	0.714	0.406	0.200	1.300
Cl	5	2.160	1.866	0.700	4.200
S	7	1.686	0.313	1.200	2.100
CAB	7	352.860	149.143	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	368.000	56.3471	303.000	403.000
Aska	3	52.667	11.0151	42.000	64.000
OS smbh	3	69.033	1.7616	67.600	71.000
Råprot	3	118.667	18.8768	98.000	135.000
sRåprot	3	635.333	30.3699	610.000	669.000
NH3-N	3	136.667	13.3167	122.000	148.000
NDF	3	387.000	49.5076	338.000	437.000
iNDF	3	311.599	10.3298	299.798	319.000
nhNDF	3	2.439	0.4654	2.076	2.964
Stä	3	209.000	34.3948	171.000	238.000
TAF	3	63.667	8.6217	56.000	73.000
Mjölksyra	3	51.333	8.5049	45.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	11.000	1.0000	10.000	12.000
Socker	3	23.667	5.0332	19.000	29.000
PRF	2	1.000	1.4142	0.000	2.000
BUF	2	1.000	1.4142	0.000	2.000
AATp20	3	73.019	1.3190	71.995	74.508
PBVp20	3	2.642	15.2512	-14.565	14.491
NELp20	3	5.740	0.1184	5.646	5.873
OE*	3	10.227	0.2663	9.920	10.400
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	3	4.633	1.1015	3.900	5.900
P	3	3.200	0.8544	2.400	4.100
Mg	3	1.800	0.3606	1.400	2.100
K	3	12.800	0.7550	12.000	13.500
Na	3	0.967	0.4933	0.400	1.300
Cl	3	2.467	1.5308	0.700	3.400
S	3	1.700	0.6083	1.000	2.100
CAB	3	193.661	51.9344	142.652	246.474
Fe	1	76.000	.	76.000	76.000
Mn	1	20.000	.	20.000	20.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.200	.	5.200	5.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	340.533	49.3643	284.000	411.000
Aska	15	24.467	3.9437	20.000	29.000
OS smbh	15	75.513	3.3288	70.500	79.600
Råprot	15	74.667	5.5248	68.000	84.000
sRåprot	15	478.400	81.0950	373.000	599.000
NH3-N	12	34.667	14.9322	12.000	49.000
NDF	15	378.267	54.8146	303.000	436.000
iNDF	15	214.067	30.8347	166.000	249.000
nhNDF	15	3.444	0.7242	2.806	4.229
Stä	15	318.800	59.3611	255.000	394.000
TAF	15	55.533	18.9995	31.000	78.000
Mjölksyra	15	43.133	15.3151	21.000	59.000
Ättiksyra	15	9.200	4.9598	5.000	17.000
Socker	15	6.467	3.8705	0.000	13.000
PRF	15	3.200	1.4736	2.000	5.000
BUF	15	0.000	0.0000	0.000	0.000
AATp20	15	84.818	4.1686	79.686	90.196
PBVp20	15	-58.541	5.6416	-66.507	-51.573
NELp20	15	6.447	0.3397	6.069	6.867
OE*	15	11.580	0.5852	10.760	12.300
Ca	15	1.933	0.2690	1.600	2.300
P	15	1.947	0.1060	1.800	2.100
Mg	15	0.993	0.1668	0.700	1.200
K	15	8.627	1.6355	6.500	10.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	15	0.300	0.1773	0.100	0.500
Cl	1	5.900	.	5.900	5.900
S	15	0.893	0.1335	0.800	1.000
CAB	15	127.325	55.7012	86.263	182.427
Fe	1	59.000	.	59.000	59.000
Mn	1	23.000	.	23.000	23.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231
PBVp20	3	-37.941	9.7823	-46.152	-27.118
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981
Fe	8	93.250	84.9651	47.000	301.000
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285
PBVp20	1	-19.126	.	-19.126	-19.126
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000
iNDF	4	361.000	39.6821	304.000	396.000
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000
Cl	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	423.750	27.4393	401.000	459.000
Aska	4	61.250	13.1244	43.000	73.000
OS smbh	4	74.225	3.5189	70.100	78.700
Råprot	4	142.250	23.3292	118.000	172.000
sRåprot	4	469.000	24.1799	453.000	505.000
NH3-N	4	47.250	12.2848	33.000	61.000
NDF	4	343.000	59.4362	286.000	406.000
iNDF	4	248.750	36.3994	220.000	302.000
nhNDF	4	3.071	1.0885	1.772	4.279
Stä	4	177.750	64.3189	134.000	273.000
TAF	4	50.500	17.5973	32.000	67.000
Mjölksyra	4	31.750	19.5000	9.000	54.000
Ättiksyra	4	13.250	5.4391	6.000	19.000
Socker	4	34.750	24.3088	0.000	55.000
PRF	4	5.000	2.1602	2.000	7.000
BUF	4	0.500	1.0000	0.000	2.000
AATp20	4	87.316	3.7918	82.791	91.498
PBVp20	4	11.573	17.8232	-4.214	33.216
NELp20	4	6.291	0.3873	5.779	6.720
OE*	4	10.928	0.5379	10.240	11.530
Ca	4	6.300	1.6371	4.800	8.600
P	4	3.875	0.7182	3.100	4.800
Mg	4	3.100	1.0231	2.200	4.500
K	4	15.650	4.5325	10.600	20.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	3.250	1.1121	2.100	4.300
Cl	4	8.850	5.9489	3.900	17.000
S	4	2.575	0.7320	2.000	3.600
CAB	4	131.327	57.4608	58.627	187.791
Fe	1	292.000	.	292.000	292.000
Mn	1	99.000	.	99.000	99.000
Zn	1	140.000	.	140.000	140.000
Cu	1	31.000	.	31.000	31.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet