

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	13	848	22	72.8	111	268	6.0	173	141	3.15	608	0.000			5
Havre, kärna, hög NDF (002)	1	2	860	23	75.0	118		6.0		392	2.00	529	0.000			
Vete, kärna (005)	1	14	862	18	70.4	115	317	6.5	108	155	3.50	647	0.000			12
Rågvete (015)	1	5	855	19	53.7	124	489	7.5	117	122	3.50	623	0.000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	791	22	80.5	125		6.0	202	304	2.50	566	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	4	830	20	87.0	112		7.0		173	3.30	617	0.000			
Majs hela plantan, grönmassa (030)	1	9	281	29	74.6	82	379		413	193	3.41	250	57.000			42
Prognos, gräs (0% baljv.) (041)	1	1	530		72.7					171	4.34		0.000			
Råg, helsäd, grönmassa (138)	1	2	402	45	68.0	105	728	95.5	505	237	3.21	83	39.000	26.5	12.5	112
Grönmassa, gräs (0% baljv.) (161)	0	1	611	69	72.8	110			563	155	4.83		61.000			104
Grönmassa, gräs (0% baljv.) (161)	1	12	566	60	74.0	126	476		507	158	4.83		56.083	0.0	0.0	134
Grönmassa, gräs (0% baljv.) (161)	2	6	550	75	74.3	155	401		504	155	4.71		61.000			95
Grönmassa, gräs (0% baljv.) (161)	3	2	627	82	75.5	193			476	148	4.75		61.000			77
Ensilage, gräs (0% klöver) (162)	1	7	344	70	76.7	157	642	89.3	461	140	4.88		72.471	55.7	14.1	51
Ensilage, gräs (0% klöver) (162)	2	5	535	68	74.7	151	549	66.6	466	166	4.43		50.520	38.0	10.6	70
Ensilage, gräs (0% klöver) (162)	3	2	322	74	76.0	140	597	66.0	438	157	4.38		98.500	80.0	17.0	50
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	422	65	74.8	128			490	156	4.63		84.000			137
Grönmassa blandvall (1-50 % baljväxter) (164)	1	94	487	67	77.3	143	446		470	126	5.16		65.064	0.0	1.4	132
Grönmassa blandvall (1-50 % baljväxter) (164)	2	55	534	75	75.5	158	459		468	151	4.67		79.564	0.0	0.3	103
Grönmassa blandvall (1-50 % baljväxter) (164)	3	31	484	84	74.6	166	376		459	168	4.56		84.000			92
Grönmassa blandvall (1-50 % baljväxter) (164)	4	11	482	85	77.7	188	397		437	133	5.17		84.000			107
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	250	104	82.9	204	343		344	96	6.40		84.000			98
Ensilage, blandvall (1-50% klöver) (165)	0	13	398	67	74.9	144	570	78.1	462	163	4.36		67.600	53.2	12.5	66
Ensilage, blandvall (1-50% klöver) (165)	1	343	385	67	76.2	143	646	84.6	450	151	4.55	110	73.259	54.8	15.3	68
Ensilage, blandvall (1-50% klöver) (165)	2	217	479	73	74.1	152	527	66.4	462	173	4.23		52.718	38.6	11.9	72

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	3	81	468	77	74.5	157	511	67.5	451	173	4.25		54.386	40.1	12.0	68
Ensilage, blandvall (1-50% klöver) (165)	4	12	378	82	75.2	166	565	85.0	417	171	4.02		71.400	56.5	12.5	56
Ensilage, blandvall (1-50% klöver) (165)	5	1	230	99	79.8	191	523	55.0	307	141	3.94		100.100	86.0	13.0	62
Ensilage, blandvall (1-50% klöver) (165)	*	1	387	63	74.3	152	558	82.0	456	175	4.08		57.100	46.0	10.0	63
Korn, helsädesensilage (250)	1	25	395	58	68.9	116	623	77.7	469	244	3.19	82	65.032	48.5	13.7	64
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	368	61	64.6	112	680	98.6	476	284	2.48	90	73.800	53.4	18.4	27
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	332	62	66.9	111	582	74.3	484	357	5.81	71	74.417	53.8	17.5	46
Havre helsädesensilage degmognad (296)	1	4	409	58	66.6	120	676	97.3	490	266	3.05	66	69.750	47.3	19.3	55
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	528	65	67.2	136	609	59.0	462	263	2.76	92	48.500	36.5	12.0	35
Vete, helsäd ensilage (299)	1	8	455	42	64.8	78	678	82.1	507	271	2.72	78	52.438	34.5	15.4	95
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	398	52	67.6	107	619	102	414	302	2.41	170	66.000	46.7	17.3	33
Majs, helsädesensilage (305)	1	6	321	30	74.7	71	516	62.3	407	211	3.58	268	53.667	30.8	19.3	30
Råg, helsädesensilage, axgång (311)	1	1	421	54	73.3	80	572	54.0	486	179	4.09	17	30.000	15.0	15.0	191
Hö, blandvall, 0-50% baljväxter (383)	0	1	885	39	58.1	36			606	288	2.49		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	8	832	50	66.1	90	426		584	220	3.57		0.000			117
Hö, blandvall, 0-50% baljväxter (383)	2	1	902	64	69.0	96			525	208	3.65		0.000			154
Ensilage, blandvall (51-100% klöver) (438)	1	3	384	68	76.2	140	638	65.3	462	124	4.23		92.000	70.3	18.0	62
Ensilage, blandvall (51-100% klöver) (438)	2	1	373	75	76.7	145	529	37.0	449	122	4.27		113.000	89.0	20.0	50
Ensilage, blandvall (1-50% klöver) (326)	1	4	436	69	76.6	155	566	55.3	369	183	3.71	123	52.500	35.8	12.5	69
Fullfoder (TMR) ej kompletta data (1E3)	1	6	454	64	73.1	150	518	60.3	412	208	3.38	86				50

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	13				95.4	-32	7.38	13.4	93.0	-17
Havre, kärna, hög NDF (002)	1	2				84.0	-2.2	6.31			
Vete, kärna (005)	1	14				113	-51	7.97	14.1		
Rågvete (015)	1	5				109	-37	7.83	14.0		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				94.3	-14	6.99			
Blandsäd, kärna, 50%korn/50%vete (114)	1	4				105	-43	7.57			
Majs hela plantan, grönmassa (030)	1	9				87.0	-56	6.22	11.2	80.0	-64
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	12.0		
Råg, helsäd, grönmassa (138)	1	2				64.2	3.5	5.32			
Grönmassa, gräs (0% baljv.) (161)	0	1				83.0	-18	5.89	10.6	74.0	-17
Grönmassa, gräs (0% baljv.) (161)	1	12	2.00000	0.00000		85.5	-6.8	5.97	10.9	76.1	-4.4
Grönmassa, gräs (0% baljv.) (161)	2	6				86.9	17.7	6.07	10.8	74.8	31.3
Grönmassa, gräs (0% baljv.) (161)	3	2				88.6	49.1	6.22	10.9	75.0	62.5
Ensilage, gräs (0% klöver) (162)	1	7	3.00000	1.32857		83.2	25.1	6.35	11.2	72.0	32.7
Ensilage, gräs (0% klöver) (162)	2	5	2.00000	0.72000		85.1	16.5	6.09	10.9	71.5	35.0
Ensilage, gräs (0% klöver) (162)	3	2		0.50000		79.9	14.6	6.25	11.1	72.0	16.5
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9				83.3	0.0	6.10	11.0	76.2	-3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	1	94	1.80000	1.40000		88.7	5.5	6.31	11.4	77.9	6.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	55	2.00000	0.33333		85.8	24.4	6.22	11.0	75.4	30.4
Grönmassa blandvall (1-50 % baljväxter) (164)	3	31				84.8	33.4	6.12	10.7	74.0	34.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	11				88.3	48.7	6.44	11.2	76.7	56.3
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1				97.1	48.9	6.81	11.8		
Ensilage, blandvall (1-50% klöver) (165)	0	13		0.90769		83.8	14.6	6.16	11.0	71.6	20.5
Ensilage, blandvall (1-50% klöver) (165)	1	343	3.66667	1.55364		82.8	15.0	6.27	11.2	72.3	14.3
Ensilage, blandvall (1-50% klöver) (165)	2	217	2.51020	0.89724		85.2	20.2	6.06	10.8	70.9	27.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	3	81	2.66667	0.85556		85.8	24.1	6.09	10.8	70.9	33.2
Ensilage, blandvall (1-50% klöver) (165)	4	12	0.00000	1.48333		83.4	35.8	6.14	10.8	70.9	41.9
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.10000		85.4	55.7	6.50	11.4	72.0	66.0
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.10000		85.0	20.5	6.10	10.9	71.0	29.0
Korn, helsädesensilage (250)	1	25	3.63636	0.72727		71.1	-0.6	5.60	10.2		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5				65.9	9.2	5.36	9.2	58.0	10.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.33333	1.33333		70.4	0.2	5.56	10.1		
Havre helsädesensilage degmognad (296)	1	4	8.00000	5.00000		71.4	4.0	5.48	9.6		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				70.8	21.3	5.48			
Vete, helsäd ensilage (299)	1	8	3.00000	0.00000		68.6	-29	5.22	9.8	64.0	-55
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	3.00000	3.00000		71.7	-5.4	5.59	10.0		
Majs, helsädesensilage (305)	1	6	4.50000	0.00000		83.0	-58	6.28	10.8	78.0	-79
Råg, helsädesensilage, axgång (311)	1	1				78.5	-43	5.68			
Hö, blandvall, 0-50% baljväxter (383)	0	1				72.1	-66	4.29	8.4	61.0	-67
Hö, blandvall, 0-50% baljväxter (383)	1	8				86.1	-39	5.18	9.7	67.2	-38
Hö, blandvall, 0-50% baljväxter (383)	2	1				86.8	-35	5.30	10.0	71.0	-25
Ensilage, blandvall (51-100% klöver) (438)	1	3	3.33333	0.33333		79.3	21.3	6.43	11.2		
Ensilage, blandvall (51-100% klöver) (438)	2	1	4.00000	0.00000		79.5	25.8	6.53	11.2		
Ensilage, blandvall (1-50% klöver) (326)	1	4	4.00000	0.25000		87.5	22.8	6.50	11.2		
Fullfoder (TMR) ej kompletta data (1E3)	1	6						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	10	0.5	3.4	1.2	5.7	0.1	2.8	1.3	26	10	61.5	16.6	31.8	4.7	0.0
Havre, kärna, hög NDF (002)	1	2	0.8	3.8	1.3	5.9	0.1		1.4	50	2	77.5	50.0	32.5	5.0	
Vete, kärna (005)	1	11	0.4	3.1	1.1	5.1	0.1	2.2	1.3	19	11	47.1	37.1	31.2	4.1	
Rågvete (015)	1	3	0.4	3.3	1.3	5.8	0.1	1.7	1.7	19	3	43.0	40.7	42.7	6.1	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.0	0.0	0.0	0.0	0.0		0.0	-25	1	74.0	55.0	48.0	5.1	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	4	0.5	3.4	1.3	5.9	0.1		1.2	50	4	53.8	28.3	35.3	5.2	
Majs hela plantan, grönmassa (030)	1	7	2.0	1.9	1.2	9.3	0.2	1.6	0.9	153	3	66.3	27.0	31.3	4.9	
Råg, helsäd, grönmassa (138)	1	2	2.0	2.3	1.1	15.8	0.1	5.7	1.8	134	2	155.5	50.5	35.5	5.5	0.0
Grönmassa, gräs (0% baljv.) (161)	0	1	4.9	2.8	2.0	21.8	1.5		2.4	332	1	69.0	85.0	33.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	12	4.1	2.4	1.4	18.2	0.8	3.5	1.7	258	11	154.1	66.7	28.6	5.0	0.0
Grönmassa, gräs (0% baljv.) (161)	2	6	5.3	2.9	1.9	25.1	1.1	5.7	2.3	394	5	132.0	113.0	36.8	6.7	0.0
Grönmassa, gräs (0% baljv.) (161)	3	2	7.0	3.1	2.9	25.5	1.3		3.4	355	2	142.0	124.0	40.5	7.9	0.1
Ensilage, gräs (0% klöver) (162)	1	7	4.2	2.5	1.7	20.5	0.8	3.6	2.0	332	7	276.9	59.1	34.9	5.4	0.0
Ensilage, gräs (0% klöver) (162)	2	4	5.7	2.7	2.0	22.2	0.8	6.2	2.3	288	4	94.0	83.5	28.5	6.1	0.0
Ensilage, gräs (0% klöver) (162)	3	1	6.3	2.8	1.7	21.8	0.4	6.8	2.2	311	1	136.0	72.0	25.0	5.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	4.4	2.5	2.0	21.1	0.6		1.9	318	9	138.0	77.6	29.9	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	91	4.6	2.7	1.7	22.9	0.8	4.4	2.0	368	72	120.5	60.2	30.7	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	7.2	3.4	2.6	27.1	1.2	4.3	2.8	439	39	159.5	73.4	31.4	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	24	7.5	3.1	2.5	25.1	1.1	9.6	2.4	359	23	146.1	66.6	28.9	7.2	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	7	6.3	3.4	3.0	23.9	1.2	12.6	2.8	328	6	285.5	81.3	30.8	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	9.3	3.8	2.5	23.4	3.5	27.7	3.0	***	0					
Ensilage, blandvall (1-50% klöver) (165)	0	12	5.4	2.7	2.2	20.3	1.4	6.6	2.2	259	12	157.9	89.5	32.5	6.5	
Ensilage, blandvall (1-50% klöver) (165)	1	323	4.9	2.6	1.8	21.8	1.1	5.3	1.9	333	300	185.7	67.0	38.6	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	212	6.2	2.9	2.4	21.6	1.4	7.6	2.3	254	195	164.5	84.4	41.8	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	78	6.9	3.0	2.7	22.7	1.4	8.3	2.5	249	70	186.4	87.0	39.7	7.6	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	10	7.1	2.9	2.8	20.5	2.0	9.2	2.7	180	9	329.4	106.8	33.1	8.6	0.2
Ensilage, blandvall (1-50% klöver) (165)	*	1	6.3	3.2	2.3	18.1	1.7	6.2	2.2	225	1	107.0	61.0	34.0	5.1	
Korn, helsädesensilage (250)	1	25	4.8	2.6	1.8	16.2	1.2	7.0	2.0	144	22	192.7	65.1	40.2	5.8	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	4.8	2.8	1.8	19.5	1.0	5.5	1.6	288	5	117.0	77.2	51.4	5.6	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.7	2.9	1.8	20.5	1.0	5.9	1.9	285	6	158.0	110.7	44.7	5.2	0.0
Havre helsädesensilage degmognad (296)	1	4	4.0	2.5	1.6	19.3	1.8	6.1	2.0	276	4	156.8	104.0	44.5	5.6	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	5.4	3.0	1.6	18.6	0.3	3.1	1.4	312	2	181.0	57.0	698.0	6.2	0.0
Vete, helsäd ensilage (299)	1	7	3.2	2.1	1.3	13.8	0.3	2.0	1.3	224	7	171.3	61.9	25.9	3.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	5.3	2.6	1.7	13.6	0.7	3.2	1.6	196	2	85.0	38.5	25.5	5.1	
Majs, helsädesensilage (305)	1	6	1.6	1.8	1.3	8.7	0.4	1.7	0.9	135	6	107.2	34.0	31.2	4.3	0.1
Råg, helsädesensilage, axgång (311)	1	1	2.5	2.0	1.0	23.9	0.6	4.8	1.3	421	1	139.0	35.0	19.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	1	6	3.8	2.4	1.7	15.2	1.0	2.2	1.6	217	4	118.8	54.5	27.0	3.8	
Ensilage, blandvall (51-100% klöver) (438)	1	3	4.3	2.4	1.6	24.5	0.6	3.6	1.9	430	3	241.0	51.3	26.3	6.0	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	1	5.6	2.7	1.9	22.6	0.8	6.0	2.0	319	1	166.0	56.0	24.0	7.0	0.2
Ensilage, blandvall (1-50% klöver) (326)	1	4	6.5	3.5	2.7	16.9	2.9	8.0	2.4	184	3	425.0	98.7	80.7	14.0	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	6	5.5	3.1	2.9	14.5	2.9	5.5	2.6	178	6	362.0	96.2	65.8	15.1	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	847.692	42.2480	813.000	870.000
Aska	13	21.777	3.2257	18.600	25.300
OS smbh	13	72.769	32.2959	0.000	86.000
Råprot	13	111.431	21.1427	89.500	129.200
sRåprot	2	268.000	18.3848	255.000	281.000
NH3-N	1	6.000	.	6.000	6.000
NDF	4	173.250	37.1786	140.000	224.000
iNDF	13	140.923	51.4481	25.000	162.000
nhNDF	13	3.150	0.0000	3.150	3.150
Stä	13	607.862	53.8487	533.000	665.500
TAF	13	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	13	95.417	1.8920	94.223	99.150
PBVp20	13	-31.510	20.2520	-47.922	-13.634
NELp20	13	7.376	0.1587	7.233	7.570
OE*	4	13.425	0.0957	13.300	13.500
AAT*	2	93.000	0.0000	93.000	93.000
PBV*	2	-16.500	40.3051	-45.000	12.000
Ca	10	0.470	0.1059	0.400	0.650
P	10	3.390	0.3143	3.100	3.850
Mg	10	1.240	0.0966	1.100	1.350
K	10	5.670	0.4572	5.150	6.300
Na	10	0.100	0.0000	0.100	0.100
Cl	2	2.850	0.6364	2.400	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.290	0.2331	1.000	1.650
CAB	10	25.637	37.1342	-39.673	58.517
Fe	10	61.500	30.7399	39.000	110.500
Mn	10	16.600	3.5653	12.500	22.000
Zn	10	31.800	5.4732	24.500	39.500
Cu	10	4.710	0.8491	3.600	5.800
Se	1	0.021	.	0.021	0.021

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	859.500	4.9497	856.000	863.000
Aska	2	22.500	2.1213	21.000	24.000
OS smbh	2	75.000	0.0000	75.000	75.000
Råprot	2	117.650	6.1518	113.300	122.000
NH3-N	1	6.000	.	6.000	6.000
iNDF	2	392.000	0.0000	392.000	392.000
nhNDF	2	2.000	0.0000	2.000	2.000
Stä	2	529.400	53.1744	491.800	567.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	83.954	2.1346	82.444	85.463
PBVp20	2	-2.165	2.5063	-3.937	-0.392
NELp20	2	6.314	0.1407	6.215	6.414
Ca	2	0.750	0.2121	0.600	0.900
P	2	3.800	0.2828	3.600	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	1.300	0.1414	1.200	1.400
K	2	5.850	0.0707	5.800	5.900
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.3536	1.100	1.600
CAB	2	49.871	23.9055	32.967	66.775
Fe	2	77.500	47.3762	44.000	111.000
Mn	2	50.000	12.7279	41.000	59.000
Zn	2	32.500	9.1924	26.000	39.000
Cu	2	5.000	1.1314	4.200	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	861.929	17.0495	852.000	868.000
Aska	14	17.557	1.8425	15.100	19.600
OS smbh	15	70.400	36.4355	0.000	88.000
Råprot	14	114.886	14.1072	96.300	137.000
sRåprot	3	317.000	48.1352	274.000	369.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	5	108.400	12.5419	92.000	127.000
iNDF	15	154.600	67.0744	25.000	187.000
nhNDF	15	3.500	0.0000	3.500	3.500
Stä	14	647.043	44.6846	584.000	697.000
TAF	15	0.000	0.0000	0.000	0.000
Socket	4	11.750	16.9975	0.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	15	113.496	2.0526	110.706	116.636
PBVp20	15	-51.060	11.3167	-67.282	-33.301
NELp20	15	7.967	0.1054	7.846	8.116
OE*	3	14.100	0.1000	14.000	14.200
Ca	11	0.382	0.0874	0.300	0.400
P	11	3.100	0.2608	2.700	3.400
Mg	11	1.127	0.1191	1.000	1.300
K	11	5.055	0.4677	4.500	5.600
Na	9	0.100	0.0000	0.100	0.100
Cl	2	2.200	1.1314	1.400	3.000
S	11	1.327	0.1272	1.200	1.500
CAB	11	18.655	26.1100	-11.192	42.103
Fe	11	47.091	16.7419	37.000	61.000
Mn	11	37.091	10.3097	29.000	43.000
Zn	11	31.182	7.3732	22.000	39.000
Cu	11	4.136	0.8322	3.600	5.000

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	855.200	25.6066	820.000	885.000
Aska	5	18.700	2.1679	16.500	21.000
OS smbh	5	53.687	49.0097	0.000	89.479
Råprot	5	123.760	30.8056	81.000	164.000
sRåprot	2	488.500	64.3467	443.000	534.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	7.500	2.1213	6.000	9.000
NDF	3	117.333	46.6940	86.000	171.000
iNDF	5	122.200	88.7311	25.000	187.000
nhNDF	5	3.500	0.0000	3.500	3.500
Stä	5	623.460	59.6629	563.000	699.300
TAF	5	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	5	109.350	3.1733	104.246	112.280
PBVp20	5	-37.098	25.4046	-71.416	-2.606
NELp20	5	7.825	0.2829	7.450	8.129
OE*	2	14.000	0.0000	14.000	14.000
Ca	3	0.433	0.0577	0.400	0.500
P	3	3.300	0.2000	3.100	3.500
Mg	3	1.333	0.1155	1.200	1.400
K	3	5.767	0.2082	5.600	6.000
Na	2	0.100	0.0000	0.100	0.100
Cl	1	1.700	.	1.700	1.700
S	3	1.667	0.2887	1.500	2.000
CAB	3	18.558	38.1903	-25.317	44.332
Fe	3	43.000	5.1962	40.000	49.000
Mn	3	40.667	2.0817	39.000	43.000
Zn	3	42.667	4.0415	39.000	47.000
Cu	3	6.100	1.1533	5.000	7.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	791.000	.	791.000	791.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	125.000	.	125.000	125.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	202.000	.	202.000	202.000
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	566.000	.	566.000	566.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	94.336	.	94.336	94.336
PBVp20	1	-14.337	.	-14.337	-14.337
NELp20	1	6.986	.	6.986	6.986
Ca	1	0.000	.	0.000	0.000
P	1	0.000	.	0.000	0.000
Mg	1	0.000	.	0.000	0.000
K	1	0.000	.	0.000	0.000
Na	1	0.000	.	0.000	0.000
S	1	0.000	.	0.000	0.000
CAB	1	-25.352	.	-25.352	-25.352
Fe	1	74.000	.	74.000	74.000
Mn	1	55.000	.	55.000	55.000
Zn	1	48.000	.	48.000	48.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	5.100	.	5.100	5.100
Se	1	0.005	.	0.005	0.005

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	829.750	18.9451	802.000	844.000
Aska	4	20.250	3.5341	16.600	25.000
OS smbh	4	87.000	0.0000	87.000	87.000
Råprot	4	111.900	20.1125	88.000	134.300
NH3-N	2	7.000	1.4142	6.000	8.000
iNDF	4	173.000	0.0000	173.000	173.000
nhNDF	4	3.300	0.0000	3.300	3.300
Stä	4	617.200	60.7276	533.000	677.700
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	104.746	1.4252	103.301	106.536
PBVp20	4	-42.742	18.4926	-64.348	-23.215
NELp20	4	7.566	0.1431	7.414	7.732
Ca	4	0.450	0.1915	0.300	0.700
P	4	3.425	0.4856	2.700	3.700
Mg	4	1.250	0.1291	1.100	1.400
K	4	5.875	0.4031	5.300	6.200
Na	4	0.100	0.0000	0.100	0.100
S	4	1.225	0.2062	1.000	1.400
CAB	4	49.872	9.9569	42.979	64.574

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	53.750	20.5000	36.000	72.000
Mn	4	28.250	11.4419	18.000	44.000
Zn	4	35.250	5.5603	30.000	43.000
Cu	4	5.150	1.3102	3.200	6.000

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	281.000	45.7220	203.000	356.000
Aska	9	29.444	3.8442	24.000	36.000
OS smbh	9	74.622	2.8986	70.000	78.100
Råprot	9	82.111	7.6884	75.000	101.000
sRåprot	9	378.667	42.7522	290.000	434.000
NDF	9	412.889	57.7959	328.000	544.000
iNDF	9	192.586	20.8407	161.075	232.000
nhNDF	9	3.407	0.6192	2.445	4.245
Stä	9	249.778	85.6443	112.000	367.000
TAF	9	57.000	0.0000	57.000	57.000
Socker	9	42.444	56.5423	7.000	182.000
AATp20	9	86.989	2.5871	82.929	89.967
PBVp20	9	-55.649	8.8014	-64.549	-35.350
NELp20	9	6.220	0.2424	5.783	6.573
OE*	6	11.190	0.2715	10.840	11.500
AAT*	2	80.000	0.0000	80.000	80.000
PBV*	2	-64.000	4.2426	-67.000	-61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	7	2.014	0.3024	1.600	2.600
P	7	1.886	0.2116	1.600	2.100
Mg	7	1.214	0.3237	0.900	1.800
K	7	9.343	0.8522	8.200	10.500
Na	7	0.243	0.2149	0.100	0.700
Cl	5	1.640	0.2302	1.400	2.000
S	7	0.886	0.0900	0.800	1.000
CAB	7	153.103	23.2680	118.009	187.801
Fe	3	66.333	3.5119	63.000	70.000
Mn	3	27.000	1.7321	26.000	29.000
Zn	3	31.333	2.5166	29.000	34.000
Cu	3	4.900	0.9849	3.800	5.700

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	12.000	.	12.000	12.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	402.000	29.698	381.000	423.000
Aska	2	45.000	4.243	42.000	48.000
OS smbh	2	68.000	4.525	64.800	71.200
Råprot	2	105.000	15.556	94.000	116.000
sRåprot	2	728.000	175.362	604.000	852.000
NH3-N	2	95.500	44.548	64.000	127.000
NDF	2	505.000	45.255	473.000	537.000
iNDF	2	236.892	70.077	187.341	286.444
nhNDF	2	3.207	1.165	2.383	4.031
Stä	2	82.500	89.803	19.000	146.000
TAF	2	39.000	24.042	22.000	56.000
Mjölksyra	2	26.500	24.749	9.000	44.000
Ättiksyra	2	12.500	0.707	12.000	13.000
Socker	2	111.500	82.731	53.000	170.000
AATp20	2	64.230	19.537	50.415	78.044
PBVp20	2	3.493	18.594	-9.654	16.641
NELp20	2	5.323	0.426	5.022	5.624
Ca	2	2.000	0.424	1.700	2.300
P	2	2.300	0.000	2.300	2.300
Mg	2	1.050	0.071	1.000	1.100
K	2	15.750	0.919	15.100	16.400
Na	2	0.100	0.000	0.100	0.100
Cl	2	5.700	0.283	5.500	5.900
S	2	1.800	0.283	1.600	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	134.098	13.800	124.340	143.856
Fe	2	155.500	120.915	70.000	241.000
Mn	2	50.500	4.950	47.000	54.000
Zn	2	35.500	4.950	32.000	39.000
Cu	2	5.450	0.778	4.900	6.000
Se	1	0.013	.	0.013	0.013

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	611.000	.	611.000	611.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	110.000	.	110.000	110.000
NDF	1	563.000	.	563.000	563.000
iNDF	1	155.149	.	155.149	155.149
nhNDF	1	4.832	.	4.832	4.832
TAF	1	61.000	.	61.000	61.000
Socker	1	104.000	.	104.000	104.000
AATp20	1	82.962	.	82.962	82.962
PBVp20	1	-17.743	.	-17.743	-17.743
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-17.000	.	-17.000	-17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	4.900	.	4.900	4.900
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	21.800	.	21.800	21.800
Na	1	1.500	.	1.500	1.500
S	1	2.400	.	2.400	2.400
CAB	1	331.917	.	331.917	331.917
Fe	1	69.000	.	69.000	69.000
Mn	1	85.000	.	85.000	85.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	566.250	213.536	326.000	815.000
Aska	12	60.333	10.030	48.000	72.000
OS smbh	12	74.000	6.581	65.300	83.500
Råprot	12	126.167	39.492	85.000	170.000
sRåprot	2	476.000	2.828	474.000	478.000
NDF	12	507.083	57.833	437.000	582.000
iNDF	12	158.449	62.236	63.209	237.977
nhNDF	12	4.832	1.350	3.712	7.212
TAF	12	56.083	17.032	61.000	61.000
Mjölksyra	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	0.000	.	0.000	0.000
Socker	12	134.250	32.880	107.000	160.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	12	85.498	7.956	75.536	95.739
PBVp20	12	-6.807	27.448	-31.753	22.408
NELp20	12	5.970	0.613	5.199	6.896
OE*	12	10.896	1.053	9.570	12.400
AAT*	10	76.100	5.626	69.000	83.500
PBV*	10	-4.400	34.378	-39.500	48.000
Ca	12	4.058	1.578	2.800	4.600
P	12	2.433	0.492	1.700	2.900
Mg	12	1.433	0.440	1.000	1.700
K	12	18.225	4.619	13.500	26.500
Na	12	0.767	0.591	0.300	1.400
Cl	2	3.450	0.778	2.900	4.000
S	12	1.733	0.617	1.100	2.600
CAB	12	257.544	108.442	140.021	441.796
Fe	11	154.091	175.170	55.000	171.000
Mn	11	66.727	22.539	37.000	90.000
Zn	11	28.636	5.390	25.000	35.000
Cu	11	5.018	0.909	4.000	5.900
Se	4	0.016	0.007	0.009	0.025

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	549.833	187.052	349.000	786.000
Aska	6	74.500	3.987	69.000	80.000
OS smbh	6	74.300	3.103	70.100	78.800
Råprot	6	155.333	19.977	126.000	181.000
sRåprot	2	401.000	52.326	364.000	438.000
NDF	6	503.500	52.455	438.000	554.000
iNDF	6	155.121	28.289	119.538	197.117
nhNDF	6	4.709	0.570	3.848	5.350
TAF	6	61.000	0.000	61.000	61.000
Socker	6	94.833	24.028	63.000	137.000
AATp20	6	86.893	3.402	82.466	91.191
PBVp20	6	17.712	16.216	-4.916	34.190
NELp20	6	6.073	0.247	5.718	6.417
OE*	6	10.788	0.487	10.100	11.500
AAT*	4	74.750	2.986	71.000	78.000
PBV*	4	31.250	17.538	7.000	46.000
Ca	6	5.333	1.189	3.500	7.000
P	6	2.867	0.327	2.500	3.300
Mg	6	1.883	0.407	1.400	2.400
K	6	25.100	5.352	17.100	32.900
Na	6	1.050	0.701	0.400	2.300
Cl	2	5.700	5.657	1.700	9.700
S	6	2.333	0.393	1.700	2.900
CAB	6	394.345	131.557	246.495	593.522

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	132.000	22.528	96.000	154.000
Mn	5	113.000	56.626	53.000	201.000
Zn	5	36.800	10.426	28.000	54.000
Cu	5	6.740	0.896	6.000	7.900
Se	3	0.015	0.006	0.011	0.021

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	626.500	75.660	573.000	680.000
Aska	2	82.000	2.828	80.000	84.000
OS smbh	2	75.450	2.758	73.500	77.400
Råprot	2	192.500	6.364	188.000	197.000
NDF	2	476.000	15.556	465.000	487.000
iNDF	2	147.551	26.677	128.688	166.415
nhNDF	2	4.752	0.540	4.370	5.133
TAF	2	61.000	0.000	61.000	61.000
Socker	2	76.500	6.364	72.000	81.000
AATp20	2	88.643	3.080	86.465	90.821
PBVp20	2	49.131	0.734	48.612	49.650
NELp20	2	6.217	0.302	6.003	6.430
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.000	2.828	73.000	77.000
PBV*	2	62.500	2.121	61.000	64.000
Ca	2	6.950	0.354	6.700	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	3.050	0.636	2.600	3.500
Mg	2	2.850	0.495	2.500	3.200
K	2	25.500	6.788	20.700	30.300
Na	2	1.300	0.000	1.300	1.300
S	2	3.400	0.141	3.300	3.500
CAB	2	355.351	182.451	226.338	484.363
Fe	2	142.000	53.740	104.000	180.000
Mn	2	124.000	41.012	95.000	153.000
Zn	2	40.500	12.021	32.000	49.000
Cu	2	7.850	2.051	6.400	9.300
Se	1	0.061	.	0.061	0.061

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	344.429	110.731	232.000	542.000
Aska	7	70.429	25.864	46.000	125.000
OS smbh	7	76.686	3.243	72.200	82.800
Råprot	7	157.000	21.087	123.000	188.000
sRåprot	7	642.000	70.510	528.000	710.000
NH3-N	7	89.286	12.672	77.000	107.000
NDF	7	461.429	54.043	372.000	544.000
iNDF	7	140.086	25.750	87.691	169.720
nhNDF	7	4.885	0.487	4.351	5.793
TAF	7	72.471	32.856	26.900	122.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	7	55.714	32.134	16.000	106.000
Ättiksyra	7	14.143	3.671	8.000	18.000
Socker	7	51.000	35.861	13.000	95.000
PRF	1	3.000	.	3.000	3.000
BUF	7	1.329	1.179	0.100	2.700
AATp20	7	83.193	6.550	69.353	88.858
PBVp20	7	25.103	11.871	10.181	47.944
NELp20	7	6.346	0.356	5.796	6.970
OE*	7	11.249	0.753	9.900	12.400
AAT*	6	72.000	2.366	68.000	75.000
PBV*	6	32.667	19.096	6.000	58.000
Ca	7	4.200	0.730	3.300	5.500
P	7	2.486	0.302	1.900	2.800
Mg	7	1.671	0.269	1.200	2.000
K	7	20.457	4.562	15.000	27.000
Na	7	0.757	0.207	0.500	1.100
Cl	7	3.557	2.417	0.800	6.500
S	7	1.986	0.273	1.600	2.500
CAB	7	331.811	116.089	158.350	458.315
Fe	7	276.857	173.512	81.000	586.000
Mn	7	59.143	13.209	41.000	74.000
Zn	7	34.857	13.741	26.000	65.000
Cu	7	5.386	0.758	4.100	6.400
Se	2	0.040	0.015	0.029	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	535.000	180.207	347.000	759.000
Aska	5	68.200	9.284	56.000	78.000
OS smbh	5	74.720	3.535	71.200	79.000
Råprot	5	150.800	21.879	119.000	174.000
sRåprot	5	548.800	146.462	353.000	718.000
NH3-N	5	66.600	37.447	23.000	106.000
NDF	5	466.200	48.184	423.000	540.000
iNDF	5	165.821	36.521	123.502	196.255
nhNDF	5	4.435	0.678	3.732	5.130
TAF	5	50.520	31.395	10.000	82.600
Mjölksyra	5	38.000	22.978	8.000	59.000
Ättiksyra	5	10.600	8.735	0.000	21.000
Socker	5	70.200	34.853	21.000	110.000
PRF	1	2.000	.	2.000	2.000
BUF	5	0.720	0.740	0.000	1.600
AATp20	5	85.122	4.044	81.000	91.412
PBVp20	5	16.522	20.052	-14.540	39.166
NELp20	5	6.087	0.389	5.686	6.563
OE*	5	10.938	0.544	10.390	11.700
AAT*	4	71.500	1.291	70.000	73.000
PBV*	4	35.000	14.142	17.000	49.000
Ca	4	5.725	2.093	3.800	8.000
P	4	2.725	0.330	2.300	3.100
Mg	4	1.950	0.443	1.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	4	22.175	5.004	14.900	26.000
Na	4	0.825	0.287	0.600	1.200
Cl	5	6.180	2.125	3.300	9.000
S	4	2.250	0.412	1.900	2.700
CAB	4	287.732	92.644	171.540	369.482
Fe	4	94.000	36.286	56.000	127.000
Mn	4	83.500	36.611	47.000	129.000
Zn	4	28.500	2.380	25.000	30.000
Cu	4	6.125	0.922	5.000	7.100
Se	2	0.035	0.022	0.019	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	321.500	78.4889	266.000	377.000
Aska	2	73.500	7.7782	68.000	79.000
OS smbh	2	75.950	1.6263	74.800	77.100
Råprot	2	140.000	26.8701	121.000	159.000
sRåprot	2	596.500	2.1213	595.000	598.000
NH3-N	2	66.000	8.4853	60.000	72.000
NDF	2	438.000	7.0711	433.000	443.000
iNDF	2	157.349	21.0768	142.446	172.253
nhNDF	2	4.385	0.4026	4.100	4.669
TAF	2	98.500	17.8191	85.900	111.100
Mjölksyra	2	80.000	14.1421	70.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	17.000	4.2426	14.000	20.000
Socker	2	50.000	41.0122	21.000	79.000
BUF	2	0.500	0.5657	0.100	0.900
AATp20	2	79.854	0.8137	79.279	80.430
PBVp20	2	14.642	23.2326	-1.786	31.070
NELp20	2	6.250	0.2836	6.050	6.451
OE*	2	11.050	0.2121	10.900	11.200
AAT*	2	72.000	0.0000	72.000	72.000
PBV*	2	16.500	26.1630	-2.000	35.000
Ca	1	6.300	.	6.300	6.300
P	1	2.800	.	2.800	2.800
Mg	1	1.700	.	1.700	1.700
K	1	21.800	.	21.800	21.800
Na	1	0.400	.	0.400	0.400
Cl	2	6.750	3.1820	4.500	9.000
S	1	2.200	.	2.200	2.200
CAB	1	310.675	.	310.675	310.675
Fe	1	136.000	.	136.000	136.000
Mn	1	72.000	.	72.000	72.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.900	.	5.900	5.900
Se	1	0.021	.	0.021	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	421.667	179.727	205.000	716.000
Aska	9	65.111	16.382	47.000	98.000
OS smbh	9	74.811	3.052	69.600	78.600
Råprot	9	127.556	24.223	94.000	165.000
NDF	9	489.778	34.878	443.000	529.000
iNDF	9	155.691	26.461	119.370	190.280
nhNDF	9	4.631	0.539	3.987	5.402
TAF	9	84.000	0.000	84.000	84.000
Socker	9	137.222	34.510	60.000	188.000
AATp20	9	83.348	3.074	77.780	88.161
PBVp20	9	0.035	22.888	-32.567	30.266
NELp20	9	6.101	0.255	5.688	6.492
OE*	9	11.000	0.581	9.800	11.500
AAT*	9	76.222	3.383	69.000	80.000
PBV*	9	-3.444	26.548	-42.000	30.000
Ca	9	4.400	1.497	2.400	7.600
P	9	2.467	0.524	1.700	3.200
Mg	9	1.978	0.492	1.400	2.800
K	9	21.144	4.586	14.200	27.800
Na	9	0.633	0.616	0.100	2.000
S	9	1.889	0.685	1.000	3.000
CAB	9	317.865	105.201	170.131	470.994
Fe	9	138.000	122.504	55.000	379.000
Mn	9	77.556	42.424	34.000	151.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	9	29.889	4.986	21.000	36.000
Cu	9	5.444	1.910	3.100	9.600
Se	3	0.008	0.005	0.005	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	94	486.915	149.140	310.000	694.000
Aska	94	67.106	10.344	54.000	79.000
OS smbh	94	77.255	4.147	71.300	81.600
Råprot	94	142.606	29.416	103.000	176.000
sRåprot	32	446.281	68.255	385.000	495.000
NDF	94	470.309	60.034	386.000	541.000
iNDF	94	125.875	37.624	74.000	175.581
nhNDF	94	5.158	1.232	4.026	6.167
TAF	94	65.064	33.589	4.000	84.000
Mjölksyra	23	0.000	0.000	0.000	0.000
Ättiksyra	20	1.400	3.500	0.000	6.000
Socker	94	132.043	38.586	83.000	181.000
PRF	20	1.800	1.322	0.000	3.500
BUF	20	1.400	1.667	0.000	4.000
AATp20	94	88.673	6.488	80.654	98.262
PBVp20	94	5.530	21.468	-21.359	33.777
NELp20	94	6.313	0.382	5.770	6.737
OE*	94	11.361	0.655	10.500	12.070

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	62	77.919	3.563	73.000	83.000
PBV*	62	6.421	26.516	-27.000	40.000
Ca	91	4.586	1.272	3.000	6.200
P	91	2.747	0.491	2.100	3.300
Mg	91	1.707	0.433	1.200	2.200
K	91	22.918	5.405	15.200	28.700
Na	91	0.814	0.581	0.200	1.500
Cl	32	4.416	2.770	1.300	7.000
S	91	1.985	0.454	1.300	2.600
CAB	91	367.915	134.683	207.221	515.304
Fe	72	120.528	81.757	57.000	214.000
Mn	72	60.153	20.208	35.000	87.000
Zn	72	30.681	8.777	23.000	38.000
Cu	72	5.263	1.079	4.000	6.500
Se	8	0.013	0.008	0.007	0.031

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	55	533.582	152.515	348.000	725.000
Aska	55	75.073	9.467	64.000	85.000
OS smbh	55	75.484	3.468	70.400	80.400
Råprot	55	157.782	26.268	124.000	191.000
sRåprot	17	458.588	104.049	361.000	617.000
NDF	55	468.055	35.854	421.000	518.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	55	151.009	39.897	98.679	198.511
nhNDF	55	4.666	0.757	3.922	5.685
TAF	55	79.564	18.641	84.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	0.333	0.577	0.000	1.000
Socker	55	102.982	36.119	47.000	146.000
PRF	3	2.000	0.000	2.000	2.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	55	85.815	4.999	80.641	93.672
PBVp20	55	24.449	22.058	-0.994	54.844
NELp20	55	6.217	0.337	5.891	6.707
OE*	55	10.976	0.583	10.100	11.800
AAT*	38	75.447	3.185	71.000	79.000
PBV*	38	30.368	29.298	-15.000	65.000
Ca	48	7.208	7.210	4.400	8.600
P	48	3.392	3.204	2.500	3.400
Mg	48	2.627	1.902	1.700	3.100
K	48	27.067	32.226	14.200	27.900
Na	48	1.202	0.849	0.400	2.200
Cl	17	4.300	2.171	1.000	6.100
S	48	2.833	3.302	1.800	3.000
CAB	48	439.020	642.788	165.624	532.439
Fe	39	159.462	131.664	74.000	378.000
Mn	39	73.385	23.222	40.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	39	31.359	8.872	20.000	45.000
Cu	39	6.659	1.323	5.000	8.700
Se	8	0.037	0.019	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	31	484.129	145.022	331.000	664.000
Aska	31	84.032	9.160	74.000	94.000
OS smbh	31	74.587	3.625	69.600	78.100
Råprot	31	165.645	25.230	138.000	199.000
sRåprot	8	376.375	29.818	327.000	405.000
NDF	31	459.161	37.717	409.000	503.000
iNDF	31	168.479	43.752	116.093	223.868
nhNDF	31	4.564	0.886	3.413	5.651
TAF	31	84.000	0.000	84.000	84.000
Socker	31	91.742	29.656	47.000	129.000
AATp20	31	84.842	5.543	77.663	91.543
PBVp20	31	33.387	18.478	14.902	53.781
NELp20	31	6.121	0.381	5.602	6.541
OE*	31	10.725	0.617	9.900	11.400
AAT*	23	73.957	3.337	69.000	77.000
PBV*	23	34.130	21.930	13.000	56.000
Ca	24	7.483	2.353	4.500	10.700
P	24	3.067	0.505	2.500	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	24	2.538	0.544	1.900	3.400
K	24	25.063	5.994	18.400	35.100
Na	24	1.121	1.123	0.300	1.700
Cl	8	9.638	4.256	3.100	17.000
S	24	2.429	0.442	1.900	3.000
CAB	24	359.138	142.165	204.195	548.376
Fe	23	146.087	73.242	80.000	219.000
Mn	23	66.609	22.795	40.000	105.000
Zn	23	28.870	5.903	24.000	36.000
Cu	23	7.204	1.709	4.800	9.200
Se	2	0.062	0.073	0.010	0.113

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	482.455	146.439	308.000	629.000
Aska	11	84.636	14.396	74.000	102.000
OS smbh	11	77.691	4.312	72.700	82.800
Råprot	11	188.000	16.371	171.000	203.000
sRåprot	1	397.000	.	397.000	397.000
NDF	11	437.273	44.320	391.000	500.000
iNDF	11	132.848	52.518	74.441	195.384
nhNDF	11	5.170	0.887	3.909	6.061
TAF	11	84.000	0.000	84.000	84.000
Socket	11	107.273	34.986	70.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	11	88.303	4.377	82.480	92.571
PBVp20	11	48.666	13.432	35.028	70.594
NELp20	11	6.442	0.358	6.005	6.811
OE*	11	11.216	0.700	10.200	12.000
AAT*	10	76.700	3.561	71.000	80.500
PBV*	10	56.300	15.195	36.500	80.000
Ca	7	6.271	1.297	3.800	7.500
P	7	3.386	0.724	2.600	4.600
Mg	7	2.971	0.697	2.200	4.300
K	7	23.886	8.329	10.900	35.000
Na	7	1.243	0.900	0.100	2.700
Cl	1	12.600	.	12.600	12.600
S	7	2.771	0.386	2.500	3.500
CAB	7	327.526	195.822	101.269	578.779
Fe	6	285.500	159.088	175.000	606.000
Mn	6	81.333	23.517	55.000	110.000
Zn	6	30.833	4.875	26.000	39.000
Cu	6	7.250	2.034	5.000	10.400
Se	2	0.018	0.001	0.017	0.019

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	250.000	.	250.000	250.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	82.900	.	82.900	82.900
Råprot	1	204.000	.	204.000	204.000
sRåprot	1	343.000	.	343.000	343.000
NDF	1	344.000	.	344.000	344.000
iNDF	1	96.000	.	96.000	96.000
nhNDF	1	6.398	.	6.398	6.398
TAF	1	84.000	.	84.000	84.000
Socket	1	98.000	.	98.000	98.000
AATp20	1	97.119	.	97.119	97.119
PBVp20	1	48.858	.	48.858	48.858
NELp20	1	6.810	.	6.810	6.810
OE*	1	11.810	.	11.810	11.810
Ca	1	9.300	.	9.300	9.300
P	1	3.800	.	3.800	3.800
Mg	1	2.500	.	2.500	2.500
K	1	23.400	.	23.400	23.400
Na	1	3.500	.	3.500	3.500
Cl	1	27.700	.	27.700	27.700
S	1	3.000	.	3.000	3.000
CAB	1	-217.142	.	-217.142	-217.142

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	398.077	125.792	267.000	460.000
Aska	13	66.923	9.979	57.000	76.000
OS smbh	13	74.931	2.817	70.900	78.300
Råprot	13	143.692	24.837	116.000	171.000
sRåprot	13	569.692	76.086	533.000	629.000
NH3-N	13	78.077	19.037	68.000	93.000
NDF	13	461.538	41.663	424.000	490.000
iNDF	13	163.391	27.821	129.767	208.510
nhNDF	13	4.361	0.546	3.532	5.002
TAF	13	67.600	25.878	48.100	100.100
Mjölksyra	13	53.231	22.536	35.000	84.000
Ättiksyra	13	12.462	4.274	7.000	18.000
Socker	13	65.538	35.087	29.000	106.000
BUF	13	0.908	1.206	0.100	2.200
AATp20	13	83.756	3.624	79.506	88.132
PBVp20	13	14.562	20.709	-10.022	36.846
NELp20	13	6.160	0.297	5.743	6.470
OE*	13	10.977	0.421	10.400	11.500
AAT*	13	71.615	1.121	70.000	73.000
PBV*	13	20.538	23.779	-9.000	47.000
Ca	12	5.375	1.286	4.000	6.900
P	12	2.733	0.458	2.200	3.100
Mg	12	2.183	0.510	1.600	2.900
K	12	20.267	3.757	16.100	23.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	12	1.425	1.057	0.400	2.700
Cl	13	6.562	1.978	4.000	8.900
S	12	2.175	0.564	1.600	2.900
CAB	12	259.137	66.774	186.412	339.407
Fe	12	157.917	59.323	86.000	225.000
Mn	12	89.500	25.904	70.000	117.000
Zn	12	32.500	6.856	24.000	40.000
Cu	12	6.458	1.371	4.800	7.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	343	385.408	112.987	267.000	539.000
Aska	343	66.536	9.870	54.000	78.000
OS smbh	343	76.150	3.257	71.200	79.900
Råprot	343	142.595	22.286	113.000	172.000
sRåprot	343	646.131	73.165	554.000	726.000
NH3-N	343	84.621	30.111	48.000	122.000
NDF	343	450.181	52.696	384.000	518.000
iNDF	343	150.811	28.636	118.014	190.000
nhNDF	343	4.554	0.500	3.899	5.180
Stä	1	110.000	.	110.000	110.000
TAF	343	73.259	31.515	29.500	117.900
Mjölksyra	343	54.837	26.744	19.000	92.000
Ättiksyra	343	15.286	6.877	7.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	343	67.741	40.386	22.000	129.000
PRF	75	3.667	2.407	1.000	6.000
BUF	343	1.554	2.311	0.000	4.000
AATp20	343	82.820	3.951	78.260	87.343
PBVp20	343	14.969	20.189	-9.832	40.400
NELp20	343	6.266	0.323	5.824	6.641
OE*	343	11.185	0.535	10.440	11.800
AAT*	268	72.272	1.578	70.000	74.000
PBV*	268	14.299	20.171	-11.000	42.000
Ca	323	4.902	1.262	3.600	6.200
P	323	2.632	0.368	2.200	3.100
Mg	323	1.759	0.283	1.400	2.100
K	323	21.785	3.472	17.100	25.800
Na	323	1.096	0.756	0.300	2.100
Cl	343	5.299	2.768	2.300	8.400
S	323	1.944	0.407	1.500	2.500
CAB	323	333.379	101.481	209.332	449.994
Fe	300	185.703	157.162	74.000	337.500
Mn	300	66.997	19.699	44.500	93.000
Zn	300	38.577	64.122	23.000	41.000
Cu	300	5.539	1.235	4.100	7.000
Se	51	0.032	0.034	0.007	0.054

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	217	478.857	148.333	300.000	701.000
Aska	217	72.645	11.260	61.000	86.000
OS smbh	217	74.075	2.948	70.200	77.800
Råprot	217	152.088	22.893	124.000	180.000
sRåprot	217	526.797	99.267	394.000	645.000
NH3-N	217	66.438	26.218	34.000	94.000
NDF	217	461.553	38.535	413.000	508.000
iNDF	217	173.149	32.572	135.727	217.000
nhNDF	217	4.226	0.496	3.570	4.813
TAF	217	52.718	27.465	19.500	87.900
Mjölksyra	217	38.627	22.428	12.000	71.000
Ättiksyra	217	11.853	6.468	5.000	20.000
Socker	217	72.470	36.808	24.000	122.000
PRF	49	2.510	2.012	0.000	4.000
BUF	217	0.897	1.602	0.000	2.000
AATp20	217	85.199	4.900	79.521	91.910
PBVp20	217	20.218	19.879	-6.184	45.287
NELp20	217	6.059	0.319	5.627	6.437
OE*	217	10.767	0.492	10.070	11.400
AAT*	168	70.851	1.446	69.000	72.000
PBV*	168	27.232	21.895	1.000	54.000
Ca	212	6.224	1.539	4.700	8.100
P	212	2.857	0.402	2.300	3.400
Mg	212	2.424	0.431	1.900	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	212	21.599	4.208	16.100	26.800
Na	212	1.394	0.831	0.400	2.500
Cl	217	7.560	3.833	3.600	12.300
S	212	2.341	0.479	1.800	2.800
CAB	212	254.092	127.140	114.940	396.678
Fe	195	164.472	129.286	80.000	289.000
Mn	195	84.385	27.489	48.000	124.000
Zn	195	41.800	75.367	24.000	44.000
Cu	195	6.807	1.367	5.300	8.400
Se	22	0.025	0.018	0.007	0.048

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	81	468.284	142.662	302.000	658.000
Aska	81	76.519	10.260	65.000	87.000
OS smbh	81	74.488	2.033	71.900	76.900
Råprot	81	157.444	19.506	135.000	178.000
sRåprot	81	511.469	94.071	413.000	625.000
NH3-N	81	67.494	27.852	34.000	102.000
NDF	81	451.086	32.992	409.000	490.000
iNDF	81	172.761	26.180	141.486	206.076
nhNDF	81	4.246	0.536	3.660	4.742
TAF	81	54.386	28.028	16.400	90.100
Mjölksyra	81	40.123	22.489	11.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	81	11.975	6.986	4.000	20.000
Socker	81	68.049	32.658	28.000	119.000
PRF	21	2.667	2.652	0.000	5.000
BUF	81	0.856	1.481	0.000	1.900
AATp20	81	85.839	5.223	80.158	92.774
PBVp20	81	24.146	17.616	5.101	47.513
NELp20	81	6.090	0.234	5.766	6.353
OE*	81	10.795	0.362	10.320	11.200
AAT*	60	70.933	1.118	69.500	72.000
PBV*	60	33.150	17.714	15.000	52.000
Ca	78	6.913	1.810	5.300	9.800
P	78	2.999	0.451	2.400	3.600
Mg	78	2.668	0.457	2.200	3.300
K	78	22.726	4.077	17.200	26.600
Na	78	1.413	0.916	0.500	2.600
Cl	81	8.275	5.475	3.300	12.600
S	78	2.510	0.500	1.800	3.100
CAB	78	249.279	151.082	89.166	398.939
Fe	70	186.371	139.980	79.500	300.000
Mn	70	87.000	29.520	55.500	118.000
Zn	70	39.671	61.330	22.500	40.500
Cu	70	7.610	1.396	6.100	9.600
Se	6	0.023	0.016	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	377.500	82.076	290.000	473.000
Aska	12	82.000	13.605	65.000	100.000
OS smbh	12	75.150	3.351	70.700	78.100
Råprot	12	165.833	20.788	146.000	195.000
sRåprot	12	564.667	42.035	517.000	608.000
NH3-N	12	85.000	27.350	55.000	131.000
NDF	12	416.750	37.251	386.000	458.000
iNDF	12	170.626	40.380	130.000	230.011
nhNDF	12	4.021	0.606	3.158	4.553
TAF	12	71.400	19.195	46.900	93.100
Mjölksyra	12	56.500	17.176	38.000	77.000
Ättiksyra	12	12.500	3.989	9.000	16.000
Socker	12	55.917	25.339	30.000	85.000
PRF	1	0.000	.	0.000	0.000
BUF	12	1.483	2.119	0.100	3.900
AATp20	12	83.440	4.328	77.075	88.330
PBVp20	12	35.807	15.521	18.155	54.688
NELp20	12	6.142	0.326	5.786	6.459
OE*	12	10.844	0.529	10.100	11.400
AAT*	11	70.909	1.640	69.000	72.000
PBV*	11	41.909	21.163	22.000	70.000
Ca	10	7.060	1.404	5.700	9.150
P	10	2.910	0.463	2.500	3.650
Mg	10	2.790	0.438	2.150	3.350

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	10	20.530	5.294	11.550	25.950
Na	10	2.010	1.087	0.950	3.750
Cl	12	9.217	3.912	4.400	13.500
S	10	2.740	0.672	1.900	3.700
CAB	10	180.078	118.921	4.469	307.155
Fe	9	329.444	233.730	145.000	928.000
Mn	9	106.778	42.464	58.000	177.000
Zn	9	33.111	11.073	22.000	59.000
Cu	9	8.644	4.921	4.900	21.200
Se	2	0.167	0.179	0.040	0.293

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	230.000	.	230.000	230.000
Aska	1	99.000	.	99.000	99.000
OS smbh	1	79.800	.	79.800	79.800
Råprot	1	191.000	.	191.000	191.000
sRåprot	1	523.000	.	523.000	523.000
NH3-N	1	55.000	.	55.000	55.000
NDF	1	307.000	.	307.000	307.000
iNDF	1	141.300	.	141.300	141.300
nhNDF	1	3.935	.	3.935	3.935
TAF	1	100.100	.	100.100	100.100
Mjölksyra	1	86.000	.	86.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	62.000	.	62.000	62.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.378	.	85.378	85.378
PBVp20	1	55.748	.	55.748	55.748
NELp20	1	6.503	.	6.503	6.503
OE*	1	11.400	.	11.400	11.400
AAT*	1	72.000	.	72.000	72.000
PBV*	1	66.000	.	66.000	66.000
CI	1	10.400	.	10.400	10.400

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	152.000	.	152.000	152.000
sRåprot	1	558.000	.	558.000	558.000
NH3-N	1	82.000	.	82.000	82.000
NDF	1	456.000	.	456.000	456.000
iNDF	1	175.226	.	175.226	175.226
nhNDF	1	4.084	.	4.084	4.084
TAF	1	57.100	.	57.100	57.100
Mjölksyra	1	46.000	.	46.000	46.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	63.000	.	63.000	63.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.003	.	85.003	85.003
PBVp20	1	20.534	.	20.534	20.534
NELp20	1	6.104	.	6.104	6.104
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	6.300	.	6.300	6.300
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	18.100	.	18.100	18.100
Na	1	1.700	.	1.700	1.700
Cl	1	6.200	.	6.200	6.200
S	1	2.200	.	2.200	2.200
CAB	1	224.681	.	224.681	224.681
Fe	1	107.000	.	107.000	107.000
Mn	1	61.000	.	61.000	61.000
Zn	1	34.000	.	34.000	34.000
Cu	1	5.100	.	5.100	5.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	395.160	113.989	265.000	575.000
Aska	25	57.880	15.065	40.000	75.000
OS smbh	25	68.864	3.703	63.100	72.500
Råprot	25	116.280	26.033	79.000	151.000
sRåprot	25	623.280	96.987	505.000	750.000
NH3-N	25	77.680	27.221	41.000	114.000
NDF	25	468.840	34.830	431.000	510.000
iNDF	25	243.694	48.535	188.371	315.089
nhNDF	25	3.192	0.772	2.167	4.132
Stä	25	82.160	68.482	17.000	193.000
TAF	25	65.032	34.680	31.700	126.000
Mjölksyra	25	48.480	29.791	23.000	95.000
Ättiksyra	25	13.680	6.026	6.000	23.000
Socker	25	63.880	42.379	22.000	135.000
PRF	11	3.636	2.767	0.000	7.000
BUF	11	0.727	1.191	0.000	1.000
AATp20	25	71.052	5.166	64.072	76.953
PBVp20	25	-0.626	22.024	-28.346	35.717
NELp20	25	5.598	0.359	5.081	5.951
OE*	11	10.202	0.445	9.760	10.630
Ca	25	4.792	1.798	2.700	7.400
P	25	2.552	0.448	2.100	3.100
Mg	25	1.804	0.695	1.100	2.500
K	25	16.172	4.832	9.900	22.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	25	1.208	0.889	0.500	2.700
Cl	25	6.984	9.073	1.500	12.300
S	25	2.008	0.589	1.500	2.800
CAB	25	143.895	225.534	26.299	326.533
Fe	22	192.682	132.922	75.000	346.000
Mn	22	65.136	38.929	28.000	112.000
Zn	22	40.182	16.629	25.000	57.000
Cu	22	5.827	1.229	4.500	7.100
Se	5	0.036	0.018	0.007	0.050

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	368.400	77.928	252.000	441.000
Aska	5	61.400	7.956	53.000	72.000
OS smbh	5	64.600	1.884	62.500	66.300
Råprot	5	111.800	9.338	101.000	124.000
sRåprot	5	680.400	69.601	578.000	749.000
NH3-N	5	98.600	33.724	53.000	148.000
NDF	5	476.000	30.191	438.000	511.000
iNDF	5	283.523	30.396	245.620	323.276
nhNDF	5	2.476	0.431	1.952	3.050
Stä	5	89.600	71.894	18.000	183.000
TAF	5	73.800	20.548	56.000	100.000
Mjölksyra	5	53.400	16.471	38.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	5	18.400	9.965	10.000	35.000
Socker	5	26.800	20.608	11.000	62.000
AATp20	5	65.884	4.244	61.010	70.438
PBVp20	5	9.161	11.647	-5.547	27.098
NELp20	5	5.362	0.118	5.162	5.460
OE*	1	9.200	.	9.200	9.200
AAT*	1	58.000	.	58.000	58.000
PBV*	1	10.000	.	10.000	10.000
Ca	5	4.760	0.764	3.900	5.600
P	5	2.800	0.485	2.100	3.200
Mg	5	1.780	0.356	1.400	2.300
K	5	19.460	5.273	14.200	27.300
Na	5	1.040	0.986	0.100	2.700
Cl	5	5.500	3.774	1.700	11.400
S	5	1.600	0.245	1.400	2.000
CAB	5	287.986	111.443	121.722	408.325
Fe	5	117.000	30.504	84.000	158.000
Mn	5	77.200	20.753	48.000	106.000
Zn	5	51.400	48.263	22.000	137.000
Cu	5	5.600	0.908	4.400	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	331.500	33.644	291.000	377.000
Aska	6	61.500	8.781	53.000	77.000
OS smbh	6	66.850	3.085	62.900	71.000
Råprot	6	111.000	11.331	97.000	127.000
sRåprot	6	582.000	103.214	430.000	721.000
NH3-N	6	74.333	16.071	48.000	97.000
NDF	6	483.833	27.154	441.000	509.000
iNDF	6	357.061	90.405	253.000	460.456
nhNDF	6	5.814	2.501	3.269	8.316
Stä	6	70.667	29.797	24.000	96.000
TAF	6	74.417	21.297	42.500	99.000
Mjölksyra	6	53.833	16.068	30.000	69.000
Ättiksyra	6	17.500	6.285	8.000	25.000
Socker	6	46.167	11.514	35.000	67.000
PRF	3	4.333	1.528	3.000	6.000
BUF	3	1.333	1.155	0.000	2.000
AATp20	6	70.420	2.807	66.855	75.245
PBVp20	6	0.183	7.880	-6.161	15.343
NELp20	6	5.562	0.320	5.147	5.963
OE*	3	10.073	0.393	9.630	10.380
Ca	6	4.733	0.944	3.400	6.100
P	6	2.933	0.582	2.300	3.800
Mg	6	1.817	0.232	1.600	2.100
K	6	20.500	4.909	15.900	29.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	1.000	0.792	0.200	2.200
Cl	6	5.917	3.881	0.600	10.400
S	6	1.850	0.327	1.400	2.200
CAB	6	285.483	112.054	125.981	399.467
Fe	6	158.000	63.696	114.000	277.000
Mn	6	110.667	45.333	63.000	188.000
Zn	6	44.667	10.482	34.000	63.000
Cu	6	5.217	0.895	4.000	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	409.000	165.519	215.000	601.000
Aska	4	58.250	12.580	46.000	71.000
OS smbh	4	66.600	1.203	65.000	67.900
Råprot	4	119.500	22.531	87.000	139.000
sRåprot	4	675.750	58.483	638.000	762.000
NH3-N	4	97.250	37.783	57.000	148.000
NDF	4	490.000	52.421	421.000	539.000
iNDF	4	265.742	22.479	232.373	281.182
nhNDF	4	3.048	0.734	2.452	4.006
Stä	4	66.250	41.963	21.000	109.000
TAF	4	69.750	35.547	32.000	103.000
Mjölksyra	4	47.250	24.690	19.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	19.250	11.442	9.000	35.000
Socker	4	54.500	33.838	24.000	96.000
PRF	1	8.000	.	8.000	8.000
BUF	1	5.000	.	5.000	5.000
AATp20	4	71.399	1.833	69.509	73.849
PBVp20	4	3.984	22.256	-27.999	23.602
NELp20	4	5.481	0.191	5.226	5.636
OE*	1	9.600	.	9.600	9.600
Ca	4	3.975	1.780	2.700	6.600
P	4	2.500	0.365	2.100	2.900
Mg	4	1.550	0.342	1.100	1.900
K	4	19.250	7.826	13.000	29.700
Na	4	1.775	1.427	0.900	3.900
Cl	4	6.075	5.219	3.300	13.900
S	4	1.950	0.370	1.500	2.300
CAB	4	276.500	57.656	215.083	354.374
Fe	4	156.750	25.316	125.000	180.000
Mn	4	104.000	35.393	56.000	134.000
Zn	4	44.500	33.966	22.000	95.000
Cu	4	5.600	0.490	5.000	6.000
Se	1	0.022	.	0.022	0.022

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	527.500	40.305	499.000	556.00
Aska	2	64.500	7.778	59.000	70.00
OS smbh	2	67.150	1.909	65.800	68.50
Råprot	2	136.000	5.657	132.000	140.00
sRåprot	2	608.500	89.803	545.000	672.00
NH3-N	2	59.000	4.243	56.000	62.00
NDF	2	462.000	57.983	421.000	503.00
iNDF	2	262.790	58.800	221.213	304.37
nhNDF	2	2.759	0.908	2.118	3.40
Stä	2	92.000	104.652	18.000	166.00
TAF	2	48.500	17.678	36.000	61.00
Mjölksyra	2	36.500	12.021	28.000	45.00
Ättiksyra	2	12.000	5.657	8.000	16.00
Socker	2	35.000	9.899	28.000	42.00
AATp20	2	70.802	1.284	69.894	71.71
PBVp20	2	21.347	7.399	16.116	26.58
NELp20	2	5.484	0.224	5.325	5.64
Ca	2	5.350	0.212	5.200	5.50
P	2	2.950	0.212	2.800	3.10
Mg	2	1.600	0.000	1.600	1.60
K	2	18.600	8.485	12.600	24.60
Na	2	0.250	0.071	0.200	0.30
Cl	2	3.100	1.273	2.200	4.00
S	2	1.400	0.424	1.100	1.70

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	311.749	151.571	204.572	418.93
Fe	2	181.000	86.267	120.000	242.00
Mn	2	57.000	12.728	48.000	66.00
Zn	2	698.000	941.866	32.000	1364.00
Cu	2	6.200	1.414	5.200	7.20
Se	1	0.022	.	0.022	0.02

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	454.750	94.790	324.000	617.000
Aska	8	41.625	10.716	33.000	61.000
OS smbh	8	64.813	4.033	58.100	71.000
Råprot	8	77.875	19.387	60.000	117.000
sRåprot	8	678.125	146.918	322.000	761.000
NH3-N	8	82.125	28.104	24.000	106.000
NDF	8	507.375	44.516	450.000	573.000
iNDF	8	271.391	27.425	219.154	306.096
nhNDF	8	2.720	0.533	2.190	3.713
Stä	8	77.625	57.634	18.000	175.000
TAF	8	52.438	20.029	25.500	86.000
Mjölksyra	8	34.500	16.151	6.000	59.000
Ättiksyra	8	15.375	5.528	8.000	24.000
Socker	8	95.375	39.655	46.000	145.000
PRF	1	3.000	.	3.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	8	68.648	3.101	63.802	72.280
PBVp20	8	-29.028	18.282	-47.458	5.309
NELp20	8	5.223	0.375	4.527	5.735
OE*	2	9.770	0.240	9.600	9.940
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-55.000	.	-55.000	-55.000
Ca	7	3.186	1.006	2.000	4.700
P	7	2.071	0.439	1.300	2.500
Mg	7	1.286	0.261	0.900	1.600
K	7	13.771	5.468	8.800	22.400
Na	7	0.329	0.368	0.100	1.000
Cl	8	1.950	0.961	0.500	3.400
S	7	1.300	0.337	1.000	1.900
CAB	7	224.482	135.354	72.224	422.864
Fe	7	171.286	224.843	69.000	680.000
Mn	7	61.857	26.473	30.000	114.000
Zn	7	25.857	6.890	18.000	36.000
Cu	7	3.514	0.904	2.500	5.000
Se	1	0.008	.	0.008	0.008

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	397.667	58.1062	345.000	460.000
Aska	3	52.333	9.5044	43.000	62.000
OS smbh	3	67.600	2.7185	64.600	69.900
Råprot	3	107.333	27.5379	89.000	139.000
sRåprot	3	619.333	44.4110	581.000	668.000
NH3-N	3	101.667	13.2035	90.000	116.000
NDF	3	413.667	17.1561	398.000	432.000
iNDF	3	302.056	36.2993	262.100	333.000
nhNDF	3	2.410	0.2959	2.069	2.584
Stä	3	170.333	55.7704	110.000	220.000
TAF	3	66.000	18.7350	45.000	81.000
Mjölksyra	3	46.667	12.0968	33.000	56.000
Ättiksyra	3	17.333	4.7258	12.000	21.000
Socker	3	33.000	9.5394	22.000	39.000
PRF	1	3.000	.	3.000	3.000
BUF	1	3.000	.	3.000	3.000
AATp20	3	71.701	3.2208	69.217	75.340
PBVp20	3	-5.365	28.3092	-27.247	26.607
NELp20	3	5.592	0.1666	5.403	5.719
OE*	1	10.040	.	10.040	10.040
Ca	2	5.300	1.2728	4.400	6.200
P	2	2.550	0.0707	2.500	2.600
Mg	2	1.700	0.1414	1.600	1.800
K	2	13.600	3.6770	11.000	16.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.650	0.2121	0.500	0.800
Cl	3	3.167	1.0116	2.000	3.800
S	2	1.600	0.5657	1.200	2.000
CAB	2	195.805	15.5999	184.775	206.836
Fe	2	85.000	11.3137	77.000	93.000
Mn	2	38.500	0.7071	38.000	39.000
Zn	2	25.500	4.9497	22.000	29.000
Cu	2	5.050	0.0707	5.000	5.100

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	320.833	51.4759	243.000	393.000
Aska	6	30.000	7.0711	20.000	36.000
OS smbh	6	74.717	3.3241	69.700	79.100
Råprot	6	71.333	6.8020	59.000	78.000
sRåprot	6	516.167	65.9255	447.000	606.000
NH3-N	6	62.333	33.7204	36.000	120.000
NDF	6	406.833	30.8766	373.000	449.000
iNDF	6	210.805	49.9894	154.088	285.000
nhNDF	6	3.577	0.4695	2.880	4.255
Stä	6	268.167	44.8884	200.000	327.000
TAF	6	53.667	6.0553	45.000	61.000
Mjölksyra	6	30.833	12.8128	8.000	40.000
Ättiksyra	6	19.333	9.2664	11.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	6	30.000	42.4217	0.000	113.000
PRF	2	4.500	0.7071	4.000	5.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	6	82.979	2.9816	80.107	87.793
PBVp20	6	-58.360	5.3195	-65.312	-49.315
NELp20	6	6.277	0.1880	5.968	6.463
OE*	3	10.837	0.2371	10.620	11.090
AAT*	1	78.000	.	78.000	78.000
PBV*	1	-79.000	.	-79.000	-79.000
Ca	6	1.600	0.3464	1.000	1.900
P	6	1.767	0.1506	1.500	1.900
Mg	6	1.250	0.1517	1.000	1.400
K	6	8.717	1.1754	6.400	9.500
Na	6	0.350	0.1378	0.100	0.500
Cl	4	1.725	0.5560	1.200	2.500
S	6	0.900	0.1789	0.700	1.200
CAB	6	135.421	27.9803	95.071	172.452
Fe	6	107.167	59.2129	67.000	211.000
Mn	6	34.000	20.0300	18.000	73.000
Zn	6	31.167	5.4924	25.000	41.000
Cu	6	4.267	0.5046	3.800	5.000
Se	1	0.076	.	0.076	0.076

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	421.000	.	421.000	421.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	80.000	.	80.000	80.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	486.000	.	486.000	486.000
iNDF	1	178.877	.	178.877	178.877
nhNDF	1	4.094	.	4.094	4.094
Stä	1	17.000	.	17.000	17.000
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	15.000	.	15.000	15.000
Ättiksyra	1	15.000	.	15.000	15.000
Socket	1	191.000	.	191.000	191.000
AATp20	1	78.484	.	78.484	78.484
PBVp20	1	-43.378	.	-43.378	-43.378
NELp20	1	5.680	.	5.680	5.680
Ca	1	2.500	.	2.500	2.500
P	1	2.000	.	2.000	2.000
Mg	1	1.000	.	1.000	1.000
K	1	23.900	.	23.900	23.900
Na	1	0.600	.	0.600	0.600
Cl	1	4.800	.	4.800	4.800
S	1	1.300	.	1.300	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	420.879	.	420.879	420.879
Fe	1	139.000	.	139.000	139.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	885.000	.	885.000	885.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	58.100	.	58.100	58.100
Råprot	1	36.000	.	36.000	36.000
NDF	1	606.000	.	606.000	606.000
iNDF	1	287.853	.	287.853	287.853
nhNDF	1	2.488	.	2.488	2.488
TAF	1	0.000	.	0.000	0.000
Socker	1	128.000	.	128.000	128.000
AATp20	1	72.077	.	72.077	72.077
PBVp20	1	-66.296	.	-66.296	-66.296
NELp20	1	4.289	.	4.289	4.289
OE*	1	8.400	.	8.400	8.400
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-67.000	.	-67.000	-67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	831.500	39.130	766.000	878.000
Aska	8	49.625	9.380	39.000	68.000
OS smbh	8	66.050	4.062	61.200	73.100
Råprot	8	90.125	27.607	62.000	134.000
sRåprot	2	425.500	14.849	415.000	436.000
NDF	8	583.625	60.682	486.000	664.000
iNDF	8	219.796	27.609	177.000	267.152
nhNDF	8	3.567	0.462	2.764	4.099
TAF	8	0.000	0.000	0.000	0.000
Socker	8	116.875	22.969	77.000	145.000
AATp20	8	86.131	7.765	77.919	99.321
PBVp20	8	-39.133	13.655	-53.702	-19.968
NELp20	8	5.181	0.432	4.629	5.932
OE*	8	9.659	0.626	8.900	10.800
AAT*	6	67.167	2.137	64.000	69.000
PBV*	6	-37.667	12.580	-49.000	-15.000
Ca	6	3.833	1.131	2.400	5.300
P	6	2.400	0.657	1.600	3.400
Mg	6	1.667	0.520	1.000	2.400
K	6	15.217	5.189	8.300	22.000
Na	6	0.983	0.556	0.400	1.700
Cl	2	2.150	1.626	1.000	3.300
S	6	1.617	0.325	1.300	2.100
CAB	6	216.801	169.516	27.953	443.362

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	118.750	108.121	49.000	280.000
Mn	4	54.500	18.628	41.000	82.000
Zn	4	27.000	2.160	24.000	29.000
Cu	4	3.750	0.592	3.300	4.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	902.000	.	902.000	902.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	96.000	.	96.000	96.000
NDF	1	525.000	.	525.000	525.000
iNDF	1	208.427	.	208.427	208.427
nhNDF	1	3.647	.	3.647	3.647
TAF	1	0.000	.	0.000	0.000
Socker	1	154.000	.	154.000	154.000
AATp20	1	86.804	.	86.804	86.804
PBVp20	1	-35.027	.	-35.027	-35.027
NELp20	1	5.304	.	5.304	5.304
OE*	1	10.000	.	10.000	10.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-25.000	.	-25.000	-25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.333	12.662	373.000	398.000
Aska	3	68.333	6.028	62.000	74.000
OS smbh	3	76.167	2.627	73.200	78.200
Råprot	3	139.667	10.786	132.000	152.000
sRåprot	3	637.667	11.015	625.000	645.000
NH3-N	3	65.333	7.024	58.000	72.000
NDF	3	462.333	22.143	437.000	478.000
iNDF	3	124.000	28.355	102.000	156.000
nhNDF	3	4.228	0.512	3.666	4.667
TAF	3	92.000	52.000	32.000	124.000
Mjölksyra	3	70.333	42.724	21.000	95.000
Ättiksyra	3	18.000	6.928	10.000	22.000
Socker	3	62.000	22.716	46.000	88.000
PRF	3	3.333	2.517	1.000	6.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	3	79.281	2.422	77.213	81.945
PBVp20	3	21.303	11.007	13.157	33.824
NELp20	3	6.425	0.353	6.021	6.672
OE*	3	11.163	0.363	10.750	11.430
Ca	3	4.267	0.252	4.000	4.500
P	3	2.400	0.200	2.200	2.600
Mg	3	1.633	0.351	1.300	2.000
K	3	24.467	2.658	21.700	27.000
Na	3	0.567	0.208	0.400	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	3	3.600	1.127	2.900	4.900
S	3	1.900	0.346	1.700	2.300
CAB	3	430.225	110.075	307.992	521.519
Fe	3	241.000	85.294	171.000	336.000
Mn	3	51.333	13.051	41.000	66.000
Zn	3	26.333	7.767	20.000	35.000
Cu	3	6.000	1.000	5.000	7.000
Se	3	0.067	0.029	0.050	0.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	373.000	.	373.000	373.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	529.000	.	529.000	529.000
NH3-N	1	37.000	.	37.000	37.000
NDF	1	449.000	.	449.000	449.000
iNDF	1	122.000	.	122.000	122.000
nhNDF	1	4.273	.	4.273	4.273
TAF	1	113.000	.	113.000	113.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	20.000	.	20.000	20.000
Socket	1	50.000	.	50.000	50.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	79.526	.	79.526	79.526
PBVp20	1	25.760	.	25.760	25.760
NELp20	1	6.525	.	6.525	6.525
OE*	1	11.180	.	11.180	11.180
Ca	1	5.600	.	5.600	5.600
P	1	2.700	.	2.700	2.700
Mg	1	1.900	.	1.900	1.900
K	1	22.600	.	22.600	22.600
Na	1	0.800	.	0.800	0.800
Cl	1	6.000	.	6.000	6.000
S	1	2.000	.	2.000	2.000
CAB	1	318.774	.	318.774	318.774
Fe	1	166.000	.	166.000	166.000
Mn	1	56.000	.	56.000	56.000
Zn	1	24.000	.	24.000	24.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.230	.	0.230	0.230

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	435.500	75.013	348.000	519.000
Aska	4	69.250	5.679	63.000	75.000
OS smbh	4	76.600	1.324	74.700	77.600
Råprot	4	154.750	2.217	152.000	157.000
sRåprot	4	566.000	72.719	494.000	666.000
NH3-N	4	55.250	4.573	50.000	60.000
NDF	4	369.000	66.468	325.000	468.000
iNDF	4	183.000	14.629	168.000	203.000
nhNDF	4	3.712	0.524	3.354	4.491
Stä	4	123.250	68.970	22.000	168.000
TAF	4	52.500	27.453	23.000	81.000
Mjölksyra	4	35.750	17.212	20.000	59.000
Ättiksyra	4	12.500	11.958	0.000	27.000
Socker	4	68.500	21.947	39.000	92.000
PRF	4	4.000	0.816	3.000	5.000
BUF	4	0.250	0.500	0.000	1.000
AATp20	4	87.468	4.701	81.246	91.565
PBVp20	4	22.838	6.039	18.779	31.689
NELp20	4	6.505	0.106	6.412	6.633
OE*	4	11.230	0.270	10.870	11.470
Ca	4	6.500	2.241	5.100	9.800
P	4	3.450	0.379	3.200	4.000
Mg	4	2.700	0.560	2.000	3.200
K	4	16.900	2.012	15.600	19.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	2.925	1.072	1.700	4.200
Cl	4	7.950	5.746	2.400	16.000
S	4	2.425	0.320	2.200	2.900
CAB	4	183.893	176.376	-50.369	377.759
Fe	3	425.000	299.070	182.000	759.000
Mn	3	98.667	19.218	78.000	116.000
Zn	3	80.667	25.106	53.000	102.000
Cu	3	14.000	4.000	10.000	18.000
Se	1	0.500	.	0.500	0.500

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	454.167	73.0080	369.000	541.000
Aska	6	64.167	3.8166	61.000	71.000
OS smbh	6	73.100	4.2308	67.200	77.200
Råprot	6	149.500	28.6269	110.000	183.000
sRåprot	6	517.500	89.0118	416.000	630.000
NH3-N	6	60.333	21.4072	18.000	75.000
NDF	6	411.833	63.8824	305.000	475.000
iNDF	6	207.689	31.1675	167.977	252.592
nhNDF	6	3.376	0.4513	2.859	4.024
Stä	6	86.167	44.4721	44.000	169.000
Socket	6	50.000	8.5790	36.000	59.000
NELp20	6	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	6	5.517	0.9326	4.100	6.700
P	6	3.117	0.8134	1.900	4.100
Mg	6	2.917	0.3601	2.400	3.400
K	6	14.517	2.3387	11.600	18.100
Na	6	2.900	1.2602	1.500	4.200
Cl	6	5.517	1.3790	3.800	7.100
S	6	2.617	0.2787	2.200	2.900
CAB	6	178.416	87.7293	32.641	264.274
Fe	6	362.000	55.5878	290.000	430.000
Mn	6	96.167	12.4164	84.000	117.000
Zn	6	65.833	16.2778	34.000	79.000
Cu	6	15.117	3.6706	9.200	19.000
Se	2	0.340	0.2503	0.163	0.517

*= Parametrar från det gamla svenska fodervärderingssystemet