

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	859	30	81.2	104	621		285	190	3.15	505	0.0000			45
Havre, kärna, hög NDF (002)	1	3	863	26	75.0	104			339	392	2.00	563	0.0000			
Vete, kärna (005)	1	7	869	17	75.4	114	393	7.0	124	164	3.50	649	0.0000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	844	23	80.5	95				304	2.50	596	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	834	18	87.0	119		6.0	189	173	3.30	643	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	844	27	81.6	107		7.0	301	324	2.50	545	0.0000			
Åkerböna, kärna (007)	1	2	858	33	89.0	299		2.0		32	4.70	402	0.0000			
Majs hela plantan, grönmassa (030)	1	8	306	28	75.5	78	376		384	200	3.30	290	57.0000			30
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.0000			177
Grönmassa, gräs (0% baljv.) (161)	2	2	580	84	76.6	135	402		457	130	4.65		61.0000			103
Ensilage, gräs (0% klöver) (162)	0	1	387	78	75.8	127	544	74.0	466	148	4.68		81.1000	63.0	17.0	45
Ensilage, gräs (0% klöver) (162)	1	20	428	66	76.1	131	635	73.2	445	148	4.52		62.6400	46.5	13.6	96
Ensilage, gräs (0% klöver) (162)	2	14	441	76	73.6	141	556	73.4	462	175	4.11		55.0214	40.3	12.3	64
Ensilage, gräs (0% klöver) (162)	3	7	401	89	75.9	160	526	72.4	447	151	4.78		62.1714	49.0	11.1	48
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	682	103	64.8	159			416	305	2.22		84.0000			69
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	422	71	78.6	138	443		443	114	5.33		68.1711	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	472	83	75.8	142	411		454	143	4.50		70.6905	0.0	0.0	110
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25	486	85	73.3	138	386		492	162	4.36		84.0000			91
Grönmassa blandvall (1-50 % baljväxter) (164)	4	10	368	91	75.3	160	383		444	147	4.20		84.0000			90
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	456	102	82.4	172			407	70	6.33		84.0000			136
Ensilage, blandvall (1-50% klöver) (165)	0	17	466	72	74.1	121	552	71.1	449	175	4.09		58.6765	44.9	11.5	85
Ensilage, blandvall (1-50% klöver) (165)	1	199	423	70	77.5	135	627	71.9	418	142	4.62		65.0497	48.8	13.7	98
Ensilage, blandvall (1-50% klöver) (165)	2	150	458	80	75.0	144	533	67.6	442	167	4.29		59.7507	44.8	12.6	76
Ensilage, blandvall (1-50% klöver) (165)	3	86	428	89	74.5	151	520	77.3	434	176	4.14		63.8709	47.2	13.9	58

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Ensilage, blandvall (1-50% klöver) (165)	4	13	409	93	74.6	162	517	72.6	411	185	4.09		68.8308	52.3	13.2	59
Ensilage, blandvall (1-50% klöver) (165)	5	1	382	92	79.1	159	629	86.0	374	140	4.85		79.0000	65.0	13.0	60
Korn, helsädesensilage (250)	1	12	442	60	68.4	92	614	86.3	402	279	2.32	199	61.2500	46.7	11.8	39
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	360	64	69.4	107	680	78.8	429	251	2.83	113	82.8000	66.0	14.8	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	311	65	66.6	121	614	106	455	419	6.51	71	76.5833	60.8	14.8	29
Havre helsädesensilage degmognad (296)	1	16	382	65	65.7	93	575	80.8	460	290	2.75	116	62.5625	45.0	14.6	50
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	375	65	66.0	107	548	84.8	449	282	2.49	97	62.5000	45.3	17.3	61
Vete, helsäd ensilage (299)	1	4	507	68	69.7	112	644	67.5	493	214	3.52	41	44.5000	27.5	14.5	106
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	372	60	70.7	110	631	83.5	417	251	3.02	155	70.1667	53.2	17.0	36
Majs, helsädesensilage (305)	1	3	321	28	76.8	73	453	36.0	363	203	3.54	319	53.6667	42.0	8.3	8
Ärter, helsädesensilage, sen skörd (315)	1	1	462	52	77.6	145	697	153	345	183	3.55	250	92.0000	55.0	37.0	13
Hö, blandvall, 0-50% baljväxter (383)	0	1	716	53	67.4	103			551	218	3.51		0.0000			126
Hö, blandvall, 0-50% baljväxter (383)	1	6	827	63	67.4	75			547	218	3.56		0.0000			152
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.0000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	372	98	66.5	151			411	446	5.41		72.0000			79
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	102	70.4	170			377	374	4.69		72.0000			82
Ensilage, blandvall (1-50% klöver) (326)	1	2	314	50	67.8	112	595	174	460	342	3.87	33	93.5000	29.0	38.5	40
Övrigt foder ej kompletta data (1E3)	1	1	861	19	0.0	125		6.0				565				

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				89.7	-29	6.94	12.0	92.0	-39
Havre, kärna, hög NDF (002)	1	3				82.7	-13	6.39	11.6	69.0	-3.0
Vete, kärna (005)	1	7				113	-51	7.95	14.1		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				90.0	-37	7.00			
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				105	-36	7.65	13.3	95.0	-31

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				96.7	-33	6.89			
Åkerböna, kärna (007)	1	2				102	146	7.85			
Majs hela plantan, grönmassa (030)	1	8				87.6	-60	6.33	11.4		
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	2				86.4	-0.6	6.10	11.1	74.0	37.0
Ensilage, gräs (0% klöver) (162)	0	1		0.1000		81.6	-0.2	6.19	11.0	72.0	4.0
Ensilage, gräs (0% klöver) (162)	1	20	3.66667	1.1400		82.3	2.3	6.14	11.2	72.0	0.5
Ensilage, gräs (0% klöver) (162)	2	14	3.00000	1.1643		82.1	11.9	5.93	10.7	70.1	13.3
Ensilage, gräs (0% klöver) (162)	3	7	2.00000	0.8857		84.5	25.4	6.18	10.9	70.8	29.8
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				71.9	48.8	5.06	8.9	65.0	46.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	4.66667	3.4000		88.7	1.0	6.36	11.5	79.1	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	2.57143	1.5714		85.2	10.8	6.10	10.9	74.7	9.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25				82.1	11.4	5.96	10.5	73.1	12.1
Grönmassa blandvall (1-50 % baljväxter) (164)	4	10				84.9	27.6	6.14	10.8	72.0	43.2
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1				90.0	30.3	6.69	11.8	80.0	35.0
Ensilage, blandvall (1-50% klöver) (165)	0	17		1.3235		82.1	-3.7	5.92	10.8	71.0	-0.7
Ensilage, blandvall (1-50% klöver) (165)	1	199	3.57143	1.2256		84.1	5.3	6.26	11.4	72.8	7.3
Ensilage, blandvall (1-50% klöver) (165)	2	150	3.87500	0.8707		84.1	14.2	6.07	10.8	71.1	19.2
Ensilage, blandvall (1-50% klöver) (165)	3	86	3.07143	1.3942		83.2	22.3	6.01	10.6	70.4	28.8
Ensilage, blandvall (1-50% klöver) (165)	4	13	3.00000	1.6769		83.2	32.2	6.02	10.6	69.9	38.3
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	1.0000		83.5	28.9	6.41	11.4		
Korn, helsädesensilage (250)	1	12	6.50000	1.5000		70.0	-19	5.53	10.1	59.0	4.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5				69.4	-1.3	5.71			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	3.00000	0.0000		69.5	10.5	5.48	9.8	61.0	4.7

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Havre helsädesensilage degmognad (296)	1	16	4.71429	2.1429		72.5	-22	5.36	9.9	62.5	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4				68.5	-1.4	5.32			
Vete, helsäd ensilage (299)	1	4				73.3	-9.0	5.53	9.5	61.0	-17
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	0.00000	0.0000		73.6	-6.4	5.84	9.8	61.0	-6.3
Majs, helsädesensilage (305)	1	3	3.33333	0.0000		86.1	-62	6.54	11.8		
Ärter, helsädesensilage, sen skörd (315)	1	1				77.1	22.0	6.60			
Hö, blandvall, 0-50% baljväxter (383)	0	1				86.8	-28	5.30	9.9	70.0	-17
Hö, blandvall, 0-50% baljväxter (383)	1	6				83.4	-49	5.11	9.8	69.5	-44
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3				73.7	42.1	5.23	9.3	67.0	36.0
Ensilage, blandvall (51-100% klöver) (438)	3	1				76.8	54.9	5.58	9.8	70.0	49.0
Ensilage, blandvall (1-50% klöver) (326)	1	2	7.50000	18.5000		73.7	4.2	5.70	10.0		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	3	1.1	3.4	1.5	7.5	0.6		1.4	97	2	54.0	17.5	32.5	5.6	
Havre, kärna, hög NDF (002)	1	2	0.7	3.3	1.3	5.0	0.1		1.3	31	2	93.0	45.0	33.5	4.6	
Vete, kärna (005)	1	7	0.4	3.0	1.1	4.5	0.1	0.8	1.2	18	7	48.6	37.4	28.0	4.8	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	0.5	3.1	1.1	5.3	0.1		1.3	28	3	56.3	35.7	35.0	5.3	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	2	0.6	3.4	1.4	5.3	0.1		1.3	38	2	66.0	40.5	35.0	5.3	
Åkerböna, kärna (007)	1	2	1.0	4.5	1.4	12.8	0.2		1.7	203	2	60.0	16.0	52.5	17.2	0.0
Majs hela plantan, grönmassa (030)	1	8	1.8	1.9	1.2	9.7	0.2	2.1	0.9	153	4	69.0	26.5	27.3	4.1	0.0
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	2	5.8	2.6	2.1	22.2	0.8	4.2	2.5	315	2	82.5	57.0	25.0	6.7	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	0	1	5.9	2.4	2.5	22.4	1.0	3.9	2.5	350	1	250.0	67.0	25.0	8.0	
Ensilage, gräs (0% klöver) (162)	1	20	4.6	2.3	1.7	21.7	0.7	5.0	1.8	331	20	154.3	73.1	24.5	5.7	0.0
Ensilage, gräs (0% klöver) (162)	2	13	5.8	2.7	2.2	25.3	0.6	6.1	2.1	366	13	99.5	68.9	25.0	6.6	0.0
Ensilage, gräs (0% klöver) (162)	3	7	6.8	3.0	2.6	25.8	0.9	7.5	2.6	329	7	133.0	77.4	25.6	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	12.8	2.9	2.1	21.5	0.3		2.0	306	1	182.0	60.0	31.0	10.6	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	66	5.1	2.5	1.7	24.3	0.6	6.8	1.9	379	61	137.0	59.5	25.7	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	6.9	2.7	2.4	24.5	0.8	9.8	2.2	353	36	155.2	63.6	26.4	7.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	25	6.4	2.9	2.5	25.7	1.0	17.8	2.5	274	25	122.0	74.4	24.6	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9	7.8	3.0	2.6	29.1	0.8	15.5	3.0	290	9	117.3	78.7	23.0	7.2	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	5.0	3.0	2.6	29.2	0.9		3.4	441	1	111.0	135.0	27.0	7.6	
Ensilage, blandvall (1-50% klöver) (165)	0	15	5.7	2.3	1.9	21.4	0.7	5.2	1.6	345	15	164.2	79.6	26.9	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	191	4.9	2.4	1.7	22.9	0.8	4.9	1.8	367	176	190.1	65.6	28.3	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	148	6.5	2.7	2.3	24.5	1.0	6.8	2.2	342	134	169.6	74.3	25.6	7.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	79	7.5	2.8	2.7	25.3	1.2	7.5	2.5	333	71	188.2	81.2	26.6	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	13	8.6	3.1	2.8	25.8	1.3	8.5	2.4	329	10	160.1	78.5	25.9	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.4	3.2	2.0	29.2	0.6	3.9	3.6	438	1	117.0	126.0	18.0	7.0	
Korn, helsädesensilage (250)	1	10	3.7	2.5	1.7	15.2	1.1	3.0	1.6	246	9	342.4	65.8	27.6	5.3	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	5.0	2.7	1.8	17.7	1.2	3.9	1.3	313	5	240.4	63.4	26.6	5.0	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	6.0	2.9	2.2	17.8	1.5	3.7	1.6	357	2	137.5	74.5	24.5	5.5	
Havre helsädesensilage degmognad (296)	1	13	4.3	2.4	1.5	16.8	9.3	17.0	1.7	191	10	207.9	60.4	28.7	5.0	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.6	2.0	15.3	1.0	3.3	1.5	253	4	148.3	99.3	32.8	5.7	
Vete, helsäd ensilage (299)	1	4	2.8	2.3	1.4	17.4	1.4	4.4	1.6	281	4	254.8	57.5	24.5	4.8	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	5.3	2.9	2.1	17.3	1.0	2.1	1.6	312	3	136.7	101.3	48.3	6.0	0.0
Majs, helsädesensilage (305)	1	3	1.5	1.8	0.8	8.7	0.2	2.2	1.0	125	1	68.0	39.0	24.0	3.0	
Ärter, helsädesensilage, sen skörd (315)	1	1	8.3	2.5	2.7	13.9	0.3	3.5	1.3	189	1	76.0	28.0	33.0	8.0	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Hö, blandvall, 0-50% baljväxter (383)	1	4	2.9	1.6	1.4	15.7	0.6		1.3	206	4	160.0	141.0	20.0	4.2	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	11.0	2.3	3.0	21.7	0.5		1.6	348	3	167.7	34.7	25.7	10.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	9.8	2.3	3.1	25.9	0.8		1.8	447	1	134.0	38.0	24.0	9.8	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	2	3.2	3.8	2.0	11.8	2.8	11.8	2.3	-52	0					
Övrigt foder ej kompletta data (1E3)	1	1	0.4	3.1	1.2	5.7	0.1		1.2		1	47.0	18.0	31.0	5.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	859.333	7.024	852.000	866.000
Aska	3	30.333	8.709	23.100	40.000
OS smbh	3	81.200	8.314	71.600	86.000
Råprot	3	104.267	5.706	99.300	110.500
sRåprot	1	621.000	.	621.000	621.000
NDF	2	284.500	79.903	228.000	341.000
iNDF	3	190.000	48.497	162.000	246.000
nhNDF	3	3.150	0.000	3.150	3.150
Stä	3	504.733	209.265	264.000	643.200
TAF	3	0.000	0.000	0.000	0.000
Socker	1	45.000	.	45.000	45.000
AATp20	3	89.688	6.059	82.872	94.464
PBVp20	3	-29.339	10.960	-41.552	-20.361
NELp20	3	6.944	0.498	6.378	7.313
OE*	2	12.015	1.817	10.730	13.300
AAT*	1	92.000	.	92.000	92.000
PBV*	1	-39.000	.	-39.000	-39.000
Ca	3	1.067	1.155	0.400	2.400
P	3	3.433	0.306	3.100	3.700
Mg	3	1.467	0.208	1.300	1.700
K	3	7.500	2.960	5.500	10.900
Na	3	0.567	0.808	0.100	1.500
S	3	1.367	0.379	1.100	1.800
CAB	3	97.234	87.114	42.460	197.687

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	54.000	5.657	50.000	58.000
Mn	2	17.500	2.121	16.000	19.000
Zn	2	32.500	3.536	30.000	35.000
Cu	2	5.600	0.283	5.400	5.800

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	863.000	11.533	851.000	874.000
Aska	3	26.233	4.362	21.200	28.900
OS smbh	3	75.000	0.000	75.000	75.000
Råprot	3	104.333	7.297	96.100	110.000
NDF	1	339.000	.	339.000	339.000
iNDF	3	392.000	0.000	392.000	392.000
nhNDF	3	2.000	0.000	2.000	2.000
Stä	3	563.067	102.523	478.000	676.900
TAF	3	0.000	0.000	0.000	0.000
AATp20	3	82.729	2.029	81.557	85.073
PBVp20	3	-13.496	7.066	-19.805	-5.862
NELp20	3	6.387	0.104	6.304	6.504
OE*	1	11.600	.	11.600	11.600
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-3.000	.	-3.000	-3.000
Ca	2	0.700	0.141	0.600	0.800
P	2	3.300	0.424	3.000	3.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	1.300	0.141	1.200	1.400
K	2	5.000	0.000	5.000	5.000
Na	2	0.100	0.000	0.100	0.100
S	2	1.300	0.141	1.200	1.400
CAB	2	31.257	8.839	25.007	37.507
Fe	2	93.000	5.657	89.000	97.000
Mn	2	45.000	7.071	40.000	50.000
Zn	2	33.500	7.778	28.000	39.000
Cu	2	4.550	0.212	4.400	4.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	869.286	30.4779	837.000	934.000
Aska	7	17.286	2.7510	14.000	21.900
OS smbh	7	75.429	33.2609	0.000	88.000
Råprot	7	114.000	11.5766	103.400	137.000
sRåprot	1	393.000	.	393.000	393.000
NH3-N	1	7.000	.	7.000	7.000
NDF	2	124.000	70.7107	74.000	174.000
iNDF	7	163.857	61.2302	25.000	187.000
nhNDF	7	3.500	0.0000	3.500	3.500
Stä	7	648.571	46.9161	552.000	687.700
TAF	7	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	112.580	1.2265	110.101	113.847
PBVp20	7	-50.965	10.3921	-60.929	-31.571
NELp20	7	7.946	0.1131	7.800	8.101
OE*	1	14.100	.	14.100	14.100
Ca	7	0.357	0.0787	0.300	0.500
P	7	3.014	0.3532	2.400	3.500
Mg	7	1.114	0.2410	0.700	1.500
K	7	4.514	0.5305	3.700	5.100
Na	6	0.100	0.0000	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	7	1.229	0.1113	1.100	1.400
CAB	7	18.067	10.7948	3.740	29.315
Fe	7	48.571	13.9027	38.000	77.000
Mn	7	37.429	10.1465	22.000	56.000
Zn	7	28.000	6.3509	23.000	42.000
Cu	7	4.757	0.7277	3.800	5.900
Se	1	0.048	.	0.048	0.048

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	22.500	.	22.500	22.500
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	94.800	.	94.800	94.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	596.000	.	596.000	596.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	90.033	.	90.033	90.033
PBVp20	1	-36.859	.	-36.859	-36.859
NELp20	1	7.002	.	7.002	7.002

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	834.000	19.0788	822.000	856.000
Aska	3	17.633	1.7039	16.000	19.400
OS smbh	3	87.000	0.0000	87.000	87.000
Råprot	3	118.633	8.1953	109.200	124.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	189.000	.	189.000	189.000
iNDF	3	173.000	0.0000	173.000	173.000
nhNDF	3	3.300	0.0000	3.300	3.300
Stä	3	643.000	38.7981	599.000	672.300
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	104.995	1.7961	102.973	106.407
PBVp20	3	-36.341	5.2762	-42.434	-33.273
NELp20	3	7.646	0.1491	7.549	7.817
OE*	1	13.300	.	13.300	13.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-31.000	.	-31.000	-31.000
Ca	3	0.467	0.1155	0.400	0.600
P	3	3.100	0.2646	2.800	3.300
Mg	3	1.133	0.0577	1.100	1.200
K	3	5.300	0.3000	5.000	5.600
Na	3	0.100	0.0000	0.100	0.100
S	3	1.333	0.1528	1.200	1.500
CAB	3	28.395	14.0701	17.979	44.401
Fe	3	56.333	19.8578	39.000	78.000
Mn	3	35.667	10.0167	28.000	47.000
Zn	3	35.000	4.3589	32.000	40.000
Cu	3	5.300	0.7810	4.800	6.200
Se	1	0.024	.	0.024	0.024

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	2	26.550	9.1217	20.100	33.000
OS smbh	2	81.600	0.0000	81.600	81.600
Råprot	2	106.550	13.5057	97.000	116.100
NH3-N	1	7.000	.	7.000	7.000
NDF	1	301.000	.	301.000	301.000
iNDF	2	324.000	0.0000	324.000	324.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	2.500	0.0000	2.500	2.500
Stä	2	544.600	92.7724	479.000	610.200
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	96.696	6.6668	91.982	101.410
PBVp20	2	-33.037	2.6307	-34.897	-31.177
NELp20	2	6.888	0.7465	6.360	7.416
Ca	2	0.550	0.2121	0.400	0.700
P	2	3.400	0.2828	3.200	3.600
Mg	2	1.350	0.0707	1.300	1.400
K	2	5.250	1.0607	4.500	6.000
Na	2	0.100	0.0000	0.100	0.100
S	2	1.250	0.2121	1.100	1.400
CAB	2	37.959	40.3851	9.402	66.515
Fe	2	66.000	8.4853	60.000	72.000
Mn	2	40.500	12.0208	32.000	49.000
Zn	2	35.000	0.0000	35.000	35.000
Cu	2	5.250	0.4950	4.900	5.600

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	857.500	36.0624	832.000	883.000
Aska	2	32.500	0.7071	32.000	33.000
OS smbh	2	88.959	0.0000	88.959	88.959
Råprot	2	299.000	8.4853	293.000	305.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	2.000	0.0000	2.000	2.000
iNDF	2	32.000	0.0000	32.000	32.000
nhNDF	2	4.700	0.0000	4.700	4.700
Stä	2	402.000	18.3848	389.000	415.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	102.378	0.4994	102.024	102.731
PBVp20	2	146.147	7.5915	140.779	151.515
NELp20	2	7.852	0.0082	7.846	7.857
Ca	2	1.000	0.0000	1.000	1.000
P	2	4.500	1.4142	3.500	5.500
Mg	2	1.400	0.1414	1.300	1.500
K	2	12.800	1.4142	11.800	13.800
Na	2	0.150	0.0707	0.100	0.200
S	2	1.650	0.2121	1.500	1.800
CAB	2	202.593	46.3530	169.817	235.370
Fe	2	60.000	0.0000	60.000	60.000
Mn	2	16.000	0.0000	16.000	16.000
Zn	2	52.500	7.7782	47.000	58.000
Cu	2	17.150	4.7376	13.800	20.500
Se	1	0.020	.	0.020	0.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	305.625	35.0426	253.000	360.000
Aska	8	28.125	5.7678	21.000	35.000
OS smbh	8	75.500	1.6301	73.100	78.400
Råprot	8	78.375	3.3354	75.000	84.000
sRåprot	8	375.500	19.0713	355.000	411.000
NDF	8	383.625	19.3903	361.000	417.000
iNDF	8	199.934	21.5939	159.883	224.000
nhNDF	8	3.304	0.5103	2.805	4.177
Stä	8	290.000	42.7985	223.000	348.000
TAF	8	57.000	0.0000	57.000	57.000
Socker	8	29.625	40.7674	11.000	130.000
AATp20	8	87.553	1.6048	84.368	89.382
PBVp20	8	-59.795	4.1898	-65.907	-53.710
NELp20	8	6.332	0.1406	6.045	6.505
OE*	4	11.428	0.1887	11.160	11.570
Ca	8	1.775	0.2493	1.500	2.200
P	8	1.913	0.2167	1.700	2.400
Mg	8	1.188	0.1642	1.000	1.400
K	8	9.700	1.3743	8.400	12.700
Na	5	0.160	0.1342	0.100	0.400
Cl	4	2.075	0.1708	1.900	2.300
S	8	0.888	0.1356	0.700	1.100
CAB	8	152.909	35.8555	118.891	223.361
Fe	4	69.000	6.6332	62.000	78.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	4	26.500	7.7675	17.000	35.000
Zn	4	27.250	5.6789	23.000	35.000
Cu	4	4.075	0.3594	3.600	4.400
Se	2	0.006	0.0014	0.005	0.007

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	580.000	272.943	387.000	773.000
Aska	2	83.500	0.707	83.000	84.000
OS smbh	2	76.550	4.031	73.700	79.400
Råprot	2	135.000	41.012	106.000	164.000
sRåprot	1	402.000	.	402.000	402.000
NDF	2	456.500	64.347	411.000	502.000
iNDF	2	129.764	42.093	100.000	159.528
nhNDF	2	4.652	0.127	4.562	4.742
TAF	2	61.000	0.000	61.000	61.000
Socker	2	103.000	38.184	76.000	130.000
AATp20	2	86.447	1.502	85.385	87.509
PBVp20	2	-0.573	40.613	-29.291	28.144
NELp20	2	6.103	0.151	5.996	6.209
OE*	2	11.055	0.643	10.600	11.510
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	2	5.750	0.636	5.300	6.200
P	2	2.550	0.212	2.400	2.700
Mg	2	2.050	0.212	1.900	2.200
K	2	22.200	7.920	16.600	27.800
Na	2	0.750	0.778	0.200	1.300
Cl	1	4.200	.	4.200	4.200
S	2	2.500	0.424	2.200	2.800
CAB	2	314.556	193.914	177.438	451.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	82.500	27.577	63.000	102.000
Mn	2	57.000	2.828	55.000	59.000
Zn	2	25.000	15.556	14.000	36.000
Cu	2	6.650	2.333	5.000	8.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	544.000	.	544.000	544.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	148.322	.	148.322	148.322
nhNDF	1	4.677	.	4.677	4.677
TAF	1	81.100	.	81.100	81.100
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	45.000	.	45.000	45.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	81.632	.	81.632	81.632
PBVp20	1	-0.222	.	-0.222	-0.222
NELp20	1	6.192	.	6.192	6.192

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.000	.	11.000	11.000
AAT*	1	72.000	.	72.000	72.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	5.900	.	5.900	5.900
P	1	2.400	.	2.400	2.400
Mg	1	2.500	.	2.500	2.500
K	1	22.400	.	22.400	22.400
Na	1	1.000	.	1.000	1.000
Cl	1	3.900	.	3.900	3.900
S	1	2.500	.	2.500	2.500
CAB	1	350.259	.	350.259	350.259
Fe	1	250.000	.	250.000	250.000
Mn	1	67.000	.	67.000	67.000
Zn	1	25.000	.	25.000	25.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	428.350	152.268	283.000	655.500
Aska	20	65.800	7.516	59.000	75.500
OS smbh	20	76.125	4.919	69.050	80.500
Råprot	20	130.600	36.504	79.000	173.500
sRåprot	20	634.700	105.859	479.000	735.000
NH3-N	20	73.200	25.536	37.500	108.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	20	445.400	56.411	389.000	543.000
iNDF	20	148.398	42.413	109.960	203.015
nhNDF	20	4.516	0.756	3.673	5.429
TAF	20	62.640	40.423	18.500	121.500
Mjölksyra	20	46.500	33.202	12.000	93.500
Ättiksyra	20	13.600	8.172	5.000	25.500
Socker	20	96.100	53.990	25.000	162.000
PRF	3	3.667	1.528	2.000	5.000
BUF	20	1.140	0.910	0.100	2.450
AATp20	20	82.279	4.510	77.948	86.455
PBVp20	20	2.328	31.358	-41.701	45.987
NELp20	20	6.142	0.549	5.375	6.704
OE*	20	11.189	0.808	10.050	11.950
AAT*	17	72.000	2.525	68.000	75.000
PBV*	17	0.471	29.950	-43.000	39.000
Ca	20	4.620	0.767	3.800	5.750
P	20	2.290	0.439	1.700	2.850
Mg	20	1.720	0.224	1.500	1.950
K	20	21.735	5.445	15.750	30.050
Na	20	0.670	0.561	0.200	1.650
Cl	20	4.950	2.823	1.900	9.050
S	20	1.830	0.490	1.150	2.350
CAB	20	331.201	110.614	190.132	504.144
Fe	20	154.300	106.935	59.000	338.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	20	73.100	38.412	42.500	108.000
Zn	20	24.450	5.577	17.000	30.500
Cu	20	5.655	1.494	3.850	7.900
Se	4	0.014	0.006	0.010	0.023

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	440.500	111.604	370.000	501.000
Aska	14	76.286	5.384	68.000	83.000
OS smbh	14	73.643	3.490	70.500	77.900
Råprot	14	140.500	26.106	111.000	175.000
sRåprot	14	556.071	131.309	453.000	668.000
NH3-N	14	73.429	20.583	51.000	101.000
NDF	14	461.929	36.106	426.000	512.000
iNDF	14	174.542	43.628	129.318	207.195
nhNDF	14	4.112	0.663	3.584	4.720
TAF	14	55.021	27.937	27.400	97.100
Mjölksyra	14	40.286	22.687	14.000	76.000
Ättiksyra	14	12.286	6.354	7.000	21.000
Socker	14	63.571	19.790	43.000	89.000
PRF	2	3.000	0.000	3.000	3.000
BUF	14	1.164	1.234	0.000	2.800
AATp20	14	82.082	2.416	78.794	84.432
PBVp20	14	11.908	22.569	-15.988	39.773

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	14	5.933	0.444	5.526	6.453
OE*	14	10.661	0.574	10.100	11.330
AAT*	12	70.083	1.621	69.000	72.000
PBV*	12	13.333	20.769	-10.000	43.000
Ca	13	5.800	1.818	3.800	7.900
P	13	2.692	0.253	2.500	2.900
Mg	13	2.177	0.379	1.800	2.700
K	13	25.254	4.838	18.300	31.300
Na	13	0.562	0.375	0.200	1.000
Cl	14	6.129	2.972	3.200	9.700
S	13	2.100	0.615	1.200	3.000
CAB	13	365.695	106.851	264.085	478.655
Fe	13	99.538	30.767	60.000	148.000
Mn	13	68.923	32.183	45.000	103.000
Zn	13	25.000	5.307	19.000	32.000
Cu	13	6.623	1.073	5.100	7.900
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	401.286	132.555	258.000	630.000
Aska	7	89.286	8.864	80.000	104.000
OS smbh	7	75.929	3.236	72.700	82.100
Råprot	7	159.714	24.851	138.000	208.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	7	525.571	81.849	424.000	651.000
NH3-N	7	72.429	31.320	32.000	126.000
NDF	7	447.143	55.316	357.000	526.000
iNDF	7	151.499	22.346	119.000	180.944
nhNDF	7	4.782	0.866	3.822	6.552
TAF	7	62.171	19.997	40.500	98.000
Mjölksyra	7	49.000	20.363	29.000	88.000
Ättiksyra	7	11.143	4.298	6.000	19.000
Socker	7	47.571	20.123	19.000	78.000
PRF	1	2.000	.	2.000	2.000
BUF	7	0.886	0.836	0.000	2.100
AATp20	7	84.529	2.646	79.177	86.635
PBVp20	7	25.370	21.355	7.752	68.067
NELp20	7	6.182	0.348	5.883	6.855
OE*	7	10.871	0.502	10.200	11.800
AAT*	6	70.833	1.169	69.000	72.000
PBV*	6	29.833	12.781	19.000	51.000
Ca	7	6.771	1.347	5.000	9.100
P	7	3.043	0.550	2.200	3.600
Mg	7	2.557	0.237	2.200	2.900
K	7	25.829	2.851	22.500	29.700
Na	7	0.914	0.367	0.300	1.400
Cl	7	7.486	4.054	3.100	15.100
S	7	2.571	0.386	1.900	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	7	328.749	57.902	209.510	383.136
Fe	7	133.000	66.923	79.000	276.000
Mn	7	77.429	16.144	64.000	112.000
Zn	7	25.571	3.599	22.000	32.000
Cu	7	7.757	0.746	7.000	9.100
Se	1	0.014	.	0.014	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	682.000	.	682.000	682.000
Aska	1	103.000	.	103.000	103.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	159.000	.	159.000	159.000
NDF	1	416.000	.	416.000	416.000
iNDF	1	304.671	.	304.671	304.671
nhNDF	1	2.217	.	2.217	2.217
TAF	1	84.000	.	84.000	84.000
Socker	1	69.000	.	69.000	69.000
AATp20	1	71.853	.	71.853	71.853
PBVp20	1	48.784	.	48.784	48.784
NELp20	1	5.060	.	5.060	5.060
OE*	1	8.900	.	8.900	8.900
AAT*	1	65.000	.	65.000	65.000
PBV*	1	46.000	.	46.000	46.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	12.800	.	12.800	12.800
P	1	2.900	.	2.900	2.900
Mg	1	2.100	.	2.100	2.100
K	1	21.500	.	21.500	21.500
Na	1	0.300	.	0.300	0.300
S	1	2.000	.	2.000	2.000
CAB	1	305.521	.	305.521	305.521
Fe	1	182.000	.	182.000	182.000
Mn	1	60.000	.	60.000	60.000
Zn	1	31.000	.	31.000	31.000
Cu	1	10.600	.	10.600	10.600
Se	1	0.063	.	0.063	0.063

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	76	421.776	132.189	258.000	625.000
Aska	75	70.507	9.473	58.000	83.000
OS smbh	76	78.559	5.027	69.000	84.200
Råprot	75	137.827	27.769	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000
NDF	75	442.507	54.987	376.000	522.000
iNDF	76	114.331	52.763	56.000	187.447
nhNDF	76	5.325	1.416	4.029	6.901
TAF	76	68.171	31.001	6.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	75	146.947	43.157	92.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	76	88.695	7.214	77.584	97.973
PBVp20	76	0.960	19.293	-28.599	24.607
NELp20	76	6.362	0.450	5.588	6.860
OE*	75	11.546	0.842	10.100	12.400
AAT*	54	79.093	5.010	71.000	84.000
PBV*	54	-4.035	22.480	-38.000	24.000
Ca	66	5.092	1.800	3.200	7.500
P	66	2.541	0.458	2.100	3.100
Mg	66	1.676	0.367	1.200	2.200
K	66	24.294	4.402	17.700	29.900
Na	66	0.639	0.475	0.200	1.200
Cl	19	6.758	3.536	0.300	12.200
S	66	1.938	0.409	1.400	2.500
CAB	66	378.928	117.246	226.739	545.835
Fe	61	137.016	73.957	74.000	214.000
Mn	61	59.459	22.826	39.000	84.000
Zn	61	25.672	4.603	20.000	32.000
Cu	61	5.534	1.215	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	42	471.619	123.810	340.000	658.000
Aska	41	83.024	8.990	71.000	92.000
OS smbh	42	75.752	3.687	71.100	79.900
Råprot	41	142.146	20.440	120.000	168.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	41	454.439	36.690	410.000	496.000
iNDF	42	143.086	53.126	70.000	210.117
nhNDF	42	4.499	0.832	3.366	5.440
TAF	42	70.690	30.133	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	41	110.341	32.227	59.000	146.000
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	42	85.181	7.426	77.864	99.137
PBVp20	42	10.789	14.951	-6.786	32.631
NELp20	42	6.104	0.356	5.652	6.522
OE*	41	10.934	0.652	10.200	11.710
AAT*	31	74.742	3.356	70.000	79.000
PBV*	31	9.584	18.802	-11.000	35.000
Ca	36	6.919	2.526	3.800	10.700
P	36	2.675	0.400	2.200	3.100
Mg	36	2.372	0.575	1.700	3.100
K	36	24.547	3.377	21.300	28.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	36	0.828	0.444	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	36	2.225	0.449	1.700	3.000
CAB	36	352.668	117.036	233.095	467.333
Fe	36	155.167	199.073	72.000	216.000
Mn	36	63.583	24.380	36.000	91.000
Zn	36	26.417	6.518	21.000	32.000
Cu	36	7.061	1.645	5.000	9.000
Se	12	0.021	0.010	0.010	0.034

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	486.120	144.699	291.000	733.000
Aska	25	85.280	12.664	69.000	103.000
OS smbh	25	73.264	3.444	70.100	77.800
Råprot	25	137.520	20.779	116.000	172.000
sRåprot	9	385.556	44.590	313.000	452.000
NDF	25	492.400	36.590	445.000	537.000
iNDF	25	162.458	37.961	112.300	216.590
nhNDF	25	4.360	0.733	3.324	5.578
TAF	25	84.000	0.000	84.000	84.000
Socker	25	91.040	35.610	42.000	121.000
AATp20	25	82.057	4.819	77.177	87.308
PBVp20	25	11.424	17.058	-8.484	35.437

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	25	5.961	0.337	5.607	6.435
OE*	25	10.496	0.579	9.700	11.100
AAT*	16	73.125	3.948	68.000	77.000
PBV*	16	12.125	20.046	-10.000	40.000
Ca	25	6.444	1.749	4.300	9.500
P	25	2.908	0.436	2.500	3.500
Mg	25	2.452	0.587	1.600	3.300
K	25	25.668	4.903	19.100	30.600
Na	25	0.964	0.487	0.400	1.500
Cl	9	17.844	7.790	8.800	31.700
S	25	2.540	0.468	1.900	3.200
CAB	25	273.943	229.855	-74.653	510.333
Fe	25	122.000	56.789	84.000	156.000
Mn	25	74.360	27.949	45.000	106.000
Zn	25	24.640	4.232	19.000	30.000
Cu	25	6.920	1.287	5.300	9.000
Se	4	0.014	0.005	0.008	0.019

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	368.200	87.036	258.500	483.000
Aska	10	90.500	14.316	74.000	112.000
OS smbh	10	75.280	3.653	70.350	79.450
Råprot	10	159.700	29.239	125.500	206.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	383.200	23.015	358.000	409.000
NDF	10	443.900	49.979	366.500	493.500
iNDF	10	147.160	53.404	86.500	221.271
nhNDF	10	4.203	0.647	3.217	4.974
TAF	10	84.000	0.000	84.000	84.000
Socker	10	89.900	32.189	38.000	119.500
AATp20	10	84.918	5.713	77.648	91.449
PBVp20	10	27.555	28.294	-1.830	73.765
NELp20	10	6.136	0.377	5.656	6.574
OE*	10	10.762	0.684	9.800	11.540
AAT*	5	72.000	2.449	69.000	75.000
PBV*	5	43.200	40.295	-18.000	83.000
Ca	9	7.811	3.529	4.700	16.500
P	9	2.956	0.397	2.600	3.700
Mg	9	2.633	0.634	2.000	3.700
K	9	29.067	6.834	19.300	42.000
Na	9	0.800	0.245	0.500	1.200
Cl	5	15.500	6.288	6.500	21.200
S	9	2.989	0.780	2.000	4.200
CAB	9	289.962	238.047	-37.758	727.755
Fe	9	117.333	62.478	82.000	281.000
Mn	9	78.667	22.699	41.000	108.000
Zn	9	23.000	5.000	17.000	31.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	9	7.167	1.978	3.900	10.300
Se	2	0.125	0.097	0.056	0.193

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	456.000	.	456.000	456.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	82.400	.	82.400	82.400
Råprot	1	172.000	.	172.000	172.000
NDF	1	407.000	.	407.000	407.000
iNDF	1	69.636	.	69.636	69.636
nhNDF	1	6.330	.	6.330	6.330
TAF	1	84.000	.	84.000	84.000
Socker	1	136.000	.	136.000	136.000
AATp20	1	89.988	.	89.988	89.988
PBVp20	1	30.350	.	30.350	30.350
NELp20	1	6.693	.	6.693	6.693
OE*	1	11.800	.	11.800	11.800
AAT*	1	80.000	.	80.000	80.000
PBV*	1	35.000	.	35.000	35.000
Ca	1	5.000	.	5.000	5.000
P	1	3.000	.	3.000	3.000
Mg	1	2.600	.	2.600	2.600
K	1	29.200	.	29.200	29.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.900	.	0.900	0.900
S	1	3.400	.	3.400	3.400
CAB	1	441.039	.	441.039	441.039
Fe	1	111.000	.	111.000	111.000
Mn	1	135.000	.	135.000	135.000
Zn	1	27.000	.	27.000	27.000
Cu	1	7.600	.	7.600	7.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	466.176	154.798	314.000	775.000
Aska	17	71.824	13.965	47.000	92.000
OS smbh	17	74.065	4.279	67.000	78.700
Råprot	17	121.294	29.744	85.000	156.000
sRåprot	17	551.529	77.415	431.000	645.000
NH3-N	17	71.059	24.883	31.000	100.000
NDF	17	449.235	54.480	391.000	518.000
iNDF	17	175.186	38.315	134.729	234.995
nhNDF	17	4.091	0.664	3.242	4.761
TAF	17	58.676	31.868	17.500	101.100
Mjölksyra	17	44.882	27.258	6.000	83.000
Ättiksyra	17	11.471	5.735	5.000	21.000
Socker	17	84.941	50.099	29.000	174.000
BUF	17	1.324	1.313	0.100	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	17	82.063	3.390	78.541	85.594
PBVp20	17	-3.723	25.293	-36.353	26.912
NELp20	17	5.919	0.462	5.145	6.480
OE*	17	10.765	0.662	9.600	11.600
AAT*	17	71.000	2.151	67.000	74.000
PBV*	17	-0.706	27.497	-35.000	33.000
Ca	15	5.720	1.764	4.000	8.400
P	15	2.340	0.711	1.400	3.200
Mg	15	1.920	0.556	1.400	2.700
K	15	21.373	5.186	13.000	27.800
Na	15	0.727	0.620	0.200	1.800
Cl	17	5.194	4.001	0.500	10.700
S	15	1.640	0.498	0.900	2.100
CAB	15	345.398	56.178	264.910	414.037
Fe	15	164.200	90.357	68.000	255.000
Mn	15	79.600	47.815	32.000	107.000
Zn	15	26.867	11.319	18.000	33.000
Cu	15	6.347	1.774	3.900	7.800
Se	1	0.020	.	0.020	0.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	199	422.638	125.052	292.000	617.000
Aska	199	70.447	14.909	59.000	79.000
OS smbh	199	77.508	4.074	73.300	81.300
Råprot	199	134.638	26.343	99.000	168.000
sRåprot	199	627.060	90.240	511.000	726.000
NH3-N	199	71.940	26.138	41.000	102.000
NDF	199	417.950	49.591	364.000	478.000
iNDF	199	141.755	39.516	104.998	186.498
nhNDF	199	4.616	0.669	3.784	5.421
TAF	199	65.050	33.967	20.400	115.100
Mjölksyra	199	48.794	29.170	12.000	89.000
Ättiksyra	199	13.668	6.433	6.000	22.000
Socker	199	98.216	55.193	33.000	178.000
PRF	28	3.571	2.116	1.000	6.000
BUF	199	1.226	3.252	0.000	2.500
AATp20	199	84.120	4.963	79.411	91.408
PBVp20	199	5.291	22.995	-27.814	32.643
NELp20	199	6.262	0.411	5.742	6.655
OE*	199	11.362	0.671	10.700	12.000
AAT*	171	72.778	2.128	71.000	75.000
PBV*	171	7.252	24.609	-26.000	38.000
Ca	191	4.881	1.284	3.600	6.500
P	191	2.370	0.393	1.900	2.800
Mg	191	1.683	0.261	1.400	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	191	22.944	4.004	17.400	27.600
Na	191	0.765	0.603	0.200	1.500
Cl	199	4.921	2.636	1.900	8.500
S	191	1.814	0.448	1.200	2.400
CAB	191	366.964	94.743	247.735	478.591
Fe	176	190.148	199.052	78.000	357.000
Mn	176	65.619	27.657	41.000	92.000
Zn	176	28.324	28.209	19.000	33.000
Cu	176	5.512	1.088	4.300	7.000
Se	45	0.017	0.015	0.007	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	150	458.253	138.699	293.500	689.500
Aska	150	79.640	9.503	68.500	90.500
OS smbh	150	74.993	2.901	71.050	78.600
Råprot	150	143.967	24.547	112.000	178.000
sRåprot	150	533.340	101.109	396.000	646.000
NH3-N	148	67.588	22.792	34.000	98.000
NDF	150	441.847	38.807	396.000	492.500
iNDF	150	167.309	40.074	118.750	219.363
nhNDF	150	4.290	0.693	3.324	5.134
TAF	150	59.751	29.132	19.700	98.100
Mjölksyra	150	44.800	24.049	13.500	75.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	150	12.620	6.486	4.000	20.000
Socker	150	75.720	40.549	24.000	138.000
PRF	24	3.875	2.576	0.000	7.000
BUF	150	0.871	0.961	0.000	2.250
AATp20	150	84.086	4.141	79.553	89.848
PBVp20	150	14.204	22.227	-15.230	43.011
NELp20	150	6.067	0.339	5.607	6.518
OE*	150	10.838	0.481	10.110	11.425
AAT*	126	71.079	1.324	69.000	73.000
PBV*	126	19.239	23.503	-9.000	51.000
Ca	148	6.459	1.967	4.300	9.600
P	148	2.693	0.387	2.200	3.200
Mg	148	2.272	0.436	1.800	2.900
K	148	24.472	3.722	20.500	29.200
Na	148	1.026	0.617	0.300	1.800
Cl	150	6.809	3.272	2.700	11.100
S	148	2.176	0.454	1.600	2.700
CAB	148	341.735	99.055	224.185	480.916
Fe	134	169.627	153.168	78.000	292.000
Mn	134	74.261	28.624	48.000	109.000
Zn	134	25.567	5.176	21.000	32.000
Cu	134	7.146	1.229	5.500	8.600
Se	21	0.020	0.013	0.010	0.042

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	86	428.023	126.573	296.000	627.000
Aska	86	88.767	15.082	75.000	99.000
OS smbh	86	74.458	2.321	71.600	77.100
Råprot	86	151.151	19.831	128.000	179.000
sRåprot	86	519.500	85.641	390.000	619.000
NH3-N	85	77.318	27.086	42.000	109.000
NDF	86	433.965	38.929	377.000	480.000
iNDF	86	176.367	36.449	134.131	218.825
nhNDF	86	4.140	0.669	3.168	4.893
TAF	86	63.871	26.764	23.900	96.600
Mjölksyra	86	47.244	22.137	17.000	73.000
Ättiksyra	86	13.895	6.227	6.000	22.000
Socker	86	58.291	32.454	19.000	101.000
PRF	14	3.071	1.774	0.000	5.000
BUF	86	1.394	1.705	0.000	3.000
AATp20	86	83.236	4.877	76.828	89.958
PBVp20	86	22.281	18.888	-2.393	47.568
NELp20	86	6.012	0.267	5.660	6.314
OE*	86	10.643	0.430	10.100	11.100
AAT*	72	70.417	1.297	69.000	72.000
PBV*	72	28.847	20.207	6.000	55.000
Ca	79	7.544	2.236	5.300	10.800
P	79	2.842	0.377	2.400	3.300
Mg	79	2.704	0.444	2.200	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	79	25.325	3.903	20.200	30.500
Na	79	1.237	1.195	0.500	1.900
Cl	85	7.476	4.096	3.400	12.300
S	79	2.482	0.478	1.900	3.300
CAB	79	332.642	98.653	186.008	448.366
Fe	71	188.211	356.922	84.000	232.000
Mn	71	81.155	30.804	49.000	117.000
Zn	71	26.648	5.730	21.000	31.000
Cu	71	7.848	1.490	6.100	9.800
Se	14	0.030	0.018	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	409.154	104.578	258.000	476.000
Aska	13	93.462	7.975	86.000	103.000
OS smbh	13	74.631	3.727	71.000	77.500
Råprot	13	161.615	27.588	133.000	189.000
sRåprot	13	516.615	68.885	456.000	602.000
NH3-N	13	72.615	33.893	39.000	129.000
NDF	13	410.923	51.001	367.000	466.000
iNDF	13	184.536	36.198	131.000	220.000
nhNDF	13	4.093	0.765	3.148	5.045
TAF	13	68.831	29.270	32.400	113.000
Mjölksyra	13	52.308	25.617	22.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	13	13.231	3.811	8.000	16.000
Socker	13	59.077	28.756	32.000	98.000
PRF	4	3.000	1.155	2.000	4.000
BUF	13	1.677	2.207	0.000	5.700
AATp20	13	83.181	5.306	79.057	89.270
PBVp20	13	32.153	22.520	8.642	64.529
NELp20	13	6.016	0.391	5.693	6.437
OE*	13	10.618	0.570	10.100	11.000
AAT*	9	69.889	1.691	66.000	72.000
PBV*	9	38.333	28.801	-9.000	80.000
Ca	13	8.592	2.269	6.200	11.200
P	13	3.069	0.413	2.500	3.500
Mg	13	2.831	0.614	2.100	3.600
K	13	25.846	3.739	20.400	29.500
Na	13	1.300	0.465	0.700	1.900
Cl	13	8.454	3.429	4.700	12.800
S	13	2.400	0.485	1.800	3.100
CAB	13	329.412	87.125	195.033	458.973
Fe	10	160.100	57.268	97.000	243.000
Mn	10	78.500	20.310	53.500	111.000
Zn	10	25.900	3.755	22.000	31.500
Cu	10	7.800	1.377	6.150	9.750
Se	1	0.030	.	0.030	0.030

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	382.000	.	382.000	382.000
Aska	1	92.000	.	92.000	92.000
OS smbh	1	79.100	.	79.100	79.100
Råprot	1	159.000	.	159.000	159.000
sRåprot	1	629.000	.	629.000	629.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.852	.	4.852	4.852
TAF	1	79.000	.	79.000	79.000
Mjölksyra	1	65.000	.	65.000	65.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	60.000	.	60.000	60.000
PRF	1	0.000	.	0.000	0.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	83.488	.	83.488	83.488
PBVp20	1	28.924	.	28.924	28.924
NELp20	1	6.411	.	6.411	6.411
OE*	1	11.360	.	11.360	11.360
Ca	1	6.400	.	6.400	6.400
P	1	3.200	.	3.200	3.200
Mg	1	2.000	.	2.000	2.000
K	1	29.200	.	29.200	29.200
Na	1	0.600	.	0.600	0.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	3.900	.	3.900	3.900
S	1	3.600	.	3.600	3.600
CAB	1	438.031	.	438.031	438.031
Fe	1	117.000	.	117.000	117.000
Mn	1	126.000	.	126.000	126.000
Zn	1	18.000	.	18.000	18.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	442.417	45.574	388.000	481.00
Aska	12	60.417	18.894	41.000	84.00
OS smbh	12	68.425	2.636	65.000	70.90
Råprot	12	92.250	17.089	75.000	120.00
sRåprot	12	614.333	75.012	505.000	703.00
NH3-N	12	86.333	26.286	69.000	114.00
NDF	12	402.333	57.953	346.000	474.00
iNDF	12	278.920	32.735	227.688	308.44
nhNDF	12	2.317	0.518	2.071	3.18
Stä	12	199.083	102.086	29.000	300.00
TAF	12	61.250	22.100	36.700	74.70
Mjölksyra	12	46.667	15.120	27.000	59.00
Ättiksyra	12	11.833	6.191	6.000	16.00
Socker	12	39.000	17.257	20.000	58.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	6.500	6.364	2.000	11.00
BUF	2	1.500	0.707	1.000	2.00
AATp20	12	69.996	3.768	65.456	74.19
PBVp20	12	-19.301	18.289	-40.478	6.31
NELp20	12	5.534	0.287	5.217	5.96
OE*	3	10.130	0.520	9.600	10.64
AAT*	1	59.000	.	59.000	59.00
PBV*	1	4.000	.	4.000	4.00
Ca	10	3.650	1.399	2.050	5.60
P	10	2.530	0.481	2.050	3.25
Mg	10	1.690	0.303	1.300	2.10
K	10	15.160	4.180	10.800	21.15
Na	10	1.090	0.511	0.250	1.55
Cl	11	2.964	1.258	1.600	3.80
S	10	1.630	0.414	1.200	2.25
CAB	10	246.198	107.180	116.915	401.28
Fe	9	342.444	434.974	94.000	1277.00
Mn	9	65.778	25.611	25.000	99.00
Zn	9	27.556	5.102	21.000	37.00
Cu	9	5.333	0.986	4.300	7.40
Se	1	0.049	.	0.049	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	360.200	34.766	325.000	406.000
Aska	5	64.000	12.450	53.000	84.000
OS smbh	5	69.420	2.757	65.400	72.400
Råprot	5	107.000	13.134	89.000	125.000
sRåprot	5	679.800	48.936	632.000	760.000
NH3-N	5	78.800	14.272	58.000	91.000
NDF	5	429.200	35.010	375.000	458.000
iNDF	5	250.544	35.956	198.909	290.488
nhNDF	5	2.835	0.541	2.176	3.643
Stä	5	112.600	73.602	38.000	231.000
TAF	5	82.800	14.325	68.000	101.000
Mjölksyra	5	66.000	12.865	52.000	82.000
Ättiksyra	5	14.800	1.924	12.000	17.000
Socker	5	26.400	9.127	16.000	39.000
AATp20	5	69.409	2.474	65.191	71.425
PBVp20	5	-1.313	13.909	-20.215	14.103
NELp20	5	5.713	0.272	5.293	5.983
Ca	5	4.980	0.814	4.100	6.200
P	5	2.660	0.532	2.100	3.400
Mg	5	1.840	0.321	1.600	2.400
K	5	17.660	3.714	13.700	23.300
Na	5	1.240	1.246	0.400	3.400
Cl	5	3.860	1.601	1.500	5.800
S	5	1.340	0.089	1.200	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	313.093	47.402	259.761	368.669
Fe	5	240.400	202.387	100.000	590.000
Mn	5	63.400	38.410	15.000	103.000
Zn	5	26.600	3.782	22.000	30.000
Cu	5	5.000	0.758	3.900	5.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	310.667	43.339	268.000	381.000
Aska	6	65.167	8.134	58.000	77.000
OS smbh	6	66.617	4.139	61.100	70.300
Råprot	6	120.667	6.593	113.000	131.000
sRåprot	6	614.333	125.583	453.000	737.000
NH3-N	6	106.167	46.465	43.000	158.000
NDF	6	455.167	60.704	371.000	519.000
iNDF	6	419.171	70.139	323.000	496.534
nhNDF	6	6.514	2.185	3.074	8.725
Stä	6	70.667	43.844	32.000	149.000
TAF	6	76.583	22.879	36.500	101.500
Mjölksyra	6	60.833	24.466	23.000	93.000
Ättiksyra	6	14.833	4.309	8.000	19.000
Socker	6	28.500	19.987	11.000	63.000
PRF	1	3.000	.	3.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	6	69.490	6.244	63.054	79.371
PBVp20	6	10.468	6.964	2.608	18.858
NELp20	6	5.484	0.335	5.050	5.740
OE*	4	9.778	0.445	9.300	10.200
AAT*	3	61.000	2.646	59.000	64.000
PBV*	3	4.667	4.933	-1.000	8.000
Ca	3	5.967	0.702	5.300	6.700
P	3	2.933	0.379	2.500	3.200
Mg	3	2.233	0.115	2.100	2.300
K	3	17.833	7.262	12.100	26.000
Na	3	1.500	0.985	0.400	2.300
Cl	6	3.717	3.273	0.700	9.300
S	3	1.600	0.265	1.400	1.900
CAB	3	357.463	183.301	243.090	568.885
Fe	2	137.500	3.536	135.000	140.000
Mn	2	74.500	16.263	63.000	86.000
Zn	2	24.500	0.707	24.000	25.000
Cu	2	5.500	0.141	5.400	5.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	382.063	54.105	339.000	455.000
Aska	16	65.250	9.052	54.000	80.000
OS smbh	16	65.731	4.893	60.600	73.500
Råprot	16	92.750	22.846	73.000	122.000
sRåprot	16	575.375	92.888	474.000	721.000
NH3-N	16	80.750	26.519	45.000	107.000
NDF	16	460.250	54.162	385.000	517.000
iNDF	16	289.901	50.611	228.000	339.000
nhNDF	16	2.750	0.943	1.723	4.260
Stä	16	115.813	76.266	31.000	210.000
TAF	16	62.563	25.526	32.000	95.000
Mjölksyra	16	45.000	21.071	16.000	78.000
Ättiksyra	16	14.563	8.041	6.000	29.000
Socker	16	50.313	31.711	19.000	114.000
PRF	7	4.714	3.546	0.000	9.000
BUF	7	2.143	1.345	0.000	4.000
AATp20	16	72.532	6.136	65.585	79.811
PBVp20	16	-21.575	17.499	-40.467	-2.131
NELp20	16	5.363	0.444	4.767	5.982
OE*	9	9.862	0.693	8.670	10.690
AAT*	2	62.500	0.707	62.000	63.000
PBV*	2	-32.500	0.707	-33.000	-32.000
Ca	13	4.269	2.142	2.500	8.200
P	13	2.431	0.371	2.000	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	13	1.508	0.371	1.200	2.200
K	13	16.769	3.703	14.300	19.900
Na	13	9.323	29.477	0.600	2.900
Cl	15	17.033	49.732	3.100	7.900
S	13	1.654	0.506	1.000	2.400
CAB	13	191.256	320.674	159.504	400.417
Fe	10	207.900	153.166	97.500	434.500
Mn	10	60.400	18.674	41.000	90.500
Zn	10	28.700	11.982	20.500	51.000
Cu	10	5.020	1.276	3.850	7.000
Se	1	0.020	.	0.020	0.020

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	375.000	56.7861	328.000	449.000
Aska	4	64.750	2.5000	62.000	68.000
OS smbh	4	66.025	4.6400	59.200	69.300
Råprot	4	106.500	11.3871	98.000	123.000
sRåprot	4	548.250	25.7860	513.000	573.000
NH3-N	4	84.750	30.4344	64.000	130.000
NDF	4	449.000	45.8112	381.000	479.000
iNDF	4	281.631	55.4576	228.461	354.525
nhNDF	4	2.491	0.6947	1.671	3.208
Stä	4	96.500	82.9237	18.000	192.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	4	62.500	9.2556	50.000	70.000
Mjölksyra	4	45.250	10.7510	32.000	54.000
Ättiksyra	4	17.250	2.2174	15.000	20.000
Socker	4	60.750	46.9210	11.000	107.000
AATp20	4	68.536	5.2947	60.895	72.719
PBVp20	4	-1.407	8.2448	-11.902	6.116
NELp20	4	5.316	0.3701	4.795	5.583
Ca	4	5.625	1.4104	3.900	7.200
P	4	2.625	0.4573	2.300	3.300
Mg	4	1.950	0.1732	1.700	2.100
K	4	15.325	1.6500	13.900	17.400
Na	4	1.000	1.0231	0.200	2.500
Cl	4	3.250	2.0174	0.600	5.100
S	4	1.450	0.3000	1.300	1.900
CAB	4	253.248	26.6309	218.684	276.961
Fe	4	148.250	73.6812	99.000	257.000
Mn	4	99.250	23.3435	66.000	116.000
Zn	4	32.750	8.0156	27.000	44.000
Cu	4	5.725	0.8382	4.600	6.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	507.000	130.609	375.000	665.000
Aska	4	67.500	5.745	61.000	75.000
OS smbh	4	69.700	3.917	66.200	74.800
Råprot	4	111.750	52.525	60.000	185.000
sRåprot	4	643.750	112.684	572.000	810.000
NH3-N	4	67.500	15.843	55.000	90.000
NDF	4	492.750	85.007	388.000	571.000
iNDF	4	214.190	36.979	166.233	256.255
nhNDF	4	3.516	0.676	2.634	4.276
Stä	4	40.500	45.000	18.000	108.000
TAF	4	44.500	23.367	21.500	72.500
Mjölksyra	4	27.500	15.351	11.000	45.000
Ättiksyra	4	14.500	8.185	8.000	25.000
Socker	4	106.000	18.385	88.000	126.000
AATp20	4	73.269	5.123	69.110	80.622
PBVp20	4	-8.978	35.550	-45.084	40.045
NELp20	4	5.534	0.385	5.222	6.082
OE*	2	9.500	0.000	9.500	9.500
AAT*	2	61.000	0.000	61.000	61.000
PBV*	2	-17.000	1.414	-18.000	-16.000
Ca	4	2.825	1.050	1.900	4.300
P	4	2.275	0.403	1.700	2.600
Mg	4	1.400	0.374	1.000	1.900
K	4	17.350	5.045	9.800	20.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.350	1.308	0.300	3.100
Cl	4	4.350	1.025	3.000	5.400
S	4	1.575	0.538	1.000	2.300
CAB	4	281.457	109.668	121.024	353.669
Fe	4	254.750	150.416	142.000	471.000
Mn	4	57.500	21.424	28.000	79.000
Zn	4	24.500	5.260	20.000	32.000
Cu	4	4.825	1.056	3.300	5.700

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	371.667	79.9842	276.000	469.000
Aska	6	59.667	8.3586	50.000	69.000
OS smbh	6	70.667	1.9159	67.400	72.800
Råprot	6	109.833	12.1559	98.000	125.000
sRåprot	6	630.667	99.0428	498.000	774.000
NH3-N	6	83.500	15.9593	60.000	101.000
NDF	6	416.833	42.1019	369.000	467.000
iNDF	6	251.184	24.0455	211.499	280.352
nhNDF	6	3.024	0.7168	2.412	4.283
Stä	6	155.333	87.5024	47.000	246.000
TAF	6	70.167	16.3758	53.000	95.000
Mjölksyra	6	53.167	17.7247	40.000	87.000
Ättiksyra	6	17.000	7.1833	8.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	6	35.833	15.5617	22.000	66.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	6	73.595	3.2486	70.430	78.084
PBVp20	6	-6.440	14.9782	-21.698	12.891
NELp20	6	5.843	0.1623	5.536	6.003
OE*	5	9.814	0.4062	9.300	10.270
AAT*	4	61.000	1.1547	60.000	62.000
PBV*	4	-6.250	11.1168	-15.000	9.000
Ca	4	5.275	0.7320	4.700	6.300
P	4	2.850	0.3697	2.400	3.200
Mg	4	2.100	0.4397	1.600	2.600
K	4	17.325	3.3390	13.700	20.500
Na	4	0.950	0.4509	0.300	1.300
Cl	6	2.117	0.8658	1.100	3.400
S	4	1.625	0.4031	1.200	2.100
CAB	4	311.710	88.2698	220.801	387.914
Fe	3	136.667	47.2899	97.000	189.000
Mn	3	101.333	62.0833	47.000	169.000
Zn	3	48.333	32.3161	21.000	84.000
Cu	3	6.000	1.2530	4.700	7.200
Se	2	0.020	0.0085	0.014	0.026

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	321.333	30.534	290.000	351.000
Aska	3	27.667	4.041	24.000	32.000
OS smbh	3	76.833	0.950	75.900	77.800
Råprot	3	73.000	6.245	68.000	80.000
sRåprot	3	452.667	101.362	342.000	541.000
NH3-N	2	36.000	16.971	24.000	48.000
NDF	3	363.000	19.079	341.000	375.000
iNDF	3	203.000	19.079	191.000	225.000
nhNDF	3	3.543	0.501	3.011	4.005
Stä	3	319.333	6.429	312.000	324.000
TAF	3	53.667	29.280	27.000	85.000
Mjölksyra	3	42.000	22.605	23.000	67.000
Ättiksyra	3	8.333	5.033	3.000	13.000
Socker	3	7.667	3.055	5.000	11.000
PRF	3	3.333	2.082	1.000	5.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	3	86.057	2.768	83.748	89.125
PBVp20	3	-62.082	8.422	-68.634	-52.582
NELp20	3	6.541	0.225	6.389	6.799
OE*	3	11.770	0.187	11.620	11.980
Ca	3	1.500	0.400	1.100	1.900
P	3	1.833	0.208	1.600	2.000
Mg	3	0.767	0.058	0.700	0.800
K	3	8.700	0.917	7.700	9.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.200	0.141	0.100	0.300
Cl	1	2.200	.	2.200	2.200
S	3	0.967	0.208	0.800	1.200
CAB	3	124.858	52.492	64.307	157.507
Fe	1	68.000	.	68.000	68.000
Mn	1	39.000	.	39.000	39.000
Zn	1	24.000	.	24.000	24.000
Cu	1	3.000	.	3.000	3.000

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	462.000	.	462.000	462.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	153.000	.	153.000	153.000
NDF	1	345.000	.	345.000	345.000
iNDF	1	183.107	.	183.107	183.107
nhNDF	1	3.552	.	3.552	3.552
Stä	1	250.000	.	250.000	250.000
TAF	1	92.000	.	92.000	92.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	37.000	.	37.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	13.000	.	13.000	13.000
AATp20	1	77.055	.	77.055	77.055
PBVp20	1	22.034	.	22.034	22.034
NELp20	1	6.602	.	6.602	6.602
Ca	1	8.300	.	8.300	8.300
P	1	2.500	.	2.500	2.500
Mg	1	2.700	.	2.700	2.700
K	1	13.900	.	13.900	13.900
Na	1	0.300	.	0.300	0.300
Cl	1	3.500	.	3.500	3.500
S	1	1.300	.	1.300	1.300
CAB	1	188.701	.	188.701	188.701
Fe	1	76.000	.	76.000	76.000
Mn	1	28.000	.	28.000	28.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	716.000	.	716.000	716.000
Aska	1	53.000	.	53.000	53.000
OS smbh	1	67.400	.	67.400	67.400
Råprot	1	103.000	.	103.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	551.000	.	551.000	551.000
iNDF	1	218.027	.	218.027	218.027
nhNDF	1	3.505	.	3.505	3.505
TAF	1	0.000	.	0.000	0.000
Socker	1	126.000	.	126.000	126.000
AATp20	1	86.846	.	86.846	86.846
PBVp20	1	-28.321	.	-28.321	-28.321
NELp20	1	5.298	.	5.298	5.298
OE*	1	9.900	.	9.900	9.900
AAT*	1	70.000	.	70.000	70.000
PBV*	1	-17.000	.	-17.000	-17.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	827.000	60.640	738.000	893.000
Aska	6	63.167	9.283	54.000	77.000
OS smbh	6	67.400	2.805	63.500	70.600
Råprot	6	74.833	19.773	60.000	114.000
NDF	6	546.833	53.094	442.000	590.000
iNDF	6	217.931	29.749	182.735	251.103
nhNDF	6	3.556	0.543	2.907	4.185
TAF	6	0.000	0.000	0.000	0.000
Socker	6	151.667	29.029	123.000	196.000
AATp20	6	83.427	3.199	78.434	86.250

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	6	-49.265	17.800	-67.105	-17.293
NELp20	6	5.107	0.240	4.732	5.337
OE*	6	9.767	0.524	9.000	10.400
AAT*	6	69.500	3.271	65.000	73.000
PBV*	6	-43.667	20.675	-64.000	-6.000
Ca	4	2.875	1.830	1.300	4.700
P	4	1.625	0.263	1.400	2.000
Mg	4	1.375	0.275	1.100	1.700
K	4	15.650	3.053	11.800	19.200
Na	4	0.575	0.822	0.100	1.800
S	4	1.250	0.451	0.900	1.900
CAB	4	206.286	76.824	120.456	306.997
Fe	4	160.000	174.534	49.000	420.000
Mn	4	141.000	43.182	87.000	190.000
Zn	4	20.000	6.055	16.000	29.000
Cu	4	4.150	1.136	3.400	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	372.333	32.021	341.000	405.000
Aska	3	98.000	10.149	89.000	109.000
OS smbh	3	66.533	2.610	63.600	68.600
Råprot	3	151.333	19.140	131.000	169.000
NDF	3	411.000	37.987	377.000	452.000
iNDF	3	445.631	36.701	415.085	486.343
nhNDF	3	5.414	0.944	4.572	6.434
TAF	3	72.000	0.000	72.000	72.000
Socker	3	79.333	6.807	74.000	87.000
AATp20	3	73.687	2.220	71.151	75.283
PBVp20	3	42.094	14.832	26.775	56.386
NELp20	3	5.226	0.207	4.989	5.373
OE*	3	9.267	0.321	8.900	9.500
AAT*	3	67.000	1.732	65.000	68.000
PBV*	3	36.000	15.524	20.000	51.000
Ca	3	10.967	1.893	8.800	12.300
P	3	2.300	0.361	2.000	2.700
Mg	3	3.000	0.500	2.500	3.500
K	3	21.667	2.501	18.800	23.400
Na	3	0.533	0.351	0.200	0.900
S	3	1.600	0.346	1.200	1.800
CAB	3	347.746	60.684	277.871	387.238
Fe	3	167.667	102.496	87.000	283.000
Mn	3	34.667	14.572	23.000	51.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	25.667	4.163	21.000	29.000
Cu	3	10.067	1.274	8.600	10.900
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	170.000	.	170.000	170.000
NDF	1	377.000	.	377.000	377.000
iNDF	1	374.074	.	374.074	374.074
nhNDF	1	4.688	.	4.688	4.688
TAF	1	72.000	.	72.000	72.000
Socker	1	82.000	.	82.000	82.000
AATp20	1	76.774	.	76.774	76.774
PBVp20	1	54.906	.	54.906	54.906
NELp20	1	5.584	.	5.584	5.584
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	49.000	.	49.000	49.000
Ca	1	9.800	.	9.800	9.800
P	1	2.300	.	2.300	2.300
Mg	1	3.100	.	3.100	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	25.900	.	25.900	25.900
Na	1	0.800	.	0.800	0.800
S	1	1.800	.	1.800	1.800
CAB	1	446.659	.	446.659	446.659
Fe	1	134.000	.	134.000	134.000
Mn	1	38.000	.	38.000	38.000
Zn	1	24.000	.	24.000	24.000
Cu	1	9.800	.	9.800	9.800
Se	1	0.023	.	0.023	0.023

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	314.000	148.492	209.000	419.000
Aska	2	50.000	12.728	41.000	59.000
OS smbh	2	67.800	0.141	67.700	67.900
Råprot	2	112.000	2.828	110.000	114.000
sRåprot	2	594.500	24.749	577.000	612.000
NH3-N	2	174.000	100.409	103.000	245.000
NDF	2	460.000	49.497	425.000	495.000
iNDF	2	341.500	96.874	273.000	410.000
nhNDF	2	3.873	0.401	3.589	4.156
Stä	1	33.000	.	33.000	33.000
TAF	2	93.500	12.021	85.000	102.000
Mjölksyra	2	29.000	41.012	0.000	58.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	38.500	23.335	22.000	55.000
Socker	2	40.000	18.385	27.000	53.000
PRF	2	7.500	3.536	5.000	10.000
BUF	2	18.500	26.163	0.000	37.000
AATp20	2	73.712	0.853	73.109	74.315
PBVp20	2	4.166	1.228	3.298	5.034
NELp20	2	5.702	0.101	5.631	5.773
OE*	2	9.975	0.163	9.860	10.090
Ca	2	3.150	2.899	1.100	5.200
P	2	3.800	1.556	2.700	4.900
Mg	2	1.950	0.495	1.600	2.300
K	2	11.800	3.111	9.600	14.000
Na	2	2.750	1.768	1.500	4.000
Cl	2	11.800	14.142	1.800	21.800
S	2	2.250	0.212	2.100	2.400
CAB	2	-51.664	414.341	-344.647	241.319

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.0	.	861.0	861.0
Aska	1	19.0	.	19.0	19.0
OS smbh	1	0.0	.	0.0	0.0
Råprot	1	125.0	.	125.0	125.0
NH3-N	1	6.0	.	6.0	6.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	565.0	.	565.0	565.0
NELp20	1	0.0	.	0.0	0.0
Ca	1	0.4	.	0.4	0.4
P	1	3.1	.	3.1	3.1
Mg	1	1.2	.	1.2	1.2
K	1	5.7	.	5.7	5.7
Na	1	0.1	.	0.1	0.1
S	1	1.2	.	1.2	1.2
Fe	1	47.0	.	47.0	47.0
Mn	1	18.0	.	18.0	18.0
Zn	1	31.0	.	31.0	31.0
Cu	1	5.8	.	5.8	5.8

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet