

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	14	871	25	55.3	112	332	6.0	166	113	3.15	574	0.000			5
Vete, kärna (005)	1	4	885	18	44.0	113	292	7.0	109	106	3.50	608	0.000			5
Rågvete (015)	1	4	902	17	22.4	101	371		102	66	3.50	614	0.000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	837	20	87.0	131		5.5	169	173	3.30	624	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	868	23	81.6	146		5.0		324	2.50	572	0.000			
Åkerböna, kärna (007)	1	1	940	39	0.0	284	712		113	25	4.70	322	0.000			5
Majs hela plantan, grönmassa (030)	1	2	244	36	71.1	76	439		447	213	2.95	210	57.000			13
Prognos, blandvall (1-50% baljv) (042)	1	4	231		73.2					170	4.32		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	5	592	53	70.4	97			560	181	4.24		61.000			125
Ensilage, gräs (0% klöver) (162)	1	12	667	73	67.5	89	456	49.3	534	217	3.62		31.500	23.8	5.7	96
Ensilage, gräs (0% klöver) (162)	2	1	674	81	74.5	128	387	43.0	526	144	4.99		35.400	27.0	6.0	74
Ensilage, gräs (0% klöver) (162)	3	1	340	76	72.0	128	537	98.0	397	229	3.04		63.200	49.0	12.0	57
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	578	83	79.8	181			451	99	6.01		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	381	74	78.7	148	472		447	119	5.44		72.082	0.0	4.0	124
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	419	84	74.1	153	361		489	159	4.68		81.300	0.0	0.0	80
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19	407	98	73.5	161	399		472	166	4.33		84.000			68
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	279	92	75.5	179	415		448	159	4.60		84.000			69
Ensilage, blandvall (1-50% klöver) (165)	0	14	541	73	71.3	127	427	56.3	481	198	3.85		45.479	30.0	7.9	87
Ensilage, blandvall (1-50% klöver) (165)	1	172	399	71	75.5	136	611	76.3	454	158	4.56	26	73.862	56.9	14.0	67
Ensilage, blandvall (1-50% klöver) (165)	2	121	412	85	73.7	149	548	81.2	450	183	4.22		66.371	48.7	14.1	53
Ensilage, blandvall (1-50% klöver) (165)	3	48	424	88	74.0	158	513	70.3	438	182	4.13		67.923	51.6	13.6	55
Ensilage, blandvall (1-50% klöver) (165)	4	3	389	98	75.2	166	442	47.7	406	192	4.37		75.233	59.0	13.3	47
Ensilage, blandvall (1-50% klöver) (165)	*	1	321	81	80.8	122	568	40.0	361	113	4.94		113.900	88.0	24.0	44
Korn, helsädesensilage (250)	1	10	482	59	68.5	97	632	80.5	421	269	2.57	162	54.930	39.6	12.7	56
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	424	64	67.4	95	688	75.0	480	248	2.94	94	93.500	73.0	18.5	38

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	670	68	65.7	90	506	25.0	448	284	2.42	246	32.900	21.0	10.0	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	350	67	64.7	123	627	110	494	389	5.73	68	87.750	60.5	20.5	29
Havre helsädesensilage degmognad (296)	1	3	444	55	63.8	97	558	76.3	506	297	2.85	97	44.667	33.3	10.3	39
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	314	89	69.0	139	669	109	421	250	2.83	43	97.000	79.0	18.0	26
Vete, helsäd ensilage (299)	1	2	421	65	73.6	126	713	65.0	452	184	3.92	55	74.750	55.0	16.5	76
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	355	68	68.5	114	653	122	430	262	2.70	143	75.250	59.0	14.0	39
Majs, helsädesensilage (305)	1	2	274	33	73.8	82	517	13.5	447	176	3.40	199	62.000	46.5	12.5	10
Ärter, helsädesensilage, sen skörd (315)	1	1	408	70	72.8	127	710	88.0	374	233	2.90	119	81.000	66.0	15.0	58
Hö, blandvall, 0-50% baljväxter (383)	1	5	799	54	67.2	90	514		544	217	3.45		0.000			131
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	195	89	75.9	188	336		353	236	4.22		72.000			47
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	275	115	64.5	157			532	370	7.61		72.000			11
Ensilage, blandvall (51-100% klöver) (438)	1	3	400	77	76.6	148	634	48.7	391	178	4.24		55.667	39.3	13.3	92
Ensilage, blandvall (51-100% klöver) (438)	2	2	365	88	72.3	179	454	47.0	372	303	3.81		74.500	50.0	23.0	45
Ensilage, blandvall (1-50% klöver) (326)	1	4	448	75	75.1	172	440	88.5	354	223	3.35	145	39.250	27.8	6.5	21

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	14				95.9	-32	7.35	13.3	92.5	-39
Vete, kärna (005)	1	4				113	-53	7.95	14.1		
Rågvete (015)	1	4				110	-61	7.88	13.7	95.0	-46
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				106	-28	7.56	13.7	93.5	-25
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				105	-6.3	7.25			
Åkerböna, kärna (007)	1	1				99.9	132	7.89	13.5		
Majs hela plantan, grönmassa (030)	1	2				81.4	-52	5.83	10.9	79.0	-68
Prognos, blandvall (1-50% baljv) (042)	1	4				96.4	-4.4	5.94	12.6		
Grönmassa, gräs (0% baljv.) (161)	1	5				80.5	-25	5.65	10.4	72.8	-28

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	1	12		1.08333		77.8	-28	5.24	9.7	67.8	-27
Ensilage, gräs (0% klöver) (162)	2	1		1.40000		88.6	-10	5.99	10.7	71.0	6.0
Ensilage, gräs (0% klöver) (162)	3	1		1.20000		78.6	6.1	5.61	10.4	70.0	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				90.2	38.9	6.64	11.6	78.5	45.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	2.33333	1.66667		88.8	10.5	6.43	11.5	79.3	9.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	3.00000	0.00000		84.4	22.5	6.09	10.7	74.0	19.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19				81.8	33.8	5.98	10.4	72.4	37.3
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4				85.5	44.6	6.21	10.8	74.3	54.3
Ensilage, blandvall (1-50% klöver) (165)	0	14		0.63333		83.5	2.9	5.71	10.1	69.0	6.5
Ensilage, blandvall (1-50% klöver) (165)	1	172	3.54839	1.41437		82.2	10.1	6.18	11.0	71.8	8.5
Ensilage, blandvall (1-50% klöver) (165)	2	121	3.23077	1.83950		82.0	22.0	5.97	10.6	70.1	25.1
Ensilage, blandvall (1-50% klöver) (165)	3	48	2.09091	1.44375		83.2	29.0	6.02	10.6	70.2	36.1
Ensilage, blandvall (1-50% klöver) (165)	4	3	3.00000	1.23333		84.8	33.7	6.11	10.7	71.0	33.5
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.90000		82.3	-4.3	6.55	11.8	74.0	-5.0
Korn, helsädesensilage (250)	1	10	6.00000	3.00000		70.9	-16	5.50	9.9	61.7	-20
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2				66.6	-7.5	5.59	9.1	58.0	-15
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				73.0	-22	5.30			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	9.00000	4.00000		66.4	17.3	5.40	9.7	59.0	10.0
Havre helsädesensilage degmognad (296)	1	3	0.00000	3.00000		73.4	-19	5.21	9.2	61.0	-8.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				65.1	33.1	5.55			
Vete, helsäd ensilage (299)	1	2	2.00000	2.00000		72.2	5.7	6.04	10.4		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	2.00000	2.50000		70.4	2.5	5.60	10.2		
Majs, helsädesensilage (305)	1	2	3.00000	0.00000		81.7	-48	6.20	11.2		
Ärter, helsädesensilage, sen skörd (315)	1	1				71.5	14.8	5.88	9.3	59.0	12.0
Hö, blandvall, 0-50% baljväxter (383)	1	5				85.8	-38	5.23	9.8	67.0	-28

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Halm, sträsäd, ej behandlad (385)	0	0						0.00			
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				86.4	56.4	6.24	10.9		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1				73.2	48.1	5.28	8.8	64.0	46.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.66667	0.33333		81.8	25.5	6.25	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	2	1.50000	0.00000		80.1	58.2	5.96	10.3		
Ensilage, blandvall (1-50% klöver) (326)	1	4	2.75000	2.25000		91.2	33.9	6.35	10.9		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.5	3.9	1.3	5.8	0.1	2.6	1.3	30	5	52.4	15.8	32.0	6.0	
Vete, kärna (005)	1	3	0.3	3.1	1.2	4.8	0.1	1.2	1.3	15	3	46.3	29.3	29.0	5.1	0.1
Rågvete (015)	1	2	0.3	3.6	1.2	5.4	0.1	0.9	1.4	34	2	38.5	34.0	41.0	5.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	2	0.4	3.6	1.4	5.5	0.1		1.4	32	2	53.0	26.5	40.0	6.0	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.8	1.3	6.5	0.1		1.4	61	1	59.0	31.0	36.0	7.1	0.0
Majs hela plantan, grönmassa (030)	1	1	1.8	1.8	1.3	10.2	0.3	2.0	0.8	184	0					
Grönmassa, gräs (0% baljv.) (161)	1	5	3.3	2.0	1.1	19.1	0.2		1.3	276	5	88.6	42.8	22.4	4.7	0.0
Ensilage, gräs (0% klöver) (162)	1	11	3.6	1.9	1.3	19.1	0.1	2.2	1.3	352	11	406.5	65.1	24.2	5.1	
Ensilage, gräs (0% klöver) (162)	2	1	3.0	2.4	2.0	26.4	0.1	0.7	1.8	547	1	94.0	69.0	29.0	7.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	6.4	3.2	1.9	32.8	0.3		2.6	554	2	138.0	51.0	31.5	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	43	5.2	2.7	1.7	25.0	0.8	4.0	2.0	418	39	165.8	54.2	29.3	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	6.5	3.0	2.2	25.5	1.0	9.0	2.4	379	24	139.0	70.7	31.3	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	16	8.3	3.0	2.6	25.3	0.6	13.0	2.6	351	15	205.3	71.7	28.9	8.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	7.4	3.3	2.5	23.6	1.2	4.1	2.6	362	3	408.0	91.3	28.7	8.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	11	7.2	2.5	2.0	19.8	0.5	4.2	1.9	300	11	193.8	77.1	27.0	7.1	
Ensilage, blandvall (1-50% klöver) (165)	1	156	5.1	2.4	1.7	23.9	0.5	3.7	1.9	411	143	188.9	57.2	27.4	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	109	7.1	2.8	2.2	26.3	0.6	6.5	2.3	367	101	184.6	67.4	28.5	7.9	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	3	39	7.6	3.0	2.4	25.6	0.7	6.4	2.5	332	37	214.5	70.5	26.5	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	3	8.8	3.5	2.5	26.4	1.4	6.4	2.5	395	2	242.0	80.5	23.0	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	7.0	2.7	1.6	26.0	0.9	5.3	1.4	467	1	123.0	36.0	24.0	6.2	
Korn, helsädesensilage (250)	1	10	3.8	2.7	1.7	18.0	0.8	3.9	1.7	278	10	119.5	56.9	27.9	5.3	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	4.7	2.1	1.4	18.1	1.6	3.4	1.9	310	1	161.0	46.0	33.0	6.5	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	2.4	2.1	1.3	12.2	0.5	1.0	1.2	231	1	93.0	43.0	25.0	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	4.9	3.5	2.3	17.9	2.6	2.5	1.9	381	1	167.0	52.0	36.0	7.1	
Havre helsädesensilage degmognad (296)	1	3	2.9	2.5	1.4	18.1	0.6	3.4	1.4	267	2	179.0	93.5	31.5	4.7	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	6.3	2.5	1.8	22.3	0.1	3.8	1.6	368	1	117.0	64.0	33.0	6.0	
Vete, helsäd ensilage (299)	1	2	2.8	2.5	1.6	20.3	0.3	2.3	1.7	360	2	133.5	33.0	26.5	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	5.5	2.9	1.6	18.6	0.3	5.9	1.8	213	4	263.8	35.8	32.8	6.7	
Majs, helsädesensilage (305)	1	2	2.3	2.0	1.2	11.2	0.2		0.9	204	0					
Ärter, helsädesensilage, sen skörd (315)	1	1	8.4	2.4	1.9	14.1	0.1	2.5	1.3	213	1	855.0	26.0	30.0	6.9	
Hö, blandvall, 0-50% baljväxter (383)	1	4	3.1	1.9	1.0	17.2	0.3	1.7	1.4	248	2	68.0	53.5	18.5	5.0	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	11.7	3.2	2.8	24.1	1.5	0.2	2.6	513	0					
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	9.9	3.8	2.9	28.1	0.6		2.1	484	1	204.0	81.0	27.0	9.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	6.6	3.0	2.5	29.8	0.3	3.1	2.1	558	3	97.3	57.0	27.0	5.7	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	2	11.8	3.2	2.9	26.1	1.1	2.9	2.5	478	0					
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.9	4.5	3.1	14.9	6.0	6.0	3.7	244	4	296.0	106.8	69.0	9.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	870.786	45.7101	811.000	930.000
Aska	14	25.086	3.5235	21.000	29.000
OS smbh	14	55.286	42.7631	0.000	86.000
Råprot	14	112.214	16.4744	98.000	129.700
sRåprot	5	332.000	54.1756	285.000	409.000
NH3-N	3	6.000	1.0000	5.000	7.000
NDF	9	165.667	42.8661	113.000	235.000
iNDF	14	113.071	68.1226	25.000	162.000
nhNDF	14	3.150	0.0000	3.150	3.150
Stä	14	573.893	59.1201	514.000	656.400
TAF	14	0.000	0.0000	0.000	0.000
Socker	5	5.000	0.0000	5.000	5.000
AATp20	14	95.861	2.5943	93.149	99.212
PBVp20	14	-31.805	18.5604	-50.860	-9.875
NELp20	14	7.347	0.1959	7.118	7.625
OE*	9	13.344	0.1130	13.100	13.500
AAT*	4	92.500	0.5774	92.000	93.000
PBV*	4	-39.250	12.3929	-47.000	-21.000
Ca	5	0.460	0.0548	0.400	0.500
P	5	3.880	0.3564	3.400	4.400
Mg	5	1.340	0.0894	1.300	1.500
K	5	5.800	0.2828	5.600	6.200
Na	5	0.100	0.0000	0.100	0.100
Cl	1	2.600	.	2.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	5	1.300	0.2121	1.100	1.600
CAB	5	29.745	32.7670	-25.669	55.248
Fe	5	52.400	9.2358	44.000	67.000
Mn	5	15.800	3.2711	12.000	21.000
Zn	5	32.000	6.7823	22.000	40.000
Cu	5	5.960	0.6309	5.000	6.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	885.250	42.0347	845.000	924.000
Aska	4	17.525	3.3817	14.100	22.000
OS smbh	4	44.000	50.8068	0.000	88.000
Råprot	4	112.725	5.0235	107.900	118.000
sRåprot	2	292.000	19.7990	278.000	306.000
NH3-N	1	7.000	.	7.000	7.000
NDF	2	109.000	15.5563	98.000	120.000
iNDF	4	106.000	93.5307	25.000	187.000
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	608.450	89.3966	513.000	692.800
TAF	4	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	4	112.893	0.7680	111.757	113.396
PBVp20	4	-53.273	5.0469	-58.111	-48.745
NELp20	4	7.948	0.0643	7.872	8.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	14.100	0.0000	14.100	14.100
Ca	3	0.333	0.0577	0.300	0.400
P	3	3.067	0.6658	2.500	3.800
Mg	3	1.233	0.1528	1.100	1.400
K	3	4.767	0.3786	4.500	5.200
Na	2	0.100	0.0000	0.100	0.100
Cl	1	1.200	.	1.200	1.200
S	3	1.333	0.2309	1.200	1.600
CAB	3	14.755	9.7987	3.537	21.643
Fe	3	46.333	6.6583	39.000	52.000
Mn	3	29.333	1.5275	28.000	31.000
Zn	3	29.000	4.0000	25.000	33.000
Cu	3	5.100	0.8185	4.400	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	902.250	39.1950	862.000	955.000
Aska	4	17.050	1.1000	16.000	18.000
OS smbh	4	22.370	44.7395	0.000	89.479
Råprot	4	100.550	7.8492	91.000	110.200
sRåprot	3	370.667	9.0185	362.000	380.000
NDF	3	102.333	8.5049	96.000	112.000
iNDF	4	65.500	81.0000	25.000	187.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	614.300	60.4337	575.000	704.200
TAF	4	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	4	109.501	0.4434	108.930	110.008
PBVp20	4	-60.976	8.9334	-71.071	-49.371
NELp20	4	7.881	0.0639	7.785	7.919
OE*	4	13.725	0.4856	13.000	14.000
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-46.000	.	-46.000	-46.000
Ca	2	0.300	0.0000	0.300	0.300
P	2	3.550	0.2121	3.400	3.700
Mg	2	1.200	0.0000	1.200	1.200
K	2	5.350	0.3536	5.100	5.600
Na	1	0.100	.	0.100	0.100
Cl	1	0.900	.	0.900	0.900
S	2	1.350	0.3536	1.100	1.600
CAB	2	34.266	17.0385	22.218	46.314
Fe	2	38.500	6.3640	34.000	43.000
Mn	2	34.000	7.0711	29.000	39.000
Zn	2	41.000	5.6569	37.000	45.000
Cu	2	5.800	0.2828	5.600	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	837.333	19.3993	815.000	850.000
Aska	3	20.400	3.0790	17.000	23.000
OS smbh	4	87.000	0.0000	87.000	87.000
Råprot	3	130.500	8.3217	121.000	136.500
NH3-N	2	5.500	0.7071	5.000	6.000
NDF	3	169.333	21.5019	151.000	193.000
iNDF	4	173.000	0.0000	173.000	173.000
nhNDF	4	3.300	0.0000	3.300	3.300
Stä	3	624.033	14.8325	607.000	634.100
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	105.618	0.9681	104.860	106.979
PBVp20	4	-28.134	8.4232	-36.086	-18.167
NELp20	4	7.561	0.0149	7.547	7.582
OE*	2	13.700	0.5657	13.300	14.100
AAT*	2	93.500	0.7071	93.000	94.000
PBV*	2	-24.500	10.6066	-32.000	-17.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.600	0.0000	3.600	3.600
Mg	2	1.350	0.0707	1.300	1.400
K	2	5.500	0.2828	5.300	5.700
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.2121	1.200	1.500
CAB	2	32.469	6.0244	28.209	36.729
Fe	2	53.000	2.8284	51.000	55.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	26.500	2.1213	25.000	28.000
Zn	2	40.000	0.0000	40.000	40.000
Cu	2	5.950	0.7778	5.400	6.500

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	868.000	.	868.000	868.000
Aska	1	23.000	.	23.000	23.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	146.000	.	146.000	146.000
NH3-N	1	5.000	.	5.000	5.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	572.000	.	572.000	572.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.725	.	104.725	104.725
PBVp20	1	-6.319	.	-6.319	-6.319
NELp20	1	7.246	.	7.246	7.246
Ca	1	0.600	.	0.600	0.600
P	1	3.800	.	3.800	3.800
Mg	1	1.300	.	1.300	1.300
K	1	6.500	.	6.500	6.500
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	60.553	.	60.553	60.553
Fe	1	59.000	.	59.000	59.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100
Se	1	0.012	.	0.012	0.012

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	940.000	.	940.000	940.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	284.000	.	284.000	284.000
sRåprot	1	712.000	.	712.000	712.000
NDF	1	113.000	.	113.000	113.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	322.000	.	322.000	322.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	99.889	.	99.889	99.889
PBVp20	1	132.187	.	132.187	132.187
NELp20	1	7.889	.	7.889	7.889
OE*	1	13.500	.	13.500	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	244.000	8.4853	238.000	250.000
Aska	2	36.000	7.0711	31.000	41.000
OS smbh	2	71.050	0.6364	70.600	71.500
Råprot	2	76.000	4.2426	73.000	79.000
sRåprot	2	439.000	7.0711	434.000	444.000
NDF	2	446.500	3.5355	444.000	449.000
iNDF	2	213.078	14.2520	203.000	223.155
nhNDF	2	2.948	0.3556	2.697	3.200
Stä	2	209.500	9.1924	203.000	216.000
TAF	2	57.000	0.0000	57.000	57.000
Socker	2	13.000	1.4142	12.000	14.000
AATp20	2	81.377	0.2456	81.203	81.550
PBVp20	2	-51.519	3.3394	-53.880	-49.157
NELp20	2	5.833	0.0574	5.793	5.874
OE*	2	10.880	0.3111	10.660	11.100
AAT*	1	79.000	.	79.000	79.000
PBV*	1	-68.000	.	-68.000	-68.000
Ca	1	1.800	.	1.800	1.800
P	1	1.800	.	1.800	1.800
Mg	1	1.300	.	1.300	1.300
K	1	10.200	.	10.200	10.200
Na	1	0.300	.	0.300	0.300
Cl	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	0.800	.	0.800	0.800
CAB	1	184.476	.	184.476	184.476

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	230.750	4.27200	226.000	236.000
OS smbh	4	73.150	0.00000	73.150	73.150
iNDF	4	170.460	0.00000	170.460	170.460
nhNDF	4	4.315	0.00000	4.315	4.315
TAF	4	0.000	0.00000	0.000	0.000
AATp20	4	96.439	0.00000	96.439	96.439
PBVp20	4	-4.418	0.00000	-4.418	-4.418
NELp20	4	5.943	0.00000	5.943	5.943
OE*	4	12.575	0.61305	11.800	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	592.200	183.673	296.000	743.000
Aska	5	52.800	19.652	35.000	85.000
OS smbh	5	70.380	5.271	66.600	79.400
Råprot	5	97.000	44.102	66.000	174.000
NDF	5	559.800	60.607	454.000	606.000
iNDF	5	181.074	44.250	105.385	215.475
nhNDF	5	4.239	0.846	3.566	5.685

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	5	61.000	0.000	61.000	61.000
Socker	5	125.400	20.057	92.000	143.000
AATp20	5	80.527	6.050	76.235	90.972
PBVp20	5	-25.451	30.475	-46.721	27.930
NELp20	5	5.646	0.489	5.308	6.487
OE*	5	10.360	0.662	9.900	11.500
AAT*	5	72.800	3.114	70.000	78.000
PBV*	5	-27.600	37.997	-54.000	39.000
Ca	5	3.260	0.391	2.700	3.800
P	5	1.980	0.638	1.400	3.000
Mg	5	1.120	0.277	0.900	1.600
K	5	19.140	7.759	10.900	31.100
Na	5	0.220	0.217	0.100	0.600
S	5	1.320	0.559	0.900	2.300
CAB	5	275.734	174.690	77.873	536.888
Fe	5	88.600	36.198	57.000	137.000
Mn	5	42.800	38.726	23.000	112.000
Zn	5	22.400	10.922	14.000	41.000
Cu	5	4.700	2.095	3.200	8.400
Se	4	0.020	0.028	0.005	0.062

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	666.750	172.929	391.000	835.00
Aska	12	73.083	16.031	58.000	90.00
OS smbh	12	67.483	5.857	59.700	75.00
Råprot	12	88.833	20.854	63.000	122.00
sRåprot	12	456.333	142.464	339.000	680.00
NH3-N	12	49.333	28.298	27.000	96.00
NDF	12	533.500	54.484	486.000	587.00
iNDF	12	216.517	49.879	156.671	275.04
nhNDF	12	3.618	0.735	2.750	4.51
TAF	12	31.500	17.941	8.500	51.90
Mjölksyra	12	23.750	15.076	2.000	41.00
Ättiksyra	12	5.667	3.447	1.000	10.00
Socker	12	96.083	19.346	73.000	111.00
BUF	12	1.083	1.123	0.500	2.90
AATp20	12	77.839	5.106	71.153	84.49
PBVp20	12	-28.468	14.503	-41.767	-5.70
NELp20	12	5.239	0.589	4.569	5.92
OE*	12	9.667	1.039	8.400	11.00
AAT*	12	67.833	3.271	64.000	72.00
PBV*	12	-26.833	17.028	-46.000	-3.00
Ca	11	3.600	1.299	2.400	5.40
P	11	1.882	0.316	1.600	2.30
Mg	11	1.336	0.277	1.000	1.70
K	11	19.127	4.638	14.900	22.90

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	11	0.109	0.030	0.100	0.10
Cl	12	2.183	1.252	0.700	3.80
S	11	1.345	0.356	1.000	1.70
CAB	11	352.478	103.276	270.410	451.21
Fe	11	406.455	582.369	88.000	1256.00
Mn	11	65.091	27.005	35.000	92.00
Zn	11	24.182	3.894	18.000	29.00
Cu	11	5.100	1.061	4.000	6.50

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	674.000	.	674.000	674.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	387.000	.	387.000	387.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	144.337	.	144.337	144.337
nhNDF	1	4.989	.	4.989	4.989
TAF	1	35.400	.	35.400	35.400
Mjölksyra	1	27.000	.	27.000	27.000
Ättiksyra	1	6.000	.	6.000	6.000
Socket	1	74.000	.	74.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	1.400	.	1.400	1.400
AATp20	1	88.557	.	88.557	88.557
PBVp20	1	-10.294	.	-10.294	-10.294
NELp20	1	5.985	.	5.985	5.985
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	6.000	.	6.000	6.000
Ca	1	3.000	.	3.000	3.000
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	26.400	.	26.400	26.400
Na	1	0.100	.	0.100	0.100
Cl	1	0.700	.	0.700	0.700
S	1	1.800	.	1.800	1.800
CAB	1	547.321	.	547.321	547.321
Fe	1	94.000	.	94.000	94.000
Mn	1	69.000	.	69.000	69.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.400	.	7.400	7.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	340.000	.	340.000	340.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	537.000	.	537.000	537.000
NH3-N	1	98.000	.	98.000	98.000
NDF	1	397.000	.	397.000	397.000
iNDF	1	228.504	.	228.504	228.504
nhNDF	1	3.038	.	3.038	3.038
TAF	1	63.200	.	63.200	63.200
Mjölksyra	1	49.000	.	49.000	49.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	57.000	.	57.000	57.000
BUF	1	1.200	.	1.200	1.200
AATp20	1	78.641	.	78.641	78.641
PBVp20	1	6.070	.	6.070	6.070
NELp20	1	5.608	.	5.608	5.608
OE*	1	10.400	.	10.400	10.400
AAT*	1	70.000	.	70.000	70.000
PBV*	1	8.000	.	8.000	8.000
CI	1	1.800	.	1.800	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	577.500	303.349	363.000	792.000
Aska	2	83.000	8.485	77.000	89.000
OS smbh	2	79.800	5.798	75.700	83.900
Råprot	2	181.000	8.485	175.000	187.000
NDF	2	451.000	50.912	415.000	487.000
iNDF	2	98.558	57.879	57.631	139.485
nhNDF	2	6.006	1.480	4.959	7.052
TAF	2	84.000	0.000	84.000	84.000
Socker	2	109.500	51.619	73.000	146.000
AATp20	2	90.172	5.335	86.399	93.944
PBVp20	2	38.864	16.971	26.864	50.864
NELp20	2	6.643	0.467	6.313	6.974
OE*	2	11.550	1.061	10.800	12.300
AAT*	2	78.500	4.950	75.000	82.000
PBV*	2	45.000	16.971	33.000	57.000
Ca	2	6.400	0.707	5.900	6.900
P	2	3.150	0.212	3.000	3.300
Mg	2	1.900	0.424	1.600	2.200
K	2	32.750	0.919	32.100	33.400
Na	2	0.250	0.071	0.200	0.300
S	2	2.600	0.000	2.600	2.600
CAB	2	553.571	26.584	534.773	572.369
Fe	2	138.000	56.569	98.000	178.000
Mn	2	51.000	4.243	48.000	54.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	31.500	0.707	31.000	32.000
Cu	2	7.750	0.354	7.500	8.000
Se	1	0.007	.	0.007	0.007

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	49	380.673	109.725	274.000	542.000
Aska	49	74.082	10.424	62.000	86.000
OS smbh	49	78.678	3.639	74.900	84.200
Råprot	49	148.286	26.734	107.000	181.000
sRåprot	12	472.000	103.215	381.000	650.000
NDF	49	446.918	42.137	394.000	500.000
iNDF	49	118.542	39.054	57.661	178.000
nhNDF	49	5.442	0.972	4.117	6.981
TAF	49	72.082	27.410	13.000	84.000
Mjölksyra	8	0.000	0.000	0.000	0.000
Ättiksyra	6	4.000	3.688	0.000	9.000
Socker	49	124.163	43.678	75.000	184.000
PRF	6	2.333	2.582	0.000	6.000
BUF	6	1.667	1.211	0.000	3.000
AATp20	49	88.777	5.291	82.397	95.229
PBVp20	49	10.523	20.425	-19.146	35.291
NELp20	49	6.426	0.364	6.041	6.986
OE*	49	11.508	0.622	10.700	12.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	37	79.324	3.367	74.000	83.000
PBV*	37	8.976	26.284	-28.000	47.000
Ca	43	5.179	1.317	3.800	6.600
P	43	2.684	0.410	2.100	3.200
Mg	43	1.679	0.383	1.300	2.000
K	43	24.953	4.306	19.900	29.700
Na	43	0.784	0.747	0.200	1.800
Cl	12	4.017	2.797	0.800	7.800
S	43	2.042	0.482	1.400	2.600
CAB	43	417.633	113.641	271.698	541.487
Fe	39	165.846	179.115	72.000	282.000
Mn	39	54.231	23.705	29.000	78.000
Zn	39	29.282	8.069	22.000	36.000
Cu	39	7.400	7.617	4.500	8.300
Se	11	0.015	0.005	0.008	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	419.000	164.864	246.000	702.500
Aska	30	83.567	10.424	73.000	98.500
OS smbh	30	74.143	3.837	67.650	79.250
Råprot	30	153.400	25.051	119.500	187.500
sRåprot	8	360.500	40.175	309.000	403.000
NDF	30	488.933	38.178	436.500	544.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	30	159.110	38.180	109.099	216.310
nhNDF	30	4.678	0.716	3.646	5.646
TAF	30	81.300	14.789	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	30	79.567	29.219	48.500	117.500
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	30	84.418	5.307	76.494	91.597
PBVp20	30	22.543	19.189	-0.236	45.859
NELp20	30	6.089	0.328	5.517	6.545
OE*	30	10.659	0.587	9.650	11.350
AAT*	22	74.045	3.539	69.000	78.000
PBV*	22	19.550	23.816	-4.000	41.000
Ca	28	6.521	2.006	4.600	8.300
P	28	2.968	0.330	2.500	3.300
Mg	28	2.150	0.521	1.600	2.500
K	28	25.539	5.677	16.800	32.400
Na	28	0.979	0.835	0.200	2.500
Cl	8	8.988	6.078	2.700	17.600
S	28	2.389	0.544	1.600	3.200
CAB	28	379.493	133.325	203.235	556.257
Fe	24	139.042	52.587	77.000	218.000
Mn	24	70.708	31.957	38.000	108.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	24	31.292	12.031	23.000	37.000
Cu	24	7.742	1.691	5.900	10.000
Se	9	0.032	0.018	0.011	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	406.895	100.944	283.000	526.000
Aska	19	98.316	14.411	80.000	122.000
OS smbh	19	73.505	2.768	69.300	77.200
Råprot	19	160.895	21.393	128.000	196.000
sRåprot	2	398.500	53.033	361.000	436.000
NDF	19	471.579	38.535	419.000	503.000
iNDF	19	166.205	34.485	127.950	206.358
nhNDF	19	4.330	0.582	3.604	4.892
TAF	19	84.000	0.000	84.000	84.000
Socker	19	67.737	31.260	36.000	114.000
AATp20	19	81.811	3.819	76.062	86.883
PBVp20	19	33.769	18.789	6.898	63.080
NELp20	19	5.984	0.283	5.545	6.366
OE*	19	10.403	0.510	9.400	11.130
AAT*	17	72.412	2.763	67.000	76.000
PBV*	17	37.294	21.589	4.000	70.000
Ca	16	8.288	2.876	5.300	11.500
P	16	3.006	0.417	2.600	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	16	2.575	0.552	1.800	3.300
K	16	25.256	6.129	17.500	32.000
Na	16	0.612	0.391	0.200	1.300
Cl	2	12.950	11.809	4.600	21.300
S	16	2.569	0.444	2.100	3.100
CAB	16	350.580	203.114	81.592	580.857
Fe	15	205.267	100.350	98.000	336.000
Mn	15	71.667	17.795	49.000	92.000
Zn	15	28.867	3.420	24.000	35.000
Cu	15	8.347	1.181	7.200	10.500
Se	5	0.030	0.009	0.020	0.042

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	278.500	28.781	248.000	317.000
Aska	4	91.500	9.292	83.000	103.000
OS smbh	4	75.475	0.974	74.400	76.300
Råprot	4	178.750	11.644	164.000	192.000
sRåprot	1	415.000	.	415.000	415.000
NDF	4	448.000	4.830	441.000	452.000
iNDF	4	158.599	23.118	138.540	190.000
nhNDF	4	4.600	0.196	4.343	4.815
TAF	4	84.000	0.000	84.000	84.000
Socket	4	69.250	13.150	51.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	85.482	0.644	84.826	86.289
PBVp20	4	44.597	11.434	29.486	56.612
NELp20	4	6.214	0.058	6.148	6.282
OE*	4	10.800	0.082	10.700	10.900
AAT*	3	74.333	0.577	74.000	75.000
PBV*	3	54.333	8.083	47.000	63.000
Ca	4	7.350	0.742	6.700	8.400
P	4	3.275	0.275	3.000	3.600
Mg	4	2.500	0.392	2.100	3.000
K	4	23.550	5.222	16.100	27.800
Na	4	1.200	0.337	0.700	1.400
Cl	1	4.100	.	4.100	4.100
S	4	2.625	0.250	2.300	2.900
CAB	4	362.244	129.219	171.490	458.223
Fe	3	408.000	233.617	256.000	677.000
Mn	3	91.333	21.127	67.000	105.000
Zn	3	28.667	3.512	25.000	32.000
Cu	3	8.200	0.954	7.600	9.300
Se	3	0.032	0.007	0.025	0.039

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	540.596	212.022	292.000	799.000
Aska	9	73.000	11.906	61.000	99.000
OS smbh	14	71.254	4.954	65.500	75.000
Råprot	12	127.492	16.973	111.000	146.600
sRåprot	12	427.222	156.818	271.000	631.000
NH3-N	12	56.250	40.786	15.000	99.000
NDF	12	480.917	33.609	449.000	532.000
iNDF	14	197.597	57.557	162.802	244.006
nhNDF	14	3.851	0.786	3.108	4.344
TAF	14	45.479	30.552	15.000	84.100
Mjölksyra	12	30.000	25.183	4.000	74.000
Ättiksyra	12	7.917	5.760	4.000	13.000
Socker	12	86.876	46.350	28.000	130.000
BUF	9	0.633	0.433	0.100	1.500
AATp20	14	83.453	6.874	71.555	91.623
PBVp20	14	2.924	17.711	-21.217	22.077
NELp20	14	5.713	0.474	5.094	6.062
OE*	12	10.111	0.941	9.110	10.800
AAT*	12	69.019	2.843	65.888	71.000
PBV*	9	6.456	14.278	-11.000	29.000
Ca	11	7.231	2.842	4.600	10.786
P	11	2.497	0.482	1.900	3.000
Mg	11	2.031	0.572	1.300	2.800
K	11	19.830	5.862	13.600	26.753

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	11	0.459	0.503	0.100	0.900
Cl	9	4.189	2.945	0.900	10.200
S	11	1.937	0.441	1.600	2.600
CAB	11	299.522	141.796	132.788	450.971
Fe	11	193.811	197.946	82.512	362.000
Mn	11	77.079	53.672	30.000	147.000
Zn	11	26.970	5.287	22.000	33.000
Cu	11	7.145	2.025	4.600	9.400

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	172	399.215	140.113	272.000	625.000
Aska	167	70.629	10.320	59.000	83.000
OS smbh	172	75.486	4.644	70.300	80.100
Råprot	167	136.096	26.628	97.000	163.000
sRåprot	167	611.455	99.176	477.000	719.000
NH3-N	166	76.277	31.304	29.000	119.000
NDF	167	453.766	51.828	393.000	522.000
iNDF	172	157.503	47.421	111.721	211.774
nhNDF	172	4.561	0.746	3.689	5.380
Stä	1	26.000	.	26.000	26.000
TAF	172	73.862	37.525	22.400	125.100
Mjölksyra	167	56.850	33.257	14.000	102.000
Ättiksyra	167	13.970	6.640	6.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	167	67.036	40.915	19.000	124.000
PRF	31	3.548	1.748	2.000	6.000
BUF	167	1.414	2.430	0.000	3.700
AATp20	172	82.225	3.982	77.177	87.348
PBVp20	172	10.135	22.465	-20.142	35.952
NELp20	172	6.180	0.511	5.572	6.708
OE*	166	11.030	0.758	10.100	11.800
AAT*	135	71.763	2.322	69.000	74.000
PBV*	135	8.474	22.312	-25.000	33.000
Ca	156	5.084	1.731	3.400	7.300
P	156	2.429	0.500	1.800	3.100
Mg	156	1.657	0.441	1.300	2.100
K	156	23.871	4.487	18.400	28.800
Na	156	0.529	0.443	0.100	1.200
Cl	167	3.699	2.410	1.200	6.900
S	156	1.878	0.436	1.400	2.300
CAB	156	410.537	102.913	278.358	508.270
Fe	143	188.874	161.676	82.000	365.000
Mn	143	57.196	19.412	38.000	75.000
Zn	143	27.434	6.240	20.000	34.000
Cu	143	6.403	1.438	4.600	8.000
Se	28	0.032	0.020	0.009	0.055

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	121	412.273	118.788	280.000	585.000
Aska	119	85.403	12.030	69.000	100.000
OS smbh	121	73.662	3.373	69.500	77.900
Råprot	119	148.571	20.365	123.000	177.000
sRåprot	119	548.025	78.073	445.000	641.000
NH3-N	119	81.168	32.168	44.000	123.000
NDF	119	449.899	35.936	406.000	492.000
iNDF	121	183.325	46.597	131.000	244.519
nhNDF	121	4.224	0.798	3.090	4.996
TAF	121	66.371	26.888	30.700	101.000
Mjölksyra	119	48.731	22.211	19.000	81.000
Ättiksyra	119	14.101	7.216	6.000	23.000
Socker	119	53.042	30.810	16.000	97.000
PRF	26	3.231	2.046	1.000	5.000
BUF	119	1.839	3.096	0.000	4.000
AATp20	121	81.988	4.843	76.218	87.305
PBVp20	121	21.954	18.587	-0.584	45.035
NELp20	121	5.975	0.357	5.476	6.427
OE*	119	10.552	0.563	9.800	11.240
AAT*	93	70.108	1.671	68.000	72.000
PBV*	93	25.140	19.116	1.000	53.000
Ca	109	7.056	2.175	4.900	10.300
P	109	2.826	0.468	2.300	3.400
Mg	109	2.219	0.391	1.800	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	109	26.285	4.436	21.200	31.600
Na	109	0.648	0.623	0.100	1.300
Cl	117	6.463	4.817	2.300	11.200
S	109	2.321	0.467	1.800	3.000
CAB	109	367.213	137.859	198.546	509.606
Fe	101	184.614	165.587	81.000	303.000
Mn	101	67.356	23.476	39.000	95.000
Zn	101	28.505	9.732	22.000	34.000
Cu	101	7.923	1.528	6.100	10.000
Se	20	0.044	0.028	0.015	0.082

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	48	424.417	137.237	271.000	640.000
Aska	48	87.938	13.645	71.000	100.000
OS smbh	48	74.038	2.966	70.200	77.200
Råprot	48	158.188	22.589	120.000	187.000
sRåprot	48	513.292	81.600	398.000	593.000
NH3-N	48	70.313	26.723	37.000	106.000
NDF	48	438.229	38.325	380.000	488.000
iNDF	48	181.501	41.809	137.000	244.646
nhNDF	48	4.133	0.734	3.095	4.990
TAF	48	67.923	33.031	19.500	110.000
Mjölksyra	48	51.583	28.065	14.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	48	13.646	8.133	4.000	23.000
Socker	48	54.833	38.650	14.000	112.000
PRF	11	2.091	1.514	0.000	4.000
BUF	48	1.444	1.597	0.000	3.800
AATp20	48	83.156	4.996	77.515	89.921
PBVp20	48	29.042	23.245	-5.404	58.991
NELp20	48	6.021	0.348	5.520	6.415
OE*	48	10.590	0.513	10.200	11.100
AAT*	37	70.189	1.578	69.000	72.000
PBV*	37	36.054	22.760	0.000	64.000
Ca	39	7.559	2.761	4.800	12.200
P	39	2.987	0.468	2.400	3.600
Mg	39	2.449	0.406	2.000	2.800
K	39	25.603	5.470	18.200	32.200
Na	39	0.685	0.472	0.300	1.500
Cl	48	6.383	4.712	2.400	13.100
S	39	2.482	0.495	1.800	3.200
CAB	39	332.035	151.130	67.366	475.066
Fe	37	214.459	240.056	86.000	510.000
Mn	37	70.541	25.563	44.000	102.000
Zn	37	26.486	5.124	22.000	33.000
Cu	37	8.138	1.228	6.800	10.100
Se	5	0.024	0.015	0.015	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	389.333	118.327	302.000	524.000
Aska	3	98.333	4.509	94.000	103.000
OS smbh	3	75.233	1.050	74.200	76.300
Råprot	3	166.333	26.350	137.000	188.000
sRåprot	3	441.667	116.092	363.000	575.000
NH3-N	3	47.667	18.556	30.000	67.000
NDF	3	406.333	53.003	369.000	467.000
iNDF	3	192.114	58.831	148.390	259.000
nhNDF	3	4.367	0.453	3.847	4.679
TAF	3	75.233	51.268	18.400	118.000
Mjölksyra	3	59.000	42.000	11.000	89.000
Ättiksyra	3	13.333	11.150	5.000	26.000
Socker	3	46.667	45.347	19.000	99.000
PRF	1	3.000	.	3.000	3.000
BUF	3	1.233	1.159	0.000	2.300
AATp20	3	84.824	5.619	78.601	89.525
PBVp20	3	33.741	32.935	-1.220	64.183
NELp20	3	6.110	0.171	5.913	6.224
OE*	3	10.680	0.131	10.540	10.800
AAT*	2	71.000	0.000	71.000	71.000
PBV*	2	33.500	26.163	15.000	52.000
Ca	3	8.767	2.658	5.700	10.400
P	3	3.467	0.451	3.000	3.900
Mg	3	2.467	0.208	2.300	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	26.400	4.877	22.100	31.700
Na	3	1.367	0.839	0.400	1.900
Cl	3	6.433	2.499	3.700	8.600
S	3	2.533	0.462	2.000	2.800
CAB	3	395.058	23.059	368.601	410.879
Fe	2	242.000	226.274	82.000	402.000
Mn	2	80.500	6.364	76.000	85.000
Zn	2	23.000	5.657	19.000	27.000
Cu	2	7.250	1.909	5.900	8.600
Se	1	0.011	.	0.011	0.011

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	321.000	.	321.000	321.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	80.800	.	80.800	80.800
Råprot	1	122.000	.	122.000	122.000
sRåprot	1	568.000	.	568.000	568.000
NH3-N	1	40.000	.	40.000	40.000
NDF	1	361.000	.	361.000	361.000
iNDF	1	112.579	.	112.579	112.579
nhNDF	1	4.936	.	4.936	4.936
TAF	1	113.900	.	113.900	113.900
Mjölksyra	1	88.000	.	88.000	88.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	44.000	.	44.000	44.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	82.288	.	82.288	82.288
PBVp20	1	-4.336	.	-4.336	-4.336
NELp20	1	6.546	.	6.546	6.546
OE*	1	11.800	.	11.800	11.800
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-5.000	.	-5.000	-5.000
Ca	1	7.000	.	7.000	7.000
P	1	2.700	.	2.700	2.700
Mg	1	1.600	.	1.600	1.600
K	1	26.000	.	26.000	26.000
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	1.400	.	1.400	1.400
CAB	1	467.296	.	467.296	467.296
Fe	1	123.000	.	123.000	123.000
Mn	1	36.000	.	36.000	36.000
Zn	1	24.000	.	24.000	24.000
Cu	1	6.200	.	6.200	6.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	481.700	135.481	328.000	680.500
Aska	10	59.300	19.647	33.000	86.000
OS smbh	10	68.530	2.258	65.400	71.350
Råprot	10	97.400	19.968	76.000	127.000
sRåprot	10	631.800	93.320	478.500	733.000
NH3-N	10	80.500	17.627	55.500	103.000
NDF	10	420.900	21.445	393.500	447.500
iNDF	10	269.038	31.284	226.781	309.177
nhNDF	10	2.573	0.384	2.196	3.149
Stä	10	162.300	87.391	42.000	268.500
TAF	10	54.930	27.804	22.700	98.200
Mjölksyra	10	39.600	24.382	15.500	80.000
Ättiksyra	9	12.667	7.246	3.000	23.000
Socker	10	56.400	17.627	34.000	81.500
PRF	1	6.000	.	6.000	6.000
BUF	1	3.000	.	3.000	3.000
AATp20	10	70.864	3.898	66.323	76.548
PBVp20	10	-16.280	18.979	-36.051	12.335
NELp20	10	5.501	0.244	5.188	5.816
OE*	5	9.882	0.346	9.600	10.480
AAT*	3	61.667	3.215	58.000	64.000
PBV*	3	-20.333	30.238	-43.000	14.000
Ca	10	3.780	1.721	1.950	6.350
P	10	2.650	0.659	1.900	3.650

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	10	1.690	0.517	1.150	2.450
K	10	17.950	6.082	11.150	27.900
Na	10	0.790	0.502	0.250	1.500
Cl	10	3.900	2.033	1.400	6.550
S	10	1.690	0.433	1.200	2.300
CAB	10	277.943	151.181	94.555	509.670
Fe	10	119.500	41.653	65.500	179.500
Mn	10	56.900	36.807	19.000	107.500
Zn	10	27.900	7.062	18.500	37.500
Cu	10	5.270	0.792	4.500	6.600
Se	3	0.052	0.031	0.022	0.083

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	423.500	106.773	348.000	499.000
Aska	2	63.500	7.778	58.000	69.000
OS smbh	2	67.350	0.495	67.000	67.700
Råprot	2	95.000	0.000	95.000	95.000
sRåprot	2	688.000	39.598	660.000	716.000
NH3-N	2	75.000	4.243	72.000	78.000
NDF	2	479.500	17.678	467.000	492.000
iNDF	2	247.868	12.340	239.142	256.593
nhNDF	2	2.942	0.190	2.807	3.076
Stä	2	93.500	3.536	91.000	96.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	93.500	47.376	60.000	127.000
Mjölksyra	2	73.000	45.255	41.000	105.000
Ättiksyra	2	18.500	2.121	17.000	20.000
Socker	2	38.000	32.527	15.000	61.000
AATp20	2	66.641	6.072	62.347	70.934
PBVp20	2	-7.513	9.672	-14.352	-0.673
NELp20	2	5.594	0.052	5.557	5.631
OE*	1	9.100	.	9.100	9.100
AAT*	1	58.000	.	58.000	58.000
PBV*	1	-15.000	.	-15.000	-15.000
Ca	1	4.700	.	4.700	4.700
P	1	2.100	.	2.100	2.100
Mg	1	1.400	.	1.400	1.400
K	1	18.100	.	18.100	18.100
Na	1	1.600	.	1.600	1.600
Cl	2	3.350	0.495	3.000	3.700
S	1	1.900	.	1.900	1.900
CAB	1	309.505	.	309.505	309.505
Fe	1	161.000	.	161.000	161.000
Mn	1	46.000	.	46.000	46.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.500	.	6.500	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	670.000	.	670.000	670.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	65.700	.	65.700	65.700
Råprot	1	90.000	.	90.000	90.000
sRåprot	1	506.000	.	506.000	506.000
NH3-N	1	25.000	.	25.000	25.000
NDF	1	448.000	.	448.000	448.000
iNDF	1	284.080	.	284.080	284.080
nhNDF	1	2.420	.	2.420	2.420
Stä	1	246.000	.	246.000	246.000
TAF	1	32.900	.	32.900	32.900
Mjölksyra	1	21.000	.	21.000	21.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	72.953	.	72.953	72.953
PBVp20	1	-22.319	.	-22.319	-22.319
NELp20	1	5.298	.	5.298	5.298
Ca	1	2.400	.	2.400	2.400
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	12.200	.	12.200	12.200
Na	1	0.500	.	0.500	0.500
Cl	1	1.000	.	1.000	1.000
S	1	1.200	.	1.200	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	230.591	.	230.591	230.591
Fe	1	93.000	.	93.000	93.000
Mn	1	43.000	.	43.000	43.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	349.500	45.962	317.000	382.000
Aska	2	66.500	10.607	59.000	74.000
OS smbh	2	64.700	2.546	62.900	66.500
Råprot	2	122.500	10.607	115.000	130.000
sRåprot	2	626.500	99.702	556.000	697.000
NH3-N	2	110.000	9.899	103.000	117.000
NDF	2	493.500	13.435	484.000	503.000
iNDF	2	389.100	110.451	311.000	467.201
nhNDF	2	5.726	3.160	3.492	7.961
Stä	2	68.000	18.385	55.000	81.000
TAF	2	87.750	8.839	81.500	94.000
Mjölksyra	2	60.500	9.192	54.000	67.000
Ättiksyra	2	20.500	9.192	14.000	27.000
Socker	2	28.500	7.778	23.000	34.000
PRF	1	9.000	.	9.000	9.000
BUF	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	66.386	2.655	64.509	68.263
PBVp20	2	17.291	14.327	7.160	27.422
NELp20	2	5.404	0.312	5.183	5.625
OE*	2	9.680	0.028	9.660	9.700
AAT*	1	59.000	.	59.000	59.000
PBV*	1	10.000	.	10.000	10.000
Ca	2	4.850	0.919	4.200	5.500
P	2	3.450	0.778	2.900	4.000
Mg	2	2.250	0.071	2.200	2.300
K	2	17.850	0.495	17.500	18.200
Na	2	2.550	1.344	1.600	3.500
Cl	2	2.500	1.697	1.300	3.700
S	2	1.850	0.212	1.700	2.000
CAB	2	381.344	132.135	287.910	474.777
Fe	1	167.000	.	167.000	167.000
Mn	1	52.000	.	52.000	52.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	444.333	29.738	417.000	476.000
Aska	3	54.667	14.572	41.000	70.000
OS smbh	3	63.767	7.736	58.200	72.600
Råprot	3	97.000	28.583	64.000	114.000
sRåprot	3	558.000	154.502	424.000	727.000
NH3-N	3	76.333	7.234	68.000	81.000
NDF	3	506.000	13.528	493.000	520.000
iNDF	3	296.975	111.696	174.871	394.000
nhNDF	3	2.846	1.215	2.008	4.239
Stä	3	97.333	89.913	18.000	195.000
TAF	3	44.667	33.501	6.000	65.000
Mjölksyra	3	33.333	29.484	0.000	56.000
Ättiksyra	3	10.333	8.083	3.000	19.000
Socker	3	39.000	15.716	28.000	57.000
PRF	1	0.000	.	0.000	0.000
BUF	1	3.000	.	3.000	3.000
AATp20	3	73.356	2.430	70.675	75.414
PBVp20	3	-18.853	25.629	-48.181	-0.760
NELp20	3	5.208	0.628	4.707	5.912
OE*	2	9.165	1.039	8.430	9.900
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-8.000	.	-8.000	-8.000
Ca	3	2.900	1.442	1.300	4.100
P	3	2.533	0.115	2.400	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	3	1.367	0.569	0.900	2.000
K	3	18.133	8.307	10.700	27.100
Na	3	0.633	0.473	0.100	1.000
Cl	2	3.350	1.344	2.400	4.300
S	3	1.400	0.200	1.200	1.600
CAB	3	267.372	229.601	21.572	476.316
Fe	2	179.000	12.728	170.000	188.000
Mn	2	93.500	23.335	77.000	110.000
Zn	2	31.500	4.950	28.000	35.000
Cu	2	4.700	0.849	4.100	5.300

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	314.000	.	314.000	314.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	139.000	.	139.000	139.000
sRåprot	1	669.000	.	669.000	669.000
NH3-N	1	109.000	.	109.000	109.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	250.473	.	250.473	250.473
nhNDF	1	2.831	.	2.831	2.831
Stä	1	43.000	.	43.000	43.000
TAF	1	97.000	.	97.000	97.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	1	79.000	.	79.000	79.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	65.134	.	65.134	65.134
PBVp20	1	33.091	.	33.091	33.091
NELp20	1	5.554	.	5.554	5.554
Ca	1	6.300	.	6.300	6.300
P	1	2.500	.	2.500	2.500
Mg	1	1.800	.	1.800	1.800
K	1	22.300	.	22.300	22.300
Na	1	0.100	.	0.100	0.100
Cl	1	3.800	.	3.800	3.800
S	1	1.600	.	1.600	1.600
CAB	1	367.638	.	367.638	367.638
Fe	1	117.000	.	117.000	117.000
Mn	1	64.000	.	64.000	64.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	421.000	69.296	372.000	470.000
Aska	2	65.000	9.899	58.000	72.000
OS smbh	2	73.550	4.172	70.600	76.500
Råprot	2	126.000	33.941	102.000	150.000
sRåprot	2	712.500	139.300	614.000	811.000
NH3-N	2	65.000	45.255	33.000	97.000
NDF	2	452.000	14.142	442.000	462.000
iNDF	2	183.593	57.144	143.186	224.000
nhNDF	2	3.920	1.219	3.058	4.782
Stä	2	54.500	53.033	17.000	92.000
TAF	2	74.750	30.759	53.000	96.500
Mjölksyra	2	55.000	25.456	37.000	73.000
Ättiksyra	2	16.500	6.364	12.000	21.000
Socker	2	75.500	30.406	54.000	97.000
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000
AATp20	2	72.175	1.549	71.079	73.270
PBVp20	2	5.700	32.487	-17.272	28.671
NELp20	2	6.036	0.375	5.771	6.301
OE*	1	10.360	.	10.360	10.360
Ca	2	2.800	0.424	2.500	3.100
P	2	2.500	0.141	2.400	2.600
Mg	2	1.550	0.071	1.500	1.600
K	2	20.300	3.253	18.000	22.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.250	0.212	0.100	0.400
Cl	2	2.250	0.495	1.900	2.600
S	2	1.700	0.424	1.400	2.000
CAB	2	360.421	61.392	317.010	403.832
Fe	2	133.500	27.577	114.000	153.000
Mn	2	33.000	2.828	31.000	35.000
Zn	2	26.500	4.950	23.000	30.000
Cu	2	5.300	0.424	5.000	5.600
Se	2	0.048	0.045	0.016	0.080

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	355.250	69.916	277.000	421.000
Aska	4	68.250	6.131	62.000	74.000
OS smbh	4	68.475	2.114	66.100	71.100
Råprot	4	113.750	17.462	98.000	135.000
sRåprot	4	652.500	35.838	605.000	688.000
NH3-N	4	121.750	28.779	96.000	154.000
NDF	4	430.000	68.605	334.000	496.000
iNDF	4	262.170	39.810	208.000	303.000
nhNDF	4	2.698	0.978	1.590	3.971
Stä	4	143.000	99.234	42.000	277.000
TAF	4	75.250	17.134	53.000	93.000
Mjölksyra	4	59.000	17.758	36.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	14.000	5.228	9.000	19.000
Socker	4	39.000	28.694	16.000	80.000
PRF	2	2.000	1.414	1.000	3.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	4	70.362	2.086	68.194	72.774
PBVp20	4	2.456	16.756	-15.426	23.424
NELp20	4	5.603	0.268	5.353	5.970
OE*	2	10.215	0.233	10.050	10.380
Ca	4	5.525	2.351	3.200	8.800
P	4	2.925	0.299	2.600	3.300
Mg	4	1.550	0.332	1.200	2.000
K	4	18.600	3.127	15.300	22.800
Na	4	0.300	0.115	0.200	0.400
Cl	4	5.900	2.619	2.200	7.900
S	4	1.750	0.265	1.400	2.000
CAB	4	213.175	82.807	98.415	283.105
Fe	4	263.750	175.961	147.000	519.000
Mn	4	35.750	21.823	14.000	66.000
Zn	4	32.750	12.868	25.000	52.000
Cu	4	6.650	1.156	5.000	7.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	273.500	17.678	261.000	286.000
Aska	2	32.500	2.121	31.000	34.000
OS smbh	2	73.800	2.828	71.800	75.800
Råprot	2	81.500	6.364	77.000	86.000
sRåprot	2	517.000	103.238	444.000	590.000
NH3-N	2	13.500	6.364	9.000	18.000
NDF	2	447.000	74.953	394.000	500.000
iNDF	2	176.000	28.284	156.000	196.000
nhNDF	2	3.400	0.252	3.222	3.578
Stä	2	198.500	109.602	121.000	276.000
TAF	2	62.000	7.071	57.000	67.000
Mjölksyra	2	46.500	4.950	43.000	50.000
Ättiksyra	2	12.500	3.536	10.000	15.000
Socker	2	9.500	2.121	8.000	11.000
PRF	2	3.000	1.414	2.000	4.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	81.708	6.005	77.461	85.954
PBVp20	2	-47.642	4.528	-50.844	-44.441
NELp20	2	6.202	0.322	5.975	6.429
OE*	2	11.190	0.509	10.830	11.550
Ca	2	2.250	0.071	2.200	2.300
P	2	1.950	0.212	1.800	2.100
Mg	2	1.200	0.000	1.200	1.200
K	2	11.200	1.838	9.900	12.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.200	.	0.200	0.200
S	2	0.850	0.071	0.800	0.900
CAB	2	204.110	57.588	163.389	244.831

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	408.000	.	408.000	408.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	710.000	.	710.000	710.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	233.128	.	233.128	233.128
nhNDF	1	2.900	.	2.900	2.900
Stä	1	119.000	.	119.000	119.000
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	66.000	.	66.000	66.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	71.499	.	71.499	71.499
PBVp20	1	14.843	.	14.843	14.843
NELp20	1	5.879	.	5.879	5.879
OE*	1	9.300	.	9.300	9.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	59.000	.	59.000	59.000
PBV*	1	12.000	.	12.000	12.000
Ca	1	8.400	.	8.400	8.400
P	1	2.400	.	2.400	2.400
Mg	1	1.900	.	1.900	1.900
K	1	14.100	.	14.100	14.100
Na	1	0.100	.	0.100	0.100
Cl	1	2.500	.	2.500	2.500
S	1	1.300	.	1.300	1.300
CAB	1	213.289	.	213.289	213.289
Fe	1	855.000	.	855.000	855.000
Mn	1	26.000	.	26.000	26.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	798.800	159.200	547.000	956.000
Aska	5	54.000	9.110	45.000	66.000
OS smbh	5	67.160	6.380	56.300	72.800
Råprot	5	90.400	23.902	68.000	123.000
sRåprot	2	514.000	120.208	429.000	599.000
NDF	5	544.000	58.894	473.000	618.000
iNDF	5	217.170	45.034	187.000	296.516

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	5	3.450	0.606	2.414	3.895
TAF	5	0.000	0.000	0.000	0.000
Socker	5	130.800	24.077	94.000	154.000
AATp20	5	85.759	7.482	73.217	90.696
PBVp20	5	-38.343	16.217	-57.113	-14.618
NELp20	5	5.227	0.557	4.291	5.745
OE*	5	9.832	1.010	8.100	10.690
AAT*	3	67.000	6.928	59.000	71.000
PBV*	3	-27.667	26.764	-52.000	1.000
Ca	4	3.050	1.340	1.700	4.900
P	4	1.900	0.476	1.400	2.400
Mg	4	1.025	0.340	0.700	1.500
K	4	17.175	3.806	13.800	21.900
Na	4	0.325	0.386	0.100	0.900
Cl	1	1.700	.	1.700	1.700
S	4	1.400	0.432	1.000	2.000
CAB	4	248.283	109.895	153.944	379.446
Fe	2	68.000	24.042	51.000	85.000
Mn	2	53.500	37.477	27.000	80.000
Zn	2	18.500	2.121	17.000	20.000
Cu	2	4.950	1.485	3.900	6.000
Se	1	0.006	.	0.006	0.006

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Halm, sträsäd, ej behandlad (385) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	47.000	.	47.000	47.000
iNDF	1	310.570	.	310.570	310.570
NELp20	1	0.000	.	0.000	0.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	195.000	.	195.000	195.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	188.000	.	188.000	188.000
sRåprot	1	336.000	.	336.000	336.000
NDF	1	353.000	.	353.000	353.000
iNDF	1	236.000	.	236.000	236.000
nhNDF	1	4.215	.	4.215	4.215
TAF	1	72.000	.	72.000	72.000
Socker	1	47.000	.	47.000	47.000
AATp20	1	86.403	.	86.403	86.403
PBVp20	1	56.423	.	56.423	56.423
NELp20	1	6.240	.	6.240	6.240
OE*	1	10.880	.	10.880	10.880
Ca	1	11.700	.	11.700	11.700
P	1	3.200	.	3.200	3.200
Mg	1	2.800	.	2.800	2.800
K	1	24.100	.	24.100	24.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.500	.	1.500	1.500
Cl	1	0.200	.	0.200	0.200
S	1	2.600	.	2.600	2.600
CAB	1	513.452	.	513.452	513.452

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	275.000	.	275.000	275.000
Aska	1	115.000	.	115.000	115.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	157.000	.	157.000	157.000
NDF	1	532.000	.	532.000	532.000
iNDF	1	370.009	.	370.009	370.009
nhNDF	1	7.614	.	7.614	7.614
TAF	1	72.000	.	72.000	72.000
Socker	1	11.000	.	11.000	11.000
AATp20	1	73.239	.	73.239	73.239
PBVp20	1	48.101	.	48.101	48.101
NELp20	1	5.281	.	5.281	5.281
OE*	1	8.800	.	8.800	8.800
AAT*	1	64.000	.	64.000	64.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	9.900	.	9.900	9.900
P	1	3.800	.	3.800	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	2.900	.	2.900	2.900
K	1	28.100	.	28.100	28.100
Na	1	0.600	.	0.600	0.600
S	1	2.100	.	2.100	2.100
CAB	1	483.930	.	483.930	483.930
Fe	1	204.000	.	204.000	204.000
Mn	1	81.000	.	81.000	81.000
Zn	1	27.000	.	27.000	27.000
Cu	1	9.100	.	9.100	9.100
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.333	57.4485	334.000	434.000
Aska	3	76.667	7.5719	68.000	82.000
OS smbh	3	76.600	0.5000	76.100	77.100
Råprot	3	148.000	23.5160	124.000	171.000
sRåprot	3	633.667	37.9781	590.000	659.000
NH3-N	3	48.667	15.0444	39.000	66.000
NDF	3	391.333	29.6873	366.000	424.000
iNDF	3	178.333	44.0038	131.000	218.000
nhNDF	3	4.241	0.3429	3.913	4.597
TAF	3	55.667	36.6652	34.000	98.000
Mjölksyra	3	39.333	31.7700	20.000	76.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	13.333	5.5076	8.000	19.000
Socker	3	92.333	30.7463	57.000	113.000
PRF	3	2.667	1.5275	1.000	4.000
BUF	3	0.333	0.5774	0.000	1.000
AATp20	3	81.783	2.5921	78.794	83.407
PBVp20	3	25.503	26.0377	0.287	52.291
NELp20	3	6.254	0.0930	6.194	6.361
OE*	3	11.137	0.1305	10.990	11.240
Ca	3	6.600	1.9519	4.600	8.500
P	3	3.033	0.3512	2.700	3.400
Mg	3	2.467	0.3786	2.200	2.900
K	3	29.800	2.3000	27.500	32.100
Na	3	0.267	0.0577	0.200	0.300
Cl	3	3.067	1.5948	1.300	4.400
S	3	2.067	0.5132	1.500	2.500
CAB	3	558.191	80.1881	480.277	640.474
Fe	3	97.333	28.7460	71.000	128.000
Mn	3	57.000	11.5326	44.000	66.000
Zn	3	27.000	3.0000	24.000	30.000
Cu	3	5.667	1.1547	5.000	7.000
Se	3	0.060	0.0173	0.050	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	365.000	77.782	310.000	420.000
Aska	2	88.000	2.828	86.000	90.000
OS smbh	2	72.300	0.566	71.900	72.700
Råprot	2	179.000	15.556	168.000	190.000
sRåprot	2	454.000	134.350	359.000	549.000
NH3-N	2	47.000	19.799	33.000	61.000
NDF	2	371.500	13.435	362.000	381.000
iNDF	2	302.500	0.707	302.000	303.000
nhNDF	2	3.812	0.008	3.807	3.817
TAF	2	74.500	10.607	67.000	82.000
Mjölksyra	2	50.000	5.657	46.000	54.000
Ättiksyra	2	23.000	4.243	20.000	26.000
Socker	2	44.500	12.021	36.000	53.000
PRF	2	1.500	0.707	1.000	2.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	80.084	3.097	77.894	82.274
PBVp20	2	58.242	9.803	51.310	65.174
NELp20	2	5.964	0.124	5.876	6.051
OE*	2	10.305	0.064	10.260	10.350
Ca	2	11.750	1.061	11.000	12.500
P	2	3.200	0.141	3.100	3.300
Mg	2	2.850	0.354	2.600	3.100
K	2	26.050	0.636	25.600	26.500
Na	2	1.050	0.354	0.800	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	2	2.850	3.465	0.400	5.300
S	2	2.450	0.354	2.200	2.700
CAB	2	478.486	74.599	425.736	531.236

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	447.500	20.793	429.000	466.000
Aska	4	74.750	4.500	71.000	80.000
OS smbh	4	75.050	1.654	73.200	77.000
Råprot	4	171.750	3.775	167.000	176.000
sRåprot	4	439.750	30.412	421.000	485.000
NH3-N	4	88.500	7.550	80.000	98.000
NDF	4	354.000	44.736	307.000	407.000
iNDF	4	223.250	17.231	211.000	248.000
nhNDF	4	3.354	0.454	3.047	4.027
Stä	4	145.250	53.761	72.000	198.000
TAF	4	39.250	11.383	27.000	54.000
Mjölksyra	4	27.750	9.743	21.000	42.000
Ättiksyra	4	6.500	4.509	0.000	10.000
Socker	4	20.750	6.602	12.000	28.000
PRF	4	2.750	0.500	2.000	3.000
BUF	4	2.250	0.957	1.000	3.000
AATp20	4	91.179	2.679	87.511	93.909
PBVp20	4	33.900	2.732	30.700	37.068

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	6.353	0.155	6.183	6.542
OE*	4	10.908	0.283	10.650	11.270
Ca	4	5.925	0.310	5.500	6.200
P	4	4.450	0.129	4.300	4.600
Mg	4	3.125	0.655	2.700	4.100
K	4	14.900	0.753	14.000	15.800
Na	4	5.975	2.195	2.800	7.800
Cl	4	6.000	1.203	5.100	7.700
S	4	3.650	1.234	3.000	5.500
CAB	4	243.718	187.739	-34.820	359.775
Fe	4	296.000	56.059	241.000	371.000
Mn	4	106.750	59.791	69.000	196.000
Zn	4	69.000	20.736	48.000	97.000
Cu	4	9.750	2.754	7.000	13.000

*= Parametrar från det gamla svenska fodervärderingssystemet