

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	7	836	25	36.9	126	259		156	84	3.15	542	0.0000			5
Havre, kärna, hög NDF (002)	1	1	835	22	75.0	121			313	392	2.00	511	0.0000			
Majs hela plantan, grönmassa (030)	1	1	318	27	77.6	81	365		384	175	3.89	314	57.0000			18
Prognos, blandvall (1-50% baljv) (042)	1	1	201		73.2					170	4.32		0.0000			
Prognos, blandvall (1-50% baljv) (042)	2	1	202		73.2					170	4.32		0.0000			
Ensilage, gräs (0% klöver) (162)	0	1	416	77	77.0	178	536	79.0	410	153	4.36		67.1000	57.0	9.0	64
Ensilage, gräs (0% klöver) (162)	1	2	378	63	76.5	152	708	83.0	430	151	4.24		44.8500	33.0	9.5	104
Ensilage, gräs (0% klöver) (162)	2	1	509	73	73.5	151	548	70.0	444	186	3.84		41.5000	30.0	9.0	87
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	469	75	83.8	192			401	62	6.78		84.0000			155
Grönmassa blandvall (1-50 % baljväxter) (164)	1	17	369	63	76.8	139	400		485	130	5.26		84.0000			133
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	488	74	76.2	151			472	142	4.96		84.0000			104
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	365	91	73.7	158			425	189	3.81		84.0000			76
Ensilage, blandvall (1-50% klöver) (165)	0	6	447	72	73.4	144	535	59.6	464	178	4.12		48.9167	32.6	7.8	86
Ensilage, blandvall (1-50% klöver) (165)	1	124	368	61	75.1	137	615	77.8	463	159	4.40		74.3468	58.5	13.4	68
Ensilage, blandvall (1-50% klöver) (165)	2	62	385	74	72.9	142	541	73.1	461	185	3.93		60.9810	44.9	13.0	62
Ensilage, blandvall (1-50% klöver) (165)	3	32	352	79	74.9	152	543	73.5	426	175	4.08		75.2182	59.3	13.6	59
Korn, helsädesensilage (250)	1	8	345	63	69.5	124	635	115	447	240	3.03	116	68.1875	44.0	21.8	38
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10	396	86	67.0	126	598	94.6	474	248	3.00	58	61.5000	42.6	16.9	43
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	342	71	70.6	135	618	73.0	462	253	4.02	57	75.5000	49.5	21.0	51
Havre helsädesensilage degmognad (296)	1	5	354	87	76.0	155	690	86.4	394	180	4.34	47	82.0000	57.8	22.0	68
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	341	73	67.8	132	633	106	477	241	3.05	34	66.2000	48.8	17.4	35
Vete, helsäd ensilage (299)	1	5	390	61	67.7	114	646	95.2	450	262	2.73	122	63.1000	43.2	17.0	50
Hö, blandvall, 0-50% baljväxter (383)	0	2	698	65	68.3	75			555	205	3.74		0.0000			120
Hö, blandvall, 0-50% baljväxter (383)	1	3	865	69	71.8	103	424		476	214	4.27		0.0000			124

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Hö, blandvall, 0-50% baljväxter (383)	2	1	776	64	64.7	108			512	261	2.82		0.0000			111
Ensilage, blandvall (1-50% klöver) (326)	1	1	399	72	74.4	170	646	68.0	419	216	4.30	10	85.0000	62.0	20.0	59

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	7				97.4	-21	7.49	13.2	94.0	-4.0
Havre, kärna, hög NDF (002)	1	1				85.0	-0.5	6.62			
Majs hela plantan, grönmassa (030)	1	1				90.6	-63	6.59			
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	2	1				96.4	-4.4	5.94	11.1		
Ensilage, gräs (0% klöver) (162)	0	1		0.10000		86.5	39.1	6.29	11.2	72.0	54.0
Ensilage, gräs (0% klöver) (162)	1	2	2.00000	0.85000		83.4	20.0	6.19	11.3	73.0	24.0
Ensilage, gräs (0% klöver) (162)	2	1		1.50000		84.0	18.6	5.89	10.7	71.0	29.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				94.8	41.5	7.00	12.3	82.0	50.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	17				86.7	4.8	6.33	11.3	78.1	3.7
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11				85.4	18.8	6.28	11.1	76.6	19.2
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2				81.3	32.0	5.92	10.5	73.5	31.5
Ensilage, blandvall (1-50% klöver) (165)	0	6		1.50000		84.4	14.9	5.96	10.7	70.4	22.8
Ensilage, blandvall (1-50% klöver) (165)	1	124	2.89286	1.00806		82.5	10.7	6.19	11.1	71.9	11.0
Ensilage, blandvall (1-50% klöver) (165)	2	62	2.72727	1.44839		82.2	15.9	5.93	10.5	70.1	17.4
Ensilage, blandvall (1-50% klöver) (165)	3	32	1.25000	1.19375		82.8	23.9	6.11	10.8	70.9	29.5
Korn, helsädesensilage (250)	1	8	3.33333	0.33333		70.4	6.8	5.69	10.5		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10				70.0	14.1	5.39	8.8	55.0	16.5
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	4.00000	1.00000		72.3	18.0	5.93	10.2		
Havre helsädesensilage degmognad (296)	1	5	3.00000	0.66667		76.6	25.5	6.23	11.4		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5				68.6	21.2	5.50	9.3	56.7	26.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, helsäd ensilage (299)	1	5	3.00000	0.50000		69.7	-0.8	5.57	10.2		
Hö, blandvall, 0-50% baljväxter (383)	0	2				84.2	-51	5.21	9.9	70.5	-46
Hö, blandvall, 0-50% baljväxter (383)	1	3				93.3	-39	5.56	10.4		
Hö, blandvall, 0-50% baljväxter (383)	2	1				83.4	-18	4.97	9.3	67.0	-7.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	3.00000	0.00000		81.3	47.1	6.35	10.8		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.4	3.8	1.4	5.8	0.1	1.9	1.5	20	5	66.6	21.6	42.0	7.3	0.0
Havre, kärna, hög NDF (002)	1	1	0.6	4.0	1.5	5.5	0.1		1.6	25	1	88.0	32.0	33.0	6.1	
Majs hela plantan, grönmassa (030)	1	1	2.7	1.8	1.9	7.8	0.1	1.6	1.1	90	1	59.0	10.0	33.0	4.8	
Ensilage, gräs (0% klöver) (162)	0	1	8.3	3.0	2.5	20.7	0.5	4.6	2.3	278	1	172.0	72.0	36.0	9.7	0.0
Ensilage, gräs (0% klöver) (162)	1	2	5.2	2.7	2.0	19.4	0.4	1.8	2.1	335	1	96.0	51.0	29.0	6.7	
Ensilage, gräs (0% klöver) (162)	2	1	7.6	3.0	3.0	20.1	0.1	1.6	2.3	330	1	71.0	77.0	34.0	9.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	4.7	3.1	2.2	28.5	0.1		2.4	451	1	86.0	21.0	22.0	7.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	4.3	2.5	1.7	18.2	0.2	1.8	1.8	241	12	140.5	51.3	29.5	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	6.5	2.8	2.4	20.0	0.3		2.2	258	11	100.7	58.1	29.5	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	8.5	2.6	2.8	24.6	0.3		2.0	387	2	109.5	46.0	25.5	9.1	
Ensilage, blandvall (1-50% klöver) (165)	0	4	6.7	2.9	2.6	23.3	0.7	4.8	2.3	324	4	140.5	74.3	40.5	8.0	0.1
Ensilage, blandvall (1-50% klöver) (165)	1	121	4.7	2.3	1.7	18.5	0.5	2.7	1.9	295	112	206.0	60.5	35.1	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	59	6.2	2.7	2.3	21.0	0.5	4.7	2.1	296	55	181.7	82.2	32.9	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	30	6.9	3.0	2.4	22.7	0.6	6.0	2.3	295	24	181.5	78.1	43.0	8.3	0.0
Korn, helsädesensilage (250)	1	6	4.2	2.8	2.2	17.0	1.1	6.5	2.4	159	6	229.3	55.0	36.5	7.3	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10	5.3	2.9	2.2	23.1	0.8	4.2	2.2	373	10	405.5	90.6	119.4	6.5	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	5.7	3.0	2.3	21.6	1.6	4.8	2.5	331	1	145.0	82.0	42.0	8.0	0.1
Havre helsädesensilage degmognad (296)	1	4	5.7	3.8	2.3	31.8	1.5	6.7	2.6	506	2	203.0	53.0	31.5	5.7	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete-ärt, helsådesensilage, degmognad, 50% ärter (	1	5	5.7	2.6	2.4	19.4	0.5	4.0	1.8	293	5	328.2	68.4	37.0	8.9	
Vete, helsäd ensilage (299)	1	5	3.3	2.5	1.8	15.2	0.6	2.6	1.9	224	4	160.5	78.8	36.3	6.5	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.0	1.9	1.3	16.6	0.1		1.2	212	2	168.5	72.5	20.0	4.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	3	3.8	1.6	1.2	13.8	0.2	3.8	1.3	177	3	384.3	87.0	25.3	9.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	1	4.3	1.9	1.6	13.7	0.1		1.4	126	1	200.0	133.0	40.0	5.4	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	7.2	3.2	2.6	19.7	1.5	2.3	2.6	342	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	835.571	70.4813	729.000	954.000
Aska	7	24.657	2.0313	21.900	28.600
OS smbh	7	36.857	45.9689	0.000	86.000
Råprot	7	125.914	16.2553	108.000	148.000
sRåprot	4	258.500	25.5930	223.000	284.000
NDF	4	156.000	9.9331	144.000	166.000
iNDF	7	83.714	73.2296	25.000	162.000
nhNDF	7	3.150	0.0000	3.150	3.150
Stä	7	542.029	61.7998	479.000	626.400
TAF	7	0.000	0.0000	0.000	0.000
Socker	4	5.000	0.0000	5.000	5.000
AATp20	7	97.361	1.7096	95.231	99.290
PBVp20	7	-21.184	18.9204	-40.538	3.669
NELp20	7	7.487	0.0452	7.445	7.549
OE*	5	13.220	0.2950	12.700	13.400
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-4.000	.	-4.000	-4.000
Ca	5	0.420	0.0447	0.400	0.500
P	5	3.820	0.5263	2.900	4.200
Mg	5	1.440	0.1517	1.200	1.600
K	5	5.800	0.7314	4.800	6.700
Na	5	0.140	0.0548	0.100	0.200
Cl	2	1.900	0.5657	1.500	2.300
S	5	1.480	0.2387	1.300	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	20.234	21.1497	-7.835	45.961
Fe	5	66.600	12.0540	49.000	83.000
Mn	5	21.600	5.5498	14.000	27.000
Zn	5	42.000	6.7082	35.000	51.000
Cu	5	7.340	1.0383	6.000	8.700
Se	4	0.028	0.0260	0.005	0.050

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	835.000	.	835.000	835.000
Aska	1	21.600	.	21.600	21.600
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	121.000	.	121.000	121.000
NDF	1	313.000	.	313.000	313.000
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	511.400	.	511.400	511.400
TAF	1	0.000	.	0.000	0.000
AATp20	1	84.960	.	84.960	84.960
PBVp20	1	-0.490	.	-0.490	-0.490
NELp20	1	6.625	.	6.625	6.625
Ca	1	0.600	.	0.600	0.600
P	1	4.000	.	4.000	4.000
Mg	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	5.500	.	5.500	5.500
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
CAB	1	25.294	.	25.294	25.294
Fe	1	88.000	.	88.000	88.000
Mn	1	32.000	.	32.000	32.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	318.000	.	318.000	318.000
Aska	1	27.000	.	27.000	27.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	81.000	.	81.000	81.000
sRåprot	1	365.000	.	365.000	365.000
NDF	1	384.000	.	384.000	384.000
iNDF	1	174.862	.	174.862	174.862
nhNDF	1	3.893	.	3.893	3.893
Stä	1	314.000	.	314.000	314.000
TAF	1	57.000	.	57.000	57.000
Socker	1	18.000	.	18.000	18.000
AATp20	1	90.575	.	90.575	90.575
PBVp20	1	-62.642	.	-62.642	-62.642

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.587	.	6.587	6.587
Ca	1	2.700	.	2.700	2.700
P	1	1.800	.	1.800	1.800
Mg	1	1.900	.	1.900	1.900
K	1	7.800	.	7.800	7.800
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	1	1.100	.	1.100	1.100
CAB	1	90.016	.	90.016	90.016
Fe	1	59.000	.	59.000	59.000
Mn	1	10.000	.	10.000	10.000
Zn	1	33.000	.	33.000	33.000
Cu	1	4.800	.	4.800	4.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.900	.	11.900	11.900

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	202.000	.	202.000	202.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.100	.	11.100	11.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	416.000	.	416.000	416.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	77.000	.	77.000	77.000
Råprot	1	178.000	.	178.000	178.000
sRåprot	1	536.000	.	536.000	536.000
NH3-N	1	79.000	.	79.000	79.000
NDF	1	410.000	.	410.000	410.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	152.578	.	152.578	152.578
nhNDF	1	4.356	.	4.356	4.356
TAF	1	67.100	.	67.100	67.100
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	64.000	.	64.000	64.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	86.540	.	86.540	86.540
PBVp20	1	39.078	.	39.078	39.078
NELp20	1	6.293	.	6.293	6.293
OE*	1	11.200	.	11.200	11.200
AAT*	1	72.000	.	72.000	72.000
PBV*	1	54.000	.	54.000	54.000
Ca	1	8.300	.	8.300	8.300
P	1	3.000	.	3.000	3.000
Mg	1	2.500	.	2.500	2.500
K	1	20.700	.	20.700	20.700
Na	1	0.500	.	0.500	0.500
Cl	1	4.600	.	4.600	4.600
S	1	2.300	.	2.300	2.300
CAB	1	277.823	.	277.823	277.823
Fe	1	172.000	.	172.000	172.000
Mn	1	72.000	.	72.000	72.000
Zn	1	36.000	.	36.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	9.700	.	9.700	9.700
Se	1	0.007	.	0.007	0.007

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	378.000	38.184	351.000	405.000
Aska	2	63.000	14.142	53.000	73.000
OS smbh	2	76.500	0.990	75.800	77.200
Råprot	2	151.500	2.121	150.000	153.000
sRåprot	2	708.000	9.899	701.000	715.000
NH3-N	2	83.000	21.213	68.000	98.000
NDF	2	429.500	20.506	415.000	444.000
iNDF	2	151.118	8.652	145.000	157.236
nhNDF	2	4.239	0.105	4.164	4.313
TAF	2	44.850	23.829	28.000	61.700
Mjölksyra	2	33.000	22.627	17.000	49.000
Ättiksyra	2	9.500	0.707	9.000	10.000
Socker	2	104.000	22.627	88.000	120.000
PRF	1	2.000	.	2.000	2.000
BUF	2	0.850	1.202	0.000	1.700
AATp20	2	83.438	0.044	83.408	83.469
PBVp20	2	19.962	2.122	18.462	21.463
NELp20	2	6.186	0.107	6.111	6.261
OE*	2	11.275	0.318	11.050	11.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	73.000	.	73.000	73.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	5.200	0.566	4.800	5.600
P	2	2.700	0.283	2.500	2.900
Mg	2	1.950	0.212	1.800	2.100
K	2	19.350	4.031	16.500	22.200
Na	2	0.400	0.424	0.100	0.700
Cl	2	1.750	1.061	1.000	2.500
S	2	2.050	0.212	1.900	2.200
CAB	2	334.855	138.148	237.170	432.541
Fe	1	96.000	.	96.000	96.000
Mn	1	51.000	.	51.000	51.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.700	.	6.700	6.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	509.000	.	509.000	509.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	151.000	.	151.000	151.000
sRåprot	1	548.000	.	548.000	548.000
NH3-N	1	70.000	.	70.000	70.000
NDF	1	444.000	.	444.000	444.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	186.471	.	186.471	186.471
nhNDF	1	3.841	.	3.841	3.841
TAF	1	41.500	.	41.500	41.500
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	87.000	.	87.000	87.000
BUF	1	1.500	.	1.500	1.500
AATp20	1	84.013	.	84.013	84.013
PBVp20	1	18.646	.	18.646	18.646
NELp20	1	5.886	.	5.886	5.886
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	7.600	.	7.600	7.600
P	1	3.000	.	3.000	3.000
Mg	1	3.000	.	3.000	3.000
K	1	20.100	.	20.100	20.100
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	1	2.300	.	2.300	2.300
CAB	1	329.594	.	329.594	329.594
Fe	1	71.000	.	71.000	71.000
Mn	1	77.000	.	77.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	34.000	.	34.000	34.000
Cu	1	9.300	.	9.300	9.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	469.000	.	469.000	469.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	83.800	.	83.800	83.800
Råprot	1	192.000	.	192.000	192.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	61.833	.	61.833	61.833
nhNDF	1	6.779	.	6.779	6.779
TAF	1	84.000	.	84.000	84.000
Socker	1	155.000	.	155.000	155.000
AATp20	1	94.829	.	94.829	94.829
PBVp20	1	41.515	.	41.515	41.515
NELp20	1	6.999	.	6.999	6.999
OE*	1	12.300	.	12.300	12.300
AAT*	1	82.000	.	82.000	82.000
PBV*	1	50.000	.	50.000	50.000
Ca	1	4.700	.	4.700	4.700
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	28.500	.	28.500	28.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	2.400	.	2.400	2.400
CAB	1	450.854	.	450.854	450.854
Fe	1	86.000	.	86.000	86.000
Mn	1	21.000	.	21.000	21.000
Zn	1	22.000	.	22.000	22.000
Cu	1	7.300	.	7.300	7.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	369.176	132.175	230.000	537.000
Aska	17	63.471	10.835	51.000	84.000
OS smbh	17	76.841	5.349	67.800	83.000
Råprot	17	138.529	31.653	91.000	169.000
sRåprot	2	400.000	28.284	380.000	420.000
NDF	17	485.059	52.937	423.000	568.000
iNDF	17	129.977	44.920	80.907	203.692
nhNDF	17	5.256	0.991	3.810	6.454
TAF	17	84.000	0.000	84.000	84.000
Socker	17	133.059	47.519	53.000	167.000
AATp20	17	86.688	6.629	74.215	93.416
PBVp20	17	4.815	21.710	-34.573	25.747
NELp20	17	6.329	0.515	5.349	6.855
OE*	17	11.329	0.932	9.900	12.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	15	78.133	5.125	71.000	82.000
PBV*	15	3.667	28.447	-42.000	30.000
Ca	14	4.329	0.986	3.100	6.000
P	14	2.500	0.568	1.800	3.200
Mg	14	1.700	0.538	1.200	2.600
K	14	18.207	3.492	14.200	22.200
Na	14	0.243	0.145	0.100	0.400
Cl	2	1.750	1.202	0.900	2.600
S	14	1.843	0.427	1.200	2.300
CAB	14	240.513	116.704	159.006	386.160
Fe	12	140.500	113.947	71.000	227.000
Mn	12	51.333	16.577	37.000	73.000
Zn	12	29.500	8.744	22.000	40.000
Cu	12	6.600	2.372	4.900	10.200
Se	3	0.007	0.002	0.006	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	487.545	117.712	374.000	626.000
Aska	11	74.182	14.393	60.000	84.000
OS smbh	11	76.182	4.142	69.900	79.400
Råprot	11	151.182	22.811	124.000	176.000
NDF	11	472.000	20.712	456.000	500.000
iNDF	11	142.373	43.532	109.541	195.312

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	11	4.958	0.911	3.912	5.653
TAF	11	84.000	0.000	84.000	84.000
Socker	11	104.273	40.964	68.000	154.000
AATp20	11	85.400	5.117	78.544	89.567
PBVp20	11	18.820	20.234	-3.125	41.338
NELp20	11	6.275	0.413	5.706	6.647
OE*	11	11.100	0.778	9.900	11.800
AAT*	11	76.636	4.154	70.000	80.000
PBV*	11	19.182	23.511	-7.000	49.000
Ca	11	6.491	1.678	5.000	8.600
P	11	2.800	0.454	2.500	3.200
Mg	11	2.400	0.523	1.900	3.100
K	11	20.036	4.827	15.100	23.900
Na	11	0.336	0.622	0.100	0.300
S	11	2.182	0.328	1.800	2.600
CAB	11	258.305	139.652	119.300	341.902
Fe	11	100.727	39.621	66.000	156.000
Mn	11	58.091	19.952	40.000	64.000
Zn	11	29.455	5.355	23.000	35.000
Cu	11	7.673	1.299	5.700	8.700
Se	3	0.010	0.006	0.006	0.017

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	365.000	93.338	299.000	431.000
Aska	2	90.500	3.536	88.000	93.000
OS smbh	2	73.700	1.556	72.600	74.800
Råprot	2	158.000	1.414	157.000	159.000
NDF	2	424.500	61.518	381.000	468.000
iNDF	2	189.415	49.296	154.558	224.273
nhNDF	2	3.806	1.054	3.060	4.551
TAF	2	84.000	0.000	84.000	84.000
Socker	2	75.500	24.749	58.000	93.000
AATp20	2	81.291	2.143	79.776	82.806
PBVp20	2	32.008	5.031	28.451	35.566
NELp20	2	5.925	0.262	5.740	6.110
OE*	2	10.450	0.212	10.300	10.600
AAT*	2	73.500	0.707	73.000	74.000
PBV*	2	31.500	3.536	29.000	34.000
Ca	2	8.500	4.101	5.600	11.400
P	2	2.600	0.849	2.000	3.200
Mg	2	2.800	0.000	2.800	2.800
K	2	24.550	4.455	21.400	27.700
Na	2	0.300	0.000	0.300	0.300
S	2	1.950	0.778	1.400	2.500
CAB	2	386.651	162.546	271.714	501.589
Fe	2	109.500	43.134	79.000	140.000
Mn	2	46.000	33.941	22.000	70.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	25.500	4.950	22.000	29.000
Cu	2	9.050	2.616	7.200	10.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	447.000	104.219	260.000	560.000
Aska	5	72.200	15.802	55.000	95.000
OS smbh	6	73.350	3.760	67.100	77.400
Råprot	5	144.200	16.664	133.000	173.000
sRåprot	5	534.800	105.694	425.000	688.000
NH3-N	5	59.600	15.868	41.000	81.000
NDF	5	463.800	28.075	427.000	500.000
iNDF	6	177.649	38.066	134.258	241.400
nhNDF	6	4.116	0.657	3.062	4.959
TAF	6	48.917	29.225	25.400	93.100
Mjölksyra	5	32.600	25.452	19.000	78.000
Ättiksyra	5	7.800	3.768	4.000	14.000
Socker	5	86.200	44.544	14.000	124.000
BUF	5	1.500	0.997	0.100	2.900
AATp20	6	84.387	5.691	76.900	94.025
PBVp20	6	14.919	9.888	-0.294	25.485
NELp20	6	5.958	0.284	5.634	6.389
OE*	5	10.660	0.647	9.800	11.300
AAT*	5	70.400	1.817	68.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	5	22.800	15.450	9.000	48.000
Ca	4	6.675	0.737	5.800	7.500
P	4	2.875	0.403	2.400	3.300
Mg	4	2.550	0.265	2.300	2.900
K	4	23.325	6.948	14.200	31.100
Na	4	0.675	1.021	0.100	2.200
Cl	5	4.800	1.864	1.600	6.300
S	4	2.300	0.216	2.000	2.500
CAB	4	324.399	177.184	73.486	483.547
Fe	4	140.500	40.146	94.000	192.000
Mn	4	74.250	27.729	39.000	101.000
Zn	4	40.500	14.572	25.000	59.000
Cu	4	8.000	1.402	6.800	9.900
Se	2	0.100	0.133	0.006	0.194

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	124	367.726	126.684	255.000	539.000
Aska	124	60.984	10.003	48.000	72.000
OS smbh	124	75.073	4.181	69.200	80.200
Råprot	124	137.395	28.058	103.000	172.000
sRåprot	124	614.742	86.273	495.000	704.000
NH3-N	123	77.846	28.858	45.000	116.000
NDF	124	463.468	53.348	399.000	539.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	124	159.062	36.797	116.318	214.565
nhNDF	124	4.402	0.659	3.560	5.266
TAF	124	74.347	32.585	29.600	114.100
Mjölksyra	124	58.468	28.600	18.000	95.000
Ättiksyra	124	13.444	5.263	7.000	20.000
Socker	124	68.073	44.926	20.000	127.000
PRF	28	2.893	1.548	0.000	5.000
BUF	124	1.008	1.475	0.000	3.400
AATp20	124	82.474	3.967	77.300	88.005
PBVp20	124	10.727	23.840	-22.765	39.040
NELp20	124	6.193	0.430	5.560	6.672
OE*	124	11.073	0.676	10.100	12.000
AAT*	96	71.917	2.106	69.000	74.000
PBV*	96	11.010	25.660	-20.000	42.000
Ca	121	4.741	1.048	3.500	6.000
P	121	2.271	0.403	1.800	2.800
Mg	121	1.683	0.395	1.200	2.200
K	121	18.467	3.910	13.700	23.100
Na	118	0.459	0.580	0.100	1.000
Cl	121	2.730	3.551	0.600	5.300
S	121	1.899	0.450	1.300	2.400
CAB	121	294.563	123.567	154.360	429.152
Fe	112	205.955	141.745	72.000	369.000
Mn	112	60.527	27.866	37.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	112	35.116	54.025	21.000	36.000
Cu	112	6.201	1.292	4.600	7.900
Se	36	0.025	0.019	0.005	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	62	385.226	105.188	288.000	514.000
Aska	62	74.387	10.361	64.000	85.000
OS smbh	63	72.886	3.090	68.500	76.200
Råprot	62	142.161	19.371	114.000	167.000
sRåprot	62	541.355	76.805	468.000	619.000
NH3-N	62	73.145	26.904	43.000	93.000
NDF	62	460.694	32.570	424.000	492.000
iNDF	63	185.294	32.540	149.000	225.037
nhNDF	63	3.926	0.532	3.215	4.507
TAF	63	60.981	22.749	27.900	84.100
Mjölksyra	62	44.887	18.918	18.000	66.000
Ättiksyra	62	13.048	5.280	6.000	21.000
Socker	62	61.984	33.286	24.000	111.000
PRF	11	2.727	0.905	2.000	4.000
BUF	62	1.448	3.946	0.000	2.500
AATp20	63	82.154	3.343	78.316	85.541
PBVp20	63	15.933	16.999	-3.608	37.063
NELp20	63	5.928	0.325	5.423	6.335

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	62	10.548	0.520	9.800	11.100
AAT*	51	70.098	1.688	68.000	72.000
PBV*	51	17.431	17.092	-7.000	41.000
Ca	59	6.192	1.558	4.500	8.000
P	59	2.668	0.341	2.300	3.200
Mg	59	2.281	0.563	1.700	3.000
K	59	21.046	4.835	15.100	28.100
Na	59	0.542	0.492	0.100	1.400
Cl	62	4.698	3.415	1.200	9.200
S	59	2.095	0.361	1.700	2.600
CAB	59	295.884	135.414	102.362	456.039
Fe	55	181.691	133.114	79.000	333.000
Mn	55	82.200	44.222	46.000	132.000
Zn	55	32.945	17.691	23.000	40.000
Cu	55	7.676	1.317	6.000	9.300
Se	16	0.028	0.020	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	352.313	93.765	250.000	505.000
Aska	32	79.281	10.132	69.000	91.000
OS smbh	33	74.864	2.062	72.900	77.200
Råprot	32	152.281	16.454	129.000	173.000
sRåprot	32	543.188	67.201	451.000	599.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	32	73.531	30.654	43.000	114.000
NDF	32	425.719	26.460	387.000	456.000
iNDF	33	174.911	24.117	148.421	203.329
nhNDF	33	4.076	0.427	3.507	4.558
TAF	33	75.218	26.101	32.900	99.100
Mjölksyra	32	59.250	22.086	23.000	84.000
Ättiksyra	32	13.594	5.015	6.000	20.000
Socker	32	59.188	31.049	22.000	103.000
PRF	8	1.250	1.389	0.000	3.000
BUF	32	1.194	2.924	0.000	2.500
AATp20	33	82.818	3.546	79.539	87.102
PBVp20	33	23.935	15.848	7.365	43.225
NELp20	33	6.109	0.212	5.899	6.390
OE*	32	10.835	0.389	10.300	11.200
AAT*	24	70.875	1.227	69.000	72.000
PBV*	24	29.500	17.789	8.000	53.000
Ca	30	6.900	1.811	4.800	9.250
P	30	2.970	0.383	2.550	3.350
Mg	30	2.407	0.348	1.900	2.950
K	30	22.740	4.499	18.050	28.900
Na	30	0.637	0.571	0.100	1.550
Cl	32	6.013	3.367	2.900	9.800
S	30	2.307	0.336	1.900	2.600
CAB	30	294.772	129.077	110.022	453.611

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	24	181.542	127.574	76.000	354.000
Mn	24	78.125	32.325	47.000	122.000
Zn	24	42.958	43.316	24.000	40.000
Cu	24	8.283	1.268	6.600	10.700
Se	8	0.014	0.015	0.006	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	345.125	75.334	196.000	422.000
Aska	8	62.875	12.822	42.000	82.000
OS smbh	8	69.475	3.287	65.600	73.400
Råprot	8	123.750	22.237	72.000	140.000
sRåprot	8	635.250	79.566	507.000	776.000
NH3-N	8	114.875	46.400	59.000	173.000
NDF	8	447.125	66.124	343.000	551.000
iNDF	8	239.721	42.911	194.335	296.000
nhNDF	8	3.026	0.923	1.405	3.936
Stä	8	116.000	97.444	17.000	270.000
TAF	8	68.188	16.673	51.700	104.700
Mjölksyra	8	44.000	10.212	32.000	63.000
Ättiksyra	8	21.750	8.924	10.000	40.000
Socker	8	37.500	31.736	10.000	90.000
PRF	3	3.333	1.155	2.000	4.000
BUF	3	0.333	0.577	0.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	8	70.389	3.713	64.928	75.122
PBVp20	8	6.839	19.938	-38.837	24.786
NELp20	8	5.690	0.276	5.362	6.047
OE*	3	10.510	0.334	10.140	10.790
Ca	6	4.200	1.876	1.600	6.700
P	6	2.750	0.243	2.500	3.200
Mg	6	2.200	0.533	1.400	2.800
K	6	17.000	5.996	9.900	22.500
Na	6	1.050	0.834	0.300	2.300
Cl	8	6.475	3.458	1.700	13.100
S	6	2.367	0.794	1.500	3.400
CAB	6	159.279	103.608	16.696	336.922
Fe	6	229.333	257.285	93.000	749.000
Mn	6	55.000	29.264	24.000	93.000
Zn	6	36.500	13.664	27.000	63.000
Cu	6	7.317	1.330	5.600	8.800
Se	3	0.024	0.031	0.006	0.060

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	395.800	70.079	315.500	488.500
Aska	10	85.800	20.428	59.500	112.500
OS smbh	10	67.030	1.325	65.600	69.100
Råprot	10	125.600	29.785	82.500	156.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	10	597.900	107.226	441.500	679.500
NH3-N	10	94.600	26.576	53.000	127.500
NDF	10	474.000	38.096	421.000	523.500
iNDF	10	248.027	23.246	215.714	276.900
nhNDF	10	2.998	0.388	2.511	3.565
Stä	10	57.700	43.510	17.000	128.000
TAF	10	61.500	22.107	30.500	88.000
Mjölksyra	10	42.600	18.325	16.000	64.000
Ättiksyra	10	16.900	6.488	7.000	24.500
Socker	10	43.000	40.909	13.500	103.500
AATp20	10	69.998	3.673	64.660	74.575
PBVp20	10	14.109	29.019	-31.944	39.911
NELp20	10	5.392	0.219	5.085	5.659
OE*	2	8.800	0.141	8.700	8.900
AAT*	2	55.000	0.000	55.000	55.000
PBV*	2	16.500	23.335	0.000	33.000
Ca	10	5.260	1.409	3.750	7.450
P	10	2.930	0.330	2.500	3.400
Mg	10	2.160	0.250	1.900	2.550
K	10	23.080	6.131	12.600	29.500
Na	10	0.840	0.669	0.150	1.950
Cl	10	4.210	2.522	1.250	7.950
S	10	2.170	0.231	1.900	2.550
CAB	10	372.587	141.891	137.573	528.915

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	10	405.500	318.409	96.500	922.000
Mn	10	90.600	45.727	43.500	153.000
Zn	10	119.400	247.386	33.000	443.000
Cu	10	6.470	0.606	5.550	7.250
Se	3	0.012	0.010	0.006	0.024

Fodermedel=Ärtar/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	342.000	29.6985	321.000	363.000
Aska	2	71.000	1.4142	70.000	72.000
OS smbh	2	70.600	2.5456	68.800	72.400
Råprot	2	134.500	10.6066	127.000	142.000
sRåprot	2	617.500	27.5772	598.000	637.000
NH3-N	2	73.000	5.6569	69.000	77.000
NDF	2	462.000	25.4558	444.000	480.000
iNDF	2	253.000	29.6985	232.000	274.000
nhNDF	2	4.023	0.1290	3.932	4.114
Stä	2	57.000	5.6569	53.000	61.000
TAF	2	75.500	23.3345	59.000	92.000
Mjölksyra	2	49.500	16.2635	38.000	61.000
Ättiksyra	2	21.000	5.6569	17.000	25.000
Socker	2	51.000	2.8284	49.000	53.000
PRF	2	4.000	1.4142	3.000	5.000
BUF	2	1.000	0.0000	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	72.269	0.2362	72.102	72.436
PBVp20	2	18.049	9.6862	11.200	24.898
NELp20	2	5.927	0.2782	5.731	6.124
OE*	2	10.215	0.4031	9.930	10.500
Ca	2	5.700	0.2828	5.500	5.900
P	2	3.000	0.2828	2.800	3.200
Mg	2	2.250	0.0707	2.200	2.300
K	2	21.600	2.5456	19.800	23.400
Na	2	1.550	0.3536	1.300	1.800
Cl	2	4.800	2.1213	3.300	6.300
S	2	2.450	0.4950	2.100	2.800
CAB	2	331.485	51.6568	294.958	368.012
Fe	1	145.000	.	145.000	145.000
Mn	1	82.000	.	82.000	82.000
Zn	1	42.000	.	42.000	42.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	354.400	46.226	277.000	397.000
Aska	5	86.800	16.208	74.000	115.000
OS smbh	5	76.020	4.259	69.000	79.600
Råprot	5	154.800	32.683	113.000	198.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	689.800	59.638	601.000	766.000
NH3-N	5	86.400	55.270	49.000	183.000
NDF	5	394.200	35.898	343.000	434.000
iNDF	5	179.587	43.897	145.000	254.782
nhNDF	5	4.343	0.928	2.754	5.165
Stä	5	47.200	31.204	16.000	97.000
TAF	5	82.000	14.300	61.000	100.000
Mjölksyra	5	57.800	17.341	39.000	86.000
Ättiksyra	5	22.000	8.916	14.000	37.000
Socker	5	68.000	48.146	14.000	128.000
PRF	3	3.000	0.000	3.000	3.000
BUF	3	0.667	1.155	0.000	2.000
AATp20	5	76.571	5.229	70.846	80.816
PBVp20	5	25.523	30.207	-1.791	72.969
NELp20	5	6.232	0.357	5.654	6.494
OE*	3	11.443	0.193	11.220	11.560
Ca	4	5.700	1.711	4.000	7.500
P	4	3.825	0.562	3.100	4.400
Mg	4	2.275	0.299	1.900	2.600
K	4	31.825	8.962	24.500	44.700
Na	4	1.450	0.874	0.600	2.300
Cl	5	6.660	3.024	3.700	11.500
S	4	2.600	0.476	2.300	3.300
CAB	4	506.031	206.016	346.117	808.375

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	203.000	145.664	100.000	306.000
Mn	2	53.000	49.497	18.000	88.000
Zn	2	31.500	6.364	27.000	36.000
Cu	2	5.700	0.990	5.000	6.400

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	340.800	83.676	272.000	479.000
Aska	5	73.400	14.843	53.000	88.000
OS smbh	5	67.760	1.653	65.300	69.000
Råprot	5	131.800	25.273	89.000	152.000
sRåprot	5	632.800	48.360	572.000	681.000
NH3-N	5	106.000	26.363	73.000	129.000
NDF	5	477.200	45.735	430.000	546.000
iNDF	5	241.171	15.436	216.743	254.844
nhNDF	5	3.054	0.287	2.743	3.497
Stä	5	34.200	17.796	18.000	63.000
TAF	5	66.200	8.468	55.000	76.000
Mjölksyra	5	48.800	9.834	34.000	58.000
Ättiksyra	5	17.400	2.302	15.000	21.000
Socker	5	35.000	23.948	14.000	75.000
AATp20	5	68.612	1.001	67.659	70.161
PBVp20	5	21.222	22.529	-15.974	41.208
NELp20	5	5.504	0.161	5.310	5.682

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	9.267	0.115	9.200	9.400
AAT*	3	56.667	1.155	56.000	58.000
PBV*	3	26.333	9.018	17.000	35.000
Ca	5	5.660	1.270	3.500	6.700
P	5	2.560	0.219	2.300	2.900
Mg	5	2.440	0.555	1.600	3.100
K	5	19.420	2.775	15.500	22.800
Na	5	0.480	0.303	0.200	1.000
Cl	5	3.980	1.990	1.800	6.000
S	5	1.800	0.406	1.300	2.400
CAB	5	292.932	86.787	221.187	437.307
Fe	5	328.200	311.802	104.000	864.000
Mn	5	68.400	28.483	38.000	113.000
Zn	5	37.000	7.681	25.000	46.000
Cu	5	8.920	4.991	4.600	17.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	390.400	73.9919	306.000	476.000
Aska	5	61.000	8.5440	50.000	72.000
OS smbh	5	67.740	2.9492	63.100	71.000
Råprot	5	114.000	15.7639	101.000	140.000
sRåprot	5	645.600	85.8825	568.000	775.000
NH3-N	5	95.200	23.3174	77.000	136.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	450.000	37.4366	401.000	496.000
iNDF	5	261.921	40.4142	226.000	320.000
nhNDF	5	2.733	0.4036	2.184	3.074
Stä	5	122.400	71.8178	51.000	223.000
TAF	5	63.100	16.8352	41.000	81.500
Mjölksyra	5	43.200	13.6455	31.000	64.000
Ättiksyra	5	17.000	6.5192	8.000	26.000
Socker	5	50.000	10.9545	41.000	69.000
PRF	2	3.000	2.8284	1.000	5.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	5	69.666	4.4926	62.340	73.441
PBVp20	5	-0.772	15.1293	-17.478	16.381
NELp20	5	5.573	0.3516	5.079	6.072
OE*	2	10.160	0.4101	9.870	10.450
Ca	5	3.340	0.6542	2.500	4.300
P	5	2.480	0.3114	2.000	2.800
Mg	5	1.760	0.3130	1.300	2.100
K	5	15.160	2.0157	11.800	16.700
Na	5	0.620	0.3271	0.200	1.100
Cl	5	2.640	1.4346	0.500	4.500
S	5	1.860	0.1517	1.700	2.100
CAB	5	224.064	81.3074	94.867	301.469
Fe	4	160.500	98.0119	65.000	293.000
Mn	4	78.750	14.2449	67.000	98.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	36.250	6.6521	32.000	46.000
Cu	4	6.500	1.6371	4.200	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	698.000	56.569	658.000	738.000
Aska	2	64.500	13.435	55.000	74.000
OS smbh	2	68.250	3.041	66.100	70.400
Råprot	2	74.500	31.820	52.000	97.000
NDF	2	554.500	111.016	476.000	633.000
iNDF	2	205.427	6.569	200.782	210.071
nhNDF	2	3.743	0.303	3.528	3.957
TAF	2	0.000	0.000	0.000	0.000
Socker	2	119.500	14.849	109.000	130.000
AATp20	2	84.199	3.726	81.564	86.834
PBVp20	2	-50.911	23.511	-67.535	-34.286
NELp20	2	5.212	0.198	5.072	5.352
OE*	2	9.850	0.354	9.600	10.100
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	-45.500	27.577	-65.000	-26.000
Ca	2	4.000	3.253	1.700	6.300
P	2	1.900	0.566	1.500	2.300
Mg	2	1.250	0.636	0.800	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	16.550	4.455	13.400	19.700
Na	2	0.100	0.000	0.100	0.100
S	2	1.200	0.424	0.900	1.500
CAB	2	211.776	87.416	149.964	273.589
Fe	2	168.500	92.631	103.000	234.000
Mn	2	72.500	16.263	61.000	84.000
Zn	2	20.000	2.828	18.000	22.000
Cu	2	4.650	1.768	3.400	5.900
Se	1	0.010	.	0.010	0.010

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	864.667	78.526	774.000	911.000
Aska	3	69.000	21.656	56.000	94.000
OS smbh	3	71.767	5.572	66.500	77.600
Råprot	3	103.000	31.796	69.000	132.000
sRåprot	3	423.667	46.801	370.000	456.000
NDF	3	476.000	85.159	382.000	548.000
iNDF	3	214.000	34.073	190.000	253.000
nhNDF	3	4.272	0.883	3.733	5.291
TAF	3	0.000	0.000	0.000	0.000
Socker	3	124.333	13.317	113.000	139.000
AATp20	3	93.334	8.528	84.730	101.785
PBVp20	3	-39.315	15.637	-56.741	-26.507

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.559	0.466	5.055	5.974
OE*	3	10.417	0.707	9.680	11.090
Ca	3	3.800	0.854	2.900	4.600
P	3	1.600	0.346	1.200	1.800
Mg	3	1.200	0.300	0.900	1.500
K	3	13.800	2.343	12.300	16.500
Na	2	0.200	0.000	0.200	0.200
Cl	3	3.800	1.732	1.800	4.800
S	3	1.333	0.252	1.100	1.600
CAB	3	177.058	71.787	95.735	231.621
Fe	3	384.333	456.334	49.000	904.000
Mn	3	87.000	53.019	26.000	122.000
Zn	3	25.333	16.289	14.000	44.000
Cu	3	9.000	7.810	4.000	18.000
Se	2	0.065	0.021	0.050	0.080

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	776.000	.	776.000	776.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	64.700	.	64.700	64.700
Råprot	1	108.000	.	108.000	108.000
NDF	1	512.000	.	512.000	512.000
iNDF	1	260.750	.	260.750	260.750

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	2.817	.	2.817	2.817
TAF	1	0.000	.	0.000	0.000
Socket	1	111.000	.	111.000	111.000
AATp20	1	83.413	.	83.413	83.413
PBVp20	1	-17.943	.	-17.943	-17.943
NELp20	1	4.972	.	4.972	4.972
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	1	4.300	.	4.300	4.300
P	1	1.900	.	1.900	1.900
Mg	1	1.600	.	1.600	1.600
K	1	13.700	.	13.700	13.700
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	126.386	.	126.386	126.386
Fe	1	200.000	.	200.000	200.000
Mn	1	133.000	.	133.000	133.000
Zn	1	40.000	.	40.000	40.000
Cu	1	5.400	.	5.400	5.400
Se	1	0.012	.	0.012	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	399.000	.	399.000	399.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.400	.	74.400	74.400
Råprot	1	170.000	.	170.000	170.000
sRåprot	1	646.000	.	646.000	646.000
NH3-N	1	68.000	.	68.000	68.000
NDF	1	419.000	.	419.000	419.000
iNDF	1	216.000	.	216.000	216.000
nhNDF	1	4.301	.	4.301	4.301
Stä	1	10.000	.	10.000	10.000
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	62.000	.	62.000	62.000
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	59.000	.	59.000	59.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	81.345	.	81.345	81.345
PBVp20	1	47.094	.	47.094	47.094
NELp20	1	6.347	.	6.347	6.347
OE*	1	10.830	.	10.830	10.830
Ca	1	7.200	.	7.200	7.200
P	1	3.200	.	3.200	3.200
Mg	1	2.600	.	2.600	2.600
K	1	19.700	.	19.700	19.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.500	.	1.500	1.500
Cl	1	2.300	.	2.300	2.300
S	1	2.600	.	2.600	2.600
CAB	1	341.765	.	341.765	341.765

*= Parametrar från det gamla svenska fodervärderingssystemet