

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	2	847	21	43.0	107	317	7.0	153	94	3.15	553	0.000			5
Vete, kärna (005)	1	4	892	17	22.0	102	334	8.0	102	66	3.50	606	0.000			5
Majs hela plantan, grönmassa (030)	1	12	350	27	75.2	71	374		381	194	3.12	328	57.000			29
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	4	472	63	73.7	141	622	74.8	476	170	4.18		43.050	30.5	10.3	93
Ensilage, gräs (0% klöver) (162)	2	4	678	73	73.2	135	505	41.5	485	172	4.15		28.450	18.8	8.3	99
Ensilage, gräs (0% klöver) (162)	3	1	853	63	75.8	176	321	28.0	479	146	4.64		31.000	12.0		118
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	396	71	78.5	147	442		430	127	5.25	18	45.750	0.0	1.5	135
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	581	79	75.6	153	381		463	161	4.98		71.067	0.0	2.0	112
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9	453	86	76.4	156	395		457	142	4.90		84.000			107
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	256	86	73.6	160	309		449	177	4.16		84.000			89
Ensilage, blandvall (1-50% klöver) (165)	0	3	421	81	77.3	167	568	94.3	445	135	4.96		59.600	44.0	12.3	67
Ensilage, blandvall (1-50% klöver) (165)	1	149	426	71	76.9	153	636	61.7	434	141	4.52	114	71.948	53.3	15.7	82
Ensilage, blandvall (1-50% klöver) (165)	2	97	457	77	75.5	161	576	65.5	455	156	4.54		66.628	48.2	14.9	67
Ensilage, blandvall (1-50% klöver) (165)	3	70	414	83	73.9	167	558	74.9	456	186	4.45		70.771	49.1	18.0	49
Ensilage, blandvall (1-50% klöver) (165)	4	15	481	83	73.6	174	496	57.0	439	191	4.10		58.307	42.4	13.6	62
Korn, helsädesensilage (250)	1	9	383	52	69.7	107	618	85.6	448	252	3.11	121	64.156	43.4	16.9	66
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	353	60	66.7	108	553	72.8	439	383	4.89	139	63.667	46.8	13.3	42
Majskolv, ensilerad (257)	1	1	514	15	75.5	96	239		305	187	1.86	479	33.200	21.0		5

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76
Vete, helsäd ensilage (299)	1	8	330	63	73.9	124	679	71.6	459	186	4.16	33	64.625	43.4	16.8	97
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	368	53	69.0	119	635	137	387	312	2.44	209	63.667	51.3	11.0	24
Majs, helsädesensilage (305)	1	25	351	25	75.2	75	485	34.5	380	216	3.33	316	56.840	44.1	9.8	6
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	10	422	59	73.0	139	488	50.7	379	244	3.11	167	52.200	30.3	16.4	35
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	2				97.4	-40	7.38	11.4	62.0	-10
Vete, kärna (005)	1	4				112	-63	7.99	14.1		
Majs hela plantan, grönmassa (030)	1	12				87.0	-65	6.35	11.2	80.0	-74
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	4	1.50000	1.05000		83.1	10.7	5.97	10.8	70.5	16.0
Ensilage, gräs (0% klöver) (162)	2	4	1.33333	0.20000		85.5	1.5	5.88	10.6	70.0	23.0
Ensilage, gräs (0% klöver) (162)	3	1				96.5	21.4	6.27	11.2		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	4.74359	3.17949		91.8	5.1	6.33	11.5	81.0	10.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	3.00000	1.40000		87.0	18.3	6.16	10.9	76.0	19.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9				85.8	22.3	6.24	11.0	76.7	29.2
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2				84.9	27.5	6.00	10.5	69.0	24.0
Ensilage, blandvall (1-50% klöver) (165)	0	3		2.26667		87.3	30.2	6.37	11.2	72.3	42.0
Ensilage, blandvall (1-50% klöver) (165)	1	149	2.88430	0.38456		83.7	22.9	6.35	11.3	73.0	17.5
Ensilage, blandvall (1-50% klöver) (165)	2	97	3.28378	0.75155		84.6	29.5	6.25	11.0	71.0	32.7
Ensilage, blandvall (1-50% klöver) (165)	3	70	3.32692	0.97059		83.1	37.5	6.12	10.6	69.9	47.1
Ensilage, blandvall (1-50% klöver) (165)	4	15	1.90000	0.32857		85.5	40.3	6.06	10.6	68.0	54.0
Korn, helsädesensilage (250)	1	9	3.28571	1.14286		71.8	-9.6	5.72	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	3.25000	1.75000		71.0	-3.5	5.51	9.9		
Majskolv, ensilerad (257)	1	1				94.9	-57	6.55	11.7		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	8	4.33333	0.83333		73.9	0.6	6.02	10.7		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	1.00000	1.00000		73.0	2.6	5.74	10.2	64.0	-25
Majs, helsädesensilage (305)	1	25	2.95833	0.00000		84.2	-57	6.42	11.5	80.0	-68
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (326)	1	10	4.80000	0.70000		85.8	10.8	6.22	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.4	3.3	1.1	6.0	0.1	1.4	1.5	26	2	51.0	13.5	27.5	4.1	0.0
Vete, kärna (005)	1	1	0.3	3.1	1.2	5.2	0.1		1.1	43	1	48.0	27.0	21.0	4.6	
Majs hela plantan, grönmassa (030)	1	11	1.6	1.8	1.1	8.5	0.2	1.5	0.9	127	7	67.3	24.9	25.1	4.0	0.1
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	3	5.0	2.6	2.1	18.4	1.8	3.7	2.5	307	3	89.3	159.7	28.3	5.3	0.1
Ensilage, gräs (0% klöver) (162)	2	3	5.0	2.7	2.2	21.8	1.3	5.7	2.0	369	1	1104	57.0	26.0	10.0	0.1
Ensilage, gräs (0% klöver) (162)	3	1	7.3	2.7	4.5	16.9	1.4	2.0	3.6	212	1	89.0	58.0	17.0	6.0	
Ensilage, gräs (0% klöver) (162)	4	1	6.0	3.9	2.9	30.2	3.2	11.4	3.8	353	1	97.0	73.0	25.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	75	5.2	2.8	1.8	24.4	1.0	4.7	2.1	405	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	26	6.1	3.0	2.2	24.8	1.7	5.4	2.5	411	20	131.2	63.7	29.9	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	9	6.7	3.1	2.6	23.5	1.7	7.8	2.6	350	6	146.7	74.7	24.5	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	8.7	3.5	2.7	22.4	1.7	4.2	3.4	309	2	189.0	122.0	30.5	7.8	
Ensilage, blandvall (1-50% klöver) (165)	0	2	7.6	3.2	2.7	27.5	1.8	8.3	2.9	293	2	216.5	94.0	30.0	7.9	
Ensilage, blandvall (1-50% klöver) (165)	1	146	5.4	2.9	1.9	23.4	1.4	6.2	2.2	352	88	163.6	55.1	34.4	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	92	6.0	3.0	2.2	24.3	1.8	9.3	2.5	290	58	160.7	63.5	35.5	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	66	7.0	3.2	2.6	24.1	1.7	9.1	2.7	271	32	170.7	66.2	35.1	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	12	7.4	3.2	2.5	24.9	1.5	8.9	2.7	316	4	203.8	55.8	27.3	7.4	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, helsädesensilage (250)	1	9	3.9	2.6	1.5	15.4	1.3	3.1	1.7	253	5	102.4	45.2	32.8	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.9	2.7	1.6	15.8	1.1	3.5	1.5	260	4	140.3	62.3	33.0	5.2	
Majskolv, ensilerad (257)	1	1	1.3	2.1	1.2	5.6	0.3		1.0	61	0					
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	8	3.9	2.7	1.3	20.1	0.8	2.4	1.8	356	3	126.7	43.7	27.0	4.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	4.6	3.2	1.8	12.8	1.0	2.5	1.7	194	1	76.0	20.0	20.0	5.2	
Majs, helsädesensilage (305)	1	25	1.9	1.9	1.0	8.7	0.3	2.9	0.9	133	4	70.0	19.3	22.3	4.9	
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	10	5.9	3.5	2.7	15.5	2.5	10.1	2.4	71	2	249.5	95.5	123.0	27.0	1.0
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	846.500	99.7021	776.000	917.000
Aska	2	21.000	1.4142	20.000	22.000
OS smbh	2	43.000	60.8112	0.000	86.000
Råprot	2	106.500	9.1924	100.000	113.000
sRåprot	1	317.000	.	317.000	317.000
NH3-N	1	7.000	.	7.000	7.000
NDF	2	152.500	27.5772	133.000	172.000
iNDF	2	93.500	96.8736	25.000	162.000
nhNDF	2	3.150	0.0000	3.150	3.150
Stä	2	553.000	18.3848	540.000	566.000
TAF	2	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	2	97.421	2.7135	95.502	99.340
PBVp20	2	-40.049	14.2070	-50.095	-30.003
NELp20	2	7.380	0.2830	7.180	7.580
OE*	2	11.400	1.6971	10.200	12.600
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.300	0.2828	3.100	3.500
Mg	2	1.100	0.1414	1.000	1.200
K	2	5.950	0.4950	5.600	6.300
Na	2	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	2	1.500	0.4243	1.200	1.800
CAB	2	26.152	43.1594	-4.366	56.670
Fe	2	51.000	14.1421	41.000	61.000
Mn	2	13.500	3.5355	11.000	16.000
Zn	2	27.500	0.7071	27.000	28.000
Cu	2	4.100	0.1414	4.000	4.200
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	892.250	45.3679	834.000	933.000
Aska	4	17.000	2.7080	15.000	21.000
OS smbh	4	22.000	44.0000	0.000	88.000
Råprot	4	102.250	6.7020	95.000	111.000
sRåprot	3	333.667	13.3167	319.000	345.000
NH3-N	1	8.000	.	8.000	8.000
NDF	3	102.000	15.7162	91.000	120.000
iNDF	4	65.500	81.0000	25.000	187.000
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	606.000	51.8395	551.000	676.000
TAF	4	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	4	111.813	0.4325	111.400	112.396
PBVp20	4	-62.729	6.5400	-68.588	-53.468

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	7.988	0.1172	7.824	8.077
OE*	3	14.133	0.1155	14.000	14.200
Ca	1	0.300	.	0.300	0.300
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	5.200	.	5.200	5.200
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	43.238	.	43.238	43.238
Fe	1	48.000	.	48.000	48.000
Mn	1	27.000	.	27.000	27.000
Zn	1	21.000	.	21.000	21.000
Cu	1	4.600	.	4.600	4.600

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	350.083	51.5301	288.000	407.000
Aska	12	26.750	4.2239	23.000	31.000
OS smbh	12	75.192	3.0077	72.100	78.500
Råprot	12	71.333	7.6078	63.000	81.000
sRåprot	12	373.583	40.4328	321.000	415.000
NDF	12	381.250	42.6468	329.000	434.000
iNDF	12	193.580	17.8653	180.000	216.000
nhNDF	12	3.122	0.6390	2.304	3.828

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	12	327.917	43.8436	282.000	379.000
TAF	12	57.000	0.0000	57.000	57.000
Socker	12	28.583	35.0777	8.000	56.000
AATp20	12	86.959	2.5475	83.380	89.656
PBVp20	12	-64.813	7.1153	-70.311	-57.258
NELp20	12	6.353	0.2534	6.086	6.656
OE*	8	11.221	0.3830	10.460	11.770
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-74.000	.	-74.000	-74.000
Ca	11	1.573	0.3927	1.200	2.200
P	11	1.827	0.2328	1.500	2.000
Mg	11	1.082	0.2272	0.800	1.300
K	11	8.527	1.1917	7.200	9.700
Na	11	0.191	0.1300	0.100	0.300
Cl	8	1.513	0.4051	1.000	2.300
S	11	0.900	0.2049	0.800	0.900
CAB	11	127.374	29.0151	93.891	153.418
Fe	7	67.286	18.8301	41.000	97.000
Mn	7	24.857	10.1395	12.000	40.000
Zn	7	25.143	8.8021	14.000	37.000
Cu	7	3.986	1.5952	2.000	7.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socket	1	118.000	.	118.000	118.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	472.000	101.150	384.000	578.000
Aska	4	63.250	2.754	60.000	66.000
OS smbh	4	73.700	4.416	68.500	78.400
Råprot	4	140.750	22.202	118.000	171.000
sRåprot	4	622.250	122.788	513.000	797.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	74.750	42.555	41.000	137.000
NDF	4	476.000	43.120	421.000	516.000
iNDF	4	170.306	42.638	122.000	218.105
nhNDF	4	4.175	0.543	3.461	4.633
TAF	4	43.050	22.032	27.900	75.300
Mjölksyra	4	30.500	17.059	20.000	56.000
Ättiksyra	4	10.250	4.425	6.000	15.000
Socker	4	93.250	32.958	56.000	133.000
PRF	2	1.500	2.121	0.000	3.000
BUF	4	1.050	1.559	0.000	3.300
AATp20	4	83.103	5.245	78.464	90.614
PBVp20	4	10.694	13.652	-7.050	26.244
NELp20	4	5.969	0.410	5.480	6.412
OE*	4	10.828	0.697	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	3	4.967	0.839	4.000	5.500
P	3	2.633	0.153	2.500	2.800
Mg	3	2.067	0.321	1.700	2.300
K	3	18.433	5.947	13.200	24.900
Na	3	1.800	0.458	1.300	2.200
Cl	4	3.725	1.997	1.100	5.900
S	3	2.533	0.321	2.300	2.900
CAB	3	306.861	161.532	162.121	481.114

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	89.333	12.220	76.000	100.000
Mn	3	159.667	183.919	50.000	372.000
Zn	3	28.333	6.506	22.000	35.000
Cu	3	5.267	1.419	4.000	6.800
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	678.00	120.828	565.00	845.00
Aska	4	73.00	8.832	64.00	85.00
OS smbh	4	73.23	1.615	71.10	74.90
Råprot	4	135.00	19.613	115.00	158.00
sRåprot	4	505.00	33.136	456.00	529.00
NH3-N	4	41.50	24.570	20.00	70.00
NDF	4	484.75	40.484	449.00	541.00
iNDF	4	171.54	21.277	141.00	190.00
nhNDF	4	4.15	0.126	4.02	4.28
TAF	4	28.45	14.985	16.80	50.00
Mjölksyra	4	18.75	12.420	10.00	37.00
Ättiksyra	4	8.25	4.992	3.00	13.00
Socker	4	99.00	19.235	85.00	127.00
PRF	3	1.33	0.577	1.00	2.00
BUF	4	0.20	0.400	0.00	0.80
AATp20	4	85.51	4.208	82.03	91.19

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	1.47	11.761	-12.20	13.52
NELp20	4	5.88	0.179	5.73	6.14
OE*	4	10.63	0.288	10.31	11.01
AAT*	1	70.00	.	70.00	70.00
PBV*	1	23.00	.	23.00	23.00
Ca	3	5.03	1.193	4.20	6.40
P	3	2.67	0.153	2.50	2.80
Mg	3	2.17	0.503	1.70	2.70
K	3	21.83	2.871	19.40	25.00
Na	3	1.33	0.153	1.20	1.50
Cl	4	5.68	2.901	3.40	9.90
S	3	2.03	0.416	1.70	2.50
CAB	3	369.10	89.972	275.31	454.69
Fe	1	1104.00	.	1104.00	1104.00
Mn	1	57.00	.	57.00	57.00
Zn	1	26.00	.	26.00	26.00
Cu	1	10.00	.	10.00	10.00
Se	1	0.05	.	0.05	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	853.000	.	853.000	853.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	176.000	.	176.000	176.000
sRåprot	1	321.000	.	321.000	321.000
NH3-N	1	28.000	.	28.000	28.000
NDF	1	479.000	.	479.000	479.000
iNDF	1	146.000	.	146.000	146.000
nhNDF	1	4.638	.	4.638	4.638
TAF	1	31.000	.	31.000	31.000
Mjölksyra	1	12.000	.	12.000	12.000
Socker	1	118.000	.	118.000	118.000
AATp20	1	96.464	.	96.464	96.464
PBVp20	1	21.419	.	21.419	21.419
NELp20	1	6.272	.	6.272	6.272
OE*	1	11.170	.	11.170	11.170
Ca	1	7.300	.	7.300	7.300
P	1	2.700	.	2.700	2.700
Mg	1	4.500	.	4.500	4.500
K	1	16.900	.	16.900	16.900
Na	1	1.400	.	1.400	1.400
Cl	1	2.000	.	2.000	2.000
S	1	3.600	.	3.600	3.600
CAB	1	211.757	.	211.757	211.757

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	89.000	.	89.000	89.000
Mn	1	58.000	.	58.000	58.000
Zn	1	17.000	.	17.000	17.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	6.000	.	6.000	6.000
P	1	3.900	.	3.900	3.900
Mg	1	2.900	.	2.900	2.900
K	1	30.200	.	30.200	30.200
Na	1	3.200	.	3.200	3.200
Cl	1	11.400	.	11.400	11.400
S	1	3.800	.	3.800	3.800
CAB	1	352.882	.	352.882	352.882
Fe	1	97.000	.	97.000	97.000
Mn	1	73.000	.	73.000	73.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	76	395.921	166.429	200.000	640.000
Aska	76	71.197	9.215	60.000	85.000
OS smbh	76	78.533	4.237	71.600	83.900
Råprot	76	147.421	28.267	117.000	175.000
sRåprot	51	442.314	61.653	368.000	508.000
NDF	76	429.553	43.908	383.000	493.000
iNDF	76	126.911	63.250	61.197	211.000
nhNDF	76	5.248	1.334	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	76	45.750	37.733	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	76	134.684	32.486	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	76	91.755	6.307	82.993	98.373
PBVp20	76	5.101	20.305	-20.091	28.303
NELp20	76	6.334	0.432	5.773	6.969
OE*	76	11.520	0.685	10.430	12.400
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	75	5.187	1.811	3.500	8.200
P	75	2.784	0.526	2.100	3.300
Mg	75	1.759	0.546	1.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	75	24.389	5.050	17.200	30.800
Na	73	1.010	0.752	0.400	1.600
Cl	47	4.747	3.091	1.500	8.100
S	75	2.061	0.409	1.600	2.500
CAB	75	405.134	110.534	266.150	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	581.333	199.388	278.000	831.000
Aska	30	79.333	10.506	65.000	90.000
OS smbh	30	75.587	4.998	70.250	82.850
Råprot	30	153.367	31.020	114.500	193.500
sRåprot	12	381.167	47.909	316.000	438.000
NDF	30	463.033	49.328	398.500	525.000
iNDF	30	160.835	78.112	62.969	282.630
nhNDF	30	4.979	1.205	3.481	6.857
TAF	30	71.067	29.456	7.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	30	112.100	29.201	85.000	143.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	30	87.011	7.054	78.821	95.660
PBVp20	30	18.325	22.098	-7.616	46.543
NELp20	30	6.156	0.505	5.556	6.866
OE*	30	10.934	0.772	9.980	11.950
AAT*	18	76.000	4.602	68.000	81.000
PBV*	18	19.833	31.894	-17.000	59.000
Ca	26	6.131	2.628	3.400	10.000
P	26	2.981	0.478	2.300	3.600
Mg	26	2.173	0.464	1.300	2.700
K	26	24.773	4.958	14.900	30.700
Na	26	1.723	1.297	0.400	3.800
Cl	12	5.350	2.556	1.700	8.100
S	26	2.500	0.455	2.000	3.100
CAB	26	411.404	114.510	222.129	563.641
Fe	20	131.150	59.622	78.000	216.000
Mn	20	63.650	21.286	44.000	103.000
Zn	20	29.900	5.046	25.000	35.500
Cu	20	6.375	1.282	4.750	7.900
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	452.667	99.765	287.000	595.000
Aska	9	86.333	10.271	72.000	103.000
OS smbh	9	76.433	2.669	72.300	79.800
Råprot	9	155.667	20.390	122.000	180.000
sRåprot	3	395.000	52.849	352.000	454.000
NDF	9	457.111	31.770	408.000	520.000
iNDF	9	142.202	34.917	104.762	216.000
nhNDF	9	4.898	0.458	4.215	5.598
TAF	9	84.000	0.000	84.000	84.000
Socker	9	107.333	26.898	66.000	150.000
AATp20	9	85.765	1.800	82.390	87.642
PBVp20	9	22.320	16.454	-3.569	42.178
NELp20	9	6.241	0.194	5.843	6.450
OE*	9	10.991	0.321	10.480	11.300
AAT*	6	76.667	0.816	76.000	78.000
PBV*	6	29.167	18.946	5.000	47.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	9	6.689	1.049	5.500	8.400
P	9	3.056	0.188	2.800	3.400
Mg	9	2.633	0.568	1.700	3.400
K	9	23.489	3.185	17.900	27.600
Na	9	1.700	0.817	0.700	3.400
Cl	3	7.800	7.451	2.400	16.300
S	9	2.611	0.501	1.700	3.300
CAB	9	349.955	146.030	3.665	486.260
Fe	6	146.667	30.500	112.000	189.000
Mn	6	74.667	32.439	43.000	115.000
Zn	6	24.500	1.871	22.000	27.000
Cu	6	6.600	0.597	5.800	7.500
Se	2	0.020	0.001	0.019	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	256.000	66.4680	209.000	303.000
Aska	2	85.500	4.9497	82.000	89.000
OS smbh	2	73.600	6.7882	68.800	78.400
Råprot	2	159.500	21.9203	144.000	175.000
sRåprot	1	309.000	.	309.000	309.000
NDF	2	448.500	53.0330	411.000	486.000
iNDF	2	176.639	60.3005	134.000	219.278
nhNDF	2	4.156	1.0157	3.438	4.874

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	89.000	33.9411	65.000	113.000
AATp20	2	84.917	11.9086	76.496	93.338
PBVp20	2	27.500	0.8607	26.892	28.109
NELp20	2	6.001	0.6481	5.543	6.459
OE*	2	10.535	1.1809	9.700	11.370
AAT*	1	69.000	.	69.000	69.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	8.700	0.2828	8.500	8.900
P	2	3.450	0.0707	3.400	3.500
Mg	2	2.700	0.2828	2.500	2.900
K	2	22.350	4.3134	19.300	25.400
Na	2	1.650	1.0607	0.900	2.400
Cl	1	4.200	.	4.200	4.200
S	2	3.350	0.6364	2.900	3.800
CAB	2	308.623	34.3847	284.310	332.937
Fe	2	189.000	16.9706	177.000	201.000
Mn	2	122.000	87.6812	60.000	184.000
Zn	2	30.500	0.7071	30.000	31.000
Cu	2	7.800	0.2828	7.600	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	421.333	134.448	306.000	569.000
Aska	3	80.667	12.662	67.000	92.000
OS smbh	3	77.267	3.420	75.000	81.200
Råprot	3	166.667	23.438	140.000	184.000
sRåprot	3	567.667	113.729	450.000	677.000
NH3-N	3	94.333	30.860	59.000	116.000
NDF	3	445.000	15.133	433.000	462.000
iNDF	3	135.327	35.972	93.827	157.582
nhNDF	3	4.962	0.888	4.437	5.987
TAF	3	59.600	36.032	18.000	81.000
Mjölksyra	3	44.000	27.785	12.000	62.000
Ättiksyra	3	12.333	7.371	4.000	18.000
Socker	3	67.333	39.311	22.000	92.000
BUF	3	2.267	1.553	1.000	4.000
AATp20	3	87.330	4.595	83.134	92.240
PBVp20	3	30.182	21.268	5.963	45.813
NELp20	3	6.370	0.314	6.105	6.717
OE*	3	11.200	0.693	10.800	12.000
AAT*	3	72.333	2.309	71.000	75.000
PBV*	3	42.000	26.287	12.000	61.000
Ca	2	7.550	1.485	6.500	8.600
P	2	3.150	0.354	2.900	3.400
Mg	2	2.700	0.141	2.600	2.800
K	2	27.500	6.081	23.200	31.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	1.750	1.626	0.600	2.900
Cl	3	8.267	5.054	3.100	13.200
S	2	2.900	0.000	2.900	2.900
CAB	2	292.528	8.800	286.305	298.751
Fe	2	216.500	160.513	103.000	330.000
Mn	2	94.000	1.414	93.000	95.000
Zn	2	30.000	1.414	29.000	31.000
Cu	2	7.850	0.495	7.500	8.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	149	426.134	130.024	290.000	611.000
Aska	149	70.658	8.336	61.000	80.000
OS smbh	149	76.865	3.529	71.700	80.000
Råprot	149	152.651	21.309	124.000	178.000
sRåprot	149	636.356	93.588	488.000	725.000
NH3-N	147	61.707	24.351	35.000	98.000
NDF	149	434.027	47.039	379.000	509.000
iNDF	149	141.207	41.459	104.000	201.000
nhNDF	149	4.522	0.494	3.975	5.095
Stä	1	114.000	.	114.000	114.000
TAF	149	71.948	34.262	23.000	115.100
Mjölksyra	149	53.349	29.799	11.000	93.000
Ättiksyra	149	15.685	6.206	7.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	149	82.322	37.039	38.000	135.000
PRF	121	2.884	1.689	1.000	5.000
BUF	149	0.385	0.791	0.000	1.100
AATp20	149	83.700	4.155	78.247	89.690
PBVp20	149	22.947	19.789	1.009	46.706
NELp20	149	6.352	0.335	5.877	6.680
OE*	149	11.251	0.553	10.440	11.770
AAT*	28	73.036	1.710	71.000	74.000
PBV*	28	17.500	20.422	-5.000	42.000
Ca	146	5.386	1.344	4.000	7.600
P	146	2.860	0.403	2.400	3.300
Mg	146	1.851	0.357	1.400	2.300
K	146	23.445	4.329	18.100	28.800
Na	146	1.414	0.631	0.600	2.200
Cl	148	6.168	4.169	2.500	10.600
S	146	2.171	0.412	1.700	2.500
CAB	146	351.896	124.575	181.601	499.686
Fe	88	163.602	87.372	90.000	270.000
Mn	88	55.125	19.689	37.000	70.000
Zn	88	34.364	20.680	22.000	50.000
Cu	88	5.735	1.272	4.000	7.000
Se	32	0.043	0.015	0.013	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	97	457.402	140.215	292.000	661.000
Aska	97	76.619	9.951	66.000	89.000
OS smbh	97	75.491	3.117	72.000	78.600
Råprot	97	161.196	21.766	135.000	188.000
sRåprot	97	575.546	94.809	436.000	657.000
NH3-N	97	65.454	45.508	29.000	92.000
NDF	97	454.773	35.998	415.000	503.000
iNDF	97	156.124	37.588	112.000	202.000
nhNDF	97	4.543	0.539	4.067	5.138
TAF	97	66.628	32.064	18.000	107.000
Mjölksyra	97	48.247	27.007	8.000	83.000
Ättiksyra	97	14.887	8.062	5.000	21.000
Socker	97	66.639	28.396	31.000	107.000
PRF	74	3.284	2.926	1.000	6.000
BUF	97	0.752	3.495	0.000	1.700
AATp20	97	84.620	5.193	79.016	92.452
PBVp20	97	29.531	18.011	9.927	52.140
NELp20	97	6.253	0.326	5.914	6.592
OE*	97	10.958	0.485	10.470	11.440
AAT*	23	71.043	1.692	70.000	72.000
PBV*	23	32.652	20.803	6.000	59.000
Ca	92	5.952	1.191	5.000	7.000
P	92	3.038	0.403	2.500	3.500
Mg	92	2.200	0.420	1.800	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	92	24.347	4.844	17.600	30.100
Na	92	1.775	0.968	0.800	2.900
Cl	96	9.255	7.706	3.300	18.200
S	92	2.518	0.487	1.900	3.100
CAB	92	290.243	222.392	67.998	469.117
Fe	58	160.655	93.522	82.000	308.000
Mn	58	63.483	17.595	46.000	82.000
Zn	58	35.534	19.574	24.000	47.000
Cu	58	6.559	1.204	5.000	8.000
Se	11	0.044	0.013	0.023	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	70	413.957	132.757	273.500	625.500
Aska	70	82.529	15.504	68.000	101.000
OS smbh	70	73.933	2.687	70.650	76.600
Råprot	70	167.014	19.774	143.000	193.000
sRåprot	70	558.471	74.004	480.000	623.500
NH3-N	69	74.855	30.944	42.000	122.000
NDF	70	456.171	32.646	406.000	496.000
iNDF	70	185.912	40.183	146.625	243.783
nhNDF	70	4.446	0.552	3.840	5.041
TAF	70	70.771	26.681	27.150	99.700
Mjölksyra	70	49.114	22.131	12.500	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	68	17.956	9.865	8.000	28.000
Socker	70	49.186	23.888	24.500	82.000
PRF	52	3.327	3.047	0.000	6.000
BUF	68	0.971	1.992	0.000	4.000
AATp20	70	83.082	4.041	78.413	88.359
PBVp20	70	37.530	18.221	15.766	59.836
NELp20	70	6.120	0.310	5.661	6.441
OE*	70	10.637	0.501	9.995	11.145
AAT*	16	69.938	2.265	67.000	72.000
PBV*	16	47.063	20.732	25.000	73.000
Ca	66	7.048	1.635	5.800	8.300
P	66	3.220	0.342	2.800	3.700
Mg	66	2.573	0.473	2.100	3.100
K	66	24.091	3.938	20.000	29.400
Na	66	1.673	0.596	0.900	2.400
Cl	70	9.073	5.849	3.400	15.550
S	66	2.680	0.486	2.200	3.400
CAB	66	271.408	205.111	53.447	469.751
Fe	32	170.688	83.634	88.000	284.000
Mn	32	66.219	15.774	45.000	83.000
Zn	32	35.063	20.582	24.000	49.000
Cu	32	7.400	1.170	6.000	9.000
Se	6	0.045	0.013	0.019	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	480.667	179.201	290.000	720.000
Aska	15	83.200	7.930	74.000	94.000
OS smbh	15	73.647	3.242	66.700	77.500
Råprot	15	174.133	21.023	153.000	201.000
sRåprot	15	495.667	97.410	376.000	590.000
NH3-N	14	57.000	21.249	38.000	70.000
NDF	15	439.067	35.754	403.000	495.000
iNDF	15	191.011	48.102	147.000	232.259
nhNDF	15	4.100	0.681	3.109	4.790
TAF	15	58.307	37.285	6.500	101.100
Mjölksyra	15	42.400	31.841	2.000	80.000
Ättiksyra	14	13.643	6.709	3.000	23.000
Socker	15	61.933	32.975	21.000	107.000
PRF	10	1.900	1.792	0.000	5.000
BUF	14	0.329	0.797	0.000	0.500
AATp20	15	85.532	5.205	78.414	91.744
PBVp20	15	40.339	19.683	6.928	60.667
NELp20	15	6.058	0.367	5.297	6.352
OE*	15	10.577	0.535	9.500	11.180
AAT*	4	68.000	1.155	67.000	69.000
PBV*	4	54.000	30.518	16.000	85.000
Ca	12	7.383	1.114	5.800	8.700
P	12	3.242	0.318	2.800	3.500
Mg	12	2.500	0.372	2.300	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	12	24.892	2.987	21.400	27.400
Na	12	1.517	0.497	1.100	2.000
Cl	15	8.947	5.134	3.600	14.600
S	12	2.733	0.345	2.300	3.200
CAB	12	315.762	99.031	235.762	426.035
Fe	4	203.750	162.019	79.000	434.000
Mn	4	55.750	15.305	34.000	69.000
Zn	4	27.250	5.909	19.000	33.000
Cu	4	7.375	1.109	6.000	8.500
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	382.556	112.123	207.000	617.000
Aska	9	51.556	12.481	37.000	78.000
OS smbh	9	69.733	2.929	65.400	73.700
Råprot	9	107.111	17.829	89.000	142.000
sRåprot	9	617.556	103.982	415.000	750.000
NH3-N	9	85.556	35.955	45.000	168.000
NDF	9	448.222	47.201	367.000	505.000
iNDF	9	251.566	53.778	188.000	317.000
nhNDF	9	3.108	0.813	2.031	4.341
Stä	9	120.889	84.179	26.000	253.000
TAF	9	64.156	20.921	27.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	9	43.444	15.026	17.000	67.000
Ättiksyra	9	16.889	5.419	9.000	24.000
Socker	9	65.556	44.119	18.000	137.000
PRF	7	3.286	2.059	1.000	7.000
BUF	7	1.143	2.193	0.000	6.000
AATp20	9	71.834	1.514	69.184	73.578
PBVp20	9	-9.637	16.496	-25.351	24.271
NELp20	9	5.721	0.274	5.287	6.089
OE*	7	10.379	0.464	9.590	10.850
Ca	9	3.889	0.927	2.200	5.500
P	9	2.644	0.686	1.700	3.700
Mg	9	1.544	0.350	1.100	2.100
K	9	15.411	7.270	8.000	32.300
Na	9	1.256	0.583	0.200	2.400
Cl	9	3.111	2.135	0.900	6.400
S	9	1.733	0.269	1.400	2.200
CAB	9	252.765	189.761	98.909	649.395
Fe	5	102.400	22.233	70.000	124.000
Mn	5	45.200	27.968	15.000	85.000
Zn	5	32.800	8.955	25.000	47.000
Cu	5	4.880	0.729	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	353.333	82.8702	273.000	489.000
Aska	6	59.667	15.1349	40.000	82.000
OS smbh	6	66.650	4.1264	61.700	72.800
Råprot	6	108.000	23.6390	82.000	142.000
sRåprot	6	553.333	61.9763	438.000	603.000
NH3-N	5	72.800	35.9472	21.000	112.000
NDF	6	438.667	75.2587	344.000	547.000
iNDF	6	383.238	68.9375	316.000	474.612
nhNDF	6	4.894	3.1042	1.698	9.827
Stä	5	138.600	50.3915	96.000	211.000
TAF	6	63.667	34.4437	10.000	93.500
Mjölksyra	6	46.833	29.0889	0.000	77.000
Ättiksyra	6	13.333	4.2740	8.000	17.000
Socker	6	41.667	38.0719	11.000	104.000
PRF	4	3.250	3.7749	0.000	7.000
BUF	4	1.750	1.2583	0.000	3.000
AATp20	6	71.028	6.4434	64.833	80.014
PBVp20	6	-3.478	14.6041	-17.015	17.372
NELp20	6	5.509	0.2596	5.260	5.855
OE*	4	9.883	0.5482	9.230	10.570
Ca	6	4.900	1.6805	2.800	7.200
P	6	2.650	0.2429	2.400	3.100
Mg	6	1.600	0.1414	1.400	1.800
K	6	15.750	3.6303	9.600	20.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	1.050	0.9854	0.100	2.700
Cl	5	3.500	3.3534	0.400	8.700
S	6	1.483	0.3061	1.100	2.000
CAB	6	259.513	65.1644	187.219	366.399
Fe	4	140.250	93.7777	66.000	271.000
Mn	4	62.250	31.7530	22.000	91.000
Zn	4	33.000	6.8799	28.000	43.000
Cu	4	5.150	0.3697	4.900	5.700

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	514.000	.	514.000	514.000
Aska	1	15.000	.	15.000	15.000
OS smbh	1	75.500	.	75.500	75.500
Råprot	1	96.000	.	96.000	96.000
sRåprot	1	239.000	.	239.000	239.000
NDF	1	305.000	.	305.000	305.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	1.855	.	1.855	1.855
Stä	1	479.000	.	479.000	479.000
TAF	1	33.200	.	33.200	33.200
Mjölksyra	1	21.000	.	21.000	21.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	94.943	.	94.943	94.943

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-56.619	.	-56.619	-56.619
NELp20	1	6.554	.	6.554	6.554
OE*	1	11.690	.	11.690	11.690
Ca	1	1.300	.	1.300	1.300
P	1	2.100	.	2.100	2.100
Mg	1	1.200	.	1.200	1.200
K	1	5.600	.	5.600	5.600
Na	1	0.300	.	0.300	0.300
S	1	1.000	.	1.000	1.000
CAB	1	61.372	.	61.372	61.372

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	329.875	70.168	233.000	436.000
Aska	8	62.750	11.805	44.000	79.000
OS smbh	8	73.850	3.397	69.500	78.400
Råprot	8	123.750	25.201	79.000	162.000
sRåprot	8	679.000	146.662	408.000	829.000
NH3-N	8	71.625	27.707	45.000	120.000
NDF	8	459.250	60.173	370.000	531.000
iNDF	8	185.656	41.756	136.000	264.000
nhNDF	8	4.164	0.277	3.618	4.467
Stä	8	32.625	15.231	17.000	66.000
TAF	8	64.625	40.370	9.000	123.000
Mjölksyra	8	43.375	31.140	0.000	93.000
Ättiksyra	8	16.750	11.184	0.000	29.000
Socker	8	96.750	39.231	49.000	157.000
PRF	6	4.333	1.211	2.000	5.000
BUF	6	0.833	1.602	0.000	4.000
AATp20	8	73.927	5.568	67.809	84.279
PBVp20	8	0.612	26.940	-47.778	34.386
NELp20	8	6.024	0.328	5.613	6.507
OE*	6	10.717	0.506	10.270	11.430
Ca	8	3.875	0.736	3.000	5.300
P	8	2.725	0.550	2.100	3.500
Mg	8	1.250	0.351	0.800	1.800
K	8	20.050	5.269	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.825	0.489	0.200	1.600
Cl	6	2.400	1.770	0.700	4.200
S	8	1.763	0.362	1.200	2.300
CAB	8	356.177	138.398	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	368.000	56.3471	303.000	403.000
Aska	3	52.667	11.0151	42.000	64.000
OS smbh	3	69.033	1.7616	67.600	71.000
Råprot	3	118.667	18.8768	98.000	135.000
sRåprot	3	635.333	30.3699	610.000	669.000
NH3-N	3	136.667	13.3167	122.000	148.000
NDF	3	387.000	49.5076	338.000	437.000
iNDF	3	311.599	10.3298	299.798	319.000
nhNDF	3	2.439	0.4654	2.076	2.964
Stä	3	209.000	34.3948	171.000	238.000
TAF	3	63.667	8.6217	56.000	73.000
Mjölksyra	3	51.333	8.5049	45.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	11.000	1.0000	10.000	12.000
Socker	3	23.667	5.0332	19.000	29.000
PRF	2	1.000	1.4142	0.000	2.000
BUF	2	1.000	1.4142	0.000	2.000
AATp20	3	73.019	1.3190	71.995	74.508
PBVp20	3	2.642	15.2512	-14.565	14.491
NELp20	3	5.740	0.1184	5.646	5.873
OE*	3	10.227	0.2663	9.920	10.400
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	3	4.633	1.1015	3.900	5.900
P	3	3.200	0.8544	2.400	4.100
Mg	3	1.800	0.3606	1.400	2.100
K	3	12.800	0.7550	12.000	13.500
Na	3	0.967	0.4933	0.400	1.300
Cl	3	2.467	1.5308	0.700	3.400
S	3	1.700	0.6083	1.000	2.100
CAB	3	193.661	51.9344	142.652	246.474
Fe	1	76.000	.	76.000	76.000
Mn	1	20.000	.	20.000	20.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.200	.	5.200	5.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	351.440	44.1334	288.000	411.000
Aska	25	24.920	3.5930	21.000	30.000
OS smbh	25	75.200	2.7155	71.500	79.400
Råprot	25	74.960	5.0866	70.000	84.000
sRåprot	25	485.440	71.5827	389.000	599.000
NH3-N	22	34.500	13.7486	19.000	49.000
NDF	25	380.240	46.1106	314.000	436.000
iNDF	25	215.740	28.1248	182.000	251.000
nhNDF	25	3.326	0.5880	2.810	4.011
Stä	25	315.680	54.5319	255.000	394.000
TAF	25	56.840	15.6196	33.000	73.000
Mjölksyra	25	44.120	12.4208	25.000	58.000
Ättiksyra	25	9.760	4.5942	5.000	17.000
Socker	25	6.480	3.3926	5.000	13.000
PRF	24	2.958	1.2329	2.000	5.000
BUF	24	0.000	0.0000	0.000	0.000
AATp20	25	84.176	3.4000	80.337	88.496
PBVp20	25	-57.230	5.8482	-64.319	-49.090
NELp20	25	6.422	0.2759	6.119	6.866
OE*	25	11.510	0.4741	10.890	12.260
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-68.000	.	-68.000	-68.000
Ca	25	1.880	0.2630	1.600	2.200
P	25	1.900	0.1155	1.800	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	25	1.004	0.2111	0.700	1.200
K	25	8.744	1.4295	7.000	10.500
Na	25	0.304	0.1695	0.100	0.500
Cl	4	2.875	2.0775	1.200	5.900
S	25	0.880	0.1225	0.800	1.000
CAB	25	133.398	46.3222	89.476	182.427
Fe	4	70.000	11.6333	59.000	84.000
Mn	4	19.250	5.5603	14.000	25.000
Zn	4	22.250	3.4034	18.000	25.000
Cu	4	4.925	0.9430	3.700	6.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231
PBVp20	3	-37.941	9.7823	-46.152	-27.118

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000
sRåprot	3	428.000	47.6970	383.000	478.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981
Fe	8	93.250	84.9651	47.000	301.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600
Mg	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285
PBVp20	1	-19.126	.	-19.126	-19.126

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000
iNDF	4	361.000	39.6821	304.000	396.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000
Cl	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000
NH3-N	1	95.000	.	95.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socket	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	421.800	21.4932	396.500	451.000
Aska	10	58.900	8.6724	47.500	70.500
OS smbh	10	72.980	3.6778	68.250	78.000
Råprot	10	138.800	16.9234	118.000	163.500
sRåprot	10	487.700	35.1380	444.500	534.500
NH3-N	10	50.700	16.7136	27.000	71.500
NDF	10	379.200	85.2380	276.500	494.000
iNDF	10	243.700	26.0045	219.500	285.000
nhNDF	10	3.109	0.7783	2.004	4.117
Stä	10	167.200	63.9302	89.500	265.500
TAF	10	52.200	11.3314	35.500	65.500
Mjölksyra	10	30.300	12.2932	15.000	47.000
Ättiksyra	10	16.400	5.7388	9.000	24.000
Socker	10	34.700	15.1588	13.000	51.500
PRF	10	4.800	1.6193	2.500	7.000
BUF	10	0.700	1.0593	0.000	2.500
AATp20	10	85.775	4.3891	80.199	91.585
PBVp20	10	10.750	11.1781	-3.007	26.153
NELp20	10	6.224	0.3634	5.754	6.707

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	10	10.748	0.6210	9.945	11.540
Ca	10	5.920	1.0727	4.900	7.400
P	10	3.480	0.5903	2.850	4.400
Mg	10	2.680	0.7269	2.100	3.850
K	10	15.530	3.6567	9.850	19.850
Na	10	2.490	0.9527	1.600	4.200
Cl	10	10.110	4.4102	4.300	15.500
S	10	2.390	0.4909	1.950	3.150
CAB	10	71.284	80.4127	-32.801	176.365
Fe	2	249.500	60.1041	207.000	292.000
Mn	2	95.500	4.9497	92.000	99.000
Zn	2	123.000	24.0416	106.000	140.000
Cu	2	27.000	5.6569	23.000	31.000
Se	1	1.000	.	1.000	1.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet