

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	17	861	20	80.9	119	299	6.0	228	154	3.15	608	0.000			17
Havre, kärna, hög NDF (002)	1	1	892	25	75.0	124				392	2.00	479	0.000			
Vete, kärna (005)	1	11	854	19	80.0	134	240	6.0	161	172	3.50	636	0.000			5
Råg (011)	1	1	872	15	89.0	79				199	6.60	708	0.000			
Rågvete (015)	1	1	844	17	89.5	82				187	3.50	707	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	4	849	18	87.0	126				173	3.30	647	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	862	20	81.6	150		5.0	220	324	2.50	557	0.000			
Ärter, kärna (006)	1	1	802	31	92.0	220		4.0		13	7.90	487	0.000			
Majs hela plantan, grönmassa (030)	1	29	328	30	75.8	78	369		392	187	3.51	275	57.000			60
Prognos, gräs (0% baljv.) (041)	1	1	201		72.7					171	4.34		0.000			
Prognos, blandvall (1-50% baljv) (042)	0	7	209		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	1	11	212		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	2	4	184		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	3	2	163		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	3	1	232		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	8	522	64	71.5	131	530		509	183	3.99	22	61.000			103
Grönmassa, gräs (0% baljv.) (161)	2	1	426	65	72.1	136	342		504	167	3.83		61.000			109
Ensilage, gräs (0% klöver) (162)	1	16	392	67	76.1	146	643	79.0	456	150	4.67		85.506	67.4	15.9	58
Ensilage, gräs (0% klöver) (162)	2	4	376	75	73.0	153	607	85.5	456	184	3.91		68.075	53.3	12.0	45
Ensilage, gräs (0% klöver) (162)	3	1	648	64	68.4	115	538	57.0	528	228	3.78		16.000	14.0	0.0	84
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	500	78	73.5	143			469	175	4.14		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	453	71	76.6	146	440		451	146	4.97	19	60.862	0.0	3.8	127
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	517	77	72.4	140	445		477	193	4.21		81.576	0.0	0.0	98
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	430	89	74.4	169	360		452	178	4.53		84.000			74
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	554	87	77.6	175	394		418	146	5.08		84.000			102

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Ensilage, blandvall (1-50% klöver) (165)	0	5	404	69	74.0	128	648	87.6	467	174	4.16		73.680	58.4	13.8	66
Ensilage, blandvall (1-50% klöver) (165)	1	328	347	72	76.3	155	668	88.4	432	157	4.51		91.988	71.5	18.0	54
Ensilage, blandvall (1-50% klöver) (165)	2	122	436	75	74.0	149	601	71.7	450	184	4.18	136	66.824	49.4	14.8	66
Ensilage, blandvall (1-50% klöver) (165)	3	55	431	83	72.3	159	563	78.6	445	215	4.09		66.791	48.5	15.7	52
Ensilage, blandvall (1-50% klöver) (165)	4	3	460	82	71.8	166	545	75.0	458	205	3.82		46.300	30.7	13.3	64
Korn, helsädesensilage (250)	1	9	344	60	74.2	120	546	51.8	439	174	3.77	49	29.344	20.1	7.6	129
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	414	53	66.7	98	674	75.8	441	281	2.41	147	77.750	58.5	17.3	38
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	290	57	63.9	94	531	31.0	526	285	2.98	106	60.000	40.0	18.0	14
Majskolv, ensilerad (257)	1	2	588	15	77.3	80	300	5.5	292	194	2.18	481	33.000	31.0	2.0	5
Havre helsädesensilage degmognad (296)	1	3	457	64	69.2	127	631	64.3	501	238	3.81	37	56.333	40.3	13.0	74
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	505	55	69.7	112	680	88.0	460	232	3.11	100	42.000	30.0	12.0	89
Vete, helsäd ensilage (299)	1	6	404	52	69.5	112	631	74.5	457	262	3.34	95	52.417	34.8	15.5	70
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	441	55	72.4	115	617	58.3	402	226	2.99	49	47.250	32.8	13.5	105
Majs, helsädesensilage (305)	1	14	353	28	76.3	77	580	61.4	372	199	3.40	304	72.286	52.1	17.1	10
Råg, helsädesensilage, axgång (311)	1	3	299	51	64.3	78	790	91.3	586	233	3.35	21	90.000	68.0	22.0	52
Ärter, helsädesensilage, sen skörd (315)	1	1	265	73	79.9	131	564	115	329	143	4.13	109	70.000	56.0	14.0	66
Hö, blandvall, 0-50% baljväxter (383)	0	1	705	43	63.6	80			591	242	3.14		0.000			130
Hö, blandvall, 0-50% baljväxter (383)	1	9	849	54	66.7	88	413		562	222	3.63		0.000			137
Hö, blandvall, 0-50% baljväxter (383)	2	3	853	67	70.5	120	470		505	198	3.79		0.000			125
Ensilage, blandvall (51-100% klöver) (438)	1	2	398	91	76.9	207	711	65.5	319	241	4.07		101.950	83.5	16.5	46
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	97	70.0	175	528	81.0	402	351	4.65		101.000	87.0	14.0	40
Straw, untreated (barley, wheat, oat) (468)	1	2	737	54	52.3	70	439		658	442	4.19	21	0.000			26
Ensilage, blandvall (1-50% klöver) (326)	1	6	423	62	74.9	142	532	75.2	336	238	2.90	183	76.000	46.5	23.2	43
Fullfoder (TMR) ej kompletta data (1E3)	1	2	511	54	73.8	117	545	58.0	388	212	3.23	146				72

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	17				94.2	-22	7.23	13.3		
Havre, kärna, hög NDF (002)	1	1				83.2	5.9	6.32			
Vete, kärna (005)	1	11				114	-34	7.92	13.8		
Råg (011)	1	1				103	-73	7.83			
Rågvete (015)	1	1				105	-73	7.74			
Blandsäd, kärna, 50%korn/50%vete (114)	1	4				106	-31	7.74			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				104	-1.6	7.08			
Ärter, kärna (006)	1	1				102	71.8	7.64			
Majs hela plantan, grönmassa (030)	1	29				87.9	-60	6.33	11.3	80.0	-64
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	11.0		
Prognos, blandvall (1-50% baljv) (042)	0	7				96.4	-4.4	5.94	12.6		
Prognos, blandvall (1-50% baljv) (042)	1	11				96.4	-4.4	5.94	12.5		
Prognos, blandvall (1-50% baljv) (042)	2	4				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	3	2				96.4	-4.4	5.94	11.4		
Prognos, blandvall (51-100% baljv.) (043)	3	1				93.0	14.4	5.95	11.1		
Grönmassa, gräs (0% baljv.) (161)	1	8				82.0	3.1	5.80	10.4	71.5	10.5
Grönmassa, gräs (0% baljv.) (161)	2	1				86.4	0.8	5.87	10.5		
Ensilage, gräs (0% klöver) (162)	1	16	3.50000	0.88125		81.0	18.6	6.29	11.2	72.2	22.7
Ensilage, gräs (0% klöver) (162)	2	4	6.00000	0.57500		79.8	26.7	5.96	10.6	69.7	35.3
Ensilage, gräs (0% klöver) (162)	3	1	1.00000	1.00000		80.9	-9.0	5.46	9.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				81.7	17.3	5.95	10.6	74.0	15.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	1.50000	1.14286		88.4	9.2	6.21	11.2	77.3	3.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	3.00000	1.00000		81.6	15.0	5.87	10.4	72.3	17.3
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10				85.9	34.6	6.12	10.6	72.5	47.3
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3				87.8	36.9	6.35	11.2	77.0	47.5

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	0	5		0.48000		79.9	5.9	6.02	10.8	71.2	5.6
Ensilage, blandvall (1-50% klöver) (165)	1	328	2.77451	0.97896		80.8	29.4	6.33	11.1	72.1	27.2
Ensilage, blandvall (1-50% klöver) (165)	2	122	3.13953	0.76446		81.9	23.1	6.06	10.7	70.7	24.5
Ensilage, blandvall (1-50% klöver) (165)	3	55	2.38095	1.08182		81.0	33.6	5.90	10.4	69.3	33.0
Ensilage, blandvall (1-50% klöver) (165)	4	3	3.00000	0.63333		83.3	36.8	5.83	10.3	69.0	41.0
Korn, helsädesensilage (250)	1	9	0.50000	1.16667		79.9	-12	5.89	11.1	65.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4				67.7	-6.3	5.57			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	2.00000	0.00000		68.6	-12	5.41	9.3		
Majskolv, ensilerad (257)	1	2	0.00000	0.00000		93.4	-68	6.74	12.0		
Havre helsädesensilage degmognad (296)	1	3	4.00000	0.50000		77.0	1.2	5.67	10.3		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				73.2	-3.4	5.61			
Vete, helsäd ensilage (299)	1	6	1.33333	0.33333		72.9	-7.8	5.69	10.1	57.0	45.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	0.66667	0.66667		77.7	-8.4	5.87	10.9		
Majs, helsädesensilage (305)	1	14	3.14286	0.00000		81.9	-52	6.54	11.5	80.0	-70
Råg, helsädesensilage, axgång (311)	1	3				62.6	-19	5.28			
Ärter, helsädesensilage, sen skörd (315)	1	1				80.9	2.0	6.41	11.8	82.0	-9.0
Hö, blandvall, 0-50% baljväxter (383)	0	1				81.8	-41	4.94	9.3	67.0	-34
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.3	-39	5.16	9.7	70.1	-30
Hö, blandvall, 0-50% baljväxter (383)	2	3				91.3	-20	5.55	10.3	71.5	-1.0
Ensilage, blandvall (51-100% klöver) (438)	1	2		0.95000		76.8	89.8	6.37	11.0	71.0	83.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	0.00000	0.00000		73.8	64.5	5.79	9.8		
Straw, untreated (barley, wheat, oat) (468)	1	2				68.4	-43	3.85	7.3		
Ensilage, blandvall (1-50% klöver) (326)	1	6	4.66667	1.66667		83.9	16.4	6.41	11.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	2						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	8	0.6	3.6	1.3	5.6	0.1		1.4	28	8	64.3	13.3	36.9	4.4	
Havre, kärna, hög NDF (002)	1	1	0.9	3.6	1.5	5.9	0.2		2.0	15	1	128.0	113.0	56.0	6.6	
Vete, kärna (005)	1	6	0.4	3.0	1.1	4.8	0.1	1.0	1.4	12	6	74.2	28.8	28.3	3.9	
Råg (011)	1	1	0.3	2.8	1.0	5.0	0.1		1.0	50	1	33.0	20.0	27.0	3.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	2	0.5	3.3	1.3	5.1	0.1		1.4	19	2	40.0	22.0	35.0	3.9	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.4	1.3	6.8	0.1		1.5	62	1	58.0	24.0	45.0	5.2	
Majs hela plantan, grönmassa (030)	1	14	2.1	1.9	1.2	8.7	0.2	2.0	0.9	118	8	71.4	14.6	20.4	4.0	0.0
Grönmassa, gräs (0% baljv.) (161)	1	8	4.7	2.5	1.6	20.4	1.3	4.9	1.8	326	8	154.1	57.8	28.3	4.6	0.1
Grönmassa, gräs (0% baljv.) (161)	2	1	5.9	3.0	2.6	20.5	2.2	7.0	2.5	267	1	214.0	98.0	46.0	7.0	0.1
Ensilage, gräs (0% klöver) (162)	1	15	6.0	2.8	1.7	22.0	2.0	6.4	2.2	344	13	86.6	44.8	28.8	5.4	0.0
Ensilage, gräs (0% klöver) (162)	2	4	9.1	2.4	2.2	19.6	3.0	9.9	3.4	143	4	99.3	25.5	32.5	6.4	0.1
Ensilage, gräs (0% klöver) (162)	3	1	4.2	2.8	2.2	19.2	1.5	9.5	2.0	164	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	7.2	2.6	1.6	25.2	0.7		1.5	449	1	65.0	23.0	23.0	3.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53	6.4	2.7	1.7	21.5	1.1	4.5	2.0	342	43	127.9	47.1	25.7	5.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	8.7	2.7	2.2	22.5	1.3	6.4	2.1	347	20	99.2	44.2	25.1	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	8.4	3.3	2.4	25.6	1.1	13.8	2.5	259	6	144.3	76.0	32.3	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	9.0	3.2	2.5	26.7	1.1	10.5	2.4	367	2	131.5	42.0	24.5	6.8	
Ensilage, blandvall (1-50% klöver) (165)	0	5	6.7	2.5	1.9	21.1	1.3	7.4	2.0	261	5	113.8	39.6	25.6	5.0	
Ensilage, blandvall (1-50% klöver) (165)	1	306	6.8	2.8	1.7	23.1	1.6	6.0	2.2	355	284	129.1	41.6	28.5	5.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	118	8.0	2.7	2.2	21.4	1.9	8.5	2.5	239	104	117.4	44.4	31.7	6.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	50	9.7	2.9	2.5	22.4	1.6	8.4	2.8	224	43	123.7	47.5	34.2	6.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	4	3	9.8	2.8	2.4	21.2	3.0	13.0	2.8	127	3	135.7	26.7	26.3	6.5	0.1
Korn, helsädesensilage (250)	1	8	4.9	2.4	1.0	18.2	0.4	3.4	1.6	277	5	87.2	29.4	22.4	4.3	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	4.8	2.4	1.3	15.3	2.4	4.4	1.5	274	4	79.0	25.0	23.8	3.7	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	4.5	2.4	1.4	21.0	0.9	3.0	1.4	404	1	132.0	36.0	23.0	4.0	

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Majskolv, ensilerad (257)	1	2	0.9	2.2	0.8	5.4	0.1		0.9	56	0					
Havre helsädesensilage degmognad (296)	1	2	3.9	2.4	1.5	17.2	2.2	8.7	1.8	150	2	213.0	24.5	26.0	4.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	4.7	2.3	1.7	16.4	0.8	3.8	1.7	241	1	119.0	69.0	30.0	4.4	
Vete, helsäd ensilage (299)	1	6	4.5	2.0	1.4	15.0	0.8	3.6	1.7	211	6	251.3	45.0	24.3	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	5.7	2.4	1.6	17.0	1.2	5.0	2.1	214	4	94.8	38.5	51.3	6.3	0.1
Majs, helsädesensilage (305)	1	12	2.1	1.9	1.1	9.1	0.2	1.7	0.9	141	7	84.1	19.9	20.6	3.8	0.1
Råg, helsädesensilage, axgång (311)	1	3	2.5	2.4	1.0	17.9	0.2	2.5	1.3	318	3	104.3	21.0	17.0	4.0	0.0
Ärter, helsädesensilage, sen skörd (315)	1	1	15.8	2.0	2.0	14.5	0.2	9.8	0.9	47	1	145.0	44.0	31.0	5.1	
Hö, blandvall, 0-50% baljväxter (383)	0	1	2.9	1.6	1.2	8.4	0.8		1.1	40	1	59.0	84.0	28.0	2.7	
Hö, blandvall, 0-50% baljväxter (383)	1	9	4.2	2.2	1.5	17.2	1.2	6.5	1.7	239	9	84.6	66.8	23.7	4.1	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	2	6.3	2.7	2.0	22.5	1.4	12.9	2.6	225	2	65.0	52.5	21.5	5.2	0.1
Ensilage, blandvall (51-100% klöver) (438)	1	2	17.9	3.2	1.8	22.0	1.1	5.5	2.1	324	2	105.5	34.0	21.0	7.4	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	11.4	3.9	3.4	22.9	1.2	3.5	2.5	383	0					
Straw, untreated (barley, wheat, oat) (468)	1	2	9.1	0.9	1.3	5.8	0.7	2.8	1.3	21	2	126.0	21.0	9.5	4.5	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	6	6.9	3.7	2.6	16.5	2.0	5.9	2.6	182	5	246.6	61.0	58.4	9.8	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	2	7.2	2.5	2.0	12.2	1.6	4.1	2.0	144	2	258.0	38.5	34.0	6.9	0.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	860.647	20.7031	840.000	879.000
Aska	15	19.620	2.7821	16.200	23.400
OS smbh	17	80.941	20.8581	86.000	86.000
Råprot	16	119.419	17.9845	99.800	146.500
sRåprot	1	299.000	.	299.000	299.000
NH3-N	1	6.000	.	6.000	6.000
NDF	12	228.417	34.9323	193.000	249.000
iNDF	17	153.941	33.2274	162.000	162.000
nhNDF	17	3.150	0.0000	3.150	3.150
Stä	16	608.350	43.2067	546.000	649.800
TAF	17	0.000	0.0000	0.000	0.000
Socker	2	17.000	16.9706	5.000	29.000
AATp20	17	94.170	1.8773	92.183	96.107
PBVp20	17	-21.649	17.0702	-37.750	2.688
NELp20	17	7.228	0.1557	7.000	7.455
OE*	1	13.300	.	13.300	13.300
Ca	8	0.575	0.0886	0.400	0.700
P	8	3.575	0.4921	2.600	4.200
Mg	8	1.250	0.1069	1.100	1.400
K	8	5.588	0.7434	4.600	6.700
Na	8	0.125	0.0707	0.100	0.300
S	8	1.388	0.1246	1.200	1.600
CAB	8	27.816	18.1703	0.692	56.846
Fe	8	64.250	22.4992	43.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	8	13.250	4.3012	8.000	19.000
Zn	8	36.875	8.4081	29.000	50.000
Cu	8	4.388	0.9746	2.600	5.500

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	892.000	.	892.000	892.000
Aska	1	24.700	.	24.700	24.700
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	124.400	.	124.400	124.400
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	478.700	.	478.700	478.700
TAF	1	0.000	.	0.000	0.000
AATp20	1	83.174	.	83.174	83.174
PBVp20	1	5.903	.	5.903	5.903
NELp20	1	6.315	.	6.315	6.315
Ca	1	0.900	.	0.900	0.900
P	1	3.600	.	3.600	3.600
Mg	1	1.500	.	1.500	1.500
K	1	5.900	.	5.900	5.900
Na	1	0.200	.	0.200	0.200
S	1	2.000	.	2.000	2.000
CAB	1	14.872	.	14.872	14.872

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	128.000	.	128.000	128.000
Mn	1	113.000	.	113.000	113.000
Zn	1	56.000	.	56.000	56.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	853.909	12.7472	839.000	870.000
Aska	11	18.800	4.2323	16.100	22.900
OS smbh	11	80.000	26.5330	88.000	88.000
Råprot	11	133.536	21.7137	117.800	160.600
sRåprot	1	240.000	.	240.000	240.000
NH3-N	1	6.000	.	6.000	6.000
NDF	5	161.400	67.7185	112.000	276.000
iNDF	11	172.273	48.8448	187.000	187.000
nhNDF	11	3.500	0.0000	3.500	3.500
Stä	11	635.855	75.1156	518.700	692.000
TAF	11	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	11	114.451	1.8421	111.888	116.016
PBVp20	11	-33.704	21.0167	-49.705	-1.214
NELp20	11	7.924	0.1693	7.680	8.052
OE*	1	13.800	.	13.800	13.800
Ca	6	0.433	0.1506	0.300	0.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	6	3.017	0.2229	2.800	3.400
Mg	6	1.083	0.0753	1.000	1.200
K	6	4.783	0.4491	4.300	5.300
Na	5	0.100	0.0000	0.100	0.100
Cl	1	1.000	.	1.000	1.000
S	6	1.417	0.3545	1.100	2.100
CAB	6	12.320	19.1980	-19.521	39.546
Fe	6	74.167	42.6259	35.000	137.000
Mn	6	28.833	7.7825	14.000	35.000
Zn	6	28.333	5.3914	21.000	36.000
Cu	6	3.883	0.3971	3.300	4.500

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	872.000	.	872.000	872.000
Aska	1	14.900	.	14.900	14.900
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	79.100	.	79.100	79.100
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	707.600	.	707.600	707.600
TAF	1	0.000	.	0.000	0.000
AATp20	1	103.246	.	103.246	103.246
PBVp20	1	-73.237	.	-73.237	-73.237

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	7.833	.	7.833	7.833
Ca	1	0.300	.	0.300	0.300
P	1	2.800	.	2.800	2.800
Mg	1	1.000	.	1.000	1.000
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	50.007	.	50.007	50.007
Fe	1	33.000	.	33.000	33.000
Mn	1	20.000	.	20.000	20.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	16.600	.	16.600	16.600
OS smbh	1	89.479	.	89.479	89.479
Råprot	1	81.800	.	81.800	81.800
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	707.300	.	707.300	707.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.380	.	105.380	105.380

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-72.500	.	-72.500	-72.500
NELp20	1	7.744	.	7.744	7.744

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	849.000	8.1240	842.000	857.000
Aska	4	17.650	0.8660	16.600	18.700
OS smbh	4	87.000	0.0000	87.000	87.000
Råprot	4	125.500	10.7988	117.900	141.300
iNDF	4	173.000	0.0000	173.000	173.000
nhNDF	4	3.300	0.0000	3.300	3.300
Stä	4	646.775	20.0355	625.700	663.900
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	106.158	1.1896	105.113	107.706
PBVp20	4	-31.395	8.9672	-37.292	-18.112
NELp20	4	7.739	0.0582	7.696	7.824
Ca	2	0.500	0.0000	0.500	0.500
P	2	3.300	0.0000	3.300	3.300
Mg	2	1.250	0.0707	1.200	1.300
K	2	5.100	0.2828	4.900	5.300
Na	2	0.100	0.0000	0.100	0.100
S	2	1.400	0.1414	1.300	1.500
CAB	2	19.114	1.6050	17.979	20.249
Fe	2	40.000	1.4142	39.000	41.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	22.000	8.4853	16.000	28.000
Zn	2	35.000	5.6569	31.000	39.000
Cu	2	3.900	0.5657	3.500	4.300

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	20.000	.	20.000	20.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	150.000	.	150.000	150.000
NH3-N	1	5.000	.	5.000	5.000
NDF	1	220.000	.	220.000	220.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	557.000	.	557.000	557.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.382	.	104.382	104.382
PBVp20	1	-1.605	.	-1.605	-1.605
NELp20	1	7.083	.	7.083	7.083
Ca	1	0.600	.	0.600	0.600
P	1	3.400	.	3.400	3.400
Mg	1	1.300	.	1.300	1.300
K	1	6.800	.	6.800	6.800
Na	1	0.100	.	0.100	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	1.500	.	1.500	1.500
CAB	1	61.976	.	61.976	61.976
Fe	1	58.000	.	58.000	58.000
Mn	1	24.000	.	24.000	24.000
Zn	1	45.000	.	45.000	45.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	802.000	.	802.000	802.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	220.000	.	220.000	220.000
NH3-N	1	4.000	.	4.000	4.000
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	487.000	.	487.000	487.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.849	.	101.849	101.849
PBVp20	1	71.823	.	71.823	71.823
NELp20	1	7.640	.	7.640	7.640

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	327.862	71.8061	259.000	484.000
Aska	29	30.276	5.2023	22.000	37.000
OS smbh	29	75.831	2.2926	72.200	77.900
Råprot	29	78.448	5.8284	70.000	86.000
sRåprot	29	369.172	35.6982	323.000	422.000
NDF	29	392.103	30.4036	355.000	439.000
iNDF	29	187.093	25.6943	163.185	225.000
nhNDF	29	3.508	0.7131	2.274	4.103
Stä	29	274.931	64.4637	196.000	377.000
TAF	29	57.000	0.0000	57.000	57.000
Socker	29	60.379	48.6866	7.000	121.000
AATp20	29	87.927	2.5650	84.060	90.765
PBVp20	29	-60.393	4.6270	-64.470	-55.518
NELp20	29	6.334	0.2265	6.067	6.574
OE*	11	11.322	0.2577	11.000	11.600
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-64.000	.	-64.000	-64.000
Ca	14	2.050	0.7133	1.300	2.800
P	14	1.929	0.1637	1.800	2.100
Mg	14	1.150	0.2767	0.900	1.500
K	14	8.700	1.5719	6.500	10.200
Na	13	0.215	0.1068	0.100	0.400
Cl	23	2.004	1.0298	1.300	3.200
S	14	0.900	0.1710	0.700	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	14	117.735	38.4149	67.758	171.689
Fe	8	71.375	21.5734	54.000	116.000
Mn	8	14.625	3.9978	9.000	22.000
Zn	8	20.375	4.7189	13.000	26.000
Cu	8	4.012	0.7220	3.000	5.000
Se	3	0.045	0.0186	0.024	0.060

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	11.000	.	11.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	209.143	33.4536	166.000	259.000
OS smbh	7	73.150	0.0000	73.150	73.150
iNDF	7	170.460	0.0000	170.460	170.460
nhNDF	7	4.315	0.0000	4.315	4.315
TAF	7	0.000	0.0000	0.000	0.000
AATp20	7	96.439	0.0000	96.439	96.439
PBVp20	7	-4.418	0.0000	-4.418	-4.418
NELp20	7	5.943	0.0000	5.943	5.943
OE*	7	12.614	0.2340	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	212.000	27.6007	186.000	260.000
OS smbh	11	73.150	0.0000	73.150	73.150
iNDF	11	170.460	0.0000	170.460	170.460
nhNDF	11	4.315	0.0000	4.315	4.315
TAF	11	0.000	0.0000	0.000	0.000
AATp20	11	96.439	0.0000	96.439	96.439
PBVp20	11	-4.418	0.0000	-4.418	-4.418
NELp20	11	5.943	0.0000	5.943	5.943
OE*	11	12.536	0.3202	12.200	12.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	184.000	28.6938	152.000	218.000
OS smbh	4	73.150	0.0000	73.150	73.150
iNDF	4	170.460	0.0000	170.460	170.460
nhNDF	4	4.315	0.0000	4.315	4.315
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	96.439	0.0000	96.439	96.439
PBVp20	4	-4.418	0.0000	-4.418	-4.418
NELp20	4	5.943	0.0000	5.943	5.943
OE*	4	11.850	0.3873	11.400	12.300

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	163.000	9.89949	156.000	170.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	11.350	0.07071	11.300	11.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	232.000	.	232.000	232.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000
AATp20	1	92.987	.	92.987	92.987
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.100	.	11.100	11.100

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	522.125	221.381	261.000	831.000
Aska	8	63.750	17.144	49.000	103.000
OS smbh	8	71.538	3.200	66.200	76.000
Råprot	8	130.625	37.167	89.000	207.000
sRåprot	4	529.750	116.073	410.000	669.000
NDF	8	509.125	31.252	475.000	555.000
iNDF	8	183.015	30.849	134.785	229.710
nhNDF	8	3.988	0.492	3.307	5.015
Stä	1	22.000	.	22.000	22.000
TAF	8	61.000	0.000	61.000	61.000
Socket	8	103.125	45.085	48.000	181.000
AATp20	8	82.026	4.036	75.998	88.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	8	3.095	29.641	-33.035	62.241
NELp20	8	5.797	0.315	5.249	6.235
OE*	8	10.433	0.474	9.700	10.920
AAT*	4	71.500	2.887	69.000	74.000
PBV*	4	10.500	52.969	-37.000	78.000
Ca	8	4.738	1.683	2.900	8.000
P	8	2.513	0.579	1.800	3.700
Mg	8	1.563	0.431	1.000	2.500
K	8	20.388	6.383	15.600	35.600
Na	8	1.313	1.151	0.200	3.100
Cl	3	4.900	0.889	4.200	5.900
S	8	1.800	0.393	1.400	2.600
CAB	8	326.196	174.604	181.773	741.923
Fe	8	154.125	93.602	49.000	286.000
Mn	8	57.750	20.408	19.000	88.000
Zn	8	28.250	5.036	20.000	33.000
Cu	8	4.600	0.962	3.600	6.000
Se	4	0.050	0.000	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	426.000	.	426.000	426.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	136.000	.	136.000	136.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	504.000	.	504.000	504.000
iNDF	1	167.000	.	167.000	167.000
nhNDF	1	3.827	.	3.827	3.827
TAF	1	61.000	.	61.000	61.000
Socket	1	109.000	.	109.000	109.000
AATp20	1	86.448	.	86.448	86.448
PBVp20	1	0.810	.	0.810	0.810
NELp20	1	5.872	.	5.872	5.872
OE*	1	10.530	.	10.530	10.530
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.600	.	2.600	2.600
K	1	20.500	.	20.500	20.500
Na	1	2.200	.	2.200	2.200
Cl	1	7.000	.	7.000	7.000
S	1	2.500	.	2.500	2.500
CAB	1	266.516	.	266.516	266.516
Fe	1	214.000	.	214.000	214.000
Mn	1	98.000	.	98.000	98.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	46.000	.	46.000	46.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	392.000	138.766	271.000	633.000
Aska	16	67.125	5.920	61.000	75.000
OS smbh	16	76.138	3.513	71.800	80.200
Råprot	16	146.188	19.884	126.000	178.000
sRåprot	16	643.250	68.906	582.000	733.000
NH3-N	16	79.000	28.542	54.000	129.000
NDF	16	456.313	50.054	412.000	516.000
iNDF	16	150.147	30.809	109.114	193.076
nhNDF	16	4.673	0.456	3.904	5.375
TAF	16	85.506	38.294	22.000	127.900
Mjölksyra	16	67.438	33.564	11.000	101.000
Ättiksyra	16	15.875	7.089	6.000	24.000
Socker	16	57.500	32.496	20.000	111.000
PRF	2	3.500	0.707	3.000	4.000
BUF	16	0.881	1.439	0.000	3.800
AATp20	16	81.016	3.329	76.123	86.396
PBVp20	16	18.618	19.431	-6.905	48.845
NELp20	16	6.291	0.373	5.825	6.796

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	16	11.180	0.544	10.500	11.800
AAT*	14	72.214	1.311	71.000	74.000
PBV*	14	22.714	12.682	12.000	38.000
Ca	15	5.953	0.965	4.800	6.900
P	15	2.767	0.354	2.400	3.200
Mg	15	1.667	0.209	1.500	2.000
K	15	22.020	3.114	18.000	26.500
Na	15	1.960	0.627	1.200	2.800
Cl	16	6.413	2.411	3.200	9.200
S	15	2.153	0.245	1.900	2.500
CAB	15	343.665	100.500	200.759	458.318
Fe	13	86.615	17.390	61.000	102.000
Mn	13	44.846	19.252	26.000	75.000
Zn	13	28.769	4.285	23.000	33.000
Cu	13	5.408	1.091	4.000	6.800
Se	1	0.005	.	0.005	0.005

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	376.000	74.891	302.000	474.000
Aska	4	74.500	4.359	72.000	81.000
OS smbh	4	72.950	4.914	68.800	79.000
Råprot	4	152.500	19.227	140.000	181.000
sRåprot	4	606.500	56.288	550.000	663.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	85.500	13.916	68.000	102.000
NDF	4	456.250	39.660	409.000	491.000
iNDF	4	183.816	57.960	127.511	242.377
nhNDF	4	3.905	0.913	2.964	4.908
TAF	4	68.075	29.518	34.700	98.000
Mjölksyra	4	53.250	21.156	28.000	74.000
Ättiksyra	4	12.000	7.616	4.000	19.000
Socker	4	45.250	7.500	38.000	55.000
PRF	1	6.000	.	6.000	6.000
BUF	4	0.575	0.780	0.000	1.700
AATp20	4	79.830	2.979	77.827	84.218
PBVp20	4	26.677	12.649	18.772	45.426
NELp20	4	5.957	0.556	5.455	6.592
OE*	4	10.575	0.830	9.900	11.600
AAT*	3	69.667	2.887	68.000	73.000
PBV*	3	35.333	17.388	22.000	55.000
Ca	4	9.125	3.804	5.900	14.500
P	4	2.375	0.750	1.400	3.100
Mg	4	2.200	0.392	1.800	2.700
K	4	19.575	3.315	16.200	23.900
Na	4	3.000	1.631	1.000	4.800
Cl	4	9.900	4.770	5.600	16.600
S	4	3.350	1.103	2.700	5.000
CAB	4	142.826	232.484	-81.903	393.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	99.250	27.957	83.000	141.000
Mn	4	25.500	16.523	13.000	49.000
Zn	4	32.500	9.110	23.000	44.000
Cu	4	6.425	1.382	5.000	8.300
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	648.000	.	648.000	648.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	68.400	.	68.400	68.400
Råprot	1	115.000	.	115.000	115.000
sRåprot	1	538.000	.	538.000	538.000
NH3-N	1	57.000	.	57.000	57.000
NDF	1	528.000	.	528.000	528.000
iNDF	1	228.000	.	228.000	228.000
nhNDF	1	3.784	.	3.784	3.784
TAF	1	16.000	.	16.000	16.000
Mjölksyra	1	14.000	.	14.000	14.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	1	84.000	.	84.000	84.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	80.881	.	80.881	80.881

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-9.018	.	-9.018	-9.018
NELp20	1	5.457	.	5.457	5.457
OE*	1	9.930	.	9.930	9.930
Ca	1	4.200	.	4.200	4.200
P	1	2.800	.	2.800	2.800
Mg	1	2.200	.	2.200	2.200
K	1	19.200	.	19.200	19.200
Na	1	1.500	.	1.500	1.500
Cl	1	9.500	.	9.500	9.500
S	1	2.000	.	2.000	2.000
CAB	1	163.660	.	163.660	163.660

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	500.000	.	500.000	500.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	143.000	.	143.000	143.000
NDF	1	469.000	.	469.000	469.000
iNDF	1	174.836	.	174.836	174.836
nhNDF	1	4.140	.	4.140	4.140
TAF	1	84.000	.	84.000	84.000
Socker	1	110.000	.	110.000	110.000
AATp20	1	81.702	.	81.702	81.702

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	17.278	.	17.278	17.278
NELp20	1	5.953	.	5.953	5.953
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	7.200	.	7.200	7.200
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	25.200	.	25.200	25.200
Na	1	0.700	.	0.700	0.700
S	1	1.500	.	1.500	1.500
CAB	1	448.792	.	448.792	448.792
Fe	1	65.000	.	65.000	65.000
Mn	1	23.000	.	23.000	23.000
Zn	1	23.000	.	23.000	23.000
Cu	1	3.800	.	3.800	3.800
Se	1	0.012	.	0.012	0.012

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	452.966	138.696	279.000	659.000
Aska	58	70.500	11.541	57.000	81.000
OS smbh	58	76.633	4.701	69.700	81.200
Råprot	58	145.983	29.113	103.000	182.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	24	439.750	88.697	351.000	581.000
NDF	58	450.672	60.960	373.000	536.000
iNDF	58	146.393	54.231	82.000	226.816
nhNDF	58	4.968	1.233	3.807	5.979
Stä	1	19.000	.	19.000	19.000
TAF	58	60.862	35.130	3.000	84.000
Mjölksyra	18	0.000	0.000	0.000	0.000
Ättiksyra	14	3.786	7.181	0.000	14.000
Socker	58	126.966	47.041	58.000	195.000
PRF	14	1.500	2.565	0.000	7.000
BUF	14	1.143	1.994	0.000	5.000
AATp20	58	88.395	7.165	79.484	96.921
PBVp20	58	9.223	22.349	-16.320	44.716
NELp20	58	6.213	0.391	5.635	6.659
OE*	58	11.218	0.795	10.240	12.100
AAT*	34	77.294	5.078	69.000	82.000
PBV*	34	3.621	27.081	-33.000	44.000
Ca	53	6.357	2.997	3.400	10.000
P	53	2.719	0.494	2.100	3.300
Mg	53	1.717	0.423	1.100	2.200
K	53	21.528	4.229	15.100	26.600
Na	53	1.111	0.939	0.200	2.200
Cl	22	4.468	3.211	0.900	9.000
S	53	2.028	0.475	1.500	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	53	342.462	96.787	201.253	442.501
Fe	43	127.907	114.262	63.000	259.000
Mn	43	47.070	26.611	16.000	82.000
Zn	43	25.674	5.651	19.000	32.000
Cu	43	5.056	1.012	3.800	6.500
Se	11	0.032	0.029	0.008	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	517.091	145.019	303.000	696.000
Aska	33	76.515	14.107	63.000	98.000
OS smbh	33	72.355	4.205	66.600	78.300
Råprot	33	140.333	25.678	103.000	171.000
sRåprot	12	445.083	92.472	382.000	601.000
NDF	33	477.273	43.594	429.000	534.000
iNDF	33	193.006	50.762	136.000	253.000
nhNDF	33	4.213	0.842	3.263	5.427
TAF	33	81.576	13.926	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	33	97.758	33.751	48.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	33	81.622	5.630	75.730	88.103

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	33	14.979	21.085	-13.318	36.563
NELp20	33	5.873	0.387	5.446	6.434
OE*	33	10.440	0.692	9.500	11.270
AAT*	21	72.286	4.406	67.000	77.000
PBV*	21	17.286	26.266	-19.000	40.000
Ca	29	8.676	4.282	4.300	15.000
P	29	2.745	0.370	2.200	3.200
Mg	29	2.162	0.475	1.500	2.800
K	29	22.528	4.985	16.000	28.700
Na	29	1.293	0.848	0.500	2.800
Cl	12	6.392	3.469	2.600	11.700
S	29	2.128	0.309	1.600	2.500
CAB	29	347.288	117.135	163.210	494.843
Fe	20	99.200	48.279	55.500	165.000
Mn	20	44.150	26.595	20.500	85.000
Zn	20	25.100	6.874	19.000	36.500
Cu	20	6.320	1.815	4.650	9.150
Se	5	0.031	0.019	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	429.700	137.031	296.000	662.000
Aska	10	88.900	16.203	71.000	108.500
OS smbh	10	74.390	2.115	72.650	77.950
Råprot	10	168.700	28.040	134.000	212.000
sRåprot	6	360.167	43.018	309.000	415.000
NDF	10	451.700	36.240	396.000	492.000
iNDF	10	178.344	26.250	141.500	210.000
nhNDF	10	4.534	0.689	3.760	5.592
TAF	10	84.000	0.000	84.000	84.000
Socker	10	73.600	34.481	14.500	106.000
AATp20	10	85.852	5.009	79.525	93.317
PBVp20	10	34.573	24.453	8.616	70.530
NELp20	10	6.120	0.209	5.867	6.467
OE*	10	10.629	0.357	10.150	11.130
AAT*	4	72.500	1.291	71.000	74.000
PBV*	4	47.250	39.093	8.000	99.000
Ca	10	8.430	3.170	5.250	13.650
P	10	3.330	0.389	2.800	3.800
Mg	10	2.410	0.373	1.850	2.800
K	10	25.550	3.016	21.500	29.400
Na	10	1.130	0.678	0.400	2.150
Cl	6	13.767	6.647	5.000	23.700
S	10	2.530	0.422	2.000	3.150
CAB	10	258.824	227.732	-68.547	523.896

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	144.333	129.893	64.000	398.000
Mn	6	76.000	54.987	27.000	152.000
Zn	6	32.333	7.607	22.000	43.000
Cu	6	7.500	1.260	6.000	9.000
Se	2	0.022	0.018	0.009	0.035

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	554.000	244.841	331.000	816.000
Aska	3	86.667	10.408	75.000	95.000
OS smbh	3	77.600	4.703	74.400	83.000
Råprot	3	174.667	21.939	162.000	200.000
sRåprot	1	394.000	.	394.000	394.000
NDF	3	418.333	29.023	385.000	438.000
iNDF	3	145.835	68.510	67.779	196.000
nhNDF	3	5.078	1.105	4.039	6.239
TAF	3	84.000	0.000	84.000	84.000
Socker	3	102.000	14.000	86.000	112.000
AATp20	3	87.765	5.066	82.442	92.526
PBVp20	3	36.944	14.465	24.272	52.703
NELp20	3	6.347	0.454	5.997	6.860
OE*	3	11.187	0.727	10.600	12.000
AAT*	2	77.000	4.243	74.000	80.000
PBV*	2	47.500	19.092	34.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	9.000	1.414	8.000	10.000
P	2	3.200	0.566	2.800	3.600
Mg	2	2.500	0.849	1.900	3.100
K	2	26.700	6.788	21.900	31.500
Na	2	1.100	0.990	0.400	1.800
Cl	1	10.500	.	10.500	10.500
S	2	2.400	0.000	2.400	2.400
CAB	2	366.606	246.098	192.589	540.624
Fe	2	131.500	61.518	88.000	175.000
Mn	2	42.000	15.556	31.000	53.000
Zn	2	24.500	4.950	21.000	28.000
Cu	2	6.800	1.697	5.600	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	403.800	69.719	298.000	465.000
Aska	5	68.800	8.526	57.000	80.000
OS smbh	5	73.960	1.647	71.800	75.900
Råprot	5	127.800	15.515	108.000	151.000
sRåprot	5	648.400	33.299	607.000	699.000
NH3-N	5	87.600	7.301	78.000	95.000
NDF	5	466.800	43.407	425.000	539.000
iNDF	5	173.540	17.818	155.047	193.506
nhNDF	5	4.159	0.389	3.664	4.546

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	5	73.680	25.495	51.300	116.100
Mjölksyra	5	58.400	21.548	40.000	94.000
Ättiksyra	5	13.800	4.207	10.000	21.000
Socker	5	66.200	25.830	33.000	101.000
BUF	5	0.480	0.349	0.100	0.900
AATp20	5	79.897	1.563	78.050	82.049
PBVp20	5	5.886	14.240	-10.717	26.964
NELp20	5	6.020	0.191	5.869	6.311
OE*	5	10.820	0.228	10.600	11.100
AAT*	5	71.200	0.837	70.000	72.000
PBV*	5	5.600	15.582	-13.000	30.000
Ca	5	6.740	1.750	4.700	9.300
P	5	2.520	0.205	2.300	2.700
Mg	5	1.940	0.559	1.200	2.700
K	5	21.060	2.086	18.900	24.300
Na	5	1.280	0.502	0.800	2.000
Cl	5	7.380	3.729	3.500	13.200
S	5	2.000	0.255	1.800	2.400
CAB	5	261.384	111.322	79.192	363.729
Fe	5	113.800	36.867	63.000	150.000
Mn	5	39.600	20.888	22.000	72.000
Zn	5	25.600	4.037	19.000	30.000
Cu	5	5.020	0.746	4.100	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	328	347.107	85.477	270.000	446.000
Aska	328	72.290	8.022	62.000	82.000
OS smbh	328	76.325	2.772	72.800	79.600
Råprot	328	154.613	19.088	129.000	179.000
sRåprot	328	668.427	56.072	598.000	731.000
NH3-N	328	88.360	26.047	58.000	122.000
NDF	328	431.851	41.178	383.000	487.000
iNDF	328	157.318	30.685	121.000	202.000
nhNDF	328	4.506	0.489	3.914	5.085
TAF	328	91.988	28.588	51.100	125.900
Mjölksyra	328	71.497	25.263	37.000	99.000
Ättiksyra	328	17.960	5.843	11.000	24.000
Socker	328	53.902	29.957	21.000	94.000
PRF	102	2.775	1.813	1.000	5.000
BUF	328	0.979	1.977	0.000	3.000
AATp20	328	80.814	2.771	77.645	84.546
PBVp20	328	29.391	17.969	5.803	53.565
NELp20	328	6.328	0.289	5.943	6.639
OE*	328	11.148	0.446	10.600	11.700
AAT*	226	72.119	1.265	70.000	74.000
PBV*	226	27.155	16.667	4.000	48.000
Ca	306	6.842	1.890	4.600	9.100
P	306	2.779	0.386	2.300	3.300
Mg	306	1.710	0.262	1.500	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	306	23.060	3.665	18.500	27.400
Na	306	1.636	0.804	0.600	2.700
Cl	327	5.985	3.889	2.300	10.500
S	306	2.175	0.373	1.700	2.700
CAB	306	355.449	126.850	199.433	485.404
Fe	284	129.099	96.121	75.000	200.000
Mn	284	41.637	22.451	23.000	66.000
Zn	284	28.549	16.857	22.000	34.000
Cu	284	5.788	1.175	4.500	7.000
Se	53	0.063	0.060	0.021	0.100

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	122	436.057	125.171	301.000	598.000
Aska	122	74.541	10.643	64.000	85.000
OS smbh	122	73.955	2.947	70.000	77.300
Råprot	122	149.402	22.160	120.000	177.000
sRåprot	122	600.984	79.889	506.000	691.000
NH3-N	122	71.705	27.844	40.000	96.000
NDF	122	449.836	32.709	413.000	489.000
iNDF	122	183.607	40.290	137.641	243.000
nhNDF	122	4.182	0.569	3.449	4.928
Stä	2	135.500	3.536	133.000	138.000
TAF	122	66.824	31.094	23.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	122	49.443	26.272	13.000	86.000
Ättiksyra	121	14.835	6.311	7.000	24.000
Socker	122	65.713	32.016	22.000	112.000
PRF	43	3.140	2.100	1.000	6.000
BUF	121	0.764	1.520	0.000	1.600
AATp20	122	81.850	3.819	77.339	86.355
PBVp20	122	23.065	19.447	-1.333	47.512
NELp20	122	6.056	0.331	5.601	6.425
OE*	122	10.727	0.474	10.100	11.220
AAT*	78	70.718	1.553	68.000	72.000
PBV*	78	24.500	19.604	2.000	50.000
Ca	118	7.956	2.392	5.200	11.500
P	118	2.681	0.517	2.100	3.400
Mg	118	2.220	0.335	1.800	2.600
K	118	21.412	4.364	15.800	27.100
Na	118	1.947	0.994	0.800	3.400
Cl	121	8.498	4.500	4.000	12.700
S	118	2.473	0.428	1.900	3.100
CAB	118	239.479	135.714	81.604	413.673
Fe	104	117.413	74.608	63.000	181.000
Mn	104	44.356	20.130	20.000	74.000
Zn	104	31.692	23.050	21.000	36.000
Cu	104	6.375	1.164	5.200	8.000
Se	19	0.081	0.089	0.011	0.280

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	55	430.764	126.083	300.000	608.000
Aska	55	82.964	10.782	73.000	100.000
OS smbh	55	72.320	3.021	69.000	75.500
Råprot	55	159.164	24.006	124.000	194.000
sRåprot	55	562.636	74.810	464.000	644.000
NH3-N	55	78.582	26.830	46.000	111.000
NDF	55	445.364	38.901	394.000	490.000
iNDF	55	214.799	42.956	169.272	268.000
nhNDF	55	4.093	0.871	3.060	4.932
TAF	55	66.791	28.661	22.500	104.100
Mjölksyra	55	48.509	22.033	14.000	76.000
Ättiksyra	55	15.673	8.081	6.000	27.000
Socker	55	52.164	28.610	19.000	89.000
PRF	21	2.381	1.884	0.000	4.000
BUF	55	1.082	1.360	0.000	3.200
AATp20	55	81.026	4.207	75.456	87.221
PBVp20	55	33.626	21.439	4.212	64.631
NELp20	55	5.896	0.320	5.508	6.285
OE*	55	10.355	0.461	9.760	10.870
AAT*	34	69.324	1.571	67.000	71.000
PBV*	34	33.003	24.074	4.000	74.000
Ca	50	9.652	3.385	5.900	13.550
P	50	2.928	0.492	2.350	3.500
Mg	50	2.496	0.357	2.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	50	22.374	3.889	17.250	27.250
Na	50	1.626	0.913	0.700	2.750
Cl	54	8.380	5.969	3.800	13.700
S	50	2.778	0.452	2.300	3.350
CAB	50	224.394	194.937	63.506	399.931
Fe	43	123.651	61.674	72.000	200.000
Mn	43	47.512	27.665	25.000	78.000
Zn	43	34.163	32.248	20.000	38.000
Cu	43	6.626	1.101	5.500	8.000
Se	8	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	460.000	156.346	358.000	640.000
Aska	3	82.000	3.606	79.000	86.000
OS smbh	3	71.800	2.081	69.400	73.100
Råprot	3	166.333	10.693	157.000	178.000
sRåprot	3	545.333	55.048	489.000	599.000
NH3-N	3	75.000	32.450	48.000	111.000
NDF	3	457.667	28.006	441.000	490.000
iNDF	3	205.386	27.315	189.000	236.918
nhNDF	3	3.821	0.795	3.048	4.636
TAF	3	46.300	35.077	19.500	86.000
Mjölksyra	3	30.667	26.839	10.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	13.333	7.572	8.000	22.000
Socker	3	64.333	32.501	32.000	97.000
PRF	1	3.000	.	3.000	3.000
BUF	3	0.633	0.709	0.000	1.400
AATp20	3	83.329	3.589	81.011	87.463
PBVp20	3	36.816	11.944	27.940	50.396
NELp20	3	5.833	0.358	5.491	6.205
OE*	3	10.280	0.336	9.900	10.540
AAT*	2	69.000	1.414	68.000	70.000
PBV*	2	41.000	2.828	39.000	43.000
Ca	3	9.800	3.270	6.100	12.300
P	3	2.833	0.404	2.400	3.200
Mg	3	2.400	0.173	2.300	2.600
K	3	21.200	1.700	19.500	22.900
Na	3	2.967	1.026	2.100	4.100
Cl	3	13.033	6.213	7.800	19.900
S	3	2.833	0.153	2.700	3.000
CAB	3	126.966	193.052	-71.081	314.601
Fe	3	135.667	43.432	88.000	173.000
Mn	3	26.667	4.509	22.000	31.000
Zn	3	26.333	9.609	16.000	35.000
Cu	3	6.467	0.503	6.000	7.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	344.333	109.358	243.000	595.000
Aska	9	60.111	16.143	39.000	97.000
OS smbh	9	74.222	3.945	68.200	78.900
Råprot	9	119.889	21.860	88.000	144.000
sRåprot	9	546.111	124.949	410.000	843.000
NH3-N	8	51.750	41.630	13.000	129.000
NDF	9	438.667	36.524	385.000	512.000
iNDF	9	173.552	49.298	116.000	242.089
nhNDF	9	3.773	0.494	2.939	4.750
Stä	9	49.000	85.289	1.000	272.000
TAF	9	29.344	13.548	6.700	52.000
Mjölksyra	9	20.111	11.050	2.000	39.000
Ättiksyra	9	7.556	5.053	0.000	16.000
Socker	9	128.667	54.731	27.000	198.000
PRF	6	0.500	0.837	0.000	2.000
BUF	6	1.167	1.472	0.000	4.000
AATp20	9	79.920	5.958	68.736	85.730
PBVp20	9	-12.307	17.810	-45.633	13.849
NELp20	9	5.893	0.375	5.134	6.272
OE*	7	11.147	0.601	10.300	11.790
AAT*	1	65.000	.	65.000	65.000
PBV*	1	-35.000	.	-35.000	-35.000
Ca	8	4.888	4.763	1.500	16.100
P	8	2.375	0.292	2.000	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	8	0.988	0.452	0.400	1.600
K	8	18.225	4.543	10.800	23.900
Na	8	0.413	0.236	0.200	0.800
Cl	4	3.400	1.506	1.600	5.200
S	8	1.638	0.385	1.000	2.100
CAB	8	277.478	112.706	102.019	409.102
Fe	5	87.200	54.532	46.000	182.000
Mn	5	29.400	19.629	17.000	64.000
Zn	5	22.400	7.537	16.000	34.000
Cu	5	4.340	0.684	3.400	5.000
Se	1	0.007	.	0.007	0.007

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	413.750	69.720	356.000	501.000
Aska	4	53.000	10.614	40.000	65.000
OS smbh	4	66.675	2.775	63.400	69.400
Råprot	4	98.000	8.287	86.000	104.000
sRåprot	4	673.500	99.346	568.000	807.000
NH3-N	4	75.750	21.438	53.000	101.000
NDF	4	441.250	47.947	390.000	497.000
iNDF	4	281.177	6.244	273.101	288.121
nhNDF	4	2.405	0.096	2.317	2.506
Stä	4	147.000	90.734	65.000	229.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	4	77.750	9.535	65.000	86.000
Mjölksyra	4	58.500	11.240	44.000	70.000
Ättiksyra	4	17.250	2.217	14.000	19.000
Socker	4	37.500	27.000	24.000	78.000
AATp20	4	67.692	3.827	64.376	72.830
PBVp20	4	-6.292	8.620	-14.230	4.395
NELp20	4	5.567	0.300	5.262	5.840
Ca	4	4.800	1.180	3.800	6.500
P	4	2.400	0.424	1.800	2.700
Mg	4	1.325	0.150	1.200	1.500
K	4	15.250	3.597	11.900	20.200
Na	4	2.400	2.239	0.400	5.600
Cl	4	4.425	1.078	3.200	5.600
S	4	1.525	0.359	1.000	1.800
CAB	4	274.413	115.543	191.380	440.949
Fe	4	79.000	20.199	57.000	103.000
Mn	4	25.000	10.033	19.000	40.000
Zn	4	23.750	6.850	14.000	30.000
Cu	4	3.725	0.556	3.100	4.400
Se	1	0.022	.	0.022	0.022

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	290.000	.	290.000	290.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	63.900	.	63.900	63.900
Råprot	1	94.000	.	94.000	94.000
sRåprot	1	531.000	.	531.000	531.000
NH3-N	1	31.000	.	31.000	31.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	285.000	.	285.000	285.000
nhNDF	1	2.984	.	2.984	2.984
Stä	1	106.000	.	106.000	106.000
TAF	1	60.000	.	60.000	60.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	14.000	.	14.000	14.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	68.583	.	68.583	68.583
PBVp20	1	-11.835	.	-11.835	-11.835
NELp20	1	5.408	.	5.408	5.408
OE*	1	9.250	.	9.250	9.250
Ca	1	4.500	.	4.500	4.500
P	1	2.400	.	2.400	2.400
Mg	1	1.400	.	1.400	1.400
K	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.900	.	0.900	0.900
Cl	1	3.000	.	3.000	3.000
S	1	1.400	.	1.400	1.400
CAB	1	404.208	.	404.208	404.208
Fe	1	132.000	.	132.000	132.000
Mn	1	36.000	.	36.000	36.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	588.000	46.6690	555.000	621.000
Aska	2	14.500	0.7071	14.000	15.000
OS smbh	2	77.250	0.7778	76.700	77.800
Råprot	2	79.500	4.9497	76.000	83.000
sRåprot	2	300.000	12.7279	291.000	309.000
NH3-N	2	5.500	6.3640	1.000	10.000
NDF	2	291.500	17.6777	279.000	304.000
iNDF	2	193.500	7.7782	188.000	199.000
nhNDF	2	2.176	0.0116	2.168	2.184
Stä	2	481.000	8.4853	475.000	487.000
TAF	2	33.000	5.6569	29.000	37.000
Mjölksyra	2	31.000	5.6569	27.000	35.000
Ättiksyra	2	2.000	0.0000	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	5.000	0.0000	5.000	5.000
PRF	2	0.000	0.0000	0.000	0.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	93.392	0.5193	93.025	93.760
PBVp20	2	-68.235	3.2803	-70.555	-65.916
NELp20	2	6.735	0.0677	6.688	6.783
OE*	2	12.000	0.1273	11.910	12.090
Ca	2	0.850	0.2121	0.700	1.000
P	2	2.150	0.0707	2.100	2.200
Mg	2	0.800	0.0000	0.800	0.800
K	2	5.350	0.3536	5.100	5.600
Na	2	0.100	0.0000	0.100	0.100
S	2	0.850	0.0707	0.800	0.900
CAB	2	55.657	13.4617	46.138	65.176

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	456.667	76.9697	404.000	545.000
Aska	3	64.000	14.1067	51.000	79.000
OS smbh	3	69.200	2.3431	67.700	71.900
Råprot	3	127.333	25.6580	99.000	149.000
sRåprot	3	631.333	91.7842	532.000	713.000
NH3-N	3	64.333	8.6217	55.000	72.000
NDF	3	501.333	47.5430	455.000	550.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	3	237.951	27.5758	207.853	262.000
nhNDF	3	3.808	0.3430	3.501	4.179
Stä	3	37.000	17.3494	18.000	52.000
TAF	3	56.333	37.6342	14.000	86.000
Mjölksyra	3	40.333	28.7460	8.000	63.000
Ättiksyra	3	13.000	6.0828	6.000	17.000
Socker	3	74.333	7.3711	66.000	80.000
PRF	2	4.000	2.8284	2.000	6.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	3	77.021	6.3439	73.138	84.342
PBVp20	3	1.189	15.8332	-16.858	12.747
NELp20	3	5.671	0.3305	5.356	6.015
OE*	2	10.265	0.3748	10.000	10.530
Ca	2	3.900	0.0000	3.900	3.900
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.3536	1.200	1.700
K	2	17.200	2.8284	15.200	19.200
Na	2	2.200	1.8385	0.900	3.500
Cl	3	8.733	5.8449	4.100	15.300
S	2	1.800	0.4243	1.500	2.100
CAB	2	149.810	97.3316	80.987	218.634
Fe	2	213.000	36.7696	187.000	239.000
Mn	2	24.500	7.7782	19.000	30.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	26.000	8.4853	20.000	32.000
Cu	2	4.000	0.0000	4.000	4.000

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	69.700	.	69.700	69.700
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	232.467	.	232.467	232.467
nhNDF	1	3.108	.	3.108	3.108
Stä	1	100.000	.	100.000	100.000
TAF	1	42.000	.	42.000	42.000
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	12.000	.	12.000	12.000
Socket	1	89.000	.	89.000	89.000
AATp20	1	73.196	.	73.196	73.196
PBVp20	1	-3.359	.	-3.359	-3.359
NELp20	1	5.610	.	5.610	5.610
Ca	1	4.700	.	4.700	4.700
P	1	2.300	.	2.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.700	.	1.700	1.700
K	1	16.400	.	16.400	16.400
Na	1	0.800	.	0.800	0.800
Cl	1	3.800	.	3.800	3.800
S	1	1.700	.	1.700	1.700
CAB	1	240.928	.	240.928	240.928
Fe	1	119.000	.	119.000	119.000
Mn	1	69.000	.	69.000	69.000
Zn	1	30.000	.	30.000	30.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	404.000	96.060	306.000	571.00
Aska	6	51.667	18.403	32.000	81.00
OS smbh	6	69.467	3.328	63.300	72.60
Råprot	6	112.000	18.889	97.000	139.00
sRåprot	6	630.833	109.044	474.000	747.00
NH3-N	6	74.500	45.995	12.000	130.00
NDF	6	456.833	43.874	384.000	511.00
iNDF	6	261.850	59.600	203.488	374.00
nhNDF	6	3.343	0.725	2.500	4.52
Stä	6	95.000	77.509	11.000	201.00
TAF	6	52.417	28.393	19.000	89.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	6	34.833	21.977	3.000	59.00
Ättiksyra	6	15.500	10.035	5.000	31.00
Socker	6	70.167	40.192	29.000	140.00
PRF	3	1.333	1.155	0.000	2.00
BUF	3	0.333	0.577	0.000	1.00
AATp20	6	72.921	3.315	69.112	78.75
PBVp20	6	-7.813	19.489	-31.313	21.68
NELp20	6	5.690	0.281	5.182	5.96
OE*	4	10.123	0.491	9.390	10.41
AAT*	1	57.000	.	57.000	57.00
PBV*	1	45.000	.	45.000	45.00
Ca	6	4.467	1.271	3.400	6.40
P	6	1.983	0.504	1.200	2.50
Mg	6	1.417	0.248	1.100	1.80
K	6	15.033	3.292	11.300	19.90
Na	6	0.750	0.809	0.100	2.20
Cl	6	3.617	2.988	0.100	8.90
S	6	1.667	0.535	1.200	2.70
CAB	6	211.048	163.785	-21.245	425.11
Fe	6	251.333	381.409	54.000	1026.00
Mn	6	45.000	26.907	12.000	87.00
Zn	6	24.333	6.501	16.000	34.00
Cu	6	4.950	1.283	3.900	7.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	440.500	73.799	372.000	542.000
Aska	4	54.750	6.397	46.000	60.000
OS smbh	4	72.400	2.382	69.500	75.000
Råprot	4	115.250	3.202	113.000	120.000
sRåprot	4	616.750	105.196	496.000	715.000
NH3-N	4	58.250	30.467	15.000	84.000
NDF	4	402.250	81.879	284.000	470.000
iNDF	4	226.303	47.023	179.000	290.000
nhNDF	4	2.992	1.198	1.301	4.122
Stä	3	49.333	19.035	31.000	69.000
TAF	4	47.250	23.171	35.000	82.000
Mjölksyra	4	32.750	21.219	19.000	64.000
Ättiksyra	4	13.500	4.203	8.000	18.000
Socker	4	104.750	46.198	54.000	161.000
PRF	3	0.667	1.155	0.000	2.000
BUF	3	0.667	1.155	0.000	2.000
AATp20	4	77.724	1.717	75.505	79.544
PBVp20	4	-8.382	1.959	-9.984	-5.987
NELp20	4	5.870	0.287	5.557	6.238
OE*	3	10.877	0.270	10.570	11.080
Ca	4	5.650	1.279	4.000	7.000
P	4	2.400	0.648	1.800	3.300
Mg	4	1.600	0.572	1.100	2.400
K	4	17.025	3.160	13.900	21.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.175	1.053	0.200	2.600
Cl	4	5.000	3.642	1.700	10.100
S	4	2.100	0.432	1.700	2.700
CAB	4	214.414	105.455	101.091	321.451
Fe	4	94.750	4.573	89.000	100.000
Mn	4	38.500	24.893	14.000	70.000
Zn	4	51.250	42.011	22.000	113.000
Cu	4	6.325	2.454	5.000	10.000
Se	2	0.130	0.113	0.050	0.210

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	353.214	44.715	285.000	408.000
Aska	14	27.714	4.968	24.000	34.000
OS smbh	14	76.264	2.235	73.200	78.700
Råprot	14	76.643	8.044	69.000	86.000
sRåprot	14	579.500	109.720	446.000	725.000
NH3-N	14	61.429	33.999	23.000	110.000
NDF	14	372.357	41.909	331.000	441.000
iNDF	14	199.398	28.091	172.028	228.000
nhNDF	14	3.396	0.369	2.965	3.913
Stä	14	303.714	48.240	275.000	349.000
TAF	14	72.286	16.050	54.000	93.000
Mjölksyra	14	52.143	14.076	33.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	14	17.071	4.196	10.000	22.000
Socker	14	9.929	5.650	5.000	17.000
PRF	7	3.143	1.069	1.000	4.000
BUF	7	0.000	0.000	0.000	0.000
AATp20	14	81.919	3.481	78.214	87.041
PBVp20	14	-52.265	8.579	-61.198	-45.290
NELp20	14	6.538	0.180	6.300	6.748
OE*	8	11.456	0.313	11.030	11.910
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-70.000	.	-70.000	-70.000
Ca	12	2.100	0.357	1.600	2.500
P	12	1.883	0.185	1.700	2.100
Mg	12	1.142	0.198	0.900	1.300
K	12	9.133	1.475	7.800	11.800
Na	11	0.200	0.089	0.100	0.300
Cl	8	1.725	0.328	1.200	2.100
S	12	0.900	0.135	0.800	1.100
CAB	12	140.515	35.468	97.498	188.885
Fe	7	84.143	41.807	58.000	178.000
Mn	7	19.857	8.877	10.000	36.000
Zn	7	20.571	3.599	16.000	26.000
Cu	7	3.757	0.619	3.100	5.000
Se	1	0.080	.	0.080	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	299.333	38.3970	255.000	322.000
Aska	3	51.000	6.5574	44.000	57.000
OS smbh	3	64.333	5.9911	59.400	71.000
Råprot	3	77.667	6.4291	73.000	85.000
sRåprot	3	790.333	18.8768	774.000	811.000
NH3-N	3	91.333	19.5021	72.000	111.000
NDF	3	586.000	31.4802	560.000	621.000
iNDF	3	233.463	47.8641	178.807	267.897
nhNDF	3	3.349	0.8021	2.790	4.268
Stä	3	20.667	5.5076	17.000	27.000
TAF	3	90.000	8.0000	82.000	98.000
Mjölksyra	3	68.000	7.5498	61.000	76.000
Ättiksyra	3	22.000	8.5440	14.000	31.000
Socker	3	52.333	20.5994	29.000	68.000
AATp20	3	62.551	5.0273	58.664	68.228
PBVp20	3	-18.831	12.1637	-32.579	-9.465
NELp20	3	5.276	0.5240	4.897	5.874
Ca	3	2.533	0.0577	2.500	2.600
P	3	2.433	0.5132	2.000	3.000
Mg	3	0.967	0.2082	0.800	1.200
K	3	17.867	3.1070	14.400	20.400
Na	3	0.233	0.2309	0.100	0.500
Cl	3	2.500	0.6000	1.900	3.100
S	3	1.267	0.2082	1.100	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	317.504	72.9058	233.462	363.763
Fe	3	104.333	47.2476	69.000	158.000
Mn	3	21.000	5.2915	15.000	25.000
Zn	3	17.000	2.6458	15.000	20.000
Cu	3	4.000	0.4583	3.600	4.500
Se	1	0.030	.	0.030	0.030

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	79.900	.	79.900	79.900
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	564.000	.	564.000	564.000
NH3-N	1	115.000	.	115.000	115.000
NDF	1	329.000	.	329.000	329.000
iNDF	1	142.714	.	142.714	142.714
nhNDF	1	4.134	.	4.134	4.134
Stä	1	109.000	.	109.000	109.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	66.000	.	66.000	66.000
AATp20	1	80.936	.	80.936	80.936

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	2.011	.	2.011	2.011
NELp20	1	6.412	.	6.412	6.412
OE*	1	11.800	.	11.800	11.800
AAT*	1	82.000	.	82.000	82.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	15.800	.	15.800	15.800
P	1	2.000	.	2.000	2.000
Mg	1	2.000	.	2.000	2.000
K	1	14.500	.	14.500	14.500
Na	1	0.200	.	0.200	0.200
Cl	1	9.800	.	9.800	9.800
S	1	0.900	.	0.900	0.900
CAB	1	47.233	.	47.233	47.233
Fe	1	145.000	.	145.000	145.000
Mn	1	44.000	.	44.000	44.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	80.000	.	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	591.000	.	591.000	591.000
iNDF	1	241.968	.	241.968	241.968
nhNDF	1	3.143	.	3.143	3.143
TAF	1	0.000	.	0.000	0.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	81.772	.	81.772	81.772
PBVp20	1	-41.271	.	-41.271	-41.271
NELp20	1	4.936	.	4.936	4.936
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-34.000	.	-34.000	-34.000
Ca	1	2.900	.	2.900	2.900
P	1	1.600	.	1.600	1.600
Mg	1	1.200	.	1.200	1.200
K	1	8.400	.	8.400	8.400
Na	1	0.800	.	0.800	0.800
S	1	1.100	.	1.100	1.100
CAB	1	40.021	.	40.021	40.021
Fe	1	59.000	.	59.000	59.000
Mn	1	84.000	.	84.000	84.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	848.667	101.563	637.000	935.000
Aska	9	54.333	9.836	39.000	76.000
OS smbh	9	66.678	5.345	60.400	76.400
Råprot	9	88.333	27.106	49.000	132.000
sRåprot	1	413.000	.	413.000	413.000
NDF	9	562.444	30.270	511.000	598.000
iNDF	9	222.432	50.129	136.153	285.886
nhNDF	9	3.629	0.772	2.503	5.156
TAF	9	0.000	0.000	0.000	0.000
Socker	9	136.667	62.656	76.000	259.000
AATp20	9	85.268	3.155	79.593	90.362
PBVp20	9	-39.487	28.550	-85.283	5.359
NELp20	9	5.162	0.348	4.746	5.755
OE*	9	9.731	0.918	8.700	11.400
AAT*	8	70.125	5.693	64.000	80.000
PBV*	8	-30.375	36.723	-86.000	22.000
Ca	9	4.211	1.917	2.000	8.300
P	9	2.222	0.509	1.600	3.300
Mg	9	1.533	0.604	0.900	2.700
K	9	17.156	5.152	6.800	25.100
Na	9	1.178	1.276	0.100	4.200
Cl	1	6.500	.	6.500	6.500
S	9	1.689	0.473	1.000	2.300
CAB	9	238.873	155.480	-23.726	539.957

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	84.556	53.278	41.000	205.000
Mn	9	66.778	34.608	12.000	110.000
Zn	9	23.667	7.826	16.000	38.000
Cu	9	4.089	1.506	2.600	7.700
Se	4	0.069	0.098	0.005	0.213

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	853.000	79.164	762.000	906.000
Aska	3	67.000	11.358	59.000	80.000
OS smbh	3	70.533	2.627	67.500	72.100
Råprot	3	119.667	11.930	110.000	133.000
sRåprot	1	470.000	.	470.000	470.000
NDF	3	505.333	27.465	488.000	537.000
iNDF	3	197.702	14.864	187.000	214.674
nhNDF	3	3.794	0.166	3.604	3.915
TAF	3	0.000	0.000	0.000	0.000
Socker	3	125.000	18.358	112.000	146.000
AATp20	3	91.327	4.758	85.866	94.576
PBVp20	3	-20.335	8.822	-29.093	-11.451
NELp20	3	5.549	0.287	5.219	5.745
OE*	3	10.257	0.569	9.600	10.600
AAT*	2	71.500	3.536	69.000	74.000
PBV*	2	-1.000	9.899	-8.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	6.250	2.616	4.400	8.100
P	2	2.700	0.000	2.700	2.700
Mg	2	1.950	0.354	1.700	2.200
K	2	22.500	0.424	22.200	22.800
Na	2	1.400	1.273	0.500	2.300
Cl	1	12.900	.	12.900	12.900
S	2	2.550	0.354	2.300	2.800
CAB	2	224.829	134.965	129.395	320.264
Fe	2	65.000	12.728	56.000	74.000
Mn	2	52.500	36.062	27.000	78.000
Zn	2	21.500	3.536	19.000	24.000
Cu	2	5.200	1.131	4.400	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	397.500	99.7021	327.000	468.000
Aska	2	91.000	9.8995	84.000	98.000
OS smbh	2	76.900	3.6770	74.300	79.500
Råprot	2	206.500	24.7487	189.000	224.000
sRåprot	2	711.000	1.4142	710.000	712.000
NH3-N	2	65.500	6.3640	61.000	70.000
NDF	2	318.500	20.5061	304.000	333.000
iNDF	2	241.389	90.7621	177.211	305.568

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	4.069	0.0282	4.049	4.089
TAF	2	101.950	41.2243	72.800	131.100
Mjölksyra	2	83.500	30.4056	62.000	105.000
Ättiksyra	2	16.500	12.0208	8.000	25.000
Socker	2	45.500	43.1335	15.000	76.000
BUF	2	0.950	1.2021	0.100	1.800
AATp20	2	76.786	8.0514	71.093	82.479
PBVp20	2	89.850	11.0585	82.030	97.669
NELp20	2	6.373	0.3070	6.156	6.590
OE*	2	11.000	0.7071	10.500	11.500
AAT*	2	71.000	1.4142	70.000	72.000
PBV*	2	83.000	21.2132	68.000	98.000
Ca	2	17.850	6.5761	13.200	22.500
P	2	3.150	0.0707	3.100	3.200
Mg	2	1.800	0.2828	1.600	2.000
K	2	21.950	3.4648	19.500	24.400
Na	2	1.050	0.4950	0.700	1.400
Cl	2	5.500	1.2728	4.600	6.400
S	2	2.050	0.3536	1.800	2.300
CAB	2	323.979	52.1847	287.079	360.879
Fe	2	105.500	10.6066	98.000	113.000
Mn	2	34.000	8.4853	28.000	40.000
Zn	2	21.000	5.6569	17.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	2	7.400	0.1414	7.300	7.500
Se	1	0.036	.	0.036	0.036

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	97.000	.	97.000	97.000
OS smbh	1	70.000	.	70.000	70.000
Råprot	1	175.000	.	175.000	175.000
sRåprot	1	528.000	.	528.000	528.000
NH3-N	1	81.000	.	81.000	81.000
NDF	1	402.000	.	402.000	402.000
iNDF	1	351.000	.	351.000	351.000
nhNDF	1	4.654	.	4.654	4.654
TAF	1	101.000	.	101.000	101.000
Mjölksyra	1	87.000	.	87.000	87.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	40.000	.	40.000	40.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.808	.	73.808	73.808
PBVp20	1	64.452	.	64.452	64.452
NELp20	1	5.792	.	5.792	5.792
OE*	1	9.830	.	9.830	9.830

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	11.400	.	11.400	11.400
P	1	3.900	.	3.900	3.900
Mg	1	3.400	.	3.400	3.400
K	1	22.900	.	22.900	22.900
Na	1	1.200	.	1.200	1.200
Cl	1	3.500	.	3.500	3.500
S	1	2.500	.	2.500	2.500
CAB	1	383.010	.	383.010	383.010

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	737.000	200.818	595.000	879.000
Aska	2	53.500	43.134	23.000	84.000
OS smbh	2	52.300	2.546	50.500	54.100
Råprot	2	69.500	7.778	64.000	75.000
sRåprot	2	439.000	35.355	414.000	464.000
NDF	2	657.500	70.004	608.000	707.000
iNDF	2	441.500	23.335	425.000	458.000
nhNDF	2	4.189	0.905	3.549	4.829
Stä	2	21.000	4.243	18.000	24.000
TAF	2	0.000	0.000	0.000	0.000
Socker	2	26.000	12.728	17.000	35.000
AATp20	2	68.402	1.065	67.649	69.156
PBVp20	2	-42.635	3.088	-44.818	-40.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	3.852	0.031	3.830	3.874
OE*	2	7.320	0.099	7.250	7.390
Ca	2	9.050	5.020	5.500	12.600
P	2	0.900	0.141	0.800	1.000
Mg	2	1.250	0.354	1.000	1.500
K	2	5.800	0.283	5.600	6.000
Na	2	0.650	0.495	0.300	1.000
Cl	2	2.750	0.071	2.700	2.800
S	2	1.250	0.071	1.200	1.300
CAB	2	21.009	26.327	2.393	39.625
Fe	2	126.000	62.225	82.000	170.000
Mn	2	21.000	8.485	15.000	27.000
Zn	2	9.500	0.707	9.000	10.000
Cu	2	4.500	0.707	4.000	5.000
Se	2	0.075	0.007	0.070	0.080

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	423.167	35.885	381.000	470.000
Aska	6	61.500	7.120	51.000	70.000
OS smbh	6	74.850	1.331	73.600	77.200
Råprot	6	142.000	10.991	128.000	157.000
sRåprot	6	532.000	53.258	441.000	602.000
NH3-N	6	75.167	23.473	31.000	97.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	6	335.833	38.175	264.000	365.000
iNDF	6	237.667	13.140	220.000	257.000
nhNDF	6	2.901	0.352	2.292	3.249
Stä	6	182.500	28.240	145.000	230.000
TAF	6	76.000	13.069	56.000	92.000
Mjölksyra	6	46.500	14.237	21.000	59.000
Ättiksyra	6	23.167	2.927	20.000	27.000
Socker	6	42.833	14.006	27.000	66.000
PRF	6	4.667	1.751	2.000	7.000
BUF	6	1.667	1.751	0.000	5.000
AATp20	6	83.916	3.387	80.283	90.326
PBVp20	6	16.427	6.982	8.609	27.566
NELp20	6	6.412	0.135	6.297	6.601
OE*	6	11.028	0.229	10.800	11.390
Ca	6	6.933	1.491	4.800	9.400
P	6	3.733	0.689	3.000	4.900
Mg	6	2.633	0.671	1.900	3.600
K	6	16.467	1.314	14.100	17.800
Na	6	2.017	0.668	1.100	2.800
Cl	6	5.867	4.679	0.500	14.300
S	6	2.583	0.595	2.000	3.600
CAB	6	182.107	116.396	-30.342	295.442
Fe	5	246.600	91.533	133.000	351.000
Mn	5	61.000	15.875	40.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	58.400	18.636	34.000	76.000
Cu	5	9.800	1.924	7.000	12.000
Se	1	0.360	.	0.360	0.360

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	511.000	104.652	437.000	585.000
Aska	2	54.000	8.485	48.000	60.000
OS smbh	2	73.750	7.283	68.600	78.900
Råprot	2	117.000	21.213	102.000	132.000
sRåprot	2	544.500	68.589	496.000	593.000
NH3-N	2	58.000	4.243	55.000	61.000
NDF	2	387.500	92.631	322.000	453.000
iNDF	2	211.728	51.159	175.553	247.903
nhNDF	2	3.233	0.499	2.880	3.586
Stä	2	146.000	149.907	40.000	252.000
Socker	2	71.500	50.205	36.000	107.000
NELp20	2	0.000	0.000	0.000	0.000
Ca	2	7.150	3.606	4.600	9.700
P	2	2.500	0.707	2.000	3.000
Mg	2	2.000	0.141	1.900	2.100
K	2	12.200	1.131	11.400	13.000
Na	2	1.600	0.566	1.200	2.000
Cl	2	4.100	3.818	1.400	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	2	1.950	0.071	1.900	2.000
CAB	2	144.218	98.800	74.355	214.080
Fe	2	258.000	209.304	110.000	406.000
Mn	2	38.500	30.406	17.000	60.000
Zn	2	34.000	22.627	18.000	50.000
Cu	2	6.900	3.960	4.100	9.700
Se	1	0.190	.	0.190	0.190

*= Parametrar från det gamla svenska fodervärderingssystemet