

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjöl- syra	Ättik- syra	Socker
Korn, kärna (001)	1	6	862	22	43.0	122	285		138	94	3.15	553	0.000			5
Vete, kärna (005)	1	4	856	19	44.0	127	352		113	106	3.50	605	0.000			5
Råg (011)	1	1	914	17	0.0	76	452		129	25	6.60	549	0.000			5
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	867	28	81.6	119				324	2.50	623	0.000			
Råg, helsäd, grönmassa (138)	1	1	369	66	74.2	167	646	98.0	452	177	4.04	17	67.000	57.0	10.0	47
Grönmassa, gräs (0% baljv.) (161)	1	2	751	54	70.1	85			547	192	3.98		61.000			157
Grönmassa, gräs (0% baljv.) (161)	2	1	797	64	72.6	86			522	171	4.36		61.000			165
Ensilage, gräs (0% klöver) (162)	1	11	351	68	76.6	145	598	80.3	435	150	4.56		77.127	61.5	14.0	69
Ensilage, gräs (0% klöver) (162)	2	3	623	69	76.7	167	489	45.7	461	140	4.86		27.400	20.0	5.7	96
Ensilage, gräs (0% klöver) (162)	3	4	544	73	76.2	184	459	53.3	420	162	4.24		40.375	30.8	7.8	93
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	768	55	72.1	91			579	161	4.71		84.000			118
Grönmassa blandvall (1-50 % baljväxter) (164)	1	21	495	62	76.9	130	442		467	132	5.05		72.571	0.0	4.0	143
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12	513	75	73.2	150	380		510	157	4.75		84.000			86
Grönmassa blandvall (1-50 % baljväxter) (164)	3	14	457	92	71.1	156	374		479	196	3.88		84.000			64
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	491	83	74.7	166	570		458	163	4.35		84.000			83
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	263	73	77.1	152	546		423	129	4.15		84.000			91
Ensilage, blandvall (1-50% klöver) (165)	0	1	395	57	72.4	163	611	102	512	179	4.17		51.000	36.0	10.0	52
Ensilage, blandvall (1-50% klöver) (165)	1	57	425	65	76.1	141	633	74.3	445	151	4.45		60.393	45.3	12.7	87
Ensilage, blandvall (1-50% klöver) (165)	2	54	422	74	74.1	154	552	77.0	464	171	4.24		62.419	47.3	12.4	59
Ensilage, blandvall (1-50% klöver) (165)	3	29	433	84	73.0	155	522	76.4	457	186	4.03		56.903	43.3	11.3	61
Ensilage, blandvall (1-50% klöver) (165)	4	3	384	76	75.5	149	544	57.3	441	156	4.21		65.300	51.7	12.0	78
Ensilage, blandvall (1-50% klöver) (165)	5	1	291	87	80.2	185	574	74.0	347	124	4.57		99.100	81.0	17.0	70
Korn, helsädesensilage (250)	1	8	438	53	68.4	116	620	93.0	478	241	3.03	104	53.075	38.5	12.9	57
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	294	53	69.9	112	607	101	368	310	2.34	198	104.000	68.0	29.0	36
Havre helsädesensilage degmognad (296)	1	2	353	63	64.0	116	697	131	512	269	2.70	66	63.000	52.0	11.0	36

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	311	65	65.6	118	639	140	471	268	2.58	87	60.667	39.3	20.0	35
Hö, blandvall, 0-50% baljväxter (383)	1	4	828	52	67.8	90	433		549	226	3.74		0.000			146

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	6				97.4	-25	7.47	12.6		
Vete, kärna (005)	1	4				114	-40	8.02	13.3		
Råg (011)	1	1				105	-81	7.93	13.0		
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				101	-28	7.36			
Råg, helsäd, grönmassa (138)	1	1				73.0	42.0	6.05			
Grönmassa, gräs (0% baljv.) (161)	1	2				79.3	-35	5.53	10.3	72.5	-39
Grönmassa, gräs (0% baljv.) (161)	2	1				80.9	-37	5.69	10.6	75.0	-41
Ensilage, gräs (0% klöver) (162)	1	11		0.58182		82.5	15.2	6.26	11.2	72.4	20.7
Ensilage, gräs (0% klöver) (162)	2	3		0.73333		91.9	20.7	6.27	11.3	72.3	42.7
Ensilage, gräs (0% klöver) (162)	3	4		0.87500		91.1	37.6	6.20	11.1	71.5	60.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				80.4	-29	5.89	10.6	75.0	-37
Grönmassa blandvall (1-50 % baljväxter) (164)	1	21	0.00000	0.00000		86.9	-3.7	6.26	11.4	78.8	-7.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12				83.5	21.3	6.08	10.6	73.4	21.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	14				79.9	32.2	5.79	10.1	71.1	33.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3				83.6	35.5	6.14	10.7	75.0	36.5
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1				85.2	20.0	6.35	11.3		
Ensilage, blandvall (1-50% klöver) (165)	0	1		4.00000		84.2	32.4	6.06	10.7	70.0	41.0
Ensilage, blandvall (1-50% klöver) (165)	1	57	2.71429	0.93571		84.1	11.7	6.22	11.2	72.2	13.5
Ensilage, blandvall (1-50% klöver) (165)	2	54	3.77778	1.21481		83.8	24.5	6.10	10.8	70.8	30.2
Ensilage, blandvall (1-50% klöver) (165)	3	29	2.60000	0.93793		83.2	25.9	5.94	10.5	70.0	33.0
Ensilage, blandvall (1-50% klöver) (165)	4	3	1.00000	0.63333		84.4	18.6	6.18	11.0	71.5	19.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.10000		85.7	49.7	6.62	11.6	73.0	59.0
Korn, helsädesensilage (250)	1	8				72.6	-3.1	5.54	10.0	60.8	0.3
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	6.00000	1.00000		68.4	4.4	5.94	10.3		
Havre helsädesensilage degmognad (296)	1	2				68.6	5.7	5.22	10.1	61.0	-4.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	3.00000	1.00000		69.2	8.7	5.34	10.2		
Hö, blandvall, 0-50% baljväxter (383)	1	4				86.9	-41	5.25	10.0	71.0	-28

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.6	3.5	1.4	6.3	0.1	1.3	1.5	36	5	52.0	29.4	37.6	5.6	
Vete, kärna (005)	1	3	0.4	3.1	1.1	5.0	0.1	0.9	1.5	10	3	40.0	39.7	38.0	4.4	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.5	3.7	1.3	5.2	0.1		1.3	34	1	63.0	31.0	32.0	5.8	
Råg, helsäd, grönmassa (138)	1	1	5.3	2.9	1.8	22.6	1.4	7.0	2.2	304	1	105.0	65.0	36.0	5.9	
Grönmassa, gräs (0% baljv.) (161)	1	2	3.7	2.0	1.8	16.9	0.9		1.3	249	2	74.5	61.5	20.0	3.8	
Grönmassa, gräs (0% baljv.) (161)	2	1	4.9	1.8	3.2	18.1	0.2		1.6	231	1	73.0	87.0	12.0	3.3	
Ensilage, gräs (0% klöver) (162)	1	10	4.2	2.5	1.7	21.7	0.9	6.8	2.0	274	10	217.5	119.2	32.1	5.8	0.0
Ensilage, gräs (0% klöver) (162)	2	3	5.9	2.9	2.4	21.9	1.6	5.7	2.6	309	3	93.0	98.7	34.3	7.6	0.0
Ensilage, gräs (0% klöver) (162)	3	3	6.7	2.4	2.9	20.3	1.0	6.9	2.1	249	3	270.0	94.3	34.0	6.6	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	1.4	2.5	0.8	24.1	0.1		1.1	420	1	37.0	42.0	23.0	3.6	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	19	4.4	2.5	1.7	20.4	0.7	4.1	1.8	310	16	146.8	76.6	30.1	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	5.4	3.0	2.3	22.8	1.0	5.6	2.4	341	9	108.3	78.1	30.1	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	8.0	2.9	3.2	19.0	1.0	6.5	2.6	228	9	255.4	100.2	33.7	8.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	4	3	7.6	2.8	3.2	17.8	2.1	3.4	2.7	253	2	103.0	86.0	32.0	7.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	5.1	2.7	1.9	25.6	0.5	19.9	2.4	-34	1	114.0	70.0	19.0	6.0	
Ensilage, blandvall (1-50% klöver) (165)	0	1	5.2	2.4	2.5	16.5	0.4	4.3	2.2	181	1	290.0	64.0	33.0	7.5	
Ensilage, blandvall (1-50% klöver) (165)	1	53	4.9	2.6	1.8	21.2	0.9	6.6	2.0	266	46	183.2	79.9	37.5	5.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	2	47	5.9	2.9	2.4	22.5	1.4	7.4	2.4	270	42	192.4	106.6	34.8	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	25	6.2	2.8	2.6	22.4	1.5	8.9	2.4	228	21	426.5	119.6	34.0	7.6	
Ensilage, blandvall (1-50% klöver) (165)	4	3	5.9	2.5	2.4	22.1	1.1	17.1	2.4	-20	3	287.7	112.7	28.7	6.2	
Ensilage, blandvall (1-50% klöver) (165)	5	1	7.2	3.3	2.4	25.0	2.0	7.9	3.1	310	1	531.0	106.0	29.0	7.0	
Korn, helsädesensilage (250)	1	4	4.9	2.2	1.9	11.1	1.0	4.6	1.9	91	4	306.0	51.8	30.8	5.1	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	6.2	3.0	2.0	13.4	1.4		1.7	213	0					
Havre helsädesensilage degmognad (296)	1	1	3.8	2.6	1.8	19.8	2.8	6.4	2.1	277	1	371.0	130.0	37.0	5.3	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	5.0	3.0	2.0	18.8	0.8	5.5	1.8	250	2	239.0	92.5	44.5	7.1	
Hö, blandvall, 0-50% baljväxter (383)	1	3	4.7	2.2	1.7	15.0	0.6	0.7	1.5	211	2	147.5	122.0	26.5	5.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	861.833	35.5889	833.000	923.000
Aska	6	21.600	2.1401	19.000	25.000
OS smbh	6	43.000	47.1041	0.000	86.000
Råprot	6	122.017	13.2438	101.700	141.000
sRåprot	3	285.000	50.5668	233.000	334.000
NDF	3	138.333	6.1101	133.000	145.000
iNDF	6	93.500	75.0380	25.000	162.000
nhNDF	6	3.150	0.0000	3.150	3.150
Stä	6	553.050	41.7267	510.000	622.900
TAF	6	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	6	97.383	2.2169	94.926	99.549
PBVp20	6	-24.980	12.0221	-39.960	-10.721
NELp20	6	7.474	0.1979	7.282	7.778
OE*	3	12.633	0.2082	12.400	12.800
Ca	5	0.560	0.2074	0.400	0.900
P	5	3.540	0.5814	2.900	4.400
Mg	5	1.380	0.2490	1.200	1.700
K	5	6.260	0.8961	5.300	7.700
Na	5	0.140	0.0894	0.100	0.300
Cl	2	1.300	0.1414	1.200	1.400
S	5	1.520	0.2683	1.300	1.900
CAB	5	36.260	19.5841	9.844	61.226
Fe	5	52.000	9.9750	38.000	63.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	29.400	16.3493	15.000	55.000
Zn	5	37.600	7.1274	27.000	47.000
Cu	5	5.580	1.0686	3.800	6.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	856.250	26.5377	826.000	886.000
Aska	4	19.100	2.4235	16.900	22.500
OS smbh	4	44.000	50.8068	0.000	88.000
Råprot	4	127.025	15.6611	118.600	150.500
sRåprot	2	351.500	51.6188	315.000	388.000
NDF	2	112.500	4.9497	109.000	116.000
iNDF	4	106.000	93.5307	25.000	187.000
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	605.400	41.6558	562.000	646.500
TAF	4	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	4	113.828	2.1600	111.866	116.911
PBVp20	4	-40.262	13.3789	-47.522	-20.204
NELp20	4	8.024	0.0269	8.005	8.064
OE*	2	13.300	0.1414	13.200	13.400
Ca	3	0.400	0.1000	0.300	0.500
P	3	3.100	0.3606	2.700	3.400
Mg	3	1.100	0.0000	1.100	1.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	4.967	0.3055	4.700	5.300
Na	2	0.100	0.0000	0.100	0.100
Cl	1	0.900	.	0.900	0.900
S	3	1.533	0.1155	1.400	1.600
CAB	3	10.187	9.5823	-0.800	16.815
Fe	3	40.000	10.4403	33.000	52.000
Mn	3	39.667	2.0817	38.000	42.000
Zn	3	38.000	5.2915	32.000	42.000
Cu	3	4.400	0.5196	4.100	5.000

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	914.000	.	914.000	914.000
Aska	1	17.000	.	17.000	17.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	76.000	.	76.000	76.000
sRåprot	1	452.000	.	452.000	452.000
NDF	1	129.000	.	129.000	129.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	549.000	.	549.000	549.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	105.118	.	105.118	105.118

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-80.573	.	-80.573	-80.573
NELp20	1	7.927	.	7.927	7.927
OE*	1	13.000	.	13.000	13.000

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	867.000	.	867.000	867.000
Aska	1	27.700	.	27.700	27.700
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	118.800	.	118.800	118.800
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	622.800	.	622.800	622.800
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.275	.	101.275	101.275
PBVp20	1	-28.306	.	-28.306	-28.306
NELp20	1	7.365	.	7.365	7.365
Ca	1	0.500	.	0.500	0.500
P	1	3.700	.	3.700	3.700
Mg	1	1.300	.	1.300	1.300
K	1	5.200	.	5.200	5.200
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	33.555	.	33.555	33.555

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	63.000	.	63.000	63.000
Mn	1	31.000	.	31.000	31.000
Zn	1	32.000	.	32.000	32.000
Cu	1	5.800	.	5.800	5.800

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	369.000	.	369.000	369.000
Aska	1	66.000	.	66.000	66.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	167.000	.	167.000	167.000
sRåprot	1	646.000	.	646.000	646.000
NH3-N	1	98.000	.	98.000	98.000
NDF	1	452.000	.	452.000	452.000
iNDF	1	176.960	.	176.960	176.960
nhNDF	1	4.038	.	4.038	4.038
Stä	1	17.000	.	17.000	17.000
TAF	1	67.000	.	67.000	67.000
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	47.000	.	47.000	47.000
AATp20	1	73.040	.	73.040	73.040
PBVp20	1	42.040	.	42.040	42.040
NELp20	1	6.047	.	6.047	6.047

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	5.300	.	5.300	5.300
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	22.600	.	22.600	22.600
Na	1	1.400	.	1.400	1.400
Cl	1	7.000	.	7.000	7.000
S	1	2.200	.	2.200	2.200
CAB	1	304.192	.	304.192	304.192
Fe	1	105.000	.	105.000	105.000
Mn	1	65.000	.	65.000	65.000
Zn	1	36.000	.	36.000	36.000
Cu	1	5.900	.	5.900	5.900

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	750.500	6.3640	746.000	755.000
Aska	2	53.500	2.1213	52.000	55.000
OS smbh	2	70.100	0.5657	69.700	70.500
Råprot	2	85.000	5.6569	81.000	89.000
NDF	2	547.000	32.5269	524.000	570.000
iNDF	2	192.020	6.2436	187.605	196.435
nhNDF	2	3.976	0.1911	3.840	4.111
TAF	2	61.000	0.0000	61.000	61.000
Socket	2	156.500	2.1213	155.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	79.336	0.5679	78.934	79.737
PBVp20	2	-34.599	4.3287	-37.659	-31.538
NELp20	2	5.533	0.0210	5.518	5.548
OE*	2	10.300	0.1414	10.200	10.400
AAT*	2	72.500	0.7071	72.000	73.000
PBV*	2	-39.000	4.2426	-42.000	-36.000
Ca	2	3.700	0.7071	3.200	4.200
P	2	1.950	0.3536	1.700	2.200
Mg	2	1.750	0.9192	1.100	2.400
K	2	16.900	0.4243	16.600	17.200
Na	2	0.900	0.2828	0.700	1.100
S	2	1.300	0.1414	1.200	1.400
CAB	2	249.260	7.3921	244.033	254.487
Fe	2	74.500	0.7071	74.000	75.000
Mn	2	61.500	0.7071	61.000	62.000
Zn	2	20.000	1.4142	19.000	21.000
Cu	2	3.800	0.4243	3.500	4.100

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	797.000	.	797.000	797.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	72.600	.	72.600	72.600
Råprot	1	86.000	.	86.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	522.000	.	522.000	522.000
iNDF	1	171.004	.	171.004	171.004
nhNDF	1	4.359	.	4.359	4.359
TAF	1	61.000	.	61.000	61.000
Socker	1	165.000	.	165.000	165.000
AATp20	1	80.923	.	80.923	80.923
PBVp20	1	-36.522	.	-36.522	-36.522
NELp20	1	5.695	.	5.695	5.695
OE*	1	10.600	.	10.600	10.600
AAT*	1	75.000	.	75.000	75.000
PBV*	1	-41.000	.	-41.000	-41.000
Ca	1	4.900	.	4.900	4.900
P	1	1.800	.	1.800	1.800
Mg	1	3.200	.	3.200	3.200
K	1	18.100	.	18.100	18.100
Na	1	0.200	.	0.200	0.200
S	1	1.600	.	1.600	1.600
CAB	1	230.766	.	230.766	230.766
Fe	1	73.000	.	73.000	73.000
Mn	1	87.000	.	87.000	87.000
Zn	1	12.000	.	12.000	12.000
Cu	1	3.300	.	3.300	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	351.273	156.492	231.000	452.000
Aska	11	68.182	10.935	62.000	69.000
OS smbh	11	76.600	4.061	74.000	79.100
Råprot	11	145.182	25.972	139.000	165.000
sRåprot	11	598.364	126.629	492.000	687.000
NH3-N	11	80.273	23.346	70.000	99.000
NDF	11	435.091	46.380	406.000	454.000
iNDF	11	150.017	32.715	131.382	190.680
nhNDF	11	4.557	0.574	3.623	5.008
TAF	11	77.127	33.785	55.800	124.100
Mjölksyra	11	61.545	28.377	41.000	104.000
Ättiksyra	11	14.000	5.916	10.000	19.000
Socker	11	68.818	41.477	17.000	117.000
BUF	11	0.582	0.675	0.100	1.800
AATp20	11	82.546	2.482	79.206	85.151
PBVp20	11	15.236	22.252	5.324	33.980
NELp20	11	6.262	0.470	5.842	6.564
OE*	11	11.236	0.710	10.400	11.700
AAT*	11	72.364	2.063	70.000	74.000
PBV*	11	20.727	22.996	13.000	39.000
Ca	10	4.180	0.319	3.700	4.550
P	10	2.480	0.365	1.900	2.850
Mg	10	1.720	0.175	1.450	1.950
K	10	21.710	1.956	18.800	23.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	10	0.850	0.255	0.450	1.100
Cl	11	6.818	2.772	4.400	9.600
S	10	1.960	0.212	1.650	2.150
CAB	10	273.925	73.289	173.449	362.288
Fe	10	217.500	78.336	133.500	341.000
Mn	10	119.200	123.147	69.000	279.500
Zn	10	32.100	6.297	23.000	40.500
Cu	10	5.800	0.823	4.650	6.750
Se	2	0.021	0.011	0.013	0.029

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	623.000	117.932	535.000	757.000
Aska	3	68.667	8.505	59.000	75.000
OS smbh	3	76.733	3.510	72.700	79.100
Råprot	3	167.333	11.676	157.000	180.000
sRåprot	3	489.000	138.806	330.000	586.000
NH3-N	3	45.667	15.631	29.000	60.000
NDF	3	461.333	46.307	427.000	514.000
iNDF	3	139.713	29.931	119.707	174.123
nhNDF	3	4.861	0.515	4.268	5.185
TAF	3	27.400	20.065	4.500	41.900
Mjölksyra	3	20.000	16.093	2.000	33.000
Ättiksyra	3	5.667	4.163	1.000	9.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	96.000	26.287	77.000	126.000
BUF	3	0.733	0.208	0.500	0.900
AATp20	3	91.932	7.607	86.162	100.552
PBVp20	3	20.740	2.321	18.363	23.000
NELp20	3	6.269	0.253	5.977	6.425
OE*	3	11.267	0.493	10.700	11.600
AAT*	3	72.333	1.155	71.000	73.000
PBV*	3	42.667	10.017	35.000	54.000
Ca	3	5.933	0.153	5.800	6.100
P	3	2.900	0.458	2.400	3.300
Mg	3	2.400	0.265	2.200	2.700
K	3	21.900	2.787	18.800	24.200
Na	3	1.633	0.404	1.200	2.000
Cl	3	5.733	3.233	2.800	9.200
S	3	2.567	0.252	2.300	2.800
CAB	3	309.198	81.829	242.763	400.602
Fe	3	93.000	3.000	90.000	96.000
Mn	3	98.667	11.015	86.000	106.000
Zn	3	34.333	1.528	33.000	36.000
Cu	3	7.633	0.058	7.600	7.700
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	543.750	93.432	437.000	656.000
Aska	4	73.250	8.500	61.000	79.000
OS smbh	4	76.175	1.670	73.800	77.600
Råprot	4	184.250	19.015	166.000	210.000
sRåprot	4	459.250	67.139	383.000	546.000
NH3-N	4	53.250	11.325	42.000	69.000
NDF	4	419.500	17.176	400.000	438.000
iNDF	4	161.758	23.370	143.913	195.034
nhNDF	4	4.238	0.460	3.591	4.665
TAF	4	40.375	22.547	12.500	65.900
Mjölksyra	4	30.750	19.311	8.000	54.000
Ättiksyra	4	7.750	3.304	3.000	10.000
Socker	4	93.000	24.685	68.000	118.000
BUF	4	0.875	0.386	0.500	1.400
AATp20	4	91.141	5.761	84.961	98.622
PBVp20	4	37.624	10.096	27.816	49.317
NELp20	4	6.205	0.173	5.958	6.350
OE*	4	11.125	0.287	10.700	11.300
AAT*	4	71.500	1.000	70.000	72.000
PBV*	4	60.000	18.092	44.000	85.000
Ca	3	6.733	1.626	5.300	8.500
P	3	2.433	0.058	2.400	2.500
Mg	3	2.867	0.416	2.400	3.200
K	3	20.333	2.811	17.100	22.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	1.033	0.231	0.900	1.300
Cl	4	6.875	1.047	5.700	8.100
S	3	2.133	0.115	2.000	2.200
CAB	3	249.469	65.194	178.407	306.515
Fe	3	270.000	187.646	116.000	479.000
Mn	3	94.333	16.503	76.000	108.000
Zn	3	34.000	5.000	29.000	39.000
Cu	3	6.633	0.862	5.700	7.400

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	768.000	.	768.000	768.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	91.000	.	91.000	91.000
NDF	1	579.000	.	579.000	579.000
iNDF	1	161.477	.	161.477	161.477
nhNDF	1	4.705	.	4.705	4.705
TAF	1	84.000	.	84.000	84.000
Socker	1	118.000	.	118.000	118.000
AATp20	1	80.377	.	80.377	80.377
PBVp20	1	-29.435	.	-29.435	-29.435
NELp20	1	5.893	.	5.893	5.893
OE*	1	10.600	.	10.600	10.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	75.000	.	75.000	75.000
PBV*	1	-37.000	.	-37.000	-37.000
Ca	1	1.400	.	1.400	1.400
P	1	2.500	.	2.500	2.500
Mg	1	0.800	.	0.800	0.800
K	1	24.100	.	24.100	24.100
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	419.572	.	419.572	419.572
Fe	1	37.000	.	37.000	37.000
Mn	1	42.000	.	42.000	42.000
Zn	1	23.000	.	23.000	23.000
Cu	1	3.600	.	3.600	3.600

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	495.476	161.363	282.000	703.000
Aska	21	62.000	6.716	56.000	70.000
OS smbh	21	76.862	5.373	68.800	83.800
Råprot	21	129.714	26.961	101.000	151.000
sRåprot	5	442.400	94.585	334.000	586.000
NDF	21	467.190	64.133	398.000	565.000
iNDF	21	131.708	50.850	64.021	197.623
nhNDF	21	5.046	1.287	3.786	6.739

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	21	72.571	28.769	12.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	4.000	6.928	0.000	12.000
Socket	21	143.143	49.216	91.000	211.000
PRF	3	0.000	0.000	0.000	0.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	21	86.904	6.149	78.470	94.093
PBVp20	21	-3.729	21.104	-23.258	17.707
NELp20	21	6.256	0.454	5.631	6.896
OE*	21	11.359	0.875	10.100	12.400
AAT*	16	78.750	4.919	71.000	86.000
PBV*	16	-7.000	28.024	-36.000	51.000
Ca	19	4.353	1.119	2.900	6.500
P	19	2.458	0.367	1.900	2.900
Mg	19	1.674	0.323	1.300	2.200
K	19	20.432	4.172	14.200	25.500
Na	19	0.663	0.514	0.100	1.400
Cl	5	4.120	1.516	2.600	5.900
S	19	1.811	0.362	1.200	2.300
CAB	19	310.127	90.360	160.668	397.662
Fe	16	146.750	95.390	82.000	339.000
Mn	16	76.563	83.315	42.000	86.000
Zn	16	30.063	5.209	24.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	16	4.956	0.736	4.000	6.000
Se	3	0.010	0.003	0.007	0.013

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	513.083	183.985	288.000	696.000
Aska	12	74.500	10.698	64.000	89.000
OS smbh	12	73.250	8.471	66.700	79.300
Råprot	12	150.333	44.582	85.000	185.000
sRåprot	2	379.500	10.607	372.000	387.000
NDF	12	509.667	59.278	453.000	559.000
iNDF	12	156.549	69.749	91.728	225.017
nhNDF	12	4.749	1.401	3.410	6.597
TAF	12	84.000	0.000	84.000	84.000
Socker	12	85.583	43.802	57.000	154.000
AATp20	12	83.502	9.988	71.005	90.821
PBVp20	12	21.263	30.979	-15.647	50.273
NELp20	12	6.075	0.790	5.158	6.714
OE*	12	10.618	1.372	9.500	11.600
AAT*	10	73.400	8.356	61.000	81.000
PBV*	10	21.800	41.206	-38.000	56.000
Ca	11	5.364	0.842	4.700	6.100
P	11	3.018	0.536	2.500	3.500
Mg	11	2.327	0.529	1.900	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	11	22.800	6.614	13.800	29.800
Na	11	0.973	0.888	0.200	2.100
Cl	2	5.600	1.697	4.400	6.800
S	11	2.355	0.563	1.700	3.000
CAB	11	341.250	172.091	187.538	551.445
Fe	9	108.333	40.321	71.000	193.000
Mn	9	78.111	24.410	45.000	125.000
Zn	9	30.111	7.960	14.000	41.000
Cu	9	6.711	1.781	3.600	9.500
Se	2	0.025	0.025	0.007	0.042

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	456.500	198.734	261.000	754.000
Aska	14	92.143	21.508	66.000	117.000
OS smbh	14	71.121	3.411	67.300	75.100
Råprot	14	155.643	35.182	114.000	203.000
sRåprot	2	374.000	25.456	356.000	392.000
NDF	14	479.214	53.713	383.000	529.000
iNDF	14	196.266	45.888	137.735	254.927
nhNDF	14	3.877	0.873	2.727	5.096
TAF	14	84.000	0.000	84.000	84.000
Socker	14	63.500	47.463	11.000	131.000
AATp20	14	79.864	4.247	76.384	85.052

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	14	32.196	34.650	-10.130	80.343
NELp20	14	5.787	0.325	5.478	5.973
OE*	14	10.081	0.712	9.500	10.800
AAT*	12	71.083	4.209	68.000	76.000
PBV*	12	33.583	41.139	-16.000	84.000
Ca	10	7.960	2.771	4.700	11.650
P	10	2.890	0.341	2.400	3.250
Mg	10	3.150	0.747	2.250	4.200
K	10	18.980	5.945	11.300	26.750
Na	10	1.020	0.755	0.150	2.150
Cl	2	6.450	2.899	4.400	8.500
S	10	2.550	0.207	2.200	2.750
CAB	10	228.141	163.901	28.211	446.056
Fe	9	255.444	148.120	72.000	463.000
Mn	9	100.222	45.779	60.000	207.000
Zn	9	33.667	5.745	26.000	43.000
Cu	9	8.422	2.188	5.400	12.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	491.333	222.824	242.000	671.000
Aska	3	83.000	8.544	74.000	91.000
OS smbh	3	74.667	1.159	73.900	76.000
Råprot	3	165.667	32.005	134.000	198.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	570.000	.	570.000	570.000
NDF	3	458.333	26.502	437.000	488.000
iNDF	3	163.175	14.160	150.872	178.653
nhNDF	3	4.348	0.299	4.003	4.540
TAF	3	84.000	0.000	84.000	84.000
Socker	3	83.333	59.585	22.000	141.000
AATp20	3	83.591	2.524	81.504	86.397
PBVp20	3	35.483	26.070	9.140	61.270
NELp20	3	6.138	0.187	5.926	6.278
OE*	3	10.747	0.136	10.640	10.900
AAT*	2	75.000	0.000	75.000	75.000
PBV*	2	36.500	44.548	5.000	68.000
Ca	3	7.633	2.003	6.100	9.900
P	3	2.800	0.656	2.100	3.400
Mg	3	3.167	0.666	2.400	3.600
K	3	17.767	6.086	12.100	24.200
Na	3	2.067	0.289	1.900	2.400
Cl	1	3.400	.	3.400	3.400
S	3	2.733	0.252	2.500	3.000
CAB	3	253.224	175.200	112.666	449.510
Fe	2	103.000	32.527	80.000	126.000
Mn	2	86.000	36.770	60.000	112.000
Zn	2	32.000	14.142	22.000	42.000
Cu	2	7.450	1.061	6.700	8.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	263.000	.	263.000	263.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	77.100	.	77.100	77.100
Råprot	1	152.000	.	152.000	152.000
sRåprot	1	546.000	.	546.000	546.000
NDF	1	423.000	.	423.000	423.000
iNDF	1	129.000	.	129.000	129.000
nhNDF	1	4.150	.	4.150	4.150
TAF	1	84.000	.	84.000	84.000
Socket	1	91.000	.	91.000	91.000
AATp20	1	85.182	.	85.182	85.182
PBVp20	1	19.988	.	19.988	19.988
NELp20	1	6.353	.	6.353	6.353
OE*	1	11.270	.	11.270	11.270
Ca	1	5.100	.	5.100	5.100
P	1	2.700	.	2.700	2.700
Mg	1	1.900	.	1.900	1.900
K	1	25.600	.	25.600	25.600
Na	1	0.500	.	0.500	0.500
Cl	1	19.900	.	19.900	19.900
S	1	2.400	.	2.400	2.400
CAB	1	-34.093	.	-34.093	-34.093
Fe	1	114.000	.	114.000	114.000
Mn	1	70.000	.	70.000	70.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	19.000	.	19.000	19.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	395.000	.	395.000	395.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	72.400	.	72.400	72.400
Råprot	1	163.000	.	163.000	163.000
sRåprot	1	611.000	.	611.000	611.000
NH3-N	1	102.000	.	102.000	102.000
NDF	1	512.000	.	512.000	512.000
iNDF	1	178.705	.	178.705	178.705
nhNDF	1	4.167	.	4.167	4.167
TAF	1	51.000	.	51.000	51.000
Mjölksyra	1	36.000	.	36.000	36.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	52.000	.	52.000	52.000
BUF	1	4.000	.	4.000	4.000
AATp20	1	84.228	.	84.228	84.228
PBVp20	1	32.393	.	32.393	32.393
NELp20	1	6.057	.	6.057	6.057
OE*	1	10.700	.	10.700	10.700
AAT*	1	70.000	.	70.000	70.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	41.000	.	41.000	41.000
Ca	1	5.200	.	5.200	5.200
P	1	2.400	.	2.400	2.400
Mg	1	2.500	.	2.500	2.500
K	1	16.500	.	16.500	16.500
Na	1	0.400	.	0.400	0.400
Cl	1	4.300	.	4.300	4.300
S	1	2.200	.	2.200	2.200
CAB	1	180.759	.	180.759	180.759
Fe	1	290.000	.	290.000	290.000
Mn	1	64.000	.	64.000	64.000
Zn	1	33.000	.	33.000	33.000
Cu	1	7.500	.	7.500	7.500

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	57	424.596	126.407	280.000	611.000
Aska	57	65.228	11.207	55.000	74.000
OS smbh	57	76.132	3.412	71.400	80.300
Råprot	57	141.281	28.338	103.000	177.000
sRåprot	57	633.351	81.642	503.000	730.000
NH3-N	56	74.286	23.393	42.000	107.000
NDF	57	445.386	52.129	384.000	531.000
iNDF	57	150.864	34.615	112.470	186.692

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	57	4.452	0.549	3.868	5.257
TAF	57	60.393	31.609	23.400	105.100
Mjölksyra	57	45.263	27.913	11.000	86.000
Ättiksyra	56	12.679	5.257	6.000	19.000
Socker	57	87.070	43.986	29.000	146.000
PRF	14	2.714	1.437	2.000	4.000
BUF	56	0.936	1.166	0.000	2.600
AATp20	57	84.112	3.829	79.244	87.987
PBVp20	57	11.733	24.665	-23.508	42.015
NELp20	57	6.220	0.360	5.735	6.686
OE*	57	11.199	0.576	10.400	11.890
AAT*	42	72.190	1.756	70.000	74.000
PBV*	42	13.548	26.825	-20.000	47.000
Ca	53	4.868	1.318	3.600	6.000
P	53	2.562	0.376	2.100	2.900
Mg	53	1.779	0.442	1.400	2.100
K	53	21.202	5.135	15.500	26.100
Na	53	0.932	0.485	0.400	1.500
Cl	57	6.600	4.809	3.100	9.600
S	53	2.026	0.422	1.500	2.400
CAB	53	266.486	173.174	101.117	424.412
Fe	46	183.196	91.713	73.000	328.000
Mn	46	79.913	32.393	50.000	99.000
Zn	46	37.500	35.879	26.000	40.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	46	5.661	1.349	4.400	8.000
Se	4	0.037	0.017	0.015	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	54	422.352	128.090	278.000	623.000
Aska	54	73.630	8.666	63.000	86.000
OS smbh	54	74.072	2.869	70.400	78.200
Råprot	54	154.389	23.150	123.000	187.000
sRåprot	54	551.741	91.552	415.000	649.000
NH3-N	53	77.000	27.977	41.000	119.000
NDF	54	463.556	30.073	426.000	510.000
iNDF	54	171.155	31.465	129.566	217.670
nhNDF	54	4.235	0.489	3.612	4.954
TAF	54	62.419	26.296	26.000	96.100
Mjölksyra	54	47.315	21.797	15.000	75.000
Ättiksyra	54	12.426	5.510	6.000	20.000
Socker	54	58.685	34.566	16.000	111.000
PRF	9	3.778	2.279	1.000	7.000
BUF	54	1.215	1.944	0.000	2.900
AATp20	54	83.834	3.848	79.004	88.495
PBVp20	54	24.546	21.921	-5.983	52.250
NELp20	54	6.096	0.310	5.758	6.536
OE*	54	10.752	0.457	10.200	11.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	45	70.778	1.380	69.000	73.000
PBV*	45	30.178	20.894	2.000	61.000
Ca	47	5.928	1.204	4.700	7.800
P	47	2.949	0.392	2.500	3.500
Mg	47	2.443	0.358	1.900	2.900
K	47	22.468	4.235	16.500	28.000
Na	47	1.383	0.657	0.500	2.200
Cl	54	7.431	2.806	3.900	11.200
S	47	2.406	0.400	1.900	2.900
CAB	47	269.558	114.696	129.178	421.320
Fe	42	192.429	108.633	96.000	264.000
Mn	42	106.595	38.543	71.000	142.000
Zn	42	34.762	9.393	24.000	44.000
Cu	42	7.381	1.344	5.800	9.300
Se	3	0.034	0.015	0.021	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	432.552	116.025	285.000	570.00
Aska	29	83.586	21.283	67.000	121.00
OS smbh	29	73.031	2.904	68.600	76.90
Råprot	29	154.724	25.205	125.000	191.00
sRåprot	29	522.379	66.916	414.000	595.00
NH3-N	29	76.414	24.712	49.000	101.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	29	456.862	32.001	415.000	502.00
iNDF	29	185.535	35.622	140.667	243.25
nhNDF	29	4.028	0.557	3.036	4.49
TAF	29	56.903	23.994	17.500	92.00
Mjölksyra	29	43.345	19.909	13.000	72.00
Ättiksyra	29	11.345	4.930	4.000	19.00
Socker	29	60.621	28.581	25.000	103.00
PRF	5	2.600	2.074	0.000	5.00
BUF	29	0.938	1.494	0.000	4.00
AATp20	29	83.181	4.501	78.021	87.87
PBVp20	29	25.925	21.749	-1.651	54.48
NELp20	29	5.936	0.409	5.292	6.47
OE*	29	10.487	0.626	9.300	11.20
AAT*	24	70.000	1.794	67.000	72.00
PBV*	24	33.000	24.795	3.000	65.00
Ca	25	6.172	1.319	5.000	7.70
P	25	2.816	0.385	2.400	3.30
Mg	25	2.640	0.337	2.300	3.10
K	25	22.372	4.373	16.000	27.70
Na	25	1.468	0.624	0.600	2.10
Cl	29	8.879	4.362	4.200	14.40
S	25	2.444	0.295	2.100	2.90
CAB	25	228.377	100.964	99.432	354.34
Fe	21	426.524	535.620	111.000	1174.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	21	119.571	44.089	85.000	153.00
Zn	21	34.000	6.856	27.000	42.00
Cu	21	7.581	1.289	6.500	9.30

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.333	77.054	301.000	453.000
Aska	3	75.667	6.807	68.000	81.000
OS smbh	3	75.500	2.088	73.100	76.900
Råprot	3	149.333	30.746	114.000	170.000
sRåprot	3	544.333	38.682	508.000	585.000
NH3-N	3	57.333	8.021	49.000	65.000
NDF	3	440.667	35.698	403.000	474.000
iNDF	3	156.098	25.036	131.000	181.072
nhNDF	3	4.212	0.169	4.028	4.359
TAF	3	65.300	31.482	38.800	100.100
Mjölksyra	3	51.667	27.934	27.000	82.000
Ättiksyra	3	12.000	4.359	9.000	17.000
Socker	3	77.667	36.116	40.000	112.000
PRF	1	1.000	.	1.000	1.000
BUF	3	0.633	1.012	0.000	1.800
AATp20	3	84.445	1.214	83.737	85.846
PBVp20	3	18.650	27.854	-13.113	38.914
NELp20	3	6.179	0.320	5.814	6.411

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	10.990	0.259	10.700	11.200
AAT*	2	71.500	0.707	71.000	72.000
PBV*	2	19.500	37.477	-7.000	46.000
Ca	3	5.867	0.723	5.400	6.700
P	3	2.500	0.173	2.400	2.700
Mg	3	2.400	0.361	2.100	2.800
K	3	22.100	3.851	18.200	25.900
Na	3	1.133	0.586	0.700	1.800
Cl	3	17.133	14.456	8.000	33.800
S	3	2.433	0.379	2.000	2.700
CAB	3	-20.220	354.393	-428.024	213.113
Fe	3	287.667	131.721	188.000	437.000
Mn	3	112.667	20.502	92.000	133.000
Zn	3	28.667	6.028	23.000	35.000
Cu	3	6.200	0.436	5.900	6.700

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	291.000	.	291.000	291.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	80.200	.	80.200	80.200
Råprot	1	185.000	.	185.000	185.000
sRåprot	1	574.000	.	574.000	574.000
NH3-N	1	74.000	.	74.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	347.000	.	347.000	347.000
iNDF	1	124.055	.	124.055	124.055
nhNDF	1	4.567	.	4.567	4.567
TAF	1	99.100	.	99.100	99.100
Mjölksyra	1	81.000	.	81.000	81.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	70.000	.	70.000	70.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.667	.	85.667	85.667
PBVp20	1	49.715	.	49.715	49.715
NELp20	1	6.615	.	6.615	6.615
OE*	1	11.600	.	11.600	11.600
AAT*	1	73.000	.	73.000	73.000
PBV*	1	59.000	.	59.000	59.000
Ca	1	7.200	.	7.200	7.200
P	1	3.300	.	3.300	3.300
Mg	1	2.400	.	2.400	2.400
K	1	25.000	.	25.000	25.000
Na	1	2.000	.	2.000	2.000
Cl	1	7.900	.	7.900	7.900
S	1	3.100	.	3.100	3.100
CAB	1	310.057	.	310.057	310.057
Fe	1	531.000	.	531.000	531.000
Mn	1	106.000	.	106.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	29.000	.	29.000	29.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	438.000	118.045	272.000	588.000
Aska	8	52.750	19.739	32.000	85.000
OS smbh	8	68.438	1.755	65.700	70.900
Råprot	8	116.125	29.657	84.000	163.000
sRåprot	8	619.750	159.784	344.000	800.000
NH3-N	8	93.000	46.436	17.000	164.000
NDF	8	477.500	52.413	393.000	550.000
iNDF	8	241.404	22.999	195.445	268.066
nhNDF	8	3.031	0.458	2.508	3.917
Stä	8	104.250	108.726	18.000	291.000
TAF	8	53.075	21.434	27.700	91.700
Mjölksyra	8	38.500	18.815	18.000	70.000
Ättiksyra	8	12.875	4.190	8.000	20.000
Socker	8	57.250	26.526	22.000	109.000
AATp20	8	72.590	3.902	64.931	76.797
PBVp20	8	-3.144	25.782	-34.663	30.850
NELp20	8	5.541	0.240	5.174	5.921
OE*	4	9.975	0.299	9.700	10.400
AAT*	4	60.750	2.872	59.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	4	0.250	26.700	-39.000	20.000
Ca	4	4.900	2.712	3.000	8.900
P	4	2.225	0.050	2.200	2.300
Mg	4	1.875	0.954	1.300	3.300
K	4	11.125	5.062	7.000	18.500
Na	4	1.025	0.250	0.700	1.300
Cl	8	4.613	1.646	1.900	6.100
S	4	1.875	0.568	1.500	2.700
CAB	4	91.482	134.532	-20.070	262.238
Fe	4	306.000	361.997	79.000	846.000
Mn	4	51.750	27.548	30.000	92.000
Zn	4	30.750	4.349	27.000	35.000
Cu	4	5.100	0.931	4.200	6.400

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	294.000	.	294.000	294.000
Aska	1	53.000	.	53.000	53.000
OS smbh	1	69.900	.	69.900	69.900
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	607.000	.	607.000	607.000
NH3-N	1	101.000	.	101.000	101.000
NDF	1	368.000	.	368.000	368.000
iNDF	1	310.000	.	310.000	310.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	2.341	.	2.341	2.341
Stä	1	198.000	.	198.000	198.000
TAF	1	104.000	.	104.000	104.000
Mjölksyra	1	68.000	.	68.000	68.000
Ättiksyra	1	29.000	.	29.000	29.000
Socker	1	36.000	.	36.000	36.000
PRF	1	6.000	.	6.000	6.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	68.374	.	68.374	68.374
PBVp20	1	4.404	.	4.404	4.404
NELp20	1	5.936	.	5.936	5.936
OE*	1	10.300	.	10.300	10.300
Ca	1	6.200	.	6.200	6.200
P	1	3.000	.	3.000	3.000
Mg	1	2.000	.	2.000	2.000
K	1	13.400	.	13.400	13.400
Na	1	1.400	.	1.400	1.400
S	1	1.700	.	1.700	1.700
CAB	1	212.824	.	212.824	212.824

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	353.000	42.4264	323.000	383.000
Aska	2	62.500	13.4350	53.000	72.000
OS smbh	2	64.000	2.1213	62.500	65.500
Råprot	2	116.000	2.8284	114.000	118.000
sRåprot	2	696.500	57.2756	656.000	737.000
NH3-N	2	131.000	15.5563	120.000	142.000
NDF	2	511.500	33.2340	488.000	535.000
iNDF	2	269.084	1.5650	267.977	270.191
nhNDF	2	2.701	0.0671	2.653	2.748
Stä	2	66.000	52.3259	29.000	103.000
TAF	2	63.000	9.8995	56.000	70.000
Mjölksyra	2	52.000	8.4853	46.000	58.000
Ättiksyra	2	11.000	1.4142	10.000	12.000
Socker	2	36.000	11.3137	28.000	44.000
AATp20	2	68.649	4.0331	65.797	71.501
PBVp20	2	5.693	4.4345	2.558	8.829
NELp20	2	5.216	0.2866	5.013	5.419
OE*	1	10.100	.	10.100	10.100
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-4.000	.	-4.000	-4.000
Ca	1	3.800	.	3.800	3.800
P	1	2.600	.	2.600	2.600
Mg	1	1.800	.	1.800	1.800
K	1	19.800	.	19.800	19.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.800	.	2.800	2.800
Cl	2	6.400	1.9799	5.000	7.800
S	1	2.100	.	2.100	2.100
CAB	1	277.165	.	277.165	277.165
Fe	1	371.000	.	371.000	371.000
Mn	1	130.000	.	130.000	130.000
Zn	1	37.000	.	37.000	37.000
Cu	1	5.300	.	5.300	5.300

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	311.333	74.2720	241.000	389.000
Aska	3	65.333	19.2180	48.000	86.000
OS smbh	3	65.600	3.2512	62.400	68.900
Råprot	3	118.333	32.0208	87.000	151.000
sRåprot	3	639.333	43.8444	606.000	689.000
NH3-N	3	139.667	86.4079	72.000	237.000
NDF	3	471.333	41.1015	432.000	514.000
iNDF	3	267.787	16.2898	249.000	277.988
nhNDF	3	2.581	0.0689	2.535	2.660
Stä	3	86.667	71.0375	17.000	159.000
TAF	3	60.667	18.9033	46.000	82.000
Mjölksyra	3	39.333	30.8275	15.000	74.000
Ättiksyra	3	20.000	16.6433	8.000	39.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	34.667	35.2184	10.000	75.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	3	69.221	4.6249	65.047	74.193
PBVp20	3	8.720	36.2190	-27.346	45.090
NELp20	3	5.342	0.3170	5.001	5.627
OE*	1	10.180	.	10.180	10.180
Ca	3	5.000	2.2716	2.400	6.600
P	3	2.967	0.5686	2.500	3.600
Mg	3	1.967	0.4509	1.500	2.400
K	3	18.800	6.5200	12.900	25.800
Na	3	0.767	0.2887	0.600	1.100
Cl	3	5.467	5.2520	0.300	10.800
S	3	1.767	0.3512	1.400	2.100
CAB	3	249.744	32.4169	216.977	281.799
Fe	2	239.000	50.9117	203.000	275.000
Mn	2	92.500	31.8198	70.000	115.000
Zn	2	44.500	0.7071	44.000	45.000
Cu	2	7.100	1.6971	5.900	8.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	828.000	62.833	747.000	891.000
Aska	4	52.000	11.402	41.000	68.000
OS smbh	4	67.775	3.634	62.600	70.900
Råprot	4	90.000	29.687	65.000	133.000
sRåprot	1	433.000	.	433.000	433.000
NDF	4	549.250	43.935	502.000	608.000
iNDF	4	226.484	51.792	179.030	276.291
nhNDF	4	3.739	0.794	2.580	4.354
TAF	4	0.000	0.000	0.000	0.000
Socker	4	145.750	25.812	124.000	183.000
AATp20	4	86.896	1.065	85.795	88.326
PBVp20	4	-40.619	29.175	-64.309	1.966
NELp20	4	5.253	0.246	4.942	5.472
OE*	4	9.958	0.578	9.200	10.500
AAT*	3	71.000	4.359	66.000	74.000
PBV*	3	-27.667	41.633	-61.000	19.000
Ca	3	4.700	1.947	2.500	6.200
P	3	2.167	0.351	1.800	2.500
Mg	3	1.700	0.436	1.200	2.000
K	3	14.967	7.276	6.700	20.400
Na	3	0.567	0.404	0.100	0.800
Cl	1	0.700	.	0.700	0.700
S	3	1.533	0.404	1.300	2.000
CAB	3	211.114	258.641	-59.707	455.553

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	147.500	40.305	119.000	176.000
Mn	2	122.000	57.983	81.000	163.000
Zn	2	26.500	2.121	25.000	28.000
Cu	2	5.750	1.909	4.400	7.100
Se	1	0.048	.	0.048	0.048

*= Parametrar från det gamla svenska fodervärderingssystemet