

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	859	24	86.0	119				162	3.15	601	0.0000			
Havre, kärna, hög NDF (002)	1	1	861	28	75.0	128				392	2.00	490	0.0000			
Vete, kärna (005)	1	5	856	16	88.0	114				187	3.50	685	0.0000			
Rågvete (015)	1	2	853	18	89.5	131				187	3.50	656	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	848	18	87.0	96				173	3.30	642	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	855	21	81.6	110				324	2.50	604	0.0000			
Majs hela plantan, grönmassa (030)	1	3	339	36	76.1	73	380		377	198	3.45	304	57.0000			51
Prognos, gräs (0% baljv.) (041)	1	2	298		72.7					171	4.34		0.0000			
Prognos, blandvall (1-50% baljv) (042)	1	2	242		73.2					170	4.32		0.0000			
Prognos, blandvall (51-100% baljv.) (043)	1	2	238		73.2					262	6.38		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	1	852	50	60.8	63			617	255	2.99		61.0000			130
Grönmassa, gräs (0% baljv.) (161)	2	1	295	85	69.1	135			539	196	3.95		61.0000			53
Ensilage, gräs (0% klöver) (162)	1	4	355	69	75.3	140	654	84.5	463	157	4.47		71.5250	55.5	13.0	50
Ensilage, gräs (0% klöver) (162)	2	1	357	82	71.6	172	562	84.0	479	192	3.86		73.1000	59.0	13.0	12
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	324	85	78.3	167			477	114	5.57		84.0000			74
Grönmassa blandvall (1-50 % baljväxter) (164)	1	25	398	78	78.3	147			466	117	5.49		84.0000			116
Grönmassa blandvall (1-50 % baljväxter) (164)	2	17	577	87	74.5	153			466	159	4.53		84.0000			99
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	382	99	71.9	169			437	199	3.70		84.0000			81
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	401	99	76.9	214			408	151	4.53		84.0000			70
Ensilage, blandvall (1-50% klöver) (165)	0	6	526	83	74.1	140	568	77.2	465	169	4.29		50.7833	38.2	10.5	71
Ensilage, blandvall (1-50% klöver) (165)	1	117	386	70	75.5	135	641	90.0	461	155	4.56		72.1590	54.8	14.0	63
Ensilage, blandvall (1-50% klöver) (165)	2	58	465	79	72.7	146	534	70.9	447	196	3.82		54.5293	40.1	12.2	67
Ensilage, blandvall (1-50% klöver) (165)	3	18	475	87	72.9	161	520	81.6	419	214	3.85		58.1056	40.3	13.4	65
Korn, helsädesensilage (250)	1	3	403	66	69.8	110	692	74.3	396	278	2.65	104	76.1333	52.0	19.7	79
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	336	69	69.3	124	677	82.2	427	386	5.73	101	86.2000	69.0	16.8	41

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socket
Havre helsädesensilage degmognad (296)	1	1	318	101	72.2	191	680	122	460	186	3.93	17	76.0000	47.0	29.0	20
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	375	70	64.8	107	647	105	440	303	2.19	40	77.5000	59.5	18.0	66
Vete, helsäd ensilage (299)	1	1	344	77	67.1	140	642	99.0	462	255	2.83	17	71.5000	53.0	16.0	62
Hö, blandvall, 0-50% baljväxter (383)	1	1	917	54	72.6	77			529	172	4.35		0.0000			179
Hö, blandvall, 0-50% baljväxter (383)	2	2	876	58	63.0	62			580	244	3.19		0.0000			143
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	450	83	78.0	155			403	180	6.01		72.0000			135
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	596	84	76.7	182			385	217	5.21		72.0000			106
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	626	111	77.1	169			403	162	5.04		72.0000			101

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				94.9	-23	7.34			
Havre, kärna, hög NDF (002)	1	1				82.6	10.3	6.42			
Vete, kärna (005)	1	5				114	-52	7.99	14.2	94.0	-43
Rågvete (015)	1	2				110	-30	7.86	14.0	94.0	-39
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				103	-57	7.65			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				101	-37	7.34			
Majs hela plantan, grönmassa (030)	1	3				87.1	-64	6.35	11.5	79.0	-67
Prognos, gräs (0% baljv.) (041)	1	2				95.9	-8.0	5.94	10.6		
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	11.6		
Prognos, blandvall (51-100% baljv.) (043)	1	2				93.0	14.4	5.95	12.4		
Grönmassa, gräs (0% baljv.) (161)	1	1				69.5	-38	4.76	8.8	63.0	-45
Grönmassa, gräs (0% baljv.) (161)	2	1				79.2	11.6	5.55	9.8	70.0	15.0
Ensilage, gräs (0% klöver) (162)	1	4		2.02500		80.9	13.2	6.16	11.0	71.5	16.8
Ensilage, gräs (0% klöver) (162)	2	1		0.10000		79.9	44.5	5.95	10.3	69.0	52.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				87.8	29.5	6.50	11.3	77.5	33.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	1	25				87.0	12.4	6.42	11.4	78.2	12.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	17				82.8	24.5	6.05	10.7	74.4	24.5
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6				79.8	44.6	5.78	10.1	71.2	45.5
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2				87.3	74.8	6.36	11.0	75.0	83.5
Ensilage, blandvall (1-50% klöver) (165)	0	6		1.11667		83.5	11.1	5.95	10.7	70.5	18.0
Ensilage, blandvall (1-50% klöver) (165)	1	117	3.3000	2.24444		81.9	9.3	6.17	11.0	71.8	10.2
Ensilage, blandvall (1-50% klöver) (165)	2	58	3.0000	1.13276		82.5	18.9	5.85	10.5	70.0	24.9
Ensilage, blandvall (1-50% klöver) (165)	3	18	5.3333	2.66111		82.6	32.5	5.84	10.4	69.7	37.9
Korn, helsädesensilage (250)	1	3	10.0000	0.00000		68.8	-2.4	5.57	10.1	62.0	-19
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	0.0000	0.00000		69.0	14.3	5.75	10.4		
Havre helsädesensilage degmognad (296)	1	1				75.2	59.4	5.89			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				64.6	5.2	5.13	9.5	57.0	40.0
Vete, helsäd ensilage (299)	1	1				66.5	26.3	5.34	9.8	59.0	19.0
Hö, blandvall, 0-50% baljväxter (383)	1	1				89.3	-57	5.60	10.7	75.0	-51
Hö, blandvall, 0-50% baljväxter (383)	2	2				78.2	-53	4.74	9.1	65.0	-49
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4				85.7	25.3	6.32	11.3	77.3	21.5
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				85.4	52.2	6.26	11.1	76.0	50.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1				83.2	42.9	6.18	10.8	75.0	40.0

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	3	0.5	3.2	1.3	5.4	0.1		1.3	29	3	49.0	17.3	32.7	5.5	0.0
Havre, kärna, hög NDF (002)	1	1	0.8	3.6	1.5	5.9	0.1		1.8	23	1	93.0	64.0	49.0	6.5	
Vete, kärna (005)	1	5	0.4	2.8	1.1	4.5	0.1		1.3	15	5	39.8	33.2	29.8	5.4	0.0
Rågvete (015)	1	2	0.4	3.5	1.4	5.4	0.1		1.4	37	2	51.0	41.5	39.5	6.3	
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.4	3.2	1.2	4.6	0.1		1.1	25	1	41.0	30.0	28.0	4.3	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	2.9	1.1	5.4	0.1		1.3	39	1	51.0	36.0	28.0	4.8	
Majs hela plantan, grönmassa (030)	1	3	2.0	1.9	1.2	10.0	0.3	2.0	0.9	156	3	86.3	37.0	22.3	4.9	0.0
Grönmassa, gräs (0% baljv.) (161)	1	1	1.8	1.6	1.0	15.7	0.1		1.1	196	1	60.0	16.0	22.0	3.8	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.8	3.9	2.1	21.0	1.4		2.7	288	1	183.0	95.0	33.0	6.9	
Ensilage, gräs (0% klöver) (162)	1	4	4.2	2.6	1.5	22.4	0.3	4.5	1.8	345	4	157.0	68.3	24.8	6.2	0.0
Ensilage, gräs (0% klöver) (162)	2	1	3.6	2.3	1.6	27.2	0.4	9.0	2.6	297	1	124.0	92.0	28.0	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	4.0	3.0	1.7	31.2	0.3		2.1	548	2	110.5	50.5	30.0	6.8	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	21	5.1	2.8	1.8	27.8	0.5		2.0	475	21	112.5	57.0	29.4	6.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12	7.3	2.7	2.6	25.1	0.5		2.5	374	12	117.8	64.8	27.5	8.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4	10.3	2.7	2.5	27.9	0.3		2.1	460	4	103.0	54.8	27.3	8.8	
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	9.7	3.6	2.8	26.6	0.5		3.1	372	2	137.0	65.5	32.5	9.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	6	5.7	2.7	1.8	27.6	0.6	7.1	1.9	411	6	145.5	54.7	27.7	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	114	5.1	2.5	1.7	24.4	0.6	4.3	1.9	411	111	114.7	55.1	27.1	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	57	7.3	2.5	2.4	23.0	0.9	5.5	2.3	323	56	113.1	73.0	28.6	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	18	9.8	2.8	2.7	23.7	0.8	4.8	2.5	351	15	139.1	56.1	24.8	8.1	0.0
Korn, helsädesensilage (250)	1	3	5.3	2.0	1.9	16.5	0.8	3.2	2.4	221	3	138.7	57.0	34.7	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	5.5	2.5	1.7	20.4	0.6	11.4	1.7	120	5	138.6	43.0	30.8	6.2	
Havre helsädesensilage degmognad (296)	1	1	3.7	2.6	1.6	34.8	1.5	9.1	2.3	555	1	823.0	88.0	32.0	6.9	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	5.0	1.9	2.0	16.1	0.5	0.5	1.3	339	2	166.5	49.0	24.5	7.1	
Vete, helsäd ensilage (299)	1	1	3.4	2.9	1.9	18.6	0.1	7.3	1.9	156	1	133.0	16.0	30.0	6.7	
Hö, blandvall, 0-50% baljväxter (383)	1	1	2.1	1.8	1.0	20.0	0.1		1.1	306	1	79.0	77.0	21.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	2	1	1.0	1.6	0.6	15.8	0.1		0.7	224	1	51.0	23.0	13.0	3.3	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	9.8	2.8	2.3	26.5	0.3		1.6	459	4	117.8	43.8	26.0	7.5	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	14.2	2.9	2.9	25.7	0.7		2.3	414	1	120.0	37.0	25.0	10.0	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	859.333	10.6927	847.000	866.000
Aska	3	24.033	1.5177	22.400	25.400
OS smbh	3	86.000	0.0000	86.000	86.000
Råprot	3	118.833	17.1818	105.100	138.100
iNDF	3	162.000	0.0000	162.000	162.000
nhNDF	3	3.150	0.0000	3.150	3.150
Stä	3	600.833	4.9319	596.500	606.200
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	94.883	1.0110	93.974	95.972
PBVp20	3	-23.301	15.0166	-35.121	-6.404
NELp20	3	7.337	0.0516	7.293	7.394
Ca	3	0.533	0.0577	0.500	0.600
P	3	3.200	0.2000	3.000	3.400
Mg	3	1.267	0.1155	1.200	1.400
K	3	5.367	0.1528	5.200	5.500
Na	3	0.100	0.0000	0.100	0.100
S	3	1.267	0.1528	1.100	1.400
CAB	3	28.633	13.2542	16.037	42.460
Fe	3	49.000	7.5498	42.000	57.000
Mn	3	17.333	5.7735	14.000	24.000
Zn	3	32.667	15.3080	21.000	50.000
Cu	3	5.467	0.3055	5.200	5.800
Se	2	0.010	0.0028	0.008	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.000	.	861.000	861.000
Aska	1	27.900	.	27.900	27.900
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	127.800	.	127.800	127.800
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	490.100	.	490.100	490.100
TAF	1	0.000	.	0.000	0.000
AATp20	1	82.572	.	82.572	82.572
PBVp20	1	10.288	.	10.288	10.288
NELp20	1	6.417	.	6.417	6.417
Ca	1	0.800	.	0.800	0.800
P	1	3.600	.	3.600	3.600
Mg	1	1.500	.	1.500	1.500
K	1	5.900	.	5.900	5.900
Na	1	0.100	.	0.100	0.100
S	1	1.800	.	1.800	1.800
CAB	1	23.025	.	23.025	23.025
Fe	1	93.000	.	93.000	93.000
Mn	1	64.000	.	64.000	64.000
Zn	1	49.000	.	49.000	49.000
Cu	1	6.500	.	6.500	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	856.000	8.5732	842.000	865.000
Aska	5	16.360	1.9667	14.000	19.000
OS smbh	5	88.000	0.0000	88.000	88.000
Råprot	5	114.280	11.6515	99.200	124.900
iNDF	5	187.000	0.0000	187.000	187.000
nhNDF	5	3.500	0.0000	3.500	3.500
Stä	5	684.640	27.5526	637.800	709.100
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	113.682	1.4015	112.440	115.352
PBVp20	5	-52.152	10.0657	-65.779	-43.412
NELp20	5	7.990	0.0641	7.919	8.069
OE*	2	14.150	0.0707	14.100	14.200
AAT*	2	94.000	0.0000	94.000	94.000
PBV*	2	-43.000	19.7990	-57.000	-29.000
Ca	5	0.400	0.1225	0.300	0.600
P	5	2.820	0.2280	2.500	3.100
Mg	5	1.140	0.1140	1.000	1.300
K	5	4.540	0.4099	4.000	5.000
Na	5	0.100	0.0000	0.100	0.100
S	5	1.280	0.1095	1.100	1.400
CAB	5	15.108	9.8803	0.048	23.065
Fe	5	39.800	6.8337	33.000	51.000
Mn	5	33.200	6.9065	24.000	42.000
Zn	5	29.800	5.3572	25.000	39.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	5	5.400	0.1000	5.300	5.500
Se	1	0.017	.	0.017	0.017

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	853.000	4.2426	850.000	856.000
Aska	2	18.200	2.4042	16.500	19.900
OS smbh	2	89.479	0.0000	89.479	89.479
Råprot	2	130.650	21.7082	115.300	146.000
iNDF	2	187.000	0.0000	187.000	187.000
nhNDF	2	3.500	0.0000	3.500	3.500
Stä	2	656.000	40.5879	627.300	684.700
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	110.010	1.7234	108.792	111.229
PBVp20	2	-30.245	19.3190	-43.906	-16.585
NELp20	2	7.857	0.0086	7.851	7.863
OE*	1	14.000	.	14.000	14.000
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-39.000	.	-39.000	-39.000
Ca	2	0.400	0.1414	0.300	0.500
P	2	3.500	0.5657	3.100	3.900
Mg	2	1.350	0.2121	1.200	1.500
K	2	5.350	0.7778	4.800	5.900
Na	2	0.100	0.0000	0.100	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	2	1.350	0.2121	1.200	1.500
CAB	2	37.083	6.6348	32.392	41.775
Fe	2	51.000	4.2426	48.000	54.000
Mn	2	41.500	21.9203	26.000	57.000
Zn	2	39.500	16.2635	28.000	51.000
Cu	2	6.300	1.8385	5.000	7.600

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	848.000	.	848.000	848.000
Aska	1	17.700	.	17.700	17.700
OS smbh	1	87.000	.	87.000	87.000
Råprot	1	95.500	.	95.500	95.500
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
Stä	1	641.500	.	641.500	641.500
TAF	1	0.000	.	0.000	0.000
AATp20	1	103.230	.	103.230	103.230
PBVp20	1	-56.641	.	-56.641	-56.641
NELp20	1	7.654	.	7.654	7.654
Ca	1	0.400	.	0.400	0.400
P	1	3.200	.	3.200	3.200
Mg	1	1.200	.	1.200	1.200
K	1	4.600	.	4.600	4.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	25.076	.	25.076	25.076
Fe	1	41.000	.	41.000	41.000
Mn	1	30.000	.	30.000	30.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.300	.	4.300	4.300

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	855.000	.	855.000	855.000
Aska	1	21.100	.	21.100	21.100
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	109.900	.	109.900	109.900
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	603.500	.	603.500	603.500
TAF	1	0.000	.	0.000	0.000
AATp20	1	100.825	.	100.825	100.825
PBVp20	1	-36.533	.	-36.533	-36.533
NELp20	1	7.344	.	7.344	7.344
Ca	1	0.600	.	0.600	0.600
P	1	2.900	.	2.900	2.900
Mg	1	1.100	.	1.100	1.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	5.400	.	5.400	5.400
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	38.670	.	38.670	38.670
Fe	1	51.000	.	51.000	51.000
Mn	1	36.000	.	36.000	36.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.800	.	4.800	4.800

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	339.333	40.4145	316.000	386.000
Aska	3	36.000	2.6458	34.000	39.000
OS smbh	3	76.100	0.9539	75.500	77.200
Råprot	3	72.667	3.2146	69.000	75.000
sRåprot	3	380.000	20.0749	357.000	394.000
NDF	3	376.667	39.3743	351.000	422.000
iNDF	3	197.621	17.2183	182.462	216.342
nhNDF	3	3.451	0.3819	3.086	3.848
Stä	3	304.333	74.5743	219.000	357.000
TAF	3	57.000	0.0000	57.000	57.000
Socker	3	51.000	33.0000	18.000	84.000
AATp20	3	87.081	1.3028	86.068	88.551
PBVp20	3	-64.022	1.7576	-65.505	-62.081

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	6.349	0.1783	6.157	6.509
OE*	1	11.500	.	11.500	11.500
AAT*	1	79.000	.	79.000	79.000
PBV*	1	-67.000	.	-67.000	-67.000
Ca	3	1.967	0.2082	1.800	2.200
P	3	1.900	0.1000	1.800	2.000
Mg	3	1.167	0.1155	1.100	1.300
K	3	10.033	0.4163	9.700	10.500
Na	3	0.300	0.1000	0.200	0.400
Cl	3	1.967	0.2082	1.800	2.200
S	3	0.933	0.0577	0.900	1.000
CAB	3	155.918	10.2454	147.921	167.467
Fe	3	86.333	43.9242	59.000	137.000
Mn	3	37.000	28.3549	15.000	69.000
Zn	3	22.333	3.5119	19.000	26.000
Cu	3	4.867	0.3512	4.500	5.200
Se	1	0.005	.	0.005	0.005

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	297.500	3.53553	295.000	300.000
OS smbh	2	72.700	0.00000	72.700	72.700
iNDF	2	171.006	0.00000	171.006	171.006
nhNDF	2	4.344	0.00000	4.344	4.344

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	95.932	0.00000	95.932	95.932
PBVp20	2	-7.980	0.00000	-7.980	-7.980
NELp20	2	5.936	0.00000	5.936	5.936
OE*	2	10.550	0.07071	10.500	10.600

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	242.000	36.7696	216.000	268.000
OS smbh	2	73.150	0.0000	73.150	73.150
iNDF	2	170.460	0.0000	170.460	170.460
nhNDF	2	4.315	0.0000	4.315	4.315
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	96.439	0.0000	96.439	96.439
PBVp20	2	-4.418	0.0000	-4.418	-4.418
NELp20	2	5.943	0.0000	5.943	5.943
OE*	2	11.550	1.3435	10.600	12.500

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	237.500	2.12132	236.000	239.000
OS smbh	2	73.158	0.00000	73.158	73.158
iNDF	2	262.131	0.00000	262.131	262.131
nhNDF	2	6.377	0.00000	6.377	6.377

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	92.987	0.00000	92.987	92.987
PBVp20	2	14.357	0.00000	14.357	14.357
NELp20	2	5.951	0.00000	5.951	5.951
OE*	2	12.400	0.14142	12.300	12.500

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	852.000	.	852.000	852.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	60.800	.	60.800	60.800
Råprot	1	63.000	.	63.000	63.000
NDF	1	617.000	.	617.000	617.000
iNDF	1	255.381	.	255.381	255.381
nhNDF	1	2.989	.	2.989	2.989
TAF	1	61.000	.	61.000	61.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	69.465	.	69.465	69.465
PBVp20	1	-38.251	.	-38.251	-38.251
NELp20	1	4.756	.	4.756	4.756
OE*	1	8.800	.	8.800	8.800
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-45.000	.	-45.000	-45.000
Ca	1	1.800	.	1.800	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	1.600	.	1.600	1.600
Mg	1	1.000	.	1.000	1.000
K	1	15.700	.	15.700	15.700
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	196.287	.	196.287	196.287
Fe	1	60.000	.	60.000	60.000
Mn	1	16.000	.	16.000	16.000
Zn	1	22.000	.	22.000	22.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	295.000	.	295.000	295.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	69.100	.	69.100	69.100
Råprot	1	135.000	.	135.000	135.000
NDF	1	539.000	.	539.000	539.000
iNDF	1	195.779	.	195.779	195.779
nhNDF	1	3.952	.	3.952	3.952
TAF	1	61.000	.	61.000	61.000
Socker	1	53.000	.	53.000	53.000
AATp20	1	79.228	.	79.228	79.228
PBVp20	1	11.596	.	11.596	11.596

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.555	.	5.555	5.555
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	5.800	.	5.800	5.800
P	1	3.900	.	3.900	3.900
Mg	1	2.100	.	2.100	2.100
K	1	21.000	.	21.000	21.000
Na	1	1.400	.	1.400	1.400
S	1	2.700	.	2.700	2.700
CAB	1	288.359	.	288.359	288.359
Fe	1	183.000	.	183.000	183.000
Mn	1	95.000	.	95.000	95.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	355.250	37.713	314.000	402.000
Aska	4	69.250	8.302	58.000	76.000
OS smbh	4	75.325	2.125	72.200	76.800
Råprot	4	140.000	39.875	112.000	199.000
sRåprot	4	653.500	123.122	475.000	756.000
NH3-N	4	84.500	26.006	55.000	117.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	4	463.250	34.673	440.000	514.000
iNDF	4	157.164	16.850	143.361	179.879
nhNDF	4	4.471	0.276	4.149	4.754
TAF	4	71.525	30.814	38.600	111.900
Mjölksyra	4	55.500	26.715	30.000	92.000
Ättiksyra	4	13.000	5.944	5.000	18.000
Socker	4	50.250	30.804	19.000	81.000
BUF	4	2.025	1.952	0.100	4.500
AATp20	4	80.939	1.493	79.171	82.823
PBVp20	4	13.154	34.564	-9.347	64.542
NELp20	4	6.157	0.282	5.793	6.452
OE*	4	11.000	0.271	10.600	11.200
AAT*	4	71.500	0.577	71.000	72.000
PBV*	4	16.750	39.195	-9.000	75.000
Ca	4	4.150	0.777	3.600	5.300
P	4	2.550	0.370	2.100	2.900
Mg	4	1.500	0.163	1.300	1.700
K	4	22.400	4.082	17.600	27.000
Na	4	0.325	0.222	0.100	0.600
Cl	4	4.525	2.341	1.500	7.200
S	4	1.825	0.727	1.300	2.900
CAB	4	345.493	78.889	239.750	419.611
Fe	4	157.000	84.778	93.000	278.000
Mn	4	68.250	24.554	34.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	24.750	3.862	21.000	30.000
Cu	4	6.150	1.863	4.400	8.000
Se	2	0.025	0.001	0.024	0.025

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	357.000	.	357.000	357.000
Aska	1	82.000	.	82.000	82.000
OS smbh	1	71.600	.	71.600	71.600
Råprot	1	172.000	.	172.000	172.000
sRåprot	1	562.000	.	562.000	562.000
NH3-N	1	84.000	.	84.000	84.000
NDF	1	479.000	.	479.000	479.000
iNDF	1	192.071	.	192.071	192.071
nhNDF	1	3.857	.	3.857	3.857
TAF	1	73.100	.	73.100	73.100
Mjölksyra	1	59.000	.	59.000	59.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	12.000	.	12.000	12.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	79.944	.	79.944	79.944
PBVp20	1	44.495	.	44.495	44.495
NELp20	1	5.954	.	5.954	5.954
OE*	1	10.300	.	10.300	10.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	69.000	.	69.000	69.000
PBV*	1	52.000	.	52.000	52.000
Ca	1	3.600	.	3.600	3.600
P	1	2.300	.	2.300	2.300
Mg	1	1.600	.	1.600	1.600
K	1	27.200	.	27.200	27.200
Na	1	0.400	.	0.400	0.400
Cl	1	9.000	.	9.000	9.000
S	1	2.600	.	2.600	2.600
CAB	1	297.022	.	297.022	297.022
Fe	1	124.000	.	124.000	124.000
Mn	1	92.000	.	92.000	92.000
Zn	1	28.000	.	28.000	28.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.013	.	0.013	0.013

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	324.000	12.7279	315.000	333.000
Aska	2	85.000	11.3137	77.000	93.000
OS smbh	2	78.250	0.2121	78.100	78.400
Råprot	2	167.000	18.3848	154.000	180.000
NDF	2	477.000	28.2843	457.000	497.000
iNDF	2	113.819	0.4874	113.475	114.164

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	5.569	0.1800	5.441	5.696
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	73.500	53.0330	36.000	111.000
AATp20	2	87.836	0.0062	87.832	87.841
PBVp20	2	29.520	17.2726	17.307	41.734
NELp20	2	6.504	0.0268	6.485	6.523
OE*	2	11.300	0.1414	11.200	11.400
AAT*	2	77.500	0.7071	77.000	78.000
PBV*	2	33.500	19.0919	20.000	47.000
Ca	2	3.950	0.7778	3.400	4.500
P	2	2.950	0.0707	2.900	3.000
Mg	2	1.650	0.6364	1.200	2.100
K	2	31.200	2.4042	29.500	32.900
Na	2	0.250	0.0707	0.200	0.300
S	2	2.050	0.2121	1.900	2.200
CAB	2	548.304	51.3037	512.027	584.581
Fe	2	110.500	23.3345	94.000	127.000
Mn	2	50.500	20.5061	36.000	65.000
Zn	2	30.000	2.8284	28.000	32.000
Cu	2	6.750	1.0607	6.000	7.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	397.800	137.428	237.000	596.000
Aska	25	77.520	10.145	66.000	94.000
OS smbh	25	78.264	3.246	73.500	83.000
Råprot	25	147.320	29.749	108.000	185.000
NDF	25	465.600	43.199	403.000	520.000
iNDF	25	117.406	31.849	75.010	158.943
nhNDF	25	5.489	0.768	4.400	6.472
TAF	25	84.000	0.000	84.000	84.000
Socker	25	115.600	47.624	50.000	171.000
AATp20	25	86.990	3.905	82.503	90.990
PBVp20	25	12.407	24.753	-17.186	55.473
NELp20	25	6.422	0.311	6.018	6.750
OE*	25	11.400	0.566	10.700	12.100
AAT*	25	78.200	2.958	75.000	82.000
PBV*	25	12.760	29.435	-23.000	60.000
Ca	21	5.095	1.895	3.100	6.600
P	21	2.843	0.451	2.300	3.300
Mg	21	1.771	0.382	1.400	2.400
K	21	27.824	4.847	23.300	34.100
Na	21	0.514	0.350	0.100	0.900
S	21	2.029	0.362	1.700	2.400
CAB	21	474.787	122.294	326.829	597.992
Fe	21	112.524	73.106	59.000	157.000
Mn	21	57.048	24.057	32.000	79.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	21	29.381	4.883	25.000	35.000
Cu	21	6.457	1.299	5.000	8.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	576.588	181.789	346.000	804.000
Aska	17	87.294	11.268	70.000	104.000
OS smbh	17	74.535	4.226	67.800	80.500
Råprot	17	152.647	27.908	117.000	196.000
NDF	17	466.118	48.306	386.000	519.000
iNDF	17	159.166	41.913	99.025	208.932
nhNDF	17	4.526	0.862	3.590	6.099
TAF	17	84.000	0.000	84.000	84.000
Socker	17	98.882	44.693	37.000	151.000
AATp20	17	82.777	4.975	76.956	90.538
PBVp20	17	24.459	23.495	-5.565	59.754
NELp20	17	6.052	0.394	5.586	6.602
OE*	17	10.682	0.744	9.700	11.800
AAT*	17	74.353	3.904	69.000	80.000
PBV*	17	24.529	27.468	-11.000	64.000
Ca	12	7.292	2.611	4.500	10.300
P	12	2.658	0.329	2.300	3.100
Mg	12	2.558	0.382	1.900	2.900
K	12	25.050	3.995	18.900	29.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	12	0.525	0.314	0.100	0.900
S	12	2.508	0.291	2.100	2.800
CAB	12	374.326	93.690	247.609	467.110
Fe	12	117.833	52.903	65.000	194.000
Mn	12	64.833	31.588	31.000	112.000
Zn	12	27.500	4.583	21.000	34.000
Cu	12	8.008	1.780	5.800	9.900
Se	1	0.022	.	0.022	0.022

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	382.167	177.229	177.000	604.000
Aska	6	99.167	12.513	82.000	113.000
OS smbh	6	71.933	4.830	64.700	75.800
Råprot	6	168.833	17.577	140.000	191.000
NDF	6	436.833	39.377	389.000	501.000
iNDF	6	198.642	56.926	152.405	298.551
nhNDF	6	3.696	0.794	2.301	4.375
TAF	6	84.000	0.000	84.000	84.000
Socker	6	81.167	35.369	21.000	124.000
AATp20	6	79.839	4.402	73.301	83.988
PBVp20	6	44.614	15.285	25.251	65.338
NELp20	6	5.781	0.379	5.183	6.112
OE*	6	10.117	0.697	9.000	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	6	71.167	3.764	65.000	74.000
PBV*	6	45.500	16.861	22.000	65.000
Ca	4	10.300	3.951	6.600	15.800
P	4	2.650	0.370	2.300	3.100
Mg	4	2.500	0.082	2.400	2.600
K	4	27.900	3.465	23.700	31.800
Na	4	0.275	0.171	0.100	0.500
S	4	2.125	0.427	1.800	2.700
CAB	4	460.305	71.814	382.983	556.448
Fe	4	103.000	53.072	64.000	181.000
Mn	4	54.750	20.320	32.000	78.000
Zn	4	27.250	4.717	24.000	34.000
Cu	4	8.775	1.832	6.100	10.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	401.000	9.8995	394.000	408.000
Aska	2	98.500	0.7071	98.000	99.000
OS smbh	2	76.850	4.0305	74.000	79.700
Råprot	2	214.000	1.4142	213.000	215.000
NDF	2	407.500	44.5477	376.000	439.000
iNDF	2	151.132	72.1862	100.089	202.176
nhNDF	2	4.529	1.6491	3.363	5.696
TAF	2	84.000	0.0000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	70.000	1.4142	69.000	71.000
AATp20	2	87.272	4.5921	84.025	90.519
PBVp20	2	74.843	9.1451	68.377	81.310
NELp20	2	6.356	0.4808	6.016	6.696
OE*	2	10.950	0.6364	10.500	11.400
AAT*	2	75.000	2.8284	73.000	77.000
PBV*	2	83.500	6.3640	79.000	88.000
Ca	2	9.700	5.9397	5.500	13.900
P	2	3.550	1.4849	2.500	4.600
Mg	2	2.800	0.4243	2.500	3.100
K	2	26.550	0.4950	26.200	26.900
Na	2	0.450	0.2121	0.300	0.600
S	2	3.100	0.0000	3.100	3.100
CAB	2	372.449	3.4361	370.019	374.879
Fe	2	137.000	48.0833	103.000	171.000
Mn	2	65.500	31.8198	43.000	88.000
Zn	2	32.500	4.9497	29.000	36.000
Cu	2	9.800	0.2828	9.600	10.000
Se	1	0.011	.	0.011	0.011

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	525.667	156.188	366.000	788.000
Aska	6	82.667	9.543	74.000	99.000
OS smbh	6	74.100	1.952	71.300	77.300
Råprot	6	139.667	17.432	123.000	162.000
sRåprot	6	568.167	137.857	292.000	656.000
NH3-N	6	77.167	28.421	31.000	110.000
NDF	6	465.333	49.577	388.000	515.000
iNDF	6	168.819	28.001	139.441	209.092
nhNDF	6	4.287	0.637	3.481	4.901
TAF	6	50.783	22.863	12.500	78.900
Mjölksyra	6	38.167	19.031	6.000	60.000
Ättiksyra	6	10.500	3.937	5.000	17.000
Socker	6	70.500	9.524	57.000	84.000
BUF	6	1.117	0.945	0.500	3.000
AATp20	6	83.522	5.884	76.849	94.220
PBVp20	6	11.145	13.519	-1.049	36.390
NELp20	6	5.947	0.253	5.550	6.305
OE*	6	10.667	0.388	10.200	11.300
AAT*	6	70.500	1.049	69.000	72.000
PBV*	6	18.000	17.447	4.000	41.000
Ca	6	5.667	2.281	3.100	8.800
P	6	2.650	0.259	2.300	2.900
Mg	6	1.767	0.333	1.400	2.300
K	6	27.600	1.921	25.000	30.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	0.550	0.235	0.200	0.900
Cl	6	7.117	2.657	4.600	11.200
S	6	1.900	0.486	1.400	2.800
CAB	6	410.576	77.597	313.232	530.525
Fe	6	145.500	77.565	77.000	259.000
Mn	6	54.667	14.473	35.000	78.000
Zn	6	27.667	4.590	21.000	34.000
Cu	6	7.150	1.046	6.000	8.700
Se	1	0.013	.	0.013	0.013

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	117	386.017	128.924	261.000	562.000
Aska	117	70.214	9.293	57.000	81.000
OS smbh	117	75.540	3.315	70.500	79.300
Råprot	117	135.000	23.215	103.000	163.000
sRåprot	117	640.701	92.175	519.000	743.000
NH3-N	117	90.009	33.916	46.000	131.000
NDF	117	460.795	47.009	397.000	531.000
iNDF	117	154.775	31.864	118.657	203.066
nhNDF	117	4.562	0.587	3.742	5.250
TAF	117	72.159	32.676	29.500	119.900
Mjölksyra	117	54.761	28.466	18.000	97.000
Ättiksyra	117	13.957	5.376	6.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	117	63.205	35.300	19.000	120.000
PRF	10	3.300	1.418	1.000	4.500
BUF	117	2.244	3.614	0.100	4.900
AATp20	117	81.897	3.405	78.177	85.818
PBVp20	117	9.311	20.877	-18.519	38.314
NELp20	117	6.174	0.376	5.575	6.629
OE*	117	11.038	0.506	10.300	11.600
AAT*	107	71.832	1.501	70.000	73.000
PBV*	107	10.159	21.380	-19.000	39.000
Ca	114	5.051	1.395	3.700	7.100
P	114	2.534	0.371	2.100	3.000
Mg	114	1.656	0.289	1.300	2.000
K	114	24.431	3.808	19.600	28.400
Na	114	0.580	0.371	0.100	1.100
Cl	117	4.348	2.461	1.800	7.800
S	114	1.867	0.370	1.400	2.400
CAB	114	411.304	89.530	277.719	510.410
Fe	111	114.739	51.759	65.000	183.000
Mn	111	55.054	21.079	34.000	74.000
Zn	111	27.099	4.400	22.000	33.000
Cu	111	6.199	1.056	4.800	7.500
Se	9	0.029	0.038	0.005	0.123

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	465.414	109.294	347.000	635.000
Aska	58	79.414	10.734	64.000	93.000
OS smbh	58	72.672	2.963	67.600	76.100
Råprot	58	145.931	20.048	118.000	173.000
sRåprot	58	534.259	72.709	452.000	628.000
NH3-N	58	70.897	21.691	44.000	101.000
NDF	58	447.293	38.598	409.000	495.000
iNDF	58	196.104	41.067	153.180	265.618
nhNDF	58	3.820	0.637	2.886	4.450
TAF	58	54.529	25.479	21.000	88.600
Mjölksyra	58	40.086	20.698	12.000	68.000
Ättiksyra	58	12.207	5.301	6.000	20.000
Socker	58	67.448	34.600	28.000	121.000
PRF	3	3.000	1.000	2.000	4.000
BUF	58	1.133	0.997	0.100	2.800
AATp20	58	82.463	4.689	76.358	89.499
PBVp20	58	18.897	18.347	-12.171	42.058
NELp20	58	5.851	0.303	5.356	6.265
OE*	58	10.466	0.492	9.700	11.000
AAT*	55	70.018	1.446	68.000	72.000
PBV*	55	24.945	19.555	-4.000	52.000
Ca	57	7.333	2.297	4.900	10.400
P	57	2.514	0.416	2.000	2.900
Mg	57	2.388	0.396	1.900	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	57	22.998	5.061	17.700	27.900
Na	57	0.860	0.685	0.200	1.600
Cl	58	5.526	2.491	2.600	8.500
S	57	2.314	0.488	1.700	2.800
CAB	57	323.292	116.089	192.588	435.324
Fe	56	113.107	51.485	67.000	162.000
Mn	56	72.982	45.695	35.000	121.000
Zn	56	28.554	5.777	23.000	34.000
Cu	56	7.584	1.494	6.000	9.600
Se	6	0.023	0.014	0.007	0.046

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	474.611	121.901	320.000	660.000
Aska	18	86.944	10.096	70.000	101.000
OS smbh	18	72.878	2.865	69.500	76.400
Råprot	18	160.778	24.761	125.000	196.000
sRåprot	18	519.556	106.914	380.000	673.000
NH3-N	18	81.556	35.961	38.000	152.000
NDF	18	418.778	27.999	388.000	455.000
iNDF	18	213.913	47.364	156.725	300.000
nhNDF	18	3.851	0.987	2.634	5.493
TAF	18	58.106	31.121	17.400	93.000
Mjölksyra	18	40.278	23.914	6.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	18	13.444	5.903	5.000	21.000
Socker	18	65.389	39.108	18.000	118.000
PRF	3	5.333	3.786	1.000	8.000
BUF	18	2.661	3.625	0.100	9.000
AATp20	18	82.646	5.657	76.201	90.840
PBVp20	18	32.506	28.513	-5.031	79.128
NELp20	18	5.842	0.266	5.479	6.214
OE*	18	10.412	0.470	9.800	10.910
AAT*	15	69.667	1.589	68.000	71.000
PBV*	15	37.867	27.074	4.000	80.000
Ca	18	9.750	2.997	6.600	14.900
P	18	2.811	0.505	2.200	3.600
Mg	18	2.689	0.443	2.000	3.100
K	18	23.694	4.281	19.400	28.900
Na	18	0.772	0.538	0.200	1.600
Cl	18	4.772	2.639	2.500	7.300
S	18	2.467	0.348	2.000	2.900
CAB	18	350.975	114.421	181.339	469.938
Fe	15	139.133	168.443	61.000	213.000
Mn	15	56.133	29.897	25.000	106.000
Zn	15	24.800	3.932	22.000	26.000
Cu	15	8.120	1.576	5.900	10.800
Se	1	0.011	.	0.011	0.011

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	402.667	45.654	355.000	446.000
Aska	3	66.000	21.071	44.000	86.000
OS smbh	3	69.833	1.589	68.000	70.800
Råprot	3	110.000	36.715	68.000	136.000
sRåprot	3	692.000	123.867	563.000	810.000
NH3-N	3	74.333	20.599	51.000	90.000
NDF	3	396.333	55.609	350.000	458.000
iNDF	3	277.884	40.071	251.564	324.000
nhNDF	3	2.651	0.103	2.532	2.719
Stä	3	103.667	32.716	80.000	141.000
TAF	3	76.133	41.369	44.700	123.000
Mjölksyra	3	52.000	19.519	33.000	72.000
Ättiksyra	3	19.667	18.502	8.000	41.000
Socker	3	79.333	49.723	43.000	136.000
PRF	1	10.000	.	10.000	10.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	68.835	2.133	66.487	70.655
PBVp20	3	-2.414	33.030	-40.464	18.863
NELp20	3	5.570	0.293	5.302	5.883
OE*	3	10.057	0.191	9.900	10.270
AAT*	2	62.000	4.243	59.000	65.000
PBV*	2	-19.000	46.669	-52.000	14.000
Ca	3	5.333	3.007	1.900	7.500
P	3	2.033	0.666	1.300	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	3	1.900	0.819	1.000	2.600
K	3	16.533	6.313	10.000	22.600
Na	3	0.833	0.569	0.200	1.300
Cl	3	3.200	1.833	1.600	5.200
S	3	2.367	1.419	1.100	3.900
CAB	3	221.022	65.874	150.630	281.181
Fe	3	138.667	76.029	58.000	209.000
Mn	3	57.000	12.767	43.000	68.000
Zn	3	34.667	10.066	24.000	44.000
Cu	3	5.000	1.400	3.400	6.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	335.600	71.041	237.000	409.000
Aska	5	69.200	8.408	55.000	76.000
OS smbh	5	69.320	1.605	68.200	72.100
Råprot	5	124.000	32.288	79.000	170.000
sRåprot	5	676.800	55.787	616.000	759.000
NH3-N	5	82.200	16.146	62.000	102.000
NDF	5	426.800	16.423	398.000	438.000
iNDF	5	386.308	79.397	252.000	458.003
nhNDF	5	5.732	0.830	4.288	6.263
Stä	5	101.200	49.751	48.000	156.000
TAF	5	86.200	30.866	50.500	124.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	5	69.000	23.927	41.000	89.000
Ättiksyra	5	16.800	10.354	9.000	35.000
Socker	5	41.400	37.380	21.000	108.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	5	69.003	2.970	65.663	72.519
PBVp20	5	14.327	30.878	-30.229	56.919
NELp20	5	5.749	0.288	5.491	6.242
OE*	1	10.410	.	10.410	10.410
Ca	5	5.460	2.574	1.700	8.400
P	5	2.520	0.295	2.100	2.800
Mg	5	1.680	0.370	1.200	2.200
K	5	20.360	7.344	12.300	31.400
Na	5	0.640	0.522	0.100	1.500
Cl	5	11.380	18.221	1.200	43.900
S	5	1.720	0.295	1.300	2.000
CAB	5	120.479	378.535	-532.464	407.035
Fe	5	138.600	94.880	57.000	303.000
Mn	5	43.000	9.798	34.000	57.000
Zn	5	30.800	10.257	21.000	48.000
Cu	5	6.200	1.528	4.500	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	318.000	.	318.000	318.000
Aska	1	101.000	.	101.000	101.000
OS smbh	1	72.200	.	72.200	72.200
Råprot	1	191.000	.	191.000	191.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	122.000	.	122.000	122.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	186.133	.	186.133	186.133
nhNDF	1	3.932	.	3.932	3.932
Stä	1	17.000	.	17.000	17.000
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	47.000	.	47.000	47.000
Ättiksyra	1	29.000	.	29.000	29.000
Socker	1	20.000	.	20.000	20.000
AATp20	1	75.184	.	75.184	75.184
PBVp20	1	59.368	.	59.368	59.368
NELp20	1	5.893	.	5.893	5.893
Ca	1	3.700	.	3.700	3.700
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	34.800	.	34.800	34.800
Na	1	1.500	.	1.500	1.500
Cl	1	9.100	.	9.100	9.100
S	1	2.300	.	2.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	555.155	.	555.155	555.155
Fe	1	823.000	.	823.000	823.000
Mn	1	88.000	.	88.000	88.000
Zn	1	32.000	.	32.000	32.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	374.500	3.536	372.000	377.000
Aska	2	69.500	10.607	62.000	77.000
OS smbh	2	64.750	1.626	63.600	65.900
Råprot	2	106.500	68.589	58.000	155.000
sRåprot	2	647.000	138.593	549.000	745.000
NH3-N	2	104.500	7.778	99.000	110.000
NDF	2	439.500	64.347	394.000	485.000
iNDF	2	302.582	19.741	288.623	316.541
nhNDF	2	2.194	0.305	1.978	2.409
Stä	2	39.500	31.820	17.000	62.000
TAF	2	77.500	12.021	69.000	86.000
Mjölksyra	2	59.500	6.364	55.000	64.000
Ättiksyra	2	18.000	5.657	14.000	22.000
Socker	2	66.000	59.397	24.000	108.000
AATp20	2	64.641	1.486	63.590	65.691
PBVp20	2	5.223	57.467	-35.413	45.858

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.135	0.341	4.894	5.376
OE*	1	9.500	.	9.500	9.500
AAT*	1	57.000	.	57.000	57.000
PBV*	1	40.000	.	40.000	40.000
Ca	2	5.000	4.808	1.600	8.400
P	2	1.850	0.636	1.400	2.300
Mg	2	2.000	1.414	1.000	3.000
K	2	16.100	7.071	11.100	21.100
Na	2	0.450	0.071	0.400	0.500
Cl	2	0.500	0.000	0.500	0.500
S	2	1.250	0.495	0.900	1.600
CAB	2	339.120	146.835	235.292	442.949
Fe	2	166.500	113.844	86.000	247.000
Mn	2	49.000	12.728	40.000	58.000
Zn	2	24.500	10.607	17.000	32.000
Cu	2	7.100	5.233	3.400	10.800

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	344.000	.	344.000	344.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	67.100	.	67.100	67.100
Råprot	1	140.000	.	140.000	140.000
sRåprot	1	642.000	.	642.000	642.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	99.000	.	99.000	99.000
NDF	1	462.000	.	462.000	462.000
iNDF	1	255.405	.	255.405	255.405
nhNDF	1	2.833	.	2.833	2.833
Stä	1	17.000	.	17.000	17.000
TAF	1	71.500	.	71.500	71.500
Mjölksyra	1	53.000	.	53.000	53.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	62.000	.	62.000	62.000
AATp20	1	66.503	.	66.503	66.503
PBVp20	1	26.268	.	26.268	26.268
NELp20	1	5.336	.	5.336	5.336
OE*	1	9.800	.	9.800	9.800
AAT*	1	59.000	.	59.000	59.000
PBV*	1	19.000	.	19.000	19.000
Ca	1	3.400	.	3.400	3.400
P	1	2.900	.	2.900	2.900
Mg	1	1.900	.	1.900	1.900
K	1	18.600	.	18.600	18.600
Na	1	0.100	.	0.100	0.100
Cl	1	7.300	.	7.300	7.300
S	1	1.900	.	1.900	1.900
CAB	1	155.667	.	155.667	155.667
Fe	1	133.000	.	133.000	133.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	16.000	.	16.000	16.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.700	.	6.700	6.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	917.000	.	917.000	917.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	72.600	.	72.600	72.600
Råprot	1	77.000	.	77.000	77.000
NDF	1	529.000	.	529.000	529.000
iNDF	1	171.747	.	171.747	171.747
nhNDF	1	4.352	.	4.352	4.352
TAF	1	0.000	.	0.000	0.000
Socker	1	179.000	.	179.000	179.000
AATp20	1	89.312	.	89.312	89.312
PBVp20	1	-57.067	.	-57.067	-57.067
NELp20	1	5.600	.	5.600	5.600
OE*	1	10.700	.	10.700	10.700
AAT*	1	75.000	.	75.000	75.000
PBV*	1	-51.000	.	-51.000	-51.000
Ca	1	2.100	.	2.100	2.100
P	1	1.800	.	1.800	1.800
Mg	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	20.000	.	20.000	20.000
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	306.262	.	306.262	306.262
Fe	1	79.000	.	79.000	79.000
Mn	1	77.000	.	77.000	77.000
Zn	1	21.000	.	21.000	21.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	876.000	21.2132	861.000	891.000
Aska	2	58.000	22.6274	42.000	74.000
OS smbh	2	63.000	9.7581	56.100	69.900
Råprot	2	61.500	28.9914	41.000	82.000
NDF	2	580.000	73.5391	528.000	632.000
iNDF	2	243.832	69.5031	194.686	292.978
nhNDF	2	3.187	1.0380	2.453	3.921
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	143.000	5.6569	139.000	147.000
AATp20	2	78.192	10.5420	70.737	85.646
PBVp20	2	-52.890	9.1333	-59.348	-46.431
NELp20	2	4.740	0.8173	4.163	5.318
OE*	2	9.100	1.4142	8.100	10.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	2	65.000	8.4853	59.000	71.000
PBV*	2	-49.000	12.7279	-58.000	-40.000
Ca	1	1.000	.	1.000	1.000
P	1	1.600	.	1.600	1.600
Mg	1	0.600	.	0.600	0.600
K	1	15.800	.	15.800	15.800
Na	1	0.100	.	0.100	0.100
S	1	0.700	.	0.700	0.700
CAB	1	223.845	.	223.845	223.845
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	13.000	.	13.000	13.000
Cu	1	3.300	.	3.300	3.300

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	449.500	153.398	254.000	602.000
Aska	4	82.500	10.083	72.000	96.000
OS smbh	4	78.025	4.700	73.300	84.100
Råprot	4	154.750	56.222	90.000	212.000
NDF	4	403.250	63.200	338.000	466.000
iNDF	4	179.802	92.340	55.402	272.717
nhNDF	4	6.006	0.970	4.575	6.724
TAF	4	72.000	0.000	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	135.000	45.070	89.000	196.000
AATp20	4	85.671	5.773	80.579	93.050
PBVp20	4	25.314	45.728	-30.562	68.219
NELp20	4	6.317	0.524	5.876	7.018
OE*	4	11.300	0.648	10.600	12.100
AAT*	4	77.250	2.500	74.000	80.000
PBV*	4	21.525	51.758	-41.000	72.000
Ca	4	9.800	2.906	6.400	13.500
P	4	2.800	0.510	2.300	3.500
Mg	4	2.250	0.661	1.500	2.900
K	4	26.475	6.675	21.500	36.300
Na	4	0.300	0.183	0.100	0.500
S	4	1.625	0.150	1.400	1.700
CAB	4	459.013	164.521	335.784	701.257
Fe	4	117.750	28.289	100.000	160.000
Mn	4	43.750	12.842	30.000	59.000
Zn	4	26.000	7.348	22.000	37.000
Cu	4	7.475	1.866	5.200	9.100
Se	3	0.035	0.040	0.010	0.082

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	596.000	.	596.000	596.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	182.000	.	182.000	182.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	217.018	.	217.018	217.018
nhNDF	1	5.214	.	5.214	5.214
TAF	1	72.000	.	72.000	72.000
Socket	1	106.000	.	106.000	106.000
AATp20	1	85.435	.	85.435	85.435
PBVp20	1	52.173	.	52.173	52.173
NELp20	1	6.262	.	6.262	6.262
OE*	1	11.100	.	11.100	11.100
AAT*	1	76.000	.	76.000	76.000
PBV*	1	50.000	.	50.000	50.000
Ca	1	14.200	.	14.200	14.200
P	1	2.900	.	2.900	2.900
Mg	1	2.900	.	2.900	2.900
K	1	25.700	.	25.700	25.700
Na	1	0.700	.	0.700	0.700
S	1	2.300	.	2.300	2.300
CAB	1	414.396	.	414.396	414.396
Fe	1	120.000	.	120.000	120.000
Mn	1	37.000	.	37.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	25.000	.	25.000	25.000
Cu	1	10.000	.	10.000	10.000
Se	1	0.027	.	0.027	0.027

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	626.000	.	626.000	626.000
Aska	1	111.000	.	111.000	111.000
OS smbh	1	77.100	.	77.100	77.100
Råprot	1	169.000	.	169.000	169.000
NDF	1	403.000	.	403.000	403.000
iNDF	1	162.166	.	162.166	162.166
nhNDF	1	5.040	.	5.040	5.040
TAF	1	72.000	.	72.000	72.000
Socker	1	101.000	.	101.000	101.000
AATp20	1	83.207	.	83.207	83.207
PBVp20	1	42.908	.	42.908	42.908
NELp20	1	6.178	.	6.178	6.178
OE*	1	10.800	.	10.800	10.800
AAT*	1	75.000	.	75.000	75.000
PBV*	1	40.000	.	40.000	40.000

*= Parametrar från det gamla svenska fodervärderingssystemet