

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Korn, kärna (001)	1	14	799	24	79.9	124	166	7.0	155	152	3.15	592	0.0000			5
Havre, kärna, hög NDF (002)	1	3	821	28	75.0	119		6.0		392	2.00	487	0.0000			
Vete, kärna (005)	1	5	832	19	70.4	130	255	5.0	164	155	3.50	612	0.0000			5
Rågvete (015)	1	2	866	21	89.5	120				187	3.50	648	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	857	25	87.0	120		6.0		173	3.30	555	0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	2	600	61	70.5	121			575	175	4.41		61.0000			80
Ensilage, gräs (0% klöver) (162)	1	14	359	70	73.8	130	603	71.9	471	168	4.22		68.1667	52.5	12.8	66
Ensilage, gräs (0% klöver) (162)	2	8	363	80	71.0	132	514	79.4	492	197	3.98		72.7500	53.0	16.0	45
Ensilage, gräs (0% klöver) (162)	3	5	375	76	75.2	138	523	79.0	439	165	4.22		67.3800	50.6	13.6	76
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	799	76	65.6	85			501	251	2.98		84.0000			130
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	400	68	77.7	122	507		464	125	5.24		80.0882	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16	553	80	75.4	130			486	144	5.07		84.0000			116
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	508	88	70.1	132	334		484	205	3.68		84.0000			81
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	269	118	79.8	203	570		394	122	6.62		84.0000			35
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	464	90	80.2	177			445	96	5.89		84.0000			68
Ensilage, blandvall (1-50% klöver) (165)	0	9	420	69	73.9	129	519	71.6	461	174	4.19		66.5222	52.6	12.1	68
Ensilage, blandvall (1-50% klöver) (165)	1	158	387	66	75.7	132	602	75.6	450	156	4.49		73.5038	57.1	13.7	72
Ensilage, blandvall (1-50% klöver) (165)	2	98	403	79	74.2	143	527	77.3	455	171	4.22		65.2694	49.3	13.5	58
Ensilage, blandvall (1-50% klöver) (165)	3	41	429	80	74.4	141	503	67.6	439	177	4.11		62.7780	47.9	12.6	69
Ensilage, blandvall (1-50% klöver) (165)	4	3	299	90	73.8	183	599	116	394	204	3.60		79.3000	62.7	11.0	38
Korn, helsädesensilage (250)	1	2	433	64	68.1	105	565	99.0	428	285	2.77	181	49.0000	39.0	10.0	48
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	367	58	65.8	99	514	63.3	458	281	2.47	139	71.6667	52.3	17.3	31
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	357	50	69.4	147	620	57.0	367	298	2.07	165	79.9000	67.0	11.0	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	352	63	67.0	109	649	107	435	407	5.25	115	87.3000	64.2	20.2	38
Havre helsädesensilage degmognad (296)	1	2	381	69	64.3	113	740	88.0	509	268	2.76	37	81.0000	63.5	17.5	35

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	370	68	69.2	124	606	71.0	457	268	3.50	93	76.7500	54.3	20.8	42
Vete, helsäd ensilage (299)	1	4	414	67	66.6	100	682	108	430	281	2.59	157	56.5000	37.3	16.8	44
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	15	420	61	67.9	115	645	93.3	450	258	2.75	114	64.4667	50.9	13.6	40
Hö, blandvall, 0-50% baljväxter (383)	0	3	874	59	61.0	57			583	270	2.86		0.0000			120
Hö, blandvall, 0-50% baljväxter (383)	1	15	846	58	66.1	77			553	226	3.50		0.0000			135
Hö, blandvall, 0-50% baljväxter (383)	3	1	846	104	74.6	120			482	149	4.74		0.0000			91
Ensilage, blandvall (1-50% klöver) (326)	1	1	557	57	73.6	143	437	55.0	358	220	2.64	185	38.0000	20.0	14.0	58
Fullfoder (TMR) ej kompletta data (1E3)	1	1	388	79	82.9	189	508	52.0	263	111	4.18	200				24

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	14				95.7	-20	7.32	13.3	94.0	-46
Havre, kärna, hög NDF (002)	1	3				82.3	1.5	6.33			
Vete, kärna (005)	1	5				114	-38	7.95	13.7		
Rågvete (015)	1	2				108	-39	7.80			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				105	-35	7.40			
Grönmassa, gräs (0% baljv.) (161)	1	2				82.0	-5.8	5.77	10.3	73.0	-3.5
Ensilage, gräs (0% klöver) (162)	1	14	3.8000	1.17857		80.3	5.8	5.98	10.8	71.6	6.1
Ensilage, gräs (0% klöver) (162)	2	8	6.0000	0.87500		78.4	9.6	5.76	10.2	68.8	5.2
Ensilage, gräs (0% klöver) (162)	3	5	3.0000	1.78000		83.0	8.3	6.05	10.9	71.5	16.8
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				70.6	-19	5.07	9.3	66.5	-30
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	10.5000	7.00000		85.8	-9.6	6.28	11.4	78.8	-15
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16				83.1	2.4	6.10	10.9	75.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6				77.8	13.5	5.63	9.9	69.6	11.4
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2				87.6	63.1	6.54	11.1	74.0	61.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1				89.4	36.3	6.70	11.6	79.0	41.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	0	9		0.85556		82.4	3.1	6.01	10.8	70.9	7.2
Ensilage, blandvall (1-50% klöver) (165)	1	158	3.8947	1.26646		82.6	5.5	6.18	11.1	72.1	6.5
Ensilage, blandvall (1-50% klöver) (165)	2	98	3.4545	1.22857		83.1	14.5	6.04	10.7	70.8	19.9
Ensilage, blandvall (1-50% klöver) (165)	3	41	2.0000	1.07073		83.5	12.6	6.01	10.7	70.9	18.7
Ensilage, blandvall (1-50% klöver) (165)	4	3		4.63333		80.6	56.6	6.02	10.5	70.0	61.7
Korn, helsädesensilage (250)	1	2	0.0000	0.00000		71.6	-12	5.49	9.9		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				70.3	-11	5.45			
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				71.6	30.9	5.83			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	4.5000	2.00000		67.5	3.1	5.54	9.6		
Havre helsädesensilage degmognad (296)	1	2				65.3	8.1	5.24			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	3.5000	0.00000		69.8	11.7	5.73	9.9		
Vete, helsäd ensilage (299)	1	4				68.5	-10	5.41	9.6	63.0	-44
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	15				71.8	1.0	5.54			
Hö, blandvall, 0-50% baljväxter (383)	0	3				75.8	-53	4.57	8.7	63.0	-50
Hö, blandvall, 0-50% baljväxter (383)	1	15				82.6	-46	5.05	9.5	67.4	-42
Hö, blandvall, 0-50% baljväxter (383)	3	1				91.8	-21	5.71	10.5	74.0	-6.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	4.0000	0.00000		88.7	10.3	6.26	10.9		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	4	0.5	3.6	1.3	6.0	0.1	1.6	1.4	36	4	60.8	17.5	31.5	5.9	0.0
Havre, kärna, hög NDF (002)	1	1	0.7	4.1	1.4	5.7	0.1		1.2	55	1	66.0	52.0	38.0	5.0	
Vete, kärna (005)	1	3	0.5	3.7	1.4	4.9	0.1		1.4	17	3	88.0	43.3	36.0	6.4	0.0
Rågvete (015)	1	1	0.4	3.5	1.4	6.0	0.1		1.4	51	1	58.0	35.0	40.0	7.0	
Grönmassa, gräs (0% baljv.) (161)	1	2	3.4	2.3	1.3	23.4	0.1		1.6	365	2	69.5	63.5	32.0	4.9	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	14	4.9	2.3	1.7	21.1	0.6	4.5	1.9	320	14	360.7	82.1	28.3	6.4	0.0
Ensilage, gräs (0% klöver) (162)	2	8	5.7	2.9	2.2	22.8	0.7	6.1	2.3	296	8	393.8	105.5	28.5	7.6	0.0
Ensilage, gräs (0% klöver) (162)	3	5	7.5	3.2	2.7	20.3	0.8	3.7	2.5	292	5	242.4	123.0	27.0	8.1	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	7.0	2.6	2.1	18.6	0.1		1.3	265	2	128.5	71.5	20.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	29	4.5	2.3	1.6	21.7	0.5	7.8	1.6	341	27	121.2	53.6	23.6	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	15	5.6	2.9	2.2	23.1	0.7		1.8	370	15	96.7	73.1	23.7	6.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	7.4	3.0	2.7	20.7	0.9	15.3	2.4	237	6	246.2	90.7	27.2	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	8.1	3.9	3.0	28.1	1.0	14.7	2.9	308	2	417.5	73.0	27.5	10.6	
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	6.6	2.9	2.6	26.7	1.0		2.3	450	1	146.0	74.0	31.0	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	9	6.0	2.5	2.1	20.4	0.8	4.3	2.0	312	9	201.3	91.4	28.0	7.0	
Ensilage, blandvall (1-50% klöver) (165)	1	153	4.9	2.3	1.7	21.3	0.4	3.2	1.8	362	148	186.5	60.1	27.3	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	93	6.6	2.7	2.3	23.7	0.6	5.8	2.1	333	93	185.2	82.0	27.4	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	41	7.0	2.7	2.6	21.8	0.7	5.8	2.4	275	40	183.0	90.6	25.2	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	2	10.2	3.0	3.1	22.4	0.4	7.5	2.8	272	2	210.0	68.5	32.0	7.9	
Korn, helsädesensilage (250)	1	2	3.7	2.7	1.2	17.4	0.4	7.5	1.8	139	2	260.0	26.5	21.0	5.5	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	3.5	2.4	1.5	17.8	1.3	2.6	1.6	338	3	199.7	68.7	34.0	5.3	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	5.0	2.5	1.7	12.8	1.4	0.6	1.2	296	1	103.0	62.0	30.0	8.6	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	5	5.5	2.2	1.8	11.9	1.1	6.0	1.7	76	5	472.2	76.0	31.8	6.1	0.0
Havre helsädesensilage degmognad (296)	1	1	2.7	2.2	1.4	20.4	1.0	5.8	1.8	337	1	386.0	57.0	23.0	5.2	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	4.6	2.6	1.6	20.3	0.3	4.4	2.0	273	3	128.7	61.0	31.7	5.8	0.1
Vete, helsäd ensilage (299)	1	3	2.8	2.3	1.5	17.5	0.5	2.6	1.6	298	3	302.0	66.3	26.0	4.4	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	15	5.7	2.5	1.9	16.5	0.7	3.4	1.5	264	15	180.7	46.3	29.4	5.9	
Hö, blandvall, 0-50% baljväxter (383)	0	3	2.4	1.4	0.9	15.0	0.1		1.0	183	3	122.7	166.3	42.7	24.6	
Hö, blandvall, 0-50% baljväxter (383)	1	12	3.8	1.8	1.5	14.2	0.2		1.3	146	12	213.4	86.8	21.8	4.4	0.0
Hö, blandvall, 0-50% baljväxter (383)	3	1	5.5	4.0	2.4	33.8	0.3		1.7	630	1	108.0	43.0	23.0	7.1	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (326)	1	1	3.1	2.9	2.1	14.0	2.1	7.2	2.9	65	1	243.0	99.0	29.0	7.0	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	4.5	3.6	2.5	19.3	8.4	7.5	2.0	523	1	602.0	105.0	80.0	16.7	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	799.357	51.4731	724.000	845.000
Aska	14	23.743	3.4578	20.400	28.000
OS smbh	14	79.857	22.9845	86.000	86.000
Råprot	14	124.086	11.0621	112.000	140.500
sRåprot	1	166.000	.	166.000	166.000
NH3-N	6	7.000	1.0954	6.000	8.000
NDF	1	155.000	.	155.000	155.000
iNDF	14	152.214	36.6148	162.000	162.000
nhNDF	14	3.150	0.0000	3.150	3.150
Stä	14	591.564	49.0245	555.000	641.000
TAF	14	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	14	95.702	1.1648	94.786	96.389
PBVp20	14	-19.649	10.0130	-30.708	-4.491
NELp20	14	7.320	0.1412	7.139	7.447
OE*	2	13.250	0.0707	13.200	13.300
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-46.000	.	-46.000	-46.000
Ca	4	0.450	0.0577	0.400	0.500
P	4	3.550	0.2646	3.200	3.800
Mg	4	1.275	0.0957	1.200	1.400
K	4	5.975	0.4924	5.500	6.400
Na	4	0.100	0.0000	0.100	0.100
Cl	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	4	1.350	0.1732	1.200	1.500
CAB	4	36.166	26.8655	8.750	59.228
Fe	4	60.750	11.3835	49.000	71.000
Mn	4	17.500	2.8868	15.000	20.000
Zn	4	31.500	1.2910	30.000	33.000
Cu	4	5.875	0.8770	4.900	7.000
Se	3	0.020	0.0260	0.005	0.050

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	820.667	19.5533	802.000	841.000
Aska	3	27.967	3.3322	24.400	31.000
OS smbh	3	75.000	0.0000	75.000	75.000
Råprot	3	118.700	15.2502	101.100	128.000
NH3-N	1	6.000	.	6.000	6.000
iNDF	3	392.000	0.0000	392.000	392.000
nhNDF	3	2.000	0.0000	2.000	2.000
Stä	3	486.933	27.9473	465.000	518.400
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	82.344	0.9451	81.470	83.347
PBVp20	3	1.538	14.0173	-14.636	10.141
NELp20	3	6.325	0.1780	6.144	6.500
Ca	1	0.700	.	0.700	0.700
P	1	4.100	.	4.100	4.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.400	.	1.400	1.400
K	1	5.700	.	5.700	5.700
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	55.410	.	55.410	55.410
Fe	1	66.000	.	66.000	66.000
Mn	1	52.000	.	52.000	52.000
Zn	1	38.000	.	38.000	38.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	832.000	62.7774	769.000	929.000
Aska	5	19.120	3.1475	15.200	24.000
OS smbh	5	70.400	39.3548	0.000	88.000
Råprot	5	129.700	14.8886	112.000	153.000
sRåprot	1	255.000	.	255.000	255.000
NH3-N	1	5.000	.	5.000	5.000
NDF	1	164.000	.	164.000	164.000
iNDF	5	154.600	72.4486	25.000	187.000
nhNDF	5	3.500	0.0000	3.500	3.500
Stä	5	612.240	82.2715	474.000	679.900
TAF	5	0.000	0.0000	0.000	0.000
Socket	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	5	114.420	2.8905	110.150	117.982
PBVp20	5	-37.750	11.2827	-50.009	-19.392
NELp20	5	7.950	0.1114	7.778	8.057
OE*	1	13.700	.	13.700	13.700
Ca	3	0.467	0.1528	0.300	0.600
P	3	3.733	0.6028	3.100	4.300
Mg	3	1.400	0.2000	1.200	1.600
K	3	4.900	0.1000	4.800	5.000
Na	3	0.100	0.0000	0.100	0.100
S	3	1.400	0.1000	1.300	1.500
CAB	3	16.815	8.8075	8.008	25.623
Fe	3	88.000	67.6683	45.000	166.000
Mn	3	43.333	15.8219	26.000	57.000
Zn	3	36.000	1.0000	35.000	37.000
Cu	3	6.433	2.0033	4.900	8.700
Se	1	0.005	.	0.005	0.005

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	866.000	22.6274	850.000	882.000
Aska	2	20.750	2.7577	18.800	22.700
OS smbh	2	89.479	0.0000	89.479	89.479
Råprot	2	119.550	2.3335	117.900	121.200
iNDF	2	187.000	0.0000	187.000	187.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.500	0.0000	3.500	3.500
Stä	2	647.700	37.3352	621.300	674.100
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	108.363	1.3435	107.413	109.313
PBVp20	2	-38.881	0.1571	-38.992	-38.770
NELp20	2	7.798	0.0142	7.788	7.808
Ca	1	0.400	.	0.400	0.400
P	1	3.500	.	3.500	3.500
Mg	1	1.400	.	1.400	1.400
K	1	6.000	.	6.000	6.000
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	50.582	.	50.582	50.582
Fe	1	58.000	.	58.000	58.000
Mn	1	35.000	.	35.000	35.000
Zn	1	40.000	.	40.000	40.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	857.000	.	857.000	857.000
Aska	1	25.000	.	25.000	25.000
OS smbh	1	87.000	.	87.000	87.000
Råprot	1	120.000	.	120.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	6.000	.	6.000	6.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
Stä	1	555.000	.	555.000	555.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.765	.	104.765	104.765
PBVp20	1	-34.696	.	-34.696	-34.696
NELp20	1	7.402	.	7.402	7.402

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	599.500	296.278	390.000	809.000
Aska	2	60.500	12.021	52.000	69.000
OS smbh	2	70.500	5.091	66.900	74.100
Råprot	2	121.000	9.899	114.000	128.000
NDF	2	575.000	63.640	530.000	620.000
iNDF	2	175.175	26.872	156.174	194.176
nhNDF	2	4.407	0.425	4.107	4.708
TAF	2	61.000	0.000	61.000	61.000
Socker	2	80.000	91.924	15.000	145.000
AATp20	2	82.038	4.496	78.859	85.217
PBVp20	2	-5.816	16.651	-17.590	5.958
NELp20	2	5.766	0.339	5.526	6.006
OE*	2	10.300	0.990	9.600	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	2	73.000	5.657	69.000	77.000
PBV*	2	-3.500	19.092	-17.000	10.000
Ca	2	3.400	1.131	2.600	4.200
P	2	2.250	0.354	2.000	2.500
Mg	2	1.250	0.212	1.100	1.400
K	2	23.400	8.768	17.200	29.600
Na	2	0.100	0.000	0.100	0.100
S	2	1.550	0.212	1.400	1.700
CAB	2	365.093	210.990	215.900	514.286
Fe	2	69.500	40.305	41.000	98.000
Mn	2	63.500	9.192	57.000	70.000
Zn	2	32.000	0.000	32.000	32.000
Cu	2	4.850	0.212	4.700	5.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	358.929	112.451	263.000	475.00
Aska	14	70.071	15.459	53.000	92.00
OS smbh	15	73.760	4.223	67.200	78.60
Råprot	14	129.714	21.255	110.000	157.00
sRåprot	14	602.857	91.823	457.000	705.00
NH3-N	14	71.857	26.506	41.000	101.00
NDF	14	470.857	60.703	387.000	541.00
iNDF	15	168.375	37.850	124.000	220.32

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	15	4.216	0.614	3.471	5.16
TAF	15	68.167	24.705	42.000	108.00
Mjölksyra	14	52.500	20.872	28.000	77.00
Ättiksyra	14	12.786	6.104	7.000	19.00
Socker	14	66.143	37.727	28.000	130.00
PRF	5	3.800	2.168	2.000	7.00
BUF	14	1.179	1.591	0.000	2.50
AATp20	15	80.283	3.960	74.907	84.97
PBVp20	15	5.753	18.324	-17.115	29.28
NELp20	15	5.984	0.335	5.510	6.50
OE*	14	10.767	0.654	9.900	11.60
AAT*	9	71.556	2.128	68.000	74.00
PBV*	9	6.111	22.997	-15.000	57.00
Ca	14	4.943	1.738	3.100	6.30
P	14	2.314	0.525	1.500	2.80
Mg	14	1.650	0.330	1.200	2.10
K	14	21.086	7.440	13.600	29.90
Na	14	0.600	0.482	0.100	1.10
Cl	14	4.543	2.308	0.900	6.70
S	14	1.886	0.426	1.400	2.50
CAB	14	319.539	134.780	191.037	453.74
Fe	14	360.714	440.773	73.000	1089.00
Mn	14	82.071	31.604	51.000	124.00
Zn	14	28.286	4.103	25.000	32.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	14	6.357	0.636	6.000	7.30
Se	4	0.016	0.013	0.007	0.03

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	362.875	165.981	196.000	717.00
Aska	8	80.125	11.243	63.000	96.00
OS smbh	8	71.013	4.780	60.400	76.80
Råprot	8	131.625	22.570	85.000	154.00
sRåprot	8	514.125	87.584	364.000	596.00
NH3-N	8	79.375	25.595	47.000	126.00
NDF	8	491.500	35.355	437.000	546.00
iNDF	8	196.520	46.095	150.808	300.19
nhNDF	8	3.981	0.738	2.369	4.80
TAF	8	72.750	32.161	10.500	109.00
Mjölksyra	8	53.000	25.579	2.000	87.00
Ättiksyra	8	16.000	8.912	7.000	35.00
Socker	8	45.000	24.219	24.000	96.00
PRF	3	6.000	1.732	5.000	8.00
BUF	8	0.875	1.410	0.000	4.00
AATp20	8	78.436	3.239	72.986	83.69
PBVp20	8	9.605	17.901	-23.521	33.22
NELp20	8	5.758	0.557	4.513	6.31
OE*	8	10.184	0.812	8.500	11.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	5	68.800	3.271	64.000	73.00
PBV*	5	5.200	19.215	-24.000	27.00
Ca	8	5.663	1.409	4.200	8.60
P	8	2.863	0.597	1.600	3.40
Mg	8	2.213	0.624	1.300	3.00
K	8	22.825	7.150	12.800	34.50
Na	8	0.650	0.417	0.100	1.30
Cl	8	6.050	3.147	1.500	9.10
S	8	2.325	0.721	1.200	3.20
CAB	8	296.285	117.680	130.108	526.05
Fe	8	393.750	338.903	99.000	1053.00
Mn	8	105.500	48.306	38.000	201.00
Zn	8	28.500	5.976	19.000	34.00
Cu	8	7.588	1.813	4.500	10.00
Se	3	0.038	0.021	0.014	0.05

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	374.600	121.138	238.000	567.000
Aska	5	76.400	6.309	67.000	82.000
OS smbh	5	75.180	2.144	72.700	77.100
Råprot	5	138.400	11.675	131.000	159.000
sRåprot	5	523.000	56.793	445.000	603.000
NH3-N	5	79.000	41.659	41.000	148.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	438.600	29.160	415.000	489.000
iNDF	5	165.375	19.884	149.649	193.032
nhNDF	5	4.219	0.326	3.709	4.478
TAF	5	67.380	27.249	29.400	105.300
Mjölksyra	5	50.600	22.512	19.000	81.000
Ättiksyra	5	13.600	3.209	8.000	16.000
Socker	5	76.400	38.122	27.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	5	1.780	3.140	0.000	7.300
AATp20	5	83.000	5.019	75.177	88.748
PBVp20	5	8.290	12.667	-6.885	23.931
NELp20	5	6.046	0.160	5.865	6.229
OE*	5	10.922	0.347	10.500	11.300
AAT*	4	71.500	1.000	70.000	72.000
PBV*	4	16.750	12.553	8.000	35.000
Ca	5	7.460	2.080	4.700	10.400
P	5	3.180	0.614	2.500	4.100
Mg	5	2.740	0.358	2.300	3.300
K	5	20.260	3.310	16.400	23.600
Na	5	0.800	0.212	0.600	1.100
Cl	5	3.680	2.422	0.800	6.100
S	5	2.520	0.526	1.800	3.200
CAB	5	291.779	122.643	151.526	480.566
Fe	5	242.400	256.130	115.000	699.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	123.000	31.718	93.000	163.000
Zn	5	27.000	4.583	20.000	32.000
Cu	5	8.120	1.805	6.200	11.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	799.000	125.865	710.000	888.000
Aska	2	75.500	10.607	68.000	83.000
OS smbh	2	65.550	6.718	60.800	70.300
Råprot	2	84.500	44.548	53.000	116.000
NDF	2	500.500	50.205	465.000	536.000
iNDF	2	250.901	53.363	213.168	288.634
nhNDF	2	2.983	0.685	2.498	3.467
TAF	2	84.000	0.000	84.000	84.000
Socker	2	130.000	28.284	110.000	150.000
AATp20	2	70.557	8.232	64.736	76.378
PBVp20	2	-19.248	28.113	-39.127	0.631
NELp20	2	5.072	0.637	4.622	5.522
OE*	2	9.300	0.990	8.600	10.000
AAT*	2	66.500	6.364	62.000	71.000
PBV*	2	-29.500	33.234	-53.000	-6.000
Ca	2	6.950	1.626	5.800	8.100
P	2	2.550	0.495	2.200	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	2.100	0.566	1.700	2.500
K	2	18.550	4.879	15.100	22.000
Na	2	0.100	0.000	0.100	0.100
S	2	1.300	0.141	1.200	1.400
CAB	2	265.128	115.945	183.143	347.113
Fe	2	128.500	75.660	75.000	182.000
Mn	2	71.500	20.506	57.000	86.000
Zn	2	20.000	4.243	17.000	23.000
Cu	2	6.000	2.546	4.200	7.800

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	34	399.941	133.466	230.000	551.000
Aska	34	68.265	9.060	60.000	80.000
OS smbh	34	77.697	4.089	72.700	83.100
Råprot	34	121.794	27.308	87.000	158.000
sRåprot	2	506.500	34.648	482.000	531.000
NDF	34	463.824	54.355	393.000	542.000
iNDF	34	125.335	38.616	74.751	179.644
nhNDF	34	5.239	0.899	4.198	6.706
TAF	34	80.088	15.883	84.000	84.000
Mjölksyra	2	0.000	0.000	0.000	0.000
Ättiksyra	2	0.000	0.000	0.000	0.000
Socker	34	146.912	60.883	64.000	233.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	10.500	0.707	10.000	11.000
BUF	2	7.000	1.414	6.000	8.000
AATp20	34	85.804	4.797	79.881	92.571
PBVp20	34	-9.590	23.195	-47.289	18.881
NELp20	34	6.282	0.334	5.816	6.635
OE*	34	11.430	0.715	10.600	12.300
AAT*	32	78.781	4.086	74.000	84.000
PBV*	32	-15.125	27.885	-59.000	15.000
Ca	29	4.452	1.325	3.200	7.100
P	29	2.338	0.420	1.700	2.800
Mg	29	1.572	0.341	1.200	2.300
K	29	21.676	4.923	15.300	29.100
Na	29	0.507	0.747	0.100	1.100
Cl	2	7.800	1.980	6.400	9.200
S	29	1.552	0.383	1.000	2.100
CAB	29	341.009	115.939	183.159	522.449
Fe	27	121.222	66.424	61.000	213.000
Mn	27	53.556	24.219	32.000	79.000
Zn	27	23.630	5.520	18.000	34.000
Cu	27	4.967	1.259	3.400	7.100
Se	3	0.013	0.004	0.009	0.017

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	552.938	201.291	353.000	891.000
Aska	16	80.313	10.688	62.000	93.000
OS smbh	16	75.413	5.449	68.300	80.100
Råprot	16	129.813	25.605	95.000	162.000
NDF	16	485.625	42.256	449.000	544.000
iNDF	16	143.927	52.381	94.826	200.074
nhNDF	16	5.075	1.297	3.896	6.081
TAF	16	84.000	0.000	84.000	84.000
Socker	16	115.563	36.372	76.000	168.000
AATp20	16	83.071	6.203	73.793	91.504
PBVp20	16	2.413	17.101	-26.246	26.491
NELp20	16	6.105	0.512	5.380	6.772
OE*	16	10.900	0.861	9.700	11.900
AAT*	16	75.563	4.560	69.000	80.000
PBV*	16	0.000	20.865	-35.000	28.000
Ca	15	5.593	1.621	3.300	7.700
P	15	2.913	0.422	2.500	3.600
Mg	15	2.180	0.428	1.700	2.700
K	15	23.053	6.134	12.600	29.900
Na	15	0.653	0.707	0.200	1.400
S	15	1.847	0.410	1.300	2.400
CAB	15	370.194	141.774	159.677	524.703
Fe	15	96.667	55.138	61.000	157.000
Mn	15	73.067	31.178	41.000	116.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	15	23.667	4.467	19.000	29.000
Cu	15	6.047	0.832	4.800	6.900
Se	1	0.009	.	0.009	0.009

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	508.000	257.736	318.000	1000.00
Aska	6	87.500	11.777	71.000	101.00
OS smbh	6	70.100	4.796	63.400	75.50
Råprot	6	132.167	27.014	80.000	156.00
sRåprot	1	334.000	.	334.000	334.00
NDF	6	484.167	33.997	422.000	526.00
iNDF	6	204.593	69.911	136.189	323.06
nhNDF	6	3.684	1.032	2.004	5.06
TAF	6	84.000	0.000	84.000	84.00
Socker	6	80.833	26.559	31.000	107.00
AATp20	6	77.808	6.292	70.116	86.41
PBVp20	6	13.501	23.986	-22.866	47.69
NELp20	6	5.635	0.486	5.009	6.11
OE*	6	9.947	0.798	8.800	10.78
AAT*	5	69.600	4.099	65.000	75.00
PBV*	5	11.400	28.936	-33.000	44.00
Ca	6	7.433	1.424	6.300	10.00
P	6	3.000	0.681	2.100	4.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	6	2.717	0.542	2.000	3.50
K	6	20.717	10.176	5.500	33.10
Na	6	0.867	0.612	0.200	1.60
Cl	1	15.300	.	15.300	15.30
S	6	2.367	0.509	1.400	2.90
CAB	6	237.443	264.061	-84.664	581.54
Fe	6	246.167	138.547	92.000	422.00
Mn	6	90.667	66.842	42.000	221.00
Zn	6	27.167	12.106	18.000	51.00
Cu	6	7.617	2.517	4.100	11.60
Se	1	0.043	.	0.043	0.04

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	268.500	14.849	258.000	279.000
Aska	2	117.500	19.092	104.000	131.000
OS smbh	2	79.800	5.091	76.200	83.400
Råprot	2	202.500	17.678	190.000	215.000
sRåprot	1	570.000	.	570.000	570.000
NDF	2	394.000	49.497	359.000	429.000
iNDF	2	122.128	34.122	98.000	146.256
nhNDF	2	6.615	2.916	4.553	8.677
TAF	2	84.000	0.000	84.000	84.000
Socker	2	34.500	6.364	30.000	39.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	87.613	3.754	84.958	90.267
PBVp20	2	63.054	10.081	55.926	70.182
NELp20	2	6.541	0.417	6.247	6.836
OE*	2	11.115	0.587	10.700	11.530
AAT*	1	74.000	.	74.000	74.000
PBV*	1	61.000	.	61.000	61.000
Ca	2	8.100	4.384	5.000	11.200
P	2	3.850	0.071	3.800	3.900
Mg	2	3.000	0.707	2.500	3.500
K	2	28.100	1.838	26.800	29.400
Na	2	1.000	0.707	0.500	1.500
Cl	1	14.700	.	14.700	14.700
S	2	2.900	0.990	2.200	3.600
CAB	2	307.659	183.293	178.051	437.267
Fe	2	417.500	456.084	95.000	740.000
Mn	2	73.000	16.971	61.000	85.000
Zn	2	27.500	2.121	26.000	29.000
Cu	2	10.550	0.778	10.000	11.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	464.000	.	464.000	464.000
Aska	1	90.000	.	90.000	90.000
OS smbh	1	80.200	.	80.200	80.200
Råprot	1	177.000	.	177.000	177.000
NDF	1	445.000	.	445.000	445.000
iNDF	1	95.663	.	95.663	95.663
nhNDF	1	5.893	.	5.893	5.893
TAF	1	84.000	.	84.000	84.000
Socket	1	68.000	.	68.000	68.000
AATp20	1	89.399	.	89.399	89.399
PBVp20	1	36.274	.	36.274	36.274
NELp20	1	6.697	.	6.697	6.697
OE*	1	11.600	.	11.600	11.600
AAT*	1	79.000	.	79.000	79.000
PBV*	1	41.000	.	41.000	41.000
Ca	1	6.600	.	6.600	6.600
P	1	2.900	.	2.900	2.900
Mg	1	2.600	.	2.600	2.600
K	1	26.700	.	26.700	26.700
Na	1	1.000	.	1.000	1.000
S	1	2.300	.	2.300	2.300
CAB	1	450.198	.	450.198	450.198
Fe	1	146.000	.	146.000	146.000
Mn	1	74.000	.	74.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	31.000	.	31.000	31.000
Cu	1	8.100	.	8.100	8.100
Se	1	0.010	.	0.010	0.010

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	419.889	197.379	213.000	750.000
Aska	9	69.333	10.452	46.000	79.000
OS smbh	9	73.933	4.573	66.000	78.900
Råprot	9	129.111	34.639	71.000	177.000
sRåprot	9	519.000	111.572	334.000	647.000
NH3-N	9	71.556	26.306	32.000	112.000
NDF	9	460.667	37.739	410.000	546.000
iNDF	9	174.024	47.080	119.079	267.346
nhNDF	9	4.194	0.825	2.680	5.300
TAF	9	66.522	41.312	8.500	122.100
Mjölksyra	9	52.556	35.430	2.000	100.000
Ättiksyra	9	12.111	7.253	1.000	21.000
Socker	9	68.111	55.804	10.000	142.000
BUF	9	0.856	1.231	0.100	3.800
AATp20	9	82.366	3.464	77.908	90.683
PBVp20	9	3.114	31.253	-49.776	47.847
NELp20	9	6.007	0.604	4.927	6.699
OE*	9	10.767	0.735	9.400	11.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	9	70.889	1.965	67.000	73.000
PBV*	9	7.222	31.296	-46.000	52.000
Ca	9	6.033	1.465	3.500	8.000
P	9	2.478	0.638	1.600	3.500
Mg	9	2.111	0.401	1.400	2.900
K	9	20.356	4.410	14.300	28.300
Na	9	0.778	0.793	0.100	2.600
Cl	9	4.256	2.546	1.100	8.500
S	9	1.956	0.534	1.100	2.700
CAB	9	312.322	92.216	111.370	426.061
Fe	9	201.333	132.638	70.000	508.000
Mn	9	91.444	17.763	68.000	120.000
Zn	9	28.000	4.243	20.000	35.000
Cu	9	6.967	1.544	4.200	9.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	158	386.797	140.819	262.000	606.000
Aska	158	66.203	11.980	52.000	80.000
OS smbh	159	75.658	4.741	69.500	80.200
Råprot	158	132.013	26.403	97.000	165.000
sRåprot	158	601.722	97.348	474.000	710.000
NH3-N	158	75.570	29.507	40.000	117.000
NDF	158	450.000	55.537	378.000	532.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	159	155.931	42.383	112.099	200.106
nhNDF	159	4.487	0.735	3.651	5.355
TAF	159	73.504	34.800	23.400	117.100
Mjölksyra	157	57.134	30.012	16.000	95.000
Ättiksyra	158	13.709	6.233	5.000	21.000
Socker	158	72.101	46.953	22.000	142.000
PRF	19	3.895	1.823	2.000	7.000
BUF	158	1.266	1.841	0.100	3.400
AATp20	159	82.578	4.152	76.926	87.050
PBVp20	159	5.497	23.238	-22.715	35.206
NELp20	159	6.183	0.499	5.577	6.697
OE*	158	11.110	0.798	10.100	11.900
AAT*	139	72.094	2.528	69.000	74.000
PBV*	139	6.540	23.570	-25.000	37.000
Ca	153	4.930	1.272	3.700	7.000
P	153	2.303	0.412	1.800	2.900
Mg	153	1.672	0.399	1.300	2.100
K	153	21.346	5.003	14.600	27.300
Na	153	0.415	0.312	0.100	0.900
Cl	158	3.225	2.411	0.800	6.000
S	153	1.765	0.422	1.200	2.300
CAB	153	362.007	109.023	214.899	504.371
Fe	148	186.459	195.748	75.000	346.000
Mn	148	60.108	30.777	34.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	148	27.297	10.846	20.000	33.000
Cu	148	5.853	1.329	4.400	7.200
Se	16	0.018	0.015	0.005	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	98	402.531	126.434	272.000	562.000
Aska	98	78.663	11.243	66.000	91.000
OS smbh	98	74.217	2.926	70.700	77.100
Råprot	98	142.653	21.630	115.000	170.000
sRåprot	98	526.837	80.184	445.000	619.000
NH3-N	98	77.276	24.268	49.000	114.000
NDF	98	455.082	34.948	401.000	503.000
iNDF	98	171.401	31.370	140.101	217.220
nhNDF	98	4.225	0.549	3.335	4.858
TAF	98	65.269	25.356	28.900	96.000
Mjölksyra	98	49.286	21.177	20.000	75.000
Ättiksyra	98	13.480	5.999	7.000	20.000
Socker	98	57.888	38.381	18.000	121.000
PRF	11	3.455	3.110	1.000	6.000
BUF	98	1.229	1.481	0.100	3.200
AATp20	98	83.133	3.413	79.610	87.600
PBVp20	98	14.531	19.346	-12.480	39.675
NELp20	98	6.036	0.332	5.596	6.415

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	98	10.721	0.510	10.100	11.300
AAT*	87	70.816	1.574	69.000	72.000
PBV*	87	19.874	20.653	-9.000	47.000
Ca	93	6.588	1.656	4.700	8.700
P	93	2.748	0.375	2.300	3.200
Mg	93	2.302	0.484	1.800	3.000
K	93	23.709	4.644	17.900	29.500
Na	93	0.601	0.482	0.200	1.200
Cl	98	5.830	3.193	2.200	10.200
S	93	2.124	0.462	1.500	2.700
CAB	93	333.112	107.720	182.739	486.709
Fe	93	185.247	277.678	79.000	265.000
Mn	93	82.032	35.750	52.000	110.000
Zn	93	27.387	6.200	22.000	33.000
Cu	93	7.538	1.447	5.600	9.300
Se	6	0.019	0.016	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	41	428.659	140.938	309.000	603.000
Aska	41	80.171	9.597	67.000	91.000
OS smbh	41	74.383	2.066	71.600	76.600
Råprot	41	141.268	19.245	121.000	163.000
sRåprot	41	503.293	91.354	409.000	594.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	41	67.610	27.537	36.000	99.000
NDF	41	439.122	30.934	403.000	476.000
iNDF	41	177.382	26.974	144.661	213.000
nhNDF	41	4.108	0.490	3.489	4.717
TAF	41	62.778	27.998	26.400	98.400
Mjölksyra	41	47.927	24.498	16.000	82.000
Ättiksyra	41	12.610	5.029	6.000	18.000
Socker	41	69.341	37.946	24.000	122.000
PRF	7	2.000	1.414	0.000	4.000
BUF	41	1.071	1.582	0.000	2.500
AATp20	41	83.542	3.553	79.435	87.597
PBVp20	41	12.553	17.994	-10.719	30.177
NELp20	41	6.012	0.279	5.678	6.364
OE*	41	10.725	0.369	10.200	11.100
AAT*	34	70.882	1.149	69.000	72.000
PBV*	34	18.706	19.338	-7.000	44.000
Ca	41	7.010	1.915	4.600	9.900
P	41	2.717	0.437	2.100	3.300
Mg	41	2.605	0.439	2.000	3.200
K	41	21.751	4.816	15.900	27.400
Na	41	0.729	0.500	0.200	1.400
Cl	41	5.788	3.026	2.700	8.700
S	41	2.398	0.430	1.800	3.000
CAB	41	275.120	123.683	112.123	410.960

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	40	183.025	129.920	87.500	364.000
Mn	40	90.625	31.605	53.500	122.000
Zn	40	25.175	3.915	21.000	30.000
Cu	40	7.545	1.324	5.900	9.300
Se	3	0.035	0.025	0.006	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	299.333	105.813	212.000	417.000
Aska	3	90.333	3.512	87.000	94.000
OS smbh	3	73.833	4.754	69.200	78.700
Råprot	3	183.000	60.828	113.000	223.000
sRåprot	3	598.667	30.139	567.000	627.000
NH3-N	3	116.000	29.866	82.000	138.000
NDF	3	394.333	49.217	341.000	438.000
iNDF	3	204.390	92.771	126.163	306.883
nhNDF	3	3.597	1.478	1.974	4.866
TAF	3	79.300	21.354	62.400	103.300
Mjölksyra	3	62.667	17.010	50.000	82.000
Ättiksyra	3	11.000	2.000	9.000	13.000
Socker	3	38.333	19.399	16.000	51.000
BUF	3	4.633	2.479	2.400	7.300
AATp20	3	80.632	8.614	74.165	90.411
PBVp20	3	56.571	53.241	-4.066	95.663

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	6.018	0.512	5.662	6.604
OE*	3	10.533	0.751	9.800	11.300
AAT*	3	70.000	2.000	68.000	72.000
PBV*	3	61.667	59.501	-7.000	98.000
Ca	2	10.150	4.596	6.900	13.400
P	2	3.000	0.283	2.800	3.200
Mg	2	3.050	0.778	2.500	3.600
K	2	22.400	5.798	18.300	26.500
Na	2	0.400	0.283	0.200	0.600
Cl	3	7.467	5.129	1.900	12.000
S	2	2.750	0.636	2.300	3.200
CAB	2	271.927	35.241	247.008	296.847
Fe	2	210.000	9.899	203.000	217.000
Mn	2	68.500	7.778	63.000	74.000
Zn	2	32.000	16.971	20.000	44.000
Cu	2	7.900	3.677	5.300	10.500

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	433.000	16.971	421.000	445.000
Aska	2	63.500	2.121	62.000	65.000
OS smbh	2	68.050	0.495	67.700	68.400
Råprot	2	104.500	10.607	97.000	112.000
sRåprot	2	565.000	38.184	538.000	592.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	99.000	24.042	82.000	116.000
NDF	2	427.500	84.146	368.000	487.000
iNDF	2	284.500	3.536	282.000	287.000
nhNDF	2	2.771	1.263	1.877	3.664
Stä	2	181.000	130.108	89.000	273.000
TAF	2	49.000	9.899	42.000	56.000
Mjölksyra	2	39.000	15.556	28.000	50.000
Ättiksyra	2	10.000	5.657	6.000	14.000
Socker	2	48.000	25.456	30.000	66.000
PRF	2	0.000	0.000	0.000	0.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	71.635	1.625	70.486	72.784
PBVp20	2	-11.586	6.305	-16.044	-7.128
NELp20	2	5.493	0.085	5.432	5.553
OE*	2	9.875	0.106	9.800	9.950
Ca	2	3.650	0.919	3.000	4.300
P	2	2.650	0.071	2.600	2.700
Mg	2	1.200	0.283	1.000	1.400
K	2	17.400	5.091	13.800	21.000
Na	2	0.400	0.000	0.400	0.400
Cl	2	7.500	6.505	2.900	12.100
S	2	1.800	0.424	1.500	2.100
CAB	2	138.636	79.558	82.381	194.892
Fe	2	260.000	104.652	186.000	334.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	26.500	14.849	16.000	37.000
Zn	2	21.000	1.414	20.000	22.000
Cu	2	5.500	0.707	5.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	367.000	85.750	271.000	436.000
Aska	3	58.333	11.930	50.000	72.000
OS smbh	3	65.833	1.002	64.800	66.800
Råprot	3	98.667	9.292	88.000	105.000
sRåprot	3	514.000	128.791	376.000	631.000
NH3-N	3	63.333	15.567	47.000	78.000
NDF	3	457.667	24.440	431.000	479.000
iNDF	3	280.531	21.629	267.754	305.503
nhNDF	3	2.466	0.271	2.153	2.634
Stä	3	139.333	38.423	97.000	172.000
TAF	3	71.667	40.017	31.000	111.000
Mjölksyra	3	52.333	40.104	14.000	94.000
Ättiksyra	3	17.333	4.041	15.000	22.000
Socker	3	31.333	17.502	14.000	49.000
AATp20	3	70.283	6.312	66.363	77.564
PBVp20	3	-10.580	9.196	-17.122	-0.066
NELp20	3	5.452	0.188	5.280	5.653

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	3	3.467	1.168	2.200	4.500
P	3	2.433	0.404	2.200	2.900
Mg	3	1.500	0.173	1.300	1.600
K	3	17.800	3.148	15.200	21.300
Na	3	1.300	0.529	0.700	1.700
Cl	3	2.633	1.443	1.800	4.300
S	3	1.600	0.346	1.200	1.800
CAB	3	337.586	77.214	257.837	411.988
Fe	3	199.667	89.584	125.000	299.000
Mn	3	68.667	24.338	47.000	95.000
Zn	3	34.000	3.000	31.000	37.000
Cu	3	5.333	0.902	4.400	6.200

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	357.000	.	357.000	357.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	69.400	.	69.400	69.400
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	620.000	.	620.000	620.000
NH3-N	1	57.000	.	57.000	57.000
NDF	1	367.000	.	367.000	367.000
iNDF	1	298.120	.	298.120	298.120
nhNDF	1	2.070	.	2.070	2.070

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	165.000	.	165.000	165.000
TAF	1	79.900	.	79.900	79.900
Mjölksyra	1	67.000	.	67.000	67.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	71.587	.	71.587	71.587
PBVp20	1	30.896	.	30.896	30.896
NELp20	1	5.831	.	5.831	5.831
Ca	1	5.000	.	5.000	5.000
P	1	2.500	.	2.500	2.500
Mg	1	1.700	.	1.700	1.700
K	1	12.800	.	12.800	12.800
Na	1	1.400	.	1.400	1.400
Cl	1	0.600	.	0.600	0.600
S	1	1.200	.	1.200	1.200
CAB	1	296.334	.	296.334	296.334
Fe	1	103.000	.	103.000	103.000
Mn	1	62.000	.	62.000	62.000
Zn	1	30.000	.	30.000	30.000
Cu	1	8.600	.	8.600	8.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	351.800	85.271	237.000	465.00
Aska	5	62.600	20.452	52.000	99.00
OS smbh	5	66.980	3.428	61.200	70.30
Råprot	5	108.600	12.116	88.000	118.00
sRåprot	5	648.800	79.660	568.000	750.00
NH3-N	5	107.000	17.161	87.000	123.00
NDF	5	435.000	29.673	407.000	476.00
iNDF	5	406.729	73.098	347.000	504.41
nhNDF	5	5.253	2.165	2.898	7.08
Stä	5	114.800	45.285	50.000	156.00
TAF	5	87.300	19.496	55.500	106.00
Mjölksyra	5	64.200	17.484	37.000	81.00
Ättiksyra	5	20.200	2.683	18.000	24.00
Socker	5	37.600	28.094	21.000	87.00
PRF	2	4.500	0.707	4.000	5.00
BUF	2	2.000	0.000	2.000	2.00
AATp20	5	67.474	5.234	58.760	72.82
PBVp20	5	3.091	15.486	-23.601	16.80
NELp20	5	5.544	0.360	4.924	5.83
OE*	3	9.603	0.696	8.800	10.02
Ca	5	5.520	1.499	3.900	7.40
P	5	2.220	0.249	1.800	2.40
Mg	5	1.820	0.466	1.500	2.60
K	5	11.940	3.492	6.500	15.10

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	1.080	0.683	0.300	2.00
Cl	5	6.000	6.530	1.200	16.60
S	5	1.720	0.683	0.800	2.50
CAB	5	75.813	167.729	-179.850	289.08
Fe	5	472.200	688.064	78.000	1688.00
Mn	5	76.000	8.276	65.000	86.00
Zn	5	31.800	7.629	24.000	40.00
Cu	5	6.100	2.447	4.400	10.40
Se	3	0.037	0.023	0.011	0.05

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	381.000	84.8528	321.000	441.000
Aska	2	68.500	4.9497	65.000	72.000
OS smbh	2	64.250	2.3335	62.600	65.900
Råprot	2	112.500	12.0208	104.000	121.000
sRåprot	2	740.000	0.0000	740.000	740.000
NH3-N	2	88.000	18.3848	75.000	101.000
NDF	2	508.500	37.4767	482.000	535.000
iNDF	2	267.710	43.8805	236.682	298.739
nhNDF	2	2.760	0.6318	2.313	3.206
Stä	2	36.500	20.5061	22.000	51.000
TAF	2	81.000	24.0416	64.000	98.000
Mjölksyra	2	63.500	13.4350	54.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	17.500	10.6066	10.000	25.000
Socker	2	34.500	27.5772	15.000	54.000
AATp20	2	65.274	4.9272	61.790	68.758
PBVp20	2	8.098	18.4712	-4.963	21.159
NELp20	2	5.237	0.0989	5.167	5.307
Ca	1	2.700	.	2.700	2.700
P	1	2.200	.	2.200	2.200
Mg	1	1.400	.	1.400	1.400
K	1	20.400	.	20.400	20.400
Na	1	1.000	.	1.000	1.000
Cl	2	5.800	2.4042	4.100	7.500
S	1	1.800	.	1.800	1.800
CAB	1	337.224	.	337.224	337.224
Fe	1	386.000	.	386.000	386.000
Mn	1	57.000	.	57.000	57.000
Zn	1	23.000	.	23.000	23.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	370.250	85.3634	268.000	452.000
Aska	4	68.250	9.1788	58.000	79.000
OS smbh	4	69.150	1.1091	67.700	70.200
Råprot	4	123.750	4.5000	120.000	130.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	4	605.750	15.0638	584.000	618.000
NH3-N	4	71.000	19.0788	50.000	96.000
NDF	4	456.500	47.5990	388.000	498.000
iNDF	4	268.480	47.8014	201.444	312.000
nhNDF	4	3.498	0.7065	2.454	4.012
Stä	4	93.250	62.3612	45.000	184.000
TAF	4	76.750	30.9664	58.000	123.000
Mjölksyra	4	54.250	23.5850	38.000	88.000
Ättiksyra	4	20.750	6.7020	12.000	28.000
Socker	4	42.000	13.2665	24.000	52.000
PRF	2	3.500	4.9497	0.000	7.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	4	69.816	2.3745	66.499	72.109
PBVp20	4	11.724	2.4061	8.324	13.452
NELp20	4	5.726	0.1362	5.554	5.887
OE*	2	9.900	0.2404	9.730	10.070
Ca	3	4.633	0.6110	4.100	5.300
P	3	2.600	0.3000	2.300	2.900
Mg	3	1.633	0.3055	1.300	1.900
K	3	20.333	4.1308	17.800	25.100
Na	3	0.300	0.2646	0.100	0.600
Cl	4	4.425	1.4315	3.100	5.900
S	3	1.967	0.2517	1.700	2.200
CAB	3	273.072	78.1866	199.390	355.094

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	128.667	57.8129	89.000	195.000
Mn	3	61.000	30.5123	36.000	95.000
Zn	3	31.667	2.8868	30.000	35.000
Cu	3	5.833	0.7638	5.000	6.500
Se	1	0.050	.	0.050	0.050

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	413.750	66.580	362.000	511.000
Aska	4	66.750	9.394	53.000	74.000
OS smbh	4	66.600	8.550	58.500	78.100
Råprot	4	100.000	31.528	74.000	143.000
sRåprot	4	681.750	38.003	639.000	730.000
NH3-N	4	107.750	9.430	99.000	121.000
NDF	4	430.250	38.785	387.000	464.000
iNDF	4	281.132	96.650	140.566	360.838
nhNDF	4	2.585	1.364	1.623	4.608
Stä	4	156.500	97.251	17.000	242.000
TAF	4	56.500	16.432	44.500	80.500
Mjölksyra	4	37.250	9.106	29.000	50.000
Ättiksyra	4	16.750	7.544	12.000	28.000
Socker	4	43.500	41.106	19.000	105.000
AATp20	4	68.521	7.632	62.162	77.946
PBVp20	4	-10.323	20.896	-33.340	10.842

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	5.412	0.637	4.709	6.190
OE*	1	9.600	.	9.600	9.600
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-44.000	.	-44.000	-44.000
Ca	3	2.800	0.557	2.300	3.400
P	3	2.333	0.231	2.200	2.600
Mg	3	1.500	0.265	1.300	1.800
K	3	17.467	8.869	12.000	27.700
Na	3	0.467	0.473	0.100	1.000
Cl	4	2.600	0.966	1.200	3.400
S	3	1.567	0.473	1.200	2.100
CAB	3	297.730	167.187	165.845	485.763
Fe	3	302.000	205.151	135.000	531.000
Mn	3	66.333	9.504	57.000	76.000
Zn	3	26.000	3.606	23.000	30.000
Cu	3	4.433	0.379	4.000	4.700

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	420.067	80.441	323.000	554.000
Aska	15	60.933	12.378	45.000	77.000
OS smbh	15	67.920	2.987	63.600	71.500
Råprot	15	114.667	16.101	94.000	137.000
sRåprot	15	644.733	82.154	564.000	771.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	15	93.267	24.150	71.000	118.000
NDF	15	450.200	50.203	375.000	498.000
iNDF	15	258.071	24.178	230.682	293.639
nhNDF	15	2.751	0.369	2.326	3.290
Stä	15	113.933	69.093	36.000	210.000
TAF	15	64.467	18.330	36.000	85.000
Mjölksyra	15	50.867	16.164	23.000	70.000
Ättiksyra	15	13.600	4.102	9.000	17.000
Socker	15	39.733	18.449	22.000	75.000
AATp20	15	71.774	3.331	68.007	75.420
PBVp20	15	1.038	15.760	-20.559	21.280
NELp20	15	5.536	0.329	5.125	5.927
Ca	15	5.653	1.303	4.500	7.700
P	15	2.527	0.612	1.900	3.500
Mg	15	1.893	0.341	1.400	2.300
K	15	16.473	3.684	11.400	22.100
Na	15	0.680	0.345	0.400	1.100
Cl	15	3.373	1.166	2.000	4.900
S	15	1.467	0.219	1.100	1.700
CAB	15	264.188	83.433	162.591	333.259
Fe	15	180.733	143.523	81.000	393.000
Mn	15	46.267	14.489	31.000	64.000
Zn	15	29.400	6.555	22.000	39.000
Cu	15	5.887	0.869	4.900	6.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	874.000	21.656	849.000	887.000
Aska	3	59.333	14.572	43.000	71.000
OS smbh	3	60.967	4.392	55.900	63.700
Råprot	3	57.000	6.557	51.000	64.000
NDF	3	583.000	51.962	523.000	613.000
iNDF	3	270.104	67.063	226.923	347.363
nhNDF	3	2.858	0.898	1.829	3.482
TAF	3	0.000	0.000	0.000	0.000
Socker	3	120.333	24.007	94.000	141.000
AATp20	3	75.793	5.801	69.103	79.437
PBVp20	3	-53.088	10.412	-63.672	-42.857
NELp20	3	4.566	0.469	4.025	4.854
OE*	3	8.733	0.814	7.800	9.300
AAT*	3	63.000	5.196	57.000	66.000
PBV*	3	-50.333	10.693	-62.000	-41.000
Ca	3	2.433	0.321	2.200	2.800
P	3	1.367	0.737	0.800	2.200
Mg	3	0.933	0.153	0.800	1.100
K	3	15.033	7.715	8.400	23.500
Na	3	0.100	0.000	0.100	0.100
S	3	1.033	0.252	0.800	1.300
CAB	3	183.404	185.838	15.837	383.276
Fe	3	122.667	86.217	46.000	216.000
Mn	3	166.333	185.360	33.000	378.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	42.667	35.501	13.000	82.000
Cu	3	24.633	34.121	2.200	63.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	845.733	115.201	688.000	928.000
Aska	15	58.400	15.693	36.000	81.000
OS smbh	15	66.147	6.666	58.300	75.000
Råprot	15	76.533	25.145	43.000	109.000
NDF	15	553.467	56.127	474.000	614.000
iNDF	15	225.795	60.631	140.937	302.819
nhNDF	15	3.496	1.022	2.307	5.073
TAF	15	0.000	0.000	0.000	0.000
Socker	15	135.400	17.808	110.000	156.000
AATp20	15	82.642	8.311	71.638	94.269
PBVp20	15	-46.256	10.774	-61.669	-25.937
NELp20	15	5.047	0.621	4.250	5.916
OE*	14	9.457	0.904	8.300	10.700
AAT*	14	67.429	5.667	60.000	75.000
PBV*	14	-42.071	13.240	-62.000	-27.000
Ca	12	3.750	1.421	2.400	5.100
P	12	1.800	0.513	1.300	2.300
Mg	12	1.450	0.527	1.000	2.100
K	12	14.167	5.223	8.500	19.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	12	0.150	0.080	0.100	0.300
S	12	1.308	0.332	0.900	1.800
CAB	12	146.225	121.596	14.590	277.282
Fe	12	213.417	283.911	69.000	293.000
Mn	12	86.833	58.991	45.000	178.000
Zn	12	21.833	4.064	17.000	28.000
Cu	12	4.392	0.926	3.400	5.300
Se	1	0.005	.	0.005	0.005

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	846.000	.	846.000	846.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	74.600	.	74.600	74.600
Råprot	1	120.000	.	120.000	120.000
NDF	1	482.000	.	482.000	482.000
iNDF	1	148.763	.	148.763	148.763
nhNDF	1	4.736	.	4.736	4.736
TAF	1	0.000	.	0.000	0.000
Socker	1	91.000	.	91.000	91.000
AATp20	1	91.781	.	91.781	91.781
PBVp20	1	-21.427	.	-21.427	-21.427
NELp20	1	5.713	.	5.713	5.713
OE*	1	10.500	.	10.500	10.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-6.000	.	-6.000	-6.000
Ca	1	5.500	.	5.500	5.500
P	1	4.000	.	4.000	4.000
Mg	1	2.400	.	2.400	2.400
K	1	33.800	.	33.800	33.800
Na	1	0.300	.	0.300	0.300
S	1	1.700	.	1.700	1.700
CAB	1	630.399	.	630.399	630.399
Fe	1	108.000	.	108.000	108.000
Mn	1	43.000	.	43.000	43.000
Zn	1	23.000	.	23.000	23.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	557.000	.	557.000	557.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	143.000	.	143.000	143.000
sRåprot	1	437.000	.	437.000	437.000
NH3-N	1	55.000	.	55.000	55.000
NDF	1	358.000	.	358.000	358.000
iNDF	1	220.000	.	220.000	220.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	2.644	.	2.644	2.644
Stä	1	185.000	.	185.000	185.000
TAF	1	38.000	.	38.000	38.000
Mjölksyra	1	20.000	.	20.000	20.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	58.000	.	58.000	58.000
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	88.723	.	88.723	88.723
PBVp20	1	10.307	.	10.307	10.307
NELp20	1	6.260	.	6.260	6.260
OE*	1	10.870	.	10.870	10.870
Ca	1	3.100	.	3.100	3.100
P	1	2.900	.	2.900	2.900
Mg	1	2.100	.	2.100	2.100
K	1	14.000	.	14.000	14.000
Na	1	2.100	.	2.100	2.100
Cl	1	7.200	.	7.200	7.200
S	1	2.900	.	2.900	2.900
CAB	1	65.294	.	65.294	65.294
Fe	1	243.000	.	243.000	243.000
Mn	1	99.000	.	99.000	99.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.000	.	7.000	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	388.000	.	388.000	388.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	82.900	.	82.900	82.900
Råprot	1	189.000	.	189.000	189.000
sRåprot	1	508.000	.	508.000	508.000
NH3-N	1	52.000	.	52.000	52.000
NDF	1	263.000	.	263.000	263.000
iNDF	1	111.023	.	111.023	111.023
nhNDF	1	4.179	.	4.179	4.179
Stä	1	200.000	.	200.000	200.000
Socker	1	24.000	.	24.000	24.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	4.500	.	4.500	4.500
P	1	3.600	.	3.600	3.600
Mg	1	2.500	.	2.500	2.500
K	1	19.300	.	19.300	19.300
Na	1	8.400	.	8.400	8.400
Cl	1	7.500	.	7.500	7.500
S	1	2.000	.	2.000	2.000
CAB	1	522.556	.	522.556	522.556
Fe	1	602.000	.	602.000	602.000
Mn	1	105.000	.	105.000	105.000
Zn	1	80.000	.	80.000	80.000
Cu	1	16.700	.	16.700	16.700

*= Parametrar från det gamla svenska fodervärderingssystemet