

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	5	854	20	51.6	98	345	8.0	137	107	3.15	587	0.000			5
Vete, kärna (005)	1	6	892	17	29.3	115	331	4.5	98	79	3.50	618	0.000	10.0	4.0	5
Åkerböna, kärna (007)	1	1	862	36	89.0	278		3.0		32	4.70	393	0.000			
Majs hela plantan, grönmassa (030)	1	18	361	27	76.0	70	380		367	193	3.16	339	57.000			29
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	4	472	63	73.7	141	622	74.8	476	170	4.18		43.050	30.5	10.3	93
Ensilage, gräs (0% klöver) (162)	2	6	587	72	69.7	140	532	58.8	485	222	3.63		39.433	22.2	11.5	79
Ensilage, gräs (0% klöver) (162)	3	2	668	73	75.4	177	431	49.5	457	170	4.67		48.500	31.0	14.0	92
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	396	71	78.5	148	442		430	127	5.24	18	46.247	0.0	1.5	134
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32	577	79	75.4	152	382		463	163	4.92		71.875	0.0	2.0	113
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13	484	86	75.9	159	395		458	146	4.80		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	256	86	73.6	160	309		449	177	4.16		84.000			89
Ensilage, blandvall (1-50% klöver) (165)	0	6	465	80	70.1	151	548	94.0	480	200	3.94		49.017	35.2	11.3	51
Ensilage, blandvall (1-50% klöver) (165)	1	167	422	71	76.7	152	638	64.3	435	145	4.51	114	72.441	53.8	15.8	81
Ensilage, blandvall (1-50% klöver) (165)	2	110	453	77	75.2	160	573	66.1	454	160	4.48		67.180	48.9	14.8	65
Ensilage, blandvall (1-50% klöver) (165)	3	84	425	84	73.6	165	554	75.2	452	192	4.37		69.027	48.0	17.6	49
Ensilage, blandvall (1-50% klöver) (165)	4	34	429	85	73.5	169	532	64.6	432	199	4.09		71.638	54.4	15.1	58
Ensilage, blandvall (1-50% klöver) (165)	5	5	284	97	72.0	174	581	66.6	417	245	4.26		104.840	84.2	17.4	32
Korn, helsädesensilage (250)	1	9	383	52	69.7	107	618	85.6	448	252	3.11	121	64.156	43.4	16.9	66

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	353	60	66.7	108	553	72.8	439	383	4.89	139	63.667	46.8	13.3	42
Majskolv, ensilerad (257)	1	8	566	21	80.7	77	318	32.0	205	229	1.74	550	45.650	35.4	4.5	5
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76
Vete, helsäd ensilage (299)	1	8	330	63	73.9	124	679	71.6	459	186	4.16	33	64.625	43.4	16.8	97
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	369	51	68.6	109	624	115	398	304	2.40	205	63.250	50.8	11.0	26
Majs, helsädesensilage (305)	1	74	343	28	75.4	77	501	40.6	375	215	3.30	311	61.932	46.7	12.0	9
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	10	422	59	73.0	139	488	50.7	379	244	3.11	167	52.200	30.3	16.4	35
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	5				96.5	-47	7.33	11.9	62.0	-10
Vete, kärna (005)	1	6	6.00000	0.00000		113	-52	8.04	14.2		
Åkerböna, kärna (007)	1	1				101	127	7.74			
Majs hela plantan, grönmassa (030)	1	18				87.5	-67	6.43	11.3	79.7	-77
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	4	1.50000	1.05000		83.1	10.7	5.97	10.8	70.5	16.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	2	6	1.00000	4.76667		80.5	14.1	5.60	10.1	67.0	47.5
Ensilage, gräs (0% klöver) (162)	3	2	2.00000	0.00000		90.5	31.9	6.22	11.0		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.74359	3.17949		91.7	5.4	6.33	11.5	81.0	10.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32	3.00000	1.40000		86.8	17.9	6.14	10.9	75.9	19.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13				85.2	26.3	6.20	10.9	75.8	32.4
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2				84.9	27.5	6.00	10.5	69.0	24.0
Ensilage, blandvall (1-50% klöver) (165)	0	6		1.51667		80.7	26.4	5.70	10.0	68.5	32.3
Ensilage, blandvall (1-50% klöver) (165)	1	167	2.85156	0.45868		83.4	22.9	6.33	11.2	72.6	16.5
Ensilage, blandvall (1-50% klöver) (165)	2	110	3.24691	0.76182		84.2	28.8	6.22	10.9	70.6	29.1
Ensilage, blandvall (1-50% klöver) (165)	3	84	3.03226	0.88171		82.8	36.4	6.07	10.6	69.5	44.2
Ensilage, blandvall (1-50% klöver) (165)	4	34	1.91304	0.38485		82.6	39.9	6.03	10.5	68.4	33.8
Ensilage, blandvall (1-50% klöver) (165)	5	5	3.00000	0.64000		77.0	54.0	5.96	10.2	64.0	47.0
Korn, helsädesensilage (250)	1	9	3.28571	1.14286		71.8	-9.6	5.72	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	3.25000	1.75000		71.0	-3.5	5.51	9.9		
Majskolv, ensilerad (257)	1	8	0.00000	0.00000		94.6	-72	7.04	12.5		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	8	4.33333	0.83333		73.9	0.6	6.02	10.7		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	1.33333	0.66667		72.6	-5.7	5.70	10.1	64.0	-25
Majs, helsädesensilage (305)	1	74	3.23333	0.00000		83.4	-55	6.44	11.4	80.0	-68
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	10	4.80000	0.70000		85.8	10.8	6.22	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	4	0.4	3.0	1.0	5.8	0.1	1.4	1.2	40	4	49.3	12.8	23.8	4.1	0.0
Vete, kärna (005)	1	3	2.2	3.3	1.6	16.1	1.1	37.8	1.7	29	2	48.0	26.0	23.5	4.4	
Majs hela plantan, grönmassa (030)	1	17	1.4	1.8	1.1	8.5	0.2	1.9	0.9	118	13	103.2	25.4	26.7	3.9	0.0
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	3	5.0	2.6	2.1	18.4	1.8	3.7	2.5	307	3	89.3	159.7	28.3	5.3	0.1
Ensilage, gräs (0% klöver) (162)	2	5	7.0	2.6	2.1	19.6	1.1	6.2	2.1	266	2	605.5	43.0	24.0	9.7	0.1
Ensilage, gräs (0% klöver) (162)	3	2	7.5	3.0	4.2	21.9	1.5	5.0	3.0	295	2	104.0	55.5	23.0	6.5	
Ensilage, gräs (0% klöver) (162)	4	1	6.0	3.9	2.9	30.2	3.2	11.4	3.8	353	1	97.0	73.0	25.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	5.2	2.8	1.8	24.4	1.0	5.1	2.1	399	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	6.1	3.0	2.2	24.4	1.7	6.2	2.5	391	21	128.5	63.3	30.5	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	12	6.7	3.1	2.7	23.1	1.8	7.8	2.7	346	9	151.9	70.9	24.7	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	8.7	3.5	2.7	22.4	1.7	4.2	3.4	309	2	189.0	122.0	30.5	7.8	
Ensilage, blandvall (1-50% klöver) (165)	0	3	6.8	3.3	2.9	25.0	2.6	9.7	2.9	271	3	223.0	106.3	27.7	7.5	
Ensilage, blandvall (1-50% klöver) (165)	1	164	5.5	2.8	1.9	23.1	1.4	6.1	2.2	347	104	170.6	55.6	33.8	5.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	2	105	6.1	3.0	2.2	23.9	1.8	9.1	2.5	284	67	163.1	64.2	34.4	6.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	78	7.2	3.1	2.6	23.5	1.7	9.2	2.6	255	43	181.8	63.5	33.5	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	30	7.8	3.2	2.7	23.0	1.8	10.5	2.7	210	15	247.4	70.5	27.5	7.1	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	5	7.5	3.2	2.4	22.9	1.5	8.5	2.5	259	1	1103	76.0	29.0	9.3	
Korn, helsädesensilage (250)	1	9	3.9	2.6	1.5	15.4	1.3	3.1	1.7	253	5	102.4	45.2	32.8	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.9	2.7	1.6	15.8	1.1	3.5	1.5	260	4	140.3	62.3	33.0	5.2	
Majskolv, ensilerad (257)	1	8	0.5	2.2	0.9	4.4	0.3	2.0	0.9	27	4	118.0	7.5	23.0	1.8	
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	8	3.9	2.7	1.3	20.1	0.8	2.4	1.8	356	3	126.7	43.7	27.0	4.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	4.4	3.1	1.8	12.6	1.0	2.3	1.7	197	1	76.0	20.0	20.0	5.2	
Majs, helsädesensilage (305)	1	74	1.8	1.9	1.2	9.1	0.3	3.3	0.9	122	37	73.4	25.3	29.5	4.3	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	10	5.9	3.5	2.7	15.5	2.5	10.1	2.4	71	2	249.5	95.5	123.0	27.0	1.0
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	853.800	52.3517	776.000	917.000
Aska	5	20.400	1.5166	18.000	22.000
OS smbh	5	51.600	47.1041	0.000	86.000
Råprot	5	97.540	10.4670	84.000	113.000
sRåprot	2	344.500	38.8909	317.000	372.000
NH3-N	2	8.000	1.4142	7.000	9.000
NDF	3	136.667	33.6502	105.000	172.000
iNDF	5	107.200	75.0380	25.000	162.000
nhNDF	5	3.150	0.0000	3.150	3.150
Stä	5	586.860	44.4471	540.000	659.300
TAF	5	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	5	96.497	2.2631	94.439	99.340
PBVp20	5	-46.925	10.2632	-56.359	-30.003
NELp20	5	7.330	0.2103	7.077	7.580
OE*	3	11.900	1.4799	10.200	12.900
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	4	0.400	0.0000	0.400	0.400
P	4	3.000	0.3916	2.600	3.500
Mg	4	1.025	0.1258	0.900	1.200
K	4	5.750	0.5802	5.000	6.300
Na	4	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	4	1.225	0.4031	0.900	1.800
CAB	4	39.633	30.7089	-4.366	64.055
Fe	4	49.250	9.1788	41.000	61.000
Mn	4	12.750	2.2174	11.000	16.000
Zn	4	23.750	4.4253	19.000	28.000
Cu	4	4.075	0.2986	3.700	4.400
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	891.667	39.2207	834.000	933.000
Aska	6	16.733	2.2686	15.000	21.000
OS smbh	6	29.333	45.4430	0.000	88.000
Råprot	6	114.767	26.0293	95.000	166.000
sRåprot	4	330.750	12.3390	319.000	345.000
NH3-N	2	4.500	4.9497	1.000	8.000
NDF	4	98.250	14.8633	87.000	120.000
iNDF	6	79.000	83.6564	25.000	187.000
nhNDF	6	3.500	0.0000	3.500	3.500
Stä	6	617.633	54.5301	551.000	691.800
TAF	6	0.000	0.0000	0.000	0.000
Mjölksyra	1	10.000	.	10.000	10.000
Ättiksyra	1	4.000	.	4.000	4.000
Socker	4	5.000	0.0000	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	6.000	.	6.000	6.000
BUF	1	0.000	.	0.000	0.000
AATp20	6	113.186	2.5954	111.400	118.223
PBVp20	6	-52.095	22.1398	-68.588	-8.854
NELp20	6	8.041	0.1604	7.824	8.311
OE*	4	14.175	0.1258	14.000	14.300
Ca	3	2.200	3.2047	0.300	5.900
P	3	3.300	0.6245	2.800	4.000
Mg	3	1.567	0.8145	1.000	2.500
K	3	16.100	19.1397	4.900	38.200
Na	3	1.133	1.7898	0.100	3.200
Cl	1	37.800	.	37.800	37.800
S	3	1.700	0.9539	1.100	2.800
CAB	3	28.937	14.4938	14.258	43.238
Fe	2	48.000	0.0000	48.000	48.000
Mn	2	26.000	1.4142	25.000	27.000
Zn	2	23.500	3.5355	21.000	26.000
Cu	2	4.350	0.3536	4.100	4.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	36.000	.	36.000	36.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	278.000	.	278.000	278.000
NH3-N	1	3.000	.	3.000	3.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	393.000	.	393.000	393.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.136	.	101.136	101.136
PBVp20	1	127.280	.	127.280	127.280
NELp20	1	7.735	.	7.735	7.735

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	361.167	55.384	288.000	440.000
Aska	18	26.833	3.746	23.000	32.000
OS smbh	18	76.000	2.800	72.100	78.900
Råprot	18	70.333	7.129	58.000	81.000
sRåprot	18	379.889	45.065	321.000	439.000
NDF	18	366.556	41.424	318.000	434.000
iNDF	18	192.689	14.952	180.000	216.000
nhNDF	18	3.163	0.555	2.304	3.828
Stä	18	338.722	44.165	282.000	383.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	18	57.000	0.000	57.000	57.000
Socker	18	29.389	31.194	8.000	73.000
AATp20	18	87.481	2.497	83.380	90.601
PBVp20	18	-66.563	6.592	-75.197	-57.258
NELp20	18	6.426	0.245	6.086	6.727
OE*	12	11.331	0.352	11.030	11.660
AAT*	3	79.667	0.577	79.000	80.000
PBV*	3	-76.667	5.508	-83.000	-73.000
Ca	17	1.424	0.390	1.100	2.200
P	17	1.759	0.265	1.300	2.000
Mg	17	1.071	0.220	0.800	1.400
K	17	8.465	1.106	6.600	9.700
Na	17	0.212	0.132	0.100	0.400
Cl	14	1.929	1.687	1.000	2.300
S	17	0.888	0.183	0.800	1.000
CAB	17	117.820	47.905	83.709	153.418
Fe	13	103.154	126.785	46.000	97.000
Mn	13	25.385	7.890	17.000	34.000
Zn	13	26.692	7.387	17.000	37.000
Cu	13	3.915	1.170	3.100	4.900
Se	2	0.031	0.027	0.012	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socket	1	118.000	.	118.000	118.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	472.000	101.150	384.000	578.000
Aska	4	63.250	2.754	60.000	66.000
OS smbh	4	73.700	4.416	68.500	78.400
Råprot	4	140.750	22.202	118.000	171.000
sRåprot	4	622.250	122.788	513.000	797.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	74.750	42.555	41.000	137.000
NDF	4	476.000	43.120	421.000	516.000
iNDF	4	170.306	42.638	122.000	218.105
nhNDF	4	4.175	0.543	3.461	4.633
TAF	4	43.050	22.032	27.900	75.300
Mjölksyra	4	30.500	17.059	20.000	56.000
Ättiksyra	4	10.250	4.425	6.000	15.000
Socker	4	93.250	32.958	56.000	133.000
PRF	2	1.500	2.121	0.000	3.000
BUF	4	1.050	1.559	0.000	3.300
AATp20	4	83.103	5.245	78.464	90.614
PBVp20	4	10.694	13.652	-7.050	26.244
NELp20	4	5.969	0.410	5.480	6.412
OE*	4	10.828	0.697	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	3	4.967	0.839	4.000	5.500
P	3	2.633	0.153	2.500	2.800
Mg	3	2.067	0.321	1.700	2.300
K	3	18.433	5.947	13.200	24.900
Na	3	1.800	0.458	1.300	2.200
Cl	4	3.725	1.997	1.100	5.900
S	3	2.533	0.321	2.300	2.900
CAB	3	306.861	161.532	162.121	481.114

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	89.333	12.220	76.000	100.000
Mn	3	159.667	183.919	50.000	372.000
Zn	3	28.333	6.506	22.000	35.000
Cu	3	5.267	1.419	4.000	6.800
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	586.667	193.148	258.000	845.00
Aska	6	72.000	12.313	54.000	86.00
OS smbh	6	69.667	5.829	60.300	74.90
Råprot	6	139.667	27.804	114.000	184.00
sRåprot	6	532.000	89.849	456.000	705.00
NH3-N	6	58.833	66.575	2.000	185.00
NDF	6	484.833	39.509	447.000	541.00
iNDF	6	222.353	81.621	141.000	345.96
nhNDF	6	3.634	0.953	1.797	4.28
TAF	6	39.433	34.825	16.800	105.80
Mjölksyra	6	22.167	15.368	10.000	46.00
Ättiksyra	6	11.500	10.387	3.000	31.00
Socker	6	79.000	38.967	10.000	127.00
PRF	4	1.000	0.816	0.000	2.00
BUF	6	4.767	11.289	0.000	27.80
AATp20	6	80.503	10.029	61.852	91.19

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	6	14.119	36.356	-12.199	85.64
NELp20	6	5.599	0.470	4.876	6.14
OE*	6	10.057	0.968	8.400	11.01
AAT*	2	67.000	4.243	64.000	70.00
PBV*	2	47.500	34.648	23.000	72.00
Ca	5	7.020	4.166	4.200	14.30
P	5	2.600	0.316	2.100	2.90
Mg	5	2.060	0.391	1.700	2.70
K	5	19.560	5.405	10.600	25.00
Na	5	1.140	0.428	0.400	1.50
Cl	6	6.150	2.465	3.400	9.90
S	5	2.100	0.418	1.700	2.60
CAB	5	266.458	161.258	46.107	454.69
Fe	2	605.500	704.985	107.000	1104.00
Mn	2	43.000	19.799	29.000	57.00
Zn	2	24.000	2.828	22.000	26.00
Cu	2	9.700	0.424	9.400	10.00
Se	1	0.050	.	0.050	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	668.000	261.630	483.000	853.000
Aska	2	73.000	14.142	63.000	83.000
OS smbh	2	75.400	0.566	75.000	75.800
Råprot	2	177.000	1.414	176.000	178.000
sRåprot	2	430.500	154.856	321.000	540.000
NH3-N	2	49.500	30.406	28.000	71.000
NDF	2	457.000	31.113	435.000	479.000
iNDF	2	169.500	33.234	146.000	193.000
nhNDF	2	4.668	0.043	4.638	4.698
TAF	2	48.500	24.749	31.000	66.000
Mjölksyra	2	31.000	26.870	12.000	50.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	2	92.000	36.770	66.000	118.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	90.513	8.416	84.562	96.464
PBVp20	2	31.883	14.798	21.419	42.347
NELp20	2	6.217	0.078	6.161	6.272
OE*	2	10.985	0.262	10.800	11.170
Ca	2	7.450	0.212	7.300	7.600
P	2	2.950	0.354	2.700	3.200
Mg	2	4.200	0.424	3.900	4.500
K	2	21.850	7.000	16.900	26.800
Na	2	1.450	0.071	1.400	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	2	4.950	4.172	2.000	7.900
S	2	3.000	0.849	2.400	3.600
CAB	2	294.930	117.625	211.757	378.104
Fe	2	104.000	21.213	89.000	119.000
Mn	2	55.500	3.536	53.000	58.000
Zn	2	23.000	8.485	17.000	29.000
Cu	2	6.500	0.707	6.000	7.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069
NELp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	6.000	.	6.000	6.000
P	1	3.900	.	3.900	3.900
Mg	1	2.900	.	2.900	2.900
K	1	30.200	.	30.200	30.200
Na	1	3.200	.	3.200	3.200
Cl	1	11.400	.	11.400	11.400
S	1	3.800	.	3.800	3.800
CAB	1	352.882	.	352.882	352.882
Fe	1	97.000	.	97.000	97.000
Mn	1	73.000	.	73.000	73.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	395.909	165.330	200.000	640.000
Aska	77	71.312	9.208	60.000	85.000
OS smbh	77	78.475	4.240	71.600	83.900
Råprot	77	147.597	28.123	117.000	175.000
sRåprot	52	441.558	61.289	368.000	508.000
NDF	77	430.403	44.251	383.000	495.000
iNDF	77	127.328	62.938	61.197	211.000
nhNDF	77	5.240	1.328	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	77	46.247	37.736	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	77	134.195	32.556	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	77	91.692	6.289	82.993	98.373
PBVp20	77	5.367	20.305	-20.091	28.303
NELp20	77	6.332	0.430	5.773	6.969
OE*	77	11.509	0.687	10.430	12.400
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	76	5.200	1.802	3.500	8.200
P	76	2.796	0.533	2.100	3.400
Mg	76	1.770	0.551	1.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	76	24.387	5.016	17.200	30.800
Na	74	1.023	0.756	0.400	1.700
Cl	48	5.108	3.953	1.500	8.100
S	76	2.068	0.411	1.600	2.600
CAB	76	398.762	123.048	248.504	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	576.531	194.303	290.000	826.000
Aska	32	78.594	10.740	64.000	89.000
OS smbh	32	75.422	4.890	70.700	82.700
Råprot	32	152.438	30.285	117.000	193.000
sRåprot	13	381.538	45.889	316.000	438.000
NDF	32	462.781	47.802	399.000	521.000
iNDF	32	163.101	76.090	64.097	272.260
nhNDF	32	4.918	1.194	3.594	6.752
TAF	32	71.875	28.667	9.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	32	112.594	28.329	91.000	135.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	32	86.766	6.929	80.217	95.453
PBVp20	32	17.862	21.458	-7.310	45.450
NELp20	32	6.141	0.493	5.564	6.859
OE*	32	10.916	0.751	10.050	11.900
AAT*	19	75.895	4.496	68.000	81.000
PBV*	19	19.053	31.181	-17.000	59.000
Ca	28	6.139	2.530	3.400	10.000
P	28	2.986	0.460	2.300	3.600
Mg	28	2.189	0.471	1.300	2.800
K	28	24.379	5.537	14.700	30.700
Na	28	1.696	1.253	0.400	3.800
Cl	13	6.154	3.793	1.700	8.500
S	28	2.479	0.446	2.000	3.100
CAB	28	390.931	134.567	180.487	563.641
Fe	21	128.476	59.390	77.000	201.000
Mn	21	63.333	20.797	46.000	97.000
Zn	21	30.524	5.689	25.000	36.000
Cu	21	6.343	1.258	5.000	7.800
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	483.769	130.766	368.000	672.000
Aska	13	86.154	9.521	75.000	96.000
OS smbh	13	75.946	3.726	72.300	79.800
Råprot	13	158.846	24.128	122.000	189.000
sRåprot	3	395.000	52.849	352.000	454.000
NDF	13	458.308	35.212	417.000	516.000
iNDF	13	146.029	39.864	106.096	216.000
nhNDF	13	4.803	0.625	4.148	5.532
TAF	13	84.000	0.000	84.000	84.000
Socker	13	110.231	31.374	66.000	149.000
AATp20	13	85.214	3.377	79.658	88.592
PBVp20	13	26.256	20.623	0.142	48.963
NELp20	13	6.201	0.294	5.710	6.477
OE*	13	10.909	0.550	10.200	11.300
AAT*	10	75.800	3.120	70.500	79.000
PBV*	10	32.400	24.213	0.000	63.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	12	6.742	1.322	5.500	8.400
P	12	3.092	0.329	2.800	3.400
Mg	12	2.658	0.487	2.000	3.200
K	12	23.075	3.138	18.100	27.200
Na	12	1.842	0.858	1.100	3.200
Cl	3	7.800	7.451	2.400	16.300
S	12	2.717	0.645	2.200	3.300
CAB	12	346.209	126.597	266.982	473.584
Fe	9	151.889	43.993	100.000	241.000
Mn	9	70.889	26.322	43.000	115.000
Zn	9	24.667	3.464	18.000	30.000
Cu	9	6.811	0.851	5.800	8.200
Se	2	0.020	0.001	0.019	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	256.000	66.4680	209.000	303.000
Aska	2	85.500	4.9497	82.000	89.000
OS smbh	2	73.600	6.7882	68.800	78.400
Råprot	2	159.500	21.9203	144.000	175.000
sRåprot	1	309.000	.	309.000	309.000
NDF	2	448.500	53.0330	411.000	486.000
iNDF	2	176.639	60.3005	134.000	219.278
nhNDF	2	4.156	1.0157	3.438	4.874

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	89.000	33.9411	65.000	113.000
AATp20	2	84.917	11.9086	76.496	93.338
PBVp20	2	27.500	0.8607	26.892	28.109
NELp20	2	6.001	0.6481	5.543	6.459
OE*	2	10.535	1.1809	9.700	11.370
AAT*	1	69.000	.	69.000	69.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	8.700	0.2828	8.500	8.900
P	2	3.450	0.0707	3.400	3.500
Mg	2	2.700	0.2828	2.500	2.900
K	2	22.350	4.3134	19.300	25.400
Na	2	1.650	1.0607	0.900	2.400
Cl	1	4.200	.	4.200	4.200
S	2	3.350	0.6364	2.900	3.800
CAB	2	308.623	34.3847	284.310	332.937
Fe	2	189.000	16.9706	177.000	201.000
Mn	2	122.000	87.6812	60.000	184.000
Zn	2	30.500	0.7071	30.000	31.000
Cu	2	7.800	0.2828	7.600	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	465.167	143.613	306.000	634.000
Aska	6	80.000	11.063	67.000	92.000
OS smbh	6	70.050	11.317	51.100	81.200
Råprot	6	150.667	29.283	112.000	184.000
sRåprot	6	547.500	101.601	431.000	677.000
NH3-N	6	94.000	22.530	59.000	116.000
NDF	6	480.333	67.858	419.000	587.000
iNDF	6	199.629	95.559	93.827	356.366
nhNDF	6	3.939	1.459	1.781	5.987
TAF	6	49.017	38.746	9.300	91.500
Mjölksyra	6	35.167	31.663	2.000	71.000
Ättiksyra	6	11.333	6.377	4.000	18.000
Socker	6	51.000	30.803	22.000	92.000
BUF	6	1.517	1.344	0.300	4.000
AATp20	6	80.727	9.137	65.815	92.240
PBVp20	6	26.390	17.569	5.963	45.813
NELp20	6	5.696	1.050	4.001	6.717
OE*	6	10.033	1.857	7.000	12.000
AAT*	6	68.500	5.857	59.000	75.000
PBV*	6	32.333	22.949	10.000	61.000
Ca	3	6.767	1.716	5.200	8.600
P	3	3.300	0.361	2.900	3.600
Mg	3	2.933	0.416	2.600	3.400
K	3	25.000	6.102	20.000	31.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	2.633	1.914	0.600	4.400
Cl	6	9.667	3.916	3.100	13.900
S	3	2.867	0.058	2.800	2.900
CAB	3	271.426	37.076	229.222	298.751
Fe	3	223.000	114.057	103.000	330.000
Mn	3	106.333	21.385	93.000	131.000
Zn	3	27.667	4.163	23.000	31.000
Cu	3	7.500	0.700	6.800	8.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	167	421.880	129.196	285.000	610.000
Aska	167	71.054	9.653	61.000	81.000
OS smbh	167	76.652	3.707	71.300	80.000
Råprot	167	151.994	22.792	121.000	178.000
sRåprot	167	637.832	89.721	516.000	725.000
NH3-N	165	64.261	25.178	36.000	103.000
NDF	167	434.659	49.655	375.000	509.000
iNDF	167	144.721	42.777	105.000	206.000
nhNDF	167	4.507	0.522	3.956	5.118
Stä	1	114.000	.	114.000	114.000
TAF	167	72.441	34.241	23.000	115.100
Mjölksyra	167	53.802	29.773	11.000	92.000
Ättiksyra	167	15.760	6.317	7.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	167	81.287	39.411	32.000	137.000
PRF	128	2.852	1.675	1.000	5.000
BUF	167	0.459	0.873	0.000	1.500
AATp20	167	83.374	4.413	77.570	89.690
PBVp20	167	22.865	20.601	-1.502	46.706
NELp20	167	6.328	0.359	5.867	6.678
OE*	167	11.211	0.600	10.400	11.780
AAT*	39	72.564	2.198	71.000	74.000
PBV*	39	16.462	21.900	-11.000	42.000
Ca	164	5.471	1.496	4.000	7.700
P	164	2.847	0.394	2.400	3.300
Mg	164	1.855	0.353	1.400	2.300
K	164	23.126	4.093	18.400	28.700
Na	164	1.392	0.628	0.600	2.200
Cl	166	6.055	3.403	2.500	10.300
S	164	2.151	0.416	1.700	2.500
CAB	164	347.254	121.479	180.593	493.782
Fe	104	170.567	101.117	90.000	270.000
Mn	104	55.606	20.562	38.000	70.000
Zn	104	33.779	19.461	22.000	43.000
Cu	104	5.693	1.276	4.000	7.200
Se	36	0.043	0.015	0.013	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	110	452.827	144.483	287.500	661.000
Aska	110	76.955	10.642	65.500	91.500
OS smbh	110	75.199	3.277	70.850	78.450
Råprot	110	159.700	23.674	127.000	188.500
sRåprot	110	573.418	91.833	438.000	660.000
NH3-N	110	66.055	44.249	27.500	96.500
NDF	110	454.291	38.166	409.000	503.500
iNDF	110	160.292	39.053	116.000	208.500
nhNDF	110	4.484	0.610	3.958	5.133
TAF	110	67.180	32.765	17.250	108.000
Mjölksyra	110	48.936	27.750	8.500	84.000
Ättiksyra	110	14.827	7.961	5.000	21.500
Socker	110	65.018	29.136	29.500	105.000
PRF	81	3.247	2.905	1.000	6.000
BUF	110	0.762	3.314	0.000	1.750
AATp20	110	84.185	5.156	78.328	91.928
PBVp20	110	28.842	19.753	5.469	54.844
NELp20	110	6.219	0.359	5.734	6.579
OE*	110	10.906	0.518	10.260	11.405
AAT*	29	70.586	1.900	68.000	72.000
PBV*	29	29.069	23.951	-1.000	59.000
Ca	105	6.116	1.395	5.000	7.900
P	105	3.033	0.397	2.500	3.500
Mg	105	2.243	0.434	1.800	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	105	23.939	4.884	17.500	29.400
Na	105	1.767	0.972	0.800	2.900
Cl	109	9.138	7.426	3.300	18.200
S	105	2.480	0.493	1.900	3.100
CAB	105	284.245	211.419	67.998	464.178
Fe	67	163.149	93.462	82.000	308.000
Mn	67	64.224	21.746	44.000	89.000
Zn	67	34.388	18.607	21.000	45.000
Cu	67	6.482	1.220	5.000	8.000
Se	12	0.045	0.012	0.023	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	84	424.964	139.488	274.000	642.000
Aska	84	84.095	29.273	66.000	101.000
OS smbh	84	73.626	2.760	69.500	76.500
Råprot	84	165.333	22.981	143.000	193.000
sRåprot	84	553.786	75.604	454.000	621.000
NH3-N	82	75.183	32.239	42.000	119.000
NDF	84	452.226	37.387	402.000	497.000
iNDF	84	192.491	45.240	147.251	256.000
nhNDF	84	4.372	0.621	3.551	5.045
TAF	84	69.027	28.445	21.000	100.000
Mjölksyra	84	48.000	23.430	9.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	82	17.634	9.465	8.000	26.000
Socker	84	49.357	24.277	25.000	82.000
PRF	62	3.032	2.936	0.000	6.000
BUF	82	0.882	1.856	0.000	3.100
AATp20	84	82.786	4.452	77.822	88.743
PBVp20	84	36.445	21.078	15.551	59.550
NELp20	84	6.068	0.362	5.598	6.434
OE*	84	10.572	0.617	9.900	11.130
AAT*	20	69.500	2.965	65.500	72.500
PBV*	20	44.150	32.505	13.500	75.000
Ca	78	7.222	2.472	5.700	9.500
P	78	3.150	0.387	2.700	3.700
Mg	78	2.597	0.518	2.100	3.200
K	78	23.522	4.510	17.500	29.400
Na	78	1.653	0.655	0.800	2.600
Cl	84	9.250	5.728	3.300	15.800
S	78	2.627	0.536	2.100	3.400
CAB	78	255.077	195.991	50.770	467.545
Fe	43	181.814	158.105	83.000	303.000
Mn	43	63.535	18.499	44.000	85.000
Zn	43	33.488	18.275	23.000	48.000
Cu	43	7.330	1.342	6.000	9.000
Se	10	0.047	0.010	0.035	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	34	429.176	170.595	259.000	720.000
Aska	34	85.265	11.514	74.000	100.000
OS smbh	34	73.468	4.573	70.600	76.700
Råprot	34	168.735	27.027	133.000	201.000
sRåprot	34	532.382	90.462	411.000	631.000
NH3-N	32	64.594	23.234	39.000	102.000
NDF	34	431.971	53.444	396.000	471.000
iNDF	34	198.748	49.413	151.670	264.504
nhNDF	34	4.087	0.636	3.277	4.805
TAF	34	71.638	37.100	14.500	115.000
Mjölksyra	34	54.412	30.965	6.000	94.000
Ättiksyra	33	15.121	7.411	7.000	23.000
Socker	34	57.882	34.807	22.000	107.000
PRF	23	1.913	1.730	0.000	5.000
BUF	33	0.385	0.669	0.000	1.000
AATp20	34	82.600	5.777	76.773	89.824
PBVp20	34	39.945	23.984	6.928	71.368
NELp20	34	6.035	0.448	5.734	6.352
OE*	34	10.523	0.713	10.020	11.040
AAT*	10	68.400	3.373	63.500	71.500
PBV*	10	33.800	29.899	-1.500	78.000
Ca	30	7.823	1.911	5.700	9.950
P	30	3.227	0.298	2.800	3.600
Mg	30	2.727	0.476	2.300	3.450

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	30	22.997	3.626	18.000	26.450
Na	30	1.833	0.754	1.050	3.050
Cl	34	10.535	5.323	4.200	16.500
S	30	2.687	0.357	2.300	3.250
CAB	30	209.990	156.752	2.717	411.197
Fe	15	247.400	132.454	81.000	479.000
Mn	15	70.533	17.283	50.000	95.000
Zn	15	27.467	4.809	19.000	33.000
Cu	15	7.140	1.283	6.000	8.500
Se	3	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	284.00	16.6733	261.00	307.00
Aska	5	96.60	18.4743	78.00	127.00
OS smbh	5	72.04	5.5568	62.70	76.30
Råprot	5	174.20	11.4761	158.00	188.00
sRåprot	5	581.00	45.0167	521.00	630.00
NH3-N	5	66.60	20.5256	54.00	103.00
NDF	5	417.40	17.0382	401.00	445.00
iNDF	5	245.13	58.7844	181.00	304.00
nhNDF	5	4.26	1.0756	2.38	5.00
TAF	5	104.84	11.6760	91.20	122.00
Mjölksyra	5	84.20	11.1669	71.00	98.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	5	17.40	3.0496	13.00	21.00
Socker	5	32.00	14.5430	10.00	46.00
PRF	4	3.00	1.8257	1.00	5.00
BUF	5	0.64	0.9209	0.00	2.00
AATp20	5	76.96	5.7619	67.06	81.55
PBVp20	5	54.03	7.4044	47.00	65.94
NELp20	5	5.96	0.6076	4.94	6.40
OE*	5	10.18	1.0677	8.40	11.07
AAT*	1	64.00	.	64.00	64.00
PBV*	1	47.00	.	47.00	47.00
Ca	5	7.50	0.9670	6.30	9.00
P	5	3.18	0.2588	2.80	3.50
Mg	5	2.44	0.1949	2.10	2.60
K	5	22.94	2.9083	18.00	25.00
Na	5	1.54	0.5899	0.70	2.30
Cl	5	8.54	2.9433	3.60	11.10
S	5	2.46	0.2881	2.00	2.70
CAB	5	259.34	41.8270	203.74	321.16
Fe	1	1103.00	.	1103.00	1103.00
Mn	1	76.00	.	76.00	76.00
Zn	1	29.00	.	29.00	29.00
Cu	1	9.30	.	9.30	9.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	382.556	112.123	207.000	617.000
Aska	9	51.556	12.481	37.000	78.000
OS smbh	9	69.733	2.929	65.400	73.700
Råprot	9	107.111	17.829	89.000	142.000
sRåprot	9	617.556	103.982	415.000	750.000
NH3-N	9	85.556	35.955	45.000	168.000
NDF	9	448.222	47.201	367.000	505.000
iNDF	9	251.566	53.778	188.000	317.000
nhNDF	9	3.108	0.813	2.031	4.341
Stä	9	120.889	84.179	26.000	253.000
TAF	9	64.156	20.921	27.000	92.000
Mjölksyra	9	43.444	15.026	17.000	67.000
Ättiksyra	9	16.889	5.419	9.000	24.000
Socker	9	65.556	44.119	18.000	137.000
PRF	7	3.286	2.059	1.000	7.000
BUF	7	1.143	2.193	0.000	6.000
AATp20	9	71.834	1.514	69.184	73.578
PBVp20	9	-9.637	16.496	-25.351	24.271
NELp20	9	5.721	0.274	5.287	6.089
OE*	7	10.379	0.464	9.590	10.850
Ca	9	3.889	0.927	2.200	5.500
P	9	2.644	0.686	1.700	3.700
Mg	9	1.544	0.350	1.100	2.100
K	9	15.411	7.270	8.000	32.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	1.256	0.583	0.200	2.400
Cl	9	3.111	2.135	0.900	6.400
S	9	1.733	0.269	1.400	2.200
CAB	9	252.765	189.761	98.909	649.395
Fe	5	102.400	22.233	70.000	124.000
Mn	5	45.200	27.968	15.000	85.000
Zn	5	32.800	8.955	25.000	47.000
Cu	5	4.880	0.729	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	353.333	82.8702	273.000	489.000
Aska	6	59.667	15.1349	40.000	82.000
OS smbh	6	66.650	4.1264	61.700	72.800
Råprot	6	108.000	23.6390	82.000	142.000
sRåprot	6	553.333	61.9763	438.000	603.000
NH3-N	5	72.800	35.9472	21.000	112.000
NDF	6	438.667	75.2587	344.000	547.000
iNDF	6	383.238	68.9375	316.000	474.612
nhNDF	6	4.894	3.1042	1.698	9.827
Stä	5	138.600	50.3915	96.000	211.000
TAF	6	63.667	34.4437	10.000	93.500
Mjölksyra	6	46.833	29.0889	0.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	13.333	4.2740	8.000	17.000
Socker	6	41.667	38.0719	11.000	104.000
PRF	4	3.250	3.7749	0.000	7.000
BUF	4	1.750	1.2583	0.000	3.000
AATp20	6	71.028	6.4434	64.833	80.014
PBVp20	6	-3.478	14.6041	-17.015	17.372
NELp20	6	5.509	0.2596	5.260	5.855
OE*	4	9.883	0.5482	9.230	10.570
Ca	6	4.900	1.6805	2.800	7.200
P	6	2.650	0.2429	2.400	3.100
Mg	6	1.600	0.1414	1.400	1.800
K	6	15.750	3.6303	9.600	20.700
Na	6	1.050	0.9854	0.100	2.700
Cl	5	3.500	3.3534	0.400	8.700
S	6	1.483	0.3061	1.100	2.000
CAB	6	259.513	65.1644	187.219	366.399
Fe	4	140.250	93.7777	66.000	271.000
Mn	4	62.250	31.7530	22.000	91.000
Zn	4	33.000	6.8799	28.000	43.000
Cu	4	5.150	0.3697	4.900	5.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	566.125	44.057	501.000	642.000
Aska	8	21.250	21.393	10.000	74.000
OS smbh	8	80.663	3.262	75.500	86.800
Råprot	8	77.375	10.042	67.000	96.000
sRåprot	8	318.125	126.920	95.000	494.000
NH3-N	5	32.000	23.377	3.000	58.000
NDF	8	204.500	82.877	14.000	305.000
iNDF	8	229.000	23.785	187.000	267.000
nhNDF	8	1.737	1.431	-1.619	2.886
Stä	8	550.000	37.394	479.000	614.000
TAF	8	45.650	7.735	33.200	53.200
Mjölksyra	8	35.375	9.441	21.000	46.000
Ättiksyra	2	4.500	0.707	4.000	5.000
Socker	8	5.000	0.000	5.000	5.000
PRF	2	0.000	0.000	0.000	0.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	8	94.640	3.086	90.854	100.903
PBVp20	8	-72.447	6.564	-77.161	-56.619
NELp20	8	7.038	0.249	6.554	7.369
OE*	8	12.506	0.403	11.690	12.850
Ca	8	0.538	0.424	0.100	1.300
P	8	2.150	0.207	1.900	2.400
Mg	8	0.900	0.207	0.500	1.200
K	8	4.375	0.798	3.400	5.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.288	0.173	0.100	0.600
Cl	4	1.950	1.063	1.100	3.500
S	8	0.863	0.074	0.800	1.000
CAB	8	26.824	22.025	-14.576	61.372
Fe	4	118.000	154.015	39.000	349.000
Mn	4	7.500	1.291	6.000	9.000
Zn	4	23.000	4.690	16.000	26.000
Cu	4	1.750	0.500	1.000	2.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	329.875	70.168	233.000	436.000
Aska	8	62.750	11.805	44.000	79.000
OS smbh	8	73.850	3.397	69.500	78.400
Råprot	8	123.750	25.201	79.000	162.000
sRåprot	8	679.000	146.662	408.000	829.000
NH3-N	8	71.625	27.707	45.000	120.000
NDF	8	459.250	60.173	370.000	531.000
iNDF	8	185.656	41.756	136.000	264.000
nhNDF	8	4.164	0.277	3.618	4.467
Stä	8	32.625	15.231	17.000	66.000
TAF	8	64.625	40.370	9.000	123.000
Mjölksyra	8	43.375	31.140	0.000	93.000
Ättiksyra	8	16.750	11.184	0.000	29.000
Socker	8	96.750	39.231	49.000	157.000
PRF	6	4.333	1.211	2.000	5.000
BUF	6	0.833	1.602	0.000	4.000
AATp20	8	73.927	5.568	67.809	84.279
PBVp20	8	0.612	26.940	-47.778	34.386
NELp20	8	6.024	0.328	5.613	6.507
OE*	6	10.717	0.506	10.270	11.430
Ca	8	3.875	0.736	3.000	5.300
P	8	2.725	0.550	2.100	3.500
Mg	8	1.250	0.351	0.800	1.800
K	8	20.050	5.269	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.825	0.489	0.200	1.600
Cl	6	2.400	1.770	0.700	4.200
S	8	1.763	0.362	1.200	2.300
CAB	8	356.177	138.398	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	368.750	46.0317	303.000	403.000
Aska	4	51.250	9.4296	42.000	64.000
OS smbh	4	68.550	1.7330	67.100	71.000
Råprot	4	108.500	25.5147	78.000	135.000
sRåprot	4	623.500	34.2783	588.000	669.000
NH3-N	4	115.000	44.6766	50.000	148.000
NDF	4	398.000	46.0217	338.000	437.000
iNDF	4	303.699	17.9099	280.000	319.000
nhNDF	4	2.404	0.3863	2.076	2.964
Stä	4	204.500	29.4901	171.000	238.000
TAF	4	63.250	7.0887	56.000	73.000
Mjölksyra	4	50.750	7.0415	45.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	11.000	0.8165	10.000	12.000
Socker	4	26.250	6.6018	19.000	34.000
PRF	3	1.333	1.1547	0.000	2.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	4	72.583	1.3855	71.276	74.508
PBVp20	4	-5.699	20.8169	-30.721	14.491
NELp20	4	5.700	0.1244	5.583	5.873
OE*	4	10.143	0.2750	9.890	10.400
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	4	4.350	1.0630	3.500	5.900
P	4	3.100	0.7257	2.400	4.100
Mg	4	1.825	0.2986	1.400	2.100
K	4	12.550	0.7937	11.800	13.500
Na	4	0.975	0.4031	0.400	1.300
Cl	4	2.250	1.3229	0.700	3.400
S	4	1.650	0.5066	1.000	2.100
CAB	4	196.858	42.8835	142.652	246.474
Fe	1	76.000	.	76.000	76.000
Mn	1	20.000	.	20.000	20.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.200	.	5.200	5.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	74	342.784	48.5788	284.000	409.000
Aska	74	27.851	12.8209	21.000	32.000
OS smbh	74	75.388	2.7860	71.800	79.400
Råprot	74	76.527	9.7969	68.000	86.000
sRåprot	74	501.432	74.0757	423.000	595.000
NH3-N	69	40.551	20.5050	22.000	67.000
NDF	74	375.176	50.9333	320.000	436.000
iNDF	74	214.782	32.1001	173.049	251.000
nhNDF	74	3.296	0.5768	2.705	3.841
Stä	74	311.446	61.6748	248.000	384.000
TAF	74	61.932	13.7864	42.000	77.000
Mjölksyra	74	46.703	10.0597	31.000	57.000
Ättiksyra	74	12.041	5.2771	6.000	19.000
Socker	74	9.108	9.9113	5.000	16.000
PRF	60	3.233	1.3575	2.000	5.000
BUF	60	0.000	0.0000	0.000	0.000
AATp20	74	83.359	3.5640	79.063	87.343
PBVp20	74	-54.622	10.3456	-63.544	-44.957
NELp20	74	6.440	0.2593	6.108	6.731
OE*	61	11.425	0.4441	10.840	11.950
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-68.000	.	-68.000	-68.000
Ca	74	1.841	0.6581	1.300	2.200
P	74	1.857	0.2359	1.600	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	74	1.184	0.3432	0.900	1.600
K	74	9.128	2.2933	7.000	10.700
Na	74	0.270	0.1950	0.100	0.500
Cl	37	3.295	2.9433	1.400	6.700
S	74	0.899	0.2084	0.800	1.000
CAB	74	121.518	75.7412	80.125	180.637
Fe	37	73.405	26.7877	49.000	100.000
Mn	37	25.270	16.0618	12.000	36.000
Zn	37	29.459	20.9319	18.000	35.000
Cu	37	4.319	0.9318	3.000	5.000
Se	6	0.052	0.0041	0.050	0.060

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	3	-37.941	9.7823	-46.152	-27.118
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	93.250	84.9651	47.000	301.000
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-19.126	.	-19.126	-19.126
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	4	361.000	39.6821	304.000	396.000
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000
Cl	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	421.800	21.4932	396.500	451.000
Aska	10	58.900	8.6724	47.500	70.500
OS smbh	10	72.980	3.6778	68.250	78.000
Råprot	10	138.800	16.9234	118.000	163.500
sRåprot	10	487.700	35.1380	444.500	534.500
NH3-N	10	50.700	16.7136	27.000	71.500
NDF	10	379.200	85.2380	276.500	494.000
iNDF	10	243.700	26.0045	219.500	285.000
nhNDF	10	3.109	0.7783	2.004	4.117
Stä	10	167.200	63.9302	89.500	265.500
TAF	10	52.200	11.3314	35.500	65.500
Mjölksyra	10	30.300	12.2932	15.000	47.000
Ättiksyra	10	16.400	5.7388	9.000	24.000
Socker	10	34.700	15.1588	13.000	51.500
PRF	10	4.800	1.6193	2.500	7.000
BUF	10	0.700	1.0593	0.000	2.500
AATp20	10	85.775	4.3891	80.199	91.585
PBVp20	10	10.750	11.1781	-3.007	26.153
NELp20	10	6.224	0.3634	5.754	6.707

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	10	10.748	0.6210	9.945	11.540
Ca	10	5.920	1.0727	4.900	7.400
P	10	3.480	0.5903	2.850	4.400
Mg	10	2.680	0.7269	2.100	3.850
K	10	15.530	3.6567	9.850	19.850
Na	10	2.490	0.9527	1.600	4.200
Cl	10	10.110	4.4102	4.300	15.500
S	10	2.390	0.4909	1.950	3.150
CAB	10	71.284	80.4127	-32.801	176.365
Fe	2	249.500	60.1041	207.000	292.000
Mn	2	95.500	4.9497	92.000	99.000
Zn	2	123.000	24.0416	106.000	140.000
Cu	2	27.000	5.6569	23.000	31.000
Se	1	1.000	.	1.000	1.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet