

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjöl- syra	Ättik- syra	Socker
Korn, kärna (001)	1	17	851	21	60.7	109	295	6.0	155	122	3.15	599	0.0000			5
Havre, kärna, hög NDF (002)	1	3	862	24	75.0	117		6.0	370	392	2.00	482	0.0000			
Vete, kärna (005)	1	22	864	18	57.4	117	311	5.7	111	131	3.50	624	0.0000			11
Rågvete (015)	1	6	857	19	44.7	123	423	7.5	114	106	3.50	614	0.0000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	791	22	80.5	125		6.0	202	304	2.50	566	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	6	829	20	87.0	110		7.0	164	173	3.30	614	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3	850	23	81.6	112		6.5	229	324	2.50	522	0.0000			
Rapsexpeller, 00, 10% fett (044)	1	1	954	84	0.0	300			0	193	10.2		0.0000			5
Åkerböna, kärna (007)	1	1	856	31	89.0	299		2.0		32	4.70	407	0.0000			
Majs hela plantan, grönmassa (030)	1	24	301	34	74.6	81	357		404	196	3.35	280	57.0000			36
Prognos, gräs (0% baljv.) (041)	1	1	530		72.7					171	4.34		0.0000			
Råg, helsäd, grönmassa (138)	1	2	402	45	68.0	105	728	95.5	505	237	3.21	83	39.0000	26.5	12.5	112
Grönmassa, gräs (0% baljv.) (161)	0	1	611	69	72.8	110			563	155	4.83		61.0000			104
Grönmassa, gräs (0% baljv.) (161)	1	13	567	63	74.3	133	476		497	157	4.80		56.4615	0.0	0.0	126
Grönmassa, gräs (0% baljv.) (161)	2	6	550	75	74.3	155	401		504	155	4.71		61.0000			95
Grönmassa, gräs (0% baljv.) (161)	3	2	627	82	75.5	193			476	148	4.75		61.0000			77
Ensilage, gräs (0% klöver) (162)	1	12	475	63	74.8	146	590	77.7	483	157	4.57		53.1917	39.4	11.4	73
Ensilage, gräs (0% klöver) (162)	2	7	577	67	74.0	151	518	57.3	475	174	4.36		39.7286	29.0	9.1	77
Ensilage, gräs (0% klöver) (162)	3	3	475	69	74.2	119	479	49.3	449	176	4.07		68.5000	55.0	12.0	88
Ensilage, gräs (0% klöver) (162)	4	1	485	48	73.0	120	535	95.0	399	224	3.08		30.7000	23.0	5.0	79
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	422	65	74.8	128			490	156	4.63		84.0000			137
Grönmassa blandvall (1-50 % baljväxter) (164)	1	98	491	67	77.2	143	446		470	127	5.16		65.8367	0.0	1.4	132
Grönmassa blandvall (1-50 % baljväxter) (164)	2	63	523	74	75.2	158	447		468	155	4.59	29	80.1270	0.0	0.3	103
Grönmassa blandvall (1-50 % baljväxter) (164)	3	43	481	83	74.8	165	393		459	163	4.54		84.0000			96
Grönmassa blandvall (1-50 % baljväxter) (164)	4	25	426	90	77.9	188	380		423	140	5.29		84.0000			105

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	399	98	77.6	192	334		414	180	6.06		84.0000			95
Ensilage, blandvall (1-50% klöver) (165)	0	31	424	69	73.9	140	537	76.5	463	176	4.14		57.2581	44.4	10.7	71
Ensilage, blandvall (1-50% klöver) (165)	1	414	389	66	75.8	141	647	86.0	454	154	4.53	110	71.5461	53.2	15.1	69
Ensilage, blandvall (1-50% klöver) (165)	2	302	476	73	73.5	150	528	68.6	465	180	4.19	26	52.0891	38.0	11.8	71
Ensilage, blandvall (1-50% klöver) (165)	3	155	457	79	73.6	156	514	71.8	445	186	4.06		55.7232	40.5	12.4	66
Ensilage, blandvall (1-50% klöver) (165)	4	49	350	86	74.7	170	552	75.6	409	188	4.01		75.6592	59.2	14.4	57
Ensilage, blandvall (1-50% klöver) (165)	5	5	319	90	77.2	185	567	78.0	388	153	4.28		91.6600	76.2	14.0	53
Ensilage, blandvall (1-50% klöver) (165)	*	1	387	63	74.3	152	558	82.0	456	175	4.08		57.1000	46.0	10.0	63
Korn, helsädesensilage (250)	1	38	409	57	68.4	116	627	85.9	467	255	3.10	98	61.5895	44.8	14.1	59
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	354	65	64.1	118	627	98.6	475	289	2.42	74	72.1250	51.9	18.3	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	334	61	67.4	114	615	75.0	477	335	5.18	81	80.1875	58.8	18.5	43
Havre helsädesensilage degmognad (296)	1	8	404	63	66.7	127	633	89.3	491	262	3.12	63	65.2500	45.9	17.3	51
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	498	70	67.2	143	641	76.0	471	254	2.89	67	55.0000	40.0	15.0	31
Vete, helsäd ensilage (299)	1	10	443	44	65.7	86	673	82.2	503	269	2.92	75	57.2000	37.8	16.3	89
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	394	50	67.6	98	681	107	419	293	2.40	179	67.8000	48.4	18.2	38
Majs, helsädesensilage (305)	1	67	314	35	74.4	81	504	49.5	412	199	3.42	237	64.0149	44.0	16.6	22
Råg, helsädesensilage, axgång (311)	1	1	421	54	73.3	80	572	54.0	486	179	4.09	17	30.0000	15.0	15.0	191
Hö, blandvall, 0-50% baljväxter (383)	0	1	885	39	58.1	36			606	288	2.49		0.0000			128
Hö, blandvall, 0-50% baljväxter (383)	1	9	837	50	66.0	88	426		587	219	3.59		0.0000			118
Hö, blandvall, 0-50% baljväxter (383)	2	3	855	82	70.8	131	298		470	242	4.26		0.0000			125
Ensilage, blandvall (51-100% klöver) (438)	1	4	381	71	75.8	146	644	68.8	452	144	4.27		86.2500	64.0	19.3	59
Ensilage, blandvall (51-100% klöver) (438)	2	2	448	75	75.2	153	569	62.5	438	170	4.22		99.0000	73.5	21.0	51
Ensilage, blandvall (51-100% klöver) (438)	3	2	288	88	69.6	160	544	93.0	436	319	4.43		90.0000	52.5	31.5	26
Ensilage, blandvall (1-50% klöver) (326)	1	9	432	63	73.8	144	548	62.3	393	220	3.49	120	51.2222	34.2	12.6	59
Fullfoder (TMR) ej kompletta data (1E3)	1	6	454	64	73.1	150	518	60.3	412	208	3.38	86				50

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	17				95.7	-34	7.37	13.4	93.0	-17
Havre, kärna, hög NDF (002)	1	3				82.8	-0.5	6.18			
Vete, kärna (005)	1	22				114	-49	7.95	13.9		
Rågvete (015)	1	6				110	-39	7.85	14.0		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				94.3	-14	6.99			
Blandsäd, kärna, 50%korn/50%vete (114)	1	6				104	-44	7.56			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3				99.2	-31	7.02	12.2	83.0	-18
Rapsexpeller, 00, 10% fett (044)	1	1				118	118	9.70	17.6		
Åkerböna, kärna (007)	1	1				102	146	7.88			
Majs hela plantan, grönmassa (030)	1	24				87.1	-57	6.24	11.0	79.8	-63
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	12.0		
Råg, helsäd, grönmassa (138)	1	2				64.2	3.5	5.32			
Grönmassa, gräs (0% baljv.) (161)	0	1				83.0	-18	5.89	10.6	74.0	-17
Grönmassa, gräs (0% baljv.) (161)	1	13	2.00000	0.00000		85.9	-0.9	6.01	10.9	76.1	3.8
Grönmassa, gräs (0% baljv.) (161)	2	6				86.9	17.7	6.07	10.8	74.8	31.3
Grönmassa, gräs (0% baljv.) (161)	3	2				88.6	49.1	6.22	10.9	75.0	62.5
Ensilage, gräs (0% klöver) (162)	1	12	2.00000	1.10833		84.1	13.3	6.13	11.0	71.8	24.3
Ensilage, gräs (0% klöver) (162)	2	7	1.00000	0.58571		86.3	15.3	6.02	10.8	71.2	33.8
Ensilage, gräs (0% klöver) (162)	3	3		0.50000		81.5	-7.2	5.94	10.8	71.3	-3.0
Ensilage, gräs (0% klöver) (162)	4	1		1.70000		83.8	-9.2	5.72	10.9	71.0	-2.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9				83.3	0.0	6.10	11.0	76.2	-3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	1	98	1.80000	1.40000		88.6	6.0	6.31	11.4	78.0	6.3
Grönmassa blandvall (1-50 % baljväxter) (164)	2	63	2.00000	0.33333		85.7	24.8	6.19	10.9	75.2	29.7
Grönmassa blandvall (1-50 % baljväxter) (164)	3	43				85.3	31.6	6.15	10.8	74.1	33.2
Grönmassa blandvall (1-50 % baljväxter) (164)	4	25				89.0	47.2	6.43	11.2	76.6	54.6

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6				92.9	45.1	6.39	11.0		
Ensilage, blandvall (1-50% klöver) (165)	0	31		1.19355		84.0	10.7	6.02	10.8	71.1	17.7
Ensilage, blandvall (1-50% klöver) (165)	1	414	3.72043	1.62826		82.6	14.1	6.23	11.1	72.2	13.6
Ensilage, blandvall (1-50% klöver) (165)	2	302	2.25333	0.98306		84.6	19.7	6.01	10.7	70.7	26.6
Ensilage, blandvall (1-50% klöver) (165)	3	155	2.12821	1.50714		84.4	25.0	5.99	10.6	70.4	32.5
Ensilage, blandvall (1-50% klöver) (165)	4	49	1.00000	1.04694		82.7	40.5	6.10	10.7	70.5	42.4
Ensilage, blandvall (1-50% klöver) (165)	5	5	0.00000	0.66000		83.9	53.2	6.39	11.1	71.5	61.0
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.10000		85.0	20.5	6.10	10.9	71.0	29.0
Korn, helsädesensilage (250)	1	38	3.37500	0.62500		70.8	-0.4	5.56	10.1	64.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8				66.6	13.6	5.31	9.3	57.0	13.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	3.60000	0.80000		69.6	4.2	5.65	10.1		
Havre helsädesensilage degmognad (296)	1	8	6.00000	2.50000		73.4	7.1	5.50	9.9		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3				69.5	29.6	5.49			
Vete, helsäd ensilage (299)	1	10	4.50000	1.00000		69.0	-23	5.33	9.9	62.5	-26
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	3.00000	3.00000		70.6	-12	5.58	10.0		
Majs, helsädesensilage (305)	1	67	3.90625	0.00000		81.9	-49	6.25	11.1	78.8	-67
Råg, helsädesensilage, axgång (311)	1	1				78.5	-43	5.68			
Hö, blandvall, 0-50% baljväxter (383)	0	1				72.1	-66	4.29	8.4	61.0	-67
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.9	-40	5.18	9.7	67.4	-38
Hö, blandvall, 0-50% baljväxter (383)	2	3				97.5	-20	5.48	10.1	71.0	-25
Ensilage, blandvall (51-100% klöver) (438)	1	4	2.50000	0.50000		79.3	27.2	6.37	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	2	4.00000	0.50000		78.7	35.0	6.34	10.9		
Ensilage, blandvall (51-100% klöver) (438)	3	2	4.00000	2.00000		74.2	49.0	5.74	9.9		
Ensilage, blandvall (1-50% klöver) (326)	1	9	3.55556	0.88889		85.2	16.8	6.26	10.8		
Fullfoder (TMR) ej kompletta data (1E3)	1	6						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	13	0.5	3.3	1.2	5.6	0.1	2.2	1.3	26	13	57.2	17.5	33.5	4.8	0.0
Havre, kärna, hög NDF (002)	1	2	0.8	3.8	1.3	5.9	0.1		1.4	50	2	77.5	50.0	32.5	5.0	
Vete, kärna (005)	1	16	0.4	3.1	1.1	5.0	0.1	1.7	1.3	17	16	50.1	35.4	30.4	4.3	0.1
Rågvete (015)	1	3	0.4	3.3	1.3	5.8	0.1	1.7	1.7	19	3	43.0	40.7	42.7	6.1	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.0	0.0	0.0	0.0	0.0		0.0	-25	1	74.0	55.0	48.0	5.1	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	5	0.4	2.7	1.0	4.7	0.1		1.0	34	5	55.4	28.2	33.8	4.8	
Blandsäd, kärna, 50%havre/50%vete (115)	1	2	0.6	3.6	1.3	6.2	0.1		1.4	55	2	49.5	32.5	35.0	4.8	
Rapsexpeller, 00, 10% fett (044)	1	1	6.8	10.3	4.3	10.8		3.1	5.3	***	1	82.0	56.0	50.0	6.0	
Majs hela plantan, grönmassa (030)	1	21	1.8	1.9	1.2	9.4	0.3	1.9	0.9	150	16	100.8	38.1	31.1	7.0	0.0
Råg, helsäd, grönmassa (138)	1	2	2.0	2.3	1.1	15.8	0.1	5.7	1.8	134	2	155.5	50.5	35.5	5.5	0.0
Grönmassa, gräs (0% baljv.) (161)	0	1	4.9	2.8	2.0	21.8	1.5		2.4	332	1	69.0	85.0	33.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	13	4.2	2.5	1.6	18.1	1.3	3.5	1.9	265	12	168.8	80.8	30.6	5.4	0.0
Grönmassa, gräs (0% baljv.) (161)	2	6	5.3	2.9	1.9	25.1	1.1	5.7	2.3	394	5	132.0	113.0	36.8	6.7	0.0
Grönmassa, gräs (0% baljv.) (161)	3	2	7.0	3.1	2.9	25.5	1.3		3.4	355	2	142.0	124.0	40.5	7.9	0.1
Ensilage, gräs (0% klöver) (162)	1	11	4.1	2.4	1.7	19.2	0.7	3.8	2.0	294	10	223.8	69.0	33.7	5.2	0.0
Ensilage, gräs (0% klöver) (162)	2	6	5.5	2.6	2.1	20.3	0.8	5.3	2.4	260	6	88.0	85.2	28.8	6.2	0.0
Ensilage, gräs (0% klöver) (162)	3	2	5.4	2.7	1.9	21.3	0.3	6.2	1.9	308	2	164.5	105.5	21.5	5.1	0.0
Ensilage, gräs (0% klöver) (162)	4	1	4.9	2.5	2.4	10.1	0.8	1.9	2.0	115	1	396.0	133.0	49.0	5.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	4.4	2.5	2.0	21.1	0.6		1.9	318	9	138.0	77.6	29.9	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	94	4.6	2.7	1.7	22.8	0.8	4.5	2.0	363	74	121.5	60.5	30.7	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	56	7.1	3.3	2.6	26.0	1.2	7.1	2.8	384	46	149.3	73.3	31.2	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	36	7.1	3.0	2.5	24.3	1.3	13.3	2.5	288	35	134.3	67.7	28.8	7.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	20	7.1	3.5	2.7	26.2	1.1	11.5	3.0	325	17	271.1	76.3	48.8	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	7.6	3.8	2.7	30.0	1.3	12.6	3.2	270	5	223.8	89.4	28.2	8.4	
Ensilage, blandvall (1-50% klöver) (165)	0	29	5.7	2.7	2.3	19.9	1.3	6.8	2.1	237	29	164.4	95.2	32.3	6.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	1	390	4.9	2.6	1.8	21.6	1.1	5.4	1.9	326	363	180.1	68.1	37.3	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	290	6.2	2.8	2.4	21.5	1.3	7.6	2.3	245	267	170.2	85.2	41.5	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	146	7.3	3.0	2.7	22.1	1.3	8.1	2.5	236	133	229.5	91.8	47.9	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	45	7.5	3.1	2.8	21.7	1.7	9.4	2.7	197	38	351.7	105.2	32.9	8.2	0.2
Ensilage, blandvall (1-50% klöver) (165)	5	4	7.4	3.5	2.8	22.4	1.9	9.8	2.9	205	3	291.7	89.7	28.7	7.7	
Ensilage, blandvall (1-50% klöver) (165)	*	1	6.3	3.2	2.3	18.1	1.7	6.2	2.2	225	1	107.0	61.0	34.0	5.1	
Korn, helsädesensilage (250)	1	38	4.6	2.5	1.8	15.9	1.2	6.5	1.9	153	33	170.5	64.1	37.8	5.7	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	6.0	2.8	2.0	19.4	1.1	5.5	1.8	278	8	126.6	83.5	48.9	6.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	4.6	2.9	1.7	20.0	1.1	5.5	1.8	292	7	150.3	100.1	43.4	5.2	0.0
Havre helsädesensilage degmognad (296)	1	8	4.4	2.5	1.7	17.2	2.5	6.9	2.3	210	7	248.4	136.3	41.1	5.5	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	6.0	3.1	1.7	21.1	0.3	4.0	1.7	332	3	183.0	56.3	698.3	6.2	0.0
Vete, helsäd ensilage (299)	1	9	3.2	2.2	1.4	14.3	0.4	2.2	1.4	223	9	166.2	65.8	27.3	3.9	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	4.6	2.4	1.6	12.9	0.6	3.1	1.5	180	4	88.5	44.5	25.3	4.8	
Majs, helsädesensilage (305)	1	63	1.9	1.8	1.2	9.6	0.4	2.2	0.9	145	54	102.0	44.2	28.8	4.2	0.0
Råg, helsädesensilage, axgång (311)	1	1	2.5	2.0	1.0	23.9	0.6	4.8	1.3	421	1	139.0	35.0	19.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	1	6	3.8	2.4	1.7	15.2	1.0	2.2	1.6	217	4	118.8	54.5	27.0	3.8	
Hö, blandvall, 0-50% baljväxter (383)	2	2	7.4	2.8	2.6	23.3	0.9	9.3	2.2	299	0					
Ensilage, blandvall (51-100% klöver) (438)	1	4	5.0	2.5	1.8	25.3	0.6	4.7	2.0	417	4	226.5	51.8	26.3	6.5	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	2	6.0	2.5	1.9	19.9	1.1	5.8	2.2	256	2	128.0	51.0	22.5	7.0	0.1
Ensilage, blandvall (51-100% klöver) (438)	3	2	10.7	2.8	2.5	20.5	1.0	6.8	2.3	234	1	148.0	43.0	21.0	8.0	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	9	5.9	3.2	2.5	15.8	3.1	7.7	2.3	174	7	313.9	73.3	55.9	10.9	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	6	5.5	3.1	2.9	14.5	2.9	5.5	2.6	178	6	362.0	96.2	65.8	15.1	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	850.706	43.0331	799.000	910.000
Aska	17	21.441	2.9000	18.600	25.300
OS smbh	17	60.706	40.3915	0.000	86.000
Råprot	17	109.018	19.3992	89.500	129.200
sRåprot	5	295.000	28.2135	255.000	325.000
NH3-N	1	6.000	.	6.000	6.000
NDF	7	155.429	35.0707	124.000	224.000
iNDF	17	121.706	64.3445	25.000	162.000
nhNDF	17	3.150	0.0000	3.150	3.150
Stä	17	599.135	51.0609	533.000	665.500
TAF	17	0.000	0.0000	0.000	0.000
Socker	5	5.000	0.0000	5.000	5.000
AATp20	17	95.707	1.7543	94.223	98.194
PBVp20	17	-34.239	19.1095	-51.537	-13.634
NELp20	17	7.368	0.1392	7.233	7.570
OE*	7	13.371	0.2215	12.900	13.500
AAT*	2	93.000	0.0000	93.000	93.000
PBV*	2	-16.500	40.3051	-45.000	12.000
Ca	13	0.462	0.0961	0.400	0.600
P	13	3.285	0.3508	2.800	3.500
Mg	13	1.208	0.1115	1.100	1.300
K	13	5.569	0.4442	5.100	6.000
Na	12	0.100	0.0000	0.100	0.100
Cl	4	2.225	0.9465	1.000	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	13	1.254	0.2222	1.000	1.600
CAB	13	25.731	33.5296	-25.150	51.843
Fe	13	57.154	27.8802	41.000	79.000
Mn	13	17.462	3.8213	14.000	23.000
Zn	13	33.538	8.8564	26.000	43.000
Cu	13	4.762	0.8481	3.900	6.000
Se	1	0.021	.	0.021	0.021

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	862.333	6.0277	856.000	868.000
Aska	3	23.667	2.5166	21.000	26.000
OS smbh	3	75.000	0.0000	75.000	75.000
Råprot	3	117.433	4.3662	113.300	122.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	370.000	.	370.000	370.000
iNDF	3	392.000	0.0000	392.000	392.000
nhNDF	3	2.000	0.0000	2.000	2.000
Stä	3	481.933	90.4047	387.000	567.000
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	82.809	2.4922	80.519	85.463
PBVp20	3	-0.454	3.4520	-3.937	2.966
NELp20	3	6.180	0.2530	5.911	6.414
Ca	2	0.750	0.2121	0.600	0.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	3.800	0.2828	3.600	4.000
Mg	2	1.300	0.1414	1.200	1.400
K	2	5.850	0.0707	5.800	5.900
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.3536	1.100	1.600
CAB	2	49.871	23.9055	32.967	66.775
Fe	2	77.500	47.3762	44.000	111.000
Mn	2	50.000	12.7279	41.000	59.000
Zn	2	32.500	9.1924	26.000	39.000
Cu	2	5.000	1.1314	4.200	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	22	864.136	24.3961	835.000	907.000
Aska	22	17.891	2.4237	15.000	22.100
OS smbh	23	57.391	42.8547	0.000	88.000
Råprot	22	117.132	16.3424	103.300	137.000
sRåprot	8	311.250	40.8787	259.000	369.000
NH3-N	3	5.667	1.5275	4.000	7.000
NDF	11	110.636	14.7531	92.000	127.000
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	623.764	52.1161	556.000	692.200
TAF	23	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	9	11.222	13.8814	0.000	37.000
AATp20	23	113.578	2.2258	111.036	116.636
PBVp20	23	-49.171	13.3003	-59.894	-33.301
NELp20	23	7.946	0.1021	7.835	8.060
OE*	8	13.850	0.4440	13.100	14.200
Ca	16	0.388	0.1088	0.300	0.600
P	16	3.100	0.3204	2.700	3.400
Mg	16	1.125	0.1483	0.900	1.300
K	16	5.025	0.6568	3.900	5.800
Na	12	0.133	0.1155	0.100	0.100
Cl	6	1.700	0.6450	1.300	3.000
S	16	1.325	0.1844	1.200	1.600
CAB	16	17.336	29.2607	-36.318	47.932
Fe	16	50.063	22.6023	34.000	93.000
Mn	16	35.375	11.9771	20.000	56.000
Zn	16	30.438	6.8699	21.000	39.000
Cu	16	4.338	0.8531	3.600	5.400
Se	2	0.108	0.0820	0.050	0.166

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	856.500	23.124	820.000	885.000
Aska	6	19.250	2.361	16.500	22.000
OS smbh	6	44.740	49.010	0.000	89.479
Råprot	6	122.967	27.622	81.000	164.000
sRåprot	3	423.333	121.698	293.000	534.000
NH3-N	2	7.500	2.121	6.000	9.000
NDF	4	113.500	38.889	86.000	171.000
iNDF	6	106.000	88.731	25.000	187.000
nhNDF	6	3.500	0.000	3.500	3.500
Stä	6	614.050	58.129	563.000	699.300
TAF	6	0.000	0.000	0.000	0.000
Socker	3	5.000	0.000	5.000	5.000
AATp20	6	109.732	2.989	104.246	112.280
PBVp20	6	-38.553	23.000	-71.416	-2.606
NELp20	6	7.849	0.259	7.450	8.129
OE*	3	13.967	0.058	13.900	14.000
Ca	3	0.433	0.058	0.400	0.500
P	3	3.300	0.200	3.100	3.500
Mg	3	1.333	0.115	1.200	1.400
K	3	5.767	0.208	5.600	6.000
Na	2	0.100	0.000	0.100	0.100
Cl	1	1.700	.	1.700	1.700
S	3	1.667	0.289	1.500	2.000
CAB	3	18.558	38.190	-25.317	44.332

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	43.000	5.196	40.000	49.000
Mn	3	40.667	2.082	39.000	43.000
Zn	3	42.667	4.041	39.000	47.000
Cu	3	6.100	1.153	5.000	7.300

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	791.000	.	791.000	791.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	125.000	.	125.000	125.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	202.000	.	202.000	202.000
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	566.000	.	566.000	566.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	94.336	.	94.336	94.336
PBVp20	1	-14.337	.	-14.337	-14.337
NELp20	1	6.986	.	6.986	6.986
Ca	1	0.000	.	0.000	0.000
P	1	0.000	.	0.000	0.000
Mg	1	0.000	.	0.000	0.000
K	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.000	.	0.000	0.000
S	1	0.000	.	0.000	0.000
CAB	1	-25.352	.	-25.352	-25.352
Fe	1	74.000	.	74.000	74.000
Mn	1	55.000	.	55.000	55.000
Zn	1	48.000	.	48.000	48.000
Cu	1	5.100	.	5.100	5.100
Se	1	0.005	.	0.005	0.005

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	829.000	16.1493	802.000	844.000
Aska	6	20.217	2.7396	16.600	25.000
OS smbh	6	87.000	0.0000	87.000	87.000
Råprot	6	109.600	16.4257	88.000	134.300
NH3-N	2	7.000	1.4142	6.000	8.000
NDF	1	164.000	.	164.000	164.000
iNDF	6	173.000	0.0000	173.000	173.000
nhNDF	6	3.300	0.0000	3.300	3.300
Stä	6	614.000	47.5309	533.000	677.700
TAF	6	0.000	0.0000	0.000	0.000
AATp20	6	104.285	1.3220	103.138	106.536
PBVp20	6	-44.274	14.9539	-64.348	-23.215
NELp20	6	7.563	0.1386	7.414	7.732

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	5	0.360	0.2608	0.000	0.700
P	5	2.740	1.5884	0.000	3.700
Mg	5	1.000	0.5701	0.000	1.400
K	5	4.700	2.6505	0.000	6.200
Na	5	0.080	0.0447	0.000	0.100
S	5	0.980	0.5762	0.000	1.400
CAB	5	34.264	35.9505	-28.169	64.574
Fe	5	55.400	18.1328	36.000	72.000
Mn	5	28.200	9.9096	18.000	44.000
Zn	5	33.800	5.8052	28.000	43.000
Cu	5	4.840	1.3297	3.200	6.000

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	849.667	8.5049	840.000	856.000
Aska	3	23.000	1.7321	22.000	25.000
OS smbh	3	81.600	0.0000	81.600	81.600
Råprot	3	112.333	10.6927	100.000	119.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	2	228.500	58.6899	187.000	270.000
iNDF	3	324.000	0.0000	324.000	324.000
nhNDF	3	2.500	0.0000	2.500	2.500
Stä	3	521.667	42.5715	473.000	552.000
TAF	3	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	99.211	3.2307	95.901	102.356
PBVp20	3	-31.346	12.6432	-44.213	-18.940
NELp20	3	7.022	0.2408	6.746	7.192
OE*	1	12.200	.	12.200	12.200
AAT*	1	83.000	.	83.000	83.000
PBV*	1	-18.000	.	-18.000	-18.000
Ca	2	0.550	0.0707	0.500	0.600
P	2	3.550	0.2121	3.400	3.700
Mg	2	1.300	0.0000	1.300	1.300
K	2	6.150	0.3536	5.900	6.400
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.0707	1.300	1.400
CAB	2	54.727	13.4617	45.208	64.245
Fe	2	49.500	6.3640	45.000	54.000
Mn	2	32.500	4.9497	29.000	36.000
Zn	2	35.000	0.0000	35.000	35.000
Cu	2	4.800	0.0000	4.800	4.800

Fodermedel=Rapsexpeller, 00, 10% fett (044) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	954.000	.	954.000	954.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	300.000	.	300.000	300.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rapsexpeller, 00, 10% fett (044) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	0.000	.	0.000	0.000
iNDF	1	193.000	.	193.000	193.000
nhNDF	1	10.200	.	10.200	10.200
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	118.337	.	118.337	118.337
PBVp20	1	118.194	.	118.194	118.194
NELp20	1	9.704	.	9.704	9.704
OE*	1	17.600	.	17.600	17.600
Ca	1	6.800	.	6.800	6.800
P	1	10.300	.	10.300	10.300
Mg	1	4.300	.	4.300	4.300
K	1	10.800	.	10.800	10.800
Cl	1	3.100	.	3.100	3.100
S	1	5.300	.	5.300	5.300
CAB	1	-138.011	.	-138.011	-138.011
Fe	1	82.000	.	82.000	82.000
Mn	1	56.000	.	56.000	56.000
Zn	1	50.000	.	50.000	50.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	856.000	.	856.000	856.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	299.000	.	299.000	299.000
NH3-N	1	2.000	.	2.000	2.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	407.000	.	407.000	407.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.439	.	102.439	102.439
PBVp20	1	146.065	.	146.065	146.065
NELp20	1	7.877	.	7.877	7.877

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	24	301.417	63.5425	235.000	387.000
Aska	24	33.958	16.5752	25.000	42.000
OS smbh	24	74.583	3.1323	70.000	78.000
Råprot	24	80.875	6.8987	75.000	92.000
sRåprot	24	356.958	62.4176	290.000	419.000
NDF	24	403.917	56.5262	328.000	452.000
iNDF	24	196.355	35.6693	164.187	229.000
nhNDF	24	3.350	0.8274	2.445	4.036
Stä	24	280.125	79.7977	134.000	367.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	24	57.000	0.0000	57.000	57.000
Socker	24	35.875	43.1693	8.000	76.000
AATp20	24	87.082	3.5386	82.929	90.267
PBVp20	24	-56.922	7.6951	-63.854	-49.458
NELp20	24	6.239	0.3444	5.783	6.561
OE*	12	10.968	0.6177	10.470	11.480
AAT*	4	79.750	0.5000	79.000	80.000
PBV*	4	-63.000	7.8316	-71.000	-53.000
Ca	21	1.781	0.3642	1.300	2.100
P	21	1.886	0.2372	1.600	2.200
Mg	21	1.219	0.2768	0.900	1.500
K	21	9.386	1.5226	7.400	10.900
Na	21	0.262	0.2397	0.100	0.500
Cl	19	1.863	0.7939	1.000	3.400
S	21	0.862	0.1746	0.700	1.000
CAB	21	150.077	39.4529	109.187	200.100
Fe	16	100.813	59.5306	53.000	221.000
Mn	16	38.063	20.3649	16.000	76.000
Zn	16	31.063	11.9134	19.000	48.000
Cu	16	7.000	10.1542	3.800	5.700
Se	3	0.007	0.0040	0.005	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	12.000	.	12.000	12.000

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	402.000	29.698	381.000	423.000
Aska	2	45.000	4.243	42.000	48.000
OS smbh	2	68.000	4.525	64.800	71.200
Råprot	2	105.000	15.556	94.000	116.000
sRåprot	2	728.000	175.362	604.000	852.000
NH3-N	2	95.500	44.548	64.000	127.000
NDF	2	505.000	45.255	473.000	537.000
iNDF	2	236.892	70.077	187.341	286.444
nhNDF	2	3.207	1.165	2.383	4.031
Stä	2	82.500	89.803	19.000	146.000
TAF	2	39.000	24.042	22.000	56.000
Mjölksyra	2	26.500	24.749	9.000	44.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	12.500	0.707	12.000	13.000
Socker	2	111.500	82.731	53.000	170.000
AATp20	2	64.230	19.537	50.415	78.044
PBVp20	2	3.493	18.594	-9.654	16.641
NELp20	2	5.323	0.426	5.022	5.624
Ca	2	2.000	0.424	1.700	2.300
P	2	2.300	0.000	2.300	2.300
Mg	2	1.050	0.071	1.000	1.100
K	2	15.750	0.919	15.100	16.400
Na	2	0.100	0.000	0.100	0.100
Cl	2	5.700	0.283	5.500	5.900
S	2	1.800	0.283	1.600	2.000
CAB	2	134.098	13.800	124.340	143.856
Fe	2	155.500	120.915	70.000	241.000
Mn	2	50.500	4.950	47.000	54.000
Zn	2	35.500	4.950	32.000	39.000
Cu	2	5.450	0.778	4.900	6.000
Se	1	0.013	.	0.013	0.013

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	611.000	.	611.000	611.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	110.000	.	110.000	110.000
NDF	1	563.000	.	563.000	563.000
iNDF	1	155.149	.	155.149	155.149
nhNDF	1	4.832	.	4.832	4.832
TAF	1	61.000	.	61.000	61.000
Socket	1	104.000	.	104.000	104.000
AATp20	1	82.962	.	82.962	82.962
PBVp20	1	-17.743	.	-17.743	-17.743
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-17.000	.	-17.000	-17.000
Ca	1	4.900	.	4.900	4.900
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	21.800	.	21.800	21.800
Na	1	1.500	.	1.500	1.500
S	1	2.400	.	2.400	2.400
CAB	1	331.917	.	331.917	331.917
Fe	1	69.000	.	69.000	69.000
Mn	1	85.000	.	85.000	85.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	567.154	204.471	326.000	815.000
Aska	13	62.692	12.828	48.000	79.000
OS smbh	13	74.346	6.423	65.300	83.500
Råprot	13	133.308	45.745	85.000	203.000
sRåprot	2	476.000	2.828	474.000	478.000
NDF	13	497.077	66.088	430.000	582.000
iNDF	13	156.856	59.862	63.209	237.977
nhNDF	13	4.804	1.296	3.712	7.212
TAF	13	56.462	16.364	61.000	61.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	13	126.385	42.370	68.000	160.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	13	85.899	7.754	75.536	95.739
PBVp20	13	-0.890	33.849	-31.753	51.874
NELp20	13	6.010	0.604	5.199	6.896
OE*	13	10.927	1.015	9.570	12.400
AAT*	11	76.091	5.338	71.000	83.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	11	3.818	42.504	-36.000	68.000
Ca	13	4.223	1.623	2.800	6.200
P	13	2.531	0.588	1.700	3.000
Mg	13	1.600	0.734	1.000	2.500
K	13	18.069	4.458	13.500	26.500
Na	13	1.315	2.058	0.300	2.200
Cl	2	3.450	0.778	2.900	4.000
S	13	1.915	0.883	1.100	2.700
CAB	13	265.480	107.696	140.021	441.796
Fe	12	168.750	174.568	55.000	330.000
Mn	12	80.750	53.118	37.000	114.000
Zn	12	30.583	8.479	25.000	35.000
Cu	12	5.442	1.704	4.000	6.900
Se	5	0.020	0.011	0.009	0.036

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	549.833	187.052	349.000	786.000
Aska	6	74.500	3.987	69.000	80.000
OS smbh	6	74.300	3.103	70.100	78.800
Råprot	6	155.333	19.977	126.000	181.000
sRåprot	2	401.000	52.326	364.000	438.000
NDF	6	503.500	52.455	438.000	554.000
iNDF	6	155.121	28.289	119.538	197.117

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	6	4.709	0.570	3.848	5.350
TAF	6	61.000	0.000	61.000	61.000
Socker	6	94.833	24.028	63.000	137.000
AATp20	6	86.893	3.402	82.466	91.191
PBVp20	6	17.712	16.216	-4.916	34.190
NELp20	6	6.073	0.247	5.718	6.417
OE*	6	10.788	0.487	10.100	11.500
AAT*	4	74.750	2.986	71.000	78.000
PBV*	4	31.250	17.538	7.000	46.000
Ca	6	5.333	1.189	3.500	7.000
P	6	2.867	0.327	2.500	3.300
Mg	6	1.883	0.407	1.400	2.400
K	6	25.100	5.352	17.100	32.900
Na	6	1.050	0.701	0.400	2.300
Cl	2	5.700	5.657	1.700	9.700
S	6	2.333	0.393	1.700	2.900
CAB	6	394.345	131.557	246.495	593.522
Fe	5	132.000	22.528	96.000	154.000
Mn	5	113.000	56.626	53.000	201.000
Zn	5	36.800	10.426	28.000	54.000
Cu	5	6.740	0.896	6.000	7.900
Se	3	0.015	0.006	0.011	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	626.500	75.660	573.000	680.000
Aska	2	82.000	2.828	80.000	84.000
OS smbh	2	75.450	2.758	73.500	77.400
Råprot	2	192.500	6.364	188.000	197.000
NDF	2	476.000	15.556	465.000	487.000
iNDF	2	147.551	26.677	128.688	166.415
nhNDF	2	4.752	0.540	4.370	5.133
TAF	2	61.000	0.000	61.000	61.000
Socker	2	76.500	6.364	72.000	81.000
AATp20	2	88.643	3.080	86.465	90.821
PBVp20	2	49.131	0.734	48.612	49.650
NELp20	2	6.217	0.302	6.003	6.430
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.000	2.828	73.000	77.000
PBV*	2	62.500	2.121	61.000	64.000
Ca	2	6.950	0.354	6.700	7.200
P	2	3.050	0.636	2.600	3.500
Mg	2	2.850	0.495	2.500	3.200
K	2	25.500	6.788	20.700	30.300
Na	2	1.300	0.000	1.300	1.300
S	2	3.400	0.141	3.300	3.500
CAB	2	355.351	182.451	226.338	484.363
Fe	2	142.000	53.740	104.000	180.000
Mn	2	124.000	41.012	95.000	153.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	40.500	12.021	32.000	49.000
Cu	2	7.850	2.051	6.400	9.300
Se	1	0.061	.	0.061	0.061

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	475.250	206.724	251.000	799.000
Aska	12	63.250	21.261	46.000	76.000
OS smbh	12	74.817	3.882	70.100	77.800
Råprot	12	145.583	27.862	116.000	167.000
sRåprot	12	589.833	113.143	420.000	704.000
NH3-N	11	77.727	28.893	33.000	106.000
NDF	12	483.000	56.588	418.000	544.000
iNDF	12	156.556	31.444	138.728	193.871
nhNDF	12	4.568	0.583	3.959	5.182
TAF	12	53.192	35.798	15.000	95.100
Mjölksyra	12	39.417	32.523	5.000	76.000
Ättiksyra	12	11.417	5.143	5.000	18.000
Socker	12	73.000	43.645	17.000	117.000
PRF	3	2.000	1.732	0.000	3.000
BUF	12	1.108	1.064	0.000	2.400
AATp20	12	84.150	5.293	81.554	88.858
PBVp20	12	13.298	23.554	-14.424	31.622
NELp20	12	6.135	0.416	5.592	6.510

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	12	11.004	0.707	10.200	11.500
AAT*	9	71.778	2.048	68.000	75.000
PBV*	9	24.333	27.395	-35.000	58.000
Ca	11	4.109	0.788	3.300	5.300
P	11	2.409	0.305	1.900	2.700
Mg	11	1.691	0.243	1.500	2.000
K	11	19.155	4.182	15.000	24.300
Na	11	0.736	0.254	0.400	1.100
Cl	12	3.808	1.922	0.900	6.200
S	11	1.982	0.282	1.600	2.300
CAB	11	293.557	113.986	166.819	442.566
Fe	10	223.800	166.209	71.000	479.500
Mn	10	69.000	41.719	31.500	127.000
Zn	10	33.700	11.643	26.000	51.000
Cu	10	5.210	1.002	3.550	6.200
Se	2	0.040	0.015	0.029	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	576.714	163.514	347.000	759.000
Aska	7	66.714	8.015	56.000	78.000
OS smbh	7	73.957	3.177	71.200	79.000
Råprot	7	151.429	17.980	119.000	174.000
sRåprot	7	517.857	136.931	353.000	718.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	7	57.286	34.471	23.000	106.000
NDF	7	475.143	42.211	423.000	540.000
iNDF	7	174.172	34.021	123.502	209.000
nhNDF	7	4.356	0.571	3.732	5.130
TAF	7	39.729	31.580	10.000	82.600
Mjölksyra	7	29.000	24.269	5.000	59.000
Ättiksyra	7	9.143	7.819	0.000	21.000
Socker	7	76.857	31.482	21.000	110.000
PRF	2	1.000	1.414	0.000	2.000
BUF	7	0.586	0.662	0.000	1.600
AATp20	7	86.318	4.051	81.000	91.412
PBVp20	7	15.287	16.877	-14.540	39.166
NELp20	7	6.017	0.340	5.686	6.563
OE*	7	10.824	0.486	10.390	11.700
AAT*	5	71.200	1.304	70.000	73.000
PBV*	5	33.800	12.538	17.000	49.000
Ca	6	5.533	1.663	3.800	8.000
P	6	2.583	0.343	2.200	3.100
Mg	6	2.100	0.420	1.500	2.500
K	6	20.300	4.930	14.900	26.000
Na	6	0.767	0.258	0.500	1.200
Cl	7	5.257	2.489	1.500	9.000
S	6	2.367	0.388	1.900	2.800
CAB	6	260.467	91.225	147.028	369.482

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	88.000	29.712	56.000	127.000
Mn	6	85.167	47.191	29.000	148.000
Zn	6	28.833	2.137	25.000	31.000
Cu	6	6.183	0.744	5.000	7.100
Se	2	0.035	0.022	0.019	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	474.667	271.036	266.000	781.000
Aska	3	69.000	9.539	60.000	79.000
OS smbh	3	74.200	3.242	70.700	77.100
Råprot	3	119.000	41.037	77.000	159.000
sRåprot	3	479.000	203.521	244.000	598.000
NH3-N	3	49.333	29.484	16.000	72.000
NDF	3	449.000	19.698	433.000	471.000
iNDF	3	176.053	35.660	142.446	213.461
nhNDF	3	4.069	0.616	3.438	4.669
TAF	3	68.500	53.467	8.500	111.100
Mjölksyra	3	55.000	44.441	5.000	90.000
Ättiksyra	3	12.000	9.165	2.000	20.000
Socker	3	87.667	71.396	21.000	163.000
BUF	3	0.500	0.400	0.100	0.900
AATp20	3	81.537	2.970	79.279	84.901
PBVp20	3	-7.169	41.195	-50.791	31.070

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.941	0.572	5.323	6.451
OE*	3	10.800	0.458	10.300	11.200
AAT*	3	71.333	1.155	70.000	72.000
PBV*	3	-3.000	38.510	-42.000	35.000
Ca	2	5.350	1.344	4.400	6.300
P	2	2.700	0.141	2.600	2.800
Mg	2	1.850	0.212	1.700	2.000
K	2	21.300	0.707	20.800	21.800
Na	2	0.300	0.141	0.200	0.400
Cl	3	6.167	2.466	4.500	9.000
S	2	1.850	0.495	1.500	2.200
CAB	2	308.373	3.257	306.070	310.675
Fe	2	164.500	40.305	136.000	193.000
Mn	2	105.500	47.376	72.000	139.000
Zn	2	21.500	4.950	18.000	25.000
Cu	2	5.100	1.131	4.300	5.900
Se	2	0.016	0.007	0.011	0.021

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	485.000	.	485.000	485.000
Aska	1	48.000	.	48.000	48.000
OS smbh	1	73.000	.	73.000	73.000
Råprot	1	120.000	.	120.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	535.000	.	535.000	535.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	399.000	.	399.000	399.000
iNDF	1	224.481	.	224.481	224.481
nhNDF	1	3.079	.	3.079	3.079
TAF	1	30.700	.	30.700	30.700
Mjölksyra	1	23.000	.	23.000	23.000
Ättiksyra	1	5.000	.	5.000	5.000
Socker	1	79.000	.	79.000	79.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	83.779	.	83.779	83.779
PBVp20	1	-9.225	.	-9.225	-9.225
NELp20	1	5.720	.	5.720	5.720
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.900	.	4.900	4.900
P	1	2.500	.	2.500	2.500
Mg	1	2.400	.	2.400	2.400
K	1	10.100	.	10.100	10.100
Na	1	0.800	.	0.800	0.800
Cl	1	1.900	.	1.900	1.900
S	1	2.000	.	2.000	2.000
CAB	1	114.574	.	114.574	114.574

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	396.000	.	396.000	396.000
Mn	1	133.000	.	133.000	133.000
Zn	1	49.000	.	49.000	49.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	421.667	179.727	205.000	716.000
Aska	9	65.111	16.382	47.000	98.000
OS smbh	9	74.811	3.052	69.600	78.600
Råprot	9	127.556	24.223	94.000	165.000
NDF	9	489.778	34.878	443.000	529.000
iNDF	9	155.691	26.461	119.370	190.280
nhNDF	9	4.631	0.539	3.987	5.402
TAF	9	84.000	0.000	84.000	84.000
Socker	9	137.222	34.510	60.000	188.000
AATp20	9	83.348	3.074	77.780	88.161
PBVp20	9	0.035	22.888	-32.567	30.266
NELp20	9	6.101	0.255	5.688	6.492
OE*	9	11.000	0.581	9.800	11.500
AAT*	9	76.222	3.383	69.000	80.000
PBV*	9	-3.444	26.548	-42.000	30.000
Ca	9	4.400	1.497	2.400	7.600
P	9	2.467	0.524	1.700	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	9	1.978	0.492	1.400	2.800
K	9	21.144	4.586	14.200	27.800
Na	9	0.633	0.616	0.100	2.000
S	9	1.889	0.685	1.000	3.000
CAB	9	317.865	105.201	170.131	470.994
Fe	9	138.000	122.504	55.000	379.000
Mn	9	77.556	42.424	34.000	151.000
Zn	9	29.889	4.986	21.000	36.000
Cu	9	5.444	1.910	3.100	9.600
Se	3	0.008	0.005	0.005	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	98	490.684	156.242	304.000	712.000
Aska	98	67.041	10.647	53.000	80.000
OS smbh	98	77.226	4.191	71.100	81.600
Råprot	98	142.990	29.221	103.000	178.000
sRåprot	33	446.061	67.192	385.000	495.000
NDF	98	469.980	59.441	386.000	541.000
iNDF	98	127.016	39.797	72.385	178.532
nhNDF	98	5.161	1.227	3.978	6.320
TAF	98	65.837	33.105	4.000	84.000
Mjölksyra	23	0.000	0.000	0.000	0.000
Ättiksyra	20	1.400	3.500	0.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	98	132.378	39.008	82.000	191.000
PRF	20	1.800	1.322	0.000	3.500
BUF	20	1.400	1.667	0.000	4.000
AATp20	98	88.607	6.398	80.654	98.262
PBVp20	98	5.996	21.647	-21.359	34.900
NELp20	98	6.312	0.381	5.770	6.748
OE*	98	11.356	0.662	10.500	12.200
AAT*	65	77.969	3.597	73.000	84.000
PBV*	65	6.309	26.060	-27.000	40.000
Ca	94	4.593	1.267	3.000	6.200
P	94	2.732	0.493	2.100	3.300
Mg	94	1.709	0.430	1.200	2.200
K	94	22.766	5.488	15.100	28.700
Na	94	0.806	0.576	0.200	1.500
Cl	33	4.476	2.748	1.300	7.000
S	94	1.985	0.457	1.300	2.600
CAB	94	363.064	137.352	200.840	515.304
Fe	74	121.459	82.217	57.000	223.000
Mn	74	60.541	20.324	35.000	87.000
Zn	74	30.716	8.786	23.000	39.000
Cu	74	5.251	1.075	4.000	6.500
Se	9	0.015	0.010	0.007	0.034

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	63	523.095	152.419	348.000	721.000
Aska	63	74.365	9.869	62.000	85.000
OS smbh	63	75.159	3.676	70.400	80.100
Råprot	63	157.857	26.305	124.000	189.000
sRåprot	22	447.455	96.507	368.000	607.000
NDF	63	468.476	36.463	421.000	518.000
iNDF	63	155.332	42.297	101.307	204.000
nhNDF	63	4.594	0.773	3.912	5.551
Stä	1	29.000	.	29.000	29.000
TAF	63	80.127	17.460	84.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	0.333	0.577	0.000	1.000
Socker	63	102.794	34.230	65.000	144.000
PRF	3	2.000	0.000	2.000	2.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	63	85.669	5.174	80.179	93.292
PBVp20	63	24.780	21.367	-0.994	54.047
NELp20	63	6.193	0.353	5.857	6.688
OE*	63	10.929	0.598	10.100	11.730
AAT*	41	75.244	3.412	71.000	79.000
PBV*	41	29.732	29.335	-14.000	64.000
Ca	56	7.075	6.718	4.400	8.600
P	56	3.284	2.984	2.400	3.400
Mg	56	2.589	1.769	1.800	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	56	26.021	29.971	14.200	27.800
Na	56	1.195	0.790	0.400	2.000
Cl	22	7.123	6.655	2.300	14.300
S	56	2.784	3.058	1.800	3.000
CAB	56	384.250	618.014	90.272	531.474
Fe	46	149.304	123.798	70.000	329.000
Mn	46	73.261	24.788	41.000	106.000
Zn	46	31.217	8.576	21.000	42.000
Cu	46	6.746	1.261	5.000	8.600
Se	8	0.037	0.019	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	43	481.419	138.224	335.000	664.000
Aska	43	82.977	9.478	73.000	94.000
OS smbh	43	74.849	3.264	70.000	77.900
Råprot	43	164.535	23.617	138.000	199.000
sRåprot	15	392.933	48.265	334.000	430.000
NDF	43	458.953	34.275	411.000	503.000
iNDF	43	163.123	42.623	110.206	218.229
nhNDF	43	4.537	0.771	3.519	5.522
TAF	43	84.000	0.000	84.000	84.000
Socket	43	95.581	28.074	50.000	129.000
AATp20	43	85.265	5.152	78.444	91.543

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	43	31.643	17.684	13.618	53.781
NELp20	43	6.150	0.346	5.667	6.480
OE*	43	10.780	0.562	10.000	11.370
AAT*	28	74.071	3.078	69.000	77.000
PBV*	28	33.179	20.797	13.000	56.000
Ca	36	7.136	2.221	4.400	10.700
P	36	3.000	0.479	2.300	3.600
Mg	36	2.531	0.497	1.900	3.400
K	36	24.308	5.625	17.400	31.400
Na	36	1.300	1.118	0.400	2.500
Cl	15	13.307	9.540	6.100	30.800
S	36	2.508	0.455	1.900	3.100
CAB	36	288.036	267.948	67.858	529.179
Fe	35	134.286	66.269	73.000	207.000
Mn	35	67.743	24.905	37.000	108.000
Zn	35	28.771	6.278	23.000	39.000
Cu	35	7.220	1.569	5.000	9.200
Se	7	0.043	0.040	0.010	0.113

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	425.720	142.426	261.000	628.000
Aska	25	89.880	13.899	74.000	108.000
OS smbh	25	77.888	3.707	72.700	82.800
Råprot	25	187.720	20.848	165.000	213.000
sRåprot	8	380.375	59.334	315.000	480.000
NDF	25	423.200	39.316	373.000	487.000
iNDF	25	140.398	50.656	74.441	212.000
nhNDF	25	5.294	0.899	3.882	6.434
TAF	25	84.000	0.000	84.000	84.000
Socker	25	104.840	31.472	64.000	144.000
AATp20	25	88.994	5.003	82.480	95.358
PBVp20	25	47.201	15.830	25.457	70.594
NELp20	25	6.428	0.348	6.005	6.820
OE*	25	11.188	0.641	10.200	12.000
AAT*	17	76.588	3.589	70.000	81.000
PBV*	17	54.588	19.660	35.000	84.000
Ca	20	7.085	1.777	4.950	8.850
P	20	3.460	0.513	2.850	4.050
Mg	20	2.695	0.540	2.150	3.200
K	20	26.195	5.767	19.650	33.650
Na	20	1.110	0.768	0.500	2.400
Cl	8	11.488	8.818	1.500	30.100
S	20	2.955	0.477	2.500	3.500
CAB	20	324.649	236.530	66.083	529.187

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	17	271.118	312.320	85.000	606.000
Mn	17	76.294	32.918	42.000	126.000
Zn	17	48.824	82.162	23.000	39.000
Cu	17	7.706	1.583	5.700	10.400
Se	4	0.022	0.005	0.017	0.029

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	399.000	164.186	213.000	635.000
Aska	6	97.500	6.565	91.000	107.000
OS smbh	6	77.550	2.663	75.700	82.900
Råprot	6	192.333	21.172	166.000	224.000
sRåprot	6	334.000	14.519	315.000	350.000
NDF	6	414.333	53.414	344.000	494.000
iNDF	6	180.167	48.214	96.000	230.000
nhNDF	6	6.063	0.341	5.641	6.398
TAF	6	84.000	0.000	84.000	84.000
Socker	6	95.333	6.470	86.000	103.000
AATp20	6	92.888	2.735	90.023	97.119
PBVp20	6	45.070	16.460	24.992	72.021
NELp20	6	6.387	0.209	6.264	6.810
OE*	6	11.040	0.383	10.800	11.810
Ca	6	7.633	2.207	4.500	10.600
P	6	3.833	0.585	2.900	4.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	6	2.717	0.431	2.000	3.100
K	6	30.033	3.312	26.400	35.900
Na	6	1.267	0.408	0.600	1.800
Cl	6	12.583	4.911	6.500	18.700
S	6	3.183	0.407	2.600	3.600
CAB	6	269.770	126.664	58.646	431.761
Fe	5	223.800	43.275	197.000	300.000
Mn	5	89.400	27.318	61.000	130.000
Zn	5	28.200	1.304	26.000	29.000
Cu	5	8.400	1.517	6.000	10.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	31	424.452	138.977	267.000	657.000
Aska	31	68.839	12.456	57.000	82.000
OS smbh	31	73.861	3.085	69.900	78.300
Råprot	31	139.774	21.995	114.000	167.000
sRåprot	31	537.000	119.550	383.000	651.000
NH3-N	31	76.516	26.109	38.000	109.000
NDF	31	463.323	45.973	414.000	491.000
iNDF	31	176.114	39.880	129.845	211.621
nhNDF	31	4.142	0.676	3.509	4.933
TAF	31	57.258	28.260	22.400	94.100
Mjölksyra	31	44.355	23.829	15.000	75.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	31	10.710	5.100	5.000	18.000
Socker	31	71.323	39.071	17.000	128.000
BUF	31	1.194	1.273	0.100	2.600
AATp20	31	83.951	4.748	79.191	88.454
PBVp20	31	10.665	19.359	-14.875	36.846
NELp20	31	6.015	0.321	5.623	6.422
OE*	31	10.777	0.498	10.100	11.400
AAT*	31	71.097	1.446	69.000	73.000
PBV*	31	17.677	21.380	-9.000	45.000
Ca	29	5.666	1.412	4.000	7.800
P	29	2.741	0.390	2.200	3.100
Mg	29	2.334	0.506	1.600	2.900
K	29	19.866	3.087	16.100	23.900
Na	29	1.266	1.045	0.300	2.700
Cl	31	6.835	3.332	3.500	10.800
S	29	2.097	0.489	1.400	2.800
CAB	29	236.817	89.032	115.164	339.407
Fe	29	164.379	158.976	77.000	225.000
Mn	29	95.172	32.597	59.000	157.000
Zn	29	32.345	6.247	24.000	41.000
Cu	29	6.797	2.202	4.800	8.500
Se	1	0.008	.	0.008	0.008

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	414	389.058	114.658	268.000	541.000
Aska	414	66.193	10.149	53.000	78.000
OS smbh	414	75.840	3.598	70.700	79.900
Råprot	414	141.309	23.429	112.000	171.000
sRåprot	414	646.911	75.251	551.000	728.000
NH3-N	413	86.029	30.090	49.000	123.000
NDF	414	453.870	53.899	386.000	521.000
iNDF	414	153.696	32.820	120.055	196.025
nhNDF	414	4.529	0.524	3.864	5.156
Stä	1	110.000	.	110.000	110.000
TAF	414	71.546	31.905	28.900	113.900
Mjölksyra	414	53.157	26.875	18.000	90.000
Ättiksyra	414	15.150	7.145	7.000	23.000
Socker	414	68.790	40.234	22.000	130.000
PRF	93	3.720	2.491	1.000	6.000
BUF	414	1.628	2.276	0.000	4.100
AATp20	414	82.636	4.042	77.979	87.205
PBVp20	414	14.092	21.055	-12.843	40.188
NELp20	414	6.234	0.353	5.767	6.621
OE*	414	11.138	0.586	10.310	11.800
AAT*	321	72.193	1.673	70.000	74.000
PBV*	321	13.586	20.415	-11.000	40.000
Ca	390	4.884	1.250	3.600	6.250
P	390	2.632	0.380	2.100	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	390	1.767	0.403	1.400	2.100
K	390	21.634	3.665	16.700	26.300
Na	390	1.077	0.751	0.300	2.100
Cl	414	5.420	2.882	2.500	8.900
S	390	1.940	0.411	1.500	2.500
CAB	390	325.530	105.838	200.676	445.381
Fe	363	180.063	150.841	72.000	337.000
Mn	363	68.124	20.366	45.000	93.000
Zn	363	37.253	58.536	23.000	40.000
Cu	363	5.530	1.320	4.100	7.000
Se	62	0.031	0.032	0.007	0.052

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	302	475.927	143.666	302.000	676.000
Aska	302	72.944	11.612	60.000	86.000
OS smbh	302	73.542	3.206	69.600	77.400
Råprot	302	150.490	23.935	123.000	180.000
sRåprot	302	527.815	94.916	394.000	638.000
NH3-N	301	68.631	27.383	35.000	102.000
NDF	302	465.334	39.998	415.000	511.000
iNDF	302	179.938	37.331	138.000	222.292
nhNDF	302	4.186	0.532	3.463	4.820
Stä	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	302	52.089	26.987	19.500	87.100
Mjölksyra	302	37.983	22.010	11.000	67.000
Ättiksyra	301	11.791	6.299	5.000	20.000
Socker	302	71.238	36.063	25.000	120.000
PRF	75	2.253	1.987	0.000	4.000
BUF	301	0.983	1.588	0.000	2.100
AATp20	302	84.621	4.873	79.195	91.041
PBVp20	302	19.689	20.657	-6.569	45.407
NELp20	302	6.008	0.336	5.571	6.400
OE*	302	10.675	0.525	10.000	11.300
AAT*	226	70.650	1.591	69.000	72.000
PBV*	226	26.593	22.550	0.000	55.000
Ca	290	6.232	1.577	4.400	8.200
P	290	2.828	0.413	2.300	3.400
Mg	290	2.410	0.463	1.900	3.000
K	290	21.453	4.354	15.400	26.950
Na	290	1.305	0.824	0.350	2.500
Cl	302	7.602	4.009	3.600	12.300
S	290	2.342	0.464	1.800	2.800
CAB	290	245.068	127.649	106.795	396.674
Fe	267	170.195	138.050	76.000	308.000
Mn	267	85.202	28.374	48.000	124.000
Zn	267	41.506	78.054	24.000	43.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	267	6.846	1.494	5.100	8.600
Se	37	0.027	0.018	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	155	456.781	137.514	299.000	658.000
Aska	155	79.245	15.512	67.000	92.000
OS smbh	155	73.648	2.873	70.000	76.800
Råprot	155	155.794	20.442	132.000	180.000
sRåprot	155	513.510	90.367	404.000	608.000
NH3-N	155	71.761	32.912	34.000	114.000
NDF	155	445.471	35.493	403.000	489.000
iNDF	155	186.404	38.486	143.367	236.876
nhNDF	155	4.059	0.637	3.235	4.693
TAF	155	55.723	28.958	15.500	92.200
Mjölksyra	155	40.523	23.546	9.000	70.000
Ättiksyra	154	12.377	6.579	5.000	20.000
Socker	155	66.277	33.490	25.000	117.000
PRF	39	2.128	2.375	0.000	5.000
BUF	154	1.507	3.339	0.000	2.800
AATp20	155	84.392	5.388	77.808	91.058
PBVp20	155	24.975	19.346	2.393	48.285
NELp20	155	5.988	0.312	5.571	6.328
OE*	155	10.627	0.508	9.900	11.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	115	70.426	1.601	68.000	72.000
PBV*	115	32.462	19.267	11.000	56.000
Ca	146	7.292	1.993	5.300	10.100
P	146	2.953	0.434	2.400	3.500
Mg	146	2.658	0.482	2.200	3.200
K	146	22.111	4.280	16.600	27.000
Na	146	1.316	0.835	0.500	2.400
Cl	155	8.104	4.830	3.300	12.800
S	146	2.483	0.493	1.800	3.100
CAB	146	236.442	138.609	82.949	396.563
Fe	133	229.526	225.963	79.000	449.000
Mn	133	91.805	34.544	55.000	133.000
Zn	133	47.917	103.953	23.000	40.000
Cu	133	7.580	1.419	6.000	9.600
Se	16	0.035	0.020	0.010	0.063

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	49	349.673	93.316	255.000	475.000
Aska	49	86.286	17.169	72.000	101.000
OS smbh	49	74.655	3.326	70.700	78.100
Råprot	49	169.571	25.825	144.000	200.000
sRåprot	49	551.755	76.652	431.000	651.000
NH3-N	49	75.551	24.711	45.000	114.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	49	409.429	41.563	352.000	464.000
iNDF	49	188.363	43.754	130.000	258.274
nhNDF	49	4.005	0.674	2.870	4.822
TAF	49	75.659	29.431	30.400	110.100
Mjölksyra	49	59.163	25.157	20.000	91.000
Ättiksyra	49	14.449	5.628	7.000	21.000
Socker	49	56.510	30.959	22.000	102.000
PRF	17	1.000	1.369	0.000	3.000
BUF	49	1.047	1.492	0.000	3.100
AATp20	49	82.721	4.836	76.422	88.330
PBVp20	49	40.452	22.832	14.735	68.502
NELp20	49	6.102	0.336	5.710	6.516
OE*	49	10.712	0.553	9.900	11.400
AAT*	32	70.531	1.900	68.000	72.000
PBV*	32	42.438	24.397	22.000	71.000
Ca	45	7.507	1.760	5.700	10.100
P	45	3.147	0.527	2.500	3.800
Mg	45	2.756	0.440	2.200	3.300
K	45	21.702	4.622	18.000	26.200
Na	45	1.651	0.886	0.600	2.800
Cl	49	9.390	4.985	3.600	16.900
S	45	2.691	0.556	2.000	3.300
CAB	45	196.790	129.368	-27.731	344.375
Fe	38	351.658	286.031	141.000	800.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	38	105.184	45.174	50.000	182.000
Zn	38	32.895	9.825	24.000	41.000
Cu	38	8.221	2.636	6.100	10.000
Se	2	0.167	0.179	0.040	0.293

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	318.600	84.174	230.000	443.000
Aska	5	90.200	8.585	83.000	100.000
OS smbh	5	77.220	2.999	73.100	80.200
Råprot	5	185.400	7.829	173.000	193.000
sRåprot	5	566.800	27.716	523.000	597.000
NH3-N	5	78.000	27.092	55.000	120.000
NDF	5	387.600	56.177	307.000	431.000
iNDF	5	152.757	25.912	124.809	187.332
nhNDF	5	4.283	0.394	3.808	4.698
TAF	5	91.660	13.297	68.100	100.100
Mjölksyra	5	76.200	12.174	57.000	86.000
Ättiksyra	5	14.000	3.536	10.000	19.000
Socker	5	53.000	24.321	17.000	79.000
PRF	1	0.000	.	0.000	0.000
BUF	5	0.660	1.309	0.000	3.000
AATp20	5	83.863	3.737	78.345	87.382
PBVp20	5	53.217	4.597	46.346	57.212

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	6.390	0.243	6.001	6.651
OE*	5	11.086	0.541	10.300	11.700
AAT*	4	71.500	1.732	69.000	73.000
PBV*	4	61.000	6.272	53.000	66.000
Ca	4	7.400	1.374	5.900	9.000
P	4	3.450	0.289	3.100	3.800
Mg	4	2.750	0.351	2.400	3.100
K	4	22.425	2.247	20.700	25.700
Na	4	1.925	1.360	0.700	3.800
Cl	5	9.780	2.389	7.100	13.300
S	4	2.900	0.594	2.100	3.400
CAB	4	204.848	74.432	99.968	268.794
Fe	3	291.667	188.219	182.000	509.000
Mn	3	89.667	30.172	55.000	110.000
Zn	3	28.667	2.517	26.000	31.000
Cu	3	7.667	1.762	5.800	9.300

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	152.000	.	152.000	152.000
sRåprot	1	558.000	.	558.000	558.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	82.000	.	82.000	82.000
NDF	1	456.000	.	456.000	456.000
iNDF	1	175.226	.	175.226	175.226
nhNDF	1	4.084	.	4.084	4.084
TAF	1	57.100	.	57.100	57.100
Mjölksyra	1	46.000	.	46.000	46.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	63.000	.	63.000	63.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.003	.	85.003	85.003
PBVp20	1	20.534	.	20.534	20.534
NELp20	1	6.104	.	6.104	6.104
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	6.300	.	6.300	6.300
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	18.100	.	18.100	18.100
Na	1	1.700	.	1.700	1.700
Cl	1	6.200	.	6.200	6.200
S	1	2.200	.	2.200	2.200
CAB	1	224.681	.	224.681	224.681
Fe	1	107.000	.	107.000	107.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	61.000	.	61.000	61.000
Zn	1	34.000	.	34.000	34.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	38	408.526	114.908	265.000	582.000
Aska	38	56.816	13.244	41.000	72.000
OS smbh	38	68.358	3.229	64.100	71.800
Råprot	38	116.026	26.427	79.000	151.000
sRåprot	38	626.658	102.376	471.000	759.000
NH3-N	38	85.895	37.063	44.000	131.000
NDF	38	466.789	42.799	416.000	523.000
iNDF	38	254.538	47.137	192.303	316.000
nhNDF	38	3.104	0.793	2.167	4.132
Stä	38	98.368	75.952	18.000	199.000
TAF	38	61.589	32.276	24.700	105.700
Mjölksyra	38	44.816	27.573	15.000	87.000
Ättiksyra	37	14.081	6.121	6.000	22.000
Socker	38	59.053	37.620	21.000	125.000
PRF	16	3.375	2.391	0.000	7.000
BUF	16	0.625	1.025	0.000	1.000
AATp20	38	70.849	4.604	65.055	76.249
PBVp20	38	-0.416	22.910	-31.261	35.717

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	38	5.561	0.315	5.106	5.951
OE*	19	10.083	0.407	9.460	10.630
AAT*	2	64.000	0.000	64.000	64.000
PBV*	2	-35.000	5.657	-39.000	-31.000
Ca	38	4.597	1.817	2.400	7.200
P	38	2.547	0.400	2.100	3.100
Mg	38	1.805	0.680	1.000	2.600
K	38	15.905	4.481	9.900	22.800
Na	38	1.182	0.797	0.500	2.400
Cl	38	6.526	7.593	1.500	11.600
S	38	1.942	0.594	1.200	2.800
CAB	38	152.936	190.422	26.299	306.465
Fe	33	170.455	122.915	71.000	346.000
Mn	33	64.121	45.921	24.000	140.000
Zn	33	37.848	15.444	25.000	57.000
Cu	33	5.700	1.416	4.000	7.500
Se	8	0.026	0.020	0.007	0.050

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	354.375	94.5197	233.000	483.000
Aska	8	65.125	8.1317	53.000	75.000
OS smbh	8	64.063	2.8228	58.400	66.900
Råprot	8	118.375	13.0815	101.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	8	627.000	91.6125	508.000	749.000
NH3-N	8	98.625	35.8845	53.000	150.000
NDF	8	474.750	24.1764	438.000	511.000
iNDF	8	288.787	34.2641	245.620	344.566
nhNDF	8	2.423	0.4381	1.809	3.050
Stä	8	74.375	60.7899	18.000	183.000
TAF	8	72.125	23.5884	46.000	107.000
Mjölksyra	8	51.875	20.5665	24.000	83.000
Ättiksyra	8	18.250	8.0490	10.000	35.000
Socker	8	25.500	16.7417	11.000	62.000
AATp20	8	66.603	4.2885	61.010	73.544
PBVp20	8	13.594	10.9685	-5.547	27.098
NELp20	8	5.309	0.2275	4.797	5.460
OE*	2	9.300	0.1414	9.200	9.400
AAT*	2	57.000	1.4142	56.000	58.000
PBV*	2	13.000	4.2426	10.000	16.000
Ca	8	6.038	2.0486	3.900	9.600
P	8	2.813	0.4051	2.100	3.200
Mg	8	1.975	0.3919	1.400	2.400
K	8	19.388	4.0023	14.200	27.300
Na	8	1.125	0.7741	0.100	2.700
Cl	8	5.525	3.1029	1.700	11.400
S	8	1.775	0.3059	1.400	2.100
CAB	8	278.186	93.6698	121.722	408.325

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	126.625	28.1269	84.000	159.000
Mn	8	83.500	21.7190	48.000	119.000
Zn	8	48.875	36.6974	22.000	137.000
Cu	8	6.000	1.0337	4.400	7.300

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	333.750	33.580	291.000	377.000
Aska	8	61.000	8.036	53.000	77.000
OS smbh	8	67.425	2.852	62.900	71.000
Råprot	8	113.875	11.218	97.000	127.000
sRåprot	8	615.000	108.525	430.000	753.000
NH3-N	8	75.000	13.680	48.000	97.000
NDF	8	477.000	38.008	405.000	509.000
iNDF	8	334.546	87.981	243.000	460.456
nhNDF	8	5.181	2.425	2.904	8.316
Stä	8	80.625	38.604	24.000	153.000
TAF	8	80.188	21.312	42.500	105.000
Mjölksyra	8	58.750	16.456	30.000	77.000
Ättiksyra	8	18.500	5.782	8.000	25.000
Socker	8	43.250	11.132	34.000	67.000
PRF	5	3.600	1.817	1.000	6.000
BUF	5	0.800	1.095	0.000	2.000
AATp20	8	69.586	2.856	66.384	75.245

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	8	4.224	10.121	-6.161	19.044
NELp20	8	5.647	0.318	5.147	6.014
OE*	5	10.084	0.312	9.630	10.380
Ca	8	4.562	0.891	3.400	6.100
P	8	2.900	0.496	2.300	3.800
Mg	8	1.725	0.320	1.100	2.100
K	8	19.988	4.929	13.800	29.600
Na	8	1.125	0.856	0.200	2.400
Cl	8	5.538	3.389	0.600	10.400
S	8	1.800	0.321	1.400	2.200
CAB	8	291.616	115.174	125.981	430.788
Fe	7	150.286	61.624	104.000	277.000
Mn	7	100.143	49.878	37.000	188.000
Zn	7	43.429	10.114	34.000	63.000
Cu	7	5.186	0.821	4.000	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	404.000	120.644	215.000	601.000
Aska	8	62.500	15.937	46.000	90.000
OS smbh	8	66.738	1.524	64.700	69.200
Råprot	8	127.125	19.090	87.000	154.000
sRåprot	8	633.375	82.801	522.000	762.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	8	89.250	28.709	57.000	148.000
NDF	8	490.875	36.302	421.000	539.000
iNDF	8	261.644	19.125	232.373	281.182
nhNDF	8	3.119	0.633	2.452	4.035
Stä	8	62.625	42.912	21.000	133.000
TAF	8	65.250	27.505	32.000	103.000
Mjölksyra	8	45.875	19.467	19.000	77.000
Ättiksyra	8	17.250	8.242	9.000	35.000
Socker	8	51.125	24.567	24.000	96.000
PRF	2	6.000	2.828	4.000	8.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	8	73.424	3.643	69.509	80.342
PBVp20	8	7.072	19.251	-27.999	34.728
NELp20	8	5.499	0.227	5.226	5.839
OE*	2	9.910	0.438	9.600	10.220
Ca	8	4.375	1.355	2.700	6.600
P	8	2.538	0.338	2.100	3.100
Mg	8	1.725	0.440	1.100	2.600
K	8	17.213	6.202	12.200	29.700
Na	8	2.538	2.215	0.900	7.300
Cl	7	6.914	5.502	3.300	15.900
S	8	2.275	0.539	1.500	3.100
CAB	8	210.363	101.883	34.088	354.374
Fe	7	248.429	243.881	125.000	800.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	7	136.286	73.848	56.000	268.000
Zn	7	41.143	24.532	22.000	95.000
Cu	7	5.514	0.928	3.700	6.400
Se	1	0.022	.	0.022	0.022

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	498.333	58.003	440.000	556.00
Aska	3	70.000	11.000	59.000	81.00
OS smbh	3	67.233	1.358	65.800	68.50
Råprot	3	142.667	12.220	132.000	156.00
sRåprot	3	641.000	84.859	545.000	706.00
NH3-N	3	76.000	29.597	56.000	110.00
NDF	3	470.667	43.662	421.000	503.00
iNDF	3	254.211	44.154	221.213	304.37
nhNDF	3	2.891	0.681	2.118	3.40
Stä	3	67.333	85.448	18.000	166.00
TAF	3	55.000	16.823	36.000	68.00
Mjölksyra	3	40.000	10.440	28.000	47.00
Ättiksyra	3	15.000	6.557	8.000	21.00
Socker	3	31.000	9.849	23.000	42.00
AATp20	3	69.462	2.492	66.782	71.71
PBVp20	3	29.632	15.273	16.116	46.20
NELp20	3	5.489	0.159	5.325	5.64

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	3	6.033	1.193	5.200	7.40
P	3	3.133	0.351	2.800	3.50
Mg	3	1.700	0.173	1.600	1.90
K	3	21.067	7.366	12.600	26.00
Na	3	0.267	0.058	0.200	0.30
Cl	3	3.967	1.750	2.200	5.70
S	3	1.700	0.600	1.100	2.30
CAB	3	332.397	112.986	204.572	418.93
Fe	3	183.000	61.098	120.000	242.00
Mn	3	56.333	9.074	48.000	66.00
Zn	3	698.333	666.000	32.000	1364.00
Cu	3	6.167	1.002	5.200	7.20
Se	1	0.022	.	0.022	0.02

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	443.100	95.224	319.500	576.000
Aska	10	43.500	10.288	33.500	58.500
OS smbh	10	65.690	4.088	59.850	70.950
Råprot	10	85.500	24.034	61.000	122.000
sRåprot	10	672.600	133.927	452.500	759.000
NH3-N	10	82.200	24.814	41.500	105.500
NDF	10	502.900	45.393	445.500	562.500
iNDF	10	268.709	28.586	223.560	301.708

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	10	2.923	0.698	2.201	4.028
Stä	10	75.400	54.019	22.000	164.000
TAF	10	57.200	22.550	30.000	91.500
Mjölksyra	10	37.800	16.831	14.500	61.000
Ättiksyra	10	16.300	5.964	8.500	25.000
Socker	10	89.300	37.390	48.500	144.000
PRF	2	4.500	2.121	3.000	6.000
BUF	2	1.000	1.414	0.000	2.000
AATp20	10	69.027	3.031	64.299	72.506
PBVp20	10	-23.325	20.341	-46.367	5.627
NELp20	10	5.326	0.397	4.702	5.772
OE*	4	9.918	0.246	9.600	10.200
AAT*	2	62.500	2.121	61.000	64.000
PBV*	2	-25.500	41.719	-55.000	4.000
Ca	9	3.222	0.932	2.000	4.700
P	9	2.156	0.416	1.300	2.500
Mg	9	1.411	0.359	0.900	2.100
K	9	14.333	4.872	8.800	22.400
Na	9	0.356	0.347	0.100	1.000
Cl	10	2.240	1.062	0.750	3.600
S	9	1.444	0.428	1.000	2.200
CAB	9	223.218	117.644	72.224	422.864
Fe	9	166.222	195.153	69.000	680.000
Mn	9	65.778	25.420	30.000	114.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	9	27.333	6.690	18.000	36.000
Cu	9	3.922	1.313	2.500	6.700
Se	2	0.027	0.027	0.008	0.046

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	393.600	43.9238	345.000	460.000
Aska	5	49.800	9.8843	37.000	62.000
OS smbh	5	67.640	1.9437	64.600	69.900
Råprot	5	97.600	24.6333	73.000	139.000
sRåprot	5	680.800	99.6529	581.000	834.000
NH3-N	5	107.200	12.2760	90.000	119.000
NDF	5	419.000	19.5192	398.000	446.000
iNDF	5	293.308	28.4570	262.100	333.000
nhNDF	5	2.399	0.2146	2.069	2.584
Stä	5	179.000	45.3927	110.000	220.000
TAF	5	67.800	18.7803	45.000	89.000
Mjölksyra	5	48.400	14.3805	33.000	67.000
Ättiksyra	5	18.200	3.9623	12.000	22.000
Socker	5	37.600	14.8762	22.000	61.000
PRF	1	3.000	.	3.000	3.000
BUF	1	3.000	.	3.000	3.000
AATp20	5	70.594	2.8815	67.653	75.340
PBVp20	5	-11.938	23.1827	-32.354	26.607

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	5.582	0.1251	5.403	5.719
OE*	1	10.040	.	10.040	10.040
Ca	4	4.625	1.1087	3.600	6.200
P	4	2.425	0.1500	2.300	2.600
Mg	4	1.550	0.2517	1.200	1.800
K	4	12.850	3.9239	8.200	16.200
Na	4	0.550	0.2082	0.300	0.800
Cl	5	3.100	0.9165	2.000	3.800
S	4	1.450	0.3697	1.200	2.000
CAB	4	179.538	61.3602	92.584	233.958
Fe	4	88.500	33.5510	52.000	132.000
Mn	4	44.500	21.9469	25.000	76.000
Zn	4	25.250	4.3493	21.000	29.000
Cu	4	4.825	0.2630	4.600	5.100

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	67	314.493	44.7767	252.000	365.000
Aska	67	34.672	15.2915	24.000	41.000
OS smbh	67	74.421	2.7976	69.700	77.500
Råprot	67	80.746	14.3298	71.000	90.000
sRåprot	67	503.806	74.4835	409.000	610.000
NH3-N	64	49.516	23.6797	25.000	86.000
NDF	67	411.612	51.4902	355.000	468.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	67	198.926	29.3072	167.981	238.000
nhNDF	67	3.415	0.5453	2.759	4.123
Stä	67	237.194	66.3108	152.000	326.000
TAF	67	64.015	16.8420	46.000	85.000
Mjölksyra	67	43.985	13.8230	23.000	60.000
Ättiksyra	67	16.597	6.9698	9.000	27.000
Socker	67	21.597	26.9320	5.000	53.000
PRF	32	3.906	1.7107	2.000	5.000
BUF	32	0.000	0.0000	0.000	0.000
AATp20	67	81.920	3.7062	77.646	86.389
PBVp20	67	-48.691	12.2397	-60.208	-38.252
NELp20	67	6.254	0.2460	5.866	6.557
OE*	36	11.128	0.4446	10.580	11.670
AAT*	4	78.750	0.9574	78.000	80.000
PBV*	4	-67.000	9.0921	-79.000	-57.000
Ca	63	1.919	0.8479	1.300	2.500
P	63	1.752	0.2983	1.300	2.100
Mg	63	1.246	0.3491	1.000	1.400
K	63	9.576	1.4085	7.900	11.400
Na	62	0.385	0.3051	0.100	0.700
Cl	56	2.168	1.2305	1.200	3.000
S	63	0.932	0.2687	0.700	1.100
CAB	63	145.012	45.5329	97.372	186.868
Fe	54	102.037	80.8376	55.000	146.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	54	44.167	29.2696	18.000	78.000
Zn	54	28.778	7.7476	19.000	40.000
Cu	54	4.159	0.9162	3.000	5.000
Se	6	0.032	0.0307	0.005	0.076

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	421.000	.	421.000	421.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	80.000	.	80.000	80.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	486.000	.	486.000	486.000
iNDF	1	178.877	.	178.877	178.877
nhNDF	1	4.094	.	4.094	4.094
Stä	1	17.000	.	17.000	17.000
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	15.000	.	15.000	15.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	191.000	.	191.000	191.000
AATp20	1	78.484	.	78.484	78.484
PBVp20	1	-43.378	.	-43.378	-43.378
NELp20	1	5.680	.	5.680	5.680

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	2.500	.	2.500	2.500
P	1	2.000	.	2.000	2.000
Mg	1	1.000	.	1.000	1.000
K	1	23.900	.	23.900	23.900
Na	1	0.600	.	0.600	0.600
Cl	1	4.800	.	4.800	4.800
S	1	1.300	.	1.300	1.300
CAB	1	420.879	.	420.879	420.879
Fe	1	139.000	.	139.000	139.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	885.000	.	885.000	885.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	58.100	.	58.100	58.100
Råprot	1	36.000	.	36.000	36.000
NDF	1	606.000	.	606.000	606.000
iNDF	1	287.853	.	287.853	287.853
nhNDF	1	2.488	.	2.488	2.488
TAF	1	0.000	.	0.000	0.000
Socket	1	128.000	.	128.000	128.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	72.077	.	72.077	72.077
PBVp20	1	-66.296	.	-66.296	-66.296
NELp20	1	4.289	.	4.289	4.289
OE*	1	8.400	.	8.400	8.400
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-67.000	.	-67.000	-67.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	836.889	40.014	766.000	880.000
Aska	9	49.556	8.777	39.000	68.000
OS smbh	9	66.044	3.800	61.200	73.100
Råprot	9	88.333	26.377	62.000	134.000
sRåprot	2	425.500	14.849	415.000	436.000
NDF	9	586.778	57.545	486.000	664.000
iNDF	9	218.724	26.026	177.000	267.152
nhNDF	9	3.585	0.436	2.764	4.099
TAF	9	0.000	0.000	0.000	0.000
Socker	9	117.778	21.655	77.000	145.000
AATp20	9	85.854	7.310	77.919	99.321
PBVp20	9	-40.363	13.295	-53.702	-19.968
NELp20	9	5.177	0.404	4.629	5.932
OE*	9	9.663	0.586	8.900	10.800
AAT*	7	67.429	2.070	64.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	7	-38.429	11.660	-49.000	-15.000
Ca	6	3.833	1.131	2.400	5.300
P	6	2.400	0.657	1.600	3.400
Mg	6	1.667	0.520	1.000	2.400
K	6	15.217	5.189	8.300	22.000
Na	6	0.983	0.556	0.400	1.700
Cl	2	2.150	1.626	1.000	3.300
S	6	1.617	0.325	1.300	2.100
CAB	6	216.801	169.516	27.953	443.362
Fe	4	118.750	108.121	49.000	280.000
Mn	4	54.500	18.628	41.000	82.000
Zn	4	27.000	2.160	24.000	29.000
Cu	4	3.750	0.592	3.300	4.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	855.000	40.8534	828.000	902.000
Aska	3	82.000	32.9242	62.000	120.000
OS smbh	3	70.833	1.6503	69.000	72.200
Råprot	3	131.000	55.5068	96.000	195.000
sRåprot	2	298.000	87.6812	236.000	360.000
NDF	3	470.333	87.0077	370.000	525.000
iNDF	3	241.809	77.1235	187.000	330.000
nhNDF	3	4.260	0.7819	3.647	5.140

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	125.333	33.8428	88.000	154.000
AATp20	3	97.464	12.0614	86.804	110.556
PBVp20	3	-19.918	33.2754	-42.958	18.232
NELp20	3	5.478	0.1517	5.304	5.579
OE*	3	10.120	0.2707	9.930	10.430
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	2	7.400	6.5054	2.800	12.000
P	2	2.750	0.0707	2.700	2.800
Mg	2	2.550	1.3435	1.600	3.500
K	2	23.300	2.6870	21.400	25.200
Na	2	0.900	0.2828	0.700	1.100
Cl	1	9.300	.	9.300	9.300
S	2	2.150	0.6364	1.700	2.600
CAB	2	299.255	44.4054	267.856	330.654

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	380.500	12.8712	369.000	398.000
Aska	4	70.500	6.5574	62.000	77.000
OS smbh	4	75.825	2.2515	73.200	78.200
Råprot	4	145.750	15.0194	132.000	164.000
sRåprot	4	643.500	14.7309	625.000	661.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	68.750	8.9209	58.000	79.000
NDF	4	451.500	28.2194	419.000	478.000
iNDF	4	144.250	46.6503	102.000	205.000
nhNDF	4	4.267	0.4250	3.666	4.667
TAF	4	86.250	43.9877	32.000	124.000
Mjölksyra	4	64.000	37.1124	21.000	95.000
Ättiksyra	4	19.250	6.1847	10.000	23.000
Socker	4	58.750	19.6532	46.000	88.000
PRF	4	2.500	2.6458	0.000	6.000
BUF	4	0.500	0.5774	0.000	1.000
AATp20	4	79.289	1.9776	77.213	81.945
PBVp20	4	27.234	14.8830	13.157	45.030
NELp20	4	6.373	0.3068	6.021	6.672
OE*	4	11.083	0.3376	10.750	11.430
Ca	4	4.950	1.3820	4.000	7.000
P	4	2.525	0.2986	2.200	2.900
Mg	4	1.750	0.3697	1.300	2.100
K	4	25.250	2.6764	21.700	27.600
Na	4	0.600	0.1826	0.400	0.800
Cl	4	4.725	2.4309	2.900	8.100
S	4	1.950	0.3000	1.700	2.300
CAB	4	416.893	93.7474	307.992	521.519
Fe	4	226.500	75.4387	171.000	336.000
Mn	4	51.750	10.6888	41.000	66.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	26.250	6.3443	20.000	35.000
Cu	4	6.500	1.2910	5.000	8.000
Se	4	0.063	0.0250	0.050	0.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	448.000	106.066	373.000	523.000
Aska	2	75.000	0.000	75.000	75.000
OS smbh	2	75.200	2.121	73.700	76.700
Råprot	2	153.000	11.314	145.000	161.000
sRåprot	2	568.500	55.861	529.000	608.000
NH3-N	2	62.500	36.062	37.000	88.000
NDF	2	438.000	15.556	427.000	449.000
iNDF	2	169.500	67.175	122.000	217.000
nhNDF	2	4.221	0.074	4.169	4.273
TAF	2	99.000	19.799	85.000	113.000
Mjölksyra	2	73.500	21.920	58.000	89.000
Ättiksyra	2	21.000	1.414	20.000	22.000
Socker	2	51.000	1.414	50.000	52.000
PRF	2	4.000	0.000	4.000	4.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	78.743	1.107	77.960	79.526
PBVp20	2	35.022	13.098	25.760	44.284
NELp20	2	6.339	0.263	6.153	6.525

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	10.930	0.354	10.680	11.180
Ca	2	6.000	0.566	5.600	6.400
P	2	2.500	0.283	2.300	2.700
Mg	2	1.900	0.000	1.900	1.900
K	2	19.850	3.889	17.100	22.600
Na	2	1.050	0.354	0.800	1.300
Cl	2	5.800	0.283	5.600	6.000
S	2	2.150	0.212	2.000	2.300
CAB	2	255.570	89.384	192.365	318.774
Fe	2	128.000	53.740	90.000	166.000
Mn	2	51.000	7.071	46.000	56.000
Zn	2	22.500	2.121	21.000	24.000
Cu	2	7.000	0.000	7.000	7.000
Se	2	0.140	0.127	0.050	0.230

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	287.500	65.761	241.000	334.000
Aska	2	87.500	4.950	84.000	91.000
OS smbh	2	69.600	1.980	68.200	71.000
Råprot	2	159.500	19.092	146.000	173.000
sRåprot	2	543.500	74.246	491.000	596.000
NH3-N	2	93.000	55.154	54.000	132.000
NDF	2	435.500	27.577	416.000	455.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	319.000	74.953	266.000	372.000
nhNDF	2	4.430	0.185	4.299	4.561
TAF	2	90.000	33.941	66.000	114.000
Mjölksyra	2	52.500	10.607	45.000	60.000
Ättiksyra	2	31.500	14.849	21.000	42.000
Socker	2	26.000	7.071	21.000	31.000
PRF	2	4.000	5.657	0.000	8.000
BUF	2	2.000	2.828	0.000	4.000
AATp20	2	74.229	1.043	73.492	74.966
PBVp20	2	48.962	19.896	34.894	63.031
NELp20	2	5.738	0.376	5.472	6.004
OE*	2	9.875	0.375	9.610	10.140
Ca	2	10.700	3.960	7.900	13.500
P	2	2.800	0.424	2.500	3.100
Mg	2	2.450	0.636	2.000	2.900
K	2	20.450	2.899	18.400	22.500
Na	2	1.000	0.141	0.900	1.100
Cl	2	6.800	3.111	4.600	9.000
S	2	2.250	0.212	2.100	2.400
CAB	2	234.322	181.195	106.198	362.446
Fe	1	148.000	.	148.000	148.000
Mn	1	43.000	.	43.000	43.000
Zn	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	431.778	66.381	348.000	538.000
Aska	9	63.111	8.880	49.000	75.000
OS smbh	9	73.833	4.105	64.800	77.600
Råprot	9	144.444	17.544	106.000	162.000
sRåprot	9	547.556	58.402	479.000	666.000
NH3-N	9	62.333	18.296	40.000	104.000
NDF	9	393.222	80.642	297.000	534.000
iNDF	9	220.111	44.823	168.000	309.000
nhNDF	9	3.487	0.678	2.376	4.491
Stä	9	120.000	60.869	22.000	192.000
TAF	9	51.222	18.952	23.000	81.000
Mjölksyra	9	34.222	13.227	20.000	59.000
Ättiksyra	9	12.556	8.618	0.000	27.000
Socker	9	58.556	23.580	22.000	92.000
PRF	9	3.556	1.667	0.000	5.000
BUF	9	0.889	1.691	0.000	5.000
AATp20	9	85.243	4.730	76.569	91.565
PBVp20	9	16.793	11.920	-5.659	32.508
NELp20	9	6.261	0.370	5.482	6.633

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	9	10.839	0.639	9.480	11.470
Ca	9	5.911	1.960	4.200	9.800
P	9	3.200	0.515	2.300	4.000
Mg	9	2.533	0.487	1.900	3.200
K	9	15.767	1.837	13.600	19.900
Na	9	3.056	2.252	1.100	8.400
Cl	9	7.711	6.672	2.400	21.700
S	9	2.311	0.333	1.600	2.900
CAB	9	174.431	140.312	-50.369	377.759
Fe	7	313.857	206.367	167.000	759.000
Mn	7	73.286	30.826	37.000	116.000
Zn	7	55.857	27.991	27.000	102.000
Cu	7	10.857	4.140	5.000	18.000
Se	1	0.500	.	0.500	0.500

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	454.167	73.0080	369.000	541.000
Aska	6	64.167	3.8166	61.000	71.000
OS smbh	6	73.100	4.2308	67.200	77.200
Råprot	6	149.500	28.6269	110.000	183.000
sRåprot	6	517.500	89.0118	416.000	630.000
NH3-N	6	60.333	21.4072	18.000	75.000
NDF	6	411.833	63.8824	305.000	475.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	6	207.689	31.1675	167.977	252.592
nhNDF	6	3.376	0.4513	2.859	4.024
Stä	6	86.167	44.4721	44.000	169.000
Socker	6	50.000	8.5790	36.000	59.000
NELp20	6	0.000	0.0000	0.000	0.000
Ca	6	5.517	0.9326	4.100	6.700
P	6	3.117	0.8134	1.900	4.100
Mg	6	2.917	0.3601	2.400	3.400
K	6	14.517	2.3387	11.600	18.100
Na	6	2.900	1.2602	1.500	4.200
Cl	6	5.517	1.3790	3.800	7.100
S	6	2.617	0.2787	2.200	2.900
CAB	6	178.416	87.7293	32.641	264.274
Fe	6	362.000	55.5878	290.000	430.000
Mn	6	96.167	12.4164	84.000	117.000
Zn	6	65.833	16.2778	34.000	79.000
Cu	6	15.117	3.6706	9.200	19.000
Se	2	0.340	0.2503	0.163	0.517

*= Parametrar från det gamla svenska fodervärderingssystemet