

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Korn, kärna (001)	1	20	871	25	55.9	114	319	6.0	170	114	3.15	580	0.000			5
Vete, kärna (005)	1	9	887	18	29.3	116	329	7.0	109	79	3.50	591	0.000			5
Rågvete (015)	1	4	902	17	22.4	101	371		102	66	3.50	614	0.000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	837	20	87.0	131		5.5	169	173	3.30	624	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	2	828	26	81.6	127		5.7	223	324	2.50	563	0.000			
Åkerböna, kärna (007)	1	1	940	39	0.0	284	712		113	25	4.70	322	0.000			5
Majs hela plantan, grönmassa (030)	1	9	315	37	75.8	75	390		389	189	3.52	291	57.000			38
Prognos, blandvall (1-50% baljv) (042)	1	4	231		73.2					170	4.32		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	5	592	53	70.4	97			560	181	4.24		61.000			125
Ensilage, gräs (0% klöver) (162)	1	12	667	73	67.5	89	456	49.3	534	217	3.62		31.500	23.8	5.7	96
Ensilage, gräs (0% klöver) (162)	2	1	674	81	74.5	128	387	43.0	526	144	4.99		35.400	27.0	6.0	74
Ensilage, gräs (0% klöver) (162)	3	1	340	76	72.0	128	537	98.0	397	229	3.04		63.200	49.0	12.0	57
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	578	83	79.8	181			451	99	6.01		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	381	74	78.7	148	472		447	119	5.44		72.082	0.0	4.0	124
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	419	84	74.1	153	361		489	159	4.68		81.300	0.0	0.0	80
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19	407	98	73.5	161	399		472	166	4.33		84.000			68
Grönmassa blandvall (1-50 % baljväxter) (164)	4	8	301	97	77.5	182	415		427	134	4.99		84.000			97
Ensilage, blandvall (1-50% klöver) (165)	0	17	530	80	71.4	127	441	64.6	475	197	3.85		46.335	30.5	8.9	83
Ensilage, blandvall (1-50% klöver) (165)	1	213	405	71	75.1	134	608	76.2	458	161	4.51	26	71.920	55.1	13.7	68
Ensilage, blandvall (1-50% klöver) (165)	2	154	416	86	73.4	148	540	81.5	452	187	4.21	67	66.019	48.3	14.2	52
Ensilage, blandvall (1-50% klöver) (165)	3	95	407	91	73.1	154	517	80.3	437	195	3.97		67.537	50.4	14.0	51
Ensilage, blandvall (1-50% klöver) (165)	4	21	375	99	75.2	167	513	70.6	407	188	4.49		76.776	58.5	15.5	52
Ensilage, blandvall (1-50% klöver) (165)	*	1	321	81	80.8	122	568	40.0	361	113	4.94		113.900	88.0	24.0	44
Korn, helsädesensilage (250)	1	11	476	57	68.6	95	630	83.1	415	267	2.48	162	54.118	38.8	12.8	57
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	424	64	67.4	95	688	75.0	480	248	2.94	94	93.500	73.0	18.5	38

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	670	68	65.7	90	506	25.0	448	284	2.42	246	32.900	21.0	10.0	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	350	67	64.7	123	627	110	494	389	5.73	68	87.750	60.5	20.5	29
Havre helsädesensilage degmognad (296)	1	5	433	65	66.4	108	548	80.0	459	305	3.10	115	51.400	38.0	9.8	37
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	314	89	69.0	139	669	109	421	250	2.83	43	97.000	79.0	18.0	26
Vete, helsäd ensilage (299)	1	2	421	65	73.6	126	713	65.0	452	184	3.92	55	74.750	55.0	16.5	76
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	356	71	68.7	125	652	128	426	261	2.71	138	74.200	54.4	18.0	34
Majs, helsädesensilage (305)	1	16	327	32	74.8	73	497	36.5	406	189	3.35	272	60.563	42.6	14.3	12
Ärter, helsädesensilage, sen skörd (315)	1	1	408	70	72.8	127	710	88.0	374	233	2.90	119	81.000	66.0	15.0	58
Hö, blandvall, 0-50% baljväxter (383)	1	9	815	56	66.2	89	514		552	225	3.37		0.000			131
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	195	89	75.9	188	336		353	236	4.22		72.000			47
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	275	115	64.5	157			532	370	7.61		72.000			11
Ensilage, blandvall (51-100% klöver) (438)	1	3	400	77	76.6	148	634	48.7	391	178	4.24		55.667	39.3	13.3	92
Ensilage, blandvall (51-100% klöver) (438)	2	2	365	88	72.3	179	454	47.0	372	303	3.81		74.500	50.0	23.0	45
Ensilage, blandvall (1-50% klöver) (326)	1	4	448	75	75.1	172	440	88.5	354	223	3.35	145	39.250	27.8	6.5	21
Fullfoder (TMR) ej kompletta data (1E3)	1	1	444	67	40.3	182	455	35.0	288	153	3.72	160				38

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	20				95.7	-30	7.34	13.2	92.5	-37
Vete, kärna (005)	1	9				113	-50	7.95	14.1	94.0	-49
Rågvete (015)	1	4				110	-61	7.88	13.7	95.0	-46
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				106	-30	7.57	13.7	93.5	-25
Blandsäd, kärna, 50%havre/50%vete (115)	1	2				102	-20	7.07	12.1	82.5	-17
Åkerböna, kärna (007)	1	1				99.9	132	7.89	13.5		
Majs hela plantan, grönmassa (030)	1	9				86.7	-62	6.33	11.0	79.0	-71
Prognos, blandvall (1-50% baljv) (042)	1	4				96.4	-4.4	5.94	12.6		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	5				80.5	-25	5.65	10.4	72.8	-28
Ensilage, gräs (0% klöver) (162)	1	12		1.08333		77.8	-28	5.24	9.7	67.8	-27
Ensilage, gräs (0% klöver) (162)	2	1		1.40000		88.6	-10	5.99	10.7	71.0	6.0
Ensilage, gräs (0% klöver) (162)	3	1		1.20000		78.6	6.1	5.61	10.4	70.0	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				90.2	38.9	6.64	11.6	78.5	45.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	2.33333	1.66667		88.8	10.5	6.43	11.5	79.3	9.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	3.00000	0.00000		84.4	22.5	6.09	10.7	74.0	19.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19				81.8	33.8	5.98	10.4	72.4	37.3
Grönmassa blandvall (1-50 % baljväxter) (164)	4	8				86.6	45.4	6.34	11.1	76.0	52.6
Ensilage, blandvall (1-50% klöver) (165)	0	17		1.47500		82.8	3.0	5.69	10.1	69.1	6.5
Ensilage, blandvall (1-50% klöver) (165)	1	213	3.34146	1.36971		82.0	8.9	6.14	11.0	71.6	7.0
Ensilage, blandvall (1-50% klöver) (165)	2	154	3.18421	1.80921		81.8	21.7	5.95	10.5	70.0	25.1
Ensilage, blandvall (1-50% klöver) (165)	3	95	2.04762	1.96842		81.6	27.2	5.90	10.4	69.6	32.4
Ensilage, blandvall (1-50% klöver) (165)	4	21	2.37500	1.20476		82.9	37.1	6.09	10.6	70.4	39.8
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.90000		82.3	-4.3	6.55	11.8	74.0	-5.0
Korn, helsädesensilage (250)	1	11	3.00000	2.00000		71.0	-19	5.50	10.0	61.7	-20
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2				66.6	-7.5	5.59	9.1	58.0	-15
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				73.0	-22	5.30			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	9.00000	4.00000		66.4	17.3	5.40	9.7	59.0	10.0
Havre helsädesensilage degmognad (296)	1	5	3.33333	2.66667		75.7	-14	5.43	9.6	61.0	-8.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				65.1	33.1	5.55			
Vete, helsäd ensilage (299)	1	2	2.00000	2.00000		72.2	5.7	6.04	10.4		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	2.00000	2.50000		70.7	12.3	5.63	10.2		
Majs, helsädesensilage (305)	1	16	4.11111	0.00000		82.6	-56	6.33	11.1	79.0	-72
Ärter, helsädesensilage, sen skörd (315)	1	1				71.5	14.8	5.88	9.3	59.0	12.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Hö, blandvall, 0-50% baljväxter (383)	1	9				84.3	-37	5.12	9.6	67.1	-28
Halm, sträsäd, ej behandlad (385)	0	0						0.00			
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				86.4	56.4	6.24	10.9		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1				73.2	48.1	5.28	8.8	64.0	46.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.66667	0.33333		81.8	25.5	6.25	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	2	1.50000	0.00000		80.1	58.2	5.96	10.3		
Ensilage, blandvall (1-50% klöver) (326)	1	4	2.75000	2.25000		91.2	33.9	6.35	10.9		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	10	0.4	3.2	1.2	5.0	0.1	2.8	1.1	12	10	56.6	16.3	32.3	5.8	
Vete, kärna (005)	1	5	0.4	3.1	1.4	4.9	0.1	1.2	1.4	10	5	48.4	27.8	31.4	5.3	0.1
Rågvete (015)	1	2	0.3	3.6	1.2	5.4	0.1	0.9	1.4	34	2	38.5	34.0	41.0	5.8	
Blandsäd, kärna, 50%korn/50%vete (114)	1	2	0.4	3.6	1.4	5.5	0.1		1.4	32	2	53.0	26.5	40.0	6.0	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.8	1.3	6.5	0.1		1.4	61	1	59.0	31.0	36.0	7.1	0.0
Majs hela plantan, grönmassa (030)	1	8	1.7	1.9	1.2	8.8	0.2	1.6	0.9	135	7	89.6	29.0	34.3	5.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	5	3.3	2.0	1.1	19.1	0.2		1.3	276	5	88.6	42.8	22.4	4.7	0.0
Ensilage, gräs (0% klöver) (162)	1	11	3.6	1.9	1.3	19.1	0.1	2.2	1.3	352	11	406.5	65.1	24.2	5.1	
Ensilage, gräs (0% klöver) (162)	2	1	3.0	2.4	2.0	26.4	0.1	0.7	1.8	547	1	94.0	69.0	29.0	7.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	6.4	3.2	1.9	32.8	0.3		2.6	554	2	138.0	51.0	31.5	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	43	5.2	2.7	1.7	25.0	0.8	4.0	2.0	418	39	165.8	54.2	29.3	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	6.5	3.0	2.2	25.5	1.0	9.0	2.4	379	24	139.0	70.7	31.3	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	16	8.3	3.0	2.6	25.3	0.6	13.0	2.6	351	15	205.3	71.7	28.9	8.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	6	7.1	3.2	2.4	23.9	1.3	4.1	2.5	379	5	720.6	85.4	28.0	8.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	14	7.2	2.5	2.0	21.2	0.4	4.5	1.9	322	14	257.9	72.7	26.6	7.2	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	1	195	5.1	2.4	1.6	23.6	0.5	3.9	1.8	401	177	204.2	58.4	30.9	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	142	7.2	2.8	2.2	26.1	0.7	6.2	2.3	372	128	222.4	68.3	29.1	8.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	86	8.2	2.9	2.4	25.3	0.7	6.4	2.5	331	81	231.3	74.1	27.0	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	20	8.0	3.3	2.5	27.3	1.1	6.2	2.8	392	17	357.6	88.8	26.9	9.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	7.0	2.7	1.6	26.0	0.9	5.3	1.4	467	1	123.0	36.0	24.0	6.2	
Korn, helsädesensilage (250)	1	11	3.7	2.6	1.6	17.5	0.8	4.1	1.6	264	11	113.6	54.2	26.7	5.1	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	4.7	2.1	1.4	18.1	1.6	3.4	1.9	310	1	161.0	46.0	33.0	6.5	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	2.4	2.1	1.3	12.2	0.5	1.0	1.2	231	1	93.0	43.0	25.0	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	4.9	3.5	2.3	17.9	2.6	2.5	1.9	381	1	167.0	52.0	36.0	7.1	
Havre helsädesensilage degmognad (296)	1	5	3.9	2.7	1.4	17.4	1.4	5.9	1.6	229	3	167.3	79.0	31.7	4.8	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	6.3	2.5	1.8	22.3	0.1	3.8	1.6	368	1	117.0	64.0	33.0	6.0	
Vete, helsäd ensilage (299)	1	2	2.8	2.5	1.6	20.3	0.3	2.3	1.7	360	2	133.5	33.0	26.5	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	6.1	2.9	1.7	18.9	0.5	6.0	1.9	214	5	244.2	35.8	33.6	7.1	
Majs, helsädesensilage (305)	1	15	1.6	1.8	1.1	9.2	0.2	1.7	0.9	143	13	108.9	29.5	25.5	5.0	0.0
Ärter, helsädesensilage, sen skörd (315)	1	1	8.4	2.4	1.9	14.1	0.1	2.5	1.3	213	1	855.0	26.0	30.0	6.9	
Hö, blandvall, 0-50% baljväxter (383)	1	8	3.4	1.9	1.1	16.9	0.2	1.7	1.4	227	6	74.7	52.0	20.3	4.8	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	11.7	3.2	2.8	24.1	1.5	0.2	2.6	513	0					
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	9.9	3.8	2.9	28.1	0.6		2.1	484	1	204.0	81.0	27.0	9.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	6.6	3.0	2.5	29.8	0.3	3.1	2.1	558	3	97.3	57.0	27.0	5.7	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	2	11.8	3.2	2.9	26.1	1.1	2.9	2.5	478	0					
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.9	4.5	3.1	14.9	6.0	6.0	3.7	244	4	296.0	106.8	69.0	9.8	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	5.0	3.9	2.8	15.5	5.1	11.7	2.5	132	1	318.0	71.0	62.0	13.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	870.700	44.2125	808.500	930.000
Aska	20	24.970	3.9940	21.000	31.500
OS smbh	20	55.900	42.0850	0.000	86.000
Råprot	20	114.050	14.7169	98.450	131.100
sRåprot	7	318.857	49.6871	281.000	409.000
NH3-N	3	6.000	1.0000	5.000	7.000
NDF	14	170.143	37.6948	121.000	208.000
iNDF	20	114.050	67.0424	25.000	162.000
nhNDF	20	3.150	0.0000	3.150	3.150
Stä	20	580.090	62.0829	501.000	659.950
TAF	20	0.000	0.0000	0.000	0.000
Socker	7	5.000	0.0000	5.000	5.000
AATp20	20	95.740	2.3350	93.347	99.195
PBVp20	20	-29.684	16.6915	-50.825	-10.404
NELp20	20	7.336	0.1758	7.105	7.580
OE*	13	13.185	0.3532	12.500	13.400
AAT*	6	92.500	0.5477	92.000	93.000
PBV*	6	-36.500	10.5783	-47.000	-21.000
Ca	10	0.410	0.1524	0.200	0.500
P	10	3.240	1.2204	1.400	4.150
Mg	10	1.150	0.4223	0.500	1.400
K	10	4.960	1.7865	2.450	6.100
Na	9	0.089	0.0333	0.000	0.100
Cl	3	2.767	0.2887	2.600	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.140	0.4326	0.550	1.500
CAB	10	12.475	32.9709	-29.736	51.555
Fe	10	56.600	11.3647	44.500	74.000
Mn	10	16.300	6.1110	9.500	25.500
Zn	10	32.300	6.5498	23.500	41.500
Cu	10	5.770	0.5851	5.000	6.500

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	886.889	39.8229	836.000	946.000
Aska	9	17.722	2.9257	14.100	22.000
OS smbh	9	29.333	44.0000	0.000	88.000
Råprot	9	116.244	8.7075	105.300	132.000
sRåprot	6	329.000	64.6467	278.000	454.000
NH3-N	1	7.000	.	7.000	7.000
NDF	7	109.143	18.9070	81.000	134.000
iNDF	9	79.000	81.0000	25.000	187.000
nhNDF	9	3.500	0.0000	3.500	3.500
Stä	9	590.656	66.2737	513.000	692.800
TAF	9	0.000	0.0000	0.000	0.000
Socker	6	5.000	0.0000	5.000	5.000
AATp20	9	112.985	0.9758	111.757	114.903
PBVp20	9	-49.785	8.0717	-58.666	-34.463
NELp20	9	7.947	0.0559	7.872	8.043

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	7	14.100	0.1000	13.900	14.200
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-49.000	.	-49.000	-49.000
Ca	5	0.400	0.1225	0.300	0.600
P	5	3.100	0.4848	2.500	3.800
Mg	5	1.400	0.3536	1.100	2.000
K	5	4.860	0.5177	4.400	5.600
Na	3	0.100	0.0000	0.100	0.100
Cl	3	1.233	0.0577	1.200	1.300
S	5	1.400	0.2000	1.200	1.600
CAB	5	10.159	10.8243	-4.423	21.643
Fe	5	48.400	14.1880	33.000	70.000
Mn	5	27.800	2.9496	23.000	31.000
Zn	5	31.400	6.0663	25.000	41.000
Cu	5	5.260	0.7127	4.400	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	902.250	39.1950	862.000	955.000
Aska	4	17.050	1.1000	16.000	18.000
OS smbh	4	22.370	44.7395	0.000	89.479
Råprot	4	100.550	7.8492	91.000	110.200
sRåprot	3	370.667	9.0185	362.000	380.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	3	102.333	8.5049	96.000	112.000
iNDF	4	65.500	81.0000	25.000	187.000
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	614.300	60.4337	575.000	704.200
TAF	4	0.000	0.0000	0.000	0.000
Socket	3	5.000	0.0000	5.000	5.000
AATp20	4	109.501	0.4434	108.930	110.008
PBVp20	4	-60.976	8.9334	-71.071	-49.371
NELp20	4	7.881	0.0639	7.785	7.919
OE*	4	13.725	0.4856	13.000	14.000
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-46.000	.	-46.000	-46.000
Ca	2	0.300	0.0000	0.300	0.300
P	2	3.550	0.2121	3.400	3.700
Mg	2	1.200	0.0000	1.200	1.200
K	2	5.350	0.3536	5.100	5.600
Na	1	0.100	.	0.100	0.100
Cl	1	0.900	.	0.900	0.900
S	2	1.350	0.3536	1.100	1.600
CAB	2	34.266	17.0385	22.218	46.314
Fe	2	38.500	6.3640	34.000	43.000
Mn	2	34.000	7.0711	29.000	39.000
Zn	2	41.000	5.6569	37.000	45.000
Cu	2	5.800	0.2828	5.600	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	837.333	19.3993	815.000	850.000
Aska	3	20.400	3.0790	17.000	23.000
OS smbh	5	87.000	0.0000	87.000	87.000
Råprot	3	130.500	8.3217	121.000	136.500
NH3-N	2	5.500	0.7071	5.000	6.000
NDF	3	169.333	21.5019	151.000	193.000
iNDF	5	173.000	0.0000	173.000	173.000
nhNDF	5	3.300	0.0000	3.300	3.300
Stä	3	624.033	14.8325	607.000	634.100
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	105.622	0.8384	104.860	106.979
PBVp20	5	-29.725	8.1154	-36.086	-18.167
NELp20	5	7.565	0.0159	7.547	7.582
OE*	2	13.700	0.5657	13.300	14.100
AAT*	2	93.500	0.7071	93.000	94.000
PBV*	2	-24.500	10.6066	-32.000	-17.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.600	0.0000	3.600	3.600
Mg	2	1.350	0.0707	1.300	1.400
K	2	5.500	0.2828	5.300	5.700
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.2121	1.200	1.500
CAB	2	32.469	6.0244	28.209	36.729
Fe	2	53.000	2.8284	51.000	55.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	26.500	2.1213	25.000	28.000
Zn	2	40.000	0.0000	40.000	40.000
Cu	2	5.950	0.7778	5.400	6.500

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	827.500	57.2756	787.000	868.000
Aska	3	26.000	5.1962	23.000	32.000
OS smbh	3	81.600	0.0000	81.600	81.600
Råprot	3	127.333	17.6163	111.000	146.000
NH3-N	3	5.667	0.5774	5.000	6.000
NDF	2	222.500	53.0330	185.000	260.000
iNDF	3	324.000	0.0000	324.000	324.000
nhNDF	3	2.500	0.0000	2.500	2.500
Stä	3	563.000	36.3456	523.000	594.000
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	101.553	4.8059	96.023	104.725
PBVp20	3	-20.048	11.9017	-27.440	-6.319
NELp20	3	7.070	0.2958	6.728	7.246
OE*	2	12.100	0.0000	12.100	12.100
AAT*	2	82.500	2.1213	81.000	84.000
PBV*	2	-17.000	7.0711	-22.000	-12.000
Ca	1	0.600	.	0.600	0.600
P	1	3.800	.	3.800	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.300	.	1.300	1.300
K	1	6.500	.	6.500	6.500
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	60.553	.	60.553	60.553
Fe	1	59.000	.	59.000	59.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100
Se	1	0.012	.	0.012	0.012

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	940.000	.	940.000	940.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	284.000	.	284.000	284.000
sRåprot	1	712.000	.	712.000	712.000
NDF	1	113.000	.	113.000	113.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	322.000	.	322.000	322.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	99.889	.	99.889	99.889
PBVp20	1	132.187	.	132.187	132.187
NELp20	1	7.889	.	7.889	7.889
OE*	1	13.500	.	13.500	13.500

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	315.444	58.2282	238.000	403.000
Aska	9	36.889	4.0449	31.000	43.000
OS smbh	9	75.778	3.3663	70.600	80.400
Råprot	9	74.889	4.6218	68.000	83.000
sRåprot	9	390.444	44.6741	321.000	444.000
NDF	9	388.556	56.0917	328.000	476.000
iNDF	9	189.401	21.3032	151.095	223.155
nhNDF	9	3.518	0.4332	2.697	4.094
Stä	9	291.333	74.7747	172.000	390.000
TAF	9	57.000	0.0000	57.000	57.000
Socker	9	38.444	27.6003	11.000	88.000
AATp20	9	86.721	3.6390	81.203	91.172
PBVp20	9	-61.523	8.3023	-70.395	-49.157
NELp20	9	6.328	0.3473	5.793	6.723
OE*	3	11.020	0.3274	10.660	11.300
AAT*	2	79.000	0.0000	79.000	79.000
PBV*	2	-70.500	3.5355	-73.000	-68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	8	1.713	0.2100	1.300	1.900
P	8	1.925	0.3412	1.600	2.600
Mg	8	1.213	0.1642	1.000	1.500
K	8	8.825	1.2612	7.300	10.200
Na	8	0.238	0.0744	0.100	0.300
Cl	8	1.625	0.2315	1.200	2.000
S	8	0.913	0.0641	0.800	1.000
CAB	8	135.336	37.2322	91.259	184.476
Fe	7	89.571	25.3170	68.000	136.000
Mn	7	29.000	22.2636	17.000	79.000
Zn	7	34.286	17.0755	24.000	71.000
Cu	7	5.400	0.5000	4.700	6.300
Se	4	0.009	0.0021	0.007	0.011

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	230.750	4.27200	226.000	236.000
OS smbh	4	73.150	0.00000	73.150	73.150
iNDF	4	170.460	0.00000	170.460	170.460
nhNDF	4	4.315	0.00000	4.315	4.315
TAF	4	0.000	0.00000	0.000	0.000
AATp20	4	96.439	0.00000	96.439	96.439
PBVp20	4	-4.418	0.00000	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	5.943	0.00000	5.943	5.943
OE*	4	12.575	0.61305	11.800	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	592.200	183.673	296.000	743.000
Aska	5	52.800	19.652	35.000	85.000
OS smbh	5	70.380	5.271	66.600	79.400
Råprot	5	97.000	44.102	66.000	174.000
NDF	5	559.800	60.607	454.000	606.000
iNDF	5	181.074	44.250	105.385	215.475
nhNDF	5	4.239	0.846	3.566	5.685
TAF	5	61.000	0.000	61.000	61.000
Socker	5	125.400	20.057	92.000	143.000
AATp20	5	80.527	6.050	76.235	90.972
PBVp20	5	-25.451	30.475	-46.721	27.930
NELp20	5	5.646	0.489	5.308	6.487
OE*	5	10.360	0.662	9.900	11.500
AAT*	5	72.800	3.114	70.000	78.000
PBV*	5	-27.600	37.997	-54.000	39.000
Ca	5	3.260	0.391	2.700	3.800
P	5	1.980	0.638	1.400	3.000
Mg	5	1.120	0.277	0.900	1.600
K	5	19.140	7.759	10.900	31.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	0.220	0.217	0.100	0.600
S	5	1.320	0.559	0.900	2.300
CAB	5	275.734	174.690	77.873	536.888
Fe	5	88.600	36.198	57.000	137.000
Mn	5	42.800	38.726	23.000	112.000
Zn	5	22.400	10.922	14.000	41.000
Cu	5	4.700	2.095	3.200	8.400
Se	4	0.020	0.028	0.005	0.062

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	666.750	172.929	391.000	835.00
Aska	12	73.083	16.031	58.000	90.00
OS smbh	12	67.483	5.857	59.700	75.00
Råprot	12	88.833	20.854	63.000	122.00
sRåprot	12	456.333	142.464	339.000	680.00
NH3-N	12	49.333	28.298	27.000	96.00
NDF	12	533.500	54.484	486.000	587.00
iNDF	12	216.517	49.879	156.671	275.04
nhNDF	12	3.618	0.735	2.750	4.51
TAF	12	31.500	17.941	8.500	51.90
Mjölksyra	12	23.750	15.076	2.000	41.00
Ättiksyra	12	5.667	3.447	1.000	10.00
Socker	12	96.083	19.346	73.000	111.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	12	1.083	1.123	0.500	2.90
AATp20	12	77.839	5.106	71.153	84.49
PBVp20	12	-28.468	14.503	-41.767	-5.70
NELp20	12	5.239	0.589	4.569	5.92
OE*	12	9.667	1.039	8.400	11.00
AAT*	12	67.833	3.271	64.000	72.00
PBV*	12	-26.833	17.028	-46.000	-3.00
Ca	11	3.600	1.299	2.400	5.40
P	11	1.882	0.316	1.600	2.30
Mg	11	1.336	0.277	1.000	1.70
K	11	19.127	4.638	14.900	22.90
Na	11	0.109	0.030	0.100	0.10
Cl	12	2.183	1.252	0.700	3.80
S	11	1.345	0.356	1.000	1.70
CAB	11	352.478	103.276	270.410	451.21
Fe	11	406.455	582.369	88.000	1256.00
Mn	11	65.091	27.005	35.000	92.00
Zn	11	24.182	3.894	18.000	29.00
Cu	11	5.100	1.061	4.000	6.50

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	674.000	.	674.000	674.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	387.000	.	387.000	387.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	144.337	.	144.337	144.337
nhNDF	1	4.989	.	4.989	4.989
TAF	1	35.400	.	35.400	35.400
Mjölksyra	1	27.000	.	27.000	27.000
Ättiksyra	1	6.000	.	6.000	6.000
Socker	1	74.000	.	74.000	74.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	88.557	.	88.557	88.557
PBVp20	1	-10.294	.	-10.294	-10.294
NELp20	1	5.985	.	5.985	5.985
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	6.000	.	6.000	6.000
Ca	1	3.000	.	3.000	3.000
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	26.400	.	26.400	26.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	0.700	.	0.700	0.700
S	1	1.800	.	1.800	1.800
CAB	1	547.321	.	547.321	547.321
Fe	1	94.000	.	94.000	94.000
Mn	1	69.000	.	69.000	69.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.400	.	7.400	7.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	340.000	.	340.000	340.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	537.000	.	537.000	537.000
NH3-N	1	98.000	.	98.000	98.000
NDF	1	397.000	.	397.000	397.000
iNDF	1	228.504	.	228.504	228.504
nhNDF	1	3.038	.	3.038	3.038
TAF	1	63.200	.	63.200	63.200
Mjölksyra	1	49.000	.	49.000	49.000
Ättiksyra	1	12.000	.	12.000	12.000
Socket	1	57.000	.	57.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	1.200	.	1.200	1.200
AATp20	1	78.641	.	78.641	78.641
PBVp20	1	6.070	.	6.070	6.070
NELp20	1	5.608	.	5.608	5.608
OE*	1	10.400	.	10.400	10.400
AAT*	1	70.000	.	70.000	70.000
PBV*	1	8.000	.	8.000	8.000
CI	1	1.800	.	1.800	1.800

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	577.500	303.349	363.000	792.000
Aska	2	83.000	8.485	77.000	89.000
OS smbh	2	79.800	5.798	75.700	83.900
Råprot	2	181.000	8.485	175.000	187.000
NDF	2	451.000	50.912	415.000	487.000
iNDF	2	98.558	57.879	57.631	139.485
nhNDF	2	6.006	1.480	4.959	7.052
TAF	2	84.000	0.000	84.000	84.000
Socker	2	109.500	51.619	73.000	146.000
AATp20	2	90.172	5.335	86.399	93.944
PBVp20	2	38.864	16.971	26.864	50.864
NELp20	2	6.643	0.467	6.313	6.974
OE*	2	11.550	1.061	10.800	12.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	2	78.500	4.950	75.000	82.000
PBV*	2	45.000	16.971	33.000	57.000
Ca	2	6.400	0.707	5.900	6.900
P	2	3.150	0.212	3.000	3.300
Mg	2	1.900	0.424	1.600	2.200
K	2	32.750	0.919	32.100	33.400
Na	2	0.250	0.071	0.200	0.300
S	2	2.600	0.000	2.600	2.600
CAB	2	553.571	26.584	534.773	572.369
Fe	2	138.000	56.569	98.000	178.000
Mn	2	51.000	4.243	48.000	54.000
Zn	2	31.500	0.707	31.000	32.000
Cu	2	7.750	0.354	7.500	8.000
Se	1	0.007	.	0.007	0.007

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	49	380.673	109.725	274.000	542.000
Aska	49	74.082	10.424	62.000	86.000
OS smbh	49	78.678	3.639	74.900	84.200
Råprot	49	148.286	26.734	107.000	181.000
sRåprot	12	472.000	103.215	381.000	650.000
NDF	49	446.918	42.137	394.000	500.000
iNDF	49	118.542	39.054	57.661	178.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	49	5.442	0.972	4.117	6.981
TAF	49	72.082	27.410	13.000	84.000
Mjölksyra	8	0.000	0.000	0.000	0.000
Ättiksyra	6	4.000	3.688	0.000	9.000
Socker	49	124.163	43.678	75.000	184.000
PRF	6	2.333	2.582	0.000	6.000
BUF	6	1.667	1.211	0.000	3.000
AATp20	49	88.777	5.291	82.397	95.229
PBVp20	49	10.523	20.425	-19.146	35.291
NELp20	49	6.426	0.364	6.041	6.986
OE*	49	11.508	0.622	10.700	12.500
AAT*	37	79.324	3.367	74.000	83.000
PBV*	37	8.976	26.284	-28.000	47.000
Ca	43	5.179	1.317	3.800	6.600
P	43	2.684	0.410	2.100	3.200
Mg	43	1.679	0.383	1.300	2.000
K	43	24.953	4.306	19.900	29.700
Na	43	0.784	0.747	0.200	1.800
Cl	12	4.017	2.797	0.800	7.800
S	43	2.042	0.482	1.400	2.600
CAB	43	417.633	113.641	271.698	541.487
Fe	39	165.846	179.115	72.000	282.000
Mn	39	54.231	23.705	29.000	78.000
Zn	39	29.282	8.069	22.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	39	7.400	7.617	4.500	8.300
Se	11	0.015	0.005	0.008	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	419.000	164.864	246.000	702.500
Aska	30	83.567	10.424	73.000	98.500
OS smbh	30	74.143	3.837	67.650	79.250
Råprot	30	153.400	25.051	119.500	187.500
sRåprot	8	360.500	40.175	309.000	403.000
NDF	30	488.933	38.178	436.500	544.000
iNDF	30	159.110	38.180	109.099	216.310
nhNDF	30	4.678	0.716	3.646	5.646
TAF	30	81.300	14.789	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	30	79.567	29.219	48.500	117.500
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	30	84.418	5.307	76.494	91.597
PBVp20	30	22.543	19.189	-0.236	45.859
NELp20	30	6.089	0.328	5.517	6.545
OE*	30	10.659	0.587	9.650	11.350
AAT*	22	74.045	3.539	69.000	78.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	22	19.550	23.816	-4.000	41.000
Ca	28	6.521	2.006	4.600	8.300
P	28	2.968	0.330	2.500	3.300
Mg	28	2.150	0.521	1.600	2.500
K	28	25.539	5.677	16.800	32.400
Na	28	0.979	0.835	0.200	2.500
Cl	8	8.988	6.078	2.700	17.600
S	28	2.389	0.544	1.600	3.200
CAB	28	379.493	133.325	203.235	556.257
Fe	24	139.042	52.587	77.000	218.000
Mn	24	70.708	31.957	38.000	108.000
Zn	24	31.292	12.031	23.000	37.000
Cu	24	7.742	1.691	5.900	10.000
Se	9	0.032	0.018	0.011	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	406.895	100.944	283.000	526.000
Aska	19	98.316	14.411	80.000	122.000
OS smbh	19	73.505	2.768	69.300	77.200
Råprot	19	160.895	21.393	128.000	196.000
sRåprot	2	398.500	53.033	361.000	436.000
NDF	19	471.579	38.535	419.000	503.000
iNDF	19	166.205	34.485	127.950	206.358

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	19	4.330	0.582	3.604	4.892
TAF	19	84.000	0.000	84.000	84.000
Socker	19	67.737	31.260	36.000	114.000
AATp20	19	81.811	3.819	76.062	86.883
PBVp20	19	33.769	18.789	6.898	63.080
NELp20	19	5.984	0.283	5.545	6.366
OE*	19	10.403	0.510	9.400	11.130
AAT*	17	72.412	2.763	67.000	76.000
PBV*	17	37.294	21.589	4.000	70.000
Ca	16	8.288	2.876	5.300	11.500
P	16	3.006	0.417	2.600	3.700
Mg	16	2.575	0.552	1.800	3.300
K	16	25.256	6.129	17.500	32.000
Na	16	0.612	0.391	0.200	1.300
Cl	2	12.950	11.809	4.600	21.300
S	16	2.569	0.444	2.100	3.100
CAB	16	350.580	203.114	81.592	580.857
Fe	15	205.267	100.350	98.000	336.000
Mn	15	71.667	17.795	49.000	92.000
Zn	15	28.867	3.420	24.000	35.000
Cu	15	8.347	1.181	7.200	10.500
Se	5	0.030	0.009	0.020	0.042

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	300.625	32.967	248.000	350.00
Aska	8	97.250	11.793	83.000	118.00
OS smbh	8	77.463	3.457	74.300	84.20
Råprot	8	181.750	8.908	164.000	192.00
sRåprot	1	415.000	.	415.000	415.00
NDF	8	427.375	38.415	353.000	455.00
iNDF	8	133.853	43.095	52.493	190.00
nhNDF	8	4.990	0.880	4.291	6.78
TAF	8	84.000	0.000	84.000	84.00
Socker	8	96.875	39.758	51.000	154.00
AATp20	8	86.597	3.052	82.273	92.63
PBVp20	8	45.444	10.755	29.486	61.22
NELp20	8	6.338	0.268	6.024	6.87
OE*	8	11.050	0.583	10.300	12.20
AAT*	7	76.000	3.317	72.000	82.00
PBV*	7	52.571	9.607	38.000	66.00
Ca	6	7.117	1.192	5.100	8.40
P	6	3.150	0.295	2.800	3.60
Mg	6	2.367	0.372	2.000	3.00
K	6	23.900	4.176	16.100	27.80
Na	6	1.267	0.524	0.700	2.10
Cl	1	4.100	.	4.100	4.10
S	6	2.517	0.319	2.000	2.90
CAB	6	379.457	116.700	171.490	498.87

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	720.600	863.485	155.000	2224.00
Mn	5	85.400	23.776	53.000	105.00
Zn	5	28.000	3.391	24.000	32.00
Cu	5	8.380	0.719	7.600	9.30
Se	4	0.055	0.047	0.025	0.12

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	529.668	214.015	292.000	799.000
Aska	12	79.667	15.819	62.000	99.000
OS smbh	17	71.403	4.496	65.500	75.000
Råprot	15	127.060	19.300	95.500	152.000
sRåprot	15	440.577	152.531	271.000	631.000
NH3-N	15	64.600	45.437	15.000	131.000
NDF	15	475.067	33.316	428.000	532.000
iNDF	17	196.521	52.218	162.802	244.006
nhNDF	17	3.845	0.717	3.108	4.344
TAF	17	46.335	30.818	13.000	86.600
Mjölksyra	15	30.533	24.851	4.000	74.000
Ättiksyra	15	8.867	6.312	4.000	22.000
Socker	15	83.301	46.810	24.000	130.000
BUF	12	1.475	2.089	0.400	4.600
AATp20	17	82.821	6.409	71.555	91.623
PBVp20	17	3.036	19.907	-24.831	28.187

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	17	5.694	0.444	5.094	6.062
OE*	15	10.115	0.838	9.110	10.800
AAT*	15	69.082	2.533	65.888	71.000
PBV*	12	6.508	17.867	-11.000	29.000
Ca	14	7.224	2.521	4.600	10.786
P	14	2.548	0.478	1.900	3.100
Mg	14	2.024	0.530	1.300	2.800
K	14	21.152	6.054	13.600	27.300
Na	14	0.411	0.455	0.100	0.900
Cl	12	4.517	2.870	2.100	8.100
S	14	1.922	0.464	1.343	2.600
CAB	14	321.805	132.137	132.788	450.971
Fe	14	257.851	241.258	82.512	659.000
Mn	14	72.705	47.941	30.000	147.000
Zn	14	26.619	5.088	20.000	33.000
Cu	14	7.235	1.876	4.600	9.400

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	213	405.441	140.552	274.000	629.000
Aska	208	71.087	12.004	59.000	83.000
OS smbh	214	75.142	4.555	70.300	79.800
Råprot	208	134.351	26.578	98.000	163.000
sRåprot	208	607.606	97.084	474.000	718.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	207	76.179	31.390	35.000	121.000
NDF	208	457.500	54.130	396.000	529.000
iNDF	214	160.689	46.484	115.868	216.140
nhNDF	214	4.508	0.705	3.647	5.354
Stä	1	26.000	.	26.000	26.000
TAF	214	71.920	37.611	20.500	123.100
Mjölksyra	208	55.149	33.113	11.000	100.000
Ättiksyra	208	13.736	6.595	5.000	22.000
Socker	208	67.510	40.512	20.000	124.000
PRF	41	3.341	1.726	1.000	5.000
BUF	208	1.370	2.278	0.000	3.700
AATp20	214	82.036	4.050	76.943	87.313
PBVp20	214	8.860	22.602	-21.887	36.229
NELp20	214	6.139	0.497	5.581	6.679
OE*	207	10.968	0.741	10.100	11.700
AAT*	166	71.627	2.230	69.000	74.000
PBV*	166	7.030	21.730	-23.000	33.000
Ca	195	5.118	1.705	3.300	7.400
P	195	2.416	0.489	1.800	3.100
Mg	195	1.645	0.440	1.300	2.100
K	195	23.595	4.396	17.700	28.400
Na	195	0.526	0.469	0.100	1.300
Cl	208	3.872	2.676	1.300	7.600
S	195	1.837	0.441	1.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	195	400.529	110.566	245.374	505.615
Fe	177	204.175	237.649	74.000	393.000
Mn	177	58.350	21.152	38.000	79.000
Zn	177	30.938	45.108	20.000	34.000
Cu	177	6.289	1.453	4.500	8.000
Se	33	0.032	0.019	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	154	415.786	121.629	279.000	591.000
Aska	152	86.487	12.829	70.000	103.000
OS smbh	154	73.373	3.517	68.300	77.100
Råprot	152	147.934	20.381	124.000	177.000
sRåprot	152	540.072	81.348	440.000	639.000
NH3-N	152	81.467	34.958	44.000	121.000
NDF	152	451.770	36.173	408.000	492.000
iNDF	154	186.842	48.373	131.691	265.000
nhNDF	154	4.206	0.823	3.056	4.996
Stä	1	67.000	.	67.000	67.000
TAF	154	66.019	27.044	29.100	100.000
Mjölksyra	152	48.322	22.083	18.000	77.000
Ättiksyra	152	14.171	7.623	6.000	23.000
Socker	152	52.217	31.378	14.000	97.000
PRF	38	3.184	2.448	1.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	152	1.809	3.117	0.000	4.000
AATp20	154	81.807	4.961	75.443	87.839
PBVp20	154	21.660	18.760	-1.858	45.861
NELp20	154	5.945	0.373	5.390	6.412
OE*	152	10.495	0.598	9.760	11.200
AAT*	114	69.956	1.816	67.000	72.000
PBV*	114	25.079	19.341	1.000	53.000
Ca	142	7.177	2.345	4.900	10.800
P	142	2.823	0.461	2.300	3.400
Mg	142	2.187	0.390	1.800	2.600
K	142	26.094	4.567	20.200	31.400
Na	142	0.656	0.603	0.100	1.300
Cl	150	6.234	4.566	2.300	11.000
S	142	2.304	0.480	1.800	2.900
CAB	142	371.988	134.562	211.196	512.620
Fe	128	222.398	278.157	79.000	359.000
Mn	128	68.313	28.658	39.000	97.000
Zn	128	29.117	10.745	22.000	35.000
Cu	128	7.969	1.526	6.100	10.200
Se	21	0.043	0.028	0.018	0.065

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	95	407.084	119.790	287.000	583.000
Aska	95	90.537	12.259	74.000	103.000
OS smbh	95	73.055	3.479	68.200	77.000
Råprot	95	153.600	22.154	120.000	183.000
sRåprot	95	516.789	71.160	447.000	599.000
NH3-N	95	80.316	30.557	43.000	121.000
NDF	95	437.000	38.878	383.000	488.000
iNDF	95	194.995	46.745	142.027	261.000
nhNDF	95	3.966	0.806	2.781	4.939
TAF	95	67.537	28.700	29.400	102.900
Mjölksyra	95	50.379	24.290	20.000	78.000
Ättiksyra	95	13.958	6.920	6.000	21.000
Socker	95	50.968	31.666	16.000	98.000
PRF	21	2.048	1.658	0.000	4.000
BUF	95	1.968	2.624	0.000	4.600
AATp20	95	81.637	4.932	75.542	88.563
PBVp20	95	27.240	20.704	0.400	54.290
NELp20	95	5.899	0.389	5.328	6.329
OE*	95	10.401	0.586	9.500	11.000
AAT*	74	69.622	1.780	67.000	71.000
PBV*	74	32.392	21.869	1.000	62.000
Ca	86	8.202	2.776	5.600	12.900
P	86	2.883	0.420	2.400	3.400
Mg	86	2.400	0.408	1.900	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	86	25.300	5.016	19.400	31.900
Na	86	0.671	0.497	0.200	1.500
Cl	95	6.431	4.369	1.900	12.900
S	86	2.488	0.592	1.800	3.200
CAB	86	331.450	134.958	163.004	474.728
Fe	81	231.259	215.192	86.000	482.000
Mn	81	74.086	29.390	41.000	118.000
Zn	81	27.037	6.214	22.000	33.000
Cu	81	8.070	1.368	6.500	9.900
Se	13	0.043	0.030	0.015	0.090

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	375.476	100.374	260.000	528.000
Aska	21	99.476	6.345	94.000	106.000
OS smbh	21	75.162	2.408	72.000	76.900
Råprot	21	166.619	21.181	137.000	188.000
sRåprot	21	513.381	76.167	387.000	590.000
NH3-N	21	70.571	34.483	32.000	112.000
NDF	21	407.333	40.008	367.000	462.000
iNDF	21	187.516	43.092	146.298	250.000
nhNDF	21	4.486	1.181	3.613	4.980
TAF	21	76.776	34.341	32.000	116.100
Mjölksyra	21	58.524	28.365	23.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	21	15.524	7.808	8.000	26.000
Socker	21	52.381	29.741	19.000	88.000
PRF	8	2.375	1.847	0.000	6.000
BUF	21	1.205	1.477	0.000	2.800
AATp20	21	82.946	5.170	77.821	89.525
PBVp20	21	37.097	19.825	8.068	59.126
NELp20	21	6.090	0.244	5.820	6.403
OE*	21	10.634	0.372	10.210	11.000
AAT*	13	70.385	0.870	70.000	71.000
PBV*	13	39.769	20.921	15.000	61.000
Ca	20	7.955	1.678	5.800	10.300
P	20	3.345	0.365	3.000	3.900
Mg	20	2.495	0.376	2.150	3.150
K	20	27.305	4.304	20.900	32.100
Na	20	1.070	0.975	0.350	1.850
Cl	21	6.243	2.424	3.600	8.300
S	20	2.775	0.401	2.350	3.200
CAB	20	392.126	86.498	277.957	458.454
Fe	17	357.588	258.300	88.000	711.000
Mn	17	88.765	29.378	59.000	153.000
Zn	17	26.882	3.551	22.000	32.000
Cu	17	9.476	4.463	6.300	11.100
Se	6	0.046	0.027	0.011	0.082

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	321.000	.	321.000	321.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	80.800	.	80.800	80.800
Råprot	1	122.000	.	122.000	122.000
sRåprot	1	568.000	.	568.000	568.000
NH3-N	1	40.000	.	40.000	40.000
NDF	1	361.000	.	361.000	361.000
iNDF	1	112.579	.	112.579	112.579
nhNDF	1	4.936	.	4.936	4.936
TAF	1	113.900	.	113.900	113.900
Mjölksyra	1	88.000	.	88.000	88.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	44.000	.	44.000	44.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	82.288	.	82.288	82.288
PBVp20	1	-4.336	.	-4.336	-4.336
NELp20	1	6.546	.	6.546	6.546
OE*	1	11.800	.	11.800	11.800
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-5.000	.	-5.000	-5.000
Ca	1	7.000	.	7.000	7.000
P	1	2.700	.	2.700	2.700
Mg	1	1.600	.	1.600	1.600
K	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	1.400	.	1.400	1.400
CAB	1	467.296	.	467.296	467.296
Fe	1	123.000	.	123.000	123.000
Mn	1	36.000	.	36.000	36.000
Zn	1	24.000	.	24.000	24.000
Cu	1	6.200	.	6.200	6.200

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	475.545	130.139	357.000	670.000
Aska	11	57.364	19.714	35.000	77.000
OS smbh	11	68.582	2.149	66.500	70.600
Råprot	11	94.818	20.789	76.000	120.000
sRåprot	11	629.545	88.846	499.000	705.000
NH3-N	11	83.091	18.801	61.000	109.000
NDF	11	415.273	27.608	388.000	447.000
iNDF	11	266.671	30.699	243.000	303.355
nhNDF	11	2.479	0.479	2.183	2.813
Stä	10	162.300	87.391	42.000	268.500
TAF	11	54.118	26.514	23.700	83.700
Mjölksyra	11	38.818	23.276	19.000	67.000
Ättiksyra	10	12.800	6.844	4.500	22.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	11	57.364	17.025	37.000	79.000
PRF	2	3.000	4.243	0.000	6.000
BUF	2	2.000	1.414	1.000	3.000
AATp20	11	70.971	3.715	66.453	75.963
PBVp20	11	-18.623	19.611	-36.324	9.717
NELp20	11	5.498	0.232	5.274	5.741
OE*	6	9.955	0.358	9.600	10.480
AAT*	3	61.667	3.215	58.000	64.000
PBV*	3	-20.333	30.238	-43.000	14.000
Ca	11	3.700	1.654	2.000	4.900
P	11	2.582	0.665	1.900	3.300
Mg	11	1.636	0.522	1.100	2.000
K	11	17.527	5.938	11.800	26.700
Na	11	0.800	0.477	0.300	1.400
Cl	11	4.136	2.081	1.600	6.500
S	11	1.636	0.448	1.200	2.100
CAB	11	264.260	150.431	127.435	485.378
Fe	11	113.636	44.042	55.000	167.000
Mn	11	54.182	36.063	19.000	95.000
Zn	11	26.727	7.747	17.000	36.000
Cu	11	5.064	1.016	4.300	6.500
Se	4	0.084	0.069	0.022	0.180

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	423.500	106.773	348.000	499.000
Aska	2	63.500	7.778	58.000	69.000
OS smbh	2	67.350	0.495	67.000	67.700
Råprot	2	95.000	0.000	95.000	95.000
sRåprot	2	688.000	39.598	660.000	716.000
NH3-N	2	75.000	4.243	72.000	78.000
NDF	2	479.500	17.678	467.000	492.000
iNDF	2	247.868	12.340	239.142	256.593
nhNDF	2	2.942	0.190	2.807	3.076
Stä	2	93.500	3.536	91.000	96.000
TAF	2	93.500	47.376	60.000	127.000
Mjölksyra	2	73.000	45.255	41.000	105.000
Ättiksyra	2	18.500	2.121	17.000	20.000
Socker	2	38.000	32.527	15.000	61.000
AATp20	2	66.641	6.072	62.347	70.934
PBVp20	2	-7.513	9.672	-14.352	-0.673
NELp20	2	5.594	0.052	5.557	5.631
OE*	1	9.100	.	9.100	9.100
AAT*	1	58.000	.	58.000	58.000
PBV*	1	-15.000	.	-15.000	-15.000
Ca	1	4.700	.	4.700	4.700
P	1	2.100	.	2.100	2.100
Mg	1	1.400	.	1.400	1.400
K	1	18.100	.	18.100	18.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.600	.	1.600	1.600
Cl	2	3.350	0.495	3.000	3.700
S	1	1.900	.	1.900	1.900
CAB	1	309.505	.	309.505	309.505
Fe	1	161.000	.	161.000	161.000
Mn	1	46.000	.	46.000	46.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.500	.	6.500	6.500

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	670.000	.	670.000	670.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	65.700	.	65.700	65.700
Råprot	1	90.000	.	90.000	90.000
sRåprot	1	506.000	.	506.000	506.000
NH3-N	1	25.000	.	25.000	25.000
NDF	1	448.000	.	448.000	448.000
iNDF	1	284.080	.	284.080	284.080
nhNDF	1	2.420	.	2.420	2.420
Stä	1	246.000	.	246.000	246.000
TAF	1	32.900	.	32.900	32.900
Mjölksyra	1	21.000	.	21.000	21.000
Ättiksyra	1	10.000	.	10.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	26.000	.	26.000	26.000
AATp20	1	72.953	.	72.953	72.953
PBVp20	1	-22.319	.	-22.319	-22.319
NELp20	1	5.298	.	5.298	5.298
Ca	1	2.400	.	2.400	2.400
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	12.200	.	12.200	12.200
Na	1	0.500	.	0.500	0.500
Cl	1	1.000	.	1.000	1.000
S	1	1.200	.	1.200	1.200
CAB	1	230.591	.	230.591	230.591
Fe	1	93.000	.	93.000	93.000
Mn	1	43.000	.	43.000	43.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	349.500	45.962	317.000	382.000
Aska	2	66.500	10.607	59.000	74.000
OS smbh	2	64.700	2.546	62.900	66.500
Råprot	2	122.500	10.607	115.000	130.000
sRåprot	2	626.500	99.702	556.000	697.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	110.000	9.899	103.000	117.000
NDF	2	493.500	13.435	484.000	503.000
iNDF	2	389.100	110.451	311.000	467.201
nhNDF	2	5.726	3.160	3.492	7.961
Stä	2	68.000	18.385	55.000	81.000
TAF	2	87.750	8.839	81.500	94.000
Mjölksyra	2	60.500	9.192	54.000	67.000
Ättiksyra	2	20.500	9.192	14.000	27.000
Socker	2	28.500	7.778	23.000	34.000
PRF	1	9.000	.	9.000	9.000
BUF	1	4.000	.	4.000	4.000
AATp20	2	66.386	2.655	64.509	68.263
PBVp20	2	17.291	14.327	7.160	27.422
NELp20	2	5.404	0.312	5.183	5.625
OE*	2	9.680	0.028	9.660	9.700
AAT*	1	59.000	.	59.000	59.000
PBV*	1	10.000	.	10.000	10.000
Ca	2	4.850	0.919	4.200	5.500
P	2	3.450	0.778	2.900	4.000
Mg	2	2.250	0.071	2.200	2.300
K	2	17.850	0.495	17.500	18.200
Na	2	2.550	1.344	1.600	3.500
Cl	2	2.500	1.697	1.300	3.700
S	2	1.850	0.212	1.700	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	381.344	132.135	287.910	474.777
Fe	1	167.000	.	167.000	167.000
Mn	1	52.000	.	52.000	52.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	433.200	38.661	376.000	476.000
Aska	5	65.200	24.056	41.000	104.000
OS smbh	5	66.380	6.719	58.200	72.600
Råprot	5	108.000	30.586	64.000	149.000
sRåprot	5	547.800	116.227	424.000	727.000
NH3-N	5	80.000	41.286	28.000	143.000
NDF	5	459.000	67.517	363.000	520.000
iNDF	5	305.185	79.953	174.871	394.000
nhNDF	5	3.099	1.035	2.008	4.239
Stä	5	114.600	72.328	18.000	195.000
TAF	5	51.400	25.442	6.000	65.000
Mjölksyra	5	38.000	22.215	0.000	56.000
Ättiksyra	5	9.800	6.760	3.000	19.000
Socker	5	37.000	11.533	28.000	57.000
PRF	3	3.333	2.887	0.000	5.000
BUF	3	2.667	2.517	0.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	5	75.665	4.632	70.675	83.253
PBVp20	5	-13.502	21.845	-48.181	8.316
NELp20	5	5.430	0.542	4.707	5.912
OE*	4	9.608	0.793	8.430	10.160
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-8.000	.	-8.000	-8.000
Ca	5	3.920	2.257	1.300	7.500
P	5	2.680	0.303	2.400	3.200
Mg	5	1.400	0.406	0.900	2.000
K	5	17.380	6.318	10.700	27.100
Na	5	1.440	1.270	0.100	3.400
Cl	4	5.925	5.175	2.400	13.600
S	5	1.600	0.374	1.200	2.200
CAB	5	229.476	174.724	21.572	476.316
Fe	3	167.333	22.121	144.000	188.000
Mn	3	79.000	30.050	50.000	110.000
Zn	3	31.667	3.512	28.000	35.000
Cu	3	4.800	0.624	4.100	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	314.000	.	314.000	314.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	139.000	.	139.000	139.000
sRåprot	1	669.000	.	669.000	669.000
NH3-N	1	109.000	.	109.000	109.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	250.473	.	250.473	250.473
nhNDF	1	2.831	.	2.831	2.831
Stä	1	43.000	.	43.000	43.000
TAF	1	97.000	.	97.000	97.000
Mjölksyra	1	79.000	.	79.000	79.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	65.134	.	65.134	65.134
PBVp20	1	33.091	.	33.091	33.091
NELp20	1	5.554	.	5.554	5.554
Ca	1	6.300	.	6.300	6.300
P	1	2.500	.	2.500	2.500
Mg	1	1.800	.	1.800	1.800
K	1	22.300	.	22.300	22.300
Na	1	0.100	.	0.100	0.100
Cl	1	3.800	.	3.800	3.800
S	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	367.638	.	367.638	367.638
Fe	1	117.000	.	117.000	117.000
Mn	1	64.000	.	64.000	64.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	421.000	69.296	372.000	470.000
Aska	2	65.000	9.899	58.000	72.000
OS smbh	2	73.550	4.172	70.600	76.500
Råprot	2	126.000	33.941	102.000	150.000
sRåprot	2	712.500	139.300	614.000	811.000
NH3-N	2	65.000	45.255	33.000	97.000
NDF	2	452.000	14.142	442.000	462.000
iNDF	2	183.593	57.144	143.186	224.000
nhNDF	2	3.920	1.219	3.058	4.782
Stä	2	54.500	53.033	17.000	92.000
TAF	2	74.750	30.759	53.000	96.500
Mjölksyra	2	55.000	25.456	37.000	73.000
Ättiksyra	2	16.500	6.364	12.000	21.000
Socker	2	75.500	30.406	54.000	97.000
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	72.175	1.549	71.079	73.270
PBVp20	2	5.700	32.487	-17.272	28.671
NELp20	2	6.036	0.375	5.771	6.301
OE*	1	10.360	.	10.360	10.360
Ca	2	2.800	0.424	2.500	3.100
P	2	2.500	0.141	2.400	2.600
Mg	2	1.550	0.071	1.500	1.600
K	2	20.300	3.253	18.000	22.600
Na	2	0.250	0.212	0.100	0.400
Cl	2	2.250	0.495	1.900	2.600
S	2	1.700	0.424	1.400	2.000
CAB	2	360.421	61.392	317.010	403.832
Fe	2	133.500	27.577	114.000	153.000
Mn	2	33.000	2.828	31.000	35.000
Zn	2	26.500	4.950	23.000	30.000
Cu	2	5.300	0.424	5.000	5.600
Se	2	0.048	0.045	0.016	0.080

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	356.000	60.572	277.000	421.000
Aska	5	70.600	7.470	62.000	80.000
OS smbh	5	68.660	1.877	66.100	71.100
Råprot	5	125.400	30.121	98.000	172.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	651.600	31.101	605.000	688.000
NH3-N	5	127.600	28.148	96.000	154.000
NDF	5	426.200	60.018	334.000	496.000
iNDF	5	260.656	34.642	208.000	303.000
nhNDF	5	2.705	0.847	1.590	3.971
Stä	5	138.000	86.663	42.000	277.000
TAF	5	74.200	15.023	53.000	93.000
Mjölksyra	5	54.400	18.501	36.000	73.000
Ättiksyra	5	18.000	10.025	9.000	34.000
Socker	5	34.400	26.894	16.000	80.000
PRF	2	2.000	1.414	1.000	3.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	5	70.696	1.955	68.194	72.774
PBVp20	5	12.253	26.278	-15.426	51.443
NELp20	5	5.629	0.239	5.353	5.970
OE*	2	10.215	0.233	10.050	10.380
Ca	5	6.120	2.432	3.200	8.800
P	5	2.940	0.261	2.600	3.300
Mg	5	1.680	0.409	1.200	2.200
K	5	18.900	2.790	15.300	22.800
Na	5	0.460	0.371	0.200	1.100
Cl	5	6.000	2.279	2.200	7.900
S	5	1.920	0.444	1.400	2.600
CAB	5	214.362	71.762	98.415	283.105

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	244.200	158.533	147.000	519.000
Mn	5	35.800	18.900	14.000	66.000
Zn	5	33.600	11.305	25.000	52.000
Cu	5	7.080	1.388	5.000	8.800

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	327.375	43.3049	273.000	380.000
Aska	16	32.063	6.1261	26.000	39.000
OS smbh	16	74.819	2.4003	71.800	78.400
Råprot	16	73.188	8.0517	64.000	85.000
sRåprot	16	496.750	60.1348	422.000	590.000
NH3-N	15	36.467	17.9040	15.000	59.000
NDF	16	405.688	36.3184	359.000	440.000
iNDF	16	189.396	19.8201	156.000	214.000
nhNDF	16	3.349	0.4659	2.727	3.922
Stä	16	271.500	47.7270	225.000	309.000
TAF	16	60.563	10.2109	52.000	67.000
Mjölksyra	16	42.625	8.3417	31.000	50.000
Ättiksyra	16	14.313	4.4079	10.000	22.000
Socker	16	11.938	8.0703	5.000	23.000
PRF	9	4.111	1.0541	2.000	5.000
BUF	9	0.000	0.0000	0.000	0.000
AATp20	16	82.561	2.7355	78.487	85.954

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	16	-56.180	9.8810	-66.211	-44.441
NELp20	16	6.328	0.1850	6.081	6.591
OE*	10	11.136	0.2202	10.820	11.425
AAT*	1	79.000	.	79.000	79.000
PBV*	1	-72.000	.	-72.000	-72.000
Ca	15	1.627	0.4415	1.200	2.300
P	15	1.773	0.2549	1.500	2.200
Mg	15	1.093	0.3240	0.700	1.300
K	15	9.193	1.4484	7.200	11.100
Na	14	0.200	0.1109	0.100	0.400
Cl	14	1.650	0.3695	1.200	2.100
S	15	0.893	0.1033	0.800	1.000
CAB	15	142.556	34.4131	106.464	169.642
Fe	13	108.923	71.1248	63.000	150.000
Mn	13	29.538	11.1924	18.000	44.000
Zn	13	25.462	5.4866	19.000	30.000
Cu	13	5.000	0.6377	4.100	6.000
Se	4	0.017	0.0220	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	408.000	.	408.000	408.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	710.000	.	710.000	710.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	233.128	.	233.128	233.128
nhNDF	1	2.900	.	2.900	2.900
Stä	1	119.000	.	119.000	119.000
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	66.000	.	66.000	66.000
Ättiksyra	1	15.000	.	15.000	15.000
Socket	1	58.000	.	58.000	58.000
AATp20	1	71.499	.	71.499	71.499
PBVp20	1	14.843	.	14.843	14.843
NELp20	1	5.879	.	5.879	5.879
OE*	1	9.300	.	9.300	9.300
AAT*	1	59.000	.	59.000	59.000
PBV*	1	12.000	.	12.000	12.000
Ca	1	8.400	.	8.400	8.400
P	1	2.400	.	2.400	2.400
Mg	1	1.900	.	1.900	1.900
K	1	14.100	.	14.100	14.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	2.500	.	2.500	2.500
S	1	1.300	.	1.300	1.300
CAB	1	213.289	.	213.289	213.289
Fe	1	855.000	.	855.000	855.000
Mn	1	26.000	.	26.000	26.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	815.333	116.331	547.000	956.000
Aska	9	55.889	12.067	39.000	78.000
OS smbh	9	66.156	5.759	56.300	72.800
Råprot	9	88.889	24.568	62.000	125.000
sRåprot	2	514.000	120.208	429.000	599.000
NDF	9	552.111	55.620	473.000	621.000
iNDF	9	224.923	39.337	187.000	296.516
nhNDF	9	3.369	0.526	2.414	3.895
TAF	9	0.000	0.000	0.000	0.000
Socker	9	130.889	21.151	94.000	160.000
AATp20	9	84.307	6.928	73.217	90.696
PBVp20	9	-37.354	15.879	-57.113	-13.686
NELp20	9	5.124	0.501	4.291	5.745

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	9	9.640	0.914	8.100	10.690
AAT*	7	67.143	5.398	59.000	72.000
PBV*	7	-27.571	22.441	-53.000	2.000
Ca	8	3.413	1.609	1.700	6.500
P	8	1.850	0.393	1.400	2.400
Mg	8	1.075	0.358	0.700	1.700
K	8	16.925	3.459	13.700	21.900
Na	8	0.225	0.276	0.100	0.900
Cl	1	1.700	.	1.700	1.700
S	8	1.388	0.409	1.000	2.000
CAB	8	226.703	88.655	151.386	379.446
Fe	6	74.667	17.409	51.000	93.000
Mn	6	52.000	21.429	26.000	80.000
Zn	6	20.333	4.274	17.000	27.000
Cu	6	4.817	1.335	3.400	6.600
Se	2	0.063	0.081	0.006	0.120

Fodermedel=Halm, sträsäd, ej behandlad (385) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	47.000	.	47.000	47.000
iNDF	1	310.570	.	310.570	310.570
NELp20	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	195.000	.	195.000	195.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	188.000	.	188.000	188.000
sRåprot	1	336.000	.	336.000	336.000
NDF	1	353.000	.	353.000	353.000
iNDF	1	236.000	.	236.000	236.000
nhNDF	1	4.215	.	4.215	4.215
TAF	1	72.000	.	72.000	72.000
Socket	1	47.000	.	47.000	47.000
AATp20	1	86.403	.	86.403	86.403
PBVp20	1	56.423	.	56.423	56.423
NELp20	1	6.240	.	6.240	6.240
OE*	1	10.880	.	10.880	10.880
Ca	1	11.700	.	11.700	11.700
P	1	3.200	.	3.200	3.200
Mg	1	2.800	.	2.800	2.800
K	1	24.100	.	24.100	24.100
Na	1	1.500	.	1.500	1.500
Cl	1	0.200	.	0.200	0.200
S	1	2.600	.	2.600	2.600
CAB	1	513.452	.	513.452	513.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	275.000	.	275.000	275.000
Aska	1	115.000	.	115.000	115.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	157.000	.	157.000	157.000
NDF	1	532.000	.	532.000	532.000
iNDF	1	370.009	.	370.009	370.009
nhNDF	1	7.614	.	7.614	7.614
TAF	1	72.000	.	72.000	72.000
Socker	1	11.000	.	11.000	11.000
AATp20	1	73.239	.	73.239	73.239
PBVp20	1	48.101	.	48.101	48.101
NELp20	1	5.281	.	5.281	5.281
OE*	1	8.800	.	8.800	8.800
AAT*	1	64.000	.	64.000	64.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	9.900	.	9.900	9.900
P	1	3.800	.	3.800	3.800
Mg	1	2.900	.	2.900	2.900
K	1	28.100	.	28.100	28.100
Na	1	0.600	.	0.600	0.600
S	1	2.100	.	2.100	2.100
CAB	1	483.930	.	483.930	483.930
Fe	1	204.000	.	204.000	204.000
Mn	1	81.000	.	81.000	81.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	27.000	.	27.000	27.000
Cu	1	9.100	.	9.100	9.100
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.333	57.4485	334.000	434.000
Aska	3	76.667	7.5719	68.000	82.000
OS smbh	3	76.600	0.5000	76.100	77.100
Råprot	3	148.000	23.5160	124.000	171.000
sRåprot	3	633.667	37.9781	590.000	659.000
NH3-N	3	48.667	15.0444	39.000	66.000
NDF	3	391.333	29.6873	366.000	424.000
iNDF	3	178.333	44.0038	131.000	218.000
nhNDF	3	4.241	0.3429	3.913	4.597
TAF	3	55.667	36.6652	34.000	98.000
Mjölksyra	3	39.333	31.7700	20.000	76.000
Ättiksyra	3	13.333	5.5076	8.000	19.000
Socker	3	92.333	30.7463	57.000	113.000
PRF	3	2.667	1.5275	1.000	4.000
BUF	3	0.333	0.5774	0.000	1.000
AATp20	3	81.783	2.5921	78.794	83.407
PBVp20	3	25.503	26.0377	0.287	52.291
NELp20	3	6.254	0.0930	6.194	6.361

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	11.137	0.1305	10.990	11.240
Ca	3	6.600	1.9519	4.600	8.500
P	3	3.033	0.3512	2.700	3.400
Mg	3	2.467	0.3786	2.200	2.900
K	3	29.800	2.3000	27.500	32.100
Na	3	0.267	0.0577	0.200	0.300
Cl	3	3.067	1.5948	1.300	4.400
S	3	2.067	0.5132	1.500	2.500
CAB	3	558.191	80.1881	480.277	640.474
Fe	3	97.333	28.7460	71.000	128.000
Mn	3	57.000	11.5326	44.000	66.000
Zn	3	27.000	3.0000	24.000	30.000
Cu	3	5.667	1.1547	5.000	7.000
Se	3	0.060	0.0173	0.050	0.080

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	365.000	77.782	310.000	420.000
Aska	2	88.000	2.828	86.000	90.000
OS smbh	2	72.300	0.566	71.900	72.700
Råprot	2	179.000	15.556	168.000	190.000
sRåprot	2	454.000	134.350	359.000	549.000
NH3-N	2	47.000	19.799	33.000	61.000
NDF	2	371.500	13.435	362.000	381.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	302.500	0.707	302.000	303.000
nhNDF	2	3.812	0.008	3.807	3.817
TAF	2	74.500	10.607	67.000	82.000
Mjölksyra	2	50.000	5.657	46.000	54.000
Ättiksyra	2	23.000	4.243	20.000	26.000
Socker	2	44.500	12.021	36.000	53.000
PRF	2	1.500	0.707	1.000	2.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	80.084	3.097	77.894	82.274
PBVp20	2	58.242	9.803	51.310	65.174
NELp20	2	5.964	0.124	5.876	6.051
OE*	2	10.305	0.064	10.260	10.350
Ca	2	11.750	1.061	11.000	12.500
P	2	3.200	0.141	3.100	3.300
Mg	2	2.850	0.354	2.600	3.100
K	2	26.050	0.636	25.600	26.500
Na	2	1.050	0.354	0.800	1.300
Cl	2	2.850	3.465	0.400	5.300
S	2	2.450	0.354	2.200	2.700
CAB	2	478.486	74.599	425.736	531.236

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	447.500	20.793	429.000	466.000
Aska	4	74.750	4.500	71.000	80.000
OS smbh	4	75.050	1.654	73.200	77.000
Råprot	4	171.750	3.775	167.000	176.000
sRåprot	4	439.750	30.412	421.000	485.000
NH3-N	4	88.500	7.550	80.000	98.000
NDF	4	354.000	44.736	307.000	407.000
iNDF	4	223.250	17.231	211.000	248.000
nhNDF	4	3.354	0.454	3.047	4.027
Stä	4	145.250	53.761	72.000	198.000
TAF	4	39.250	11.383	27.000	54.000
Mjölksyra	4	27.750	9.743	21.000	42.000
Ättiksyra	4	6.500	4.509	0.000	10.000
Socker	4	20.750	6.602	12.000	28.000
PRF	4	2.750	0.500	2.000	3.000
BUF	4	2.250	0.957	1.000	3.000
AATp20	4	91.179	2.679	87.511	93.909
PBVp20	4	33.900	2.732	30.700	37.068
NELp20	4	6.353	0.155	6.183	6.542
OE*	4	10.908	0.283	10.650	11.270
Ca	4	5.925	0.310	5.500	6.200
P	4	4.450	0.129	4.300	4.600
Mg	4	3.125	0.655	2.700	4.100
K	4	14.900	0.753	14.000	15.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	5.975	2.195	2.800	7.800
Cl	4	6.000	1.203	5.100	7.700
S	4	3.650	1.234	3.000	5.500
CAB	4	243.718	187.739	-34.820	359.775
Fe	4	296.000	56.059	241.000	371.000
Mn	4	106.750	59.791	69.000	196.000
Zn	4	69.000	20.736	48.000	97.000
Cu	4	9.750	2.754	7.000	13.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	444.000	.	444.000	444.000
Aska	1	67.000	.	67.000	67.000
OS smbh	2	40.300	56.9928	0.000	80.600
Råprot	1	182.000	.	182.000	182.000
sRåprot	1	455.000	.	455.000	455.000
NH3-N	1	35.000	.	35.000	35.000
NDF	1	288.000	.	288.000	288.000
iNDF	1	152.733	.	152.733	152.733
nhNDF	1	3.717	.	3.717	3.717
Stä	1	160.000	.	160.000	160.000
Socker	1	38.000	.	38.000	38.000
NELp20	2	0.000	0.0000	0.000	0.000
Ca	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.900	.	3.900	3.900
Mg	1	2.800	.	2.800	2.800
K	1	15.500	.	15.500	15.500
Na	1	5.100	.	5.100	5.100
Cl	1	11.700	.	11.700	11.700
S	1	2.500	.	2.500	2.500
CAB	1	132.331	.	132.331	132.331
Fe	1	318.000	.	318.000	318.000
Mn	1	71.000	.	71.000	71.000
Zn	1	62.000	.	62.000	62.000
Cu	1	13.500	.	13.500	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet