

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	15	806	24	57.3	123	251	7.8	176	116	3.15	563	0.000			5
Havre, kärna, hög NDF (002)	1	1	835	22	75.0	121			313	392	2.00	511	0.000			
Vete, kärna (005)	1	1	872	17	88.0	123				187	3.50	714	0.000			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	767	23	80.5	176		81.0		304	2.50	557	0.000			
Rapsexpeller, 00, 20% fett, kallpressad (049)	1	1	912	62	78.5	299		2.0	284	488	10.2	10	0.000			
Majs hela plantan, grönmassa (030)	1	1	318	27	77.6	81	365		384	175	3.89	314	57.000			18
Prognos, blandvall (1-50% baljv) (042)	1	1	201		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	2	1	202		73.2					170	4.32		0.000			
Ensilage, gräs (0% klöver) (162)	0	1	416	77	77.0	178	536	79.0	410	153	4.36		67.100	57.0	9.0	64
Ensilage, gräs (0% klöver) (162)	1	3	566	58	71.8	124	570	60.3	475	188	3.77		34.733	23.7	9.0	102
Ensilage, gräs (0% klöver) (162)	2	1	509	73	73.5	151	548	70.0	444	186	3.84		41.500	30.0	9.0	87
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	388	66	78.6	163			448	118	5.49		84.000			148
Grönmassa blandvall (1-50 % baljväxter) (164)	1	18	365	64	76.7	139	400		487	131	5.23		84.000			129
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	488	74	76.2	151			472	142	4.96		84.000			104
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	384	95	75.7	177			410	163	4.21		84.000			78
Ensilage, blandvall (1-50% klöver) (165)	0	11	413	66	73.9	143	553	64.1	455	177	4.08		60.827	46.7	10.2	75
Ensilage, blandvall (1-50% klöver) (165)	1	147	374	61	74.9	137	612	78.1	463	161	4.36		73.080	57.2	13.3	70
Ensilage, blandvall (1-50% klöver) (165)	2	83	394	75	72.8	144	538	72.0	456	188	3.87		61.619	45.6	13.2	62
Ensilage, blandvall (1-50% klöver) (165)	3	52	348	80	74.8	151	547	71.4	427	179	4.13		79.475	63.3	14.1	55
Korn, helsädesensilage (250)	1	11	368	61	69.7	120	632	113	437	246	2.98	132	66.409	42.5	21.1	43
Havre-ärt, helsädesensilage, 50% ärter (251)	1	17	385	82	67.8	125	626	102	461	246	2.99	68	72.059	51.9	18.2	41
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	342	71	70.6	135	618	73.0	462	253	4.02	57	75.500	49.5	21.0	51
Havre helsädesensilage degmognad (296)	1	8	367	80	72.6	140	683	83.5	429	217	4.01	61	75.375	52.5	20.4	64
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	9	369	70	68.2	128	658	101	478	237	3.11	45	64.222	47.7	16.6	44
Vete, helsäd ensilage (299)	1	11	410	56	68.7	115	672	98.9	441	262	2.84	133	64.000	44.0	16.5	53

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Hö, blandvall, 0-50% baljväxter (383)	0	2	698	65	68.3	75			555	205	3.74		0.000			120
Hö, blandvall, 0-50% baljväxter (383)	1	6	784	65	68.0	100	462		522	228	3.94		0.000			105
Hö, blandvall, 0-50% baljväxter (383)	2	1	776	64	64.7	108			512	261	2.82		0.000			111
Ensilage, blandvall (51-100% klöver) (438)	1	1	309	118	79.6	197	632	49.0	317	223	6.95		99.000	89.0	8.0	39
repja (1E3)	1	1	201	81	76.4	133	612		316	247	3.55	115	132.000	107	23.0	52
Ensilage, blandvall (1-50% klöver) (326)	1	1	399	72	74.4	170	646	68.0	419	216	4.30	10	85.000	62.0	20.0	59

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	15				96.1	-22	7.33	13.2	93.5	-32
Havre, kärna, hög NDF (002)	1	1				85.0	-0.5	6.62			
Vete, kärna (005)	1	1				115	-46	8.07	14.3	94.0	-32
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				94.7	35.1	6.93	12.1	84.0	40.0
Rapsexpeller, 00, 20% fett, kallpressad (049)	1	1				108	134	8.29			
Majs hela plantan, grönmassa (030)	1	1				90.6	-63	6.59			
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	2	1				96.4	-4.4	5.94	11.1		
Ensilage, gräs (0% klöver) (162)	0	1		0.10000		86.5	39.1	6.29	11.2	72.0	54.0
Ensilage, gräs (0% klöver) (162)	1	3	2.00000	0.73333		81.2	-1.7	5.71	10.6	69.5	-10
Ensilage, gräs (0% klöver) (162)	2	1		1.50000		84.0	18.6	5.89	10.7	71.0	29.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				88.8	23.9	6.50	11.6	78.5	27.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	18				86.5	5.4	6.32	11.3	77.9	4.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11				85.4	18.8	6.28	11.1	76.6	19.2
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3				84.1	45.6	6.13	10.7	74.7	48.7
Ensilage, blandvall (1-50% klöver) (165)	0	11		1.11000		83.8	14.6	6.04	10.8	71.0	20.8
Ensilage, blandvall (1-50% klöver) (165)	1	147	2.96970	1.07279		82.4	10.2	6.17	11.0	71.8	9.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	2	83	2.86667	1.36145		82.1	17.3	5.92	10.5	70.1	19.6
Ensilage, blandvall (1-50% klöver) (165)	3	52	1.62500	0.94615		82.1	23.7	6.11	10.8	70.9	26.9
Korn, helsädesensilage (250)	1	11	3.16667	0.66667		70.9	3.0	5.70	10.4		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	17				69.4	14.6	5.50	8.8	55.0	16.5
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	4.00000	1.00000		72.3	18.0	5.93	10.2		
Havre helsädesensilage degmognad (296)	1	8	3.20000	0.80000		74.7	15.4	5.97	10.9		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	9				69.1	16.9	5.54	9.3	57.0	22.3
Vete, helsäd ensilage (299)	1	11	3.60000	1.00000		70.5	-0.8	5.69	10.2	62.0	-14
Hö, blandvall, 0-50% baljväxter (383)	0	2				84.2	-51	5.21	9.9	70.5	-46
Hö, blandvall, 0-50% baljväxter (383)	1	6				88.2	-34	5.29	9.8	62.0	-36
Hö, blandvall, 0-50% baljväxter (383)	2	1				83.4	-18	4.97	9.3	67.0	-7.0
Ensilage, blandvall (51-100% klöver) (438)	1	1	1.00000	1.00000		79.4	75.9	6.56	11.1		
repja (1E3)	1	1	2.00000	0.00000		63.4	37.9	6.32	11.1		
Ensilage, blandvall (1-50% klöver) (326)	1	1	3.00000	0.00000		81.3	47.1	6.35	10.8		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	13	0.4	3.7	1.3	5.7	0.1	1.7	1.4	25	13	67.6	18.6	37.1	6.3	0.0
Havre, kärna, hög NDF (002)	1	1	0.6	4.0	1.5	5.5	0.1		1.6	25	1	88.0	32.0	33.0	6.1	
Vete, kärna (005)	1	1	0.4	3.5	1.3	4.6	0.1		1.4	9	1	57.0	29.0	31.0	5.5	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	1.2	3.5	1.2	5.1	0.1		1.7	3	1	63.0	32.0	37.0	6.5	0.0
Rapsexpeller, 00, 20% fett, kallpressad (049)	1	1	7.6	11.1	5.3	9.9	0.1		4.8	-57	1	207.0	85.0	69.0	6.3	
Majs hela plantan, grönmassa (030)	1	1	2.7	1.8	1.9	7.8	0.1	1.6	1.1	90	1	59.0	10.0	33.0	4.8	
Ensilage, gräs (0% klöver) (162)	0	1	8.3	3.0	2.5	20.7	0.5	4.6	2.3	278	1	172.0	72.0	36.0	9.7	0.0
Ensilage, gräs (0% klöver) (162)	1	3	4.9	2.4	1.9	17.5	0.3	1.6	1.7	312	2	85.0	54.5	24.5	5.3	
Ensilage, gräs (0% klöver) (162)	2	1	7.6	3.0	3.0	20.1	0.1	1.6	2.3	330	1	71.0	77.0	34.0	9.3	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	4.3	2.7	1.8	21.8	0.3		2.3	298	2	115.0	27.5	21.5	6.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	15	4.3	2.5	1.7	18.1	0.2	1.8	1.9	236	13	135.3	49.8	29.1	6.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	6.5	2.8	2.4	20.0	0.3		2.2	258	11	100.7	58.1	29.5	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	9.3	3.2	2.9	28.1	0.3		2.2	462	3	113.3	40.0	26.7	9.6	
Ensilage, blandvall (1-50% klöver) (165)	0	9	6.2	2.7	2.2	20.5	0.5	4.2	2.0	293	9	141.0	75.4	34.3	7.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	1	144	4.8	2.3	1.7	18.3	0.4	2.7	1.9	289	134	212.5	61.7	34.2	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	80	6.5	2.7	2.3	21.0	0.5	4.7	2.2	290	75	199.1	81.7	43.3	7.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	50	6.7	2.9	2.4	22.3	0.5	6.3	2.3	273	44	179.6	78.8	37.2	8.1	0.0
Korn, helsädesensilage (250)	1	9	3.8	2.7	1.9	16.1	1.0	5.9	2.2	162	8	203.3	52.3	35.4	6.9	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	17	5.1	2.8	2.1	21.8	0.8	3.7	2.2	354	17	407.5	108.6	91.9	6.6	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	5.7	3.0	2.3	21.6	1.6	4.8	2.5	331	1	145.0	82.0	42.0	8.0	0.1
Havre helsädesensilage degmognad (296)	1	7	4.2	3.1	2.0	25.7	1.2	6.8	2.3	361	5	177.4	92.6	33.6	5.4	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	9	5.0	2.6	2.1	20.1	0.4	4.6	1.8	292	9	267.8	63.9	33.7	7.6	0.0
Vete, helsäd ensilage (299)	1	11	2.8	2.4	1.6	15.1	0.5	4.5	1.8	172	10	162.1	70.3	32.1	6.1	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.0	1.9	1.3	16.6	0.1		1.2	212	2	168.5	72.5	20.0	4.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	6	4.1	1.7	1.3	13.4	0.2	4.0	1.3	147	6	226.8	67.2	22.5	6.9	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	1	4.3	1.9	1.6	13.7	0.1		1.4	126	1	200.0	133.0	40.0	5.4	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	1	6.2	2.6	2.5	25.4	0.7	9.4	2.5	259	1	330.0	88.0	38.0	7.0	
repja (1E3)	1	1	12.8	3.5	2.8	22.3	2.3	2.0	1.8	501	0					
Ensilage, blandvall (1-50% klöver) (326)	1	1	7.2	3.2	2.6	19.7	1.5	2.3	2.6	342	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	805.600	90.6365	711.000	888.000
Aska	15	23.647	2.8249	19.000	27.000
OS smbh	15	57.333	41.9637	0.000	86.000
Råprot	15	122.680	13.0459	108.000	139.900
sRåprot	5	251.000	27.7939	221.000	284.000
NH3-N	4	7.750	1.5000	7.000	10.000
NDF	8	176.375	26.0819	144.000	209.000
iNDF	15	116.333	66.8492	25.000	162.000
nhNDF	15	3.150	0.0000	3.150	3.150
Stä	15	563.233	63.3616	479.000	635.100
TAF	15	0.000	0.0000	0.000	0.000
Socker	5	5.000	0.0000	5.000	5.000
AATp20	15	96.095	1.6019	94.659	98.635
PBVp20	15	-21.790	13.3187	-36.425	-3.881
NELp20	15	7.334	0.1696	7.086	7.546
OE*	9	13.222	0.2167	12.700	13.400
AAT*	4	93.500	0.5774	93.000	94.000
PBV*	4	-32.000	19.4422	-47.000	-4.000
Ca	13	0.446	0.0660	0.400	0.500
P	13	3.677	0.3855	3.200	4.100
Mg	13	1.346	0.1330	1.200	1.500
K	13	5.708	0.6538	4.800	6.600
Na	13	0.115	0.0376	0.100	0.200
Cl	4	1.650	0.4435	1.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	13	1.408	0.1706	1.300	1.500
CAB	13	25.310	19.6564	5.807	51.843
Fe	13	67.615	12.7902	58.000	83.000
Mn	13	18.615	5.1887	12.000	27.000
Zn	13	37.077	7.7724	25.000	47.000
Cu	13	6.331	1.1715	5.000	8.000
Se	8	0.028	0.0238	0.005	0.050

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	835.000	.	835.000	835.000
Aska	1	21.600	.	21.600	21.600
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	121.000	.	121.000	121.000
NDF	1	313.000	.	313.000	313.000
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	511.400	.	511.400	511.400
TAF	1	0.000	.	0.000	0.000
AATp20	1	84.960	.	84.960	84.960
PBVp20	1	-0.490	.	-0.490	-0.490
NELp20	1	6.625	.	6.625	6.625
Ca	1	0.600	.	0.600	0.600
P	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.500	.	1.500	1.500
K	1	5.500	.	5.500	5.500
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
CAB	1	25.294	.	25.294	25.294
Fe	1	88.000	.	88.000	88.000
Mn	1	32.000	.	32.000	32.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	872.000	.	872.000	872.000
Aska	1	17.200	.	17.200	17.200
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	122.700	.	122.700	122.700
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	714.400	.	714.400	714.400
TAF	1	0.000	.	0.000	0.000
AATp20	1	115.032	.	115.032	115.032
PBVp20	1	-45.733	.	-45.733	-45.733
NELp20	1	8.074	.	8.074	8.074
OE*	1	14.300	.	14.300	14.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-32.000	.	-32.000	-32.000
Ca	1	0.400	.	0.400	0.400
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	4.600	.	4.600	4.600
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	9.143	.	9.143	9.143
Fe	1	57.000	.	57.000	57.000
Mn	1	29.000	.	29.000	29.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.500	.	5.500	5.500

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	767.000	.	767.000	767.000
Aska	1	23.000	.	23.000	23.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	176.000	.	176.000	176.000
NH3-N	1	81.000	.	81.000	81.000
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	557.000	.	557.000	557.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	1	0.000	.	0.000	0.000
AATp20	1	94.743	.	94.743	94.743
PBVp20	1	35.067	.	35.067	35.067
NELp20	1	6.934	.	6.934	6.934
OE*	1	12.100	.	12.100	12.100
AAT*	1	84.000	.	84.000	84.000
PBV*	1	40.000	.	40.000	40.000
Ca	1	1.200	.	1.200	1.200
P	1	3.500	.	3.500	3.500
Mg	1	1.200	.	1.200	1.200
K	1	5.100	.	5.100	5.100
Na	1	0.100	.	0.100	0.100
S	1	1.700	.	1.700	1.700
CAB	1	3.180	.	3.180	3.180
Fe	1	63.000	.	63.000	63.000
Mn	1	32.000	.	32.000	32.000
Zn	1	37.000	.	37.000	37.000
Cu	1	6.500	.	6.500	6.500
Se	1	0.009	.	0.009	0.009

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rapsexpeller, 00, 20% fett, kallpressad (049) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	912.000	.	912.000	912.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	78.500	.	78.500	78.500
Råprot	1	299.000	.	299.000	299.000
NH3-N	1	2.000	.	2.000	2.000
NDF	1	284.000	.	284.000	284.000
iNDF	1	488.000	.	488.000	488.000
nhNDF	1	10.200	.	10.200	10.200
Stä	1	10.000	.	10.000	10.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	108.499	.	108.499	108.499
PBVp20	1	134.221	.	134.221	134.221
NELp20	1	8.287	.	8.287	8.287
Ca	1	7.600	.	7.600	7.600
P	1	11.100	.	11.100	11.100
Mg	1	5.300	.	5.300	5.300
K	1	9.900	.	9.900	9.900
Na	1	0.100	.	0.100	0.100
S	1	4.800	.	4.800	4.800
CAB	1	-56.540	.	-56.540	-56.540
Fe	1	207.000	.	207.000	207.000
Mn	1	85.000	.	85.000	85.000
Zn	1	69.000	.	69.000	69.000
Cu	1	6.300	.	6.300	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	318.000	.	318.000	318.000
Aska	1	27.000	.	27.000	27.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	81.000	.	81.000	81.000
sRåprot	1	365.000	.	365.000	365.000
NDF	1	384.000	.	384.000	384.000
iNDF	1	174.862	.	174.862	174.862
nhNDF	1	3.893	.	3.893	3.893
Stä	1	314.000	.	314.000	314.000
TAF	1	57.000	.	57.000	57.000
Socker	1	18.000	.	18.000	18.000
AATp20	1	90.575	.	90.575	90.575
PBVp20	1	-62.642	.	-62.642	-62.642
NElp20	1	6.587	.	6.587	6.587
Ca	1	2.700	.	2.700	2.700
P	1	1.800	.	1.800	1.800
Mg	1	1.900	.	1.900	1.900
K	1	7.800	.	7.800	7.800
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	1	1.100	.	1.100	1.100
CAB	1	90.016	.	90.016	90.016
Fe	1	59.000	.	59.000	59.000
Mn	1	10.000	.	10.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	33.000	.	33.000	33.000
Cu	1	4.800	.	4.800	4.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.900	.	11.900	11.900

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	202.000	.	202.000	202.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.100	.	11.100	11.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	416.000	.	416.000	416.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	77.000	.	77.000	77.000
Råprot	1	178.000	.	178.000	178.000
sRåprot	1	536.000	.	536.000	536.000
NH3-N	1	79.000	.	79.000	79.000
NDF	1	410.000	.	410.000	410.000
iNDF	1	152.578	.	152.578	152.578
nhNDF	1	4.356	.	4.356	4.356
TAF	1	67.100	.	67.100	67.100
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	64.000	.	64.000	64.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	86.540	.	86.540	86.540
PBVp20	1	39.078	.	39.078	39.078
NELp20	1	6.293	.	6.293	6.293
OE*	1	11.200	.	11.200	11.200
AAT*	1	72.000	.	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	54.000	.	54.000	54.000
Ca	1	8.300	.	8.300	8.300
P	1	3.000	.	3.000	3.000
Mg	1	2.500	.	2.500	2.500
K	1	20.700	.	20.700	20.700
Na	1	0.500	.	0.500	0.500
Cl	1	4.600	.	4.600	4.600
S	1	2.300	.	2.300	2.300
CAB	1	277.823	.	277.823	277.823
Fe	1	172.000	.	172.000	172.000
Mn	1	72.000	.	72.000	72.000
Zn	1	36.000	.	36.000	36.000
Cu	1	9.700	.	9.700	9.700
Se	1	0.007	.	0.007	0.007

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	565.667	326.168	351.000	941.000
Aska	3	58.000	13.229	48.000	73.000
OS smbh	3	71.800	8.171	62.400	77.200
Råprot	3	123.667	48.232	68.000	153.000
sRåprot	3	569.667	239.703	293.000	715.000
NH3-N	3	60.333	42.028	15.000	98.000
NDF	3	475.333	80.699	415.000	567.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	3	188.299	64.689	145.000	262.660
nhNDF	3	3.766	0.823	2.820	4.313
TAF	3	34.733	24.310	14.500	61.700
Mjölksyra	3	23.667	22.745	5.000	49.000
Ättiksyra	3	9.000	1.000	8.000	10.000
Socker	3	101.667	16.503	88.000	120.000
PRF	1	2.000	.	2.000	2.000
BUF	3	0.733	0.874	0.000	1.700
AATp20	3	81.164	3.940	76.614	83.469
PBVp20	3	-1.708	37.565	-45.050	21.463
NELp20	3	5.709	0.830	4.754	6.261
OE*	3	10.550	1.276	9.100	11.500
AAT*	2	69.500	4.950	66.000	73.000
PBV*	2	-10.000	48.083	-44.000	24.000
Ca	3	4.933	0.611	4.400	5.600
P	3	2.400	0.557	1.800	2.900
Mg	3	1.933	0.153	1.800	2.100
K	3	17.500	4.288	13.800	22.200
Na	3	0.300	0.346	0.100	0.700
Cl	3	1.567	0.814	1.000	2.500
S	3	1.667	0.681	0.900	2.200
CAB	3	312.316	105.198	237.170	432.541
Fe	2	85.000	15.556	74.000	96.000
Mn	2	54.500	4.950	51.000	58.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	24.500	6.364	20.000	29.000
Cu	2	5.300	1.980	3.900	6.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	509.000	.	509.000	509.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	151.000	.	151.000	151.000
sRåprot	1	548.000	.	548.000	548.000
NH3-N	1	70.000	.	70.000	70.000
NDF	1	444.000	.	444.000	444.000
iNDF	1	186.471	.	186.471	186.471
nhNDF	1	3.841	.	3.841	3.841
TAF	1	41.500	.	41.500	41.500
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	87.000	.	87.000	87.000
BUF	1	1.500	.	1.500	1.500
AATp20	1	84.013	.	84.013	84.013
PBVp20	1	18.646	.	18.646	18.646
NELp20	1	5.886	.	5.886	5.886
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	29.000	.	29.000	29.000
Ca	1	7.600	.	7.600	7.600
P	1	3.000	.	3.000	3.000
Mg	1	3.000	.	3.000	3.000
K	1	20.100	.	20.100	20.100
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	1	2.300	.	2.300	2.300
CAB	1	329.594	.	329.594	329.594
Fe	1	71.000	.	71.000	71.000
Mn	1	77.000	.	77.000	77.000
Zn	1	34.000	.	34.000	34.000
Cu	1	9.300	.	9.300	9.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	387.500	115.258	306.000	469.000
Aska	2	66.000	12.728	57.000	75.000
OS smbh	2	78.550	7.425	73.300	83.800
Råprot	2	162.500	41.719	133.000	192.000
NDF	2	448.000	66.468	401.000	495.000
iNDF	2	118.247	79.781	61.833	174.661
nhNDF	2	5.492	1.820	4.205	6.779
TAF	2	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	147.500	10.607	140.000	155.000
AATp20	2	88.787	8.544	82.745	94.829
PBVp20	2	23.930	24.869	6.345	41.515
NELp20	2	6.500	0.707	6.000	6.999
OE*	2	11.550	1.061	10.800	12.300
AAT*	2	78.500	4.950	75.000	82.000
PBV*	2	27.000	32.527	4.000	50.000
Ca	2	4.250	0.636	3.800	4.700
P	2	2.650	0.636	2.200	3.100
Mg	2	1.800	0.566	1.400	2.200
K	2	21.800	9.475	15.100	28.500
Na	2	0.300	0.283	0.100	0.500
S	2	2.250	0.212	2.100	2.400
CAB	2	297.569	216.778	144.284	450.854
Fe	2	115.000	41.012	86.000	144.000
Mn	2	27.500	9.192	21.000	34.000
Zn	2	21.500	0.707	21.000	22.000
Cu	2	6.250	1.485	5.200	7.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	364.556	129.718	230.000	537.000
Aska	18	63.944	10.702	51.000	84.000
OS smbh	18	76.689	5.230	67.800	83.000
Råprot	18	138.889	30.745	91.000	169.000
sRåprot	2	400.000	28.284	380.000	420.000
NDF	18	486.944	51.976	423.000	568.000
iNDF	18	131.275	43.925	80.907	203.692
nhNDF	18	5.227	0.969	3.810	6.454
TAF	18	84.000	0.000	84.000	84.000
Socker	18	128.556	49.903	52.000	167.000
AATp20	18	86.524	6.469	74.215	93.416
PBVp20	18	5.428	21.221	-34.573	25.747
NELp20	18	6.319	0.501	5.349	6.855
OE*	18	11.299	0.913	9.900	12.400
AAT*	16	77.938	5.013	71.000	82.000
PBV*	16	4.438	27.655	-42.000	30.000
Ca	15	4.307	0.954	3.100	6.000
P	15	2.473	0.557	1.800	3.200
Mg	15	1.667	0.534	1.200	2.600
K	15	18.100	3.390	14.200	22.200
Na	15	0.233	0.145	0.100	0.400
Cl	2	1.750	1.202	0.900	2.600
S	15	1.853	0.414	1.200	2.300
CAB	15	235.913	113.861	159.006	386.160

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	13	135.308	110.691	71.000	227.000
Mn	13	49.846	16.752	34.000	73.000
Zn	13	29.077	8.509	22.000	40.000
Cu	13	6.477	2.314	4.900	10.200
Se	3	0.007	0.002	0.006	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	487.545	117.712	374.000	626.000
Aska	11	74.182	14.393	60.000	84.000
OS smbh	11	76.182	4.142	69.900	79.400
Råprot	11	151.182	22.811	124.000	176.000
NDF	11	472.000	20.712	456.000	500.000
iNDF	11	142.373	43.532	109.541	195.312
nhNDF	11	4.958	0.911	3.912	5.653
TAF	11	84.000	0.000	84.000	84.000
Socker	11	104.273	40.964	68.000	154.000
AATp20	11	85.400	5.117	78.544	89.567
PBVp20	11	18.820	20.234	-3.125	41.338
NELp20	11	6.275	0.413	5.706	6.647
OE*	11	11.100	0.778	9.900	11.800
AAT*	11	76.636	4.154	70.000	80.000
PBV*	11	19.182	23.511	-7.000	49.000
Ca	11	6.491	1.678	5.000	8.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	11	2.800	0.454	2.500	3.200
Mg	11	2.400	0.523	1.900	3.100
K	11	20.036	4.827	15.100	23.900
Na	11	0.336	0.622	0.100	0.300
S	11	2.182	0.328	1.800	2.600
CAB	11	258.305	139.652	119.300	341.902
Fe	11	100.727	39.621	66.000	156.000
Mn	11	58.091	19.952	40.000	64.000
Zn	11	29.455	5.355	23.000	35.000
Cu	11	7.673	1.299	5.700	8.700
Se	3	0.010	0.006	0.006	0.017

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.000	73.750	299.000	431.000
Aska	3	95.000	8.185	88.000	104.000
OS smbh	3	75.733	3.690	72.600	79.800
Råprot	3	177.333	33.501	157.000	216.000
NDF	3	410.333	49.943	381.000	468.000
iNDF	3	163.436	56.920	111.476	224.273
nhNDF	3	4.210	1.023	3.060	5.020
TAF	3	84.000	0.000	84.000	84.000
Socket	3	78.333	18.175	58.000	93.000
AATp20	3	84.058	5.025	79.776	89.590

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	3	45.579	23.774	28.451	72.722
NELp20	3	6.131	0.402	5.740	6.543
OE*	3	10.733	0.513	10.300	11.300
AAT*	3	74.667	2.082	73.000	77.000
PBV*	3	48.667	29.838	29.000	83.000
Ca	3	9.267	3.190	5.600	11.400
P	3	3.200	1.200	2.000	4.400
Mg	3	2.900	0.173	2.800	3.100
K	3	28.100	6.909	21.400	35.200
Na	3	0.300	0.000	0.300	0.300
S	3	2.200	0.700	1.400	2.700
CAB	3	461.819	173.670	271.714	612.155
Fe	3	113.333	31.214	79.000	140.000
Mn	3	40.000	26.153	22.000	70.000
Zn	3	26.667	4.041	22.000	29.000
Cu	3	9.600	2.081	7.200	10.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	412.545	104.347	295.000	541.000
Aska	10	65.800	16.725	43.000	86.500
OS smbh	11	73.936	3.091	70.700	77.000
Råprot	10	143.200	11.830	133.500	161.000
sRåprot	10	553.200	124.816	418.500	741.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	10	64.100	24.844	37.000	101.500
NDF	10	454.700	45.519	394.000	509.000
iNDF	11	177.171	30.237	146.131	206.614
nhNDF	11	4.075	0.569	3.574	4.840
TAF	11	60.827	30.646	30.900	99.100
Mjölksyra	10	46.700	28.469	19.500	86.000
Ättiksyra	10	10.200	4.131	5.000	15.000
Socker	10	75.100	41.956	16.000	123.000
BUF	10	1.110	0.968	0.100	2.500
AATp20	11	83.804	4.161	81.605	86.707
PBVp20	11	14.623	8.167	5.308	22.077
NELp20	11	6.044	0.267	5.672	6.377
OE*	10	10.840	0.510	10.000	11.300
AAT*	10	71.000	1.563	68.500	72.500
PBV*	10	20.800	11.243	9.500	37.000
Ca	9	6.189	1.219	3.500	7.500
P	9	2.656	0.400	2.100	3.300
Mg	9	2.189	0.417	1.500	2.900
K	9	20.500	6.347	9.600	31.100
Na	9	0.522	0.682	0.100	2.200
Cl	10	4.190	1.966	1.800	6.700
S	9	2.044	0.350	1.600	2.500
CAB	9	293.090	147.264	54.132	483.547
Fe	9	141.000	50.207	58.000	222.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	9	75.444	24.602	39.000	117.000
Zn	9	34.333	10.920	25.000	59.000
Cu	9	7.644	1.265	6.100	9.900
Se	4	0.056	0.092	0.006	0.194

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	147	373.850	132.003	255.000	543.000
Aska	147	61.293	11.498	48.000	72.000
OS smbh	147	74.914	4.196	69.100	80.200
Råprot	147	136.748	28.134	102.000	174.000
sRåprot	147	611.925	90.846	488.000	718.000
NH3-N	146	78.096	29.372	42.000	116.000
NDF	147	463.061	53.098	398.000	539.000
iNDF	147	161.246	37.161	116.989	215.540
nhNDF	147	4.362	0.657	3.521	5.225
TAF	147	73.080	32.792	26.500	116.100
Mjölksyra	147	57.238	28.599	18.000	95.000
Ättiksyra	147	13.327	5.368	7.000	20.000
Socker	147	69.680	46.017	19.000	130.000
PRF	33	2.970	1.571	1.000	5.000
BUF	147	1.073	1.494	0.000	3.500
AATp20	147	82.411	4.029	77.300	88.120
PBVp20	147	10.236	24.127	-22.765	39.040

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	147	6.169	0.436	5.541	6.665
OE*	147	11.042	0.682	10.100	12.000
AAT*	114	71.825	2.142	69.000	74.000
PBV*	114	9.781	25.305	-20.000	41.000
Ca	144	4.839	1.092	3.600	6.200
P	144	2.272	0.413	1.800	2.800
Mg	144	1.692	0.396	1.200	2.300
K	144	18.266	4.007	13.300	22.800
Na	141	0.430	0.541	0.100	0.800
Cl	144	2.692	3.358	0.600	5.200
S	144	1.905	0.441	1.300	2.400
CAB	144	289.231	118.721	154.360	427.351
Fe	134	212.470	193.529	73.000	369.000
Mn	134	61.716	27.946	38.000	88.000
Zn	134	34.201	49.480	22.000	36.000
Cu	134	6.268	1.308	4.600	7.900
Se	38	0.025	0.019	0.005	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	83	393.554	108.206	288.000	543.000
Aska	83	75.337	11.117	64.000	87.000
OS smbh	84	72.806	3.098	68.500	76.300
Råprot	83	143.566	19.958	116.000	168.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	83	537.602	76.447	435.000	619.000
NH3-N	83	72.000	26.584	43.000	102.000
NDF	83	456.386	33.344	416.000	492.000
iNDF	84	188.052	34.423	149.000	238.290
nhNDF	84	3.873	0.553	3.082	4.465
TAF	84	61.619	24.198	27.900	90.000
Mjölksyra	83	45.554	20.160	18.000	67.000
Ättiksyra	83	13.157	5.334	6.000	20.000
Socker	83	62.337	32.631	23.000	109.000
PRF	15	2.867	1.506	1.000	5.000
BUF	83	1.361	3.444	0.000	2.500
AATp20	84	82.068	3.838	77.750	86.219
PBVp20	84	17.350	17.314	-3.830	38.568
NELp20	84	5.918	0.338	5.405	6.336
OE*	83	10.525	0.534	9.800	11.100
AAT*	68	70.059	1.683	68.000	72.000
PBV*	68	19.559	18.638	-7.000	45.000
Ca	80	6.451	1.809	4.650	8.950
P	80	2.686	0.342	2.300	3.200
Mg	80	2.289	0.543	1.700	3.000
K	80	20.979	4.649	15.450	28.050
Na	80	0.513	0.463	0.100	1.150
Cl	83	4.700	3.231	1.200	9.100
S	80	2.155	0.396	1.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	80	289.770	128.470	144.096	452.638
Fe	75	199.080	147.660	81.000	411.000
Mn	75	81.693	40.492	46.000	125.000
Zn	75	43.333	92.428	24.000	42.000
Cu	75	7.875	1.507	6.000	9.800
Se	21	0.029	0.023	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	52	348.250	90.766	252.000	505.000
Aska	52	79.827	9.664	69.000	91.000
OS smbh	53	74.758	2.303	72.300	77.400
Råprot	52	150.808	18.135	129.000	167.000
sRåprot	52	546.538	63.945	466.000	608.000
NH3-N	52	71.423	30.327	38.000	103.000
NDF	52	426.692	26.810	387.000	465.000
iNDF	53	178.925	30.435	147.000	211.000
nhNDF	53	4.133	0.550	3.466	4.611
TAF	53	79.475	26.646	40.200	109.100
Mjölksyra	52	63.269	23.171	32.000	91.000
Ättiksyra	52	14.077	5.013	7.000	21.000
Socker	52	54.962	30.845	21.000	103.000
PRF	16	1.625	1.500	0.000	3.000
BUF	52	0.946	2.394	0.000	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	53	82.147	3.965	78.004	87.102
PBVp20	53	23.670	15.565	7.365	40.439
NELp20	53	6.112	0.231	5.835	6.390
OE*	52	10.805	0.406	10.300	11.300
AAT*	36	70.917	1.204	69.000	72.000
PBV*	36	26.947	17.332	6.000	47.000
Ca	50	6.718	1.701	4.450	8.950
P	50	2.856	0.403	2.350	3.300
Mg	50	2.370	0.383	1.900	2.900
K	50	22.324	4.277	17.750	28.750
Na	50	0.536	0.475	0.100	1.350
Cl	52	6.267	3.038	3.100	9.800
S	50	2.300	0.325	1.900	2.650
CAB	50	273.092	125.038	116.077	446.360
Fe	44	179.591	116.372	78.000	354.000
Mn	44	78.841	39.261	44.000	111.000
Zn	44	37.159	32.573	24.000	40.000
Cu	44	8.075	1.248	6.400	9.700
Se	19	0.027	0.020	0.006	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	368.273	76.001	280.000	437.000
Aska	11	61.273	12.338	49.000	71.000
OS smbh	11	69.691	2.999	66.100	73.200
Råprot	11	120.182	20.663	94.000	139.000
sRåprot	11	632.182	67.074	589.000	683.000
NH3-N	11	112.545	42.373	65.000	164.000
NDF	11	437.273	62.776	375.000	508.000
iNDF	11	245.888	39.071	197.000	290.000
nhNDF	11	2.980	0.834	2.112	3.895
Stä	11	131.727	92.440	24.000	261.000
TAF	11	66.409	17.605	51.700	87.000
Mjölksyra	11	42.455	11.112	32.000	55.000
Ättiksyra	11	21.091	8.276	14.000	28.000
Socker	11	43.091	35.419	11.000	90.000
PRF	6	3.167	1.329	1.000	4.000
BUF	6	0.667	1.211	0.000	3.000
AATp20	11	70.853	3.757	67.191	75.122
PBVp20	11	3.043	19.068	-20.017	23.197
NELp20	11	5.703	0.238	5.373	5.936
OE*	6	10.415	0.405	9.890	10.900
Ca	9	3.844	1.756	1.600	6.700
P	9	2.689	0.333	2.000	3.200
Mg	9	1.944	0.583	1.200	2.800
K	9	16.133	5.253	9.900	22.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	0.956	0.691	0.300	2.300
Cl	11	5.909	3.059	3.900	8.300
S	9	2.167	0.704	1.500	3.400
CAB	9	161.939	92.173	16.696	336.922
Fe	8	203.250	223.114	93.000	749.000
Mn	8	52.250	25.342	24.000	93.000
Zn	8	35.375	11.734	27.000	63.000
Cu	8	6.863	1.617	4.000	8.800
Se	4	0.031	0.029	0.006	0.060

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	385.235	62.812	304.000	461.00
Aska	17	82.059	19.917	60.000	115.00
OS smbh	17	67.835	2.016	65.900	71.40
Råprot	17	125.000	25.159	93.000	151.00
sRåprot	17	626.412	95.012	561.000	732.00
NH3-N	17	102.000	27.602	59.000	133.00
NDF	17	461.471	41.470	410.000	510.00
iNDF	17	246.281	27.190	211.346	294.89
nhNDF	17	2.990	0.419	2.285	3.59
Stä	17	67.588	47.318	17.000	148.00
TAF	17	72.059	24.737	50.000	104.00
Mjölksyra	17	51.882	22.200	27.000	85.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	17	18.176	5.692	10.000	28.00
Socker	17	40.941	31.134	17.000	56.00
AATp20	17	69.422	3.282	64.548	73.76
PBVp20	17	14.556	23.756	-14.030	37.32
NELp20	17	5.496	0.275	5.271	5.91
OE*	2	8.800	0.141	8.700	8.90
AAT*	2	55.000	0.000	55.000	55.00
PBV*	2	16.500	23.335	0.000	33.00
Ca	17	5.135	1.199	3.700	6.30
P	17	2.812	0.379	2.300	3.40
Mg	17	2.124	0.327	1.800	2.70
K	17	21.788	6.387	14.100	29.80
Na	17	0.812	0.584	0.200	1.80
Cl	17	3.682	2.395	1.300	7.50
S	17	2.165	0.229	1.900	2.60
CAB	17	353.516	151.472	160.105	537.14
Fe	17	407.471	483.376	110.000	1041.00
Mn	17	108.647	79.510	52.000	171.00
Zn	17	91.882	189.874	34.000	131.00
Cu	17	6.553	0.634	5.500	7.30
Se	3	0.012	0.010	0.006	0.02

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	342.000	29.6985	321.000	363.000
Aska	2	71.000	1.4142	70.000	72.000
OS smbh	2	70.600	2.5456	68.800	72.400
Råprot	2	134.500	10.6066	127.000	142.000
sRåprot	2	617.500	27.5772	598.000	637.000
NH3-N	2	73.000	5.6569	69.000	77.000
NDF	2	462.000	25.4558	444.000	480.000
iNDF	2	253.000	29.6985	232.000	274.000
nhNDF	2	4.023	0.1290	3.932	4.114
Stä	2	57.000	5.6569	53.000	61.000
TAF	2	75.500	23.3345	59.000	92.000
Mjölksyra	2	49.500	16.2635	38.000	61.000
Ättiksyra	2	21.000	5.6569	17.000	25.000
Socker	2	51.000	2.8284	49.000	53.000
PRF	2	4.000	1.4142	3.000	5.000
BUF	2	1.000	0.0000	1.000	1.000
AATp20	2	72.269	0.2362	72.102	72.436
PBVp20	2	18.049	9.6862	11.200	24.898
NELp20	2	5.927	0.2782	5.731	6.124
OE*	2	10.215	0.4031	9.930	10.500
Ca	2	5.700	0.2828	5.500	5.900
P	2	3.000	0.2828	2.800	3.200
Mg	2	2.250	0.0707	2.200	2.300
K	2	21.600	2.5456	19.800	23.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	1.550	0.3536	1.300	1.800
Cl	2	4.800	2.1213	3.300	6.300
S	2	2.450	0.4950	2.100	2.800
CAB	2	331.485	51.6568	294.958	368.012
Fe	1	145.000	.	145.000	145.000
Mn	1	82.000	.	82.000	82.000
Zn	1	42.000	.	42.000	42.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	367.000	51.133	277.000	458.000
Aska	8	79.625	16.775	60.000	115.000
OS smbh	8	72.575	5.961	63.400	79.600
Råprot	8	139.500	34.209	91.000	198.000
sRåprot	8	682.750	52.557	601.000	766.000
NH3-N	8	83.500	42.426	49.000	183.000
NDF	8	429.250	55.969	343.000	502.000
iNDF	8	216.850	61.377	145.000	284.000
nhNDF	8	4.006	0.957	2.523	5.165
Stä	8	60.625	34.846	16.000	114.000
TAF	8	75.375	14.803	57.000	100.000
Mjölksyra	8	52.500	15.657	37.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	8	20.375	7.190	14.000	37.000
Socker	8	63.750	37.988	14.000	128.000
PRF	5	3.200	0.447	3.000	4.000
BUF	5	0.800	1.095	0.000	2.000
AATp20	8	74.748	5.325	66.419	80.816
PBVp20	8	15.401	27.263	-12.607	72.969
NELp20	8	5.969	0.484	5.161	6.494
OE*	5	10.856	0.818	9.900	11.560
Ca	7	4.214	2.215	2.100	7.500
P	7	3.100	0.988	2.100	4.400
Mg	7	1.971	0.506	1.100	2.600
K	7	25.671	10.120	14.100	44.700
Na	7	1.214	0.767	0.300	2.300
Cl	8	6.763	2.352	3.700	11.500
S	7	2.329	0.512	1.600	3.300
CAB	7	361.001	234.864	128.648	808.375
Fe	5	177.400	84.503	100.000	306.000
Mn	5	92.600	47.805	18.000	147.000
Zn	5	33.600	3.975	27.000	37.000
Cu	5	5.420	0.626	5.000	6.400
Se	2	0.035	0.021	0.020	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	368.667	83.346	272.000	515.000
Aska	9	70.333	12.196	53.000	88.000
OS smbh	9	68.167	1.746	65.300	70.400
Råprot	9	127.556	18.722	89.000	152.000
sRåprot	9	658.222	86.985	509.000	760.000
NH3-N	9	100.778	29.034	56.000	134.000
NDF	9	478.222	39.749	430.000	546.000
iNDF	9	236.641	12.641	216.743	254.844
nhNDF	9	3.114	0.220	2.743	3.497
Stä	9	44.556	21.431	18.000	78.000
TAF	9	64.222	10.733	43.000	76.000
Mjölksyra	9	47.667	10.464	31.000	58.000
Ättiksyra	9	16.556	2.506	12.000	21.000
Socker	9	44.222	22.532	14.000	77.000
AATp20	9	69.067	1.694	67.153	72.784
PBVp20	9	16.877	17.174	-15.974	41.208
NELp20	9	5.537	0.164	5.310	5.781
OE*	4	9.250	0.100	9.200	9.400
AAT*	4	57.000	1.155	56.000	58.000
PBV*	4	22.250	10.996	10.000	35.000
Ca	9	5.033	1.366	3.200	6.700
P	9	2.611	0.247	2.300	3.000
Mg	9	2.122	0.554	1.500	3.100
K	9	20.133	2.716	15.500	25.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	0.367	0.296	0.100	1.000
Cl	9	4.589	1.851	1.800	6.200
S	9	1.756	0.296	1.300	2.400
CAB	9	291.874	71.323	221.187	437.307
Fe	9	267.778	238.973	104.000	864.000
Mn	9	63.889	24.907	28.000	113.000
Zn	9	33.667	7.297	24.000	46.000
Cu	9	7.556	3.896	4.600	17.400
Se	2	0.010	0.006	0.005	0.014

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	409.727	56.933	328.000	476.000
Aska	11	56.000	9.143	45.000	66.000
OS smbh	11	68.736	2.234	67.200	70.800
Råprot	11	115.273	12.658	102.000	130.000
sRåprot	11	672.000	67.744	573.000	759.000
NH3-N	11	98.909	19.065	77.000	113.000
NDF	11	441.091	47.748	383.000	496.000
iNDF	11	262.099	31.066	235.777	307.000
nhNDF	11	2.836	0.551	2.184	3.074
Stä	11	133.455	67.144	52.000	210.000
TAF	11	64.000	17.622	46.500	81.500
Mjölksyra	11	44.000	13.038	31.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	11	16.545	6.393	11.000	26.000
Socker	11	53.455	14.889	41.000	69.000
PRF	5	3.600	2.074	1.000	6.000
BUF	5	1.000	1.225	0.000	3.000
AATp20	11	70.524	3.517	67.678	74.130
PBVp20	11	-0.846	11.291	-14.838	11.120
NELp20	11	5.695	0.278	5.554	6.002
OE*	7	10.199	0.259	9.870	10.480
AAT*	2	62.000	0.000	62.000	62.000
PBV*	2	-13.500	0.707	-14.000	-13.000
Ca	11	2.791	0.723	2.200	3.500
P	11	2.436	0.320	2.100	2.800
Mg	11	1.636	0.254	1.400	1.900
K	11	15.127	2.400	11.900	16.900
Na	11	0.518	0.309	0.200	0.900
Cl	11	4.509	3.838	2.200	7.000
S	11	1.764	0.277	1.400	2.100
CAB	11	172.172	123.095	94.867	301.469
Fe	10	162.100	89.318	70.000	316.500
Mn	10	70.300	22.940	44.500	106.000
Zn	10	32.100	5.801	26.000	40.500
Cu	10	6.130	1.293	4.600	8.000
Se	3	0.036	0.025	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	698.000	56.569	658.000	738.000
Aska	2	64.500	13.435	55.000	74.000
OS smbh	2	68.250	3.041	66.100	70.400
Råprot	2	74.500	31.820	52.000	97.000
NDF	2	554.500	111.016	476.000	633.000
iNDF	2	205.427	6.569	200.782	210.071
nhNDF	2	3.743	0.303	3.528	3.957
TAF	2	0.000	0.000	0.000	0.000
Socker	2	119.500	14.849	109.000	130.000
AATp20	2	84.199	3.726	81.564	86.834
PBVp20	2	-50.911	23.511	-67.535	-34.286
NELp20	2	5.212	0.198	5.072	5.352
OE*	2	9.850	0.354	9.600	10.100
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	-45.500	27.577	-65.000	-26.000
Ca	2	4.000	3.253	1.700	6.300
P	2	1.900	0.566	1.500	2.300
Mg	2	1.250	0.636	0.800	1.700
K	2	16.550	4.455	13.400	19.700
Na	2	0.100	0.000	0.100	0.100
S	2	1.200	0.424	0.900	1.500
CAB	2	211.776	87.416	149.964	273.589
Fe	2	168.500	92.631	103.000	234.000
Mn	2	72.500	16.263	61.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	20.000	2.828	18.000	22.000
Cu	2	4.650	1.768	3.400	5.900
Se	1	0.010	.	0.010	0.010

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	783.500	173.674	450.000	911.000
Aska	6	64.500	20.753	46.000	94.000
OS smbh	6	68.017	9.343	50.800	77.600
Råprot	6	99.500	36.687	55.000	149.000
sRåprot	4	461.500	84.768	370.000	575.000
NDF	6	521.667	100.925	382.000	668.000
iNDF	6	228.267	50.409	190.000	320.668
nhNDF	6	3.938	1.085	2.153	5.291
TAF	6	0.000	0.000	0.000	0.000
Socker	6	105.000	37.218	49.000	139.000
AATp20	6	88.215	12.079	67.054	101.785
PBVp20	6	-33.984	19.420	-56.741	-0.260
NELp20	6	5.292	0.786	3.860	5.974
OE*	6	9.823	1.421	7.100	11.090
AAT*	2	62.000	12.728	53.000	71.000
PBV*	2	-36.000	1.414	-37.000	-35.000
Ca	6	4.117	0.783	2.900	5.200
P	6	1.700	0.379	1.200	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	6	1.333	0.378	0.900	2.000
K	6	13.350	2.275	9.900	16.500
Na	5	0.160	0.055	0.100	0.200
Cl	4	4.000	1.470	1.800	4.800
S	6	1.317	0.248	1.000	1.600
CAB	6	147.220	66.041	54.200	231.621
Fe	6	226.833	336.572	49.000	904.000
Mn	6	67.167	41.262	26.000	122.000
Zn	6	22.500	11.692	14.000	44.000
Cu	6	6.883	5.597	3.300	18.000
Se	2	0.065	0.021	0.050	0.080

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	776.000	.	776.000	776.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	64.700	.	64.700	64.700
Råprot	1	108.000	.	108.000	108.000
NDF	1	512.000	.	512.000	512.000
iNDF	1	260.750	.	260.750	260.750
nhNDF	1	2.817	.	2.817	2.817
TAF	1	0.000	.	0.000	0.000
Socker	1	111.000	.	111.000	111.000
AATp20	1	83.413	.	83.413	83.413

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-17.943	.	-17.943	-17.943
NELp20	1	4.972	.	4.972	4.972
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	1	4.300	.	4.300	4.300
P	1	1.900	.	1.900	1.900
Mg	1	1.600	.	1.600	1.600
K	1	13.700	.	13.700	13.700
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	126.386	.	126.386	126.386
Fe	1	200.000	.	200.000	200.000
Mn	1	133.000	.	133.000	133.000
Zn	1	40.000	.	40.000	40.000
Cu	1	5.400	.	5.400	5.400
Se	1	0.012	.	0.012	0.012

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	309.000	.	309.000	309.000
Aska	1	118.000	.	118.000	118.000
OS smbh	1	79.600	.	79.600	79.600
Råprot	1	197.000	.	197.000	197.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	632.000	.	632.000	632.000
NH3-N	1	49.000	.	49.000	49.000
NDF	1	317.000	.	317.000	317.000
iNDF	1	223.000	.	223.000	223.000
nhNDF	1	6.952	.	6.952	6.952
TAF	1	99.000	.	99.000	99.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	39.000	.	39.000	39.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	79.397	.	79.397	79.397
PBVp20	1	75.907	.	75.907	75.907
NELp20	1	6.564	.	6.564	6.564
OE*	1	11.110	.	11.110	11.110
Ca	1	6.200	.	6.200	6.200
P	1	2.600	.	2.600	2.600
Mg	1	2.500	.	2.500	2.500
K	1	25.400	.	25.400	25.400
Na	1	0.700	.	0.700	0.700
Cl	1	9.400	.	9.400	9.400
S	1	2.500	.	2.500	2.500
CAB	1	259.012	.	259.012	259.012
Fe	1	330.000	.	330.000	330.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	88.000	.	88.000	88.000
Zn	1	38.000	.	38.000	38.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	76.400	.	76.400	76.400
Råprot	1	133.000	.	133.000	133.000
sRåprot	1	612.000	.	612.000	612.000
NDF	1	316.000	.	316.000	316.000
iNDF	1	247.000	.	247.000	247.000
nhNDF	1	3.548	.	3.548	3.548
Stä	1	115.000	.	115.000	115.000
TAF	1	132.000	.	132.000	132.000
Mjölksyra	1	107.000	.	107.000	107.000
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	52.000	.	52.000	52.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	63.374	.	63.374	63.374
PBVp20	1	37.918	.	37.918	37.918
NELp20	1	6.318	.	6.318	6.318

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.050	.	11.050	11.050
Ca	1	12.800	.	12.800	12.800
P	1	3.500	.	3.500	3.500
Mg	1	2.800	.	2.800	2.800
K	1	22.300	.	22.300	22.300
Na	1	2.300	.	2.300	2.300
Cl	1	2.000	.	2.000	2.000
S	1	1.800	.	1.800	1.800
CAB	1	501.494	.	501.494	501.494

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	399.000	.	399.000	399.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.400	.	74.400	74.400
Råprot	1	170.000	.	170.000	170.000
sRåprot	1	646.000	.	646.000	646.000
NH3-N	1	68.000	.	68.000	68.000
NDF	1	419.000	.	419.000	419.000
iNDF	1	216.000	.	216.000	216.000
nhNDF	1	4.301	.	4.301	4.301
Stä	1	10.000	.	10.000	10.000
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	59.000	.	59.000	59.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	81.345	.	81.345	81.345
PBVp20	1	47.094	.	47.094	47.094
NELp20	1	6.347	.	6.347	6.347
OE*	1	10.830	.	10.830	10.830
Ca	1	7.200	.	7.200	7.200
P	1	3.200	.	3.200	3.200
Mg	1	2.600	.	2.600	2.600
K	1	19.700	.	19.700	19.700
Na	1	1.500	.	1.500	1.500
Cl	1	2.300	.	2.300	2.300
S	1	2.600	.	2.600	2.600
CAB	1	341.765	.	341.765	341.765

*= Parametrar från det gamla svenska fodervärderingssystemet