

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	5	854	20	51.6	98	345	8.0	137	107	3.15	587	0.000			5
Vete, kärna (005)	1	6	892	17	29.3	115	331	4.5	98	79	3.50	618	0.000	10.0	4.0	5
Åkerböna, kärna (007)	1	1	862	36	89.0	278		3.0		32	4.70	393	0.000			
Majs hela plantan, grönmassa (030)	1	20	351	27	75.8	71	383		369	193	3.13	329	57.000			28
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	6	535	61	73.4	136	600	71.2	476	170	4.00		37.533	24.3	11.0	98
Ensilage, gräs (0% klöver) (162)	2	6	587	72	69.7	140	532	58.8	485	222	3.63		39.433	22.2	11.5	79
Ensilage, gräs (0% klöver) (162)	3	2	668	73	75.4	177	431	49.5	457	170	4.67		48.500	31.0	14.0	92
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	396	71	78.5	148	442		430	127	5.24	18	46.247	0.0	1.5	134
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32	577	79	75.4	152	382		463	163	4.92		71.875	0.0	2.0	113
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13	484	86	75.9	159	395		458	146	4.80		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	256	86	73.6	160	309		449	177	4.16		84.000			89
Ensilage, blandvall (1-50% klöver) (165)	0	8	453	83	69.5	149	527	94.1	467	216	3.62		49.200	35.6	10.6	56
Ensilage, blandvall (1-50% klöver) (165)	1	170	422	71	76.6	152	638	64.3	435	145	4.50	114	72.574	53.9	15.8	81
Ensilage, blandvall (1-50% klöver) (165)	2	115	453	77	75.2	159	572	66.2	455	160	4.48		66.990	48.8	14.8	65
Ensilage, blandvall (1-50% klöver) (165)	3	85	424	84	73.6	165	553	75.3	452	192	4.37		69.146	48.2	17.6	49
Ensilage, blandvall (1-50% klöver) (165)	4	38	428	85	73.6	168	536	65.0	431	198	4.11		72.153	54.9	15.1	58
Ensilage, blandvall (1-50% klöver) (165)	5	6	269	94	72.8	175	575	64.5	421	231	4.36		103.533	83.8	16.7	34
Korn, helsädesensilage (250)	1	10	371	52	70.0	110	627	85.9	456	242	3.19	120	71.540	49.1	18.1	63

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	353	60	66.7	108	553	72.8	439	383	4.89	139	63.667	46.8	13.3	42
Majskolv, ensilerad (257)	1	9	567	21	80.5	78	331	33.2	214	228	1.91	539	45.689	35.6	5.7	5
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76
Vete, helsäd ensilage (299)	1	8	330	63	73.9	124	679	71.6	459	186	4.16	33	64.625	43.4	16.8	97
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	369	51	68.6	109	624	115	398	304	2.40	205	63.250	50.8	11.0	26
Majs, helsädesensilage (305)	1	79	345	28	75.5	77	502	40.9	373	214	3.29	315	61.924	46.8	12.0	9
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	10	422	59	73.0	139	488	50.7	379	244	3.11	167	52.200	30.3	16.4	35
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	5				96.5	-47	7.33	11.9	62.0	-10
Vete, kärna (005)	1	6	6.00000	0.00000		113	-52	8.04	14.2		
Åkerböna, kärna (007)	1	1				101	127	7.74			
Majs hela plantan, grönmassa (030)	1	20				87.2	-66	6.40	11.3	79.7	-77
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	6	1.75000	0.70000		83.5	5.9	5.93	10.8	70.5	16.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	2	6	1.00000	4.76667		80.5	14.1	5.60	10.1	67.0	47.5
Ensilage, gräs (0% klöver) (162)	3	2	2.00000	0.00000		90.5	31.9	6.22	11.0		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.74359	3.17949		91.7	5.4	6.33	11.5	81.0	10.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32	3.00000	1.40000		86.8	17.9	6.14	10.9	75.9	19.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13				85.2	26.3	6.20	10.9	75.8	32.4
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2				84.9	27.5	6.00	10.5	69.0	24.0
Ensilage, blandvall (1-50% klöver) (165)	0	8		1.95000		80.1	25.9	5.59	9.9	68.3	31.3
Ensilage, blandvall (1-50% klöver) (165)	1	170	2.87692	0.45588		83.3	22.9	6.33	11.2	72.5	15.8
Ensilage, blandvall (1-50% klöver) (165)	2	115	3.24706	0.72957		84.2	28.4	6.22	10.9	70.7	29.3
Ensilage, blandvall (1-50% klöver) (165)	3	85	3.03226	0.87229		82.7	36.1	6.07	10.6	69.5	42.5
Ensilage, blandvall (1-50% klöver) (165)	4	38	2.00000	0.34595		82.6	39.5	6.05	10.6	68.5	33.1
Ensilage, blandvall (1-50% klöver) (165)	5	6	2.80000	0.53333		78.2	52.6	6.05	10.3	64.0	47.0
Korn, helsädesensilage (250)	1	10	4.00000	1.00000		71.4	-6.9	5.78	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	3.25000	1.75000		71.0	-3.5	5.51	9.9		
Majskolv, ensilerad (257)	1	9	0.33333	0.00000		94.4	-71	7.02	12.5		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	8	4.33333	0.83333		73.9	0.6	6.02	10.7		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	1.33333	0.66667		72.6	-5.7	5.70	10.1	64.0	-25
Majs, helsädesensilage (305)	1	79	3.18750	0.00000		83.5	-55	6.45	11.4	80.0	-68
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	10	4.80000	0.70000		85.8	10.8	6.22	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	4	0.4	3.0	1.0	5.8	0.1	1.4	1.2	40	4	49.3	12.8	23.8	4.1	0.0
Vete, kärna (005)	1	3	2.2	3.3	1.6	16.1	1.1	37.8	1.7	29	2	48.0	26.0	23.5	4.4	
Majs hela plantan, grönmassa (030)	1	19	1.5	1.8	1.1	8.7	0.2	1.9	0.9	127	13	103.2	25.4	26.7	3.9	0.0
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	5	5.0	2.7	2.0	19.1	1.3	5.9	2.4	230	5	87.0	142.4	31.8	5.4	0.1
Ensilage, gräs (0% klöver) (162)	2	5	7.0	2.6	2.1	19.6	1.1	6.2	2.1	266	2	605.5	43.0	24.0	9.7	0.1
Ensilage, gräs (0% klöver) (162)	3	2	7.5	3.0	4.2	21.9	1.5	5.0	3.0	295	2	104.0	55.5	23.0	6.5	
Ensilage, gräs (0% klöver) (162)	4	1	6.0	3.9	2.9	30.2	3.2	11.4	3.8	353	1	97.0	73.0	25.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	5.2	2.8	1.8	24.4	1.0	5.1	2.1	399	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	6.1	3.0	2.2	24.4	1.7	6.2	2.5	391	21	128.5	63.3	30.5	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	12	6.7	3.1	2.7	23.1	1.8	7.8	2.7	346	9	151.9	70.9	24.7	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	8.7	3.5	2.7	22.4	1.7	4.2	3.4	309	2	189.0	122.0	30.5	7.8	
Ensilage, blandvall (1-50% klöver) (165)	0	5	8.1	3.1	2.9	22.9	2.1	8.1	2.5	298	5	288.0	95.8	27.8	7.2	
Ensilage, blandvall (1-50% klöver) (165)	1	167	5.5	2.8	1.9	23.1	1.4	6.3	2.1	340	107	170.7	56.0	33.6	5.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	2	110	6.1	3.0	2.2	24.0	1.7	9.3	2.5	280	71	160.3	64.5	34.1	6.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	79	7.2	3.2	2.6	23.6	1.6	9.3	2.6	255	44	180.3	63.7	33.2	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	34	7.8	3.2	2.7	22.9	1.8	10.5	2.7	211	17	239.0	70.2	27.1	7.2	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	6	7.3	3.2	2.4	23.3	1.6	8.9	2.5	259	1	1103	76.0	29.0	9.3	
Korn, helsädesensilage (250)	1	10	3.7	2.7	1.5	16.6	1.2	3.6	1.8	266	6	100.2	45.7	32.3	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.9	2.7	1.6	15.8	1.1	3.5	1.5	260	4	140.3	62.3	33.0	5.2	
Majskolv, ensilerad (257)	1	9	0.6	2.1	0.9	4.6	0.3	2.0	0.9	33	4	118.0	7.5	23.0	1.8	
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	8	3.9	2.7	1.3	20.1	0.8	2.4	1.8	356	3	126.7	43.7	27.0	4.5	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	4.4	3.1	1.8	12.6	1.0	2.3	1.7	197	1	76.0	20.0	20.0	5.2	
Majs, helsädesensilage (305)	1	79	1.8	1.9	1.2	9.2	0.3	3.4	0.9	120	43	72.5	25.4	28.5	4.3	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	10	5.9	3.5	2.7	15.5	2.5	10.1	2.4	71	2	249.5	95.5	123.0	27.0	1.0
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	853.800	52.3517	776.000	917.000
Aska	5	20.400	1.5166	18.000	22.000
OS smbh	5	51.600	47.1041	0.000	86.000
Råprot	5	97.540	10.4670	84.000	113.000
sRåprot	2	344.500	38.8909	317.000	372.000
NH3-N	2	8.000	1.4142	7.000	9.000
NDF	3	136.667	33.6502	105.000	172.000
iNDF	5	107.200	75.0380	25.000	162.000
nhNDF	5	3.150	0.0000	3.150	3.150
Stä	5	586.860	44.4471	540.000	659.300
TAF	5	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	5	96.497	2.2631	94.439	99.340
PBVp20	5	-46.925	10.2632	-56.359	-30.003
NELp20	5	7.330	0.2103	7.077	7.580
OE*	3	11.900	1.4799	10.200	12.900
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	4	0.400	0.0000	0.400	0.400
P	4	3.000	0.3916	2.600	3.500
Mg	4	1.025	0.1258	0.900	1.200
K	4	5.750	0.5802	5.000	6.300
Na	4	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	4	1.225	0.4031	0.900	1.800
CAB	4	39.633	30.7089	-4.366	64.055
Fe	4	49.250	9.1788	41.000	61.000
Mn	4	12.750	2.2174	11.000	16.000
Zn	4	23.750	4.4253	19.000	28.000
Cu	4	4.075	0.2986	3.700	4.400
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	891.667	39.2207	834.000	933.000
Aska	6	16.733	2.2686	15.000	21.000
OS smbh	6	29.333	45.4430	0.000	88.000
Råprot	6	114.767	26.0293	95.000	166.000
sRåprot	4	330.750	12.3390	319.000	345.000
NH3-N	2	4.500	4.9497	1.000	8.000
NDF	4	98.250	14.8633	87.000	120.000
iNDF	6	79.000	83.6564	25.000	187.000
nhNDF	6	3.500	0.0000	3.500	3.500
Stä	6	617.633	54.5301	551.000	691.800
TAF	6	0.000	0.0000	0.000	0.000
Mjölksyra	1	10.000	.	10.000	10.000
Ättiksyra	1	4.000	.	4.000	4.000
Socker	4	5.000	0.0000	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	6.000	.	6.000	6.000
BUF	1	0.000	.	0.000	0.000
AATp20	6	113.186	2.5954	111.400	118.223
PBVp20	6	-52.095	22.1398	-68.588	-8.854
NELp20	6	8.041	0.1604	7.824	8.311
OE*	4	14.175	0.1258	14.000	14.300
Ca	3	2.200	3.2047	0.300	5.900
P	3	3.300	0.6245	2.800	4.000
Mg	3	1.567	0.8145	1.000	2.500
K	3	16.100	19.1397	4.900	38.200
Na	3	1.133	1.7898	0.100	3.200
Cl	1	37.800	.	37.800	37.800
S	3	1.700	0.9539	1.100	2.800
CAB	3	28.937	14.4938	14.258	43.238
Fe	2	48.000	0.0000	48.000	48.000
Mn	2	26.000	1.4142	25.000	27.000
Zn	2	23.500	3.5355	21.000	26.000
Cu	2	4.350	0.3536	4.100	4.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	36.000	.	36.000	36.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	278.000	.	278.000	278.000
NH3-N	1	3.000	.	3.000	3.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	393.000	.	393.000	393.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.136	.	101.136	101.136
PBVp20	1	127.280	.	127.280	127.280
NELp20	1	7.735	.	7.735	7.735

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	351.000	61.033	272.000	432.000
Aska	20	27.000	3.584	23.000	31.500
OS smbh	20	75.825	2.707	72.350	78.800
Råprot	20	71.050	7.097	60.500	79.500
sRåprot	20	382.500	43.383	328.000	427.000
NDF	20	368.900	40.316	318.000	427.000
iNDF	20	193.070	14.595	180.486	212.500
nhNDF	20	3.134	0.532	2.339	3.768
Stä	20	329.250	51.118	253.000	381.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	20	57.000	0.000	57.000	57.000
Socket	20	27.650	29.988	8.000	64.500
AATp20	20	87.247	2.473	83.577	90.403
PBVp20	20	-65.555	6.966	-73.655	-56.481
NELp20	20	6.400	0.245	6.110	6.692
OE*	14	11.329	0.325	11.030	11.660
AAT*	3	79.667	0.577	79.000	80.000
PBV*	3	-76.667	5.508	-83.000	-73.000
Ca	19	1.453	0.379	1.100	2.200
P	19	1.784	0.261	1.300	2.000
Mg	19	1.053	0.217	0.800	1.400
K	19	8.732	1.314	6.600	10.900
Na	17	0.212	0.132	0.100	0.400
Cl	14	1.929	1.687	1.000	2.300
S	19	0.874	0.179	0.700	1.000
CAB	19	127.319	53.381	83.709	207.494
Fe	13	103.154	126.785	46.000	97.000
Mn	13	25.385	7.890	17.000	34.000
Zn	13	26.692	7.387	17.000	37.000
Cu	13	3.915	1.170	3.100	4.900
Se	2	0.031	0.027	0.012	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socket	1	118.000	.	118.000	118.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	534.833	155.184	384.000	806.000
Aska	6	60.500	8.961	43.000	67.000
OS smbh	6	73.400	4.681	67.800	78.400
Råprot	6	136.167	19.864	116.000	171.000
sRåprot	6	600.000	124.045	442.000	797.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	5	71.200	37.699	41.000	137.000
NDF	6	475.500	39.561	421.000	516.000
iNDF	6	169.871	58.846	92.000	246.000
nhNDF	6	4.002	0.557	3.264	4.633
TAF	6	37.533	20.209	16.000	75.300
Mjölksyra	6	24.333	16.741	6.000	56.000
Ättiksyra	6	11.000	3.950	6.000	15.000
Socker	6	98.333	27.252	56.000	133.000
PRF	4	1.750	2.062	0.000	4.000
BUF	6	0.700	1.324	0.000	3.300
AATp20	6	83.473	4.170	78.464	90.614
PBVp20	6	5.946	13.785	-11.311	26.244
NELp20	6	5.931	0.427	5.412	6.412
OE*	6	10.802	0.699	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	5	5.020	0.776	4.000	5.800
P	5	2.700	0.200	2.500	3.000
Mg	5	1.980	0.277	1.700	2.300
K	5	19.120	6.589	13.100	27.200
Na	5	1.280	0.785	0.400	2.200
Cl	6	5.933	4.929	1.100	15.400
S	5	2.360	0.358	1.900	2.900
CAB	5	229.831	271.290	-200.123	481.114

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	87.000	11.832	73.000	100.000
Mn	5	142.400	140.297	50.000	372.000
Zn	5	31.800	6.760	22.000	39.000
Cu	5	5.360	1.071	4.000	6.800
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	586.667	193.148	258.000	845.00
Aska	6	72.000	12.313	54.000	86.00
OS smbh	6	69.667	5.829	60.300	74.90
Råprot	6	139.667	27.804	114.000	184.00
sRåprot	6	532.000	89.849	456.000	705.00
NH3-N	6	58.833	66.575	2.000	185.00
NDF	6	484.833	39.509	447.000	541.00
iNDF	6	222.353	81.621	141.000	345.96
nhNDF	6	3.634	0.953	1.797	4.28
TAF	6	39.433	34.825	16.800	105.80
Mjölksyra	6	22.167	15.368	10.000	46.00
Ättiksyra	6	11.500	10.387	3.000	31.00
Socker	6	79.000	38.967	10.000	127.00
PRF	4	1.000	0.816	0.000	2.00
BUF	6	4.767	11.289	0.000	27.80
AATp20	6	80.503	10.029	61.852	91.19

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	6	14.119	36.356	-12.199	85.64
NELp20	6	5.599	0.470	4.876	6.14
OE*	6	10.057	0.968	8.400	11.01
AAT*	2	67.000	4.243	64.000	70.00
PBV*	2	47.500	34.648	23.000	72.00
Ca	5	7.020	4.166	4.200	14.30
P	5	2.600	0.316	2.100	2.90
Mg	5	2.060	0.391	1.700	2.70
K	5	19.560	5.405	10.600	25.00
Na	5	1.140	0.428	0.400	1.50
Cl	6	6.150	2.465	3.400	9.90
S	5	2.100	0.418	1.700	2.60
CAB	5	266.458	161.258	46.107	454.69
Fe	2	605.500	704.985	107.000	1104.00
Mn	2	43.000	19.799	29.000	57.00
Zn	2	24.000	2.828	22.000	26.00
Cu	2	9.700	0.424	9.400	10.00
Se	1	0.050	.	0.050	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	668.000	261.630	483.000	853.000
Aska	2	73.000	14.142	63.000	83.000
OS smbh	2	75.400	0.566	75.000	75.800
Råprot	2	177.000	1.414	176.000	178.000
sRåprot	2	430.500	154.856	321.000	540.000
NH3-N	2	49.500	30.406	28.000	71.000
NDF	2	457.000	31.113	435.000	479.000
iNDF	2	169.500	33.234	146.000	193.000
nhNDF	2	4.668	0.043	4.638	4.698
TAF	2	48.500	24.749	31.000	66.000
Mjölksyra	2	31.000	26.870	12.000	50.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	2	92.000	36.770	66.000	118.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	90.513	8.416	84.562	96.464
PBVp20	2	31.883	14.798	21.419	42.347
NELp20	2	6.217	0.078	6.161	6.272
OE*	2	10.985	0.262	10.800	11.170
Ca	2	7.450	0.212	7.300	7.600
P	2	2.950	0.354	2.700	3.200
Mg	2	4.200	0.424	3.900	4.500
K	2	21.850	7.000	16.900	26.800
Na	2	1.450	0.071	1.400	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	2	4.950	4.172	2.000	7.900
S	2	3.000	0.849	2.400	3.600
CAB	2	294.930	117.625	211.757	378.104
Fe	2	104.000	21.213	89.000	119.000
Mn	2	55.500	3.536	53.000	58.000
Zn	2	23.000	8.485	17.000	29.000
Cu	2	6.500	0.707	6.000	7.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069
NELp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	6.000	.	6.000	6.000
P	1	3.900	.	3.900	3.900
Mg	1	2.900	.	2.900	2.900
K	1	30.200	.	30.200	30.200
Na	1	3.200	.	3.200	3.200
Cl	1	11.400	.	11.400	11.400
S	1	3.800	.	3.800	3.800
CAB	1	352.882	.	352.882	352.882
Fe	1	97.000	.	97.000	97.000
Mn	1	73.000	.	73.000	73.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	395.909	165.330	200.000	640.000
Aska	77	71.312	9.208	60.000	85.000
OS smbh	77	78.475	4.240	71.600	83.900
Råprot	77	147.597	28.123	117.000	175.000
sRåprot	52	441.558	61.289	368.000	508.000
NDF	77	430.403	44.251	383.000	495.000
iNDF	77	127.328	62.938	61.197	211.000
nhNDF	77	5.240	1.328	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	77	46.247	37.736	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	77	134.195	32.556	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	77	91.692	6.289	82.993	98.373
PBVp20	77	5.367	20.305	-20.091	28.303
NELp20	77	6.332	0.430	5.773	6.969
OE*	77	11.509	0.687	10.430	12.400
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	76	5.200	1.802	3.500	8.200
P	76	2.796	0.533	2.100	3.400
Mg	76	1.770	0.551	1.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	76	24.387	5.016	17.200	30.800
Na	74	1.023	0.756	0.400	1.700
Cl	48	5.108	3.953	1.500	8.100
S	76	2.068	0.411	1.600	2.600
CAB	76	398.762	123.048	248.504	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	576.531	194.303	290.000	826.000
Aska	32	78.594	10.740	64.000	89.000
OS smbh	32	75.422	4.890	70.700	82.700
Råprot	32	152.438	30.285	117.000	193.000
sRåprot	13	381.538	45.889	316.000	438.000
NDF	32	462.781	47.802	399.000	521.000
iNDF	32	163.101	76.090	64.097	272.260
nhNDF	32	4.918	1.194	3.594	6.752
TAF	32	71.875	28.667	9.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	32	112.594	28.329	91.000	135.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	32	86.766	6.929	80.217	95.453
PBVp20	32	17.862	21.458	-7.310	45.450
NELp20	32	6.141	0.493	5.564	6.859
OE*	32	10.916	0.751	10.050	11.900
AAT*	19	75.895	4.496	68.000	81.000
PBV*	19	19.053	31.181	-17.000	59.000
Ca	28	6.139	2.530	3.400	10.000
P	28	2.986	0.460	2.300	3.600
Mg	28	2.189	0.471	1.300	2.800
K	28	24.379	5.537	14.700	30.700
Na	28	1.696	1.253	0.400	3.800
Cl	13	6.154	3.793	1.700	8.500
S	28	2.479	0.446	2.000	3.100
CAB	28	390.931	134.567	180.487	563.641
Fe	21	128.476	59.390	77.000	201.000
Mn	21	63.333	20.797	46.000	97.000
Zn	21	30.524	5.689	25.000	36.000
Cu	21	6.343	1.258	5.000	7.800
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	483.769	130.766	368.000	672.000
Aska	13	86.154	9.521	75.000	96.000
OS smbh	13	75.946	3.726	72.300	79.800
Råprot	13	158.846	24.128	122.000	189.000
sRåprot	3	395.000	52.849	352.000	454.000
NDF	13	458.308	35.212	417.000	516.000
iNDF	13	146.029	39.864	106.096	216.000
nhNDF	13	4.803	0.625	4.148	5.532
TAF	13	84.000	0.000	84.000	84.000
Socker	13	110.231	31.374	66.000	149.000
AATp20	13	85.214	3.377	79.658	88.592
PBVp20	13	26.256	20.623	0.142	48.963
NELp20	13	6.201	0.294	5.710	6.477
OE*	13	10.909	0.550	10.200	11.300
AAT*	10	75.800	3.120	70.500	79.000
PBV*	10	32.400	24.213	0.000	63.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	12	6.742	1.322	5.500	8.400
P	12	3.092	0.329	2.800	3.400
Mg	12	2.658	0.487	2.000	3.200
K	12	23.075	3.138	18.100	27.200
Na	12	1.842	0.858	1.100	3.200
Cl	3	7.800	7.451	2.400	16.300
S	12	2.717	0.645	2.200	3.300
CAB	12	346.209	126.597	266.982	473.584
Fe	9	151.889	43.993	100.000	241.000
Mn	9	70.889	26.322	43.000	115.000
Zn	9	24.667	3.464	18.000	30.000
Cu	9	6.811	0.851	5.800	8.200
Se	2	0.020	0.001	0.019	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	256.000	66.4680	209.000	303.000
Aska	2	85.500	4.9497	82.000	89.000
OS smbh	2	73.600	6.7882	68.800	78.400
Råprot	2	159.500	21.9203	144.000	175.000
sRåprot	1	309.000	.	309.000	309.000
NDF	2	448.500	53.0330	411.000	486.000
iNDF	2	176.639	60.3005	134.000	219.278
nhNDF	2	4.156	1.0157	3.438	4.874

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	89.000	33.9411	65.000	113.000
AATp20	2	84.917	11.9086	76.496	93.338
PBVp20	2	27.500	0.8607	26.892	28.109
NELp20	2	6.001	0.6481	5.543	6.459
OE*	2	10.535	1.1809	9.700	11.370
AAT*	1	69.000	.	69.000	69.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	8.700	0.2828	8.500	8.900
P	2	3.450	0.0707	3.400	3.500
Mg	2	2.700	0.2828	2.500	2.900
K	2	22.350	4.3134	19.300	25.400
Na	2	1.650	1.0607	0.900	2.400
Cl	1	4.200	.	4.200	4.200
S	2	3.350	0.6364	2.900	3.800
CAB	2	308.623	34.3847	284.310	332.937
Fe	2	189.000	16.9706	177.000	201.000
Mn	2	122.000	87.6812	60.000	184.000
Zn	2	30.500	0.7071	30.000	31.000
Cu	2	7.800	0.2828	7.600	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	453.375	123.397	306.000	634.000
Aska	8	82.750	12.714	67.000	104.000
OS smbh	8	69.463	9.632	51.100	81.200
Råprot	8	149.000	25.506	112.000	184.000
sRåprot	8	526.875	95.162	431.000	677.000
NH3-N	8	94.125	19.194	59.000	116.000
NDF	8	466.750	64.387	398.000	587.000
iNDF	8	216.027	86.972	93.827	356.366
nhNDF	8	3.623	1.374	1.781	5.987
TAF	8	49.200	32.882	9.300	91.500
Mjölksyra	8	35.625	26.859	2.000	71.000
Ättiksyra	8	10.625	5.605	4.000	18.000
Socker	8	55.750	28.344	22.000	92.000
BUF	8	1.950	1.391	0.300	4.000
AATp20	8	80.082	7.886	65.815	92.240
PBVp20	8	25.882	16.320	5.963	45.813
NELp20	8	5.587	0.911	4.001	6.717
OE*	8	9.913	1.591	7.000	12.000
AAT*	8	68.250	4.979	59.000	75.000
PBV*	8	31.250	20.366	10.000	61.000
Ca	5	8.080	2.317	5.200	11.200
P	5	3.120	0.356	2.800	3.600
Mg	5	2.860	0.313	2.600	3.400
K	5	22.860	6.361	14.500	31.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	2.060	1.689	0.300	4.400
Cl	8	8.088	4.417	3.100	13.900
S	5	2.500	0.636	1.400	2.900
CAB	5	298.252	99.589	212.941	464.040
Fe	5	288.000	195.697	103.000	604.000
Mn	5	95.800	29.278	51.000	131.000
Zn	5	27.800	3.033	23.000	31.000
Cu	5	7.180	0.665	6.600	8.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	170	421.718	129.286	282.500	604.000
Aska	170	71.024	9.590	61.500	80.500
OS smbh	170	76.622	3.694	71.500	80.000
Råprot	170	151.959	22.888	121.000	178.000
sRåprot	170	638.106	89.321	521.000	725.000
NH3-N	168	64.262	24.983	36.000	103.000
NDF	170	434.982	49.350	375.000	509.000
iNDF	170	144.961	42.562	105.235	205.500
nhNDF	170	4.501	0.521	3.945	5.114
Stä	1	114.000	.	114.000	114.000
TAF	170	72.574	34.477	23.250	116.050
Mjölksyra	170	53.888	29.896	11.000	92.500
Ättiksyra	170	15.794	6.350	7.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	170	81.035	39.238	33.500	136.500
PRF	130	2.877	1.703	1.000	5.000
BUF	170	0.456	0.867	0.000	1.450
AATp20	170	83.329	4.396	77.730	89.571
PBVp20	170	22.907	20.731	-1.873	47.053
NELp20	170	6.326	0.361	5.867	6.676
OE*	170	11.207	0.599	10.395	11.775
AAT*	40	72.500	2.207	70.500	74.000
PBV*	40	15.825	21.989	-10.000	42.000
Ca	167	5.451	1.490	4.000	7.700
P	167	2.845	0.395	2.400	3.300
Mg	167	1.852	0.351	1.400	2.300
K	167	23.134	4.061	18.400	28.700
Na	167	1.381	0.632	0.600	2.200
Cl	169	6.299	4.405	2.500	10.900
S	167	2.150	0.415	1.700	2.500
CAB	167	340.126	146.526	172.694	493.782
Fe	107	170.738	100.095	90.000	270.000
Mn	107	55.991	20.450	38.000	74.000
Zn	107	33.626	19.216	22.000	43.000
Cu	107	5.683	1.262	4.000	7.200
Se	38	0.043	0.015	0.013	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	115	452.635	144.186	285.000	661.000
Aska	115	76.835	10.508	66.000	91.000
OS smbh	115	75.171	3.247	71.400	78.500
Råprot	115	159.287	23.349	129.000	188.000
sRåprot	115	572.426	91.507	439.000	663.000
NH3-N	115	66.191	43.339	29.000	95.000
NDF	115	455.339	38.474	409.000	504.000
iNDF	115	160.170	38.505	116.000	206.000
nhNDF	115	4.484	0.603	3.953	5.128
TAF	115	66.990	32.310	18.000	107.000
Mjölksyra	115	48.757	27.490	9.000	83.000
Ättiksyra	115	14.843	7.799	5.000	21.000
Socker	115	64.600	28.843	29.000	103.000
PRF	85	3.247	2.853	1.000	6.000
BUF	115	0.730	3.244	0.000	1.700
AATp20	115	84.189	5.058	78.461	91.800
PBVp20	115	28.448	19.521	4.542	54.695
NELp20	115	6.217	0.354	5.774	6.567
OE*	115	10.902	0.512	10.300	11.400
AAT*	30	70.667	1.918	68.000	72.000
PBV*	30	29.300	23.568	-1.000	59.000
Ca	110	6.090	1.391	4.800	7.850
P	110	3.027	0.391	2.500	3.500
Mg	110	2.235	0.427	1.800	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	110	23.996	4.786	17.550	29.350
Na	110	1.745	0.963	0.750	2.900
Cl	114	9.264	7.484	3.300	18.200
S	110	2.484	0.487	1.900	3.100
CAB	110	280.486	212.993	48.776	466.647
Fe	71	160.324	91.566	82.000	287.000
Mn	71	64.535	21.347	45.000	82.000
Zn	71	34.056	18.130	22.000	39.000
Cu	71	6.541	1.240	5.000	8.000
Se	13	0.045	0.012	0.023	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	85	424.259	138.807	274.000	642.000
Aska	85	84.188	29.111	66.000	101.000
OS smbh	85	73.618	2.744	69.500	76.500
Råprot	85	164.918	23.163	142.000	193.000
sRåprot	85	553.094	75.422	454.000	621.000
NH3-N	83	75.289	32.056	42.000	119.000
NDF	85	452.482	37.239	402.000	497.000
iNDF	85	192.290	45.008	147.251	256.000
nhNDF	85	4.370	0.618	3.551	5.045
TAF	85	69.146	28.296	21.000	100.000
Mjölksyra	85	48.165	23.340	9.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	83	17.614	9.409	8.000	26.000
Socker	85	49.094	24.253	25.000	82.000
PRF	62	3.032	2.936	0.000	6.000
BUF	83	0.872	1.846	0.000	3.100
AATp20	85	82.750	4.438	77.822	88.743
PBVp20	85	36.110	21.178	15.283	59.550
NELp20	85	6.067	0.360	5.598	6.434
OE*	85	10.568	0.614	9.900	11.130
AAT*	21	69.524	2.892	67.000	72.000
PBV*	21	42.524	32.546	10.000	73.000
Ca	79	7.223	2.456	5.700	9.500
P	79	3.152	0.385	2.700	3.700
Mg	79	2.591	0.518	2.100	3.200
K	79	23.563	4.496	17.500	29.400
Na	79	1.649	0.652	0.800	2.600
Cl	85	9.295	5.709	3.300	15.800
S	79	2.620	0.536	2.100	3.400
CAB	79	254.963	194.733	50.770	467.545
Fe	44	180.273	156.590	83.000	303.000
Mn	44	63.705	18.317	44.000	85.000
Zn	44	33.205	18.159	22.000	48.000
Cu	44	7.314	1.331	6.000	9.000
Se	10	0.047	0.010	0.035	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	38	428.474	165.115	259.000	720.000
Aska	38	84.763	11.250	72.000	100.000
OS smbh	38	73.634	4.366	70.600	77.100
Råprot	38	168.368	26.387	133.000	201.000
sRåprot	38	535.526	87.763	411.000	631.000
NH3-N	36	64.972	22.485	39.000	102.000
NDF	38	430.605	51.137	396.000	471.000
iNDF	38	197.892	47.637	151.670	264.504
nhNDF	38	4.114	0.634	3.277	4.818
TAF	38	72.153	35.679	14.500	115.000
Mjölksyra	38	54.921	29.919	6.000	94.000
Ättiksyra	37	15.108	6.995	7.000	23.000
Socker	38	57.711	33.396	22.000	107.000
PRF	26	2.000	1.673	0.000	5.000
BUF	37	0.346	0.641	0.000	1.000
AATp20	38	82.640	5.497	76.773	89.824
PBVp20	38	39.527	23.646	6.928	71.368
NELp20	38	6.050	0.431	5.734	6.391
OE*	38	10.557	0.686	10.020	11.180
AAT*	11	68.545	3.236	67.000	71.000
PBV*	11	33.091	28.462	14.000	71.000
Ca	34	7.826	1.873	5.800	10.400
P	34	3.209	0.301	2.800	3.600
Mg	34	2.700	0.457	2.300	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	34	22.924	3.466	18.500	26.400
Na	34	1.844	0.712	1.100	2.600
Cl	38	10.476	5.162	4.200	16.500
S	34	2.662	0.346	2.300	3.200
CAB	34	211.200	148.446	31.553	404.195
Fe	17	239.000	126.593	81.000	479.000
Mn	17	70.235	16.192	50.000	95.000
Zn	17	27.118	4.689	19.000	33.000
Cu	17	7.235	1.230	6.000	8.500
Se	3	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	269.17	39.2755	195.00	307.00
Aska	6	93.67	18.0185	78.00	127.00
OS smbh	6	72.77	5.2793	62.70	76.40
Råprot	6	174.83	10.3811	158.00	188.00
sRåprot	6	575.00	42.8626	521.00	630.00
NH3-N	6	64.50	19.0657	54.00	103.00
NDF	6	421.17	17.8148	401.00	445.00
iNDF	6	231.44	62.3603	163.00	304.00
nhNDF	6	4.36	0.9939	2.38	5.00
TAF	6	103.53	10.9228	91.20	122.00
Mjölksyra	6	83.83	10.0283	71.00	98.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	16.67	3.2660	13.00	21.00
Socker	6	34.00	13.8996	10.00	46.00
PRF	5	2.80	1.6432	1.00	5.00
BUF	6	0.53	0.8641	0.00	2.00
AATp20	6	78.22	6.0075	67.06	84.52
PBVp20	6	52.56	7.5384	45.21	65.94
NELp20	6	6.05	0.5809	4.94	6.47
OE*	6	10.33	1.0226	8.40	11.08
AAT*	1	64.00	.	64.00	64.00
PBV*	1	47.00	.	47.00	47.00
Ca	6	7.27	1.0367	6.10	9.00
P	6	3.23	0.2658	2.80	3.50
Mg	6	2.42	0.1835	2.10	2.60
K	6	23.25	2.7098	18.00	25.00
Na	6	1.63	0.5750	0.70	2.30
Cl	6	8.88	2.7636	3.60	11.10
S	6	2.50	0.2757	2.00	2.70
CAB	6	259.16	37.4140	203.74	321.16
Fe	1	1103.00	.	1103.00	1103.00
Mn	1	76.00	.	76.00	76.00
Zn	1	29.00	.	29.00	29.00
Cu	1	9.30	.	9.30	9.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	371.200	111.643	238.000	524.500
Aska	10	52.400	12.066	38.500	69.000
OS smbh	10	69.990	2.878	65.450	73.000
Råprot	10	109.600	18.560	89.500	137.000
sRåprot	10	627.100	102.576	479.000	731.500
NH3-N	10	85.900	33.916	48.000	138.000
NDF	10	455.700	50.394	384.500	514.000
iNDF	10	242.109	58.864	172.500	315.000
nhNDF	10	3.192	0.812	2.176	4.185
Stä	10	120.300	79.387	28.500	245.500
TAF	10	71.540	30.567	35.350	115.000
Mjölksyra	10	49.100	22.815	22.500	83.500
Ättiksyra	10	18.100	6.385	10.500	26.500
Socker	10	63.100	42.315	20.500	128.500
PRF	8	4.000	2.777	1.000	9.000
BUF	8	1.000	2.070	0.000	6.000
AATp20	10	71.398	1.984	68.331	73.465
PBVp20	10	-6.871	17.844	-25.095	21.147
NELp20	10	5.781	0.320	5.308	6.204
OE*	8	10.409	0.438	9.590	10.850
Ca	10	3.730	1.008	2.250	5.050
P	10	2.690	0.662	1.900	3.600
Mg	10	1.540	0.331	1.150	2.050
K	10	16.600	7.817	8.700	29.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	10	1.190	0.588	0.400	1.900
Cl	10	3.580	2.500	1.100	7.100
S	10	1.750	0.259	1.400	2.100
CAB	10	266.071	183.790	102.582	522.828
Fe	6	100.167	20.624	70.000	124.000
Mn	6	45.667	25.041	15.000	85.000
Zn	6	32.333	8.091	25.000	47.000
Cu	6	4.900	0.654	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	353.333	82.8702	273.000	489.000
Aska	6	59.667	15.1349	40.000	82.000
OS smbh	6	66.650	4.1264	61.700	72.800
Råprot	6	108.000	23.6390	82.000	142.000
sRåprot	6	553.333	61.9763	438.000	603.000
NH3-N	5	72.800	35.9472	21.000	112.000
NDF	6	438.667	75.2587	344.000	547.000
iNDF	6	383.238	68.9375	316.000	474.612
nhNDF	6	4.894	3.1042	1.698	9.827
Stä	5	138.600	50.3915	96.000	211.000
TAF	6	63.667	34.4437	10.000	93.500
Mjölksyra	6	46.833	29.0889	0.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	13.333	4.2740	8.000	17.000
Socker	6	41.667	38.0719	11.000	104.000
PRF	4	3.250	3.7749	0.000	7.000
BUF	4	1.750	1.2583	0.000	3.000
AATp20	6	71.028	6.4434	64.833	80.014
PBVp20	6	-3.478	14.6041	-17.015	17.372
NELp20	6	5.509	0.2596	5.260	5.855
OE*	4	9.883	0.5482	9.230	10.570
Ca	6	4.900	1.6805	2.800	7.200
P	6	2.650	0.2429	2.400	3.100
Mg	6	1.600	0.1414	1.400	1.800
K	6	15.750	3.6303	9.600	20.700
Na	6	1.050	0.9854	0.100	2.700
Cl	5	3.500	3.3534	0.400	8.700
S	6	1.483	0.3061	1.100	2.000
CAB	6	259.513	65.1644	187.219	366.399
Fe	4	140.250	93.7777	66.000	271.000
Mn	4	62.250	31.7530	22.000	91.000
Zn	4	33.000	6.8799	28.000	43.000
Cu	4	5.150	0.3697	4.900	5.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	566.889	41.275	501.000	642.000
Aska	9	20.667	20.087	10.000	74.000
OS smbh	9	80.511	3.085	75.500	86.800
Råprot	9	78.111	9.649	67.000	96.000
sRåprot	9	331.000	124.848	95.000	494.000
NH3-N	6	33.167	21.104	3.000	58.000
NDF	9	214.111	82.713	14.000	305.000
iNDF	9	228.000	22.450	187.000	267.000
nhNDF	9	1.907	1.432	-1.619	3.269
Stä	9	539.222	47.633	453.000	614.000
TAF	9	45.689	7.237	33.200	53.200
Mjölksyra	9	35.556	8.847	21.000	46.000
Ättiksyra	3	5.667	2.082	4.000	8.000
Socker	9	5.000	0.000	5.000	5.000
PRF	3	0.333	0.577	0.000	1.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	9	94.406	2.971	90.854	100.903
PBVp20	9	-71.420	6.870	-77.161	-56.619
NELp20	9	7.017	0.241	6.554	7.369
OE*	9	12.488	0.381	11.690	12.850
Ca	9	0.622	0.471	0.100	1.300
P	9	2.144	0.194	1.900	2.400
Mg	9	0.889	0.196	0.500	1.200
K	9	4.589	0.984	3.400	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	0.289	0.162	0.100	0.600
Cl	4	1.950	1.063	1.100	3.500
S	9	0.867	0.071	0.800	1.000
CAB	9	33.347	28.413	-14.576	85.524
Fe	4	118.000	154.015	39.000	349.000
Mn	4	7.500	1.291	6.000	9.000
Zn	4	23.000	4.690	16.000	26.000
Cu	4	1.750	0.500	1.000	2.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	329.875	70.168	233.000	436.000
Aska	8	62.750	11.805	44.000	79.000
OS smbh	8	73.850	3.397	69.500	78.400
Råprot	8	123.750	25.201	79.000	162.000
sRåprot	8	679.000	146.662	408.000	829.000
NH3-N	8	71.625	27.707	45.000	120.000
NDF	8	459.250	60.173	370.000	531.000
iNDF	8	185.656	41.756	136.000	264.000
nhNDF	8	4.164	0.277	3.618	4.467
Stä	8	32.625	15.231	17.000	66.000
TAF	8	64.625	40.370	9.000	123.000
Mjölksyra	8	43.375	31.140	0.000	93.000
Ättiksyra	8	16.750	11.184	0.000	29.000
Socker	8	96.750	39.231	49.000	157.000
PRF	6	4.333	1.211	2.000	5.000
BUF	6	0.833	1.602	0.000	4.000
AATp20	8	73.927	5.568	67.809	84.279
PBVp20	8	0.612	26.940	-47.778	34.386
NELp20	8	6.024	0.328	5.613	6.507
OE*	6	10.717	0.506	10.270	11.430
Ca	8	3.875	0.736	3.000	5.300
P	8	2.725	0.550	2.100	3.500
Mg	8	1.250	0.351	0.800	1.800
K	8	20.050	5.269	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	0.825	0.489	0.200	1.600
Cl	6	2.400	1.770	0.700	4.200
S	8	1.763	0.362	1.200	2.300
CAB	8	356.177	138.398	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	368.750	46.0317	303.000	403.000
Aska	4	51.250	9.4296	42.000	64.000
OS smbh	4	68.550	1.7330	67.100	71.000
Råprot	4	108.500	25.5147	78.000	135.000
sRåprot	4	623.500	34.2783	588.000	669.000
NH3-N	4	115.000	44.6766	50.000	148.000
NDF	4	398.000	46.0217	338.000	437.000
iNDF	4	303.699	17.9099	280.000	319.000
nhNDF	4	2.404	0.3863	2.076	2.964
Stä	4	204.500	29.4901	171.000	238.000
TAF	4	63.250	7.0887	56.000	73.000
Mjölksyra	4	50.750	7.0415	45.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	11.000	0.8165	10.000	12.000
Socker	4	26.250	6.6018	19.000	34.000
PRF	3	1.333	1.1547	0.000	2.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	4	72.583	1.3855	71.276	74.508
PBVp20	4	-5.699	20.8169	-30.721	14.491
NELp20	4	5.700	0.1244	5.583	5.873
OE*	4	10.143	0.2750	9.890	10.400
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	4	4.350	1.0630	3.500	5.900
P	4	3.100	0.7257	2.400	4.100
Mg	4	1.825	0.2986	1.400	2.100
K	4	12.550	0.7937	11.800	13.500
Na	4	0.975	0.4031	0.400	1.300
Cl	4	2.250	1.3229	0.700	3.400
S	4	1.650	0.5066	1.000	2.100
CAB	4	196.858	42.8835	142.652	246.474
Fe	1	76.000	.	76.000	76.000
Mn	1	20.000	.	20.000	20.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.200	.	5.200	5.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	79	344.861	48.8674	284.000	411.000
Aska	79	27.658	12.4518	21.000	32.000
OS smbh	79	75.497	2.7374	71.800	79.400
Råprot	79	76.696	9.5868	68.000	87.000
sRåprot	79	501.595	73.4104	421.000	595.000
NH3-N	74	40.932	20.4050	22.000	67.000
NDF	79	372.734	50.2371	320.000	436.000
iNDF	79	214.364	31.2688	173.049	251.000
nhNDF	79	3.288	0.5653	2.705	3.841
Stä	79	314.532	61.0787	248.000	384.000
TAF	79	61.924	13.7456	40.000	78.000
Mjölksyra	79	46.797	10.0746	31.000	57.000
Ättiksyra	79	11.975	5.1936	6.000	19.000
Socker	79	8.962	9.6482	5.000	16.000
PRF	64	3.188	1.3318	2.000	5.000
BUF	64	0.000	0.0000	0.000	0.000
AATp20	79	83.478	3.5087	79.063	87.406
PBVp20	79	-54.676	10.1473	-63.544	-44.275
NELp20	79	6.453	0.2568	6.108	6.732
OE*	65	11.449	0.4405	10.840	11.950
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-68.000	.	-68.000	-68.000
Ca	79	1.839	0.6642	1.200	2.300
P	79	1.851	0.2336	1.600	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	79	1.176	0.3390	0.800	1.600
K	79	9.187	2.2733	7.000	10.700
Na	79	0.286	0.2510	0.100	0.600
Cl	43	3.365	2.9951	1.500	6.700
S	79	0.913	0.2090	0.800	1.100
CAB	79	119.517	80.0689	76.573	182.427
Fe	43	72.465	25.9517	49.000	100.000
Mn	43	25.419	15.1849	14.000	36.000
Zn	43	28.535	19.5611	18.000	32.000
Cu	43	4.265	0.9381	3.000	5.000
Se	6	0.052	0.0041	0.050	0.060

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	3	-37.941	9.7823	-46.152	-27.118
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	93.250	84.9651	47.000	301.000
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-19.126	.	-19.126	-19.126
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	4	361.000	39.6821	304.000	396.000
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000
Cl	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	421.800	21.4932	396.500	451.000
Aska	10	58.900	8.6724	47.500	70.500
OS smbh	10	72.980	3.6778	68.250	78.000
Råprot	10	138.800	16.9234	118.000	163.500
sRåprot	10	487.700	35.1380	444.500	534.500
NH3-N	10	50.700	16.7136	27.000	71.500
NDF	10	379.200	85.2380	276.500	494.000
iNDF	10	243.700	26.0045	219.500	285.000
nhNDF	10	3.109	0.7783	2.004	4.117
Stä	10	167.200	63.9302	89.500	265.500
TAF	10	52.200	11.3314	35.500	65.500
Mjölksyra	10	30.300	12.2932	15.000	47.000
Ättiksyra	10	16.400	5.7388	9.000	24.000
Socker	10	34.700	15.1588	13.000	51.500
PRF	10	4.800	1.6193	2.500	7.000
BUF	10	0.700	1.0593	0.000	2.500
AATp20	10	85.775	4.3891	80.199	91.585
PBVp20	10	10.750	11.1781	-3.007	26.153
NELp20	10	6.224	0.3634	5.754	6.707

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	10	10.748	0.6210	9.945	11.540
Ca	10	5.920	1.0727	4.900	7.400
P	10	3.480	0.5903	2.850	4.400
Mg	10	2.680	0.7269	2.100	3.850
K	10	15.530	3.6567	9.850	19.850
Na	10	2.490	0.9527	1.600	4.200
Cl	10	10.110	4.4102	4.300	15.500
S	10	2.390	0.4909	1.950	3.150
CAB	10	71.284	80.4127	-32.801	176.365
Fe	2	249.500	60.1041	207.000	292.000
Mn	2	95.500	4.9497	92.000	99.000
Zn	2	123.000	24.0416	106.000	140.000
Cu	2	27.000	5.6569	23.000	31.000
Se	1	1.000	.	1.000	1.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet