

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	18	853	21	57.3	109	294	6.0	152	116	3.15	595	0.0000			5
Havre, kärna, hög NDF (002)	1	3	862	24	75.0	117		6.0	370	392	2.00	482	0.0000			
Vete, kärna (005)	1	22	864	18	57.4	117	311	5.7	111	131	3.50	624	0.0000			11
Rågvete (015)	1	6	857	19	44.7	123	423	7.5	114	106	3.50	614	0.0000			5
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	791	22	80.5	125		6.0	202	304	2.50	566	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	7	832	20	87.0	107		7.3	164	173	3.30	620	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3	850	23	81.6	112		6.5	229	324	2.50	522	0.0000			
Rapsexpeller, 00, 10% fett (044)	1	1	954	84	0.0	300			0	193	10.2		0.0000			5
Åkerböna, kärna (007)	1	1	856	31	89.0	299		2.0		32	4.70	407	0.0000			
Majs hela plantan, grönmassa (030)	1	24	301	34	74.6	81	357		404	196	3.35	280	57.0000			36
Prognos, gräs (0% baljv.) (041)	1	1	530		72.7					171	4.34		0.0000			
Råg, helsäd, grönmassa (138)	1	2	402	45	68.0	105	728	95.5	505	237	3.21	83	39.0000	26.5	12.5	112
Grönmassa, gräs (0% baljv.) (161)	0	1	611	69	72.8	110			563	155	4.83		61.0000			104
Grönmassa, gräs (0% baljv.) (161)	1	13	567	63	74.3	133	476		497	157	4.80		56.4615	0.0	0.0	126
Grönmassa, gräs (0% baljv.) (161)	2	6	550	75	74.3	155	401		504	155	4.71		61.0000			95
Grönmassa, gräs (0% baljv.) (161)	3	2	627	82	75.5	193			476	148	4.75		61.0000			77
Ensilage, gräs (0% klöver) (162)	1	13	460	63	75.2	144	589	75.3	479	153	4.63		59.8615	45.1	12.5	69
Ensilage, gräs (0% klöver) (162)	2	7	577	67	74.0	151	518	57.3	475	174	4.36		39.7286	29.0	9.1	77
Ensilage, gräs (0% klöver) (162)	3	4	433	69	73.9	127	497	55.0	446	181	3.96		77.6500	62.8	13.5	75
Ensilage, gräs (0% klöver) (162)	4	1	485	48	73.0	120	535	95.0	399	224	3.08		30.7000	23.0	5.0	79
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	422	65	74.8	128			490	156	4.63		84.0000			137
Grönmassa blandvall (1-50 % baljväxter) (164)	1	98	491	67	77.2	143	446		470	127	5.16		65.8367	0.0	1.4	132
Grönmassa blandvall (1-50 % baljväxter) (164)	2	64	524	75	75.2	158	447		468	155	4.60	29	80.1875	0.0	0.3	103
Grönmassa blandvall (1-50 % baljväxter) (164)	3	45	479	83	74.8	165	393		459	163	4.52		84.0000			96
Grönmassa blandvall (1-50 % baljväxter) (164)	4	25	426	90	77.9	188	380		423	140	5.29		84.0000			105

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	399	98	77.6	192	334		414	180	6.06		84.0000			95
Ensilage, blandvall (1-50% klöver) (165)	0	32	423	69	73.9	140	539	76.7	463	176	4.15		57.6594	44.6	10.9	71
Ensilage, blandvall (1-50% klöver) (165)	1	424	391	66	75.8	141	647	85.9	454	154	4.53	110	71.2184	52.9	15.1	69
Ensilage, blandvall (1-50% klöver) (165)	2	306	476	73	73.5	150	528	68.9	466	181	4.18	26	52.1190	38.0	11.8	71
Ensilage, blandvall (1-50% klöver) (165)	3	166	455	79	73.6	157	515	72.0	444	187	4.04		56.2030	40.9	12.5	66
Ensilage, blandvall (1-50% klöver) (165)	4	55	352	90	74.6	171	555	77.5	408	188	4.00		77.2782	60.7	14.4	55
Ensilage, blandvall (1-50% klöver) (165)	5	5	319	90	77.2	185	567	78.0	388	153	4.28		91.6600	76.2	14.0	53
Ensilage, blandvall (1-50% klöver) (165)	*	1	387	63	74.3	152	558	82.0	456	175	4.08		57.1000	46.0	10.0	63
Korn, helsädesensilage (250)	1	39	408	58	68.5	117	628	85.9	464	254	3.13	100	62.0872	45.3	14.1	58
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	354	65	64.1	118	627	98.6	475	289	2.42	74	72.1250	51.9	18.3	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	334	61	67.4	114	615	75.0	477	335	5.18	81	80.1875	58.8	18.5	43
Havre helsädesensilage degmognad (296)	1	8	404	63	66.7	127	633	89.3	491	262	3.12	63	65.2500	45.9	17.3	51
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	498	70	67.2	143	641	76.0	471	254	2.89	67	55.0000	40.0	15.0	31
Vete, helsäd ensilage (299)	1	10	443	44	65.7	86	673	82.2	503	269	2.92	75	57.2000	37.8	16.3	89
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	394	50	67.6	98	681	107	419	293	2.40	179	67.8000	48.4	18.2	38
Majs, helsädesensilage (305)	1	79	315	35	74.5	81	509	50.7	411	198	3.44	236	65.1899	45.1	16.6	21
Råg, helsädesensilage, axgång (311)	1	1	421	54	73.3	80	572	54.0	486	179	4.09	17	30.0000	15.0	15.0	191
Hö, blandvall, 0-50% baljväxter (383)	0	1	885	39	58.1	36			606	288	2.49		0.0000			128
Hö, blandvall, 0-50% baljväxter (383)	1	9	837	50	66.0	88	426		587	219	3.59		0.0000			118
Hö, blandvall, 0-50% baljväxter (383)	2	3	855	82	70.8	131	298		470	242	4.26		0.0000			125
Ensilage, blandvall (51-100% klöver) (438)	1	4	381	71	75.8	146	644	68.8	452	144	4.27		86.2500	64.0	19.3	59
Ensilage, blandvall (51-100% klöver) (438)	2	2	448	75	75.2	153	569	62.5	438	170	4.22		99.0000	73.5	21.0	51
Ensilage, blandvall (51-100% klöver) (438)	3	2	288	88	69.6	160	544	93.0	436	319	4.43		90.0000	52.5	31.5	26
Ensilage, blandvall (1-50% klöver) (326)	1	9	432	63	73.8	144	548	62.3	393	220	3.49	120	51.2222	34.2	12.6	59
Fullfoder (TMR) ej kompletta data (1E3)	1	6	454	64	73.1	150	518	60.3	412	208	3.38	86				50

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	18				95.9	-34	7.37	13.3	93.0	-17
Havre, kärna, hög NDF (002)	1	3				82.8	-0.5	6.18			
Vete, kärna (005)	1	22				114	-49	7.95	13.9		
Rågvete (015)	1	6				110	-39	7.85	14.0		
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				94.3	-14	6.99			
Blandsäd, kärna, 50%korn/50%vete (114)	1	7				104	-47	7.56			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3				99.2	-31	7.02	12.2	83.0	-18
Rapsexpeller, 00, 10% fett (044)	1	1				118	118	9.70	17.6		
Åkerböna, kärna (007)	1	1				102	146	7.88			
Majs hela plantan, grönmassa (030)	1	24				87.1	-57	6.24	11.0	79.8	-63
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	12.0		
Råg, helsäd, grönmassa (138)	1	2				64.2	3.5	5.32			
Grönmassa, gräs (0% baljv.) (161)	0	1				83.0	-18	5.89	10.6	74.0	-17
Grönmassa, gräs (0% baljv.) (161)	1	13	2.00000	0.00000		85.9	-0.9	6.01	10.9	76.1	3.8
Grönmassa, gräs (0% baljv.) (161)	2	6				86.9	17.7	6.07	10.8	74.8	31.3
Grönmassa, gräs (0% baljv.) (161)	3	2				88.6	49.1	6.22	10.9	75.0	62.5
Ensilage, gräs (0% klöver) (162)	1	13	2.00000	1.09231		84.0	12.3	6.19	11.1	72.1	21.9
Ensilage, gräs (0% klöver) (162)	2	7	1.00000	0.58571		86.3	15.3	6.02	10.8	71.2	33.8
Ensilage, gräs (0% klöver) (162)	3	4		0.40000		80.6	1.3	5.97	10.8	71.0	4.8
Ensilage, gräs (0% klöver) (162)	4	1		1.70000		83.8	-9.2	5.72	10.9	71.0	-2.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9				83.3	0.0	6.10	11.0	76.2	-3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	1	98	1.80000	1.40000		88.6	6.0	6.31	11.4	78.0	6.3
Grönmassa blandvall (1-50 % baljväxter) (164)	2	64	2.00000	0.33333		85.7	24.9	6.19	10.9	75.3	29.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	45				85.1	31.9	6.14	10.8	74.0	33.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	25				89.0	47.2	6.43	11.2	76.6	54.6

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6				92.9	45.1	6.39	11.0		
Ensilage, blandvall (1-50% klöver) (165)	0	32		1.15938		83.9	10.9	6.02	10.8	71.1	17.9
Ensilage, blandvall (1-50% klöver) (165)	1	424	3.69792	1.60991		82.7	14.2	6.23	11.1	72.2	13.5
Ensilage, blandvall (1-50% klöver) (165)	2	306	2.30263	0.99475		84.6	19.6	6.00	10.7	70.6	26.3
Ensilage, blandvall (1-50% klöver) (165)	3	166	2.09756	1.47378		84.3	25.9	5.99	10.6	70.4	33.3
Ensilage, blandvall (1-50% klöver) (165)	4	55	0.94737	1.15091		82.3	42.1	6.09	10.7	70.3	43.4
Ensilage, blandvall (1-50% klöver) (165)	5	5	0.00000	0.66000		83.9	53.2	6.39	11.1	71.5	61.0
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.10000		85.0	20.5	6.10	10.9	71.0	29.0
Korn, helsädesensilage (250)	1	39	3.29412	0.64706		70.9	0.3	5.58	10.1	64.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8				66.6	13.6	5.31	9.3	57.0	13.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	3.60000	0.80000		69.6	4.2	5.65	10.1		
Havre helsädesensilage degmognad (296)	1	8	6.00000	2.50000		73.4	7.1	5.50	9.9		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3				69.5	29.6	5.49			
Vete, helsäd ensilage (299)	1	10	4.50000	1.00000		69.0	-23	5.33	9.9	62.5	-26
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	3.00000	3.00000		70.6	-12	5.58	10.0		
Majs, helsädesensilage (305)	1	79	3.94595	0.00000		81.8	-48	6.27	11.1	79.0	-67
Råg, helsädesensilage, axgång (311)	1	1				78.5	-43	5.68			
Hö, blandvall, 0-50% baljväxter (383)	0	1				72.1	-66	4.29	8.4	61.0	-67
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.9	-40	5.18	9.7	67.4	-38
Hö, blandvall, 0-50% baljväxter (383)	2	3				97.5	-20	5.48	10.1	71.0	-25
Ensilage, blandvall (51-100% klöver) (438)	1	4	2.50000	0.50000		79.3	27.2	6.37	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	2	4.00000	0.50000		78.7	35.0	6.34	10.9		
Ensilage, blandvall (51-100% klöver) (438)	3	2	4.00000	2.00000		74.2	49.0	5.74	9.9		
Ensilage, blandvall (1-50% klöver) (326)	1	9	3.55556	0.88889		85.2	16.8	6.26	10.8		
Fullfoder (TMR) ej kompletta data (1E3)	1	6						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	14	0.5	3.3	1.2	5.5	0.1	2.0	1.3	25	14	55.6	18.6	33.9	4.8	0.0
Havre, kärna, hög NDF (002)	1	2	0.8	3.8	1.3	5.9	0.1		1.4	50	2	77.5	50.0	32.5	5.0	
Vete, kärna (005)	1	16	0.4	3.1	1.1	5.0	0.1	1.7	1.3	17	16	50.1	35.4	30.4	4.3	0.1
Rågvete (015)	1	3	0.4	3.3	1.3	5.8	0.1	1.7	1.7	19	3	43.0	40.7	42.7	6.1	
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.0	0.0	0.0	0.0	0.0		0.0	-25	1	74.0	55.0	48.0	5.1	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	6	0.3	2.9	1.0	4.8	0.1		1.0	35	6	51.3	29.2	32.5	4.7	
Blandsäd, kärna, 50%havre/50%vete (115)	1	2	0.6	3.6	1.3	6.2	0.1		1.4	55	2	49.5	32.5	35.0	4.8	
Rapsexpeller, 00, 10% fett (044)	1	1	6.8	10.3	4.3	10.8		3.1	5.3	***	1	82.0	56.0	50.0	6.0	
Majs hela plantan, grönmassa (030)	1	21	1.8	1.9	1.2	9.4	0.3	1.9	0.9	150	16	100.8	38.1	31.1	7.0	0.0
Råg, helsäd, grönmassa (138)	1	2	2.0	2.3	1.1	15.8	0.1	5.7	1.8	134	2	155.5	50.5	35.5	5.5	0.0
Grönmassa, gräs (0% baljv.) (161)	0	1	4.9	2.8	2.0	21.8	1.5		2.4	332	1	69.0	85.0	33.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	13	4.2	2.5	1.6	18.1	1.3	3.5	1.9	265	12	168.8	80.8	30.6	5.4	0.0
Grönmassa, gräs (0% baljv.) (161)	2	6	5.3	2.9	1.9	25.1	1.1	5.7	2.3	394	5	132.0	113.0	36.8	6.7	0.0
Grönmassa, gräs (0% baljv.) (161)	3	2	7.0	3.1	2.9	25.5	1.3		3.4	355	2	142.0	124.0	40.5	7.9	0.1
Ensilage, gräs (0% klöver) (162)	1	12	4.2	2.4	1.7	19.0	0.7	3.6	2.0	299	11	214.3	69.6	33.1	5.2	0.0
Ensilage, gräs (0% klöver) (162)	2	6	5.5	2.6	2.1	20.3	0.8	5.3	2.4	260	6	88.0	85.2	28.8	6.2	0.0
Ensilage, gräs (0% klöver) (162)	3	3	5.8	2.7	2.1	20.2	0.6	5.4	2.2	287	3	156.3	127.0	28.0	5.9	0.0
Ensilage, gräs (0% klöver) (162)	4	1	4.9	2.5	2.4	10.1	0.8	1.9	2.0	115	1	396.0	133.0	49.0	5.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	9	4.4	2.5	2.0	21.1	0.6		1.9	318	9	138.0	77.6	29.9	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	94	4.6	2.7	1.7	22.8	0.8	4.5	2.0	363	74	121.5	60.5	30.7	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	57	7.1	3.3	2.6	26.0	1.2	7.1	2.8	384	47	149.5	73.4	31.0	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	38	7.2	3.0	2.5	24.3	1.3	13.3	2.5	293	37	139.1	69.0	28.7	7.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	20	7.1	3.5	2.7	26.2	1.1	11.5	3.0	325	17	271.1	76.3	48.8	7.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	7.6	3.8	2.7	30.0	1.3	12.6	3.2	270	5	223.8	89.4	28.2	8.4	
Ensilage, blandvall (1-50% klöver) (165)	0	30	5.7	2.8	2.4	19.8	1.3	6.8	2.1	234	30	164.3	96.2	32.5	6.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	1	399	4.9	2.6	1.8	21.6	1.1	5.4	1.9	323	370	179.0	68.6	37.2	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	293	6.2	2.8	2.4	21.4	1.3	7.6	2.3	243	269	170.5	85.3	41.4	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	157	7.4	2.9	2.7	22.1	1.3	8.4	2.5	227	144	226.9	92.1	46.4	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	51	7.4	3.1	2.8	21.5	1.7	10.0	2.7	173	44	414.8	107.7	32.7	8.2	0.2
Ensilage, blandvall (1-50% klöver) (165)	5	4	7.4	3.5	2.8	22.4	1.9	9.8	2.9	205	3	291.7	89.7	28.7	7.7	
Ensilage, blandvall (1-50% klöver) (165)	*	1	6.3	3.2	2.3	18.1	1.7	6.2	2.2	225	1	107.0	61.0	34.0	5.1	
Korn, helsädesensilage (250)	1	39	4.7	2.6	1.8	15.8	1.2	6.7	1.9	147	33	170.5	64.1	37.8	5.7	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	6.0	2.8	2.0	19.4	1.1	5.5	1.8	278	8	126.6	83.5	48.9	6.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	8	4.6	2.9	1.7	20.0	1.1	5.5	1.8	292	7	150.3	100.1	43.4	5.2	0.0
Havre helsädesensilage degmognad (296)	1	8	4.4	2.5	1.7	17.2	2.5	6.9	2.3	210	7	248.4	136.3	41.1	5.5	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	3	6.0	3.1	1.7	21.1	0.3	4.0	1.7	332	3	183.0	56.3	698.3	6.2	0.0
Vete, helsäd ensilage (299)	1	9	3.2	2.2	1.4	14.3	0.4	2.2	1.4	223	9	166.2	65.8	27.3	3.9	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	4.6	2.4	1.6	12.9	0.6	3.1	1.5	180	4	88.5	44.5	25.3	4.8	
Majs, helsädesensilage (305)	1	74	2.0	1.8	1.3	9.8	0.4	2.2	0.9	150	61	106.1	43.9	29.0	4.2	0.0
Råg, helsädesensilage, axgång (311)	1	1	2.5	2.0	1.0	23.9	0.6	4.8	1.3	421	1	139.0	35.0	19.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	1	6	3.8	2.4	1.7	15.2	1.0	2.2	1.6	217	4	118.8	54.5	27.0	3.8	
Hö, blandvall, 0-50% baljväxter (383)	2	2	7.4	2.8	2.6	23.3	0.9	9.3	2.2	299	0					
Ensilage, blandvall (51-100% klöver) (438)	1	4	5.0	2.5	1.8	25.3	0.6	4.7	2.0	417	4	226.5	51.8	26.3	6.5	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	2	6.0	2.5	1.9	19.9	1.1	5.8	2.2	256	2	128.0	51.0	22.5	7.0	0.1
Ensilage, blandvall (51-100% klöver) (438)	3	2	10.7	2.8	2.5	20.5	1.0	6.8	2.3	234	1	148.0	43.0	21.0	8.0	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	9	5.9	3.2	2.5	15.8	3.1	7.7	2.3	174	7	313.9	73.3	55.9	10.9	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	6	5.5	3.1	2.9	14.5	2.9	5.5	2.6	178	6	362.0	96.2	65.8	15.1	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	852.500	42.4365	799.000	910.000
Aska	18	21.361	2.8339	18.600	25.300
OS smbh	18	57.333	41.7161	0.000	86.000
Råprot	18	109.461	18.9138	89.500	129.200
sRåprot	6	293.500	25.5010	255.000	325.000
NH3-N	1	6.000	.	6.000	6.000
NDF	8	151.500	34.3178	124.000	224.000
iNDF	18	116.333	66.4548	25.000	162.000
nhNDF	18	3.150	0.0000	3.150	3.150
Stä	18	595.461	51.9311	533.000	665.500
TAF	18	0.000	0.0000	0.000	0.000
Socker	6	5.000	0.0000	5.000	5.000
AATp20	18	95.889	1.8686	94.223	98.980
PBVp20	18	-34.108	18.5473	-51.537	-13.634
NELp20	18	7.374	0.1368	7.233	7.570
OE*	8	13.275	0.3412	12.600	13.500
AAT*	2	93.000	0.0000	93.000	93.000
PBV*	2	-16.500	40.3051	-45.000	12.000
Ca	14	0.471	0.0994	0.400	0.600
P	14	3.264	0.3455	2.800	3.500
Mg	14	1.200	0.1109	1.100	1.300
K	14	5.543	0.4380	5.100	6.000
Na	13	0.100	0.0000	0.100	0.100
Cl	5	2.020	0.9391	1.000	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	14	1.264	0.2170	1.000	1.600
CAB	14	25.039	32.3182	-25.150	51.843
Fe	14	55.571	27.4330	37.000	79.000
Mn	14	18.571	5.5430	14.000	23.000
Zn	14	33.857	8.5921	26.000	43.000
Cu	14	4.779	0.8173	3.900	6.000
Se	2	0.036	0.0205	0.021	0.050

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	862.333	6.0277	856.000	868.000
Aska	3	23.667	2.5166	21.000	26.000
OS smbh	3	75.000	0.0000	75.000	75.000
Råprot	3	117.433	4.3662	113.300	122.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	370.000	.	370.000	370.000
iNDF	3	392.000	0.0000	392.000	392.000
nhNDF	3	2.000	0.0000	2.000	2.000
Stä	3	481.933	90.4047	387.000	567.000
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	82.809	2.4922	80.519	85.463
PBVp20	3	-0.454	3.4520	-3.937	2.966
NELp20	3	6.180	0.2530	5.911	6.414
Ca	2	0.750	0.2121	0.600	0.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	3.800	0.2828	3.600	4.000
Mg	2	1.300	0.1414	1.200	1.400
K	2	5.850	0.0707	5.800	5.900
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.3536	1.100	1.600
CAB	2	49.871	23.9055	32.967	66.775
Fe	2	77.500	47.3762	44.000	111.000
Mn	2	50.000	12.7279	41.000	59.000
Zn	2	32.500	9.1924	26.000	39.000
Cu	2	5.000	1.1314	4.200	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	22	864.136	24.3961	835.000	907.000
Aska	22	17.891	2.4237	15.000	22.100
OS smbh	23	57.391	42.8547	0.000	88.000
Råprot	22	117.132	16.3424	103.300	137.000
sRåprot	8	311.250	40.8787	259.000	369.000
NH3-N	3	5.667	1.5275	4.000	7.000
NDF	11	110.636	14.7531	92.000	127.000
iNDF	23	130.652	78.8915	25.000	187.000
nhNDF	23	3.500	0.0000	3.500	3.500
Stä	22	623.764	52.1161	556.000	692.200
TAF	23	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	9	11.222	13.8814	0.000	37.000
AATp20	23	113.578	2.2258	111.036	116.636
PBVp20	23	-49.171	13.3003	-59.894	-33.301
NELp20	23	7.946	0.1021	7.835	8.060
OE*	8	13.850	0.4440	13.100	14.200
Ca	16	0.388	0.1088	0.300	0.600
P	16	3.100	0.3204	2.700	3.400
Mg	16	1.125	0.1483	0.900	1.300
K	16	5.025	0.6568	3.900	5.800
Na	12	0.133	0.1155	0.100	0.100
Cl	6	1.700	0.6450	1.300	3.000
S	16	1.325	0.1844	1.200	1.600
CAB	16	17.336	29.2607	-36.318	47.932
Fe	16	50.063	22.6023	34.000	93.000
Mn	16	35.375	11.9771	20.000	56.000
Zn	16	30.438	6.8699	21.000	39.000
Cu	16	4.338	0.8531	3.600	5.400
Se	2	0.108	0.0820	0.050	0.166

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	856.500	23.124	820.000	885.000
Aska	6	19.250	2.361	16.500	22.000
OS smbh	6	44.740	49.010	0.000	89.479
Råprot	6	122.967	27.622	81.000	164.000
sRåprot	3	423.333	121.698	293.000	534.000
NH3-N	2	7.500	2.121	6.000	9.000
NDF	4	113.500	38.889	86.000	171.000
iNDF	6	106.000	88.731	25.000	187.000
nhNDF	6	3.500	0.000	3.500	3.500
Stä	6	614.050	58.129	563.000	699.300
TAF	6	0.000	0.000	0.000	0.000
Socker	3	5.000	0.000	5.000	5.000
AATp20	6	109.732	2.989	104.246	112.280
PBVp20	6	-38.553	23.000	-71.416	-2.606
NELp20	6	7.849	0.259	7.450	8.129
OE*	3	13.967	0.058	13.900	14.000
Ca	3	0.433	0.058	0.400	0.500
P	3	3.300	0.200	3.100	3.500
Mg	3	1.333	0.115	1.200	1.400
K	3	5.767	0.208	5.600	6.000
Na	2	0.100	0.000	0.100	0.100
Cl	1	1.700	.	1.700	1.700
S	3	1.667	0.289	1.500	2.000
CAB	3	18.558	38.190	-25.317	44.332

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	43.000	5.196	40.000	49.000
Mn	3	40.667	2.082	39.000	43.000
Zn	3	42.667	4.041	39.000	47.000
Cu	3	6.100	1.153	5.000	7.300

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	791.000	.	791.000	791.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	125.000	.	125.000	125.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	202.000	.	202.000	202.000
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	566.000	.	566.000	566.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	94.336	.	94.336	94.336
PBVp20	1	-14.337	.	-14.337	-14.337
NELp20	1	6.986	.	6.986	6.986
Ca	1	0.000	.	0.000	0.000
P	1	0.000	.	0.000	0.000
Mg	1	0.000	.	0.000	0.000
K	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.000	.	0.000	0.000
S	1	0.000	.	0.000	0.000
CAB	1	-25.352	.	-25.352	-25.352
Fe	1	74.000	.	74.000	74.000
Mn	1	55.000	.	55.000	55.000
Zn	1	48.000	.	48.000	48.000
Cu	1	5.100	.	5.100	5.100
Se	1	0.005	.	0.005	0.005

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	831.857	16.5673	802.000	849.000
Aska	7	19.757	2.7808	16.600	25.000
OS smbh	7	87.000	0.0000	87.000	87.000
Råprot	7	107.086	16.4039	88.000	134.300
NH3-N	3	7.333	1.1547	6.000	8.000
NDF	1	164.000	.	164.000	164.000
iNDF	7	173.000	0.0000	173.000	173.000
nhNDF	7	3.300	0.0000	3.300	3.300
Stä	7	620.286	46.4675	533.000	677.700
TAF	7	0.000	0.0000	0.000	0.000
AATp20	7	104.241	1.2124	103.138	106.536
PBVp20	7	-46.727	15.1143	-64.348	-23.215
NELp20	7	7.558	0.1274	7.414	7.732

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	6	0.333	0.2422	0.000	0.700
P	6	2.900	1.4738	0.000	3.700
Mg	6	1.033	0.5164	0.000	1.400
K	6	4.767	2.3763	0.000	6.200
Na	6	0.083	0.0408	0.000	0.100
S	6	1.000	0.5177	0.000	1.400
CAB	6	34.864	32.1887	-28.169	64.574
Fe	6	51.333	19.0333	31.000	72.000
Mn	6	29.167	9.1742	18.000	44.000
Zn	6	32.500	6.0910	26.000	43.000
Cu	6	4.717	1.2271	3.200	6.000

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	849.667	8.5049	840.000	856.000
Aska	3	23.000	1.7321	22.000	25.000
OS smbh	3	81.600	0.0000	81.600	81.600
Råprot	3	112.333	10.6927	100.000	119.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	2	228.500	58.6899	187.000	270.000
iNDF	3	324.000	0.0000	324.000	324.000
nhNDF	3	2.500	0.0000	2.500	2.500
Stä	3	521.667	42.5715	473.000	552.000
TAF	3	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	99.211	3.2307	95.901	102.356
PBVp20	3	-31.346	12.6432	-44.213	-18.940
NELp20	3	7.022	0.2408	6.746	7.192
OE*	1	12.200	.	12.200	12.200
AAT*	1	83.000	.	83.000	83.000
PBV*	1	-18.000	.	-18.000	-18.000
Ca	2	0.550	0.0707	0.500	0.600
P	2	3.550	0.2121	3.400	3.700
Mg	2	1.300	0.0000	1.300	1.300
K	2	6.150	0.3536	5.900	6.400
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.0707	1.300	1.400
CAB	2	54.727	13.4617	45.208	64.245
Fe	2	49.500	6.3640	45.000	54.000
Mn	2	32.500	4.9497	29.000	36.000
Zn	2	35.000	0.0000	35.000	35.000
Cu	2	4.800	0.0000	4.800	4.800

Fodermedel=Rapsexpeller, 00, 10% fett (044) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	954.000	.	954.000	954.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	300.000	.	300.000	300.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rapsexpeller, 00, 10% fett (044) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	0.000	.	0.000	0.000
iNDF	1	193.000	.	193.000	193.000
nhNDF	1	10.200	.	10.200	10.200
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	118.337	.	118.337	118.337
PBVp20	1	118.194	.	118.194	118.194
NELp20	1	9.704	.	9.704	9.704
OE*	1	17.600	.	17.600	17.600
Ca	1	6.800	.	6.800	6.800
P	1	10.300	.	10.300	10.300
Mg	1	4.300	.	4.300	4.300
K	1	10.800	.	10.800	10.800
Cl	1	3.100	.	3.100	3.100
S	1	5.300	.	5.300	5.300
CAB	1	-138.011	.	-138.011	-138.011
Fe	1	82.000	.	82.000	82.000
Mn	1	56.000	.	56.000	56.000
Zn	1	50.000	.	50.000	50.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	856.000	.	856.000	856.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	299.000	.	299.000	299.000
NH3-N	1	2.000	.	2.000	2.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	407.000	.	407.000	407.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.439	.	102.439	102.439
PBVp20	1	146.065	.	146.065	146.065
NELp20	1	7.877	.	7.877	7.877

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	24	301.417	63.5425	235.000	387.000
Aska	24	33.958	16.5752	25.000	42.000
OS smbh	24	74.583	3.1323	70.000	78.000
Råprot	24	80.875	6.8987	75.000	92.000
sRåprot	24	356.958	62.4176	290.000	419.000
NDF	24	403.917	56.5262	328.000	452.000
iNDF	24	196.355	35.6693	164.187	229.000
nhNDF	24	3.350	0.8274	2.445	4.036
Stä	24	280.125	79.7977	134.000	367.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	24	57.000	0.0000	57.000	57.000
Socker	24	35.875	43.1693	8.000	76.000
AATp20	24	87.082	3.5386	82.929	90.267
PBVp20	24	-56.922	7.6951	-63.854	-49.458
NELp20	24	6.239	0.3444	5.783	6.561
OE*	12	10.968	0.6177	10.470	11.480
AAT*	4	79.750	0.5000	79.000	80.000
PBV*	4	-63.000	7.8316	-71.000	-53.000
Ca	21	1.781	0.3642	1.300	2.100
P	21	1.886	0.2372	1.600	2.200
Mg	21	1.219	0.2768	0.900	1.500
K	21	9.386	1.5226	7.400	10.900
Na	21	0.262	0.2397	0.100	0.500
Cl	19	1.863	0.7939	1.000	3.400
S	21	0.862	0.1746	0.700	1.000
CAB	21	150.077	39.4529	109.187	200.100
Fe	16	100.813	59.5306	53.000	221.000
Mn	16	38.063	20.3649	16.000	76.000
Zn	16	31.063	11.9134	19.000	48.000
Cu	16	7.000	10.1542	3.800	5.700
Se	3	0.007	0.0040	0.005	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	12.000	.	12.000	12.000

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	402.000	29.698	381.000	423.000
Aska	2	45.000	4.243	42.000	48.000
OS smbh	2	68.000	4.525	64.800	71.200
Råprot	2	105.000	15.556	94.000	116.000
sRåprot	2	728.000	175.362	604.000	852.000
NH3-N	2	95.500	44.548	64.000	127.000
NDF	2	505.000	45.255	473.000	537.000
iNDF	2	236.892	70.077	187.341	286.444
nhNDF	2	3.207	1.165	2.383	4.031
Stä	2	82.500	89.803	19.000	146.000
TAF	2	39.000	24.042	22.000	56.000
Mjölksyra	2	26.500	24.749	9.000	44.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	12.500	0.707	12.000	13.000
Socker	2	111.500	82.731	53.000	170.000
AATp20	2	64.230	19.537	50.415	78.044
PBVp20	2	3.493	18.594	-9.654	16.641
NELp20	2	5.323	0.426	5.022	5.624
Ca	2	2.000	0.424	1.700	2.300
P	2	2.300	0.000	2.300	2.300
Mg	2	1.050	0.071	1.000	1.100
K	2	15.750	0.919	15.100	16.400
Na	2	0.100	0.000	0.100	0.100
Cl	2	5.700	0.283	5.500	5.900
S	2	1.800	0.283	1.600	2.000
CAB	2	134.098	13.800	124.340	143.856
Fe	2	155.500	120.915	70.000	241.000
Mn	2	50.500	4.950	47.000	54.000
Zn	2	35.500	4.950	32.000	39.000
Cu	2	5.450	0.778	4.900	6.000
Se	1	0.013	.	0.013	0.013

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	611.000	.	611.000	611.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	110.000	.	110.000	110.000
NDF	1	563.000	.	563.000	563.000
iNDF	1	155.149	.	155.149	155.149
nhNDF	1	4.832	.	4.832	4.832
TAF	1	61.000	.	61.000	61.000
Socket	1	104.000	.	104.000	104.000
AATp20	1	82.962	.	82.962	82.962
PBVp20	1	-17.743	.	-17.743	-17.743
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-17.000	.	-17.000	-17.000
Ca	1	4.900	.	4.900	4.900
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	21.800	.	21.800	21.800
Na	1	1.500	.	1.500	1.500
S	1	2.400	.	2.400	2.400
CAB	1	331.917	.	331.917	331.917
Fe	1	69.000	.	69.000	69.000
Mn	1	85.000	.	85.000	85.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	567.154	204.471	326.000	815.000
Aska	13	62.692	12.828	48.000	79.000
OS smbh	13	74.346	6.423	65.300	83.500
Råprot	13	133.308	45.745	85.000	203.000
sRåprot	2	476.000	2.828	474.000	478.000
NDF	13	497.077	66.088	430.000	582.000
iNDF	13	156.856	59.862	63.209	237.977
nhNDF	13	4.804	1.296	3.712	7.212
TAF	13	56.462	16.364	61.000	61.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	13	126.385	42.370	68.000	160.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	13	85.899	7.754	75.536	95.739
PBVp20	13	-0.890	33.849	-31.753	51.874
NELp20	13	6.010	0.604	5.199	6.896
OE*	13	10.927	1.015	9.570	12.400
AAT*	11	76.091	5.338	71.000	83.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	11	3.818	42.504	-36.000	68.000
Ca	13	4.223	1.623	2.800	6.200
P	13	2.531	0.588	1.700	3.000
Mg	13	1.600	0.734	1.000	2.500
K	13	18.069	4.458	13.500	26.500
Na	13	1.315	2.058	0.300	2.200
Cl	2	3.450	0.778	2.900	4.000
S	13	1.915	0.883	1.100	2.700
CAB	13	265.480	107.696	140.021	441.796
Fe	12	168.750	174.568	55.000	330.000
Mn	12	80.750	53.118	37.000	114.000
Zn	12	30.583	8.479	25.000	35.000
Cu	12	5.442	1.704	4.000	6.900
Se	5	0.020	0.011	0.009	0.036

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	549.833	187.052	349.000	786.000
Aska	6	74.500	3.987	69.000	80.000
OS smbh	6	74.300	3.103	70.100	78.800
Råprot	6	155.333	19.977	126.000	181.000
sRåprot	2	401.000	52.326	364.000	438.000
NDF	6	503.500	52.455	438.000	554.000
iNDF	6	155.121	28.289	119.538	197.117

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	6	4.709	0.570	3.848	5.350
TAF	6	61.000	0.000	61.000	61.000
Socker	6	94.833	24.028	63.000	137.000
AATp20	6	86.893	3.402	82.466	91.191
PBVp20	6	17.712	16.216	-4.916	34.190
NELp20	6	6.073	0.247	5.718	6.417
OE*	6	10.788	0.487	10.100	11.500
AAT*	4	74.750	2.986	71.000	78.000
PBV*	4	31.250	17.538	7.000	46.000
Ca	6	5.333	1.189	3.500	7.000
P	6	2.867	0.327	2.500	3.300
Mg	6	1.883	0.407	1.400	2.400
K	6	25.100	5.352	17.100	32.900
Na	6	1.050	0.701	0.400	2.300
Cl	2	5.700	5.657	1.700	9.700
S	6	2.333	0.393	1.700	2.900
CAB	6	394.345	131.557	246.495	593.522
Fe	5	132.000	22.528	96.000	154.000
Mn	5	113.000	56.626	53.000	201.000
Zn	5	36.800	10.426	28.000	54.000
Cu	5	6.740	0.896	6.000	7.900
Se	3	0.015	0.006	0.011	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	626.500	75.660	573.000	680.000
Aska	2	82.000	2.828	80.000	84.000
OS smbh	2	75.450	2.758	73.500	77.400
Råprot	2	192.500	6.364	188.000	197.000
NDF	2	476.000	15.556	465.000	487.000
iNDF	2	147.551	26.677	128.688	166.415
nhNDF	2	4.752	0.540	4.370	5.133
TAF	2	61.000	0.000	61.000	61.000
Socker	2	76.500	6.364	72.000	81.000
AATp20	2	88.643	3.080	86.465	90.821
PBVp20	2	49.131	0.734	48.612	49.650
NELp20	2	6.217	0.302	6.003	6.430
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.000	2.828	73.000	77.000
PBV*	2	62.500	2.121	61.000	64.000
Ca	2	6.950	0.354	6.700	7.200
P	2	3.050	0.636	2.600	3.500
Mg	2	2.850	0.495	2.500	3.200
K	2	25.500	6.788	20.700	30.300
Na	2	1.300	0.000	1.300	1.300
S	2	3.400	0.141	3.300	3.500
CAB	2	355.351	182.451	226.338	484.363
Fe	2	142.000	53.740	104.000	180.000
Mn	2	124.000	41.012	95.000	153.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	40.500	12.021	32.000	49.000
Cu	2	7.850	2.051	6.400	9.300
Se	1	0.061	.	0.061	0.061

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	459.692	205.718	251.000	799.000
Aska	13	62.615	20.484	46.000	76.000
OS smbh	13	75.223	3.995	70.100	80.100
Råprot	13	144.231	27.118	116.000	167.000
sRåprot	13	588.923	108.376	420.000	704.000
NH3-N	12	75.250	28.854	33.000	106.000
NDF	13	478.692	56.361	418.000	544.000
iNDF	13	153.285	32.333	114.040	193.871
nhNDF	13	4.633	0.605	3.959	5.410
TAF	13	59.862	41.869	15.000	122.100
Mjölksyra	13	45.077	37.230	5.000	106.000
Ättiksyra	13	12.462	6.200	5.000	18.000
Socker	13	69.308	43.857	17.000	117.000
PRF	3	2.000	1.732	0.000	3.000
BUF	13	1.092	1.020	0.000	2.400
AATp20	13	83.964	5.111	81.554	88.858
PBVp20	13	12.278	22.850	-14.424	31.622
NELp20	13	6.187	0.440	5.592	6.814

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	13	11.081	0.731	10.200	12.000
AAT*	10	72.100	2.183	69.000	75.000
PBV*	10	21.900	26.950	-17.500	50.000
Ca	12	4.150	0.765	3.300	5.300
P	12	2.392	0.297	1.900	2.700
Mg	12	1.675	0.238	1.500	2.000
K	12	19.042	4.006	15.000	24.300
Na	12	0.733	0.242	0.400	1.100
Cl	13	3.600	1.988	0.900	6.200
S	12	1.950	0.291	1.600	2.300
CAB	12	298.651	110.105	166.819	442.566
Fe	11	214.273	160.815	81.000	373.000
Mn	11	69.636	39.634	41.000	77.000
Zn	11	33.091	11.229	26.000	37.000
Cu	11	5.200	0.951	4.100	6.000
Se	2	0.040	0.015	0.029	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	576.714	163.514	347.000	759.000
Aska	7	66.714	8.015	56.000	78.000
OS smbh	7	73.957	3.177	71.200	79.000
Råprot	7	151.429	17.980	119.000	174.000
sRåprot	7	517.857	136.931	353.000	718.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	7	57.286	34.471	23.000	106.000
NDF	7	475.143	42.211	423.000	540.000
iNDF	7	174.172	34.021	123.502	209.000
nhNDF	7	4.356	0.571	3.732	5.130
TAF	7	39.729	31.580	10.000	82.600
Mjölksyra	7	29.000	24.269	5.000	59.000
Ättiksyra	7	9.143	7.819	0.000	21.000
Socker	7	76.857	31.482	21.000	110.000
PRF	2	1.000	1.414	0.000	2.000
BUF	7	0.586	0.662	0.000	1.600
AATp20	7	86.318	4.051	81.000	91.412
PBVp20	7	15.287	16.877	-14.540	39.166
NELp20	7	6.017	0.340	5.686	6.563
OE*	7	10.824	0.486	10.390	11.700
AAT*	5	71.200	1.304	70.000	73.000
PBV*	5	33.800	12.538	17.000	49.000
Ca	6	5.533	1.663	3.800	8.000
P	6	2.583	0.343	2.200	3.100
Mg	6	2.100	0.420	1.500	2.500
K	6	20.300	4.930	14.900	26.000
Na	6	0.767	0.258	0.500	1.200
Cl	7	5.257	2.489	1.500	9.000
S	6	2.367	0.388	1.900	2.800
CAB	6	260.467	91.225	147.028	369.482

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	88.000	29.712	56.000	127.000
Mn	6	85.167	47.191	29.000	148.000
Zn	6	28.833	2.137	25.000	31.000
Cu	6	6.183	0.744	5.000	7.100
Se	2	0.035	0.022	0.019	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	433.000	236.470	266.000	781.000
Aska	4	69.250	7.805	60.000	79.000
OS smbh	4	73.875	2.726	70.700	77.100
Råprot	4	126.500	36.711	77.000	159.000
sRåprot	4	497.000	170.029	244.000	598.000
NH3-N	4	55.000	26.608	16.000	72.000
NDF	4	446.250	16.998	433.000	471.000
iNDF	4	181.486	31.078	142.446	213.461
nhNDF	4	3.958	0.550	3.438	4.669
TAF	4	77.650	47.336	8.500	111.100
Mjölksyra	4	62.750	39.458	5.000	90.000
Ättiksyra	4	13.500	8.062	2.000	20.000
Socker	4	75.000	63.561	21.000	163.000
BUF	4	0.400	0.383	0.100	0.900
AATp20	4	80.591	3.074	77.756	84.901
PBVp20	4	1.272	37.635	-50.791	31.070

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	5.968	0.470	5.323	6.451
OE*	4	10.750	0.387	10.300	11.200
AAT*	4	71.000	1.155	70.000	72.000
PBV*	4	4.750	35.056	-42.000	35.000
Ca	3	5.800	1.229	4.400	6.700
P	3	2.733	0.115	2.600	2.800
Mg	3	2.100	0.458	1.700	2.600
K	3	20.233	1.914	18.100	21.800
Na	3	0.600	0.529	0.200	1.200
Cl	4	5.425	2.501	3.200	9.000
S	3	2.200	0.700	1.500	2.900
CAB	3	286.815	37.411	243.699	310.675
Fe	3	156.333	31.817	136.000	193.000
Mn	3	127.000	50.090	72.000	170.000
Zn	3	28.000	11.790	18.000	41.000
Cu	3	5.933	1.650	4.300	7.600
Se	2	0.016	0.007	0.011	0.021

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	485.000	.	485.000	485.000
Aska	1	48.000	.	48.000	48.000
OS smbh	1	73.000	.	73.000	73.000
Råprot	1	120.000	.	120.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	535.000	.	535.000	535.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	399.000	.	399.000	399.000
iNDF	1	224.481	.	224.481	224.481
nhNDF	1	3.079	.	3.079	3.079
TAF	1	30.700	.	30.700	30.700
Mjölksyra	1	23.000	.	23.000	23.000
Ättiksyra	1	5.000	.	5.000	5.000
Socker	1	79.000	.	79.000	79.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	83.779	.	83.779	83.779
PBVp20	1	-9.225	.	-9.225	-9.225
NELp20	1	5.720	.	5.720	5.720
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.900	.	4.900	4.900
P	1	2.500	.	2.500	2.500
Mg	1	2.400	.	2.400	2.400
K	1	10.100	.	10.100	10.100
Na	1	0.800	.	0.800	0.800
Cl	1	1.900	.	1.900	1.900
S	1	2.000	.	2.000	2.000
CAB	1	114.574	.	114.574	114.574

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	396.000	.	396.000	396.000
Mn	1	133.000	.	133.000	133.000
Zn	1	49.000	.	49.000	49.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	421.667	179.727	205.000	716.000
Aska	9	65.111	16.382	47.000	98.000
OS smbh	9	74.811	3.052	69.600	78.600
Råprot	9	127.556	24.223	94.000	165.000
NDF	9	489.778	34.878	443.000	529.000
iNDF	9	155.691	26.461	119.370	190.280
nhNDF	9	4.631	0.539	3.987	5.402
TAF	9	84.000	0.000	84.000	84.000
Socker	9	137.222	34.510	60.000	188.000
AATp20	9	83.348	3.074	77.780	88.161
PBVp20	9	0.035	22.888	-32.567	30.266
NELp20	9	6.101	0.255	5.688	6.492
OE*	9	11.000	0.581	9.800	11.500
AAT*	9	76.222	3.383	69.000	80.000
PBV*	9	-3.444	26.548	-42.000	30.000
Ca	9	4.400	1.497	2.400	7.600
P	9	2.467	0.524	1.700	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	9	1.978	0.492	1.400	2.800
K	9	21.144	4.586	14.200	27.800
Na	9	0.633	0.616	0.100	2.000
S	9	1.889	0.685	1.000	3.000
CAB	9	317.865	105.201	170.131	470.994
Fe	9	138.000	122.504	55.000	379.000
Mn	9	77.556	42.424	34.000	151.000
Zn	9	29.889	4.986	21.000	36.000
Cu	9	5.444	1.910	3.100	9.600
Se	3	0.008	0.005	0.005	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	98	490.684	156.242	304.000	712.000
Aska	98	67.041	10.647	53.000	80.000
OS smbh	98	77.226	4.191	71.100	81.600
Råprot	98	142.990	29.221	103.000	178.000
sRåprot	33	446.061	67.192	385.000	495.000
NDF	98	469.980	59.441	386.000	541.000
iNDF	98	127.016	39.797	72.385	178.532
nhNDF	98	5.161	1.227	3.978	6.320
TAF	98	65.837	33.105	4.000	84.000
Mjölksyra	23	0.000	0.000	0.000	0.000
Ättiksyra	20	1.400	3.500	0.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	98	132.378	39.008	82.000	191.000
PRF	20	1.800	1.322	0.000	3.500
BUF	20	1.400	1.667	0.000	4.000
AATp20	98	88.607	6.398	80.654	98.262
PBVp20	98	5.996	21.647	-21.359	34.900
NELp20	98	6.312	0.381	5.770	6.748
OE*	98	11.356	0.662	10.500	12.200
AAT*	65	77.969	3.597	73.000	84.000
PBV*	65	6.309	26.060	-27.000	40.000
Ca	94	4.593	1.267	3.000	6.200
P	94	2.732	0.493	2.100	3.300
Mg	94	1.709	0.430	1.200	2.200
K	94	22.766	5.488	15.100	28.700
Na	94	0.806	0.576	0.200	1.500
Cl	33	4.476	2.748	1.300	7.000
S	94	1.985	0.457	1.300	2.600
CAB	94	363.064	137.352	200.840	515.304
Fe	74	121.459	82.217	57.000	223.000
Mn	74	60.541	20.324	35.000	87.000
Zn	74	30.716	8.786	23.000	39.000
Cu	74	5.251	1.075	4.000	6.500
Se	9	0.015	0.010	0.007	0.034

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	64	523.672	151.275	348.000	721.000
Aska	64	74.594	9.960	62.000	85.000
OS smbh	64	75.180	3.651	70.400	80.100
Råprot	64	157.953	26.106	124.000	189.000
sRåprot	22	447.455	96.507	368.000	607.000
NDF	64	468.188	36.246	421.000	518.000
iNDF	64	155.108	41.998	101.307	204.000
nhNDF	64	4.597	0.767	3.912	5.551
Stä	1	29.000	.	29.000	29.000
TAF	64	80.188	17.328	84.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	0.333	0.577	0.000	1.000
Socker	64	102.703	33.965	65.000	144.000
PRF	3	2.000	0.000	2.000	2.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	64	85.661	5.133	80.179	93.292
PBVp20	64	24.882	21.212	-0.994	54.047
NELp20	64	6.194	0.350	5.857	6.688
OE*	64	10.930	0.593	10.100	11.730
AAT*	42	75.262	3.372	71.000	79.000
PBV*	42	29.810	28.980	-14.000	64.000
Ca	57	7.114	6.664	4.400	9.000
P	57	3.274	2.958	2.400	3.400
Mg	57	2.581	1.754	1.800	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	57	25.998	29.703	14.200	27.800
Na	57	1.181	0.790	0.400	2.000
Cl	22	7.123	6.655	2.300	14.300
S	57	2.770	3.033	1.800	3.000
CAB	57	384.381	612.472	90.272	531.474
Fe	47	149.532	122.455	70.000	329.000
Mn	47	73.404	24.537	41.000	106.000
Zn	47	31.000	8.612	21.000	42.000
Cu	47	6.757	1.250	5.000	8.600
Se	9	0.036	0.018	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	45	479.089	136.330	335.000	664.000
Aska	45	83.444	9.565	73.000	96.000
OS smbh	45	74.802	3.244	70.000	77.900
Råprot	45	164.600	23.085	138.000	199.000
sRåprot	15	392.933	48.265	334.000	430.000
NDF	45	458.956	33.683	411.000	503.000
iNDF	45	163.367	42.056	110.206	218.229
nhNDF	45	4.524	0.762	3.519	5.522
TAF	45	84.000	0.000	84.000	84.000
Socket	45	95.667	27.506	50.000	129.000
AATp20	45	85.131	5.095	78.444	91.543

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	45	31.921	17.328	13.618	53.781
NELp20	45	6.143	0.343	5.667	6.480
OE*	45	10.767	0.559	10.000	11.370
AAT*	30	74.000	3.029	69.500	77.000
PBV*	30	33.600	20.132	13.000	52.500
Ca	38	7.208	2.186	4.400	10.700
P	38	3.003	0.538	2.200	3.800
Mg	38	2.542	0.509	1.900	3.400
K	38	24.332	5.549	17.400	31.400
Na	38	1.303	1.105	0.400	2.500
Cl	15	13.307	9.540	6.100	30.800
S	38	2.518	0.454	1.900	3.100
CAB	38	293.431	262.951	67.858	529.179
Fe	37	139.135	67.770	73.000	219.000
Mn	37	68.973	25.027	37.000	108.000
Zn	37	28.676	6.187	23.000	39.000
Cu	37	7.243	1.545	5.000	9.200
Se	8	0.043	0.037	0.010	0.113

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	425.720	142.426	261.000	628.000
Aska	25	89.880	13.899	74.000	108.000
OS smbh	25	77.888	3.707	72.700	82.800
Råprot	25	187.720	20.848	165.000	213.000
sRåprot	8	380.375	59.334	315.000	480.000
NDF	25	423.200	39.316	373.000	487.000
iNDF	25	140.398	50.656	74.441	212.000
nhNDF	25	5.294	0.899	3.882	6.434
TAF	25	84.000	0.000	84.000	84.000
Socker	25	104.840	31.472	64.000	144.000
AATp20	25	88.994	5.003	82.480	95.358
PBVp20	25	47.201	15.830	25.457	70.594
NELp20	25	6.428	0.348	6.005	6.820
OE*	25	11.188	0.641	10.200	12.000
AAT*	17	76.588	3.589	70.000	81.000
PBV*	17	54.588	19.660	35.000	84.000
Ca	20	7.085	1.777	4.950	8.850
P	20	3.460	0.513	2.850	4.050
Mg	20	2.695	0.540	2.150	3.200
K	20	26.195	5.767	19.650	33.650
Na	20	1.110	0.768	0.500	2.400
Cl	8	11.488	8.818	1.500	30.100
S	20	2.955	0.477	2.500	3.500
CAB	20	324.649	236.530	66.083	529.187

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	17	271.118	312.320	85.000	606.000
Mn	17	76.294	32.918	42.000	126.000
Zn	17	48.824	82.162	23.000	39.000
Cu	17	7.706	1.583	5.700	10.400
Se	4	0.022	0.005	0.017	0.029

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	399.000	164.186	213.000	635.000
Aska	6	97.500	6.565	91.000	107.000
OS smbh	6	77.550	2.663	75.700	82.900
Råprot	6	192.333	21.172	166.000	224.000
sRåprot	6	334.000	14.519	315.000	350.000
NDF	6	414.333	53.414	344.000	494.000
iNDF	6	180.167	48.214	96.000	230.000
nhNDF	6	6.063	0.341	5.641	6.398
TAF	6	84.000	0.000	84.000	84.000
Socker	6	95.333	6.470	86.000	103.000
AATp20	6	92.888	2.735	90.023	97.119
PBVp20	6	45.070	16.460	24.992	72.021
NELp20	6	6.387	0.209	6.264	6.810
OE*	6	11.040	0.383	10.800	11.810
Ca	6	7.633	2.207	4.500	10.600
P	6	3.833	0.585	2.900	4.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	6	2.717	0.431	2.000	3.100
K	6	30.033	3.312	26.400	35.900
Na	6	1.267	0.408	0.600	1.800
Cl	6	12.583	4.911	6.500	18.700
S	6	3.183	0.407	2.600	3.600
CAB	6	269.770	126.664	58.646	431.761
Fe	5	223.800	43.275	197.000	300.000
Mn	5	89.400	27.318	61.000	130.000
Zn	5	28.200	1.304	26.000	29.000
Cu	5	8.400	1.517	6.000	10.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	422.500	137.162	267.000	657.000
Aska	32	68.688	12.283	57.000	82.000
OS smbh	32	73.891	3.039	69.900	78.300
Råprot	32	140.000	21.675	114.000	167.000
sRåprot	32	538.625	117.965	383.000	651.000
NH3-N	32	76.656	25.696	38.000	109.000
NDF	32	463.281	45.226	414.000	491.000
iNDF	32	175.815	39.268	129.845	211.621
nhNDF	32	4.146	0.665	3.509	4.933
TAF	32	57.659	27.893	22.400	94.100
Mjölksyra	32	44.594	23.481	15.000	75.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	32	10.906	5.139	5.000	18.000
Socker	32	70.563	38.676	17.000	128.000
BUF	32	1.159	1.267	0.100	2.600
AATp20	32	83.936	4.671	79.191	88.454
PBVp20	32	10.900	19.090	-14.875	36.846
NELp20	32	6.021	0.318	5.623	6.422
OE*	32	10.784	0.491	10.100	11.400
AAT*	32	71.125	1.431	69.000	73.000
PBV*	32	17.875	21.062	-9.000	45.000
Ca	30	5.687	1.392	4.100	7.700
P	30	2.760	0.396	2.200	3.200
Mg	30	2.360	0.516	1.650	2.950
K	30	19.760	3.087	16.400	23.750
Na	30	1.253	1.029	0.300	2.350
Cl	32	6.759	3.306	3.500	10.800
S	30	2.120	0.497	1.500	2.800
CAB	30	234.500	88.399	126.396	326.938
Fe	30	164.333	156.211	78.000	224.000
Mn	30	96.233	32.553	61.000	146.500
Zn	30	32.500	6.196	24.000	40.500
Cu	30	6.817	2.167	4.900	8.400
Se	1	0.008	.	0.008	0.008

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	424	390.509	117.054	267.000	542.000
Aska	424	66.113	10.243	53.000	78.000
OS smbh	424	75.843	3.598	70.700	79.900
Råprot	424	141.495	23.947	111.000	172.000
sRåprot	424	646.825	77.315	550.000	729.000
NH3-N	423	85.872	30.153	48.000	123.000
NDF	424	453.858	53.832	386.000	521.000
iNDF	424	153.665	32.789	120.000	196.025
nhNDF	424	4.529	0.525	3.864	5.169
Stä	1	110.000	.	110.000	110.000
TAF	424	71.218	32.316	28.200	113.900
Mjölksyra	424	52.903	27.092	18.000	90.000
Ättiksyra	424	15.094	7.247	7.000	23.000
Socker	424	69.448	40.940	22.000	131.000
PRF	96	3.698	2.534	1.000	7.000
BUF	424	1.610	2.256	0.000	4.000
AATp20	424	82.675	4.065	77.979	87.391
PBVp20	424	14.208	21.619	-13.165	40.853
NELp20	424	6.234	0.355	5.761	6.627
OE*	424	11.140	0.587	10.310	11.800
AAT*	328	72.195	1.675	70.000	74.000
PBV*	328	13.516	20.729	-11.000	41.000
Ca	399	4.885	1.244	3.600	6.200
P	399	2.637	0.386	2.100	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	399	1.767	0.401	1.400	2.100
K	399	21.584	3.719	16.700	26.300
Na	399	1.075	0.745	0.300	2.100
Cl	424	5.443	2.990	2.500	8.900
S	399	1.942	0.413	1.400	2.500
CAB	399	323.229	108.684	197.747	444.928
Fe	370	178.995	150.284	70.000	337.500
Mn	370	68.605	20.744	45.000	94.000
Zn	370	37.227	57.995	23.000	40.000
Cu	370	5.522	1.318	4.100	7.000
Se	62	0.031	0.032	0.007	0.052

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	306	475.869	143.191	302.000	676.000
Aska	306	72.902	11.565	60.000	86.000
OS smbh	306	73.479	3.239	69.300	77.400
Råprot	306	150.242	23.945	123.000	180.000
sRåprot	306	527.624	94.878	394.000	638.000
NH3-N	305	68.885	27.552	35.000	104.000
NDF	306	465.788	40.050	415.000	511.000
iNDF	306	180.545	37.471	138.000	225.000
nhNDF	306	4.177	0.535	3.447	4.820
Stä	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	306	52.119	26.959	19.500	87.900
Mjölksyra	306	37.971	21.922	11.000	67.000
Ättiksyra	305	11.810	6.360	5.000	20.000
Socker	306	71.222	36.006	25.000	120.000
PRF	76	2.303	2.020	0.000	5.000
BUF	305	0.995	1.588	0.000	2.100
AATp20	306	84.552	4.908	79.080	91.041
PBVp20	306	19.572	20.616	-6.569	45.407
NELp20	306	6.001	0.339	5.568	6.400
OE*	306	10.666	0.530	10.000	11.300
AAT*	229	70.620	1.609	69.000	72.000
PBV*	229	26.336	22.543	0.000	55.000
Ca	293	6.231	1.574	4.400	8.200
P	293	2.831	0.413	2.300	3.400
Mg	293	2.411	0.469	1.900	3.000
K	293	21.420	4.392	15.400	26.900
Na	293	1.304	0.821	0.400	2.500
Cl	306	7.612	4.016	3.600	12.400
S	293	2.343	0.463	1.800	2.800
CAB	293	243.481	128.345	97.522	396.670
Fe	269	170.468	137.638	76.000	308.000
Mn	269	85.346	28.424	48.000	125.000
Zn	269	41.413	77.771	24.000	43.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	269	6.842	1.494	5.100	8.600
Se	37	0.027	0.018	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	166	454.789	136.599	299.000	658.000
Aska	166	79.416	15.234	67.000	93.000
OS smbh	166	73.614	2.875	70.000	76.700
Råprot	166	156.699	20.426	133.000	181.000
sRåprot	166	514.590	88.712	412.000	608.000
NH3-N	166	71.952	32.648	34.000	114.000
NDF	166	444.187	35.119	403.000	488.000
iNDF	166	187.356	38.497	143.482	239.805
nhNDF	166	4.040	0.639	3.195	4.680
TAF	166	56.203	29.780	15.500	94.000
Mjölksyra	166	40.946	24.450	9.000	72.000
Ättiksyra	164	12.451	6.609	5.000	20.000
Socker	166	65.687	33.902	23.000	117.000
PRF	41	2.098	2.322	0.000	4.000
BUF	164	1.474	3.256	0.000	2.800
AATp20	166	84.322	5.398	77.394	91.058
PBVp20	166	25.943	19.351	2.697	49.208
NELp20	166	5.987	0.315	5.567	6.328
OE*	166	10.619	0.506	9.900	11.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	123	70.374	1.617	68.000	72.000
PBV*	123	33.310	19.285	12.000	56.000
Ca	157	7.375	2.078	5.300	10.400
P	157	2.941	0.442	2.400	3.500
Mg	157	2.655	0.474	2.200	3.200
K	157	22.109	4.343	16.500	27.100
Na	157	1.306	0.822	0.500	2.400
Cl	166	8.427	5.573	3.300	13.300
S	157	2.481	0.488	1.800	3.100
CAB	157	226.675	166.426	64.572	396.563
Fe	144	226.931	218.778	79.000	426.000
Mn	144	92.132	34.131	55.000	133.000
Zn	144	46.361	100.032	22.000	40.000
Cu	144	7.591	1.390	6.000	9.600
Se	17	0.038	0.023	0.010	0.076

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	55	351.691	93.528	259.000	475.000
Aska	55	89.927	28.764	72.000	102.000
OS smbh	55	74.625	3.245	70.700	77.900
Råprot	55	170.618	26.362	144.000	200.000
sRåprot	55	554.764	74.686	434.000	649.000
NH3-N	55	77.509	26.957	45.000	114.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	55	407.636	41.454	352.000	458.000
iNDF	55	188.003	42.024	130.719	258.000
nhNDF	55	4.001	0.666	3.158	4.822
TAF	55	77.278	30.038	34.400	113.500
Mjölksyra	55	60.709	25.765	26.000	91.000
Ättiksyra	55	14.436	5.744	7.000	21.000
Socker	55	55.255	31.182	23.000	102.000
PRF	19	0.947	1.311	0.000	3.000
BUF	55	1.151	1.728	0.000	3.100
AATp20	55	82.264	5.739	76.422	88.330
PBVp20	55	42.139	23.016	17.365	73.051
NELp20	55	6.090	0.370	5.710	6.516
OE*	55	10.666	0.642	9.900	11.360
AAT*	36	70.250	2.196	68.000	72.000
PBV*	36	43.444	24.948	22.000	74.000
Ca	51	7.445	1.696	5.700	9.000
P	51	3.133	0.523	2.500	3.800
Mg	51	2.767	0.430	2.300	3.300
K	51	21.504	4.779	17.400	26.200
Na	51	1.741	0.921	0.700	2.900
Cl	55	10.036	6.149	3.600	18.400
S	51	2.739	0.570	2.100	3.300
CAB	51	172.674	171.886	-40.616	338.369
Fe	44	414.818	559.089	141.000	800.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	44	107.705	46.028	53.000	182.000
Zn	44	32.705	9.380	24.000	40.000
Cu	44	8.155	2.467	6.300	10.000
Se	2	0.167	0.179	0.040	0.293

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	318.600	84.174	230.000	443.000
Aska	5	90.200	8.585	83.000	100.000
OS smbh	5	77.220	2.999	73.100	80.200
Råprot	5	185.400	7.829	173.000	193.000
sRåprot	5	566.800	27.716	523.000	597.000
NH3-N	5	78.000	27.092	55.000	120.000
NDF	5	387.600	56.177	307.000	431.000
iNDF	5	152.757	25.912	124.809	187.332
nhNDF	5	4.283	0.394	3.808	4.698
TAF	5	91.660	13.297	68.100	100.100
Mjölksyra	5	76.200	12.174	57.000	86.000
Ättiksyra	5	14.000	3.536	10.000	19.000
Socker	5	53.000	24.321	17.000	79.000
PRF	1	0.000	.	0.000	0.000
BUF	5	0.660	1.309	0.000	3.000
AATp20	5	83.863	3.737	78.345	87.382
PBVp20	5	53.217	4.597	46.346	57.212

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	6.390	0.243	6.001	6.651
OE*	5	11.086	0.541	10.300	11.700
AAT*	4	71.500	1.732	69.000	73.000
PBV*	4	61.000	6.272	53.000	66.000
Ca	4	7.400	1.374	5.900	9.000
P	4	3.450	0.289	3.100	3.800
Mg	4	2.750	0.351	2.400	3.100
K	4	22.425	2.247	20.700	25.700
Na	4	1.925	1.360	0.700	3.800
Cl	5	9.780	2.389	7.100	13.300
S	4	2.900	0.594	2.100	3.400
CAB	4	204.848	74.432	99.968	268.794
Fe	3	291.667	188.219	182.000	509.000
Mn	3	89.667	30.172	55.000	110.000
Zn	3	28.667	2.517	26.000	31.000
Cu	3	7.667	1.762	5.800	9.300

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	152.000	.	152.000	152.000
sRåprot	1	558.000	.	558.000	558.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	82.000	.	82.000	82.000
NDF	1	456.000	.	456.000	456.000
iNDF	1	175.226	.	175.226	175.226
nhNDF	1	4.084	.	4.084	4.084
TAF	1	57.100	.	57.100	57.100
Mjölksyra	1	46.000	.	46.000	46.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	63.000	.	63.000	63.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	85.003	.	85.003	85.003
PBVp20	1	20.534	.	20.534	20.534
NELp20	1	6.104	.	6.104	6.104
OE*	1	10.900	.	10.900	10.900
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	6.300	.	6.300	6.300
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	18.100	.	18.100	18.100
Na	1	1.700	.	1.700	1.700
Cl	1	6.200	.	6.200	6.200
S	1	2.200	.	2.200	2.200
CAB	1	224.681	.	224.681	224.681
Fe	1	107.000	.	107.000	107.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=829

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	61.000	.	61.000	61.000
Zn	1	34.000	.	34.000	34.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	39	408.487	113.387	265.000	582.000
Aska	39	57.564	13.879	41.000	75.000
OS smbh	39	68.515	3.334	64.100	72.500
Råprot	39	116.923	26.672	79.000	151.000
sRåprot	39	627.846	101.293	471.000	759.000
NH3-N	39	85.949	36.574	44.000	131.000
NDF	39	464.205	45.211	414.000	523.000
iNDF	39	254.473	46.514	192.303	316.000
nhNDF	39	3.126	0.795	2.167	4.132
Stä	39	99.718	75.419	18.000	199.000
TAF	39	62.087	32.000	24.700	105.700
Mjölksyra	39	45.282	27.363	15.000	87.000
Ättiksyra	38	14.105	6.039	6.000	22.000
Socker	39	57.949	37.757	16.000	125.000
PRF	17	3.294	2.339	0.000	7.000
BUF	17	0.647	0.996	0.000	1.000
AATp20	39	70.869	4.544	65.055	76.249
PBVp20	39	0.300	23.045	-31.261	35.717

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	39	5.575	0.323	5.106	5.961
OE*	20	10.113	0.418	9.525	10.655
AAT*	2	64.000	0.000	64.000	64.000
PBV*	2	-35.000	5.657	-39.000	-31.000
Ca	39	4.659	1.833	2.400	7.200
P	39	2.569	0.417	2.100	3.200
Mg	39	1.795	0.674	1.000	2.600
K	39	15.833	4.445	9.900	22.800
Na	39	1.226	0.833	0.500	2.700
Cl	39	6.731	7.601	1.500	12.300
S	39	1.949	0.588	1.200	2.800
CAB	39	146.839	191.718	-15.226	306.465
Fe	33	170.455	122.915	71.000	346.000
Mn	33	64.121	45.921	24.000	140.000
Zn	33	37.848	15.444	25.000	57.000
Cu	33	5.700	1.416	4.000	7.500
Se	8	0.026	0.020	0.007	0.050

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	354.375	94.5197	233.000	483.000
Aska	8	65.125	8.1317	53.000	75.000
OS smbh	8	64.063	2.8228	58.400	66.900
Råprot	8	118.375	13.0815	101.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	8	627.000	91.6125	508.000	749.000
NH3-N	8	98.625	35.8845	53.000	150.000
NDF	8	474.750	24.1764	438.000	511.000
iNDF	8	288.787	34.2641	245.620	344.566
nhNDF	8	2.423	0.4381	1.809	3.050
Stä	8	74.375	60.7899	18.000	183.000
TAF	8	72.125	23.5884	46.000	107.000
Mjölksyra	8	51.875	20.5665	24.000	83.000
Ättiksyra	8	18.250	8.0490	10.000	35.000
Socker	8	25.500	16.7417	11.000	62.000
AATp20	8	66.603	4.2885	61.010	73.544
PBVp20	8	13.594	10.9685	-5.547	27.098
NELp20	8	5.309	0.2275	4.797	5.460
OE*	2	9.300	0.1414	9.200	9.400
AAT*	2	57.000	1.4142	56.000	58.000
PBV*	2	13.000	4.2426	10.000	16.000
Ca	8	6.038	2.0486	3.900	9.600
P	8	2.813	0.4051	2.100	3.200
Mg	8	1.975	0.3919	1.400	2.400
K	8	19.388	4.0023	14.200	27.300
Na	8	1.125	0.7741	0.100	2.700
Cl	8	5.525	3.1029	1.700	11.400
S	8	1.775	0.3059	1.400	2.100
CAB	8	278.186	93.6698	121.722	408.325

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	126.625	28.1269	84.000	159.000
Mn	8	83.500	21.7190	48.000	119.000
Zn	8	48.875	36.6974	22.000	137.000
Cu	8	6.000	1.0337	4.400	7.300

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	333.750	33.580	291.000	377.000
Aska	8	61.000	8.036	53.000	77.000
OS smbh	8	67.425	2.852	62.900	71.000
Råprot	8	113.875	11.218	97.000	127.000
sRåprot	8	615.000	108.525	430.000	753.000
NH3-N	8	75.000	13.680	48.000	97.000
NDF	8	477.000	38.008	405.000	509.000
iNDF	8	334.546	87.981	243.000	460.456
nhNDF	8	5.181	2.425	2.904	8.316
Stä	8	80.625	38.604	24.000	153.000
TAF	8	80.188	21.312	42.500	105.000
Mjölksyra	8	58.750	16.456	30.000	77.000
Ättiksyra	8	18.500	5.782	8.000	25.000
Socker	8	43.250	11.132	34.000	67.000
PRF	5	3.600	1.817	1.000	6.000
BUF	5	0.800	1.095	0.000	2.000
AATp20	8	69.586	2.856	66.384	75.245

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	8	4.224	10.121	-6.161	19.044
NELp20	8	5.647	0.318	5.147	6.014
OE*	5	10.084	0.312	9.630	10.380
Ca	8	4.562	0.891	3.400	6.100
P	8	2.900	0.496	2.300	3.800
Mg	8	1.725	0.320	1.100	2.100
K	8	19.988	4.929	13.800	29.600
Na	8	1.125	0.856	0.200	2.400
Cl	8	5.538	3.389	0.600	10.400
S	8	1.800	0.321	1.400	2.200
CAB	8	291.616	115.174	125.981	430.788
Fe	7	150.286	61.624	104.000	277.000
Mn	7	100.143	49.878	37.000	188.000
Zn	7	43.429	10.114	34.000	63.000
Cu	7	5.186	0.821	4.000	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	404.000	120.644	215.000	601.000
Aska	8	62.500	15.937	46.000	90.000
OS smbh	8	66.738	1.524	64.700	69.200
Råprot	8	127.125	19.090	87.000	154.000
sRåprot	8	633.375	82.801	522.000	762.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	8	89.250	28.709	57.000	148.000
NDF	8	490.875	36.302	421.000	539.000
iNDF	8	261.644	19.125	232.373	281.182
nhNDF	8	3.119	0.633	2.452	4.035
Stä	8	62.625	42.912	21.000	133.000
TAF	8	65.250	27.505	32.000	103.000
Mjölksyra	8	45.875	19.467	19.000	77.000
Ättiksyra	8	17.250	8.242	9.000	35.000
Socker	8	51.125	24.567	24.000	96.000
PRF	2	6.000	2.828	4.000	8.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	8	73.424	3.643	69.509	80.342
PBVp20	8	7.072	19.251	-27.999	34.728
NELp20	8	5.499	0.227	5.226	5.839
OE*	2	9.910	0.438	9.600	10.220
Ca	8	4.375	1.355	2.700	6.600
P	8	2.538	0.338	2.100	3.100
Mg	8	1.725	0.440	1.100	2.600
K	8	17.213	6.202	12.200	29.700
Na	8	2.538	2.215	0.900	7.300
Cl	7	6.914	5.502	3.300	15.900
S	8	2.275	0.539	1.500	3.100
CAB	8	210.363	101.883	34.088	354.374
Fe	7	248.429	243.881	125.000	800.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	7	136.286	73.848	56.000	268.000
Zn	7	41.143	24.532	22.000	95.000
Cu	7	5.514	0.928	3.700	6.400
Se	1	0.022	.	0.022	0.022

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	498.333	58.003	440.000	556.00
Aska	3	70.000	11.000	59.000	81.00
OS smbh	3	67.233	1.358	65.800	68.50
Råprot	3	142.667	12.220	132.000	156.00
sRåprot	3	641.000	84.859	545.000	706.00
NH3-N	3	76.000	29.597	56.000	110.00
NDF	3	470.667	43.662	421.000	503.00
iNDF	3	254.211	44.154	221.213	304.37
nhNDF	3	2.891	0.681	2.118	3.40
Stä	3	67.333	85.448	18.000	166.00
TAF	3	55.000	16.823	36.000	68.00
Mjölksyra	3	40.000	10.440	28.000	47.00
Ättiksyra	3	15.000	6.557	8.000	21.00
Socker	3	31.000	9.849	23.000	42.00
AATp20	3	69.462	2.492	66.782	71.71
PBVp20	3	29.632	15.273	16.116	46.20
NELp20	3	5.489	0.159	5.325	5.64

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	3	6.033	1.193	5.200	7.40
P	3	3.133	0.351	2.800	3.50
Mg	3	1.700	0.173	1.600	1.90
K	3	21.067	7.366	12.600	26.00
Na	3	0.267	0.058	0.200	0.30
Cl	3	3.967	1.750	2.200	5.70
S	3	1.700	0.600	1.100	2.30
CAB	3	332.397	112.986	204.572	418.93
Fe	3	183.000	61.098	120.000	242.00
Mn	3	56.333	9.074	48.000	66.00
Zn	3	698.333	666.000	32.000	1364.00
Cu	3	6.167	1.002	5.200	7.20
Se	1	0.022	.	0.022	0.02

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	443.100	95.224	319.500	576.000
Aska	10	43.500	10.288	33.500	58.500
OS smbh	10	65.690	4.088	59.850	70.950
Råprot	10	85.500	24.034	61.000	122.000
sRåprot	10	672.600	133.927	452.500	759.000
NH3-N	10	82.200	24.814	41.500	105.500
NDF	10	502.900	45.393	445.500	562.500
iNDF	10	268.709	28.586	223.560	301.708

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	10	2.923	0.698	2.201	4.028
Stä	10	75.400	54.019	22.000	164.000
TAF	10	57.200	22.550	30.000	91.500
Mjölksyra	10	37.800	16.831	14.500	61.000
Ättiksyra	10	16.300	5.964	8.500	25.000
Socker	10	89.300	37.390	48.500	144.000
PRF	2	4.500	2.121	3.000	6.000
BUF	2	1.000	1.414	0.000	2.000
AATp20	10	69.027	3.031	64.299	72.506
PBVp20	10	-23.325	20.341	-46.367	5.627
NELp20	10	5.326	0.397	4.702	5.772
OE*	4	9.918	0.246	9.600	10.200
AAT*	2	62.500	2.121	61.000	64.000
PBV*	2	-25.500	41.719	-55.000	4.000
Ca	9	3.222	0.932	2.000	4.700
P	9	2.156	0.416	1.300	2.500
Mg	9	1.411	0.359	0.900	2.100
K	9	14.333	4.872	8.800	22.400
Na	9	0.356	0.347	0.100	1.000
Cl	10	2.240	1.062	0.750	3.600
S	9	1.444	0.428	1.000	2.200
CAB	9	223.218	117.644	72.224	422.864
Fe	9	166.222	195.153	69.000	680.000
Mn	9	65.778	25.420	30.000	114.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	9	27.333	6.690	18.000	36.000
Cu	9	3.922	1.313	2.500	6.700
Se	2	0.027	0.027	0.008	0.046

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	393.600	43.9238	345.000	460.000
Aska	5	49.800	9.8843	37.000	62.000
OS smbh	5	67.640	1.9437	64.600	69.900
Råprot	5	97.600	24.6333	73.000	139.000
sRåprot	5	680.800	99.6529	581.000	834.000
NH3-N	5	107.200	12.2760	90.000	119.000
NDF	5	419.000	19.5192	398.000	446.000
iNDF	5	293.308	28.4570	262.100	333.000
nhNDF	5	2.399	0.2146	2.069	2.584
Stä	5	179.000	45.3927	110.000	220.000
TAF	5	67.800	18.7803	45.000	89.000
Mjölksyra	5	48.400	14.3805	33.000	67.000
Ättiksyra	5	18.200	3.9623	12.000	22.000
Socker	5	37.600	14.8762	22.000	61.000
PRF	1	3.000	.	3.000	3.000
BUF	1	3.000	.	3.000	3.000
AATp20	5	70.594	2.8815	67.653	75.340
PBVp20	5	-11.938	23.1827	-32.354	26.607

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	5.582	0.1251	5.403	5.719
OE*	1	10.040	.	10.040	10.040
Ca	4	4.625	1.1087	3.600	6.200
P	4	2.425	0.1500	2.300	2.600
Mg	4	1.550	0.2517	1.200	1.800
K	4	12.850	3.9239	8.200	16.200
Na	4	0.550	0.2082	0.300	0.800
Cl	5	3.100	0.9165	2.000	3.800
S	4	1.450	0.3697	1.200	2.000
CAB	4	179.538	61.3602	92.584	233.958
Fe	4	88.500	33.5510	52.000	132.000
Mn	4	44.500	21.9469	25.000	76.000
Zn	4	25.250	4.3493	21.000	29.000
Cu	4	4.825	0.2630	4.600	5.100

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	79	315.329	44.9694	262.000	374.000
Aska	79	34.848	14.8722	24.000	43.000
OS smbh	79	74.549	2.7410	70.100	77.500
Råprot	79	81.114	14.0667	71.000	90.000
sRåprot	79	509.063	74.0181	414.000	610.000
NH3-N	76	50.671	24.8314	25.000	86.000
NDF	79	410.747	49.2520	355.000	467.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	79	198.064	29.2081	165.577	238.000
nhNDF	79	3.444	0.5414	2.790	4.123
Stä	79	236.190	70.6842	149.000	327.000
TAF	79	65.190	17.7223	48.000	90.000
Mjölksyra	79	45.127	14.6404	29.000	62.000
Ättiksyra	79	16.620	6.7488	9.000	27.000
Socker	79	21.443	26.3720	5.000	53.000
PRF	37	3.946	1.6490	2.000	6.000
BUF	37	0.000	0.0000	0.000	0.000
AATp20	79	81.834	3.7157	77.646	86.564
PBVp20	79	-48.252	12.7479	-60.764	-37.037
NELp20	79	6.267	0.2426	5.925	6.573
OE*	42	11.135	0.4281	10.620	11.600
AAT*	5	79.000	1.0000	78.000	80.000
PBV*	5	-67.200	7.8867	-79.000	-57.000
Ca	74	1.986	0.8383	1.300	2.500
P	74	1.785	0.3086	1.400	2.100
Mg	74	1.257	0.3302	1.000	1.500
K	74	9.824	2.2063	8.400	11.600
Na	73	0.377	0.2923	0.100	0.700
Cl	64	2.184	1.1959	1.400	3.400
S	74	0.946	0.2665	0.700	1.100
CAB	74	150.215	53.5195	115.333	186.868
Fe	61	106.098	81.5174	54.000	196.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	61	43.869	27.8128	20.000	73.000
Zn	61	29.049	7.8537	20.000	40.000
Cu	61	4.167	0.9446	3.000	5.000
Se	8	0.027	0.0275	0.005	0.076

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	421.000	.	421.000	421.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	80.000	.	80.000	80.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	486.000	.	486.000	486.000
iNDF	1	178.877	.	178.877	178.877
nhNDF	1	4.094	.	4.094	4.094
Stä	1	17.000	.	17.000	17.000
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	15.000	.	15.000	15.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	191.000	.	191.000	191.000
AATp20	1	78.484	.	78.484	78.484
PBVp20	1	-43.378	.	-43.378	-43.378
NELp20	1	5.680	.	5.680	5.680

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	2.500	.	2.500	2.500
P	1	2.000	.	2.000	2.000
Mg	1	1.000	.	1.000	1.000
K	1	23.900	.	23.900	23.900
Na	1	0.600	.	0.600	0.600
Cl	1	4.800	.	4.800	4.800
S	1	1.300	.	1.300	1.300
CAB	1	420.879	.	420.879	420.879
Fe	1	139.000	.	139.000	139.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	885.000	.	885.000	885.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	58.100	.	58.100	58.100
Råprot	1	36.000	.	36.000	36.000
NDF	1	606.000	.	606.000	606.000
iNDF	1	287.853	.	287.853	287.853
nhNDF	1	2.488	.	2.488	2.488
TAF	1	0.000	.	0.000	0.000
Socket	1	128.000	.	128.000	128.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	72.077	.	72.077	72.077
PBVp20	1	-66.296	.	-66.296	-66.296
NELp20	1	4.289	.	4.289	4.289
OE*	1	8.400	.	8.400	8.400
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-67.000	.	-67.000	-67.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	836.889	40.014	766.000	880.000
Aska	9	49.556	8.777	39.000	68.000
OS smbh	9	66.044	3.800	61.200	73.100
Råprot	9	88.333	26.377	62.000	134.000
sRåprot	2	425.500	14.849	415.000	436.000
NDF	9	586.778	57.545	486.000	664.000
iNDF	9	218.724	26.026	177.000	267.152
nhNDF	9	3.585	0.436	2.764	4.099
TAF	9	0.000	0.000	0.000	0.000
Socker	9	117.778	21.655	77.000	145.000
AATp20	9	85.854	7.310	77.919	99.321
PBVp20	9	-40.363	13.295	-53.702	-19.968
NELp20	9	5.177	0.404	4.629	5.932
OE*	9	9.663	0.586	8.900	10.800
AAT*	7	67.429	2.070	64.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	7	-38.429	11.660	-49.000	-15.000
Ca	6	3.833	1.131	2.400	5.300
P	6	2.400	0.657	1.600	3.400
Mg	6	1.667	0.520	1.000	2.400
K	6	15.217	5.189	8.300	22.000
Na	6	0.983	0.556	0.400	1.700
Cl	2	2.150	1.626	1.000	3.300
S	6	1.617	0.325	1.300	2.100
CAB	6	216.801	169.516	27.953	443.362
Fe	4	118.750	108.121	49.000	280.000
Mn	4	54.500	18.628	41.000	82.000
Zn	4	27.000	2.160	24.000	29.000
Cu	4	3.750	0.592	3.300	4.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	855.000	40.8534	828.000	902.000
Aska	3	82.000	32.9242	62.000	120.000
OS smbh	3	70.833	1.6503	69.000	72.200
Råprot	3	131.000	55.5068	96.000	195.000
sRåprot	2	298.000	87.6812	236.000	360.000
NDF	3	470.333	87.0077	370.000	525.000
iNDF	3	241.809	77.1235	187.000	330.000
nhNDF	3	4.260	0.7819	3.647	5.140

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	125.333	33.8428	88.000	154.000
AATp20	3	97.464	12.0614	86.804	110.556
PBVp20	3	-19.918	33.2754	-42.958	18.232
NELp20	3	5.478	0.1517	5.304	5.579
OE*	3	10.120	0.2707	9.930	10.430
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	2	7.400	6.5054	2.800	12.000
P	2	2.750	0.0707	2.700	2.800
Mg	2	2.550	1.3435	1.600	3.500
K	2	23.300	2.6870	21.400	25.200
Na	2	0.900	0.2828	0.700	1.100
Cl	1	9.300	.	9.300	9.300
S	2	2.150	0.6364	1.700	2.600
CAB	2	299.255	44.4054	267.856	330.654

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	380.500	12.8712	369.000	398.000
Aska	4	70.500	6.5574	62.000	77.000
OS smbh	4	75.825	2.2515	73.200	78.200
Råprot	4	145.750	15.0194	132.000	164.000
sRåprot	4	643.500	14.7309	625.000	661.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	68.750	8.9209	58.000	79.000
NDF	4	451.500	28.2194	419.000	478.000
iNDF	4	144.250	46.6503	102.000	205.000
nhNDF	4	4.267	0.4250	3.666	4.667
TAF	4	86.250	43.9877	32.000	124.000
Mjölksyra	4	64.000	37.1124	21.000	95.000
Ättiksyra	4	19.250	6.1847	10.000	23.000
Socker	4	58.750	19.6532	46.000	88.000
PRF	4	2.500	2.6458	0.000	6.000
BUF	4	0.500	0.5774	0.000	1.000
AATp20	4	79.289	1.9776	77.213	81.945
PBVp20	4	27.234	14.8830	13.157	45.030
NELp20	4	6.373	0.3068	6.021	6.672
OE*	4	11.083	0.3376	10.750	11.430
Ca	4	4.950	1.3820	4.000	7.000
P	4	2.525	0.2986	2.200	2.900
Mg	4	1.750	0.3697	1.300	2.100
K	4	25.250	2.6764	21.700	27.600
Na	4	0.600	0.1826	0.400	0.800
Cl	4	4.725	2.4309	2.900	8.100
S	4	1.950	0.3000	1.700	2.300
CAB	4	416.893	93.7474	307.992	521.519
Fe	4	226.500	75.4387	171.000	336.000
Mn	4	51.750	10.6888	41.000	66.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	26.250	6.3443	20.000	35.000
Cu	4	6.500	1.2910	5.000	8.000
Se	4	0.063	0.0250	0.050	0.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	448.000	106.066	373.000	523.000
Aska	2	75.000	0.000	75.000	75.000
OS smbh	2	75.200	2.121	73.700	76.700
Råprot	2	153.000	11.314	145.000	161.000
sRåprot	2	568.500	55.861	529.000	608.000
NH3-N	2	62.500	36.062	37.000	88.000
NDF	2	438.000	15.556	427.000	449.000
iNDF	2	169.500	67.175	122.000	217.000
nhNDF	2	4.221	0.074	4.169	4.273
TAF	2	99.000	19.799	85.000	113.000
Mjölksyra	2	73.500	21.920	58.000	89.000
Ättiksyra	2	21.000	1.414	20.000	22.000
Socker	2	51.000	1.414	50.000	52.000
PRF	2	4.000	0.000	4.000	4.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	78.743	1.107	77.960	79.526
PBVp20	2	35.022	13.098	25.760	44.284
NELp20	2	6.339	0.263	6.153	6.525

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	10.930	0.354	10.680	11.180
Ca	2	6.000	0.566	5.600	6.400
P	2	2.500	0.283	2.300	2.700
Mg	2	1.900	0.000	1.900	1.900
K	2	19.850	3.889	17.100	22.600
Na	2	1.050	0.354	0.800	1.300
Cl	2	5.800	0.283	5.600	6.000
S	2	2.150	0.212	2.000	2.300
CAB	2	255.570	89.384	192.365	318.774
Fe	2	128.000	53.740	90.000	166.000
Mn	2	51.000	7.071	46.000	56.000
Zn	2	22.500	2.121	21.000	24.000
Cu	2	7.000	0.000	7.000	7.000
Se	2	0.140	0.127	0.050	0.230

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	287.500	65.761	241.000	334.000
Aska	2	87.500	4.950	84.000	91.000
OS smbh	2	69.600	1.980	68.200	71.000
Råprot	2	159.500	19.092	146.000	173.000
sRåprot	2	543.500	74.246	491.000	596.000
NH3-N	2	93.000	55.154	54.000	132.000
NDF	2	435.500	27.577	416.000	455.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	319.000	74.953	266.000	372.000
nhNDF	2	4.430	0.185	4.299	4.561
TAF	2	90.000	33.941	66.000	114.000
Mjölksyra	2	52.500	10.607	45.000	60.000
Ättiksyra	2	31.500	14.849	21.000	42.000
Socker	2	26.000	7.071	21.000	31.000
PRF	2	4.000	5.657	0.000	8.000
BUF	2	2.000	2.828	0.000	4.000
AATp20	2	74.229	1.043	73.492	74.966
PBVp20	2	48.962	19.896	34.894	63.031
NELp20	2	5.738	0.376	5.472	6.004
OE*	2	9.875	0.375	9.610	10.140
Ca	2	10.700	3.960	7.900	13.500
P	2	2.800	0.424	2.500	3.100
Mg	2	2.450	0.636	2.000	2.900
K	2	20.450	2.899	18.400	22.500
Na	2	1.000	0.141	0.900	1.100
Cl	2	6.800	3.111	4.600	9.000
S	2	2.250	0.212	2.100	2.400
CAB	2	234.322	181.195	106.198	362.446
Fe	1	148.000	.	148.000	148.000
Mn	1	43.000	.	43.000	43.000
Zn	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	431.778	66.381	348.000	538.000
Aska	9	63.111	8.880	49.000	75.000
OS smbh	9	73.833	4.105	64.800	77.600
Råprot	9	144.444	17.544	106.000	162.000
sRåprot	9	547.556	58.402	479.000	666.000
NH3-N	9	62.333	18.296	40.000	104.000
NDF	9	393.222	80.642	297.000	534.000
iNDF	9	220.111	44.823	168.000	309.000
nhNDF	9	3.487	0.678	2.376	4.491
Stä	9	120.000	60.869	22.000	192.000
TAF	9	51.222	18.952	23.000	81.000
Mjölksyra	9	34.222	13.227	20.000	59.000
Ättiksyra	9	12.556	8.618	0.000	27.000
Socker	9	58.556	23.580	22.000	92.000
PRF	9	3.556	1.667	0.000	5.000
BUF	9	0.889	1.691	0.000	5.000
AATp20	9	85.243	4.730	76.569	91.565
PBVp20	9	16.793	11.920	-5.659	32.508
NELp20	9	6.261	0.370	5.482	6.633

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	9	10.839	0.639	9.480	11.470
Ca	9	5.911	1.960	4.200	9.800
P	9	3.200	0.515	2.300	4.000
Mg	9	2.533	0.487	1.900	3.200
K	9	15.767	1.837	13.600	19.900
Na	9	3.056	2.252	1.100	8.400
Cl	9	7.711	6.672	2.400	21.700
S	9	2.311	0.333	1.600	2.900
CAB	9	174.431	140.312	-50.369	377.759
Fe	7	313.857	206.367	167.000	759.000
Mn	7	73.286	30.826	37.000	116.000
Zn	7	55.857	27.991	27.000	102.000
Cu	7	10.857	4.140	5.000	18.000
Se	1	0.500	.	0.500	0.500

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	454.167	73.0080	369.000	541.000
Aska	6	64.167	3.8166	61.000	71.000
OS smbh	6	73.100	4.2308	67.200	77.200
Råprot	6	149.500	28.6269	110.000	183.000
sRåprot	6	517.500	89.0118	416.000	630.000
NH3-N	6	60.333	21.4072	18.000	75.000
NDF	6	411.833	63.8824	305.000	475.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	6	207.689	31.1675	167.977	252.592
nhNDF	6	3.376	0.4513	2.859	4.024
Stä	6	86.167	44.4721	44.000	169.000
Socker	6	50.000	8.5790	36.000	59.000
NELp20	6	0.000	0.0000	0.000	0.000
Ca	6	5.517	0.9326	4.100	6.700
P	6	3.117	0.8134	1.900	4.100
Mg	6	2.917	0.3601	2.400	3.400
K	6	14.517	2.3387	11.600	18.100
Na	6	2.900	1.2602	1.500	4.200
Cl	6	5.517	1.3790	3.800	7.100
S	6	2.617	0.2787	2.200	2.900
CAB	6	178.416	87.7293	32.641	264.274
Fe	6	362.000	55.5878	290.000	430.000
Mn	6	96.167	12.4164	84.000	117.000
Zn	6	65.833	16.2778	34.000	79.000
Cu	6	15.117	3.6706	9.200	19.000
Se	2	0.340	0.2503	0.163	0.517

*= Parametrar från det gamla svenska fodervärderingssystemet