

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	8	853	26	62.7	106	426	8.0	205	138	3.15	557	0.000			18
Havre, kärna, hög NDF (002)	1	4	868	28	75.0	103			339	392	2.00	543	0.000			
Vete, kärna (005)	1	14	858	17	75.4	112	343	6.5	127	164	3.50	646	0.000			14
Blandsäd, kärna, 50%havre/50%korn (096)	1	2	839	25	80.5	106				304	2.50	586	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	8	846	18	87.0	112		6.5	185	173	3.30	651	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3	847	23	81.6	111		6.3	204	324	2.50	585	0.000			
Åkerböna, kärna (007)	1	2	858	33	89.0	299		2.0		32	4.70	402	0.000			
Majs hela plantan, grönmassa (030)	1	21	325	29	75.9	77	375		374	198	3.32	292	57.000			37
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.000			
Råg, helsäd, grönmassa (138)	1	1	373	47	65.0	86	791	88.0	458	294	2.27	95	90.000	74.0	16.0	81
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.000			177
Grönmassa, gräs (0% baljv.) (161)	2	2	580	84	76.6	135	402		457	130	4.65		61.000			103
Ensilage, gräs (0% klöver) (162)	0	1	387	78	75.8	127	544	74.0	466	148	4.68		81.100	63.0	17.0	45
Ensilage, gräs (0% klöver) (162)	1	22	438	67	75.7	130	628	74.8	450	151	4.47		62.145	45.9	13.5	94
Ensilage, gräs (0% klöver) (162)	2	15	437	76	73.3	138	540	73.5	461	179	4.03		53.827	39.7	11.8	65
Ensilage, gräs (0% klöver) (162)	3	8	394	89	76.1	164	540	72.8	444	150	4.75		67.150	52.8	12.4	47
Ensilage, gräs (0% klöver) (162)	4	3	334	85	69.4	160	537	118	442	259	3.52		84.567	51.3	26.3	42
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	527	106	67.7	175			429	258	2.85		84.000			40
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	426	71	78.6	138	443		443	114	5.34		68.377	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	469	84	74.8	140	411		461	152	4.39		72.354	0.0	0.0	105
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	472	89	72.5	143	386		487	173	4.19		84.000			84
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19	418	93	75.0	170	383		439	157	4.27		84.000			79
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	500	89	81.1	180	411		416	87	5.71		84.000			132
Ensilage, blandvall (1-50% klöver) (165)	0	20	461	74	74.2	126	548	73.0	446	174	4.10		58.755	44.8	11.7	82
Ensilage, blandvall (1-50% klöver) (165)	1	245	433	71	77.0	134	617	71.2	422	148	4.56		64.378	47.9	13.8	96

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	2	187	463	80	74.7	144	529	69.0	443	170	4.23		58.527	43.7	12.4	75
Ensilage, blandvall (1-50% klöver) (165)	3	133	449	87	74.1	149	506	74.7	435	181	4.08		60.427	44.8	13.0	64
Ensilage, blandvall (1-50% klöver) (165)	4	53	398	94	75.0	165	515	71.6	409	182	4.17		73.572	57.7	13.5	57
Ensilage, blandvall (1-50% klöver) (165)	5	5	309	91	76.0	151	555	77.6	406	167	4.30		79.840	61.6	15.8	47
Korn, helsädesensilage (250)	1	17	433	60	68.6	96	609	84.6	404	275	2.36	189	60.712	44.5	13.3	42
Havre-ärt, helsädesensilage, 50% ärter (251)	1	9	382	68	67.2	104	651	80.1	447	265	2.67	119	76.000	58.8	15.2	26
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	322	74	66.0	146	563	113	463	346	3.60	68	115.500	72.0	39.5	54
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	327	64	66.6	116	610	105	448	404	5.89	95	75.071	58.1	14.9	28
Majskolv, ensilerad (257)	1	1	591	14	85.7	76	417		180	133	3.51	563	38.100			15
Havre helsädesensilage degmognad (296)	1	20	379	79	66.2	92	585	85.7	447	289	2.70	114	65.900	48.8	14.4	44
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	362	67	67.1	109	590	81.8	446	269	2.65	81	79.600	62.0	17.6	55
Vete, helsäd ensilage (299)	1	5	472	69	68.3	112	645	76.4	492	231	3.28	40	47.300	30.8	14.0	94
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	381	62	70.7	112	617	76.1	415	253	3.06	147	73.000	56.3	16.7	37
Majs, helsädesensilage (305)	1	18	336	30	76.1	75	510	48.4	374	203	3.43	306	59.333	41.9	14.1	13
Ärter, helsädesensilage, sen skörd (315)	1	1	462	52	77.6	145	697	153	345	183	3.55	250	92.000	55.0	37.0	13
Hö, blandvall, 0-50% baljväxter (383)	0	2	735	49	69.9	107			526	203	3.72		0.000			152
Hö, blandvall, 0-50% baljväxter (383)	1	7	839	63	66.8	74			558	219	3.54		0.000			147
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	372	98	66.5	151			411	446	5.41		72.000			79
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	102	70.4	170			377	374	4.69		72.000			82
Ensilage, blandvall (1-50% klöver) (326)	1	2	314	50	67.8	112	595	174	460	342	3.87	33	93.500	29.0	38.5	40
Övrigt foder ej kompletta data (1E3)	1	1	861	19	0.0	125		6.0				565				

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	8				94.0	-35	7.23	12.9	93.0	-47
Havre, kärna, hög NDF (002)	1	4				81.9	-14	6.38	11.6	69.0	-3.0
Vete, kärna (005)	1	14				113	-53	7.92	13.9	93.5	-41
Blandsäd, kärna, 50%havre/50%korn (096)	1	2				90.1	-26	7.03			
Blandsäd, kärna, 50%korn/50%vete (114)	1	8				104	-41	7.57	13.4	93.7	-35
Blandsäd, kärna, 50%havre/50%vete (115)	1	3				101	-36	7.18			
Åkerböna, kärna (007)	1	2				102	146	7.85			
Majs hela plantan, grönmassa (030)	1	21				87.7	-61	6.35	11.4	80.0	-68
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Råg, helsäd, grönmassa (138)	1	1				53.6	4.2	5.10	10.0	64.0	-35
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	2				86.4	-0.6	6.10	11.1	74.0	37.0
Ensilage, gräs (0% klöver) (162)	0	1		0.1000		81.6	-0.2	6.19	11.0	72.0	4.0
Ensilage, gräs (0% klöver) (162)	1	22	3.6667	1.3273		81.9	2.0	6.10	11.1	71.7	0.5
Ensilage, gräs (0% klöver) (162)	2	15	3.0000	1.0933		82.0	10.0	5.89	10.6	70.0	11.5
Ensilage, gräs (0% klöver) (162)	3	8	2.0000	0.7750		84.1	29.7	6.22	10.9	70.8	29.8
Ensilage, gräs (0% klöver) (162)	4	3	10.0000	2.9000		76.3	39.5	5.61	9.9	68.5	43.5
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				75.5	57.6	5.41	9.4	67.5	58.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.6667	3.4000		88.7	1.0	6.36	11.5	79.1	-3.9
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	2.5714	1.5714		84.0	11.3	6.03	10.8	73.8	9.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29				81.1	17.9	5.89	10.3	71.9	21.5
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19				84.2	38.3	6.11	10.7	72.9	50.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6				92.5	33.8	6.69	11.7	79.5	30.5
Ensilage, blandvall (1-50% klöver) (165)	0	20		1.2550		82.4	0.0	5.94	10.8	71.0	3.8
Ensilage, blandvall (1-50% klöver) (165)	1	245	3.5714	1.1531		83.8	5.3	6.22	11.3	72.6	7.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	2	187	3.7857	0.9444		84.0	14.8	6.03	10.8	70.9	20.4
Ensilage, blandvall (1-50% klöver) (165)	3	133	2.8000	1.4120		83.5	19.7	5.97	10.6	70.4	26.4
Ensilage, blandvall (1-50% klöver) (165)	4	53	1.8333	1.0827		83.2	34.9	6.07	10.7	70.4	41.3
Ensilage, blandvall (1-50% klöver) (165)	5	5	1.0000	1.4400		81.9	24.5	6.16	10.9	71.7	38.0
Korn, helsädesensilage (250)	1	17	5.7500	1.2500		70.3	-16	5.55	10.1	59.0	4.5
Havre-ärt, helsädesensilage, 50% ärter (251)	1	9				68.2	-2.1	5.51	9.9	35.5	20.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	3.5000	0.5000		65.8	38.5	5.54	9.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	4.5000	1.5000		69.3	6.6	5.50	9.8	61.0	4.7
Majskolv, ensilerad (257)	1	1				98.7	-80	7.51			
Havre helsädesensilage degmognad (296)	1	20	4.6250	2.1250		71.9	-20	5.13	9.7	62.5	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5				67.4	2.9	5.43			
Vete, helsäd ensilage (299)	1	5				71.4	-5.7	5.41	9.5	61.0	-17
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	0.0000	0.0000		73.6	-4.8	5.86	9.9	61.0	-6.3
Majs, helsädesensilage (305)	1	18	3.7000	0.0000		83.9	-57	6.47	11.5	79.3	-67
Ärter, helsädesensilage, sen skörd (315)	1	1				77.1	22.0	6.60			
Hö, blandvall, 0-50% baljväxter (383)	0	2				89.7	-29	5.49	10.4	72.5	-18
Hö, blandvall, 0-50% baljväxter (383)	1	7				82.9	-49	5.07	9.7	68.9	-44
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3				73.7	42.1	5.23	9.3	67.0	36.0
Ensilage, blandvall (51-100% klöver) (438)	3	1				76.8	54.9	5.58	9.8	70.0	49.0
Ensilage, blandvall (1-50% klöver) (326)	1	2	7.5000	18.5000		73.7	4.2	5.70	10.0		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.8	3.4	1.4	6.7	0.4		1.3	73	4	54.3	19.3	33.8	5.4	
Havre, kärna, hög NDF (002)	1	3	0.5	2.2	0.9	3.3	0.1		0.9	14	3	95.7	47.3	33.3	4.2	
Vete, kärna (005)	1	11	0.4	3.1	1.2	4.5	0.1	1.0	1.2	18	11	49.8	38.5	30.5	4.7	0.1
Blandsäd, kärna, 50%korn/50%vete (114)	1	7	0.4	3.1	1.2	4.9	0.1		1.3	20	7	52.0	31.1	31.4	4.8	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	4	0.5	3.3	1.3	5.1	0.1		1.3	31	4	63.0	36.5	32.8	5.0	0.0
Åkerböna, kärna (007)	1	2	1.0	4.5	1.4	12.8	0.2		1.7	203	2	60.0	16.0	52.5	17.2	0.0
Majs hela plantan, grönmassa (030)	1	19	1.6	1.8	1.1	9.4	0.3	1.8	0.9	150	15	70.5	32.3	25.3	3.6	0.0
Råg, helsäd, grönmassa (138)	1	1	2.6	2.0	1.3	12.0	0.6	1.9	1.5	186	1	77.0	44.0	27.0	5.2	
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	2	5.8	2.6	2.1	22.2	0.8	4.2	2.5	315	2	82.5	57.0	25.0	6.7	
Ensilage, gräs (0% klöver) (162)	0	1	5.9	2.4	2.5	22.4	1.0	3.9	2.5	350	1	250.0	67.0	25.0	8.0	
Ensilage, gräs (0% klöver) (162)	1	22	4.8	2.3	1.7	21.6	0.7	4.8	1.8	329	22	159.0	74.5	24.9	5.6	0.0
Ensilage, gräs (0% klöver) (162)	2	14	6.0	2.6	2.2	24.8	0.6	6.2	2.1	355	14	97.5	84.5	25.6	6.7	0.0
Ensilage, gräs (0% klöver) (162)	3	8	6.7	3.0	2.6	25.8	0.9	7.2	2.7	331	8	141.5	76.0	25.8	7.9	0.0
Ensilage, gräs (0% klöver) (162)	4	3	7.6	2.5	3.0	22.3	1.0	6.6	2.9	247	3	306.3	94.3	29.0	7.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	12.9	3.3	2.3	25.5	0.7		2.3	406	2	307.0	83.0	36.5	9.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	67	5.1	2.6	1.7	24.3	0.6	6.8	1.9	380	62	136.1	58.9	25.6	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	7.1	2.7	2.3	24.5	0.8	9.8	2.2	354	42	173.9	67.9	26.6	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	7.2	2.9	2.5	25.5	0.9	17.8	2.6	285	29	350.9	81.8	25.9	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	18	8.2	3.1	2.7	28.6	0.7	15.5	2.8	371	18	184.2	75.4	24.4	7.7	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	5.2	3.3	2.2	27.9	1.0	9.9	3.4	315	6	116.5	67.0	23.3	7.2	
Ensilage, blandvall (1-50% klöver) (165)	0	18	5.9	2.4	2.0	22.1	0.8	5.8	1.8	331	18	158.2	85.2	27.1	6.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	235	5.0	2.4	1.7	22.7	0.8	5.0	1.8	357	215	184.8	66.3	27.6	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	182	6.5	2.7	2.3	24.3	1.0	7.1	2.2	331	167	165.2	76.6	25.5	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	124	7.6	2.8	2.7	24.3	1.1	7.2	2.4	311	114	187.6	84.1	26.0	7.6	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	50	8.4	3.1	2.8	25.5	1.2	9.3	2.5	282	46	227.5	82.2	26.4	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	5	5	5.9	3.3	2.3	24.0	1.3	8.3	2.4	289	4	398.8	94.8	22.0	7.0	
Korn, helsädesensilage (250)	1	15	3.9	2.6	1.7	15.6	0.9	3.2	1.7	241	13	381.6	69.8	29.2	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	8	4.7	2.6	1.7	16.6	1.1	3.1	1.3	303	8	334.8	67.5	29.3	5.0	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	4.8	2.8	2.0	18.3	1.5	7.2	2.2	193	1	125.0	33.0	28.0	6.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	5.2	2.8	2.0	17.5	1.3	4.3	1.6	303	3	164.7	62.0	42.0	5.3	0.1
Majskolv, ensilerad (257)	1	1	0.2	2.0	1.1	4.4	0.1	0.8	1.0	32	1	52.0	11.0	28.0	2.6	
Havre helsädesensilage degmognad (296)	1	16	4.3	2.5	1.6	17.6	7.7	14.6	1.7	212	13	186.5	59.8	28.9	5.1	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.6	2.0	15.3	1.0	2.9	1.5	253	4	148.3	99.3	32.8	5.7	
Vete, helsäd ensilage (299)	1	5	3.3	2.3	1.6	18.5	1.1	4.3	1.7	295	5	238.6	64.4	25.0	5.1	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	5.7	2.8	2.1	17.1	1.0	2.6	1.7	288	3	136.7	101.3	48.3	6.0	0.0
Majs, helsädesensilage (305)	1	18	1.6	1.8	1.0	8.9	0.3	3.2	0.9	107	13	141.7	27.1	24.9	4.3	0.0
Ärter, helsädesensilage, sen skörd (315)	1	1	8.3	2.5	2.7	13.9	0.3	3.5	1.3	189	1	76.0	28.0	33.0	8.0	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	1	5.1	2.0	2.1	11.5	0.4		1.6	71	1	66.0	111.0	25.0	6.0	
Hö, blandvall, 0-50% baljväxter (383)	1	4	2.9	1.6	1.4	15.7	0.6		1.3	206	4	160.0	141.0	20.0	4.2	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	11.0	2.3	3.0	21.7	0.5		1.6	348	3	167.7	34.7	25.7	10.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	9.8	2.3	3.1	25.9	0.8		1.8	447	1	134.0	38.0	24.0	9.8	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	2	3.2	3.8	2.0	11.8	2.8	11.8	2.3	-52	0					
Övrigt foder ej kompletta data (1E3)	1	1	0.4	3.1	1.2	5.7	0.1		1.2		1	47.0	18.0	31.0	5.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	852.875	32.761	780.000	888.000
Aska	8	25.500	6.619	20.000	40.000
OS smbh	8	62.700	39.017	0.000	86.000
Råprot	8	106.175	15.044	91.600	141.000
sRåprot	3	426.000	176.847	276.000	621.000
NH3-N	1	8.000	.	8.000	8.000
NDF	4	205.250	102.510	123.000	341.000
iNDF	8	138.250	75.670	25.000	246.000
nhNDF	8	3.150	0.000	3.150	3.150
Stä	8	556.950	125.290	264.000	643.200
TAF	8	0.000	0.000	0.000	0.000
Socker	3	18.333	23.094	5.000	45.000
AATp20	8	93.971	5.175	82.872	99.838
PBVp20	8	-34.617	14.531	-51.800	-9.816
NELp20	8	7.233	0.400	6.378	7.731
OE*	5	12.866	1.269	10.730	14.000
AAT*	2	93.000	1.414	92.000	94.000
PBV*	2	-46.500	10.607	-54.000	-39.000
Ca	5	0.820	0.884	0.400	2.400
P	5	3.440	0.241	3.100	3.700
Mg	5	1.360	0.207	1.200	1.700
K	5	6.660	2.388	5.400	10.900
Na	5	0.380	0.626	0.100	1.500
S	5	1.280	0.295	1.100	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	73.051	69.970	33.652	197.687
Fe	4	54.250	4.349	50.000	58.000
Mn	4	19.250	5.439	15.000	27.000
Zn	4	33.750	2.500	30.000	35.000
Cu	4	5.400	0.638	4.500	5.900

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	868.250	14.1038	851.000	884.000
Aska	4	28.450	5.6865	21.200	35.100
OS smbh	4	75.000	0.0000	75.000	75.000
Råprot	4	102.575	6.9183	96.100	110.000
NDF	1	339.000	.	339.000	339.000
iNDF	4	392.000	0.0000	392.000	392.000
nhNDF	4	2.000	0.0000	2.000	2.000
Stä	4	543.350	92.5326	478.000	676.900
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	81.909	2.3323	79.447	85.073
PBVp20	4	-13.901	5.8257	-19.805	-5.862
NELp20	4	6.377	0.0871	6.304	6.504
OE*	1	11.600	.	11.600	11.600
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-3.000	.	-3.000	-3.000
Ca	3	0.467	0.4163	0.000	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	3	2.200	1.9287	0.000	3.600
Mg	3	0.867	0.7572	0.000	1.400
K	3	3.333	2.8868	0.000	5.000
Na	3	0.067	0.0577	0.000	0.100
S	3	0.867	0.7572	0.000	1.400
CAB	3	14.265	30.0868	-19.718	37.507
Fe	3	95.667	6.1101	89.000	101.000
Mn	3	47.333	6.4291	40.000	52.000
Zn	3	33.333	5.5076	28.000	39.000
Cu	3	4.233	0.5686	3.600	4.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	858.357	33.1236	824.000	903.000
Aska	14	16.964	2.2128	14.500	19.000
OS smbh	14	75.429	31.9560	0.000	88.000
Råprot	14	111.864	9.7599	101.000	121.000
sRåprot	2	343.000	70.7107	293.000	393.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	4	127.000	41.4890	74.000	174.000
iNDF	14	163.857	58.8281	25.000	187.000
nhNDF	14	3.500	0.0000	3.500	3.500
Stä	14	646.243	42.7415	556.000	687.700
TAF	14	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	14.000	15.5885	5.000	32.000
AATp20	14	112.644	1.2084	110.940	113.847
PBVp20	14	-53.104	8.5334	-61.755	-43.173
NELp20	14	7.917	0.0889	7.802	8.027
OE*	4	13.875	0.5188	13.100	14.200
AAT*	2	93.500	0.7071	93.000	94.000
PBV*	2	-41.000	1.4142	-42.000	-40.000
Ca	11	0.355	0.0688	0.300	0.400
P	11	3.118	0.3430	2.800	3.500
Mg	11	1.155	0.2067	1.000	1.400
K	11	4.545	0.4435	3.900	4.900
Na	10	0.100	0.0000	0.100	0.100
Cl	2	1.000	0.2828	0.800	1.200
S	11	1.227	0.1104	1.100	1.400
CAB	11	18.031	10.3462	4.028	28.180
Fe	11	49.818	11.7713	38.000	59.000
Mn	11	38.455	10.6805	25.000	51.000
Zn	11	30.545	6.9479	25.000	42.000
Cu	11	4.655	0.6267	4.000	5.300
Se	2	0.069	0.0297	0.048	0.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	839.000	7.0711	834.000	844.000
Aska	2	25.050	3.6062	22.500	27.600
OS smbh	2	80.500	0.0000	80.500	80.500
Råprot	2	105.550	15.2028	94.800	116.300
iNDF	2	304.000	0.0000	304.000	304.000
nhNDF	2	2.500	0.0000	2.500	2.500
Stä	2	586.350	13.6472	576.700	596.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	90.114	0.1143	90.033	90.195
PBVp20	2	-26.416	14.7682	-36.859	-15.974
NELp20	2	7.032	0.0432	7.002	7.063

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	846.250	14.7914	822.000	858.000
Aska	7	17.857	1.5252	16.000	19.800
OS smbh	8	87.000	0.0000	87.000	87.000
Råprot	7	111.886	12.0087	88.600	124.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	5	185.200	23.6685	147.000	206.000
iNDF	8	173.000	0.0000	173.000	173.000
nhNDF	8	3.300	0.0000	3.300	3.300
Stä	7	650.500	31.2968	599.000	686.300
TAF	8	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	8	104.192	1.3947	102.973	106.407
PBVp20	8	-40.760	10.3356	-63.360	-31.937
NELp20	8	7.572	0.1725	7.310	7.817
OE*	3	13.367	0.0577	13.300	13.400
AAT*	3	93.667	1.1547	93.000	95.000
PBV*	3	-35.333	4.5092	-40.000	-31.000
Ca	7	0.443	0.0787	0.400	0.600
P	7	3.086	0.2193	2.800	3.400
Mg	7	1.171	0.1113	1.100	1.400
K	7	4.900	0.5164	4.100	5.600
Na	7	0.100	0.0000	0.100	0.100
S	7	1.300	0.1155	1.200	1.500
CAB	7	20.249	13.3625	-0.212	44.401
Fe	7	52.000	13.3915	39.000	78.000
Mn	7	31.143	8.0504	24.000	47.000
Zn	7	31.429	4.5408	26.000	40.000
Cu	7	4.829	0.7204	4.100	6.200
Se	1	0.024	.	0.024	0.024

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	847.333	4.1633	844.000	852.000
Aska	4	22.525	7.0358	18.000	33.000
OS smbh	4	81.600	0.0000	81.600	81.600
Råprot	4	110.525	9.1307	97.000	116.100
NH3-N	3	6.333	0.5774	6.000	7.000
NDF	3	204.000	85.0823	142.000	301.000
iNDF	4	324.000	0.0000	324.000	324.000
nhNDF	4	2.500	0.0000	2.500	2.500
Stä	4	585.300	72.7569	479.000	644.000
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	100.878	6.2229	91.982	105.998
PBVp20	4	-36.016	4.5399	-42.111	-31.177
NELp20	4	7.184	0.5547	6.360	7.568
Ca	4	0.525	0.1258	0.400	0.700
P	4	3.275	0.2217	3.100	3.600
Mg	4	1.275	0.0957	1.200	1.400
K	4	5.050	0.6658	4.500	6.000
Na	4	0.100	0.0000	0.100	0.100
S	4	1.275	0.1258	1.100	1.400
CAB	4	31.281	24.7572	9.402	66.515
Fe	4	63.000	15.8745	42.000	78.000
Mn	4	36.500	8.8129	29.000	49.000
Zn	4	32.750	2.8723	29.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	4	5.025	0.3948	4.700	5.600
Se	1	0.006	.	0.006	0.006

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	857.500	36.0624	832.000	883.000
Aska	2	32.500	0.7071	32.000	33.000
OS smbh	2	88.959	0.0000	88.959	88.959
Råprot	2	299.000	8.4853	293.000	305.000
NH3-N	2	2.000	0.0000	2.000	2.000
iNDF	2	32.000	0.0000	32.000	32.000
nhNDF	2	4.700	0.0000	4.700	4.700
Stä	2	402.000	18.3848	389.000	415.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	102.378	0.4994	102.024	102.731
PBVp20	2	146.147	7.5915	140.779	151.515
NELp20	2	7.852	0.0082	7.846	7.857
Ca	2	1.000	0.0000	1.000	1.000
P	2	4.500	1.4142	3.500	5.500
Mg	2	1.400	0.1414	1.300	1.500
K	2	12.800	1.4142	11.800	13.800
Na	2	0.150	0.0707	0.100	0.200
S	2	1.650	0.2121	1.500	1.800
CAB	2	202.593	46.3530	169.817	235.370

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	60.000	0.0000	60.000	60.000
Mn	2	16.000	0.0000	16.000	16.000
Zn	2	52.500	7.7782	47.000	58.000
Cu	2	17.150	4.7376	13.800	20.500
Se	1	0.020	.	0.020	0.020

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	324.762	39.5094	288.000	375.000
Aska	19	29.211	4.5041	22.000	35.000
OS smbh	21	75.924	1.8724	73.400	78.300
Råprot	19	76.895	6.1904	70.000	85.000
sRåprot	19	375.316	33.0253	334.000	412.000
NDF	19	374.053	24.5164	344.000	403.000
iNDF	21	197.850	23.1463	170.221	221.000
nhNDF	21	3.321	0.5215	2.592	3.948
Stä	19	292.105	43.6194	232.000	370.000
TAF	21	57.000	0.0000	57.000	57.000
Socker	19	37.263	38.3201	10.000	113.000
AATp20	21	87.692	1.5491	85.313	89.382
PBVp20	21	-61.235	5.5477	-68.610	-53.710
NELp20	21	6.354	0.1645	6.151	6.456
OE*	13	11.375	0.1747	11.160	11.570
AAT*	4	80.000	0.0000	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	4	-68.250	3.8622	-72.000	-63.000
Ca	19	1.647	0.3533	1.100	2.100
P	19	1.795	0.2758	1.400	2.200
Mg	19	1.100	0.2000	0.800	1.400
K	19	9.411	1.1308	8.400	11.100
Na	16	0.275	0.1571	0.100	0.500
Cl	15	1.800	0.3485	1.300	2.200
S	19	0.879	0.1032	0.700	1.000
CAB	19	149.540	29.8032	118.891	194.325
Fe	15	70.467	36.5530	35.000	104.000
Mn	15	32.267	12.3141	17.000	52.000
Zn	15	25.333	11.0303	13.000	38.000
Cu	15	3.633	0.7798	2.000	4.300
Se	5	0.006	0.0008	0.005	0.007

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	373.000	.	373.000	373.000
Aska	1	47.000	.	47.000	47.000
OS smbh	1	65.000	.	65.000	65.000
Råprot	1	86.000	.	86.000	86.000
sRåprot	1	791.000	.	791.000	791.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	458.000	.	458.000	458.000
iNDF	1	293.727	.	293.727	293.727
nhNDF	1	2.271	.	2.271	2.271
Stä	1	95.000	.	95.000	95.000
TAF	1	90.000	.	90.000	90.000
Mjölksyra	1	74.000	.	74.000	74.000
Ättiksyra	1	16.000	.	16.000	16.000
Socket	1	81.000	.	81.000	81.000
AATp20	1	53.556	.	53.556	53.556
PBVp20	1	4.177	.	4.177	4.177
NELp20	1	5.104	.	5.104	5.104
OE*	1	10.000	.	10.000	10.000
AAT*	1	64.000	.	64.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-35.000	.	-35.000	-35.000
Ca	1	2.600	.	2.600	2.600
P	1	2.000	.	2.000	2.000
Mg	1	1.300	.	1.300	1.300
K	1	12.000	.	12.000	12.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.900	.	1.900	1.900
S	1	1.500	.	1.500	1.500
CAB	1	185.721	.	185.721	185.721
Fe	1	77.000	.	77.000	77.000
Mn	1	44.000	.	44.000	44.000
Zn	1	27.000	.	27.000	27.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	580.000	272.943	387.000	773.000
Aska	2	83.500	0.707	83.000	84.000
OS smbh	2	76.550	4.031	73.700	79.400
Råprot	2	135.000	41.012	106.000	164.000
sRåprot	1	402.000	.	402.000	402.000
NDF	2	456.500	64.347	411.000	502.000
iNDF	2	129.764	42.093	100.000	159.528
nhNDF	2	4.652	0.127	4.562	4.742
TAF	2	61.000	0.000	61.000	61.000
Socker	2	103.000	38.184	76.000	130.000
AATp20	2	86.447	1.502	85.385	87.509
PBVp20	2	-0.573	40.613	-29.291	28.144
NELp20	2	6.103	0.151	5.996	6.209
OE*	2	11.055	0.643	10.600	11.510
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	2	5.750	0.636	5.300	6.200
P	2	2.550	0.212	2.400	2.700
Mg	2	2.050	0.212	1.900	2.200
K	2	22.200	7.920	16.600	27.800
Na	2	0.750	0.778	0.200	1.300
Cl	1	4.200	.	4.200	4.200
S	2	2.500	0.424	2.200	2.800
CAB	2	314.556	193.914	177.438	451.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	82.500	27.577	63.000	102.000
Mn	2	57.000	2.828	55.000	59.000
Zn	2	25.000	15.556	14.000	36.000
Cu	2	6.650	2.333	5.000	8.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	544.000	.	544.000	544.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	148.322	.	148.322	148.322
nhNDF	1	4.677	.	4.677	4.677
TAF	1	81.100	.	81.100	81.100
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	45.000	.	45.000	45.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	81.632	.	81.632	81.632
PBVp20	1	-0.222	.	-0.222	-0.222
NELp20	1	6.192	.	6.192	6.192

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.000	.	11.000	11.000
AAT*	1	72.000	.	72.000	72.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	5.900	.	5.900	5.900
P	1	2.400	.	2.400	2.400
Mg	1	2.500	.	2.500	2.500
K	1	22.400	.	22.400	22.400
Na	1	1.000	.	1.000	1.000
Cl	1	3.900	.	3.900	3.900
S	1	2.500	.	2.500	2.500
CAB	1	350.259	.	350.259	350.259
Fe	1	250.000	.	250.000	250.000
Mn	1	67.000	.	67.000	67.000
Zn	1	25.000	.	25.000	25.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	22	437.500	168.648	278.000	689.000
Aska	22	67.227	9.476	60.000	76.000
OS smbh	22	75.714	4.997	67.900	80.200
Råprot	22	129.591	36.465	81.000	168.000
sRåprot	22	628.136	107.305	464.000	725.000
NH3-N	22	74.818	29.249	41.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	22	450.318	60.049	390.000	549.000
iNDF	22	151.407	41.966	110.000	201.663
nhNDF	22	4.474	0.734	3.868	5.379
TAF	22	62.145	40.203	19.500	120.100
Mjölksyra	22	45.909	32.966	11.000	89.000
Ättiksyra	22	13.545	7.927	5.000	23.000
Socker	22	94.318	53.316	30.000	147.000
PRF	3	3.667	1.528	2.000	5.000
BUF	22	1.327	1.346	0.100	2.600
AATp20	22	81.931	4.463	76.843	85.258
PBVp20	22	1.973	31.638	-39.847	34.886
NELp20	22	6.098	0.555	5.259	6.699
OE*	22	11.104	0.829	9.800	11.800
AAT*	19	71.737	2.557	68.000	75.000
PBV*	19	0.474	30.126	-43.000	39.000
Ca	22	4.827	1.444	3.700	6.200
P	22	2.286	0.477	1.500	2.900
Mg	22	1.705	0.277	1.500	2.000
K	22	21.568	5.237	17.300	28.400
Na	22	0.664	0.556	0.200	1.300
Cl	22	4.827	2.744	1.900	8.000
S	22	1.845	0.485	1.200	2.400
CAB	22	329.149	105.441	197.904	493.810
Fe	22	159.045	103.327	59.000	257.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	22	74.500	40.477	40.000	112.000
Zn	22	24.864	6.971	15.000	31.000
Cu	22	5.641	1.562	3.700	7.800
Se	4	0.014	0.006	0.010	0.023

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	436.533	108.636	370.000	501.000
Aska	15	76.067	5.257	68.000	83.000
OS smbh	15	73.347	3.553	69.200	77.900
Råprot	15	138.333	26.519	108.000	175.000
sRåprot	15	540.333	140.449	320.000	668.000
NH3-N	15	73.533	19.838	51.000	101.000
NDF	15	460.533	35.209	426.000	512.000
iNDF	15	179.062	45.540	129.318	242.342
nhNDF	15	4.035	0.705	2.956	4.720
TAF	15	53.827	27.316	27.400	97.100
Mjölksyra	15	39.667	21.992	14.000	76.000
Ättiksyra	15	11.800	6.405	5.000	21.000
Socker	15	65.467	20.434	43.000	92.000
PRF	2	3.000	0.000	3.000	3.000
BUF	15	1.093	1.220	0.000	2.800
AATp20	15	82.030	2.337	78.794	84.432
PBVp20	15	10.019	22.946	-16.438	39.773

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	15	5.893	0.455	5.330	6.453
OE*	15	10.617	0.579	10.000	11.330
AAT*	13	70.000	1.581	69.000	72.000
PBV*	13	11.538	20.911	-10.000	43.000
Ca	14	6.036	1.957	3.800	9.100
P	14	2.621	0.360	2.100	2.900
Mg	14	2.236	0.425	1.800	2.800
K	14	24.771	4.986	18.300	31.300
Na	14	0.621	0.425	0.200	1.400
Cl	15	6.193	2.875	3.200	9.700
S	14	2.086	0.593	1.200	3.000
CAB	14	354.950	110.251	215.265	478.655
Fe	14	97.500	30.528	60.000	148.000
Mn	14	84.500	65.978	45.000	153.000
Zn	14	25.643	5.638	19.000	34.000
Cu	14	6.693	1.063	5.100	7.900
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	394.250	124.325	258.000	630.000
Aska	8	88.625	8.417	80.000	104.000
OS smbh	8	76.063	3.020	72.700	82.100
Råprot	8	163.625	25.528	138.000	208.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	8	539.875	85.901	424.000	651.000
NH3-N	8	72.750	29.011	32.000	126.000
NDF	8	444.375	51.807	357.000	526.000
iNDF	8	150.312	20.959	119.000	180.944
nhNDF	8	4.751	0.807	3.822	6.552
TAF	8	67.150	23.260	40.500	102.000
Mjölksyra	8	52.750	21.632	29.000	88.000
Ättiksyra	8	12.375	5.290	6.000	21.000
Socker	8	46.750	18.775	19.000	78.000
PRF	2	2.000	0.000	2.000	2.000
BUF	8	0.775	0.835	0.000	2.100
AATp20	8	84.075	2.765	79.177	86.635
PBVp20	8	29.695	23.248	7.752	68.067
NELp20	8	6.217	0.337	5.883	6.855
OE*	8	10.903	0.473	10.200	11.800
AAT*	6	70.833	1.169	69.000	72.000
PBV*	6	29.833	12.781	19.000	51.000
Ca	8	6.675	1.277	5.000	9.100
P	8	3.000	0.524	2.200	3.600
Mg	8	2.588	0.236	2.200	2.900
K	8	25.800	2.640	22.500	29.700
Na	8	0.938	0.346	0.300	1.400
Cl	8	7.225	3.825	3.100	15.100
S	8	2.663	0.441	1.900	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	8	330.680	53.884	209.510	383.136
Fe	8	141.500	66.459	79.000	276.000
Mn	8	76.000	15.483	64.000	112.000
Zn	8	25.750	3.370	22.000	32.000
Cu	8	7.913	0.818	7.000	9.100
Se	1	0.014	.	0.014	0.014

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	334.333	79.148	250.000	407.000
Aska	3	85.333	8.083	78.000	94.000
OS smbh	3	69.433	2.875	66.800	72.500
Råprot	3	160.000	20.952	142.000	183.000
sRåprot	3	537.333	50.143	480.000	573.000
NH3-N	3	117.667	39.716	89.000	163.000
NDF	3	442.000	55.218	402.000	505.000
iNDF	3	259.094	53.692	202.993	310.000
nhNDF	3	3.519	0.927	2.598	4.452
TAF	3	84.567	18.130	64.600	100.000
Mjölksyra	3	51.333	15.011	36.000	66.000
Ättiksyra	3	26.333	18.583	11.000	47.000
Socker	3	41.667	29.297	20.000	75.000
PRF	1	10.000	.	10.000	10.000
BUF	3	2.900	3.559	0.600	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	76.252	3.061	72.736	78.325
PBVp20	3	39.461	19.602	19.295	58.445
NELp20	3	5.611	0.106	5.502	5.714
OE*	3	9.873	0.395	9.520	10.300
AAT*	2	68.500	0.707	68.000	69.000
PBV*	2	43.500	30.406	22.000	65.000
Ca	3	7.567	0.737	7.000	8.400
P	3	2.500	0.000	2.500	2.500
Mg	3	3.033	0.289	2.700	3.200
K	3	22.300	1.480	20.600	23.300
Na	3	0.967	0.252	0.700	1.200
Cl	3	6.600	1.967	4.500	8.400
S	3	2.867	0.493	2.300	3.200
CAB	3	247.279	8.016	238.300	253.716
Fe	3	306.333	173.451	185.000	505.000
Mn	3	94.333	15.885	76.000	104.000
Zn	3	29.000	6.245	22.000	34.000
Cu	3	7.900	2.261	5.300	9.400
Se	1	0.026	.	0.026	0.026

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	526.500	219.910	371.000	682.000
Aska	2	106.000	4.243	103.000	109.000
OS smbh	2	67.700	4.101	64.800	70.600
Råprot	2	175.000	22.627	159.000	191.000
NDF	2	429.000	18.385	416.000	442.000
iNDF	2	257.889	66.160	211.106	304.671
nhNDF	2	2.851	0.897	2.217	3.485
TAF	2	84.000	0.000	84.000	84.000
Socker	2	39.500	41.719	10.000	69.000
AATp20	2	75.549	5.227	71.853	79.245
PBVp20	2	57.639	12.522	48.784	66.493
NELp20	2	5.414	0.500	5.060	5.767
OE*	2	9.350	0.636	8.900	9.800
AAT*	2	67.500	3.536	65.000	70.000
PBV*	2	58.000	16.971	46.000	70.000
Ca	2	12.900	0.141	12.800	13.000
P	2	3.300	0.566	2.900	3.700
Mg	2	2.250	0.212	2.100	2.400
K	2	25.450	5.586	21.500	29.400
Na	2	0.650	0.495	0.300	1.000
S	2	2.250	0.354	2.000	2.500
CAB	2	406.137	142.292	305.521	506.752
Fe	2	307.000	176.777	182.000	432.000
Mn	2	83.000	32.527	60.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	36.500	7.778	31.000	42.000
Cu	2	9.750	1.202	8.900	10.600
Se	1	0.063	.	0.063	0.063

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	425.896	136.202	258.000	628.000
Aska	76	70.605	9.449	58.000	83.000
OS smbh	77	78.586	4.999	69.000	84.200
Råprot	76	137.855	27.584	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000
NDF	76	442.697	54.644	376.000	522.000
iNDF	77	114.047	52.474	56.000	187.447
nhNDF	77	5.335	1.410	4.029	6.901
TAF	77	68.377	30.849	6.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	76	147.355	43.016	92.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	77	88.696	7.166	77.584	97.973
PBVp20	77	0.980	19.167	-28.599	24.607
NELp20	77	6.365	0.448	5.588	6.860
OE*	76	11.549	0.837	10.100	12.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	55	79.109	4.965	71.000	84.000
PBV*	55	-3.925	22.285	-38.000	24.000
Ca	67	5.060	1.806	3.100	7.500
P	67	2.554	0.467	2.100	3.200
Mg	67	1.666	0.373	1.200	2.200
K	67	24.346	4.389	17.700	29.900
Na	67	0.631	0.476	0.200	1.200
Cl	19	6.758	3.536	0.300	12.200
S	67	1.934	0.407	1.400	2.500
CAB	67	380.388	116.966	226.739	545.835
Fe	62	136.081	73.717	74.000	214.000
Mn	62	58.855	23.132	37.000	84.000
Zn	62	25.645	4.570	20.000	32.000
Cu	62	5.523	1.208	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	48	468.896	131.480	332.000	667.000
Aska	47	83.787	9.802	70.000	98.000
OS smbh	48	74.819	4.545	67.200	79.900
Råprot	47	140.489	23.340	119.000	168.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	47	460.574	38.135	410.000	513.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	48	152.392	58.111	70.000	231.415
nhNDF	48	4.387	0.890	3.221	5.475
TAF	48	72.354	28.494	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	47	105.255	39.272	53.000	146.000
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	48	83.955	7.837	73.855	99.137
PBVp20	48	11.281	18.475	-8.896	36.838
NELp20	48	6.026	0.417	5.366	6.522
OE*	47	10.772	0.797	9.600	11.710
AAT*	37	73.784	4.151	67.000	79.000
PBV*	37	9.759	23.141	-11.000	39.000
Ca	42	7.105	2.744	3.800	10.700
P	42	2.702	0.395	2.300	3.100
Mg	42	2.307	0.583	1.700	3.000
K	42	24.467	3.525	20.600	28.600
Na	42	0.781	0.446	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	42	2.221	0.539	1.700	3.000
CAB	42	354.463	117.073	233.095	467.333
Fe	42	173.905	201.649	72.000	282.000
Mn	42	67.905	26.351	38.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	42	26.643	7.008	21.000	33.000
Cu	42	7.017	1.681	5.000	8.900
Se	12	0.021	0.010	0.010	0.034

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	472.138	139.873	291.000	733.000
Aska	29	89.103	15.603	69.000	111.000
OS smbh	29	72.472	4.343	64.400	77.800
Råprot	29	142.690	23.689	116.000	184.000
sRåprot	9	385.556	44.590	313.000	452.000
NDF	29	486.621	42.013	438.000	537.000
iNDF	29	172.969	47.436	112.300	253.115
nhNDF	29	4.192	0.822	3.026	5.578
TAF	29	84.000	0.000	84.000	84.000
Socker	29	83.931	39.872	22.000	121.000
AATp20	29	81.119	5.484	71.438	87.308
PBVp20	29	17.852	22.983	-8.484	53.536
NELp20	29	5.886	0.401	5.138	6.435
OE*	29	10.327	0.778	8.800	11.100
AAT*	20	71.900	4.833	64.000	77.000
PBV*	20	21.450	26.486	-7.500	56.000
Ca	29	7.155	2.444	4.300	11.100
P	29	2.928	0.411	2.500	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	29	2.514	0.583	1.600	3.400
K	29	25.534	4.725	19.000	30.600
Na	29	0.934	0.468	0.400	1.500
Cl	9	17.844	7.790	8.800	31.700
S	29	2.590	0.679	1.800	3.200
CAB	29	284.528	222.499	-74.653	510.333
Fe	29	350.931	938.652	84.000	597.000
Mn	29	81.759	47.176	45.000	124.000
Zn	29	25.862	5.699	19.000	32.000
Cu	29	7.586	2.304	5.300	10.200
Se	5	0.026	0.027	0.008	0.074

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	417.947	134.719	259.000	602.000
Aska	19	93.368	12.535	75.000	111.000
OS smbh	19	74.953	4.842	69.300	79.700
Råprot	19	169.895	28.641	143.000	213.000
sRåprot	5	383.200	23.015	358.000	409.000
NDF	19	438.947	44.541	372.000	493.000
iNDF	19	156.575	63.822	85.000	248.599
nhNDF	19	4.272	0.986	2.702	5.415
TAF	19	84.000	0.000	84.000	84.000
Socket	19	79.211	31.886	32.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	19	84.214	5.921	76.297	91.888
PBVp20	19	38.332	26.115	7.865	72.741
NELp20	19	6.115	0.457	5.565	6.579
OE*	19	10.669	0.789	9.600	11.560
AAT*	14	72.929	3.792	69.000	77.000
PBV*	14	50.143	28.579	28.000	83.000
Ca	18	8.167	2.776	5.500	12.800
P	18	3.094	0.581	2.600	4.000
Mg	18	2.672	0.478	2.000	3.600
K	18	28.600	5.702	22.100	36.800
Na	18	0.717	0.350	0.300	1.200
Cl	5	15.500	6.288	6.500	21.200
S	18	2.800	0.671	2.000	4.100
CAB	18	370.716	200.855	44.671	681.608
Fe	18	184.222	151.936	82.000	504.000
Mn	18	75.444	23.520	39.000	103.000
Zn	18	24.389	4.060	18.000	28.000
Cu	18	7.678	1.759	5.000	10.300
Se	4	0.073	0.082	0.021	0.193

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	499.500	129.775	385.000	756.000
Aska	6	88.833	13.732	71.000	108.000
OS smbh	6	81.083	1.038	79.200	82.400
Råprot	6	179.833	15.316	161.000	201.000
sRåprot	4	411.000	17.569	387.000	429.000
NDF	6	415.667	17.466	389.000	433.000
iNDF	6	86.646	16.525	69.636	117.000
nhNDF	6	5.714	0.331	5.401	6.330
TAF	6	84.000	0.000	84.000	84.000
Socker	6	131.833	11.089	121.000	151.000
AATp20	6	92.544	3.632	87.395	96.895
PBVp20	6	33.763	9.108	24.227	48.310
NELp20	6	6.694	0.147	6.479	6.847
OE*	6	11.723	0.186	11.500	11.980
AAT*	2	79.500	0.707	79.000	80.000
PBV*	2	30.500	6.364	26.000	35.000
Ca	6	5.200	0.970	3.900	6.800
P	6	3.283	0.508	2.700	4.200
Mg	6	2.150	0.295	1.800	2.600
K	6	27.867	4.190	20.000	31.700
Na	6	1.033	0.441	0.500	1.600
Cl	4	9.900	2.246	7.900	13.100
S	6	3.400	0.636	2.600	4.500
CAB	6	315.083	111.183	158.539	447.305

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	116.500	39.104	81.000	192.000
Mn	6	67.000	35.276	39.000	135.000
Zn	6	23.333	2.422	21.000	27.000
Cu	6	7.233	0.463	6.800	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	461.400	143.131	317.500	712.500
Aska	20	74.350	14.423	53.500	92.500
OS smbh	20	74.235	3.955	67.200	78.600
Råprot	20	125.850	30.269	86.500	156.500
sRåprot	20	547.500	72.398	462.500	644.500
NH3-N	20	73.000	23.418	38.000	100.000
NDF	20	446.000	51.483	391.500	508.000
iNDF	20	173.768	35.513	135.211	232.382
nhNDF	20	4.103	0.617	3.257	4.754
TAF	20	58.755	29.808	18.000	99.600
Mjölksyra	20	44.800	25.457	7.500	82.500
Ättiksyra	20	11.700	5.478	6.000	19.500
Socker	20	81.750	46.888	32.000	159.500
BUF	20	1.255	1.248	0.100	3.250
AATp20	20	82.371	3.207	79.137	85.090
PBVp20	20	0.036	25.750	-35.139	28.265
NELp20	20	5.940	0.428	5.150	6.476

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	20	10.765	0.608	9.700	11.600
AAT*	20	71.000	1.974	67.500	74.000
PBV*	20	3.800	28.332	-33.000	33.000
Ca	18	5.906	1.693	4.000	8.400
P	18	2.406	0.665	1.400	3.200
Mg	18	2.039	0.574	1.400	2.700
K	18	22.078	5.010	13.000	27.800
Na	18	0.772	0.580	0.200	1.800
Cl	20	5.815	4.088	0.550	11.050
S	18	1.833	0.637	0.900	2.700
CAB	18	331.215	64.303	224.845	414.037
Fe	18	158.222	83.916	68.000	255.000
Mn	18	85.222	46.433	32.000	146.000
Zn	18	27.111	10.499	18.000	35.000
Cu	18	6.528	1.729	3.900	9.000
Se	1	0.020	.	0.020	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	245	433.327	134.160	293.000	632.000
Aska	245	70.669	15.022	58.000	79.000
OS smbh	245	76.956	4.724	71.500	81.200
Råprot	245	134.155	27.646	97.000	168.000
sRåprot	245	616.780	95.836	493.000	723.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	244	71.197	26.551	38.000	102.000
NDF	245	422.212	54.256	364.000	488.000
iNDF	245	148.179	48.029	105.000	200.236
nhNDF	245	4.564	0.705	3.669	5.409
TAF	245	64.378	34.254	19.400	113.000
Mjölksyra	244	47.902	29.546	11.000	89.000
Ättiksyra	245	13.837	6.501	6.000	22.000
Socker	245	96.429	53.702	33.000	176.000
PRF	42	3.571	2.074	1.000	6.000
BUF	245	1.153	2.961	0.000	2.500
AATp20	245	83.828	5.294	78.834	91.408
PBVp20	245	5.345	23.501	-27.647	32.643
NELp20	245	6.215	0.459	5.680	6.655
OE*	245	11.266	0.772	10.350	12.000
AAT*	203	72.581	2.412	70.000	75.000
PBV*	203	7.400	25.760	-29.000	40.000
Ca	235	5.040	1.524	3.500	7.100
P	235	2.369	0.410	1.900	2.900
Mg	235	1.714	0.321	1.400	2.100
K	235	22.690	4.190	16.900	27.700
Na	235	0.763	0.629	0.200	1.500
Cl	245	5.038	2.640	2.000	8.700
S	235	1.807	0.456	1.200	2.400
CAB	235	357.204	100.186	229.282	475.245

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	215	184.791	188.137	76.000	349.000
Mn	215	66.274	27.118	41.000	95.000
Zn	215	27.628	25.661	19.000	32.000
Cu	215	5.516	1.142	4.200	7.000
Se	54	0.020	0.017	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	187	462.513	144.394	291.000	693.000
Aska	187	80.005	10.408	67.000	93.000
OS smbh	187	74.679	3.086	70.500	78.400
Råprot	187	144.385	25.016	112.000	179.000
sRåprot	187	529.358	106.102	380.000	651.000
NH3-N	184	69.049	25.452	34.000	101.000
NDF	187	443.080	38.476	395.000	496.000
iNDF	187	170.486	41.552	122.000	225.861
nhNDF	187	4.229	0.706	3.251	5.019
TAF	187	58.527	29.211	19.500	98.100
Mjölksyra	187	43.738	24.021	13.000	76.000
Ättiksyra	187	12.428	6.577	4.000	20.000
Socker	187	74.920	40.636	20.000	137.000
PRF	28	3.786	2.515	0.000	7.000
BUF	187	0.944	1.110	0.000	2.500
AATp20	187	83.965	4.218	79.422	89.719

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	187	14.821	23.137	-15.377	45.031
NELp20	187	6.035	0.357	5.584	6.491
OE*	187	10.784	0.517	10.000	11.400
AAT*	159	70.887	1.497	69.000	73.000
PBV*	159	20.416	24.478	-9.000	54.000
Ca	182	6.539	2.037	4.300	9.700
P	182	2.691	0.397	2.200	3.200
Mg	182	2.284	0.453	1.800	3.000
K	182	24.339	3.986	19.900	29.200
Na	182	1.014	0.648	0.300	1.800
Cl	187	7.076	3.448	2.900	11.500
S	182	2.177	0.472	1.600	2.700
CAB	182	330.839	106.148	202.543	467.833
Fe	167	165.246	146.432	75.000	300.000
Mn	167	76.581	34.500	48.000	112.000
Zn	167	25.527	5.096	20.000	32.000
Cu	167	7.046	1.278	5.400	8.700
Se	23	0.025	0.023	0.010	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	133	448.895	136.845	301.000	669.000
Aska	133	87.278	13.325	74.000	97.000
OS smbh	133	74.130	2.732	70.400	77.100
Råprot	133	148.692	21.750	118.000	178.000
sRåprot	133	506.000	93.125	358.000	613.000
NH3-N	131	74.718	29.112	36.000	109.000
NDF	133	435.120	41.580	377.000	486.000
iNDF	133	180.985	44.406	136.767	231.977
nhNDF	133	4.084	0.672	3.203	4.880
TAF	133	60.427	29.551	20.500	96.600
Mjölksyra	133	44.767	24.587	12.000	73.000
Ättiksyra	133	12.977	6.448	5.000	22.000
Socker	133	63.519	33.644	22.000	109.000
PRF	20	2.800	2.093	0.000	5.500
BUF	133	1.412	1.777	0.000	3.000
AATp20	133	83.454	5.286	77.512	90.933
PBVp20	133	19.662	19.908	-6.398	47.011
NELp20	133	5.966	0.311	5.550	6.303
OE*	133	10.606	0.467	10.000	11.100
AAT*	113	70.363	1.323	69.000	72.000
PBV*	113	26.398	21.353	-4.000	55.000
Ca	124	7.631	2.278	5.100	10.900
P	124	2.788	0.396	2.400	3.300
Mg	124	2.723	0.456	2.200	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	124	24.310	4.132	19.000	29.800
Na	124	1.081	1.027	0.300	1.800
Cl	132	7.243	3.839	2.600	11.800
S	124	2.426	0.468	1.900	3.000
CAB	124	310.606	104.751	175.953	438.743
Fe	114	187.579	293.944	80.000	277.000
Mn	114	84.053	34.571	50.000	121.000
Zn	114	25.982	5.308	21.000	31.000
Cu	114	7.639	1.546	5.900	9.800
Se	20	0.033	0.020	0.012	0.064

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	53	398.038	113.059	258.000	547.000
Aska	52	94.365	9.884	81.000	105.000
OS smbh	53	74.981	2.841	72.400	78.200
Råprot	52	165.000	25.462	134.000	199.000
sRåprot	52	515.462	78.514	432.000	609.000
NH3-N	52	71.615	24.330	41.000	103.000
NDF	52	408.712	46.499	357.000	463.000
iNDF	53	181.509	35.630	131.000	229.292
nhNDF	53	4.169	0.695	3.315	5.078
TAF	53	73.572	33.728	23.500	114.000
Mjölksyra	52	57.692	30.451	14.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	52	13.500	4.688	8.000	18.000
Socker	52	57.173	34.666	22.000	117.000
PRF	12	1.833	1.337	0.000	4.000
BUF	52	1.083	1.461	0.000	3.100
AATp20	53	83.247	5.101	77.992	90.479
PBVp20	53	34.889	22.945	5.688	64.670
NELp20	53	6.073	0.302	5.732	6.437
OE*	52	10.670	0.452	10.290	11.300
AAT*	40	70.375	1.372	69.000	72.000
PBV*	40	41.300	25.849	12.500	78.500
Ca	50	8.384	1.901	6.150	10.850
P	50	3.110	0.412	2.650	3.600
Mg	50	2.770	0.440	2.300	3.450
K	50	25.470	4.312	20.000	29.950
Na	50	1.172	0.688	0.500	1.800
Cl	52	9.308	3.878	4.700	13.600
S	50	2.508	0.441	1.900	3.100
CAB	50	281.895	117.402	151.395	410.288
Fe	46	227.543	151.722	119.000	359.000
Mn	46	82.152	26.577	51.000	115.000
Zn	46	26.391	5.920	22.000	31.000
Cu	46	7.850	1.183	6.400	9.600
Se	6	0.035	0.013	0.025	0.052

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	309.400	44.100	264.000	382.000
Aska	5	90.600	25.354	52.000	116.000
OS smbh	5	75.960	4.507	68.000	79.100
Råprot	5	151.400	25.813	113.000	180.000
sRåprot	5	555.200	96.789	441.000	673.000
NH3-N	5	77.600	38.266	48.000	141.000
NDF	5	405.600	36.060	374.000	466.000
iNDF	5	166.531	60.089	137.938	274.000
nhNDF	5	4.303	0.692	3.100	4.852
TAF	5	79.840	19.767	47.000	97.100
Mjölksyra	5	61.600	19.995	29.000	80.000
Ättiksyra	5	15.800	1.643	13.000	17.000
Socker	5	46.600	25.793	11.000	74.000
PRF	2	1.000	1.414	0.000	2.000
BUF	5	1.440	2.581	0.000	6.000
AATp20	5	81.907	1.748	79.624	83.838
PBVp20	5	24.493	21.305	-6.899	47.824
NELp20	5	6.161	0.381	5.486	6.411
OE*	5	10.850	0.549	9.990	11.360
AAT*	3	71.667	1.155	71.000	73.000
PBV*	3	38.000	21.284	15.000	57.000
Ca	5	5.860	1.085	4.000	6.600
P	5	3.280	0.471	2.900	4.100
Mg	5	2.260	0.261	2.000	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	24.000	6.789	13.500	30.600
Na	5	1.340	0.802	0.600	2.500
Cl	5	8.320	5.450	3.200	14.700
S	5	2.380	0.722	1.800	3.600
CAB	5	288.955	98.715	183.710	438.031
Fe	4	398.750	253.566	117.000	622.000
Mn	4	94.750	24.185	70.000	126.000
Zn	4	22.000	2.828	18.000	24.000
Cu	4	7.025	0.624	6.200	7.700

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	432.941	45.233	371.000	481.00
Aska	17	60.412	17.993	38.000	85.00
OS smbh	17	68.559	2.884	64.000	73.20
Råprot	17	96.471	19.301	75.000	125.00
sRåprot	17	608.765	119.373	478.000	725.00
NH3-N	17	84.588	25.742	39.000	114.00
NDF	17	404.118	60.728	334.000	518.00
iNDF	17	274.844	35.067	223.000	308.44
nhNDF	17	2.356	0.605	1.567	3.27
Stä	17	189.000	103.115	22.000	300.00
TAF	17	60.712	22.747	29.700	93.00
Mjölksyra	17	44.471	17.346	22.000	66.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	17	13.294	5.796	6.000	19.00
Socker	17	42.294	25.161	18.000	76.00
PRF	4	5.750	4.113	2.000	11.00
BUF	4	1.250	0.500	1.000	2.00
AATp20	17	70.256	3.292	65.456	74.19
PBVp20	17	-16.146	18.331	-40.478	10.09
NELp20	17	5.552	0.298	5.149	5.96
OE*	6	10.110	0.393	9.600	10.64
AAT*	2	59.000	0.000	59.000	59.00
PBV*	2	4.500	0.707	4.000	5.00
Ca	15	3.927	1.768	1.900	6.80
P	15	2.633	0.467	2.200	3.20
Mg	15	1.713	0.338	1.300	2.10
K	15	15.640	4.466	10.600	21.70
Na	15	0.947	0.533	0.200	1.50
Cl	16	3.206	2.103	1.200	5.80
S	15	1.720	0.509	1.300	2.60
CAB	15	240.514	127.555	113.250	403.61
Fe	13	381.615	486.336	94.000	1277.00
Mn	13	69.846	28.876	34.000	99.00
Zn	13	29.231	7.748	22.000	37.00
Cu	13	5.354	1.082	4.300	7.40
Se	1	0.049	.	0.049	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	382.444	82.452	302.000	575.000
Aska	9	68.444	12.126	53.000	85.000
OS smbh	9	67.189	4.692	59.300	72.400
Råprot	9	103.889	11.709	89.000	125.000
sRåprot	9	650.556	72.736	495.000	760.000
NH3-N	9	80.111	19.277	46.000	105.000
NDF	9	446.667	62.909	375.000	567.000
iNDF	9	265.232	36.956	198.909	315.847
nhNDF	9	2.669	0.484	2.009	3.643
Stä	9	119.444	72.288	38.000	231.000
TAF	9	76.000	19.602	33.000	101.000
Mjölksyra	9	58.778	18.308	17.000	82.000
Ättiksyra	9	15.222	4.086	9.000	24.000
Socker	9	25.778	13.818	11.000	54.000
AATp20	9	68.203	4.939	61.781	77.275
PBVp20	9	-2.131	13.153	-20.215	15.127
NELp20	9	5.506	0.380	4.921	5.983
OE*	1	9.900	.	9.900	9.900
AAT*	2	35.500	37.477	9.000	62.000
PBV*	2	20.000	53.740	-18.000	58.000
Ca	8	4.738	0.983	2.900	6.200
P	8	2.600	0.499	1.900	3.400
Mg	8	1.700	0.338	1.200	2.400
K	8	16.625	3.220	13.600	23.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	1.125	0.956	0.400	3.400
Cl	9	3.078	1.554	0.900	5.800
S	8	1.300	0.185	0.900	1.500
CAB	8	302.714	41.790	255.773	368.669
Fe	8	334.750	238.587	100.000	758.000
Mn	8	67.500	31.564	15.000	103.000
Zn	8	29.250	8.876	22.000	50.000
Cu	8	5.013	0.594	3.900	5.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	321.500	55.861	282.000	361.000
Aska	2	73.500	6.364	69.000	78.000
OS smbh	2	66.000	1.838	64.700	67.300
Råprot	2	145.500	0.707	145.000	146.000
sRåprot	2	563.000	38.184	536.000	590.000
NH3-N	2	113.000	35.355	88.000	138.000
NDF	2	463.000	11.314	455.000	471.000
iNDF	2	345.500	34.648	321.000	370.000
nhNDF	2	3.604	0.059	3.562	3.646
Stä	2	68.000	18.385	55.000	81.000
TAF	2	115.500	27.577	96.000	135.000
Mjölksyra	2	72.000	21.213	57.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	39.500	4.950	36.000	43.000
Socker	2	54.000	14.142	44.000	64.000
PRF	2	3.500	0.707	3.000	4.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	65.763	4.419	62.638	68.887
PBVp20	2	38.539	6.739	33.774	43.304
NELp20	2	5.542	0.046	5.509	5.574
OE*	2	9.430	0.240	9.260	9.600
Ca	2	4.750	1.344	3.800	5.700
P	2	2.800	0.141	2.700	2.900
Mg	2	2.000	0.566	1.600	2.400
K	2	18.250	2.333	16.600	19.900
Na	2	1.450	0.919	0.800	2.100
Cl	2	7.200	2.970	5.100	9.300
S	2	2.150	0.778	1.600	2.700
CAB	2	192.603	112.559	113.012	272.195
Fe	1	125.000	.	125.000	125.000
Mn	1	33.000	.	33.000	33.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	327.000	58.589	268.000	425.000
Aska	7	63.857	8.194	56.000	77.000
OS smbh	7	66.643	3.779	61.100	70.300
Råprot	7	116.000	13.736	88.000	131.000
sRåprot	7	609.714	115.291	453.000	737.000
NH3-N	7	105.429	42.461	43.000	158.000
NDF	7	448.000	58.569	371.000	519.000
iNDF	7	404.004	75.564	313.000	496.534
nhNDF	7	5.891	2.588	2.152	8.725
Stä	7	94.714	75.166	32.000	239.000
TAF	7	75.071	21.265	36.500	101.500
Mjölksyra	7	58.143	23.441	23.000	93.000
Ättiksyra	7	14.857	3.934	8.000	19.000
Socker	7	27.714	18.364	11.000	63.000
PRF	2	4.500	2.121	3.000	6.000
BUF	2	1.500	2.121	0.000	3.000
AATp20	7	69.321	5.718	63.054	79.371
PBVp20	7	6.604	12.037	-16.577	18.858
NELp20	7	5.501	0.309	5.050	5.740
OE*	5	9.770	0.386	9.300	10.200
AAT*	3	61.000	2.646	59.000	64.000
PBV*	3	4.667	4.933	-1.000	8.000
Ca	4	5.200	1.637	2.900	6.700
P	4	2.800	0.408	2.400	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	4	2.000	0.476	1.300	2.300
K	4	17.525	5.962	12.100	26.000
Na	4	1.250	0.947	0.400	2.300
Cl	7	4.271	3.329	0.700	9.300
S	4	1.575	0.222	1.400	1.900
CAB	4	302.712	185.447	138.457	568.885
Fe	3	164.667	47.120	135.000	219.000
Mn	3	62.000	24.515	37.000	86.000
Zn	3	42.000	30.315	24.000	77.000
Cu	3	5.333	0.306	5.000	5.600
Se	1	0.050	.	0.050	0.050

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	591.000	.	591.000	591.000
Aska	1	14.000	.	14.000	14.000
OS smbh	1	85.700	.	85.700	85.700
Råprot	1	76.000	.	76.000	76.000
sRåprot	1	417.000	.	417.000	417.000
NDF	1	180.000	.	180.000	180.000
iNDF	1	132.522	.	132.522	132.522
nhNDF	1	3.514	.	3.514	3.514
Stä	1	563.000	.	563.000	563.000
TAF	1	38.100	.	38.100	38.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	15.000	.	15.000	15.000
AATp20	1	98.735	.	98.735	98.735
PBVp20	1	-80.442	.	-80.442	-80.442
NELp20	1	7.510	.	7.510	7.510
Ca	1	0.200	.	0.200	0.200
P	1	2.000	.	2.000	2.000
Mg	1	1.100	.	1.100	1.100
K	1	4.400	.	4.400	4.400
Na	1	0.100	.	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	1	1.000	.	1.000	1.000
CAB	1	31.845	.	31.845	31.845
Fe	1	52.000	.	52.000	52.000
Mn	1	11.000	.	11.000	11.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.600	.	2.600	2.600

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	379.050	56.478	313.500	448.500
Aska	20	78.800	60.701	54.000	80.000
OS smbh	20	66.230	4.398	61.450	72.350
Råprot	20	92.100	22.815	68.500	121.500
sRåprot	20	584.900	100.429	463.000	720.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	20	85.650	29.090	47.500	117.500
NDF	20	447.400	50.440	380.000	513.000
iNDF	20	288.638	46.149	242.116	339.000
nhNDF	20	2.697	0.854	1.831	4.173
Stä	20	113.500	77.040	30.500	216.500
TAF	20	65.900	24.033	31.500	92.000
Mjölksyra	20	48.800	19.463	22.500	72.500
Ättiksyra	20	14.400	7.776	6.500	25.500
Socker	20	44.200	31.235	13.000	94.500
PRF	8	4.625	3.114	0.000	8.000
BUF	8	2.125	1.246	0.000	4.000
AATp20	20	71.914	5.762	65.572	78.745
PBVp20	20	-19.934	17.078	-39.987	-0.120
NELp20	20	5.132	1.274	4.680	5.926
OE*	10	9.683	1.009	8.150	10.690
AAT*	2	62.500	0.707	62.000	63.000
PBV*	2	-32.500	0.707	-33.000	-32.000
Ca	16	4.288	1.958	2.500	8.200
P	16	2.463	0.377	2.000	3.000
Mg	16	1.594	0.396	1.200	2.200
K	16	17.638	4.029	14.300	21.700
Na	16	7.694	26.597	0.600	2.900
Cl	19	14.616	44.138	2.300	8.100
S	16	1.650	0.455	1.000	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	16	212.174	294.042	158.179	400.417
Fe	13	186.538	138.988	98.000	255.000
Mn	13	59.846	19.386	36.000	85.000
Zn	13	28.923	11.310	21.000	50.000
Cu	13	5.085	1.122	4.000	6.000
Se	3	0.013	0.006	0.008	0.020

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	362.400	56.6772	312.000	449.000
Aska	5	66.600	4.6690	62.000	74.000
OS smbh	5	67.080	4.6596	59.200	71.300
Råprot	5	109.200	11.5629	98.000	123.000
sRåprot	5	590.400	96.8597	513.000	759.000
NH3-N	5	81.800	27.1698	64.000	130.000
NDF	5	446.000	40.2368	381.000	479.000
iNDF	5	269.062	55.6462	218.788	354.525
nhNDF	5	2.649	0.6979	1.671	3.282
Stä	5	80.600	80.1330	17.000	192.000
TAF	5	79.600	39.0679	50.000	148.000
Mjölksyra	5	62.000	38.5940	32.000	129.000
Ättiksyra	5	17.600	2.0736	15.000	20.000
Socker	5	55.000	42.6204	11.000	107.000
AATp20	5	67.412	5.2289	60.895	72.719

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	2.852	11.9040	-11.902	19.891
NELp20	5	5.429	0.4084	4.795	5.882
Ca	4	5.625	1.4104	3.900	7.200
P	4	2.625	0.4573	2.300	3.300
Mg	4	1.950	0.1732	1.700	2.100
K	4	15.325	1.6500	13.900	17.400
Na	4	1.000	1.0231	0.200	2.500
Cl	5	2.920	1.8966	0.600	5.100
S	4	1.450	0.3000	1.300	1.900
CAB	4	253.248	26.6309	218.684	276.961
Fe	4	148.250	73.6812	99.000	257.000
Mn	4	99.250	23.3435	66.000	116.000
Zn	4	32.750	8.0156	27.000	44.000
Cu	4	5.725	0.8382	4.600	6.600

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	472.000	137.546	332.000	665.000
Aska	5	68.600	5.550	61.000	75.000
OS smbh	5	68.260	4.677	62.500	74.800
Råprot	5	111.800	45.488	60.000	185.000
sRåprot	5	645.200	97.641	572.000	810.000
NH3-N	5	76.400	24.172	55.000	112.000
NDF	5	491.600	73.663	388.000	571.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	5	230.651	48.790	166.233	296.495
nhNDF	5	3.282	0.784	2.350	4.276
Stä	5	40.000	38.987	18.000	108.000
TAF	5	47.300	21.183	21.500	72.500
Mjölksyra	5	30.800	15.205	11.000	45.000
Ättiksyra	5	14.000	7.176	8.000	25.000
Socker	5	93.600	31.973	44.000	126.000
AATp20	5	71.375	6.134	63.798	80.622
PBVp20	5	-5.690	31.653	-45.084	40.045
NELp20	5	5.407	0.438	4.900	6.082
OE*	2	9.500	0.000	9.500	9.500
AAT*	2	61.000	0.000	61.000	61.000
PBV*	2	-17.000	1.414	-18.000	-16.000
Ca	5	3.280	1.365	1.900	5.100
P	5	2.320	0.363	1.700	2.600
Mg	5	1.560	0.483	1.000	2.200
K	5	18.540	5.115	9.800	23.300
Na	5	1.140	1.226	0.300	3.100
Cl	5	4.260	0.910	3.000	5.400
S	5	1.740	0.594	1.000	2.400
CAB	5	294.984	99.675	121.024	353.669
Fe	5	238.600	135.177	142.000	471.000
Mn	5	64.400	24.131	28.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	25.000	4.690	20.000	32.000
Cu	5	5.120	1.128	3.300	6.300

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	381.286	77.3234	276.000	469.000
Aska	7	61.571	9.1443	50.000	73.000
OS smbh	7	70.743	1.7605	67.400	72.800
Råprot	7	111.857	12.3211	98.000	125.000
sRåprot	7	617.143	97.2358	498.000	774.000
NH3-N	7	76.143	24.3134	32.000	101.000
NDF	7	414.857	38.7876	369.000	467.000
iNDF	7	253.301	22.6534	211.499	280.352
nhNDF	7	3.058	0.6604	2.412	4.283
Stä	7	146.714	83.0697	47.000	246.000
TAF	7	73.000	16.7232	53.000	95.000
Mjölksyra	7	56.286	18.1633	40.000	87.000
Ättiksyra	7	16.714	6.6009	8.000	25.000
Socker	7	37.000	14.5373	22.000	66.000
PRF	2	0.000	0.0000	0.000	0.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	7	73.610	2.9659	70.430	78.084
PBVp20	7	-4.809	14.3375	-21.698	12.891
NELp20	7	5.856	0.1517	5.536	6.003

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	6	9.893	0.4120	9.300	10.290
AAT*	4	61.000	1.1547	60.000	62.000
PBV*	4	-6.250	11.1168	-15.000	9.000
Ca	5	5.700	1.1424	4.700	7.400
P	5	2.820	0.3271	2.400	3.200
Mg	5	2.100	0.3808	1.600	2.600
K	5	17.140	2.9211	13.700	20.500
Na	5	1.020	0.4207	0.300	1.300
Cl	7	2.571	1.4396	1.100	5.300
S	5	1.720	0.4087	1.200	2.100
CAB	5	288.450	92.4588	195.413	387.914
Fe	3	136.667	47.2899	97.000	189.000
Mn	3	101.333	62.0833	47.000	169.000
Zn	3	48.333	32.3161	21.000	84.000
Cu	3	6.000	1.2530	4.700	7.200
Se	2	0.020	0.0085	0.014	0.026

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	335.833	41.027	290.000	405.000
Aska	18	29.722	4.933	24.000	37.000
OS smbh	18	76.061	1.941	73.000	78.500
Råprot	18	75.222	6.459	66.000	85.000
sRåprot	18	509.611	86.347	386.000	620.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	17	48.412	21.331	24.000	66.000
NDF	18	374.000	39.334	336.000	435.000
iNDF	18	203.496	21.131	177.487	232.000
nhNDF	18	3.427	0.393	2.810	3.949
Stä	18	306.278	60.851	198.000	390.000
TAF	18	59.333	19.430	27.000	83.000
Mjölksyra	18	41.889	16.179	11.000	59.000
Ättiksyra	18	14.056	6.548	4.000	22.000
Socker	18	12.778	9.409	5.000	29.000
PRF	10	3.700	1.494	1.500	5.500
BUF	10	0.000	0.000	0.000	0.000
AATp20	18	83.915	3.721	78.891	89.125
PBVp20	18	-56.684	8.588	-68.634	-45.557
NELp20	18	6.467	0.213	6.131	6.747
OE*	14	11.530	0.361	11.100	11.980
AAT*	4	79.250	0.500	79.000	80.000
PBV*	4	-67.250	0.957	-68.000	-66.000
Ca	18	1.617	0.370	1.100	2.300
P	18	1.783	0.233	1.400	2.100
Mg	18	1.044	0.231	0.800	1.300
K	18	8.922	0.955	7.700	9.800
Na	17	0.276	0.144	0.100	0.500
Cl	13	3.185	3.801	1.900	2.700
S	18	0.917	0.142	0.800	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	18	106.691	99.598	48.646	163.277
Fe	13	141.692	198.020	59.000	189.000
Mn	13	27.077	10.161	14.000	39.000
Zn	13	24.923	10.144	18.000	30.000
Cu	13	4.346	0.863	3.000	5.100
Se	3	0.021	0.025	0.005	0.050

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	462.000	.	462.000	462.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	153.000	.	153.000	153.000
NDF	1	345.000	.	345.000	345.000
iNDF	1	183.107	.	183.107	183.107
nhNDF	1	3.552	.	3.552	3.552
Stä	1	250.000	.	250.000	250.000
TAF	1	92.000	.	92.000	92.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	37.000	.	37.000	37.000
Socker	1	13.000	.	13.000	13.000
AATp20	1	77.055	.	77.055	77.055

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	22.034	.	22.034	22.034
NELp20	1	6.602	.	6.602	6.602
Ca	1	8.300	.	8.300	8.300
P	1	2.500	.	2.500	2.500
Mg	1	2.700	.	2.700	2.700
K	1	13.900	.	13.900	13.900
Na	1	0.300	.	0.300	0.300
Cl	1	3.500	.	3.500	3.500
S	1	1.300	.	1.300	1.300
CAB	1	188.701	.	188.701	188.701
Fe	1	76.000	.	76.000	76.000
Mn	1	28.000	.	28.000	28.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	734.500	26.1630	716.000	753.000
Aska	2	49.000	5.6569	45.000	53.000
OS smbh	2	69.850	3.4648	67.400	72.300
Råprot	2	107.000	5.6569	103.000	111.000
NDF	2	525.500	36.0624	500.000	551.000
iNDF	2	202.979	21.2820	187.930	218.027

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.724	0.3098	3.505	3.943
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	152.000	36.7696	126.000	178.000
AATp20	2	89.743	4.0977	86.846	92.641
PBVp20	2	-29.401	1.5273	-30.481	-28.321
NELp20	2	5.494	0.2784	5.298	5.691
OE*	2	10.350	0.6364	9.900	10.800
AAT*	2	72.500	3.5355	70.000	75.000
PBV*	2	-17.500	0.7071	-18.000	-17.000
Ca	1	5.100	.	5.100	5.100
P	1	2.000	.	2.000	2.000
Mg	1	2.100	.	2.100	2.100
K	1	11.500	.	11.500	11.500
Na	1	0.400	.	0.400	0.400
S	1	1.600	.	1.600	1.600
CAB	1	70.664	.	70.664	70.664
Fe	1	66.000	.	66.000	66.000
Mn	1	111.000	.	111.000	111.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	838.714	63.442	738.000	909.000
Aska	7	62.714	8.558	54.000	77.000
OS smbh	7	66.800	3.013	63.200	70.600
Råprot	7	73.714	18.291	60.000	114.000
NDF	7	558.000	56.763	442.000	625.000
iNDF	7	219.379	27.426	182.735	251.103
nhNDF	7	3.543	0.497	2.907	4.185
TAF	7	0.000	0.000	0.000	0.000
Socker	7	146.714	29.562	117.000	196.000
AATp20	7	82.887	3.250	78.434	86.250
PBVp20	7	-49.400	16.253	-67.105	-17.293
NELp20	7	5.069	0.241	4.732	5.337
OE*	7	9.671	0.541	9.000	10.400
AAT*	7	68.857	3.436	65.000	73.000
PBV*	7	-43.714	18.874	-64.000	-6.000
Ca	4	2.875	1.830	1.300	4.700
P	4	1.625	0.263	1.400	2.000
Mg	4	1.375	0.275	1.100	1.700
K	4	15.650	3.053	11.800	19.200
Na	4	0.575	0.822	0.100	1.800
S	4	1.250	0.451	0.900	1.900
CAB	4	206.286	76.824	120.456	306.997
Fe	4	160.000	174.534	49.000	420.000
Mn	4	141.000	43.182	87.000	190.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	20.000	6.055	16.000	29.000
Cu	4	4.150	1.136	3.400	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	372.333	32.021	341.000	405.000
Aska	3	98.000	10.149	89.000	109.000
OS smbh	3	66.533	2.610	63.600	68.600
Råprot	3	151.333	19.140	131.000	169.000
NDF	3	411.000	37.987	377.000	452.000
iNDF	3	445.631	36.701	415.085	486.343
nhNDF	3	5.414	0.944	4.572	6.434
TAF	3	72.000	0.000	72.000	72.000
Socker	3	79.333	6.807	74.000	87.000
AATp20	3	73.687	2.220	71.151	75.283
PBVp20	3	42.094	14.832	26.775	56.386
NELp20	3	5.226	0.207	4.989	5.373
OE*	3	9.267	0.321	8.900	9.500
AAT*	3	67.000	1.732	65.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	3	36.000	15.524	20.000	51.000
Ca	3	10.967	1.893	8.800	12.300
P	3	2.300	0.361	2.000	2.700
Mg	3	3.000	0.500	2.500	3.500
K	3	21.667	2.501	18.800	23.400
Na	3	0.533	0.351	0.200	0.900
S	3	1.600	0.346	1.200	1.800
CAB	3	347.746	60.684	277.871	387.238
Fe	3	167.667	102.496	87.000	283.000
Mn	3	34.667	14.572	23.000	51.000
Zn	3	25.667	4.163	21.000	29.000
Cu	3	10.067	1.274	8.600	10.900
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	170.000	.	170.000	170.000
NDF	1	377.000	.	377.000	377.000
iNDF	1	374.074	.	374.074	374.074
nhNDF	1	4.688	.	4.688	4.688
TAF	1	72.000	.	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	82.000	.	82.000	82.000
AATp20	1	76.774	.	76.774	76.774
PBVp20	1	54.906	.	54.906	54.906
NELp20	1	5.584	.	5.584	5.584
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	49.000	.	49.000	49.000
Ca	1	9.800	.	9.800	9.800
P	1	2.300	.	2.300	2.300
Mg	1	3.100	.	3.100	3.100
K	1	25.900	.	25.900	25.900
Na	1	0.800	.	0.800	0.800
S	1	1.800	.	1.800	1.800
CAB	1	446.659	.	446.659	446.659
Fe	1	134.000	.	134.000	134.000
Mn	1	38.000	.	38.000	38.000
Zn	1	24.000	.	24.000	24.000
Cu	1	9.800	.	9.800	9.800
Se	1	0.023	.	0.023	0.023

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	314.000	148.492	209.000	419.000
Aska	2	50.000	12.728	41.000	59.000
OS smbh	2	67.800	0.141	67.700	67.900
Råprot	2	112.000	2.828	110.000	114.000
sRåprot	2	594.500	24.749	577.000	612.000
NH3-N	2	174.000	100.409	103.000	245.000
NDF	2	460.000	49.497	425.000	495.000
iNDF	2	341.500	96.874	273.000	410.000
nhNDF	2	3.873	0.401	3.589	4.156
Stä	1	33.000	.	33.000	33.000
TAF	2	93.500	12.021	85.000	102.000
Mjölksyra	2	29.000	41.012	0.000	58.000
Ättiksyra	2	38.500	23.335	22.000	55.000
Socker	2	40.000	18.385	27.000	53.000
PRF	2	7.500	3.536	5.000	10.000
BUF	2	18.500	26.163	0.000	37.000
AATp20	2	73.712	0.853	73.109	74.315
PBVp20	2	4.166	1.228	3.298	5.034
NELp20	2	5.702	0.101	5.631	5.773
OE*	2	9.975	0.163	9.860	10.090
Ca	2	3.150	2.899	1.100	5.200
P	2	3.800	1.556	2.700	4.900
Mg	2	1.950	0.495	1.600	2.300
K	2	11.800	3.111	9.600	14.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	2.750	1.768	1.500	4.000
Cl	2	11.800	14.142	1.800	21.800
S	2	2.250	0.212	2.100	2.400
CAB	2	-51.664	414.341	-344.647	241.319

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.0	.	861.0	861.0
Aska	1	19.0	.	19.0	19.0
OS smbh	1	0.0	.	0.0	0.0
Råprot	1	125.0	.	125.0	125.0
NH3-N	1	6.0	.	6.0	6.0
Stä	1	565.0	.	565.0	565.0
NELp20	1	0.0	.	0.0	0.0
Ca	1	0.4	.	0.4	0.4
P	1	3.1	.	3.1	3.1
Mg	1	1.2	.	1.2	1.2
K	1	5.7	.	5.7	5.7
Na	1	0.1	.	0.1	0.1
S	1	1.2	.	1.2	1.2
Fe	1	47.0	.	47.0	47.0
Mn	1	18.0	.	18.0	18.0
Zn	1	31.0	.	31.0	31.0
Cu	1	5.8	.	5.8	5.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet