

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	22	870	25	58.6	115	319	6.0	170	118	3.15	580	0.000			5
Havre, kärna, hög NDF (002)	1	1	860	26	75.0	124		6.0		392	2.00	430	0.000			
Vete, kärna (005)	1	9	887	18	29.3	116	329	7.0	109	79	3.50	591	0.000			5
Rågvete (015)	1	5	892	17	35.8	103	371		102	90	3.50	633	0.000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	837	20	87.0	131		5.5	169	173	3.30	624	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	2	828	26	81.6	127		5.7	223	324	2.50	563	0.000			
Åkerböna, kärna (007)	1	1	940	39	0.0	284	712		113	25	4.70	322	0.000			5
Majs hela plantan, grönmassa (030)	1	9	315	37	75.8	75	390		389	189	3.52	291	57.000			38
Prognos, blandvall (1-50% baljv) (042)	1	4	231		73.2					170	4.32		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	5	592	53	70.4	97			560	181	4.24		61.000			125
Ensilage, gräs (0% klöver) (162)	1	14	611	69	67.9	90	455	58.6	544	210	3.74		34.036	24.9	6.1	88
Ensilage, gräs (0% klöver) (162)	2	2	590	69	72.7	111	530	62.0	543	162	4.63		24.900	16.5	6.0	95
Ensilage, gräs (0% klöver) (162)	3	2	488	74	67.6	129	488	79.0	452	253	2.82		35.850	26.0	8.0	72
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	578	83	79.8	181			451	99	6.01		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	381	74	78.7	148	472		447	119	5.44		72.082	0.0	4.0	124
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	419	84	74.1	153	361		489	159	4.68		81.300	0.0	0.0	80
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19	407	98	73.5	161	399		472	166	4.33		84.000			68
Grönmassa blandvall (1-50 % baljväxter) (164)	4	8	301	97	77.5	182	415		427	134	4.99		84.000			97
Ensilage, blandvall (1-50% klöver) (165)	0	17	530	80	71.4	127	441	64.6	475	197	3.85		46.335	30.5	8.9	83
Ensilage, blandvall (1-50% klöver) (165)	1	216	405	71	75.1	134	609	76.5	458	161	4.51	26	71.997	55.2	13.8	67
Ensilage, blandvall (1-50% klöver) (165)	2	158	416	86	73.3	148	540	81.4	452	187	4.20	67	65.962	48.3	14.1	52
Ensilage, blandvall (1-50% klöver) (165)	3	102	403	91	72.7	153	519	83.6	437	199	3.89		67.733	50.4	13.9	50
Ensilage, blandvall (1-50% klöver) (165)	4	21	375	99	75.2	167	513	70.6	407	188	4.49		76.776	58.5	15.5	52
Ensilage, blandvall (1-50% klöver) (165)	*	1	321	81	80.8	122	568	40.0	361	113	4.94		113.900	88.0	24.0	44
Korn, helsädesensilage (250)	1	12	478	58	68.0	96	624	82.9	423	270	2.46	157	55.250	39.7	13.2	55

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2	424	64	67.4	95	688	75.0	480	248	2.94	94	93.500	73.0	18.5	38
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	670	68	65.7	90	506	25.0	448	284	2.42	246	32.900	21.0	10.0	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	350	67	64.7	123	627	110	494	389	5.73	68	87.750	60.5	20.5	29
Havre helsädesensilage degmognad (296)	1	5	433	65	66.4	108	548	80.0	459	305	3.10	115	51.400	38.0	9.8	37
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	314	89	69.0	139	669	109	421	250	2.83	43	97.000	79.0	18.0	26
Vete, helsäd ensilage (299)	1	2	421	65	73.6	126	713	65.0	452	184	3.92	55	74.750	55.0	16.5	76
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	356	71	68.7	125	652	128	426	261	2.71	138	74.200	54.4	18.0	34
Majs, helsädesensilage (305)	1	16	327	32	74.8	73	497	36.5	406	189	3.35	272	60.563	42.6	14.3	12
Ärter, helsädesensilage, sen skörd (315)	1	2	419	78	69.2	129	668	94.5	411	257	2.71	102	72.000	56.5	15.5	41
Hö, blandvall, 0-50% baljväxter (383)	1	9	815	56	66.2	89	514		552	225	3.37		0.000			131
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	195	89	75.9	188	336		353	236	4.22		72.000			47
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	275	115	64.5	157			532	370	7.61		72.000			11
Ensilage, blandvall (51-100% klöver) (438)	1	3	400	77	76.6	148	634	48.7	391	178	4.24		55.667	39.3	13.3	92
Ensilage, blandvall (51-100% klöver) (438)	2	2	365	88	72.3	179	454	47.0	372	303	3.81		74.500	50.0	23.0	45
Ensilage, blandvall (1-50% klöver) (326)	1	4	448	75	75.1	172	440	88.5	354	223	3.35	145	39.250	27.8	6.5	21
Fullfoder (TMR) ej kompletta data (1E3)	1	1	444	67	40.3	182	455	35.0	288	153	3.72	160				38

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	22				95.7	-29	7.33	13.2	92.5	-37
Havre, kärna, hög NDF (002)	1	1				82.0	7.5	6.31			
Vete, kärna (005)	1	9				113	-50	7.95	14.1	94.0	-49
Rågvete (015)	1	5				109	-58	7.87	13.7	95.0	-46
Blandsäd, kärna, 50%korn/50%vete (114)	1	3				106	-30	7.57	13.7	93.5	-25
Blandsäd, kärna, 50%havre/50%vete (115)	1	2				102	-20	7.07	12.1	82.5	-17
Åkerböna, kärna (007)	1	1				99.9	132	7.89	13.5		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Majs hela plantan, grönmassa (030)	1	9				86.7	-62	6.33	11.0	79.0	-71
Prognos, blandvall (1-50% baljv) (042)	1	4				96.4	-4.4	5.94	12.6		
Grönmassa, gräs (0% baljv.) (161)	1	5				80.5	-25	5.65	10.4	72.8	-28
Ensilage, gräs (0% klöver) (162)	1	14		1.96429		78.3	-28	5.33	9.8	68.2	-26
Ensilage, gräs (0% klöver) (162)	2	2		1.40000		85.1	-20	5.79	10.6	70.5	-10
Ensilage, gräs (0% klöver) (162)	3	2		0.85000		78.6	7.1	5.25	9.7	68.0	12.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				90.2	38.9	6.64	11.6	78.5	45.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	2.33333	1.66667		88.8	10.5	6.43	11.5	79.3	9.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	3.00000	0.00000		84.4	22.5	6.09	10.7	74.0	19.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	19				81.8	33.8	5.98	10.4	72.4	37.3
Grönmassa blandvall (1-50 % baljväxter) (164)	4	8				86.6	45.4	6.34	11.1	76.0	52.6
Ensilage, blandvall (1-50% klöver) (165)	0	17		1.47500		82.8	3.0	5.69	10.1	69.1	6.5
Ensilage, blandvall (1-50% klöver) (165)	1	216	3.34146	1.36682		82.0	8.8	6.14	11.0	71.6	6.9
Ensilage, blandvall (1-50% klöver) (165)	2	158	3.18421	1.78205		81.8	21.4	5.94	10.5	69.9	24.7
Ensilage, blandvall (1-50% klöver) (165)	3	102	2.04762	2.16471		81.2	27.3	5.86	10.3	69.4	31.9
Ensilage, blandvall (1-50% klöver) (165)	4	21	2.37500	1.20476		82.9	37.1	6.09	10.6	70.4	39.8
Ensilage, blandvall (1-50% klöver) (165)	*	1		0.90000		82.3	-4.3	6.55	11.8	74.0	-5.0
Korn, helsädesensilage (250)	1	12	3.00000	2.00000		70.4	-17	5.45	9.9	61.5	-19
Havre-ärt, helsädesensilage, 50% ärter (251)	1	2				66.6	-7.5	5.59	9.1	58.0	-15
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				73.0	-22	5.30			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	9.00000	4.00000		66.4	17.3	5.40	9.7	59.0	10.0
Havre helsädesensilage degmognad (296)	1	5	3.33333	2.66667		75.7	-14	5.43	9.6	61.0	-8.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				65.1	33.1	5.55			
Vete, helsäd ensilage (299)	1	2	2.00000	2.00000		72.2	5.7	6.04	10.4		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	2.00000	2.50000		70.7	12.3	5.63	10.2		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Majs, helsädesensilage (305)	1	16	4.11111	0.00000		82.6	-56	6.33	11.1	79.0	-72
Ärter, helsädesensilage, sen skörd (315)	1	2				69.0	20.2	5.58	9.3	59.0	12.0
Hö, blandvall, 0-50% baljväxter (383)	1	9				84.3	-37	5.12	9.6	67.1	-28
Halm, sträsäd, ej behandlad (385)	0	0						0.00			
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				86.4	56.4	6.24	10.9		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1				73.2	48.1	5.28	8.8	64.0	46.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.66667	0.33333		81.8	25.5	6.25	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	2	1.50000	0.00000		80.1	58.2	5.96	10.3		
Ensilage, blandvall (1-50% klöver) (326)	1	4	2.75000	2.25000		91.2	33.9	6.35	10.9		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	12	0.4	3.2	1.2	5.0	0.1	2.8	1.2	14	12	56.8	15.9	32.6	5.7	0.0
Havre, kärna, hög NDF (002)	1	1	0.8	3.3	1.3	4.6	0.1		1.7	-4	1	78.0	67.0	38.0	5.8	
Vete, kärna (005)	1	5	0.4	3.1	1.4	4.9	0.1	1.2	1.4	10	5	48.4	27.8	31.4	5.3	0.1
Rågvete (015)	1	3	0.3	3.4	1.2	5.3	0.1	0.9	1.3	36	3	38.3	30.7	38.7	5.5	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	2	0.4	3.6	1.4	5.5	0.1		1.4	32	2	53.0	26.5	40.0	6.0	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.8	1.3	6.5	0.1		1.4	61	1	59.0	31.0	36.0	7.1	0.0
Majs hela plantan, grönmassa (030)	1	8	1.7	1.9	1.2	8.8	0.2	1.6	0.9	135	7	89.6	29.0	34.3	5.4	0.0
Grönmassa, gräs (0% baljv.) (161)	1	5	3.3	2.0	1.1	19.1	0.2		1.3	276	5	88.6	42.8	22.4	4.7	0.0
Ensilage, gräs (0% klöver) (162)	1	12	3.4	1.8	1.2	17.6	0.1	2.3	1.3	318	12	394.0	61.3	22.9	5.4	0.0
Ensilage, gräs (0% klöver) (162)	2	1	3.0	2.4	2.0	26.4	0.1	1.0	1.8	547	1	94.0	69.0	29.0	7.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	6.4	3.2	1.9	32.8	0.3		2.6	554	2	138.0	51.0	31.5	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	43	5.2	2.7	1.7	25.0	0.8	4.0	2.0	418	39	165.8	54.2	29.3	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	6.5	3.0	2.2	25.5	1.0	9.0	2.4	379	24	139.0	70.7	31.3	7.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	3	16	8.3	3.0	2.6	25.3	0.6	13.0	2.6	351	15	205.3	71.7	28.9	8.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	6	7.1	3.2	2.4	23.9	1.3	4.1	2.5	379	5	720.6	85.4	28.0	8.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	14	7.2	2.5	2.0	21.2	0.4	4.5	1.9	322	14	257.9	72.7	26.6	7.2	
Ensilage, blandvall (1-50% klöver) (165)	1	198	5.1	2.4	1.6	23.6	0.5	3.9	1.8	401	180	201.9	58.3	30.8	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	146	7.2	2.8	2.2	26.1	0.7	6.2	2.3	372	132	218.5	69.5	29.1	8.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	93	8.3	2.9	2.4	25.2	0.6	6.2	2.4	338	88	231.3	74.6	26.9	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	20	8.0	3.3	2.5	27.3	1.1	6.2	2.8	392	17	357.6	88.8	26.9	9.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	7.0	2.7	1.6	26.0	0.9	5.3	1.4	467	1	123.0	36.0	24.0	6.2	
Korn, helsädesensilage (250)	1	12	3.7	2.6	1.6	17.8	0.8	3.9	1.6	277	12	111.6	54.1	26.6	5.1	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	4.7	2.1	1.4	18.1	1.6	3.4	1.9	310	1	161.0	46.0	33.0	6.5	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	2.4	2.1	1.3	12.2	0.5	1.0	1.2	231	1	93.0	43.0	25.0	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	4.9	3.5	2.3	17.9	2.6	2.5	1.9	381	1	167.0	52.0	36.0	7.1	
Havre helsädesensilage degmognad (296)	1	5	3.9	2.7	1.4	17.4	1.4	5.9	1.6	229	3	167.3	79.0	31.7	4.8	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	6.3	2.5	1.8	22.3	0.1	3.8	1.6	368	1	117.0	64.0	33.0	6.0	
Vete, helsäd ensilage (299)	1	2	2.8	2.5	1.6	20.3	0.3	2.3	1.7	360	2	133.5	33.0	26.5	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	6.1	2.9	1.7	18.9	0.5	6.0	1.9	214	5	244.2	35.8	33.6	7.1	
Majs, helsädesensilage (305)	1	15	1.6	1.8	1.1	9.2	0.2	1.7	0.9	143	13	108.9	29.5	25.5	5.0	0.0
Ärter, helsädesensilage, sen skörd (315)	1	2	8.9	2.7	1.9	18.3	0.3	3.8	1.7	267	2	484.5	31.5	30.0	7.7	
Hö, blandvall, 0-50% baljväxter (383)	1	8	3.4	1.9	1.1	16.9	0.2	1.7	1.4	227	6	74.7	52.0	20.3	4.8	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	11.7	3.2	2.8	24.1	1.5	0.2	2.6	513	0					
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	9.9	3.8	2.9	28.1	0.6		2.1	484	1	204.0	81.0	27.0	9.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	6.6	3.0	2.5	29.8	0.3	3.1	2.1	558	3	97.3	57.0	27.0	5.7	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	2	11.8	3.2	2.9	26.1	1.1	2.9	2.5	478	0					
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.9	4.5	3.1	14.9	6.0	6.0	3.7	244	4	296.0	106.8	69.0	9.8	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	5.0	3.9	2.8	15.5	5.1	11.7	2.5	132	1	318.0	71.0	62.0	13.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	22	869.682	42.2852	811.000	930.000
Aska	22	24.768	3.8617	21.000	29.000
OS smbh	22	58.636	40.9989	0.000	86.000
Råprot	22	115.032	14.3548	98.900	129.700
sRåprot	7	318.857	49.6871	281.000	409.000
NH3-N	4	6.000	0.8165	5.000	7.000
NDF	14	170.143	37.6948	121.000	208.000
iNDF	22	118.409	65.3122	25.000	162.000
nhNDF	22	3.150	0.0000	3.150	3.150
Stä	22	579.668	59.8113	514.000	656.400
TAF	22	0.000	0.0000	0.000	0.000
Socker	7	5.000	0.0000	5.000	5.000
AATp20	22	95.714	2.2258	93.544	99.178
PBVp20	22	-28.660	16.2197	-50.790	-10.933
NELp20	22	7.331	0.1718	7.118	7.535
OE*	13	13.185	0.3532	12.500	13.400
AAT*	6	92.500	0.5477	92.000	93.000
PBV*	6	-36.500	10.5783	-47.000	-21.000
Ca	12	0.442	0.1621	0.400	0.500
P	12	3.217	1.1126	2.800	3.900
Mg	12	1.158	0.3825	1.000	1.300
K	12	4.992	1.6189	4.900	6.000
Na	11	0.100	0.0447	0.100	0.100
Cl	3	2.767	0.2887	2.600	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	12	1.175	0.4048	1.100	1.500
CAB	12	13.739	30.0033	-25.669	47.863
Fe	12	56.750	12.4618	44.000	74.000
Mn	12	15.917	5.8536	10.000	22.000
Zn	12	32.583	5.9614	25.000	40.000
Cu	12	5.658	0.5915	5.000	6.300
Se	2	0.013	0.0028	0.011	0.015

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	860.000	.	860.000	860.000
Aska	1	26.000	.	26.000	26.000
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	124.000	.	124.000	124.000
NH3-N	1	6.000	.	6.000	6.000
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	430.000	.	430.000	430.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	81.982	.	81.982	81.982
PBVp20	1	7.490	.	7.490	7.490
NELp20	1	6.307	.	6.307	6.307
Ca	1	0.800	.	0.800	0.800
P	1	3.300	.	3.300	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.300	.	1.300	1.300
K	1	4.600	.	4.600	4.600
Na	1	0.100	.	0.100	0.100
S	1	1.700	.	1.700	1.700
CAB	1	-3.973	.	-3.973	-3.973
Fe	1	78.000	.	78.000	78.000
Mn	1	67.000	.	67.000	67.000
Zn	1	38.000	.	38.000	38.000
Cu	1	5.800	.	5.800	5.800

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	886.889	39.8229	836.000	946.000
Aska	9	17.722	2.9257	14.100	22.000
OS smbh	9	29.333	44.0000	0.000	88.000
Råprot	9	116.244	8.7075	105.300	132.000
sRåprot	6	329.000	64.6467	278.000	454.000
NH3-N	1	7.000	.	7.000	7.000
NDF	7	109.143	18.9070	81.000	134.000
iNDF	9	79.000	81.0000	25.000	187.000
nhNDF	9	3.500	0.0000	3.500	3.500
Stä	9	590.656	66.2737	513.000	692.800
TAF	9	0.000	0.0000	0.000	0.000
Socker	6	5.000	0.0000	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	9	112.985	0.9758	111.757	114.903
PBVp20	9	-49.785	8.0717	-58.666	-34.463
NELp20	9	7.947	0.0559	7.872	8.043
OE*	7	14.100	0.1000	13.900	14.200
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-49.000	.	-49.000	-49.000
Ca	5	0.400	0.1225	0.300	0.600
P	5	3.100	0.4848	2.500	3.800
Mg	5	1.400	0.3536	1.100	2.000
K	5	4.860	0.5177	4.400	5.600
Na	3	0.100	0.0000	0.100	0.100
Cl	3	1.233	0.0577	1.200	1.300
S	5	1.400	0.2000	1.200	1.600
CAB	5	10.159	10.8243	-4.423	21.643
Fe	5	48.400	14.1880	33.000	70.000
Mn	5	27.800	2.9496	23.000	31.000
Zn	5	31.400	6.0663	25.000	41.000
Cu	5	5.260	0.7127	4.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	892.000	40.9573	851.000	955.000
Aska	5	16.940	0.9839	16.000	18.000
OS smbh	5	35.792	49.0097	0.000	89.479
Råprot	5	102.760	8.4040	91.000	111.600
sRåprot	3	370.667	9.0185	362.000	380.000
NDF	3	102.333	8.5049	96.000	112.000
iNDF	5	89.800	88.7311	25.000	187.000
nhNDF	5	3.500	0.0000	3.500	3.500
Stä	5	633.160	67.2136	575.000	708.600
TAF	5	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	5	109.376	0.4746	108.877	110.008
PBVp20	5	-58.350	9.7120	-71.071	-47.848
NELp20	5	7.871	0.0594	7.785	7.919
OE*	4	13.725	0.4856	13.000	14.000
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-46.000	.	-46.000	-46.000
Ca	3	0.300	0.0000	0.300	0.300
P	3	3.367	0.3512	3.000	3.700
Mg	3	1.200	0.0000	1.200	1.200
K	3	5.267	0.2887	5.100	5.600
Na	2	0.100	0.0000	0.100	0.100
Cl	1	0.900	.	0.900	0.900
S	3	1.300	0.2646	1.100	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	36.199	12.5044	22.218	46.314
Fe	3	38.333	4.5092	34.000	43.000
Mn	3	30.667	7.6376	24.000	39.000
Zn	3	38.667	5.6862	34.000	45.000
Cu	3	5.533	0.5033	5.000	6.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	837.333	19.3993	815.000	850.000
Aska	3	20.400	3.0790	17.000	23.000
OS smbh	5	87.000	0.0000	87.000	87.000
Råprot	3	130.500	8.3217	121.000	136.500
NH3-N	2	5.500	0.7071	5.000	6.000
NDF	3	169.333	21.5019	151.000	193.000
iNDF	5	173.000	0.0000	173.000	173.000
nhNDF	5	3.300	0.0000	3.300	3.300
Stä	3	624.033	14.8325	607.000	634.100
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	105.622	0.8384	104.860	106.979
PBVp20	5	-29.725	8.1154	-36.086	-18.167
NELp20	5	7.565	0.0159	7.547	7.582
OE*	2	13.700	0.5657	13.300	14.100
AAT*	2	93.500	0.7071	93.000	94.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	2	-24.500	10.6066	-32.000	-17.000
Ca	2	0.400	0.0000	0.400	0.400
P	2	3.600	0.0000	3.600	3.600
Mg	2	1.350	0.0707	1.300	1.400
K	2	5.500	0.2828	5.300	5.700
Na	2	0.100	0.0000	0.100	0.100
S	2	1.350	0.2121	1.200	1.500
CAB	2	32.469	6.0244	28.209	36.729
Fe	2	53.000	2.8284	51.000	55.000
Mn	2	26.500	2.1213	25.000	28.000
Zn	2	40.000	0.0000	40.000	40.000
Cu	2	5.950	0.7778	5.400	6.500

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	827.500	57.2756	787.000	868.000
Aska	3	26.000	5.1962	23.000	32.000
OS smbh	3	81.600	0.0000	81.600	81.600
Råprot	3	127.333	17.6163	111.000	146.000
NH3-N	3	5.667	0.5774	5.000	6.000
NDF	2	222.500	53.0330	185.000	260.000
iNDF	3	324.000	0.0000	324.000	324.000
nhNDF	3	2.500	0.0000	2.500	2.500
Stä	3	563.000	36.3456	523.000	594.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	0.000	0.0000	0.000	0.000
AATp20	3	101.553	4.8059	96.023	104.725
PBVp20	3	-20.048	11.9017	-27.440	-6.319
NELp20	3	7.070	0.2958	6.728	7.246
OE*	2	12.100	0.0000	12.100	12.100
AAT*	2	82.500	2.1213	81.000	84.000
PBV*	2	-17.000	7.0711	-22.000	-12.000
Ca	1	0.600	.	0.600	0.600
P	1	3.800	.	3.800	3.800
Mg	1	1.300	.	1.300	1.300
K	1	6.500	.	6.500	6.500
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	60.553	.	60.553	60.553
Fe	1	59.000	.	59.000	59.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100
Se	1	0.012	.	0.012	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	940.000	.	940.000	940.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	284.000	.	284.000	284.000
sRåprot	1	712.000	.	712.000	712.000
NDF	1	113.000	.	113.000	113.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	322.000	.	322.000	322.000
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	99.889	.	99.889	99.889
PBVp20	1	132.187	.	132.187	132.187
NELp20	1	7.889	.	7.889	7.889
OE*	1	13.500	.	13.500	13.500

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	315.444	58.2282	238.000	403.000
Aska	9	36.889	4.0449	31.000	43.000
OS smbh	9	75.778	3.3663	70.600	80.400
Råprot	9	74.889	4.6218	68.000	83.000
sRåprot	9	390.444	44.6741	321.000	444.000
NDF	9	388.556	56.0917	328.000	476.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	9	189.401	21.3032	151.095	223.155
nhNDF	9	3.518	0.4332	2.697	4.094
Stä	9	291.333	74.7747	172.000	390.000
TAF	9	57.000	0.0000	57.000	57.000
Socker	9	38.444	27.6003	11.000	88.000
AATp20	9	86.721	3.6390	81.203	91.172
PBVp20	9	-61.523	8.3023	-70.395	-49.157
NELp20	9	6.328	0.3473	5.793	6.723
OE*	3	11.020	0.3274	10.660	11.300
AAT*	2	79.000	0.0000	79.000	79.000
PBV*	2	-70.500	3.5355	-73.000	-68.000
Ca	8	1.713	0.2100	1.300	1.900
P	8	1.925	0.3412	1.600	2.600
Mg	8	1.213	0.1642	1.000	1.500
K	8	8.825	1.2612	7.300	10.200
Na	8	0.238	0.0744	0.100	0.300
Cl	8	1.625	0.2315	1.200	2.000
S	8	0.913	0.0641	0.800	1.000
CAB	8	135.336	37.2322	91.259	184.476
Fe	7	89.571	25.3170	68.000	136.000
Mn	7	29.000	22.2636	17.000	79.000
Zn	7	34.286	17.0755	24.000	71.000
Cu	7	5.400	0.5000	4.700	6.300
Se	4	0.009	0.0021	0.007	0.011

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	230.750	4.27200	226.000	236.000
OS smbh	4	73.150	0.00000	73.150	73.150
iNDF	4	170.460	0.00000	170.460	170.460
nhNDF	4	4.315	0.00000	4.315	4.315
TAF	4	0.000	0.00000	0.000	0.000
AATp20	4	96.439	0.00000	96.439	96.439
PBVp20	4	-4.418	0.00000	-4.418	-4.418
NELp20	4	5.943	0.00000	5.943	5.943
OE*	4	12.575	0.61305	11.800	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	592.200	183.673	296.000	743.000
Aska	5	52.800	19.652	35.000	85.000
OS smbh	5	70.380	5.271	66.600	79.400
Råprot	5	97.000	44.102	66.000	174.000
NDF	5	559.800	60.607	454.000	606.000
iNDF	5	181.074	44.250	105.385	215.475
nhNDF	5	4.239	0.846	3.566	5.685
TAF	5	61.000	0.000	61.000	61.000
Socker	5	125.400	20.057	92.000	143.000
AATp20	5	80.527	6.050	76.235	90.972
PBVp20	5	-25.451	30.475	-46.721	27.930
NELp20	5	5.646	0.489	5.308	6.487

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	5	10.360	0.662	9.900	11.500
AAT*	5	72.800	3.114	70.000	78.000
PBV*	5	-27.600	37.997	-54.000	39.000
Ca	5	3.260	0.391	2.700	3.800
P	5	1.980	0.638	1.400	3.000
Mg	5	1.120	0.277	0.900	1.600
K	5	19.140	7.759	10.900	31.100
Na	5	0.220	0.217	0.100	0.600
S	5	1.320	0.559	0.900	2.300
CAB	5	275.734	174.690	77.873	536.888
Fe	5	88.600	36.198	57.000	137.000
Mn	5	42.800	38.726	23.000	112.000
Zn	5	22.400	10.922	14.000	41.000
Cu	5	4.700	2.095	3.200	8.400
Se	4	0.020	0.028	0.005	0.062

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	611.143	216.349	374.000	835.00
Aska	14	68.786	18.618	51.000	90.00
OS smbh	14	67.914	5.522	59.700	75.00
Råprot	14	90.214	23.962	63.000	126.00
sRåprot	14	455.286	178.788	300.000	707.00
NH3-N	14	58.571	37.943	27.000	100.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	14	544.357	62.717	486.000	620.00
iNDF	14	210.115	48.713	156.671	275.04
nhNDF	14	3.744	0.753	2.750	4.57
TAF	14	34.036	18.566	8.500	55.90
Mjölksyra	14	24.929	15.360	2.000	43.00
Ättiksyra	14	6.143	3.920	1.000	12.00
Socker	14	87.571	29.747	50.000	111.00
BUF	14	1.964	3.369	0.500	3.70
AATp20	14	78.342	4.886	71.153	84.49
PBVp20	14	-28.015	19.068	-42.406	2.89
NELp20	14	5.330	0.589	4.569	5.92
OE*	14	9.786	1.003	8.400	11.00
AAT*	14	68.214	3.167	64.000	72.00
PBV*	14	-26.071	20.790	-48.000	6.00
Ca	12	3.433	1.367	2.100	5.40
P	12	1.750	0.547	1.400	2.30
Mg	12	1.242	0.421	1.000	1.70
K	12	17.600	6.895	13.900	22.90
Na	12	0.108	0.029	0.100	0.10
Cl	14	2.293	1.389	0.700	4.60
S	12	1.308	0.363	0.900	1.70
CAB	12	317.903	155.054	180.933	451.21
Fe	12	394.000	556.941	88.000	1256.00
Mn	12	61.250	28.983	26.000	92.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	12	22.917	5.744	18.000	29.00
Cu	12	5.383	1.410	4.000	7.10
Se	1	0.016	.	0.016	0.02

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	589.500	119.501	505.000	674.000
Aska	2	68.500	17.678	56.000	81.000
OS smbh	2	72.700	2.546	70.900	74.500
Råprot	2	111.000	24.042	94.000	128.000
sRåprot	2	529.500	201.525	387.000	672.000
NH3-N	2	62.000	26.870	43.000	81.000
NDF	2	543.000	24.042	526.000	560.000
iNDF	2	161.504	24.278	144.337	178.671
nhNDF	2	4.633	0.503	4.277	4.989
TAF	2	24.900	14.849	14.400	35.400
Mjölksyra	2	16.500	14.849	6.000	27.000
Ättiksyra	2	6.000	0.000	6.000	6.000
Socker	2	95.000	29.698	74.000	116.000
BUF	2	1.400	0.000	1.400	1.400
AATp20	2	85.080	4.917	81.604	88.557
PBVp20	2	-20.017	13.750	-29.740	-10.294
NELp20	2	5.790	0.276	5.595	5.985
OE*	2	10.550	0.212	10.400	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	2	70.500	0.707	70.000	71.000
PBV*	2	-10.000	22.627	-26.000	6.000
Ca	1	3.000	.	3.000	3.000
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	26.400	.	26.400	26.400
Na	1	0.100	.	0.100	0.100
Cl	2	0.950	0.354	0.700	1.200
S	1	1.800	.	1.800	1.800
CAB	1	547.321	.	547.321	547.321
Fe	1	94.000	.	94.000	94.000
Mn	1	69.000	.	69.000	69.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.400	.	7.400	7.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	488.000	209.304	340.000	636.000
Aska	2	73.500	3.536	71.000	76.000
OS smbh	2	67.600	6.223	63.200	72.000
Råprot	2	128.500	0.707	128.000	129.000
sRåprot	2	488.000	69.296	439.000	537.000
NH3-N	2	79.000	26.870	60.000	98.000
NDF	2	452.000	77.782	397.000	507.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	253.099	34.783	228.504	277.694
nhNDF	2	2.822	0.307	2.605	3.038
TAF	2	35.850	38.679	8.500	63.200
Mjölksyra	2	26.000	32.527	3.000	49.000
Ättiksyra	2	8.000	5.657	4.000	12.000
Socker	2	72.000	21.213	57.000	87.000
BUF	2	0.850	0.495	0.500	1.200
AATp20	2	78.588	0.075	78.534	78.641
PBVp20	2	7.084	1.435	6.070	8.099
NELp20	2	5.249	0.507	4.891	5.608
OE*	2	9.700	0.990	9.000	10.400
AAT*	2	68.000	2.828	66.000	70.000
PBV*	2	12.000	5.657	8.000	16.000
CI	2	2.150	0.495	1.800	2.500

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	577.500	303.349	363.000	792.000
Aska	2	83.000	8.485	77.000	89.000
OS smbh	2	79.800	5.798	75.700	83.900
Råprot	2	181.000	8.485	175.000	187.000
NDF	2	451.000	50.912	415.000	487.000
iNDF	2	98.558	57.879	57.631	139.485
nhNDF	2	6.006	1.480	4.959	7.052

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.000	84.000	84.000
Socker	2	109.500	51.619	73.000	146.000
AATp20	2	90.172	5.335	86.399	93.944
PBVp20	2	38.864	16.971	26.864	50.864
NELp20	2	6.643	0.467	6.313	6.974
OE*	2	11.550	1.061	10.800	12.300
AAT*	2	78.500	4.950	75.000	82.000
PBV*	2	45.000	16.971	33.000	57.000
Ca	2	6.400	0.707	5.900	6.900
P	2	3.150	0.212	3.000	3.300
Mg	2	1.900	0.424	1.600	2.200
K	2	32.750	0.919	32.100	33.400
Na	2	0.250	0.071	0.200	0.300
S	2	2.600	0.000	2.600	2.600
CAB	2	553.571	26.584	534.773	572.369
Fe	2	138.000	56.569	98.000	178.000
Mn	2	51.000	4.243	48.000	54.000
Zn	2	31.500	0.707	31.000	32.000
Cu	2	7.750	0.354	7.500	8.000
Se	1	0.007	.	0.007	0.007

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	49	380.673	109.725	274.000	542.000
Aska	49	74.082	10.424	62.000	86.000
OS smbh	49	78.678	3.639	74.900	84.200
Råprot	49	148.286	26.734	107.000	181.000
sRåprot	12	472.000	103.215	381.000	650.000
NDF	49	446.918	42.137	394.000	500.000
iNDF	49	118.542	39.054	57.661	178.000
nhNDF	49	5.442	0.972	4.117	6.981
TAF	49	72.082	27.410	13.000	84.000
Mjölksyra	8	0.000	0.000	0.000	0.000
Ättiksyra	6	4.000	3.688	0.000	9.000
Socker	49	124.163	43.678	75.000	184.000
PRF	6	2.333	2.582	0.000	6.000
BUF	6	1.667	1.211	0.000	3.000
AATp20	49	88.777	5.291	82.397	95.229
PBVp20	49	10.523	20.425	-19.146	35.291
NELp20	49	6.426	0.364	6.041	6.986
OE*	49	11.508	0.622	10.700	12.500
AAT*	37	79.324	3.367	74.000	83.000
PBV*	37	8.976	26.284	-28.000	47.000
Ca	43	5.179	1.317	3.800	6.600
P	43	2.684	0.410	2.100	3.200
Mg	43	1.679	0.383	1.300	2.000
K	43	24.953	4.306	19.900	29.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	43	0.784	0.747	0.200	1.800
Cl	12	4.017	2.797	0.800	7.800
S	43	2.042	0.482	1.400	2.600
CAB	43	417.633	113.641	271.698	541.487
Fe	39	165.846	179.115	72.000	282.000
Mn	39	54.231	23.705	29.000	78.000
Zn	39	29.282	8.069	22.000	36.000
Cu	39	7.400	7.617	4.500	8.300
Se	11	0.015	0.005	0.008	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	419.000	164.864	246.000	702.500
Aska	30	83.567	10.424	73.000	98.500
OS smbh	30	74.143	3.837	67.650	79.250
Råprot	30	153.400	25.051	119.500	187.500
sRåprot	8	360.500	40.175	309.000	403.000
NDF	30	488.933	38.178	436.500	544.000
iNDF	30	159.110	38.180	109.099	216.310
nhNDF	30	4.678	0.716	3.646	5.646
TAF	30	81.300	14.789	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	30	79.567	29.219	48.500	117.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	30	84.418	5.307	76.494	91.597
PBVp20	30	22.543	19.189	-0.236	45.859
NELp20	30	6.089	0.328	5.517	6.545
OE*	30	10.659	0.587	9.650	11.350
AAT*	22	74.045	3.539	69.000	78.000
PBV*	22	19.550	23.816	-4.000	41.000
Ca	28	6.521	2.006	4.600	8.300
P	28	2.968	0.330	2.500	3.300
Mg	28	2.150	0.521	1.600	2.500
K	28	25.539	5.677	16.800	32.400
Na	28	0.979	0.835	0.200	2.500
Cl	8	8.988	6.078	2.700	17.600
S	28	2.389	0.544	1.600	3.200
CAB	28	379.493	133.325	203.235	556.257
Fe	24	139.042	52.587	77.000	218.000
Mn	24	70.708	31.957	38.000	108.000
Zn	24	31.292	12.031	23.000	37.000
Cu	24	7.742	1.691	5.900	10.000
Se	9	0.032	0.018	0.011	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	406.895	100.944	283.000	526.000
Aska	19	98.316	14.411	80.000	122.000
OS smbh	19	73.505	2.768	69.300	77.200
Råprot	19	160.895	21.393	128.000	196.000
sRåprot	2	398.500	53.033	361.000	436.000
NDF	19	471.579	38.535	419.000	503.000
iNDF	19	166.205	34.485	127.950	206.358
nhNDF	19	4.330	0.582	3.604	4.892
TAF	19	84.000	0.000	84.000	84.000
Socker	19	67.737	31.260	36.000	114.000
AATp20	19	81.811	3.819	76.062	86.883
PBVp20	19	33.769	18.789	6.898	63.080
NELp20	19	5.984	0.283	5.545	6.366
OE*	19	10.403	0.510	9.400	11.130
AAT*	17	72.412	2.763	67.000	76.000
PBV*	17	37.294	21.589	4.000	70.000
Ca	16	8.288	2.876	5.300	11.500
P	16	3.006	0.417	2.600	3.700
Mg	16	2.575	0.552	1.800	3.300
K	16	25.256	6.129	17.500	32.000
Na	16	0.612	0.391	0.200	1.300
Cl	2	12.950	11.809	4.600	21.300
S	16	2.569	0.444	2.100	3.100
CAB	16	350.580	203.114	81.592	580.857

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	205.267	100.350	98.000	336.000
Mn	15	71.667	17.795	49.000	92.000
Zn	15	28.867	3.420	24.000	35.000
Cu	15	8.347	1.181	7.200	10.500
Se	5	0.030	0.009	0.020	0.042

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	300.625	32.967	248.000	350.00
Aska	8	97.250	11.793	83.000	118.00
OS smbh	8	77.463	3.457	74.300	84.20
Råprot	8	181.750	8.908	164.000	192.00
sRåprot	1	415.000	.	415.000	415.00
NDF	8	427.375	38.415	353.000	455.00
iNDF	8	133.853	43.095	52.493	190.00
nhNDF	8	4.990	0.880	4.291	6.78
TAF	8	84.000	0.000	84.000	84.00
Socker	8	96.875	39.758	51.000	154.00
AATp20	8	86.597	3.052	82.273	92.63
PBVp20	8	45.444	10.755	29.486	61.22
NELp20	8	6.338	0.268	6.024	6.87
OE*	8	11.050	0.583	10.300	12.20
AAT*	7	76.000	3.317	72.000	82.00
PBV*	7	52.571	9.607	38.000	66.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	6	7.117	1.192	5.100	8.40
P	6	3.150	0.295	2.800	3.60
Mg	6	2.367	0.372	2.000	3.00
K	6	23.900	4.176	16.100	27.80
Na	6	1.267	0.524	0.700	2.10
Cl	1	4.100	.	4.100	4.10
S	6	2.517	0.319	2.000	2.90
CAB	6	379.457	116.700	171.490	498.87
Fe	5	720.600	863.485	155.000	2224.00
Mn	5	85.400	23.776	53.000	105.00
Zn	5	28.000	3.391	24.000	32.00
Cu	5	8.380	0.719	7.600	9.30
Se	4	0.055	0.047	0.025	0.12

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	529.668	214.015	292.000	799.000
Aska	12	79.667	15.819	62.000	99.000
OS smbh	17	71.403	4.496	65.500	75.000
Råprot	15	127.060	19.300	95.500	152.000
sRåprot	15	440.577	152.531	271.000	631.000
NH3-N	15	64.600	45.437	15.000	131.000
NDF	15	475.067	33.316	428.000	532.000
iNDF	17	196.521	52.218	162.802	244.006

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	17	3.845	0.717	3.108	4.344
TAF	17	46.335	30.818	13.000	86.600
Mjölksyra	15	30.533	24.851	4.000	74.000
Ättiksyra	15	8.867	6.312	4.000	22.000
Socker	15	83.301	46.810	24.000	130.000
BUF	12	1.475	2.089	0.400	4.600
AATp20	17	82.821	6.409	71.555	91.623
PBVp20	17	3.036	19.907	-24.831	28.187
NELp20	17	5.694	0.444	5.094	6.062
OE*	15	10.115	0.838	9.110	10.800
AAT*	15	69.082	2.533	65.888	71.000
PBV*	12	6.508	17.867	-11.000	29.000
Ca	14	7.224	2.521	4.600	10.786
P	14	2.548	0.478	1.900	3.100
Mg	14	2.024	0.530	1.300	2.800
K	14	21.152	6.054	13.600	27.300
Na	14	0.411	0.455	0.100	0.900
Cl	12	4.517	2.870	2.100	8.100
S	14	1.922	0.464	1.343	2.600
CAB	14	321.805	132.137	132.788	450.971
Fe	14	257.851	241.258	82.512	659.000
Mn	14	72.705	47.941	30.000	147.000
Zn	14	26.619	5.088	20.000	33.000
Cu	14	7.235	1.876	4.600	9.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	216	405.139	139.934	274.000	629.000
Aska	211	71.062	11.969	59.000	83.000
OS smbh	217	75.113	4.550	70.200	79.800
Råprot	211	134.190	26.561	98.000	163.000
sRåprot	211	608.716	96.925	474.000	718.000
NH3-N	210	76.462	31.291	35.000	120.500
NDF	211	458.171	54.334	396.000	529.000
iNDF	217	160.778	46.283	115.868	216.140
nhNDF	217	4.506	0.702	3.647	5.354
Stä	1	26.000	.	26.000	26.000
TAF	217	71.997	37.543	20.500	123.100
Mjölksyra	211	55.209	33.041	12.000	99.000
Ättiksyra	211	13.768	6.584	5.000	22.000
Socker	211	67.076	40.418	20.000	124.000
PRF	41	3.341	1.726	1.000	5.000
BUF	211	1.367	2.264	0.000	3.700
AATp20	217	81.987	4.050	76.932	87.313
PBVp20	217	8.789	22.563	-21.887	36.229
NELp20	217	6.137	0.496	5.572	6.679
OE*	210	10.964	0.739	10.100	11.700
AAT*	169	71.609	2.220	69.000	74.000
PBV*	169	6.935	21.710	-23.000	33.000
Ca	198	5.117	1.693	3.300	7.400
P	198	2.413	0.486	1.800	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	198	1.638	0.439	1.200	2.100
K	198	23.591	4.383	17.700	28.400
Na	198	0.522	0.468	0.100	1.300
Cl	211	3.868	2.674	1.300	7.500
S	198	1.834	0.439	1.300	2.300
CAB	198	400.609	109.784	245.374	505.615
Fe	180	201.939	236.280	72.500	386.500
Mn	180	58.256	21.009	38.000	77.500
Zn	180	30.778	44.747	20.000	34.000
Cu	180	6.271	1.459	4.400	8.000
Se	33	0.032	0.019	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	158	415.981	120.760	279.000	591.000
Aska	156	86.449	12.704	70.000	103.000
OS smbh	158	73.334	3.534	68.200	77.100
Råprot	156	147.564	20.321	123.000	177.000
sRåprot	156	539.660	80.692	440.000	639.000
NH3-N	156	81.391	34.509	44.000	121.000
NDF	156	451.917	35.968	408.000	492.000
iNDF	158	187.174	48.737	131.691	266.044
nhNDF	158	4.197	0.833	3.041	4.996
Stä	1	67.000	.	67.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	158	65.962	27.056	29.100	100.000
Mjölksyra	156	48.333	22.092	18.000	77.000
Ättiksyra	156	14.147	7.585	6.000	23.000
Socker	156	51.942	31.253	14.000	97.000
PRF	38	3.184	2.448	1.000	5.000
BUF	156	1.782	3.083	0.000	4.000
AATp20	158	81.760	4.909	75.443	87.839
PBVp20	158	21.395	18.650	-2.773	45.861
NELp20	158	5.941	0.377	5.367	6.412
OE*	156	10.489	0.598	9.700	11.200
AAT*	118	69.941	1.808	67.000	72.000
PBV*	118	24.695	19.209	1.000	53.000
Ca	146	7.188	2.350	4.900	11.000
P	146	2.823	0.460	2.300	3.400
Mg	146	2.195	0.391	1.800	2.600
K	146	26.062	4.541	20.200	31.400
Na	146	0.650	0.597	0.100	1.300
Cl	154	6.208	4.545	2.200	10.800
S	146	2.297	0.483	1.700	2.900
CAB	146	372.230	133.279	211.196	512.620
Fe	132	218.530	274.796	79.000	355.000
Mn	132	69.515	29.669	41.000	97.000
Zn	132	29.098	10.607	22.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	132	7.955	1.512	6.100	10.000
Se	22	0.042	0.028	0.014	0.065

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	102	402.882	117.565	287.000	572.000
Aska	102	90.529	11.964	75.000	102.000
OS smbh	102	72.726	3.666	67.600	77.000
Råprot	102	152.882	22.092	120.000	182.000
sRåprot	102	518.863	70.731	447.000	597.000
NH3-N	102	83.618	32.344	46.000	124.000
NDF	102	437.029	38.130	383.000	484.000
iNDF	102	198.726	48.107	143.000	267.996
nhNDF	102	3.893	0.831	2.742	4.890
TAF	102	67.733	28.397	29.400	102.900
Mjölksyra	102	50.441	23.910	20.000	77.000
Ättiksyra	102	13.912	6.870	6.000	21.000
Socker	102	49.931	31.204	16.000	95.000
PRF	21	2.048	1.658	0.000	4.000
BUF	102	2.165	2.793	0.000	5.300
AATp20	102	81.205	5.071	74.350	87.387
PBVp20	102	27.292	20.454	0.400	53.269
NELp20	102	5.863	0.404	5.266	6.329
OE*	102	10.347	0.613	9.400	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	81	69.432	1.864	67.000	71.000
PBV*	81	31.889	21.635	1.000	60.000
Ca	93	8.291	2.738	5.700	12.900
P	93	2.872	0.416	2.400	3.400
Mg	93	2.402	0.401	1.900	2.800
K	93	25.238	4.936	19.500	31.200
Na	93	0.642	0.491	0.200	1.500
Cl	102	6.225	4.351	1.800	12.200
S	93	2.444	0.593	1.800	3.200
CAB	93	338.338	133.896	167.990	475.066
Fe	88	231.261	211.425	84.000	491.000
Mn	88	74.591	29.946	41.000	122.000
Zn	88	26.886	6.022	22.000	33.000
Cu	88	8.076	1.365	6.500	10.100
Se	14	0.045	0.030	0.015	0.090

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	375.476	100.374	260.000	528.000
Aska	21	99.476	6.345	94.000	106.000
OS smbh	21	75.162	2.408	72.000	76.900
Råprot	21	166.619	21.181	137.000	188.000
sRåprot	21	513.381	76.167	387.000	590.000
NH3-N	21	70.571	34.483	32.000	112.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	21	407.333	40.008	367.000	462.000
iNDF	21	187.516	43.092	146.298	250.000
nhNDF	21	4.486	1.181	3.613	4.980
TAF	21	76.776	34.341	32.000	116.100
Mjölksyra	21	58.524	28.365	23.000	95.000
Ättiksyra	21	15.524	7.808	8.000	26.000
Socker	21	52.381	29.741	19.000	88.000
PRF	8	2.375	1.847	0.000	6.000
BUF	21	1.205	1.477	0.000	2.800
AATp20	21	82.946	5.170	77.821	89.525
PBVp20	21	37.097	19.825	8.068	59.126
NELp20	21	6.090	0.244	5.820	6.403
OE*	21	10.634	0.372	10.210	11.000
AAT*	13	70.385	0.870	70.000	71.000
PBV*	13	39.769	20.921	15.000	61.000
Ca	20	7.955	1.678	5.800	10.300
P	20	3.345	0.365	3.000	3.900
Mg	20	2.495	0.376	2.150	3.150
K	20	27.305	4.304	20.900	32.100
Na	20	1.070	0.975	0.350	1.850
Cl	21	6.243	2.424	3.600	8.300
S	20	2.775	0.401	2.350	3.200
CAB	20	392.126	86.498	277.957	458.454
Fe	17	357.588	258.300	88.000	711.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	17	88.765	29.378	59.000	153.000
Zn	17	26.882	3.551	22.000	32.000
Cu	17	9.476	4.463	6.300	11.100
Se	6	0.046	0.027	0.011	0.082

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	321.000	.	321.000	321.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	80.800	.	80.800	80.800
Råprot	1	122.000	.	122.000	122.000
sRåprot	1	568.000	.	568.000	568.000
NH3-N	1	40.000	.	40.000	40.000
NDF	1	361.000	.	361.000	361.000
iNDF	1	112.579	.	112.579	112.579
nhNDF	1	4.936	.	4.936	4.936
TAF	1	113.900	.	113.900	113.900
Mjölksyra	1	88.000	.	88.000	88.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	44.000	.	44.000	44.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	82.288	.	82.288	82.288
PBVp20	1	-4.336	.	-4.336	-4.336
NELp20	1	6.546	.	6.546	6.546

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=602

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.800	.	11.800	11.800
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-5.000	.	-5.000	-5.000
Ca	1	7.000	.	7.000	7.000
P	1	2.700	.	2.700	2.700
Mg	1	1.600	.	1.600	1.600
K	1	26.000	.	26.000	26.000
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	1.400	.	1.400	1.400
CAB	1	467.296	.	467.296	467.296
Fe	1	123.000	.	123.000	123.000
Mn	1	36.000	.	36.000	36.000
Zn	1	24.000	.	24.000	24.000
Cu	1	6.200	.	6.200	6.200

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	478.000	124.374	357.000	670.000
Aska	12	57.750	18.844	35.000	77.000
OS smbh	12	67.967	2.956	64.300	70.600
Råprot	12	95.667	20.038	76.000	120.000
sRåprot	12	623.833	86.992	499.000	705.000
NH3-N	12	82.917	17.937	61.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	12	423.000	37.543	388.000	448.000
iNDF	12	269.616	30.998	243.000	303.355
nhNDF	12	2.463	0.460	2.183	2.813
Stä	11	157.364	84.507	44.000	245.000
TAF	12	55.250	25.583	23.700	83.700
Mjölksyra	12	39.667	22.386	19.000	67.000
Ättiksyra	11	13.182	6.615	6.000	22.000
Socker	12	54.667	18.729	31.000	79.000
PRF	2	3.000	4.243	0.000	6.000
BUF	2	2.000	1.414	1.000	3.000
AATp20	12	70.396	4.064	66.194	75.963
PBVp20	12	-16.952	19.575	-36.324	9.717
NELp20	12	5.453	0.269	5.102	5.741
OE*	7	9.933	0.332	9.600	10.480
AAT*	4	61.500	2.646	58.000	64.000
PBV*	4	-19.000	24.833	-43.000	14.000
Ca	12	3.717	1.578	2.000	4.900
P	12	2.575	0.634	1.900	3.300
Mg	12	1.625	0.499	1.100	2.000
K	12	17.792	5.735	11.800	26.700
Na	12	0.783	0.459	0.300	1.400
Cl	12	3.908	2.136	1.400	6.500
S	12	1.625	0.429	1.200	2.100
CAB	12	277.431	150.512	127.435	485.378

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	12	111.583	42.590	55.000	167.000
Mn	12	54.083	34.387	19.000	95.000
Zn	12	26.583	7.403	17.000	36.000
Cu	12	5.117	0.986	4.300	6.500
Se	4	0.084	0.069	0.022	0.180

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	423.500	106.773	348.000	499.000
Aska	2	63.500	7.778	58.000	69.000
OS smbh	2	67.350	0.495	67.000	67.700
Råprot	2	95.000	0.000	95.000	95.000
sRåprot	2	688.000	39.598	660.000	716.000
NH3-N	2	75.000	4.243	72.000	78.000
NDF	2	479.500	17.678	467.000	492.000
iNDF	2	247.868	12.340	239.142	256.593
nhNDF	2	2.942	0.190	2.807	3.076
Stä	2	93.500	3.536	91.000	96.000
TAF	2	93.500	47.376	60.000	127.000
Mjölksyra	2	73.000	45.255	41.000	105.000
Ättiksyra	2	18.500	2.121	17.000	20.000
Socker	2	38.000	32.527	15.000	61.000
AATp20	2	66.641	6.072	62.347	70.934
PBVp20	2	-7.513	9.672	-14.352	-0.673

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.594	0.052	5.557	5.631
OE*	1	9.100	.	9.100	9.100
AAT*	1	58.000	.	58.000	58.000
PBV*	1	-15.000	.	-15.000	-15.000
Ca	1	4.700	.	4.700	4.700
P	1	2.100	.	2.100	2.100
Mg	1	1.400	.	1.400	1.400
K	1	18.100	.	18.100	18.100
Na	1	1.600	.	1.600	1.600
Cl	2	3.350	0.495	3.000	3.700
S	1	1.900	.	1.900	1.900
CAB	1	309.505	.	309.505	309.505
Fe	1	161.000	.	161.000	161.000
Mn	1	46.000	.	46.000	46.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.500	.	6.500	6.500

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	670.000	.	670.000	670.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	65.700	.	65.700	65.700
Råprot	1	90.000	.	90.000	90.000
sRåprot	1	506.000	.	506.000	506.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	25.000	.	25.000	25.000
NDF	1	448.000	.	448.000	448.000
iNDF	1	284.080	.	284.080	284.080
nhNDF	1	2.420	.	2.420	2.420
Stä	1	246.000	.	246.000	246.000
TAF	1	32.900	.	32.900	32.900
Mjölksyra	1	21.000	.	21.000	21.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	72.953	.	72.953	72.953
PBVp20	1	-22.319	.	-22.319	-22.319
NELp20	1	5.298	.	5.298	5.298
Ca	1	2.400	.	2.400	2.400
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	12.200	.	12.200	12.200
Na	1	0.500	.	0.500	0.500
Cl	1	1.000	.	1.000	1.000
S	1	1.200	.	1.200	1.200
CAB	1	230.591	.	230.591	230.591
Fe	1	93.000	.	93.000	93.000
Mn	1	43.000	.	43.000	43.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	349.500	45.962	317.000	382.000
Aska	2	66.500	10.607	59.000	74.000
OS smbh	2	64.700	2.546	62.900	66.500
Råprot	2	122.500	10.607	115.000	130.000
sRåprot	2	626.500	99.702	556.000	697.000
NH3-N	2	110.000	9.899	103.000	117.000
NDF	2	493.500	13.435	484.000	503.000
iNDF	2	389.100	110.451	311.000	467.201
nhNDF	2	5.726	3.160	3.492	7.961
Stä	2	68.000	18.385	55.000	81.000
TAF	2	87.750	8.839	81.500	94.000
Mjölksyra	2	60.500	9.192	54.000	67.000
Ättiksyra	2	20.500	9.192	14.000	27.000
Socker	2	28.500	7.778	23.000	34.000
PRF	1	9.000	.	9.000	9.000
BUF	1	4.000	.	4.000	4.000
AATp20	2	66.386	2.655	64.509	68.263
PBVp20	2	17.291	14.327	7.160	27.422
NELp20	2	5.404	0.312	5.183	5.625
OE*	2	9.680	0.028	9.660	9.700
AAT*	1	59.000	.	59.000	59.000
PBV*	1	10.000	.	10.000	10.000
Ca	2	4.850	0.919	4.200	5.500
P	2	3.450	0.778	2.900	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	2.250	0.071	2.200	2.300
K	2	17.850	0.495	17.500	18.200
Na	2	2.550	1.344	1.600	3.500
Cl	2	2.500	1.697	1.300	3.700
S	2	1.850	0.212	1.700	2.000
CAB	2	381.344	132.135	287.910	474.777
Fe	1	167.000	.	167.000	167.000
Mn	1	52.000	.	52.000	52.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	433.200	38.661	376.000	476.000
Aska	5	65.200	24.056	41.000	104.000
OS smbh	5	66.380	6.719	58.200	72.600
Råprot	5	108.000	30.586	64.000	149.000
sRåprot	5	547.800	116.227	424.000	727.000
NH3-N	5	80.000	41.286	28.000	143.000
NDF	5	459.000	67.517	363.000	520.000
iNDF	5	305.185	79.953	174.871	394.000
nhNDF	5	3.099	1.035	2.008	4.239
Stä	5	114.600	72.328	18.000	195.000
TAF	5	51.400	25.442	6.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	5	38.000	22.215	0.000	56.000
Ättiksyra	5	9.800	6.760	3.000	19.000
Socker	5	37.000	11.533	28.000	57.000
PRF	3	3.333	2.887	0.000	5.000
BUF	3	2.667	2.517	0.000	5.000
AATp20	5	75.665	4.632	70.675	83.253
PBVp20	5	-13.502	21.845	-48.181	8.316
NELp20	5	5.430	0.542	4.707	5.912
OE*	4	9.608	0.793	8.430	10.160
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-8.000	.	-8.000	-8.000
Ca	5	3.920	2.257	1.300	7.500
P	5	2.680	0.303	2.400	3.200
Mg	5	1.400	0.406	0.900	2.000
K	5	17.380	6.318	10.700	27.100
Na	5	1.440	1.270	0.100	3.400
Cl	4	5.925	5.175	2.400	13.600
S	5	1.600	0.374	1.200	2.200
CAB	5	229.476	174.724	21.572	476.316
Fe	3	167.333	22.121	144.000	188.000
Mn	3	79.000	30.050	50.000	110.000
Zn	3	31.667	3.512	28.000	35.000
Cu	3	4.800	0.624	4.100	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	314.000	.	314.000	314.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	139.000	.	139.000	139.000
sRåprot	1	669.000	.	669.000	669.000
NH3-N	1	109.000	.	109.000	109.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	250.473	.	250.473	250.473
nhNDF	1	2.831	.	2.831	2.831
Stä	1	43.000	.	43.000	43.000
TAF	1	97.000	.	97.000	97.000
Mjölksyra	1	79.000	.	79.000	79.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	65.134	.	65.134	65.134
PBVp20	1	33.091	.	33.091	33.091
NELp20	1	5.554	.	5.554	5.554
Ca	1	6.300	.	6.300	6.300
P	1	2.500	.	2.500	2.500
Mg	1	1.800	.	1.800	1.800
K	1	22.300	.	22.300	22.300
Na	1	0.100	.	0.100	0.100
Cl	1	3.800	.	3.800	3.800
S	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	367.638	.	367.638	367.638
Fe	1	117.000	.	117.000	117.000
Mn	1	64.000	.	64.000	64.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	421.000	69.296	372.000	470.000
Aska	2	65.000	9.899	58.000	72.000
OS smbh	2	73.550	4.172	70.600	76.500
Råprot	2	126.000	33.941	102.000	150.000
sRåprot	2	712.500	139.300	614.000	811.000
NH3-N	2	65.000	45.255	33.000	97.000
NDF	2	452.000	14.142	442.000	462.000
iNDF	2	183.593	57.144	143.186	224.000
nhNDF	2	3.920	1.219	3.058	4.782
Stä	2	54.500	53.033	17.000	92.000
TAF	2	74.750	30.759	53.000	96.500
Mjölksyra	2	55.000	25.456	37.000	73.000
Ättiksyra	2	16.500	6.364	12.000	21.000
Socker	2	75.500	30.406	54.000	97.000
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	72.175	1.549	71.079	73.270
PBVp20	2	5.700	32.487	-17.272	28.671
NELp20	2	6.036	0.375	5.771	6.301
OE*	1	10.360	.	10.360	10.360
Ca	2	2.800	0.424	2.500	3.100
P	2	2.500	0.141	2.400	2.600
Mg	2	1.550	0.071	1.500	1.600
K	2	20.300	3.253	18.000	22.600
Na	2	0.250	0.212	0.100	0.400
Cl	2	2.250	0.495	1.900	2.600
S	2	1.700	0.424	1.400	2.000
CAB	2	360.421	61.392	317.010	403.832
Fe	2	133.500	27.577	114.000	153.000
Mn	2	33.000	2.828	31.000	35.000
Zn	2	26.500	4.950	23.000	30.000
Cu	2	5.300	0.424	5.000	5.600
Se	2	0.048	0.045	0.016	0.080

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	356.000	60.572	277.000	421.000
Aska	5	70.600	7.470	62.000	80.000
OS smbh	5	68.660	1.877	66.100	71.100
Råprot	5	125.400	30.121	98.000	172.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	651.600	31.101	605.000	688.000
NH3-N	5	127.600	28.148	96.000	154.000
NDF	5	426.200	60.018	334.000	496.000
iNDF	5	260.656	34.642	208.000	303.000
nhNDF	5	2.705	0.847	1.590	3.971
Stä	5	138.000	86.663	42.000	277.000
TAF	5	74.200	15.023	53.000	93.000
Mjölksyra	5	54.400	18.501	36.000	73.000
Ättiksyra	5	18.000	10.025	9.000	34.000
Socker	5	34.400	26.894	16.000	80.000
PRF	2	2.000	1.414	1.000	3.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	5	70.696	1.955	68.194	72.774
PBVp20	5	12.253	26.278	-15.426	51.443
NELp20	5	5.629	0.239	5.353	5.970
OE*	2	10.215	0.233	10.050	10.380
Ca	5	6.120	2.432	3.200	8.800
P	5	2.940	0.261	2.600	3.300
Mg	5	1.680	0.409	1.200	2.200
K	5	18.900	2.790	15.300	22.800
Na	5	0.460	0.371	0.200	1.100
Cl	5	6.000	2.279	2.200	7.900
S	5	1.920	0.444	1.400	2.600
CAB	5	214.362	71.762	98.415	283.105

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	244.200	158.533	147.000	519.000
Mn	5	35.800	18.900	14.000	66.000
Zn	5	33.600	11.305	25.000	52.000
Cu	5	7.080	1.388	5.000	8.800

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	327.375	43.3049	273.000	380.000
Aska	16	32.063	6.1261	26.000	39.000
OS smbh	16	74.819	2.4003	71.800	78.400
Råprot	16	73.188	8.0517	64.000	85.000
sRåprot	16	496.750	60.1348	422.000	590.000
NH3-N	15	36.467	17.9040	15.000	59.000
NDF	16	405.688	36.3184	359.000	440.000
iNDF	16	189.396	19.8201	156.000	214.000
nhNDF	16	3.349	0.4659	2.727	3.922
Stä	16	271.500	47.7270	225.000	309.000
TAF	16	60.563	10.2109	52.000	67.000
Mjölksyra	16	42.625	8.3417	31.000	50.000
Ättiksyra	16	14.313	4.4079	10.000	22.000
Socker	16	11.938	8.0703	5.000	23.000
PRF	9	4.111	1.0541	2.000	5.000
BUF	9	0.000	0.0000	0.000	0.000
AATp20	16	82.561	2.7355	78.487	85.954

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	16	-56.180	9.8810	-66.211	-44.441
NELp20	16	6.328	0.1850	6.081	6.591
OE*	10	11.136	0.2202	10.820	11.425
AAT*	1	79.000	.	79.000	79.000
PBV*	1	-72.000	.	-72.000	-72.000
Ca	15	1.627	0.4415	1.200	2.300
P	15	1.773	0.2549	1.500	2.200
Mg	15	1.093	0.3240	0.700	1.300
K	15	9.193	1.4484	7.200	11.100
Na	14	0.200	0.1109	0.100	0.400
Cl	14	1.650	0.3695	1.200	2.100
S	15	0.893	0.1033	0.800	1.000
CAB	15	142.556	34.4131	106.464	169.642
Fe	13	108.923	71.1248	63.000	150.000
Mn	13	29.538	11.1924	18.000	44.000
Zn	13	25.462	5.4866	19.000	30.000
Cu	13	5.000	0.6377	4.100	6.000
Se	4	0.017	0.0220	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	419.000	15.556	408.000	430.000
Aska	2	78.000	11.314	70.000	86.000
OS smbh	2	69.150	5.162	65.500	72.800
Råprot	2	128.500	2.121	127.000	130.000
sRåprot	2	667.500	60.104	625.000	710.000
NH3-N	2	94.500	9.192	88.000	101.000
NDF	2	411.000	52.326	374.000	448.000
iNDF	2	256.660	33.279	233.128	280.192
nhNDF	2	2.707	0.273	2.513	2.900
Stä	2	102.000	24.042	85.000	119.000
TAF	2	72.000	12.728	63.000	81.000
Mjölksyra	2	56.500	13.435	47.000	66.000
Ättiksyra	2	15.500	0.707	15.000	16.000
Socker	2	40.500	24.749	23.000	58.000
AATp20	2	69.024	3.501	66.548	71.499
PBVp20	2	20.244	7.637	14.843	25.644
NELp20	2	5.582	0.421	5.284	5.879
OE*	1	9.300	.	9.300	9.300
AAT*	1	59.000	.	59.000	59.000
PBV*	1	12.000	.	12.000	12.000
Ca	2	8.900	0.707	8.400	9.400
P	2	2.650	0.354	2.400	2.900
Mg	2	1.850	0.071	1.800	1.900
K	2	18.250	5.869	14.100	22.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.250	0.212	0.100	0.400
Cl	2	3.800	1.838	2.500	5.100
S	2	1.650	0.495	1.300	2.000
CAB	2	267.454	76.601	213.289	321.619
Fe	2	484.500	523.966	114.000	855.000
Mn	2	31.500	7.778	26.000	37.000
Zn	2	30.000	0.000	30.000	30.000
Cu	2	7.700	1.131	6.900	8.500

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	815.333	116.331	547.000	956.000
Aska	9	55.889	12.067	39.000	78.000
OS smbh	9	66.156	5.759	56.300	72.800
Råprot	9	88.889	24.568	62.000	125.000
sRåprot	2	514.000	120.208	429.000	599.000
NDF	9	552.111	55.620	473.000	621.000
iNDF	9	224.923	39.337	187.000	296.516
nhNDF	9	3.369	0.526	2.414	3.895
TAF	9	0.000	0.000	0.000	0.000
Socker	9	130.889	21.151	94.000	160.000
AATp20	9	84.307	6.928	73.217	90.696
PBVp20	9	-37.354	15.879	-57.113	-13.686
NELp20	9	5.124	0.501	4.291	5.745

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	9	9.640	0.914	8.100	10.690
AAT*	7	67.143	5.398	59.000	72.000
PBV*	7	-27.571	22.441	-53.000	2.000
Ca	8	3.413	1.609	1.700	6.500
P	8	1.850	0.393	1.400	2.400
Mg	8	1.075	0.358	0.700	1.700
K	8	16.925	3.459	13.700	21.900
Na	8	0.225	0.276	0.100	0.900
Cl	1	1.700	.	1.700	1.700
S	8	1.388	0.409	1.000	2.000
CAB	8	226.703	88.655	151.386	379.446
Fe	6	74.667	17.409	51.000	93.000
Mn	6	52.000	21.429	26.000	80.000
Zn	6	20.333	4.274	17.000	27.000
Cu	6	4.817	1.335	3.400	6.600
Se	2	0.063	0.081	0.006	0.120

Fodermedel=Halm, sträsäd, ej behandlad (385) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	47.000	.	47.000	47.000
iNDF	1	310.570	.	310.570	310.570
NELp20	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	195.000	.	195.000	195.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	188.000	.	188.000	188.000
sRåprot	1	336.000	.	336.000	336.000
NDF	1	353.000	.	353.000	353.000
iNDF	1	236.000	.	236.000	236.000
nhNDF	1	4.215	.	4.215	4.215
TAF	1	72.000	.	72.000	72.000
Socket	1	47.000	.	47.000	47.000
AATp20	1	86.403	.	86.403	86.403
PBVp20	1	56.423	.	56.423	56.423
NELp20	1	6.240	.	6.240	6.240
OE*	1	10.880	.	10.880	10.880
Ca	1	11.700	.	11.700	11.700
P	1	3.200	.	3.200	3.200
Mg	1	2.800	.	2.800	2.800
K	1	24.100	.	24.100	24.100
Na	1	1.500	.	1.500	1.500
Cl	1	0.200	.	0.200	0.200
S	1	2.600	.	2.600	2.600
CAB	1	513.452	.	513.452	513.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	275.000	.	275.000	275.000
Aska	1	115.000	.	115.000	115.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	157.000	.	157.000	157.000
NDF	1	532.000	.	532.000	532.000
iNDF	1	370.009	.	370.009	370.009
nhNDF	1	7.614	.	7.614	7.614
TAF	1	72.000	.	72.000	72.000
Socker	1	11.000	.	11.000	11.000
AATp20	1	73.239	.	73.239	73.239
PBVp20	1	48.101	.	48.101	48.101
NELp20	1	5.281	.	5.281	5.281
OE*	1	8.800	.	8.800	8.800
AAT*	1	64.000	.	64.000	64.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	9.900	.	9.900	9.900
P	1	3.800	.	3.800	3.800
Mg	1	2.900	.	2.900	2.900
K	1	28.100	.	28.100	28.100
Na	1	0.600	.	0.600	0.600
S	1	2.100	.	2.100	2.100
CAB	1	483.930	.	483.930	483.930
Fe	1	204.000	.	204.000	204.000
Mn	1	81.000	.	81.000	81.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	27.000	.	27.000	27.000
Cu	1	9.100	.	9.100	9.100
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.333	57.4485	334.000	434.000
Aska	3	76.667	7.5719	68.000	82.000
OS smbh	3	76.600	0.5000	76.100	77.100
Råprot	3	148.000	23.5160	124.000	171.000
sRåprot	3	633.667	37.9781	590.000	659.000
NH3-N	3	48.667	15.0444	39.000	66.000
NDF	3	391.333	29.6873	366.000	424.000
iNDF	3	178.333	44.0038	131.000	218.000
nhNDF	3	4.241	0.3429	3.913	4.597
TAF	3	55.667	36.6652	34.000	98.000
Mjölksyra	3	39.333	31.7700	20.000	76.000
Ättiksyra	3	13.333	5.5076	8.000	19.000
Socker	3	92.333	30.7463	57.000	113.000
PRF	3	2.667	1.5275	1.000	4.000
BUF	3	0.333	0.5774	0.000	1.000
AATp20	3	81.783	2.5921	78.794	83.407
PBVp20	3	25.503	26.0377	0.287	52.291
NELp20	3	6.254	0.0930	6.194	6.361

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	11.137	0.1305	10.990	11.240
Ca	3	6.600	1.9519	4.600	8.500
P	3	3.033	0.3512	2.700	3.400
Mg	3	2.467	0.3786	2.200	2.900
K	3	29.800	2.3000	27.500	32.100
Na	3	0.267	0.0577	0.200	0.300
Cl	3	3.067	1.5948	1.300	4.400
S	3	2.067	0.5132	1.500	2.500
CAB	3	558.191	80.1881	480.277	640.474
Fe	3	97.333	28.7460	71.000	128.000
Mn	3	57.000	11.5326	44.000	66.000
Zn	3	27.000	3.0000	24.000	30.000
Cu	3	5.667	1.1547	5.000	7.000
Se	3	0.060	0.0173	0.050	0.080

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	365.000	77.782	310.000	420.000
Aska	2	88.000	2.828	86.000	90.000
OS smbh	2	72.300	0.566	71.900	72.700
Råprot	2	179.000	15.556	168.000	190.000
sRåprot	2	454.000	134.350	359.000	549.000
NH3-N	2	47.000	19.799	33.000	61.000
NDF	2	371.500	13.435	362.000	381.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	302.500	0.707	302.000	303.000
nhNDF	2	3.812	0.008	3.807	3.817
TAF	2	74.500	10.607	67.000	82.000
Mjölksyra	2	50.000	5.657	46.000	54.000
Ättiksyra	2	23.000	4.243	20.000	26.000
Socker	2	44.500	12.021	36.000	53.000
PRF	2	1.500	0.707	1.000	2.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	80.084	3.097	77.894	82.274
PBVp20	2	58.242	9.803	51.310	65.174
NELp20	2	5.964	0.124	5.876	6.051
OE*	2	10.305	0.064	10.260	10.350
Ca	2	11.750	1.061	11.000	12.500
P	2	3.200	0.141	3.100	3.300
Mg	2	2.850	0.354	2.600	3.100
K	2	26.050	0.636	25.600	26.500
Na	2	1.050	0.354	0.800	1.300
Cl	2	2.850	3.465	0.400	5.300
S	2	2.450	0.354	2.200	2.700
CAB	2	478.486	74.599	425.736	531.236

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	447.500	20.793	429.000	466.000
Aska	4	74.750	4.500	71.000	80.000
OS smbh	4	75.050	1.654	73.200	77.000
Råprot	4	171.750	3.775	167.000	176.000
sRåprot	4	439.750	30.412	421.000	485.000
NH3-N	4	88.500	7.550	80.000	98.000
NDF	4	354.000	44.736	307.000	407.000
iNDF	4	223.250	17.231	211.000	248.000
nhNDF	4	3.354	0.454	3.047	4.027
Stä	4	145.250	53.761	72.000	198.000
TAF	4	39.250	11.383	27.000	54.000
Mjölksyra	4	27.750	9.743	21.000	42.000
Ättiksyra	4	6.500	4.509	0.000	10.000
Socker	4	20.750	6.602	12.000	28.000
PRF	4	2.750	0.500	2.000	3.000
BUF	4	2.250	0.957	1.000	3.000
AATp20	4	91.179	2.679	87.511	93.909
PBVp20	4	33.900	2.732	30.700	37.068
NELp20	4	6.353	0.155	6.183	6.542
OE*	4	10.908	0.283	10.650	11.270
Ca	4	5.925	0.310	5.500	6.200
P	4	4.450	0.129	4.300	4.600
Mg	4	3.125	0.655	2.700	4.100
K	4	14.900	0.753	14.000	15.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	5.975	2.195	2.800	7.800
Cl	4	6.000	1.203	5.100	7.700
S	4	3.650	1.234	3.000	5.500
CAB	4	243.718	187.739	-34.820	359.775
Fe	4	296.000	56.059	241.000	371.000
Mn	4	106.750	59.791	69.000	196.000
Zn	4	69.000	20.736	48.000	97.000
Cu	4	9.750	2.754	7.000	13.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	444.000	.	444.000	444.000
Aska	1	67.000	.	67.000	67.000
OS smbh	2	40.300	56.9928	0.000	80.600
Råprot	1	182.000	.	182.000	182.000
sRåprot	1	455.000	.	455.000	455.000
NH3-N	1	35.000	.	35.000	35.000
NDF	1	288.000	.	288.000	288.000
iNDF	1	152.733	.	152.733	152.733
nhNDF	1	3.717	.	3.717	3.717
Stä	1	160.000	.	160.000	160.000
Socker	1	38.000	.	38.000	38.000
NELp20	2	0.000	0.0000	0.000	0.000
Ca	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.900	.	3.900	3.900
Mg	1	2.800	.	2.800	2.800
K	1	15.500	.	15.500	15.500
Na	1	5.100	.	5.100	5.100
Cl	1	11.700	.	11.700	11.700
S	1	2.500	.	2.500	2.500
CAB	1	132.331	.	132.331	132.331
Fe	1	318.000	.	318.000	318.000
Mn	1	71.000	.	71.000	71.000
Zn	1	62.000	.	62.000	62.000
Cu	1	13.500	.	13.500	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet