

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	25	803	24	79.4	126	256	6.7	132	151	3.15	591	0.0000			5
Havre, kärna, hög NDF (002)	1	4	815	27	75.0	119		6.0		392	2.00	511	0.0000			
Vete, kärna (005)	1	7	817	23	75.4	141	255	5.5	164	164	3.50	599	0.0000			5
Rågvete (015)	1	2	866	21	89.5	120				187	3.50	648	0.0000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	857	25	87.0	120		6.0		173	3.30	555	0.0000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	829	17	81.6	114		7.0		324	2.50	535	0.0000			
Majs hela plantan, grönmassa (030)	1	2	234	48	75.1	99	467		459	169	4.22	122	57.0000			89
Grönmassa, gräs (0% baljv.) (161)	1	2	600	61	70.5	121			575	175	4.41		61.0000			80
Ensilage, gräs (0% klöver) (162)	1	15	351	75	73.6	128	610	80.9	473	169	4.23		68.6375	51.6	12.9	63
Ensilage, gräs (0% klöver) (162)	2	8	363	80	71.0	132	514	79.4	492	197	3.98		72.7500	53.0	16.0	45
Ensilage, gräs (0% klöver) (162)	3	6	362	76	74.6	136	535	90.5	442	172	4.11		65.6500	47.5	13.7	71
Grönmassa blandvall (1-50 % baljväxter) (164)	0	3	669	82	70.1	108			487	202	3.89		84.0000			126
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	400	68	77.7	122	507		464	125	5.24		80.0882	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16	553	80	75.4	130			486	144	5.07		84.0000			116
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	508	88	70.1	132	334		484	205	3.68		84.0000			81
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	269	118	79.8	203	570		394	122	6.62		84.0000			35
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	464	90	80.2	177			445	96	5.89		84.0000			68
Ensilage, blandvall (1-50% klöver) (165)	0	15	426	70	71.9	124	507	73.3	485	188	4.00		60.1267	46.5	11.6	64
Ensilage, blandvall (1-50% klöver) (165)	1	184	391	66	75.5	132	599	76.0	453	157	4.48		73.0649	56.6	13.8	72
Ensilage, blandvall (1-50% klöver) (165)	2	126	408	78	73.7	139	516	76.4	456	177	4.12		64.8992	49.2	13.3	59
Ensilage, blandvall (1-50% klöver) (165)	3	78	389	87	73.0	140	512	80.4	436	194	3.86		68.5551	52.4	13.7	59
Ensilage, blandvall (1-50% klöver) (165)	4	8	360	87	75.1	164	534	90.4	402	180	3.91		77.8250	60.6	13.9	54
Korn, helsädesensilage (250)	1	3	380	57	64.8	93	619	128	457	302	2.47	180	50.2333	38.0	11.7	41
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	355	63	65.4	102	514	70.8	456	286	2.41	142	72.7500	53.5	17.3	26
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	357	50	69.4	147	620	57.0	367	298	2.07	165	79.9000	67.0	11.0	26

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socket
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	363	59	66.3	104	641	109	440	399	4.75	115	82.2500	60.5	17.8	34
Havre helsädesensilage degmognad (296)	1	2	381	69	64.3	113	740	88.0	509	268	2.76	37	81.0000	63.5	17.5	35
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	364	69	68.6	124	595	77.6	447	289	3.38	100	79.8000	54.0	23.4	39
Vete, helsäd ensilage (299)	1	5	409	69	65.6	105	685	114	455	279	2.63	130	60.5000	41.0	17.0	40
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	16	416	61	68.1	115	645	92.6	450	256	2.77	112	66.5000	52.5	14.0	39
Majs, helsädesensilage (305)	1	4	262	43	72.6	85	529	58.3	484	191	3.83	116	53.0000	33.8	15.8	63
Ärter, helsädesensilage, sen skörd (315)	1	1	255	126	74.9	149	574	121	329	202	3.17	96	99.0000	81.0	18.0	27
Hö, blandvall, 0-50% baljväxter (383)	0	3	874	59	61.0	57			583	270	2.86		0.0000			120
Hö, blandvall, 0-50% baljväxter (383)	1	17	847	58	65.9	76			554	229	3.44		0.0000			135
Hö, blandvall, 0-50% baljväxter (383)	3	1	846	104	74.6	120			482	149	4.74		0.0000			91
Ensilage, blandvall (51-100% klöver) (438)	1	1	329	62	78.4	121	663	90.0	419	184	6.24		38.3000	26.0	11.0	110
Ensilage, blandvall (1-50% klöver) (326)	1	4	697	68	77.9	162	319	42.5	250	113	2.19	245	53.0000	44.5	11.0	53
Fullfoder (TMR) ej kompletta data (1E3)	1	2	430	81	51.8	170	518	59.5	313	176	3.48	162				51

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	25				95.7	-18	7.33	13.3	94.0	-38
Havre, kärna, hög NDF (002)	1	4				82.8	0.8	6.25			
Vete, kärna (005)	1	7				115	-28	7.93	13.7		
Rågvete (015)	1	2				108	-39	7.80			
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				105	-35	7.49			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				102	-34	7.13			
Majs hela plantan, grönmassa (030)	1	2				85.7	-39	6.06			
Grönmassa, gräs (0% baljv.) (161)	1	2				82.0	-5.8	5.77	10.3	73.0	-3.5
Ensilage, gräs (0% klöver) (162)	1	15	3.8000	2.48000		79.6	5.6	5.95	10.7	71.1	5.0
Ensilage, gräs (0% klöver) (162)	2	8	6.0000	0.87500		78.4	9.6	5.76	10.2	68.8	5.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	3	6	3.0000	3.15000		82.2	7.3	5.98	10.8	71.2	14.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	3				76.0	-6.0	5.53	10.0	70.3	-12
Grönmassa blandvall (1-50 % baljväxter) (164)	1	34	10.5000	7.00000		85.8	-9.6	6.28	11.4	78.8	-15
Grönmassa blandvall (1-50 % baljväxter) (164)	2	16				83.1	2.4	6.10	10.9	75.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6				77.8	13.5	5.63	9.9	69.6	11.4
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2				87.6	63.1	6.54	11.1	74.0	61.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1				89.4	36.3	6.70	11.6	79.0	41.0
Ensilage, blandvall (1-50% klöver) (165)	0	15		1.06000		81.2	0.3	5.82	10.4	69.9	3.9
Ensilage, blandvall (1-50% klöver) (165)	1	184	3.8636	1.28804		82.6	5.2	6.17	11.1	72.0	5.9
Ensilage, blandvall (1-50% klöver) (165)	2	126	3.0769	1.17698		82.7	12.2	5.98	10.7	70.6	17.2
Ensilage, blandvall (1-50% klöver) (165)	3	78	1.7333	1.36282		81.0	15.9	5.86	10.4	69.9	19.5
Ensilage, blandvall (1-50% klöver) (165)	4	8		2.32500		82.8	35.3	6.09	10.8	70.8	41.9
Korn, helsädesensilage (250)	1	3	0.0000	0.00000		68.3	-16	5.23	9.9		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4				69.5	-6.7	5.42			
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				71.6	30.9	5.83			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.3333	3.00000		67.2	-0.8	5.47	9.5		
Havre helsädesensilage degmognad (296)	1	2				65.3	8.1	5.24			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	3.6667	0.33333		69.0	13.6	5.69	9.8		
Vete, helsäd ensilage (299)	1	5				67.0	-3.2	5.31	9.6	63.0	-44
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	16				71.8	1.2	5.56			
Majs, helsädesensilage (305)	1	4	5.0000	0.00000		80.6	-43	5.89	11.2		
Ärter, helsädesensilage, sen skörd (315)	1	1				69.9	35.9	5.85			
Hö, blandvall, 0-50% baljväxter (383)	0	3				75.8	-53	4.57	8.7	63.0	-50
Hö, blandvall, 0-50% baljväxter (383)	1	17				82.3	-46	5.02	9.4	67.3	-42
Hö, blandvall, 0-50% baljväxter (383)	3	1				91.8	-21	5.71	10.5	74.0	-6.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (51-100% klöver) (438)	1	1		0.30000		85.7	-6.9	6.31	11.6	74.0	-5.0
Ensilage, blandvall (1-50% klöver) (326)	1	4	4.5000	0.00000		94.6	19.3	6.64	11.5		
Fullfoder (TMR) ej kompletta data (1E3)	1	2						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	9	0.4	2.8	1.0	4.4	0.1	1.6	1.0	19	9	89.3	18.9	33.2	5.9	0.0
Havre, kärna, hög NDF (002)	1	2	0.6	3.7	1.3	5.6	0.1		1.3	50	2	76.5	33.0	33.5	5.3	
Vete, kärna (005)	1	4	0.5	3.7	1.4	4.9	0.1		1.4	19	4	75.8	40.0	34.8	5.9	0.0
Rågvete (015)	1	1	0.4	3.5	1.4	6.0	0.1		1.4	51	1	58.0	35.0	40.0	7.0	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.5	3.1	1.2	4.9	0.1		1.4	20	1	75.0	32.0	27.0	3.3	
Grönmassa, gräs (0% baljv.) (161)	1	2	3.4	2.3	1.3	23.4	0.1		1.6	365	2	69.5	63.5	32.0	4.9	
Ensilage, gräs (0% klöver) (162)	1	15	5.0	2.3	1.7	21.3	0.6	4.3	1.9	332	15	432.6	81.5	27.8	6.3	0.0
Ensilage, gräs (0% klöver) (162)	2	8	5.7	2.9	2.2	22.8	0.7	6.1	2.3	296	8	393.8	105.5	28.5	7.6	0.0
Ensilage, gräs (0% klöver) (162)	3	5	7.5	3.2	2.7	20.3	0.8	3.6	2.5	292	5	242.4	123.0	27.0	8.1	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	3	7.0	2.8	2.2	22.0	0.3		1.7	338	3	144.3	73.3	21.3	6.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	29	4.5	2.3	1.6	21.7	0.5	7.8	1.6	341	27	121.2	53.6	23.6	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	15	5.6	2.9	2.2	23.1	0.7		1.8	370	15	96.7	73.1	23.7	6.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	7.4	3.0	2.7	20.7	0.9	15.3	2.4	237	6	246.2	90.7	27.2	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	2	8.1	3.9	3.0	28.1	1.0	14.7	2.9	308	2	417.5	73.0	27.5	10.6	
Grönmassa blandvall (1-50 % baljväxter) (164)	5	1	6.6	2.9	2.6	26.7	1.0		2.3	450	1	146.0	74.0	31.0	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	14	5.9	2.5	2.1	19.5	0.7	4.0	2.0	288	14	252.9	98.0	27.6	6.8	
Ensilage, blandvall (1-50% klöver) (165)	1	177	4.9	2.3	1.7	21.0	0.4	3.5	1.8	346	172	187.6	59.5	26.9	5.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	117	6.8	2.7	2.3	22.9	0.6	5.5	2.1	327	117	186.4	82.1	27.2	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	78	7.6	2.7	2.6	20.8	0.7	5.6	2.3	261	77	355.6	98.3	26.7	7.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	4	7	8.5	3.0	2.7	22.1	0.7	6.7	2.4	278	7	232.6	92.3	27.7	7.7	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, helsädesensilage (250)	1	3	3.6	2.5	1.3	15.8	0.6	6.7	1.7	137	3	190.3	31.7	20.0	4.9	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	3.7	2.5	1.5	18.5	1.2	3.3	1.6	331	4	227.0	75.0	31.8	5.3	
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	5.0	2.5	1.7	12.8	1.4	0.6	1.2	296	1	103.0	62.0	30.0	8.6	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.9	2.3	1.7	11.8	1.1	5.7	1.7	87	5	472.2	76.0	31.8	6.1	0.0
Havre helsädesensilage degmognad (296)	1	1	2.7	2.2	1.4	20.4	1.0	5.8	1.8	337	1	386.0	57.0	23.0	5.2	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.8	1.9	19.5	0.6	4.2	2.0	274	3	128.7	61.0	31.7	5.8	0.1
Vete, helsäd ensilage (299)	1	4	2.9	2.5	1.6	17.9	0.4	2.9	1.7	287	4	281.3	71.3	27.5	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	15	5.7	2.5	1.9	16.5	0.7	3.4	1.5	264	15	180.7	46.3	29.4	5.9	
Majs, helsädesensilage (305)	1	3	2.8	2.2	1.6	9.9	0.2	3.3	0.9	110	3	321.3	30.3	23.7	5.6	0.1
Ärter, helsädesensilage, sen skörd (315)	1	1	12.9	2.9	2.6	17.3	0.6	3.5	2.1	239	1	823.0	58.0	37.0	5.6	
Hö, blandvall, 0-50% baljväxter (383)	0	3	2.4	1.4	0.9	15.0	0.1		1.0	183	3	122.7	166.3	42.7	24.6	
Hö, blandvall, 0-50% baljväxter (383)	1	13	3.7	1.8	1.4	14.0	0.1		1.3	143	13	205.4	85.3	21.6	4.4	0.0
Hö, blandvall, 0-50% baljväxter (383)	3	1	5.5	4.0	2.4	33.8	0.3		1.7	630	1	108.0	43.0	23.0	7.1	
Ensilage, blandvall (1-50% klöver) (326)	1	4	7.9	4.5	3.6	11.5	2.9	5.1	2.6	112	4	282.3	112.8	73.8	15.5	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	2	7.8	3.5	2.7	19.3	5.6	5.8	2.0	447	2	429.5	87.5	75.0	15.8	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	803.400	46.065	734.000	847.000
Aska	26	24.488	3.244	20.400	28.400
OS smbh	26	79.385	23.370	86.000	86.000
Råprot	26	126.142	11.441	114.000	140.800
sRåprot	2	255.500	126.572	166.000	345.000
NH3-N	11	6.727	0.905	6.000	8.000
NDF	2	131.500	33.234	108.000	155.000
iNDF	26	151.462	37.229	162.000	162.000
nhNDF	26	3.150	0.000	3.150	3.150
Stä	26	590.935	49.621	526.000	649.200
TAF	26	0.000	0.000	0.000	0.000
Socker	2	5.000	0.000	5.000	5.000
AATp20	26	95.667	1.218	94.667	96.389
PBVp20	26	-17.583	10.041	-29.754	-2.980
NELp20	26	7.326	0.149	7.144	7.520
OE*	4	13.300	0.141	13.200	13.500
AAT*	2	94.000	0.000	94.000	94.000
PBV*	2	-38.000	11.314	-46.000	-30.000
Ca	9	0.356	0.213	0.000	0.600
P	9	2.756	1.582	0.000	3.800
Mg	9	1.011	0.578	0.000	1.400
K	9	4.433	2.583	0.000	6.400
Na	9	0.078	0.044	0.000	0.100
Cl	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	9	1.011	0.586	0.000	1.500
CAB	9	18.517	35.981	-33.803	59.228
Fe	9	89.333	72.780	49.000	282.000
Mn	9	18.889	2.571	15.000	22.000
Zn	9	33.222	5.044	28.000	43.000
Cu	9	5.922	1.128	4.400	7.500
Se	3	0.020	0.026	0.005	0.050

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	815.250	19.2938	799.000	841.000
Aska	4	27.225	3.0988	24.400	31.000
OS smbh	5	75.000	0.0000	75.000	75.000
Råprot	4	119.025	12.4687	101.100	128.000
NH3-N	2	6.000	0.0000	6.000	6.000
iNDF	5	392.000	0.0000	392.000	392.000
nhNDF	5	2.000	0.0000	2.000	2.000
Stä	4	510.700	52.7268	465.000	582.000
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	82.825	1.9392	81.147	85.947
PBVp20	5	0.835	10.1841	-14.636	10.141
NELp20	5	6.255	0.1586	6.140	6.500
Ca	2	0.600	0.1414	0.500	0.700
P	2	3.700	0.5657	3.300	4.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	1.250	0.2121	1.100	1.400
K	2	5.600	0.1414	5.500	5.700
Na	2	0.100	0.0000	0.100	0.100
S	2	1.250	0.0707	1.200	1.300
CAB	2	49.727	8.0363	44.044	55.410
Fe	2	76.500	14.8492	66.000	87.000
Mn	2	33.000	26.8701	14.000	52.000
Zn	2	33.500	6.3640	29.000	38.000
Cu	2	5.300	0.4243	5.000	5.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	816.714	57.7313	769.000	929.000
Aska	7	23.243	11.2583	15.200	48.100
OS smbh	7	75.429	33.2609	0.000	88.000
Råprot	7	140.557	33.1565	112.000	210.400
sRåprot	1	255.000	.	255.000	255.000
NH3-N	2	5.500	0.7071	5.000	6.000
NDF	1	164.000	.	164.000	164.000
iNDF	7	163.857	61.2302	25.000	187.000
nhNDF	7	3.500	0.0000	3.500	3.500
Stä	7	599.157	79.4719	474.000	679.900
TAF	7	0.000	0.0000	0.000	0.000
Socket	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	115.206	3.1563	110.150	119.959
PBVp20	7	-27.822	29.7806	-50.009	36.287
NELp20	7	7.925	0.1007	7.778	8.057
OE*	1	13.700	.	13.700	13.700
Ca	4	0.450	0.1291	0.300	0.600
P	4	3.675	0.5058	3.100	4.300
Mg	4	1.400	0.1633	1.200	1.600
K	4	4.875	0.0957	4.800	5.000
Na	4	0.100	0.0000	0.100	0.100
S	4	1.350	0.1291	1.200	1.500
CAB	4	19.301	8.7423	8.008	26.758
Fe	4	75.750	60.4394	39.000	166.000
Mn	4	40.000	14.5373	26.000	57.000
Zn	4	34.750	2.6300	31.000	37.000
Cu	4	5.900	1.9528	4.300	8.700
Se	1	0.005	.	0.005	0.005

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	866.000	22.6274	850.000	882.000
Aska	2	20.750	2.7577	18.800	22.700
OS smbh	2	89.479	0.0000	89.479	89.479
Råprot	2	119.550	2.3335	117.900	121.200
iNDF	2	187.000	0.0000	187.000	187.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.500	0.0000	3.500	3.500
Stä	2	647.700	37.3352	621.300	674.100
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	108.363	1.3435	107.413	109.313
PBVp20	2	-38.881	0.1571	-38.992	-38.770
NELp20	2	7.798	0.0142	7.788	7.808
Ca	1	0.400	.	0.400	0.400
P	1	3.500	.	3.500	3.500
Mg	1	1.400	.	1.400	1.400
K	1	6.000	.	6.000	6.000
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	50.582	.	50.582	50.582
Fe	1	58.000	.	58.000	58.000
Mn	1	35.000	.	35.000	35.000
Zn	1	40.000	.	40.000	40.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	857.000	.	857.000	857.000
Aska	1	25.000	.	25.000	25.000
OS smbh	2	87.000	0.00000	87.000	87.000
Råprot	1	120.000	.	120.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	6.000	.	6.000	6.000
iNDF	2	173.000	0.00000	173.000	173.000
nhNDF	2	3.300	0.00000	3.300	3.300
Stä	1	555.000	.	555.000	555.000
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	105.201	0.61675	104.765	105.637
PBVp20	2	-35.391	0.98277	-36.086	-34.696
NELp20	2	7.492	0.12710	7.402	7.582

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	829.000	.	829.000	829.000
Aska	1	17.000	.	17.000	17.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	114.000	.	114.000	114.000
NH3-N	1	7.000	.	7.000	7.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	535.000	.	535.000	535.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.589	.	101.589	101.589
PBVp20	1	-33.594	.	-33.594	-33.594
NELp20	1	7.134	.	7.134	7.134
Ca	1	0.500	.	0.500	0.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	4.900	.	4.900	4.900
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	19.632	.	19.632	19.632
Fe	1	75.000	.	75.000	75.000
Mn	1	32.000	.	32.000	32.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.300	.	3.300	3.300

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	234.000	1.4142	233.000	235.000
Aska	2	47.500	0.7071	47.000	48.000
OS smbh	2	75.100	1.6971	73.900	76.300
Råprot	2	99.000	1.4142	98.000	100.000
sRåprot	2	467.000	74.9533	414.000	520.000
NDF	2	459.000	11.3137	451.000	467.000
iNDF	2	169.483	16.7723	157.623	181.343
nhNDF	2	4.216	0.3161	3.993	4.440
Stä	2	121.500	16.2635	110.000	133.000
TAF	2	57.000	0.0000	57.000	57.000
Socker	2	89.000	46.6690	56.000	122.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	85.656	0.0757	85.603	85.710
PBVp20	2	-39.234	1.2622	-40.126	-38.341
NELp20	2	6.065	0.0903	6.001	6.129
CI	2	1.100	0.2828	0.900	1.300

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	599.500	296.278	390.000	809.000
Aska	2	60.500	12.021	52.000	69.000
OS smbh	2	70.500	5.091	66.900	74.100
Råprot	2	121.000	9.899	114.000	128.000
NDF	2	575.000	63.640	530.000	620.000
iNDF	2	175.175	26.872	156.174	194.176
nhNDF	2	4.407	0.425	4.107	4.708
TAF	2	61.000	0.000	61.000	61.000
Socker	2	80.000	91.924	15.000	145.000
AATp20	2	82.038	4.496	78.859	85.217
PBVp20	2	-5.816	16.651	-17.590	5.958
NELp20	2	5.766	0.339	5.526	6.006
OE*	2	10.300	0.990	9.600	11.000
AAT*	2	73.000	5.657	69.000	77.000
PBV*	2	-3.500	19.092	-17.000	10.000
Ca	2	3.400	1.131	2.600	4.200
P	2	2.250	0.354	2.000	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	1.250	0.212	1.100	1.400
K	2	23.400	8.768	17.200	29.600
Na	2	0.100	0.000	0.100	0.100
S	2	1.550	0.212	1.400	1.700
CAB	2	365.093	210.990	215.900	514.286
Fe	2	69.500	40.305	41.000	98.000
Mn	2	63.500	9.192	57.000	70.000
Zn	2	32.000	0.000	32.000	32.000
Cu	2	4.850	0.212	4.700	5.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	351.200	112.419	262.000	475.00
Aska	15	74.800	23.608	53.000	100.00
OS smbh	16	73.563	4.156	67.200	78.60
Råprot	15	128.400	21.105	110.000	157.00
sRåprot	15	609.867	92.554	457.000	708.00
NH3-N	15	80.933	43.452	41.000	127.00
NDF	15	473.133	59.156	387.000	541.00
iNDF	16	168.770	36.601	124.000	220.32
nhNDF	16	4.227	0.595	3.471	5.16
TAF	16	68.638	23.942	42.000	108.00
Mjölksyra	15	51.600	20.413	28.000	77.00
Ättiksyra	15	12.933	5.910	7.000	19.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	15	62.867	38.506	25.000	130.00
PRF	5	3.800	2.168	2.000	7.00
BUF	15	2.480	5.268	0.000	5.80
AATp20	16	79.604	4.692	73.142	84.97
PBVp20	16	5.623	17.710	-17.115	29.28
NELp20	16	5.946	0.358	5.371	6.50
OE*	15	10.676	0.723	9.800	11.60
AAT*	10	71.100	2.470	67.500	73.50
PBV*	10	5.000	21.965	-15.000	38.50
Ca	15	4.960	1.676	3.100	6.30
P	15	2.320	0.506	1.500	2.80
Mg	15	1.660	0.320	1.200	2.10
K	15	21.293	7.214	13.600	29.90
Na	15	0.567	0.482	0.100	1.10
Cl	15	4.293	2.425	0.800	6.70
S	15	1.867	0.417	1.400	2.50
CAB	15	331.619	138.047	191.037	500.74
Fe	15	432.600	507.855	73.000	1439.00
Mn	15	81.533	30.526	51.000	124.00
Zn	15	27.800	4.379	21.000	32.00
Cu	15	6.287	0.671	5.300	7.30
Se	5	0.023	0.019	0.007	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	362.875	165.981	196.000	717.00
Aska	8	80.125	11.243	63.000	96.00
OS smbh	8	71.013	4.780	60.400	76.80
Råprot	8	131.625	22.570	85.000	154.00
sRåprot	8	514.125	87.584	364.000	596.00
NH3-N	8	79.375	25.595	47.000	126.00
NDF	8	491.500	35.355	437.000	546.00
iNDF	8	196.520	46.095	150.808	300.19
nhNDF	8	3.981	0.738	2.369	4.80
TAF	8	72.750	32.161	10.500	109.00
Mjölksyra	8	53.000	25.579	2.000	87.00
Ättiksyra	8	16.000	8.912	7.000	35.00
Socker	8	45.000	24.219	24.000	96.00
PRF	3	6.000	1.732	5.000	8.00
BUF	8	0.875	1.410	0.000	4.00
AATp20	8	78.436	3.239	72.986	83.69
PBVp20	8	9.605	17.901	-23.521	33.22
NELp20	8	5.758	0.557	4.513	6.31
OE*	8	10.184	0.812	8.500	11.30
AAT*	5	68.800	3.271	64.000	73.00
PBV*	5	5.200	19.215	-24.000	27.00
Ca	8	5.663	1.409	4.200	8.60
P	8	2.863	0.597	1.600	3.40
Mg	8	2.213	0.624	1.300	3.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	8	22.825	7.150	12.800	34.50
Na	8	0.650	0.417	0.100	1.30
Cl	8	6.050	3.147	1.500	9.10
S	8	2.325	0.721	1.200	3.20
CAB	8	296.285	117.680	130.108	526.05
Fe	8	393.750	338.903	99.000	1053.00
Mn	8	105.500	48.306	38.000	201.00
Zn	8	28.500	5.976	19.000	34.00
Cu	8	7.588	1.813	4.500	10.00
Se	3	0.038	0.021	0.014	0.05

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	362.333	112.438	238.000	567.000
Aska	6	75.667	5.922	67.000	82.000
OS smbh	6	74.567	2.436	71.500	77.100
Råprot	6	135.833	12.189	123.000	159.000
sRåprot	6	534.833	58.486	445.000	603.000
NH3-N	6	90.500	46.711	41.000	148.000
NDF	6	442.333	27.638	415.000	489.000
iNDF	6	171.851	23.832	149.649	204.234
nhNDF	6	4.113	0.391	3.583	4.478
TAF	6	65.650	24.738	29.400	105.300
Mjölksyra	6	47.500	21.520	19.000	81.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	13.667	2.875	8.000	16.000
Socker	6	71.333	36.286	27.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	6	3.150	4.376	0.000	10.000
AATp20	6	82.213	4.885	75.177	88.748
PBVp20	6	7.262	11.606	-6.885	23.931
NELp20	6	5.980	0.216	5.649	6.229
OE*	6	10.835	0.376	10.400	11.300
AAT*	5	71.200	1.095	70.000	72.000
PBV*	5	14.000	12.490	3.000	35.000
Ca	5	7.460	2.080	4.700	10.400
P	5	3.180	0.614	2.500	4.100
Mg	5	2.740	0.358	2.300	3.300
K	5	20.260	3.310	16.400	23.600
Na	5	0.800	0.212	0.600	1.100
Cl	6	3.567	2.184	0.800	6.100
S	5	2.520	0.526	1.800	3.200
CAB	5	291.779	122.643	151.526	480.566
Fe	5	242.400	256.130	115.000	699.000
Mn	5	123.000	31.718	93.000	163.000
Zn	5	27.000	4.583	20.000	32.000
Cu	5	8.120	1.805	6.200	11.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	668.667	242.655	408.000	888.000
Aska	3	82.333	14.012	68.000	96.000
OS smbh	3	70.067	9.152	60.800	79.100
Råprot	3	108.333	51.926	53.000	156.000
NDF	3	486.667	42.829	459.000	536.000
iNDF	3	201.963	92.782	104.087	288.634
nhNDF	3	3.894	1.651	2.498	5.717
TAF	3	84.000	0.000	84.000	84.000
Socker	3	125.667	21.362	110.000	150.000
AATp20	3	76.028	11.121	64.736	86.970
PBVp20	3	-6.035	30.314	-39.127	20.391
NELp20	3	5.526	0.905	4.622	6.433
OE*	3	9.967	1.350	8.600	11.300
AAT*	3	70.333	8.021	62.000	78.000
PBV*	3	-12.333	37.899	-53.000	22.000
Ca	3	7.033	1.159	5.800	8.100
P	3	2.833	0.603	2.200	3.400
Mg	3	2.200	0.436	1.700	2.500
K	3	21.967	6.850	15.100	28.800
Na	3	0.333	0.404	0.100	0.800
S	3	1.700	0.700	1.200	2.500
CAB	3	337.656	150.008	183.143	482.711
Fe	3	144.333	60.119	75.000	182.000
Mn	3	73.333	14.844	57.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	21.333	3.786	17.000	24.000
Cu	3	6.433	1.950	4.200	7.800

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	34	399.941	133.466	230.000	551.000
Aska	34	68.265	9.060	60.000	80.000
OS smbh	34	77.697	4.089	72.700	83.100
Råprot	34	121.794	27.308	87.000	158.000
sRåprot	2	506.500	34.648	482.000	531.000
NDF	34	463.824	54.355	393.000	542.000
iNDF	34	125.335	38.616	74.751	179.644
nhNDF	34	5.239	0.899	4.198	6.706
TAF	34	80.088	15.883	84.000	84.000
Mjölksyra	2	0.000	0.000	0.000	0.000
Ättiksyra	2	0.000	0.000	0.000	0.000
Socker	34	146.912	60.883	64.000	233.000
PRF	2	10.500	0.707	10.000	11.000
BUF	2	7.000	1.414	6.000	8.000
AATp20	34	85.804	4.797	79.881	92.571
PBVp20	34	-9.590	23.195	-47.289	18.881
NELp20	34	6.282	0.334	5.816	6.635
OE*	34	11.430	0.715	10.600	12.300
AAT*	32	78.781	4.086	74.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	32	-15.125	27.885	-59.000	15.000
Ca	29	4.452	1.325	3.200	7.100
P	29	2.338	0.420	1.700	2.800
Mg	29	1.572	0.341	1.200	2.300
K	29	21.676	4.923	15.300	29.100
Na	29	0.507	0.747	0.100	1.100
Cl	2	7.800	1.980	6.400	9.200
S	29	1.552	0.383	1.000	2.100
CAB	29	341.009	115.939	183.159	522.449
Fe	27	121.222	66.424	61.000	213.000
Mn	27	53.556	24.219	32.000	79.000
Zn	27	23.630	5.520	18.000	34.000
Cu	27	4.967	1.259	3.400	7.100
Se	3	0.013	0.004	0.009	0.017

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	552.938	201.291	353.000	891.000
Aska	16	80.313	10.688	62.000	93.000
OS smbh	16	75.413	5.449	68.300	80.100
Råprot	16	129.813	25.605	95.000	162.000
NDF	16	485.625	42.256	449.000	544.000
iNDF	16	143.927	52.381	94.826	200.074
nhNDF	16	5.075	1.297	3.896	6.081

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	16	84.000	0.000	84.000	84.000
Socker	16	115.563	36.372	76.000	168.000
AATp20	16	83.071	6.203	73.793	91.504
PBVp20	16	2.413	17.101	-26.246	26.491
NELp20	16	6.105	0.512	5.380	6.772
OE*	16	10.900	0.861	9.700	11.900
AAT*	16	75.563	4.560	69.000	80.000
PBV*	16	0.000	20.865	-35.000	28.000
Ca	15	5.593	1.621	3.300	7.700
P	15	2.913	0.422	2.500	3.600
Mg	15	2.180	0.428	1.700	2.700
K	15	23.053	6.134	12.600	29.900
Na	15	0.653	0.707	0.200	1.400
S	15	1.847	0.410	1.300	2.400
CAB	15	370.194	141.774	159.677	524.703
Fe	15	96.667	55.138	61.000	157.000
Mn	15	73.067	31.178	41.000	116.000
Zn	15	23.667	4.467	19.000	29.000
Cu	15	6.047	0.832	4.800	6.900
Se	1	0.009	.	0.009	0.009

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	508.000	257.736	318.000	1000.00
Aska	6	87.500	11.777	71.000	101.00
OS smbh	6	70.100	4.796	63.400	75.50
Råprot	6	132.167	27.014	80.000	156.00
sRåprot	1	334.000	.	334.000	334.00
NDF	6	484.167	33.997	422.000	526.00
iNDF	6	204.593	69.911	136.189	323.06
nhNDF	6	3.684	1.032	2.004	5.06
TAF	6	84.000	0.000	84.000	84.00
Socker	6	80.833	26.559	31.000	107.00
AATp20	6	77.808	6.292	70.116	86.41
PBVp20	6	13.501	23.986	-22.866	47.69
NELp20	6	5.635	0.486	5.009	6.11
OE*	6	9.947	0.798	8.800	10.78
AAT*	5	69.600	4.099	65.000	75.00
PBV*	5	11.400	28.936	-33.000	44.00
Ca	6	7.433	1.424	6.300	10.00
P	6	3.000	0.681	2.100	4.00
Mg	6	2.717	0.542	2.000	3.50
K	6	20.717	10.176	5.500	33.10
Na	6	0.867	0.612	0.200	1.60
Cl	1	15.300	.	15.300	15.30
S	6	2.367	0.509	1.400	2.90
CAB	6	237.443	264.061	-84.664	581.54

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	246.167	138.547	92.000	422.00
Mn	6	90.667	66.842	42.000	221.00
Zn	6	27.167	12.106	18.000	51.00
Cu	6	7.617	2.517	4.100	11.60
Se	1	0.043	.	0.043	0.04

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	268.500	14.849	258.000	279.000
Aska	2	117.500	19.092	104.000	131.000
OS smbh	2	79.800	5.091	76.200	83.400
Råprot	2	202.500	17.678	190.000	215.000
sRåprot	1	570.000	.	570.000	570.000
NDF	2	394.000	49.497	359.000	429.000
iNDF	2	122.128	34.122	98.000	146.256
nhNDF	2	6.615	2.916	4.553	8.677
TAF	2	84.000	0.000	84.000	84.000
Socket	2	34.500	6.364	30.000	39.000
AATp20	2	87.613	3.754	84.958	90.267
PBVp20	2	63.054	10.081	55.926	70.182
NELp20	2	6.541	0.417	6.247	6.836
OE*	2	11.115	0.587	10.700	11.530
AAT*	1	74.000	.	74.000	74.000
PBV*	1	61.000	.	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	8.100	4.384	5.000	11.200
P	2	3.850	0.071	3.800	3.900
Mg	2	3.000	0.707	2.500	3.500
K	2	28.100	1.838	26.800	29.400
Na	2	1.000	0.707	0.500	1.500
Cl	1	14.700	.	14.700	14.700
S	2	2.900	0.990	2.200	3.600
CAB	2	307.659	183.293	178.051	437.267
Fe	2	417.500	456.084	95.000	740.000
Mn	2	73.000	16.971	61.000	85.000
Zn	2	27.500	2.121	26.000	29.000
Cu	2	10.550	0.778	10.000	11.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	464.000	.	464.000	464.000
Aska	1	90.000	.	90.000	90.000
OS smbh	1	80.200	.	80.200	80.200
Råprot	1	177.000	.	177.000	177.000
NDF	1	445.000	.	445.000	445.000
iNDF	1	95.663	.	95.663	95.663
nhNDF	1	5.893	.	5.893	5.893
TAF	1	84.000	.	84.000	84.000
Socker	1	68.000	.	68.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	89.399	.	89.399	89.399
PBVp20	1	36.274	.	36.274	36.274
NELp20	1	6.697	.	6.697	6.697
OE*	1	11.600	.	11.600	11.600
AAT*	1	79.000	.	79.000	79.000
PBV*	1	41.000	.	41.000	41.000
Ca	1	6.600	.	6.600	6.600
P	1	2.900	.	2.900	2.900
Mg	1	2.600	.	2.600	2.600
K	1	26.700	.	26.700	26.700
Na	1	1.000	.	1.000	1.000
S	1	2.300	.	2.300	2.300
CAB	1	450.198	.	450.198	450.198
Fe	1	146.000	.	146.000	146.000
Mn	1	74.000	.	74.000	74.000
Zn	1	31.000	.	31.000	31.000
Cu	1	8.100	.	8.100	8.100
Se	1	0.010	.	0.010	0.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	426.000	169.817	248.000	677.000
Aska	15	70.467	15.932	46.000	92.000
OS smbh	15	71.927	4.840	66.000	78.600
Råprot	15	124.000	31.991	71.000	161.000
sRåprot	15	507.000	95.292	341.000	608.000
NH3-N	15	73.267	29.361	41.000	112.000
NDF	15	485.133	51.098	435.000	569.000
iNDF	15	187.759	45.426	122.863	258.225
nhNDF	15	3.998	0.787	2.891	5.201
TAF	15	60.127	37.732	14.500	103.100
Mjölksyra	15	46.467	31.475	11.000	83.000
Ättiksyra	15	11.600	7.529	1.000	21.000
Socker	15	64.000	50.320	11.000	136.000
BUF	15	1.060	1.255	0.100	3.800
AATp20	15	81.195	4.025	75.996	87.243
PBVp20	15	0.347	27.901	-37.589	36.695
NELp20	15	5.824	0.585	4.927	6.544
OE*	15	10.427	0.800	9.400	11.500
AAT*	15	69.933	2.314	67.000	73.000
PBV*	15	3.867	28.987	-41.000	44.000
Ca	14	5.886	1.455	3.500	7.800
P	14	2.450	0.690	1.700	3.500
Mg	14	2.079	0.485	1.400	2.900
K	14	19.464	5.078	14.300	26.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	14	0.686	0.663	0.100	1.300
Cl	15	4.047	2.149	1.100	7.200
S	14	2.000	0.608	1.100	2.800
CAB	14	287.933	98.935	117.169	412.881
Fe	14	252.929	203.431	72.000	508.000
Mn	14	98.000	32.734	68.000	148.000
Zn	14	27.571	4.363	23.000	35.000
Cu	14	6.779	1.595	4.200	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	184	391.114	149.063	260.000	622.000
Aska	184	65.902	12.277	52.000	81.000
OS smbh	185	75.489	4.696	69.600	80.200
Råprot	184	131.630	25.894	98.000	164.000
sRåprot	184	598.527	104.446	452.000	712.000
NH3-N	184	76.022	29.942	39.000	117.000
NDF	184	453.299	55.211	384.000	535.000
iNDF	185	157.482	42.421	112.099	205.117
nhNDF	185	4.483	0.736	3.740	5.375
TAF	185	73.065	36.006	23.500	117.900
Mjölksyra	183	56.617	30.793	16.000	95.000
Ättiksyra	184	13.772	6.534	5.000	22.000
Socker	184	72.429	46.853	22.000	140.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	22	3.864	1.807	2.000	6.000
BUF	184	1.288	1.760	0.100	3.400
AATp20	185	82.556	4.039	77.099	86.866
PBVp20	185	5.173	23.079	-22.715	35.163
NELp20	185	6.170	0.493	5.649	6.697
OE*	184	11.084	0.785	10.130	11.900
AAT*	162	72.049	2.479	69.000	74.000
PBV*	162	5.858	22.923	-24.000	34.000
Ca	177	4.941	1.252	3.700	7.000
P	177	2.294	0.418	1.800	2.900
Mg	177	1.675	0.394	1.300	2.100
K	177	21.030	5.022	14.200	27.100
Na	177	0.398	0.308	0.100	0.900
Cl	184	3.520	3.085	0.900	6.700
S	177	1.760	0.416	1.200	2.300
CAB	177	345.720	129.905	191.631	488.347
Fe	172	187.593	194.190	74.000	337.000
Mn	172	59.512	29.090	36.000	82.000
Zn	172	26.901	10.214	20.000	32.000
Cu	172	5.842	1.313	4.400	7.200
Se	18	0.019	0.015	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	126	407.690	142.241	268.000	617.000
Aska	126	77.952	11.893	62.000	92.000
OS smbh	126	73.746	3.163	70.000	77.000
Råprot	126	139.484	22.018	110.000	166.000
sRåprot	126	516.492	87.225	418.000	616.000
NH3-N	126	76.381	24.898	45.000	113.000
NDF	126	455.929	35.430	408.000	505.000
iNDF	126	177.067	35.123	140.822	230.895
nhNDF	126	4.123	0.623	3.257	4.848
TAF	126	64.899	27.572	27.300	100.000
Mjölksyra	126	49.159	23.189	16.000	77.000
Ättiksyra	126	13.349	6.020	6.000	20.000
Socker	126	58.587	38.494	18.000	120.000
PRF	13	3.077	3.013	1.000	6.000
BUF	126	1.177	1.404	0.100	3.200
AATp20	126	82.739	3.946	78.222	87.688
PBVp20	126	12.221	19.759	-17.613	36.857
NELp20	126	5.981	0.354	5.458	6.356
OE*	126	10.655	0.541	10.000	11.300
AAT*	113	70.602	1.677	69.000	72.000
PBV*	113	17.248	20.746	-12.000	42.000
Ca	117	6.840	1.930	4.600	9.100
P	117	2.695	0.406	2.200	3.200
Mg	117	2.303	0.484	1.700	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	117	22.863	4.906	17.000	28.800
Na	117	0.570	0.457	0.100	1.200
Cl	126	5.451	3.160	2.000	10.200
S	117	2.081	0.459	1.400	2.700
CAB	117	326.566	112.071	176.842	464.831
Fe	117	186.444	254.581	74.000	315.000
Mn	117	82.145	34.318	49.000	113.000
Zn	117	27.171	6.048	21.000	34.000
Cu	117	7.503	1.460	5.600	9.300
Se	7	0.024	0.020	0.008	0.055

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	78	388.538	131.221	259.000	567.000
Aska	78	87.128	21.578	67.000	105.000
OS smbh	78	73.036	3.447	68.200	76.600
Råprot	78	140.397	19.808	113.000	168.000
sRåprot	78	511.615	78.654	424.000	598.000
NH3-N	77	80.377	34.082	45.000	137.000
NDF	78	435.628	33.138	381.000	476.000
iNDF	78	193.903	42.291	146.075	247.403
nhNDF	78	3.861	0.661	2.910	4.678
TAF	78	68.555	30.198	26.400	109.000
Mjölksyra	78	52.372	26.257	16.000	88.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	78	13.679	5.034	8.000	21.000
Socker	78	59.449	35.653	20.000	119.000
PRF	15	1.733	1.438	0.000	4.000
BUF	78	1.363	1.948	0.000	3.700
AATp20	78	80.975	5.537	73.086	87.469
PBVp20	78	15.900	17.785	-10.719	40.528
NELp20	78	5.864	0.409	5.192	6.275
OE*	78	10.432	0.665	9.300	11.100
AAT*	63	69.857	2.184	66.000	72.000
PBV*	63	19.460	19.095	-3.000	47.000
Ca	78	7.596	2.151	4.900	10.600
P	78	2.715	0.418	2.200	3.300
Mg	78	2.603	0.441	2.000	3.200
K	78	20.769	4.941	15.300	27.400
Na	78	0.679	0.478	0.200	1.400
Cl	78	5.571	3.375	2.300	9.400
S	78	2.279	0.429	1.800	2.800
CAB	78	261.341	128.822	112.123	411.261
Fe	77	355.571	517.369	90.000	984.000
Mn	77	98.299	35.820	54.000	150.000
Zn	77	26.740	4.720	21.000	32.000
Cu	77	7.497	1.389	5.900	9.400
Se	6	0.053	0.033	0.006	0.110

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	360.375	171.853	199.000	734.000
Aska	8	86.875	5.939	77.000	94.000
OS smbh	8	75.088	3.425	69.200	78.800
Råprot	8	164.250	37.617	113.000	223.000
sRåprot	8	533.875	104.069	312.000	627.000
NH3-N	8	90.375	34.363	33.000	138.000
NDF	8	402.250	43.654	341.000	479.000
iNDF	8	180.466	57.246	126.163	306.883
nhNDF	8	3.907	0.913	1.974	4.866
TAF	8	77.825	41.579	13.400	131.100
Mjölksyra	8	60.625	35.217	6.000	106.000
Ättiksyra	8	13.875	7.200	5.000	24.000
Socker	8	54.375	38.844	10.000	117.000
BUF	8	2.325	2.399	0.100	7.300
AATp20	8	82.771	6.556	74.165	90.991
PBVp20	8	35.312	35.697	-4.066	95.663
NELp20	8	6.093	0.384	5.662	6.648
OE*	8	10.775	0.575	9.800	11.400
AAT*	8	70.750	1.581	68.000	73.000
PBV*	8	41.875	37.311	-7.000	98.000
Ca	7	8.514	2.817	6.000	13.400
P	7	2.986	0.367	2.400	3.600
Mg	7	2.743	0.404	2.500	3.600
K	7	22.114	5.073	15.100	29.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	0.700	0.327	0.200	1.100
Cl	8	6.650	3.080	1.900	12.000
S	7	2.429	0.599	1.600	3.200
CAB	7	278.437	102.213	81.485	398.125
Fe	7	232.571	40.422	200.000	315.000
Mn	7	92.286	19.729	63.000	115.000
Zn	7	27.714	7.588	20.000	44.000
Cu	7	7.743	1.836	5.300	10.500

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	379.667	93.152	273.000	445.000
Aska	3	56.667	11.930	43.000	65.000
OS smbh	3	64.767	5.698	58.200	68.400
Råprot	3	92.667	21.825	69.000	112.000
sRåprot	3	619.000	97.350	538.000	727.000
NH3-N	3	128.333	53.575	82.000	187.000
NDF	3	457.000	78.428	368.000	516.000
iNDF	3	301.581	29.690	282.000	335.742
nhNDF	3	2.465	1.038	1.854	3.664
Stä	3	180.000	92.016	89.000	273.000
TAF	3	50.233	7.319	42.000	56.000
Mjölksyra	3	38.000	11.136	28.000	50.000
Ättiksyra	3	11.667	4.933	6.000	15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	41.333	21.385	28.000	66.000
PRF	2	0.000	0.000	0.000	0.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	3	68.317	5.861	61.680	72.784
PBVp20	3	-15.882	8.674	-24.475	-7.128
NELp20	3	5.235	0.451	4.719	5.553
OE*	2	9.875	0.106	9.800	9.950
Ca	3	3.633	0.651	3.000	4.300
P	3	2.467	0.321	2.100	2.700
Mg	3	1.300	0.265	1.000	1.500
K	3	15.833	4.508	12.700	21.000
Na	3	0.567	0.289	0.400	0.900
Cl	3	6.700	4.804	2.900	12.100
S	3	1.667	0.379	1.400	2.100
CAB	3	136.683	56.357	82.381	194.892
Fe	3	190.333	141.550	51.000	334.000
Mn	3	31.667	13.796	16.000	42.000
Zn	3	20.000	2.000	18.000	22.000
Cu	3	4.900	1.153	3.700	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	355.000	74.014	271.000	436.000
Aska	4	63.000	13.491	50.000	77.000
OS smbh	4	65.375	1.228	64.000	66.800
Råprot	4	101.500	9.469	88.000	110.000
sRåprot	4	514.000	105.157	376.000	631.000
NH3-N	4	70.750	19.534	47.000	93.000
NDF	4	455.750	20.320	431.000	479.000
iNDF	4	285.597	20.359	267.754	305.503
nhNDF	4	2.412	0.246	2.153	2.634
Stä	4	141.750	31.742	97.000	172.000
TAF	4	72.750	32.745	31.000	111.000
Mjölksyra	4	53.500	32.828	14.000	94.000
Ättiksyra	4	17.250	3.304	15.000	22.000
Socker	4	26.250	17.538	11.000	49.000
AATp20	4	69.462	5.409	66.363	77.564
PBVp20	4	-6.734	10.749	-17.122	4.803
NELp20	4	5.422	0.165	5.280	5.653
Ca	4	3.650	1.021	2.200	4.500
P	4	2.475	0.340	2.200	2.900
Mg	4	1.525	0.150	1.300	1.600
K	4	18.475	2.903	15.200	21.300
Na	4	1.150	0.526	0.700	1.700
Cl	4	3.300	1.780	1.800	5.300
S	4	1.575	0.287	1.200	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	331.111	64.361	257.837	411.988
Fe	4	227.000	91.316	125.000	309.000
Mn	4	75.000	23.566	47.000	95.000
Zn	4	31.750	5.123	25.000	37.000
Cu	4	5.250	0.755	4.400	6.200

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	357.000	.	357.000	357.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	69.400	.	69.400	69.400
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	620.000	.	620.000	620.000
NH3-N	1	57.000	.	57.000	57.000
NDF	1	367.000	.	367.000	367.000
iNDF	1	298.120	.	298.120	298.120
nhNDF	1	2.070	.	2.070	2.070
Stä	1	165.000	.	165.000	165.000
TAF	1	79.900	.	79.900	79.900
Mjölksyra	1	67.000	.	67.000	67.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	71.587	.	71.587	71.587
PBVp20	1	30.896	.	30.896	30.896

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.831	.	5.831	5.831
Ca	1	5.000	.	5.000	5.000
P	1	2.500	.	2.500	2.500
Mg	1	1.700	.	1.700	1.700
K	1	12.800	.	12.800	12.800
Na	1	1.400	.	1.400	1.400
Cl	1	0.600	.	0.600	0.600
S	1	1.200	.	1.200	1.200
CAB	1	296.334	.	296.334	296.334
Fe	1	103.000	.	103.000	103.000
Mn	1	62.000	.	62.000	62.000
Zn	1	30.000	.	30.000	30.000
Cu	1	8.600	.	8.600	8.600

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	363.167	81.192	237.000	465.00
Aska	6	59.333	19.967	43.000	99.00
OS smbh	6	66.250	3.550	61.200	70.30
Råprot	6	103.667	16.232	79.000	118.00
sRåprot	6	641.000	73.767	568.000	750.00
NH3-N	6	109.000	16.112	87.000	123.00
NDF	6	439.833	29.061	407.000	476.00
iNDF	6	398.941	68.107	347.000	504.41

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	6	4.750	2.295	2.237	7.08
Stä	5	114.800	45.285	50.000	156.00
TAF	6	82.250	21.379	55.500	106.00
Mjölksyra	6	60.500	18.075	37.000	81.00
Ättiksyra	6	17.833	6.274	6.000	24.00
Socker	6	34.167	26.498	17.000	87.00
PRF	3	4.333	0.577	4.000	5.00
BUF	3	3.000	1.732	2.000	5.00
AATp20	6	67.227	4.720	58.760	72.82
PBVp20	6	-0.809	16.826	-23.601	16.80
NELp20	6	5.469	0.370	4.924	5.83
OE*	4	9.493	0.610	8.800	10.02
Ca	6	4.900	2.026	1.800	7.40
P	6	2.317	0.325	1.800	2.80
Mg	6	1.717	0.488	1.200	2.60
K	6	11.817	3.138	6.500	15.10
Na	6	1.083	0.611	0.300	2.00
Cl	6	5.667	5.897	1.200	16.60
S	6	1.650	0.635	0.800	2.50
CAB	6	86.569	152.317	-179.850	289.08
Fe	5	472.200	688.064	78.000	1688.00
Mn	5	76.000	8.276	65.000	86.00
Zn	5	31.800	7.629	24.000	40.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	5	6.100	2.447	4.400	10.40
Se	3	0.037	0.023	0.011	0.05

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	381.000	84.8528	321.000	441.000
Aska	2	68.500	4.9497	65.000	72.000
OS smbh	2	64.250	2.3335	62.600	65.900
Råprot	2	112.500	12.0208	104.000	121.000
sRåprot	2	740.000	0.0000	740.000	740.000
NH3-N	2	88.000	18.3848	75.000	101.000
NDF	2	508.500	37.4767	482.000	535.000
iNDF	2	267.710	43.8805	236.682	298.739
nhNDF	2	2.760	0.6318	2.313	3.206
Stä	2	36.500	20.5061	22.000	51.000
TAF	2	81.000	24.0416	64.000	98.000
Mjölksyra	2	63.500	13.4350	54.000	73.000
Ättiksyra	2	17.500	10.6066	10.000	25.000
Socker	2	34.500	27.5772	15.000	54.000
AATp20	2	65.274	4.9272	61.790	68.758
PBVp20	2	8.098	18.4712	-4.963	21.159
NELp20	2	5.237	0.0989	5.167	5.307
Ca	1	2.700	.	2.700	2.700
P	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.400	.	1.400	1.400
K	1	20.400	.	20.400	20.400
Na	1	1.000	.	1.000	1.000
Cl	2	5.800	2.4042	4.100	7.500
S	1	1.800	.	1.800	1.800
CAB	1	337.224	.	337.224	337.224
Fe	1	386.000	.	386.000	386.000
Mn	1	57.000	.	57.000	57.000
Zn	1	23.000	.	23.000	23.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	363.800	75.3206	268.000	452.000
Aska	5	69.000	8.1240	58.000	79.000
OS smbh	5	68.640	1.4910	66.600	70.200
Råprot	5	124.400	4.1593	120.000	130.000
sRåprot	5	595.000	27.3496	552.000	618.000
NH3-N	5	77.600	22.1540	50.000	104.000
NDF	5	447.200	46.1703	388.000	498.000
iNDF	5	289.384	62.4391	201.444	373.000
nhNDF	5	3.384	0.6629	2.454	4.012
Stä	5	100.200	56.1979	45.000	184.000
TAF	5	79.800	27.6713	58.000	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	5	54.000	20.4328	38.000	88.000
Ättiksyra	5	23.400	8.2946	12.000	34.000
Socker	5	39.200	13.0843	24.000	52.000
PRF	3	3.667	3.5119	0.000	7.000
BUF	3	0.333	0.5774	0.000	1.000
AATp20	5	69.020	2.7201	65.835	72.109
PBVp20	5	13.553	4.5895	8.324	20.868
NELp20	5	5.687	0.1470	5.530	5.887
OE*	3	9.780	0.2685	9.540	10.070
Ca	4	5.575	1.9483	4.100	8.400
P	4	2.750	0.3873	2.300	3.200
Mg	4	1.850	0.5000	1.300	2.500
K	4	19.475	3.7845	16.900	25.100
Na	4	0.550	0.5447	0.100	1.300
Cl	5	4.160	1.3740	3.100	5.900
S	4	1.975	0.2062	1.700	2.200
CAB	4	273.909	63.8611	199.390	355.094
Fe	3	128.667	57.8129	89.000	195.000
Mn	3	61.000	30.5123	36.000	95.000
Zn	3	31.667	2.8868	30.000	35.000
Cu	3	5.833	0.7638	5.000	6.500
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	408.800	58.713	362.000	511.000
Aska	5	69.200	9.808	53.000	79.000
OS smbh	5	65.580	7.748	58.500	78.100
Råprot	5	105.400	29.855	74.000	143.000
sRåprot	5	685.400	33.909	639.000	730.000
NH3-N	5	113.600	15.421	99.000	137.000
NDF	5	454.800	64.356	387.000	553.000
iNDF	5	278.808	83.863	140.566	360.838
nhNDF	5	2.629	1.186	1.623	4.608
Stä	5	129.600	103.495	17.000	242.000
TAF	5	60.500	16.808	44.500	80.500
Mjölksyra	5	41.000	11.511	29.000	56.000
Ättiksyra	5	17.000	6.557	12.000	28.000
Socker	5	40.200	36.355	19.000	105.000
AATp20	5	67.006	7.426	60.949	77.946
PBVp20	5	-3.208	24.096	-33.340	25.252
NELp20	5	5.312	0.595	4.709	6.190
OE*	1	9.600	.	9.600	9.600
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-44.000	.	-44.000	-44.000
Ca	4	2.900	0.497	2.300	3.400
P	4	2.450	0.300	2.200	2.800
Mg	4	1.575	0.263	1.300	1.800
K	4	17.875	7.288	12.000	27.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.400	0.408	0.100	1.000
Cl	5	2.860	1.019	1.200	3.900
S	4	1.700	0.469	1.200	2.100
CAB	4	287.317	138.087	165.845	485.763
Fe	4	281.250	172.570	135.000	531.000
Mn	4	71.250	12.527	57.000	86.000
Zn	4	27.500	4.203	23.000	32.000
Cu	4	4.950	1.079	4.000	6.500

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	416.313	79.151	323.000	554.000
Aska	16	60.750	11.981	45.000	77.000
OS smbh	16	68.081	2.957	63.600	71.500
Råprot	16	114.875	15.577	94.000	137.000
sRåprot	16	644.563	79.371	564.000	771.000
NH3-N	16	92.563	23.500	71.000	118.000
NDF	16	449.688	48.544	375.000	498.000
iNDF	16	256.361	24.339	230.682	293.639
nhNDF	16	2.773	0.367	2.326	3.290
Stä	16	112.438	67.017	36.000	210.000
TAF	16	66.500	19.487	36.000	91.000
Mjölksyra	16	52.500	16.927	23.000	74.000
Ättiksyra	16	14.000	4.274	9.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	16	38.750	18.252	22.000	75.000
AATp20	16	71.755	3.219	68.007	75.420
PBVp20	16	1.230	15.245	-20.559	21.280
NELp20	16	5.557	0.329	5.125	5.927
Ca	15	5.653	1.303	4.500	7.700
P	15	2.527	0.612	1.900	3.500
Mg	15	1.893	0.341	1.400	2.300
K	15	16.473	3.684	11.400	22.100
Na	15	0.680	0.345	0.400	1.100
Cl	16	3.438	1.156	2.000	4.900
S	15	1.467	0.219	1.100	1.700
CAB	15	264.188	83.433	162.591	333.259
Fe	15	180.733	143.523	81.000	393.000
Mn	15	46.267	14.489	31.000	64.000
Zn	15	29.400	6.555	22.000	39.000
Cu	15	5.887	0.869	4.900	6.800

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	261.500	63.037	173.000	321.000
Aska	4	43.250	13.226	29.000	61.000
OS smbh	4	72.550	2.057	69.500	74.000
Råprot	4	84.500	16.743	72.000	109.000
sRåprot	4	529.250	107.661	419.000	628.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	4	58.250	21.716	36.000	87.000
NDF	4	483.750	33.280	460.000	533.000
iNDF	4	191.062	8.957	179.539	200.940
nhNDF	4	3.830	0.163	3.649	4.044
Stä	4	115.500	69.983	38.000	181.000
TAF	4	53.000	21.710	34.000	82.000
Mjölksyra	4	33.750	18.554	18.000	60.000
Ättiksyra	4	15.750	4.113	12.000	21.000
Socker	4	63.000	63.261	8.000	149.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	4	80.620	1.971	77.681	81.827
PBVp20	4	-43.260	14.199	-56.009	-23.990
NELp20	4	5.892	0.308	5.507	6.237
OE*	1	11.160	.	11.160	11.160
Ca	3	2.800	1.868	1.100	4.800
P	3	2.167	0.473	1.800	2.700
Mg	3	1.567	0.737	1.000	2.400
K	3	9.933	2.470	7.300	12.200
Na	3	0.233	0.153	0.100	0.400
Cl	4	3.250	1.162	1.900	4.600
S	3	0.933	0.321	0.700	1.300
CAB	3	110.086	65.057	47.421	177.297
Fe	3	321.333	443.218	56.000	833.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	3	30.333	21.362	18.000	55.000
Zn	3	23.667	10.017	14.000	34.000
Cu	3	5.567	1.210	4.200	6.500
Se	1	0.050	.	0.050	0.050

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	255.000	.	255.000	255.000
Aska	1	126.000	.	126.000	126.000
OS smbh	1	74.900	.	74.900	74.900
Råprot	1	149.000	.	149.000	149.000
sRåprot	1	574.000	.	574.000	574.000
NH3-N	1	121.000	.	121.000	121.000
NDF	1	329.000	.	329.000	329.000
iNDF	1	202.207	.	202.207	202.207
nhNDF	1	3.167	.	3.167	3.167
Stä	1	96.000	.	96.000	96.000
TAF	1	99.000	.	99.000	99.000
Mjölksyra	1	81.000	.	81.000	81.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	27.000	.	27.000	27.000
AATp20	1	69.900	.	69.900	69.900
PBVp20	1	35.937	.	35.937	35.937
NELp20	1	5.846	.	5.846	5.846

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	12.900	.	12.900	12.900
P	1	2.900	.	2.900	2.900
Mg	1	2.600	.	2.600	2.600
K	1	17.300	.	17.300	17.300
Na	1	0.600	.	0.600	0.600
Cl	1	3.500	.	3.500	3.500
S	1	2.100	.	2.100	2.100
CAB	1	238.701	.	238.701	238.701
Fe	1	823.000	.	823.000	823.000
Mn	1	58.000	.	58.000	58.000
Zn	1	37.000	.	37.000	37.000
Cu	1	5.600	.	5.600	5.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	874.000	21.656	849.000	887.000
Aska	3	59.333	14.572	43.000	71.000
OS smbh	3	60.967	4.392	55.900	63.700
Råprot	3	57.000	6.557	51.000	64.000
NDF	3	583.000	51.962	523.000	613.000
iNDF	3	270.104	67.063	226.923	347.363
nhNDF	3	2.858	0.898	1.829	3.482
TAF	3	0.000	0.000	0.000	0.000
Socket	3	120.333	24.007	94.000	141.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	3	75.793	5.801	69.103	79.437
PBVp20	3	-53.088	10.412	-63.672	-42.857
NELp20	3	4.566	0.469	4.025	4.854
OE*	3	8.733	0.814	7.800	9.300
AAT*	3	63.000	5.196	57.000	66.000
PBV*	3	-50.333	10.693	-62.000	-41.000
Ca	3	2.433	0.321	2.200	2.800
P	3	1.367	0.737	0.800	2.200
Mg	3	0.933	0.153	0.800	1.100
K	3	15.033	7.715	8.400	23.500
Na	3	0.100	0.000	0.100	0.100
S	3	1.033	0.252	0.800	1.300
CAB	3	183.404	185.838	15.837	383.276
Fe	3	122.667	86.217	46.000	216.000
Mn	3	166.333	185.360	33.000	378.000
Zn	3	42.667	35.501	13.000	82.000
Cu	3	24.633	34.121	2.200	63.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	846.529	107.796	688.000	928.000
Aska	17	58.059	14.720	36.000	81.000
OS smbh	17	65.894	6.278	58.300	75.000
Råprot	17	75.824	23.660	43.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	17	554.000	53.262	474.000	614.000
iNDF	17	228.525	57.286	140.937	302.819
nhNDF	17	3.441	0.970	2.307	5.073
TAF	17	0.000	0.000	0.000	0.000
Socker	17	135.412	18.460	110.000	158.000
AATp20	17	82.337	7.823	71.638	94.269
PBVp20	17	-46.404	10.163	-61.669	-25.937
NELp20	17	5.022	0.585	4.250	5.916
OE*	16	9.431	0.845	8.300	10.700
AAT*	16	67.313	5.288	60.000	75.000
PBV*	16	-42.188	12.416	-62.000	-27.000
Ca	13	3.692	1.376	2.400	5.100
P	13	1.762	0.511	1.300	2.300
Mg	13	1.415	0.519	1.000	2.100
K	13	13.992	5.040	8.500	19.900
Na	13	0.146	0.078	0.100	0.300
S	13	1.292	0.323	0.900	1.800
CAB	13	142.600	117.151	14.590	277.282
Fe	13	205.385	273.363	69.000	293.000
Mn	13	85.308	56.747	45.000	178.000
Zn	13	21.615	3.969	17.000	28.000
Cu	13	4.354	0.897	3.400	5.300
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	846.000	.	846.000	846.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	74.600	.	74.600	74.600
Råprot	1	120.000	.	120.000	120.000
NDF	1	482.000	.	482.000	482.000
iNDF	1	148.763	.	148.763	148.763
nhNDF	1	4.736	.	4.736	4.736
TAF	1	0.000	.	0.000	0.000
Socket	1	91.000	.	91.000	91.000
AATp20	1	91.781	.	91.781	91.781
PBVp20	1	-21.427	.	-21.427	-21.427
NELp20	1	5.713	.	5.713	5.713
OE*	1	10.500	.	10.500	10.500
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-6.000	.	-6.000	-6.000
Ca	1	5.500	.	5.500	5.500
P	1	4.000	.	4.000	4.000
Mg	1	2.400	.	2.400	2.400
K	1	33.800	.	33.800	33.800
Na	1	0.300	.	0.300	0.300
S	1	1.700	.	1.700	1.700
CAB	1	630.399	.	630.399	630.399
Fe	1	108.000	.	108.000	108.000
Mn	1	43.000	.	43.000	43.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	23.000	.	23.000	23.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	329.000	.	329.000	329.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	78.400	.	78.400	78.400
Råprot	1	121.000	.	121.000	121.000
sRåprot	1	663.000	.	663.000	663.000
NH3-N	1	90.000	.	90.000	90.000
NDF	1	419.000	.	419.000	419.000
iNDF	1	183.547	.	183.547	183.547
nhNDF	1	6.238	.	6.238	6.238
TAF	1	38.300	.	38.300	38.300
Mjölksyra	1	26.000	.	26.000	26.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	1	110.000	.	110.000	110.000
BUF	1	0.300	.	0.300	0.300
AATp20	1	85.691	.	85.691	85.691
PBVp20	1	-6.890	.	-6.890	-6.890
NELp20	1	6.314	.	6.314	6.314
OE*	1	11.600	.	11.600	11.600
AAT*	1	74.000	.	74.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-5.000	.	-5.000	-5.000
CI	1	7.300	.	7.300	7.300

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	696.750	252.134	412.000	910.000
Aska	4	67.500	15.199	57.000	90.000
OS smbh	4	77.850	3.214	73.600	81.400
Råprot	4	162.000	12.675	143.000	169.000
sRåprot	4	318.750	149.138	180.000	458.000
NH3-N	2	42.500	17.678	30.000	55.000
NDF	4	250.000	80.229	187.000	358.000
iNDF	4	112.500	102.347	25.000	220.000
nhNDF	4	2.187	1.757	0.808	4.482
Stä	3	245.000	52.115	185.000	279.000
TAF	4	53.000	19.698	38.000	82.000
Mjölksyra	2	44.500	34.648	20.000	69.000
Ättiksyra	2	11.000	4.243	8.000	14.000
Socker	4	52.500	15.155	30.000	63.000
PRF	2	4.500	0.707	4.000	5.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	4	94.581	5.814	88.723	100.150
PBVp20	4	19.276	8.382	10.307	30.558
NELp20	4	6.641	0.257	6.260	6.816

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	4	11.450	0.396	10.870	11.750
Ca	4	7.925	3.458	3.100	10.800
P	4	4.450	1.328	2.900	5.700
Mg	4	3.550	1.066	2.100	4.400
K	4	11.525	3.585	8.400	15.200
Na	4	2.850	1.240	2.100	4.700
Cl	4	5.050	2.259	3.000	7.200
S	4	2.625	0.486	1.900	2.900
CAB	4	112.354	113.859	47.903	282.795
Fe	4	282.250	31.910	243.000	315.000
Mn	4	112.750	24.649	90.000	146.000
Zn	4	73.750	32.263	29.000	103.000
Cu	4	15.500	6.557	7.000	23.000
Se	1	0.470	.	0.470	0.470

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	429.500	58.690	388.000	471.000
Aska	2	80.500	2.121	79.000	82.000
OS smbh	3	51.800	45.160	0.000	82.900
Råprot	2	170.000	26.870	151.000	189.000
sRåprot	2	518.000	14.142	508.000	528.000
NH3-N	2	59.500	10.607	52.000	67.000
NDF	2	312.500	70.004	263.000	362.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	175.625	91.361	111.023	240.227
nhNDF	2	3.479	0.990	2.780	4.179
Stä	2	162.000	53.740	124.000	200.000
Socker	2	50.500	37.477	24.000	77.000
NELp20	3	0.000	0.000	0.000	0.000
Ca	2	7.750	4.596	4.500	11.000
P	2	3.500	0.141	3.400	3.600
Mg	2	2.650	0.212	2.500	2.800
K	2	19.250	0.071	19.200	19.300
Na	2	5.550	4.031	2.700	8.400
Cl	2	5.750	2.475	4.000	7.500
S	2	2.000	0.000	2.000	2.000
CAB	2	446.660	107.333	370.764	522.556
Fe	2	429.500	243.952	257.000	602.000
Mn	2	87.500	24.749	70.000	105.000
Zn	2	75.000	7.071	70.000	80.000
Cu	2	15.800	1.273	14.900	16.700
Se	1	0.447	.	0.447	0.447

*= Parametrar från det gamla svenska fodervärderingssystemet