

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	19	866	20	72.4	117	318	6.0	215	140	3.15	601	0.000			11
Havre, kärna, hög NDF (002)	1	1	892	25	75.0	124				392	2.00	479	0.000			
Vete, kärna (005)	1	13	859	19	67.7	134	366	6.0	148	150	3.50	623	0.000			5
Råg (011)	1	1	872	15	89.0	79				199	6.60	708	0.000			
Majs, finmald kärna (014)	1	5	635	16	70.1	88	238	11.0	105	138	3.70	658	0.000			5
Rågvete (015)	1	1	844	17	89.5	82				187	3.50	707	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	5	850	18	87.0	124		6.0		173	3.30	638	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	862	20	81.6	150		5.0	220	324	2.50	557	0.000			
Ärter, kärna (006)	1	1	802	31	92.0	220		4.0		13	7.90	487	0.000			
Majs hela plantan, grönmassa (030)	1	41	339	30	75.9	77	369		385	187	3.43	287	57.000			57
Prognos, gräs (0% baljv.) (041)	1	1	201		72.7					171	4.34		0.000			
Prognos, blandvall (1-50% baljv) (042)	0	7	209		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	1	11	212		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	2	4	184		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	3	2	163		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	3	1	232		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	8	522	64	71.5	131	530		509	183	3.99	22	61.000			103
Grönmassa, gräs (0% baljv.) (161)	2	1	426	65	72.1	136	342		504	167	3.83		61.000			109
Ensilage, gräs (0% klöver) (162)	1	17	396	68	75.8	146	650	81.5	457	154	4.60		83.324	65.6	15.5	58
Ensilage, gräs (0% klöver) (162)	2	6	373	73	73.1	157	632	91.2	449	192	3.90		66.000	50.2	13.0	53
Ensilage, gräs (0% klöver) (162)	3	2	725	62	69.8	131	472	37.5	520	222	4.08		18.500	14.5	2.0	88
Ensilage, gräs (0% klöver) (162)	4	1	361	73	68.9	168	518	54.0	473	277	3.93		74.000	56.0	16.0	37
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	500	78	73.5	143			469	175	4.14		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	60	451	71	76.5	146	442		451	148	4.94	19	61.633	0.0	3.8	126
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	507	76	72.2	139	454		477	195	4.17		81.778	0.0	0.0	97

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Grönmassa blandvall (1-50 % baljväxter) (164)	3	17	393	86	74.3	180	429		442	195	4.72		84.000			71
Grönmassa blandvall (1-50 % baljväxter) (164)	4	7	385	85	78.1	178	393		406	147	5.28		84.000			106
Ensilage, blandvall (1-50% klöver) (165)	0	10	391	78	72.7	138	607	98.0	461	189	3.90		74.170	55.4	15.4	54
Ensilage, blandvall (1-50% klöver) (165)	1	379	350	73	76.0	154	668	90.8	434	162	4.48		91.178	70.1	18.2	53
Ensilage, blandvall (1-50% klöver) (165)	2	146	436	75	73.7	150	594	71.3	451	188	4.21	136	66.383	48.9	15.0	64
Ensilage, blandvall (1-50% klöver) (165)	3	93	417	82	71.2	158	563	83.3	449	226	3.87		68.235	48.8	16.5	49
Ensilage, blandvall (1-50% klöver) (165)	4	28	383	90	73.2	176	544	71.3	419	213	3.99		76.550	59.0	15.7	51
Ensilage, blandvall (1-50% klöver) (165)	5	4	400	81	72.8	171	571	78.3	465	203	4.37		57.425	42.5	12.8	62
Korn, helsädesensilage (250)	1	11	340	57	73.4	116	554	56.2	436	190	3.60	69	34.373	23.6	9.0	118
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	414	53	66.7	98	674	75.8	441	281	2.41	147	77.750	58.5	17.3	38
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	361	76	67.1	130	628	76.3	422	385	4.12	150	87.500	60.3	24.7	21
Majskolv, ensilerad (257)	1	4	574	16	79.8	82	354	19.0	256	216	2.85	499	42.300	37.0	3.0	5
Solros ensilage skattat (286)	1	1	291	89	56.4	105		20.0	407	416	1.16	22	96.000			
Havre helsädesensilage degmognad (296)	1	3	457	64	69.2	127	631	64.3	501	238	3.81	37	56.333	40.3	13.0	74
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	505	55	69.7	112	680	88.0	460	232	3.11	100	42.000	30.0	12.0	89
Vete, helsäd ensilage (299)	1	6	404	52	69.5	112	631	74.5	457	262	3.34	95	52.417	34.8	15.5	70
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	468	54	71.1	117	613	64.4	417	243	2.99	69	43.174	28.4	13.5	96
Majs, helsädesensilage (305)	1	140	362	30	76.7	77	528	52.5	357	201	3.37	315	64.814	47.6	14.1	14
Råg, helsädesensilage, axgång (311)	1	3	299	51	64.3	78	790	91.3	586	233	3.35	21	90.000	68.0	22.0	52
Ärter, helsädesensilage, sen skörd (315)	1	1	265	73	79.9	131	564	115	329	143	4.13	109	70.000	56.0	14.0	66
Hö, blandvall, 0-50% baljväxter (383)	0	1	705	43	63.6	80			591	242	3.14		0.000			130
Hö, blandvall, 0-50% baljväxter (383)	1	9	849	54	66.7	88	413		562	222	3.63		0.000			137
Hö, blandvall, 0-50% baljväxter (383)	2	3	853	67	70.5	120	470		505	198	3.79		0.000			125
Ensilage, blandvall (51-100% klöver) (438)	1	3	384	88	76.6	189	709	75.3	362	215	4.31		98.300	77.3	18.7	43
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	97	70.0	175	528	81.0	402	351	4.65		101.000	87.0	14.0	40

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Straw, untreated (barley, wheat, oat) (468)	1	2	737	54	52.3	70	439		658	442	4.19	21	0.000			26
Majskolv, färsk (518)	1	1	573	15	85.7	83	357		192	123	3.79	540	0.000			36
repja (1E3)	1	1	327	45	64.3	95	656	279	425	437	2.77	88	130.000	39.0	58.0	5
Ensilage, blandvall (1-50% klöver) (326)	1	9	418	64	75.3	147	530	64.9	336	232	3.10	180	75.889	49.2	20.9	40
Fullfoder (TMR) ej kompletta data (1E3)	1	9	412	66	76.8	145	552	68.7	352	183	3.55	173				40

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	19				94.6	-25	7.25	12.8		
Havre, kärna, hög NDF (002)	1	1				83.2	5.9	6.32			
Vete, kärna (005)	1	13				114	-33	7.93	13.7		
Råg (011)	1	1				103	-73	7.83			
Majs, finmald kärna (014)	1	5				109	-68	7.72	13.3	80.0	-48
Rågvete (015)	1	1				105	-73	7.74			
Blandsäd, kärna, 50%korn/50%vete (114)	1	5				106	-33	7.69			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				104	-1.6	7.08			
Ärter, kärna (006)	1	1				102	71.8	7.64			
Majs hela plantan, grönmassa (030)	1	41				87.8	-62	6.35	11.3	80.3	-71
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	11.0		
Prognos, blandvall (1-50% baljv) (042)	0	7				96.4	-4.4	5.94	12.6		
Prognos, blandvall (1-50% baljv) (042)	1	11				96.4	-4.4	5.94	12.5		
Prognos, blandvall (1-50% baljv) (042)	2	4				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	3	2				96.4	-4.4	5.94	11.4		
Prognos, blandvall (51-100% baljv.) (043)	3	1				93.0	14.4	5.95	11.1		
Grönmassa, gräs (0% baljv.) (161)	1	8				82.0	3.1	5.80	10.4	71.5	10.5
Grönmassa, gräs (0% baljv.) (161)	2	1				86.4	0.8	5.87	10.5		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	1	17	3.50000	0.9118		80.7	19.4	6.25	11.1	72.0	23.3
Ensilage, gräs (0% klöver) (162)	2	6	3.50000	1.0000		79.8	30.7	5.96	10.6	70.0	30.8
Ensilage, gräs (0% klöver) (162)	3	2	1.50000	0.5000		84.8	-1.1	5.63	10.2		
Ensilage, gräs (0% klöver) (162)	4	1	2.00000	0.0000		79.1	42.4	5.72	9.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				81.7	17.3	5.95	10.6	74.0	15.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	60	1.50000	1.1429		88.2	9.4	6.20	11.2	77.3	4.3
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	3.00000	1.0000		81.4	14.4	5.86	10.4	72.3	18.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	17				85.7	45.8	6.15	10.6	73.7	70.2
Grönmassa blandvall (1-50 % baljväxter) (164)	4	7				88.8	38.7	6.41	11.3	78.5	54.8
Ensilage, blandvall (1-50% klöver) (165)	0	10		2.3700		79.2	16.8	5.90	10.5	70.2	17.4
Ensilage, blandvall (1-50% klöver) (165)	1	379	2.96850	1.1968		80.6	29.6	6.29	11.1	72.0	26.9
Ensilage, blandvall (1-50% klöver) (165)	2	146	2.84483	0.7717		81.8	23.6	6.04	10.7	70.6	23.7
Ensilage, blandvall (1-50% klöver) (165)	3	93	2.02857	1.5366		79.7	35.0	5.80	10.2	68.6	33.7
Ensilage, blandvall (1-50% klöver) (165)	4	28	1.38462	0.6571		81.7	48.3	6.00	10.4	69.7	50.9
Ensilage, blandvall (1-50% klöver) (165)	5	4	1.00000	1.1750		83.5	40.4	6.00	10.4	70.0	19.0
Korn, helsädesensilage (250)	1	11	0.87500	0.8750		78.7	-14	5.86	11.0	65.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4				67.7	-6.3	5.57			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	3.50000	0.0000		66.2	24.2	5.62	9.7		
Majskolv, ensilerad (257)	1	4	0.00000	0.0000		94.3	-68	6.96	12.4		
Solros ensilage skattat (286)	1	1				41.8	32.8	5.18			
Havre helsädesensilage degmognad (296)	1	3	4.00000	0.5000		77.0	1.2	5.67	10.3		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				73.2	-3.4	5.61			
Vete, helsäd ensilage (299)	1	6	1.33333	0.3333		72.9	-7.8	5.69	10.1	57.0	45.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	0.66667	0.6667		77.2	-6.3	5.77	10.6		
Majs, helsädesensilage (305)	1	140	3.18333	0.0000		83.7	-55	6.54	11.5	79.8	-68

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Råg, helsädesensilage, axgång (311)	1	3				62.6	-19	5.28			
Ärter, helsädesensilage, sen skörd (315)	1	1				80.9	2.0	6.41	11.8	82.0	-9.0
Hö, blandvall, 0-50% baljväxter (383)	0	1				81.8	-41	4.94	9.3	67.0	-34
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.3	-39	5.16	9.7	70.1	-30
Hö, blandvall, 0-50% baljväxter (383)	2	3				91.3	-20	5.55	10.3	71.5	-1.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.00000	0.9667		77.0	72.9	6.37	11.0	71.0	83.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	0.00000	0.0000		73.8	64.5	5.79	9.8		
Straw, untreated (barley, wheat, oat) (468)	1	2				68.4	-43	3.85	7.3		
Majskolv, färsk (518)	1	1				104	-82	7.44			
repja (1E3)	1	1	9.00000	24.0000		54.8	17.1	5.29	9.4		
Ensilage, blandvall (1-50% klöver) (326)	1	9	4.66667	1.1111		84.6	19.8	6.46	11.1		
Fullfoder (TMR) ej kompletta data (1E3)	1	9						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	8	0.6	3.6	1.3	5.6	0.1		1.4	28	8	64.3	13.3	36.9	4.4	
Havre, kärna, hög NDF (002)	1	1	0.9	3.6	1.5	5.9	0.2		2.0	15	1	128.0	113.0	56.0	6.6	
Vete, kärna (005)	1	7	0.4	3.1	1.1	4.9	0.1	2.8	1.5	-3	7	68.6	27.9	30.1	4.0	
Råg (011)	1	1	0.3	2.8	1.0	5.0	0.1		1.0	50	1	33.0	20.0	27.0	3.8	
Majs, finmald kärna (014)	1	5	0.2	2.8	1.1	4.6	0.6	0.9	1.0	58	5	39.4	5.2	20.4	2.2	0.1
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	0.5	3.5	1.2	5.3	0.1		1.4	25	3	39.7	22.7	33.0	3.9	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.4	1.3	6.8	0.1		1.5	62	1	58.0	24.0	45.0	5.2	
Majs hela plantan, grönmassa (030)	1	25	1.9	1.9	1.2	8.8	0.3	1.9	0.9	125	19	74.3	25.9	24.3	3.5	0.0
Grönmassa, gräs (0% baljv.) (161)	1	8	4.7	2.5	1.6	20.4	1.3	4.9	1.8	326	8	154.1	57.8	28.3	4.6	0.1
Grönmassa, gräs (0% baljv.) (161)	2	1	5.9	3.0	2.6	20.5	2.2	7.0	2.5	267	1	214.0	98.0	46.0	7.0	0.1
Ensilage, gräs (0% klöver) (162)	1	16	6.2	2.8	1.7	22.2	1.9	6.2	2.1	349	14	86.4	44.4	28.4	5.4	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	2	6	8.6	2.5	2.4	18.0	2.6	9.1	3.1	126	5	91.0	24.2	30.2	6.0	0.1
Ensilage, gräs (0% klöver) (162)	3	2	6.6	2.3	2.6	15.3	2.1	11.4	2.3	17	1	85.0	40.0	36.0	8.0	
Ensilage, gräs (0% klöver) (162)	4	1	8.7	1.7	3.8	11.8	2.7	23.0	3.3	***	1	113.0	32.0	39.0	8.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	7.2	2.6	1.6	25.2	0.7		1.5	449	1	65.0	23.0	23.0	3.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54	6.3	2.7	1.7	21.5	1.1	4.7	2.0	339	43	127.9	47.1	25.7	5.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	31	8.5	2.7	2.1	22.2	1.4	8.4	2.1	314	21	97.5	43.6	29.0	6.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	17	8.3	3.2	2.4	24.8	1.1	10.3	2.7	276	11	185.0	60.3	30.9	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	9.3	3.4	2.5	25.9	1.0	10.9	2.6	278	4	116.3	42.5	25.8	6.9	
Ensilage, blandvall (1-50% klöver) (165)	0	7	7.2	2.8	2.0	21.3	1.6	6.9	2.3	268	7	226.7	44.1	26.0	5.6	
Ensilage, blandvall (1-50% klöver) (165)	1	354	6.9	2.8	1.7	23.1	1.6	6.1	2.2	350	322	127.2	42.7	28.4	5.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	139	8.0	2.7	2.2	21.5	1.9	8.5	2.5	239	120	115.6	45.1	31.0	6.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	85	9.8	2.8	2.5	21.7	1.5	8.2	2.7	211	72	138.8	52.7	31.0	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	27	9.0	3.3	2.6	24.1	1.8	9.9	2.8	235	23	261.3	58.8	44.5	7.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	4	6.1	3.0	2.3	23.3	3.1	16.9	2.7	87	3	202.0	51.0	20.7	7.3	0.1
Korn, helsädesensilage (250)	1	10	4.7	2.4	1.0	18.4	0.5	6.0	1.6	243	7	88.6	27.0	22.3	4.0	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	4.8	2.4	1.3	15.3	2.4	4.4	1.5	274	4	79.0	25.0	23.8	3.7	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	7.5	3.2	2.1	18.8	1.1	5.5	2.0	232	1	132.0	36.0	23.0	4.0	
Majskolv, ensilerad (257)	1	4	0.8	2.1	0.8	5.4	0.2	1.3	0.9	58	1	35.0	6.0	35.0	2.0	
Solros ensilage skattat (286)	1	1	14.4	3.4	4.5	23.8	0.1		2.2	109	1	79.0	58.0	40.0	13.1	
Havre helsädesensilage degmognad (296)	1	2	3.9	2.4	1.5	17.2	2.2	8.7	1.8	150	2	213.0	24.5	26.0	4.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	4.7	2.3	1.7	16.4	0.8	3.8	1.7	241	1	119.0	69.0	30.0	4.4	
Vete, helsäd ensilage (299)	1	6	4.5	2.0	1.4	15.0	0.8	3.6	1.7	211	6	251.3	45.0	24.3	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	5	5.4	2.5	1.7	16.7	1.2	7.1	2.1	146	4	94.8	38.5	51.3	6.3	0.1
Majs, helsädesensilage (305)	1	126	2.1	1.8	1.2	8.7	0.3	2.2	0.9	117	104	64.6	18.0	24.8	4.1	0.0
Råg, helsädesensilage, axgång (311)	1	3	2.5	2.4	1.0	17.9	0.2	2.5	1.3	318	3	104.3	21.0	17.0	4.0	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ärter, helsädesensilage, sen skörd (315)	1	1	15.8	2.0	2.0	14.5	0.2	9.8	0.9	47	1	145.0	44.0	31.0	5.1	
Hö, blandvall, 0-50% baljväxter (383)	0	1	2.9	1.6	1.2	8.4	0.8		1.1	40	1	59.0	84.0	28.0	2.7	
Hö, blandvall, 0-50% baljväxter (383)	1	9	4.2	2.2	1.5	17.2	1.2	6.5	1.7	239	9	84.6	66.8	23.7	4.1	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	2	6.3	2.7	2.0	22.5	1.4	12.9	2.6	225	2	65.0	52.5	21.5	5.2	0.1
Ensilage, blandvall (51-100% klöver) (438)	1	3	14.0	3.2	1.7	24.0	1.1	5.8	2.0	373	3	108.0	42.7	22.3	7.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	11.4	3.9	3.4	22.9	1.2	3.5	2.5	383	0					
Straw, untreated (barley, wheat, oat) (468)	1	2	9.1	0.9	1.3	5.8	0.7	2.8	1.3	21	2	126.0	21.0	9.5	4.5	0.1
Majskolv, färsk (518)	1	1	0.5	2.3	1.1	4.8	0.6	0.5	0.9	79	1	37.0	8.0	25.0	1.4	
repja (1E3)	1	1	0.7	4.6	1.5	10.7	3.7	14.2	2.3	***	0					
Ensilage, blandvall (1-50% klöver) (326)	1	9	7.0	3.6	2.6	16.3	2.1	7.0	2.5	155	6	245.2	57.7	56.8	10.3	0.4
Fullfoder (TMR) ej kompletta data (1E3)	1	9	6.8	3.4	2.5	15.2	2.7	5.5	2.2	212	9	255.9	64.3	58.0	9.7	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	865.684	24.6713	840.000	909.000
Aska	17	19.665	2.6294	16.200	23.400
OS smbh	19	72.421	32.2186	0.000	86.000
Råprot	18	117.150	18.1510	97.000	146.500
sRåprot	3	317.667	27.3008	299.000	349.000
NH3-N	1	6.000	.	6.000	6.000
NDF	14	215.143	46.6276	140.000	249.000
iNDF	19	140.368	51.3249	25.000	162.000
nhNDF	19	3.150	0.0000	3.150	3.150
Stä	18	601.033	45.9051	535.000	649.800
TAF	19	0.000	0.0000	0.000	0.000
Socker	4	11.000	12.0000	5.000	29.000
AATp20	19	94.611	2.2217	92.183	98.031
PBVp20	19	-24.524	18.2912	-52.513	2.688
NELp20	19	7.254	0.1684	7.000	7.469
OE*	3	12.833	0.4163	12.500	13.300
Ca	8	0.575	0.0886	0.400	0.700
P	8	3.575	0.4921	2.600	4.200
Mg	8	1.250	0.1069	1.100	1.400
K	8	5.588	0.7434	4.600	6.700
Na	8	0.125	0.0707	0.100	0.300
S	8	1.388	0.1246	1.200	1.600
CAB	8	27.816	18.1703	0.692	56.846
Fe	8	64.250	22.4992	43.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	8	13.250	4.3012	8.000	19.000
Zn	8	36.875	8.4081	29.000	50.000
Cu	8	4.388	0.9746	2.600	5.500

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	892.000	.	892.000	892.000
Aska	1	24.700	.	24.700	24.700
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	124.400	.	124.400	124.400
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	478.700	.	478.700	478.700
TAF	1	0.000	.	0.000	0.000
AATp20	1	83.174	.	83.174	83.174
PBVp20	1	5.903	.	5.903	5.903
NELp20	1	6.315	.	6.315	6.315
Ca	1	0.900	.	0.900	0.900
P	1	3.600	.	3.600	3.600
Mg	1	1.500	.	1.500	1.500
K	1	5.900	.	5.900	5.900
Na	1	0.200	.	0.200	0.200
S	1	2.000	.	2.000	2.000
CAB	1	14.872	.	14.872	14.872

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	128.000	.	128.000	128.000
Mn	1	113.000	.	113.000	113.000
Zn	1	56.000	.	56.000	56.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	858.538	16.226	839.000	883.000
Aska	13	19.215	4.041	16.100	23.000
OS smbh	13	67.692	38.591	0.000	88.000
Råprot	13	134.146	21.123	117.800	160.600
sRåprot	3	365.667	144.791	240.000	524.000
NH3-N	1	6.000	.	6.000	6.000
NDF	7	147.857	59.937	112.000	276.000
iNDF	13	149.615	71.042	25.000	187.000
nhNDF	13	3.500	0.000	3.500	3.500
Stä	13	623.031	75.380	518.700	692.000
TAF	13	0.000	0.000	0.000	0.000
Socker	3	5.000	0.000	5.000	5.000
AATp20	13	114.139	1.858	111.888	116.016
PBVp20	13	-32.773	20.656	-49.705	-1.214
NELp20	13	7.925	0.158	7.680	8.052
OE*	3	13.700	0.458	13.200	14.100
Ca	7	0.443	0.140	0.300	0.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	7	3.057	0.230	2.800	3.400
Mg	7	1.100	0.082	1.000	1.200
K	7	4.900	0.513	4.300	5.600
Na	5	0.100	0.000	0.100	0.100
Cl	2	2.750	2.475	1.000	4.500
S	7	1.486	0.372	1.100	2.100
CAB	7	-3.431	45.210	-97.940	39.546
Fe	7	68.571	41.633	35.000	137.000
Mn	7	27.857	7.559	14.000	35.000
Zn	7	30.143	6.866	21.000	41.000
Cu	7	4.043	0.556	3.300	5.000

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	872.000	.	872.000	872.000
Aska	1	14.900	.	14.900	14.900
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	79.100	.	79.100	79.100
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	707.600	.	707.600	707.600
TAF	1	0.000	.	0.000	0.000
AATp20	1	103.246	.	103.246	103.246
PBVp20	1	-73.237	.	-73.237	-73.237

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	7.833	.	7.833	7.833
Ca	1	0.300	.	0.300	0.300
P	1	2.800	.	2.800	2.800
Mg	1	1.000	.	1.000	1.000
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	50.007	.	50.007	50.007
Fe	1	33.000	.	33.000	33.000
Mn	1	20.000	.	20.000	20.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	634.600	103.751	543.000	811.000
Aska	5	15.600	2.966	11.000	19.000
OS smbh	5	70.120	39.231	0.000	89.000
Råprot	5	88.400	6.465	82.000	97.000
sRåprot	3	238.333	108.487	115.000	319.000
NH3-N	2	11.000	0.000	11.000	11.000
NDF	3	105.000	29.462	73.000	131.000
iNDF	5	138.000	118.821	25.000	279.000
nhNDF	5	3.700	0.000	3.700	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	5	658.400	30.188	613.000	694.000
TAF	5	0.000	0.000	0.000	0.000
Socker	3	5.000	0.000	5.000	5.000
AATp20	5	109.383	4.395	104.813	115.888
PBVp20	5	-68.143	3.790	-71.619	-62.078
NELp20	5	7.724	0.281	7.305	8.006
OE*	4	13.325	1.421	11.400	14.800
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-48.000	.	-48.000	-48.000
Ca	5	0.240	0.114	0.100	0.400
P	5	2.780	0.487	2.000	3.300
Mg	5	1.060	0.219	0.800	1.400
K	5	4.560	0.838	3.800	5.800
Na	4	0.625	0.862	0.100	1.900
Cl	3	0.900	0.100	0.800	1.000
S	5	0.960	0.089	0.900	1.100
CAB	5	57.873	49.743	13.066	140.277
Fe	5	39.400	17.213	23.000	67.000
Mn	5	5.200	2.280	3.000	9.000
Zn	5	20.400	5.459	15.000	29.000
Cu	5	2.220	0.438	2.000	3.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	16.600	.	16.600	16.600
OS smbh	1	89.479	.	89.479	89.479
Råprot	1	81.800	.	81.800	81.800
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	707.300	.	707.300	707.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.380	.	105.380	105.380
PBVp20	1	-72.500	.	-72.500	-72.500
NELp20	1	7.744	.	7.744	7.744

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	849.800	7.2595	842.000	857.000
Aska	5	18.120	1.2911	16.600	20.000
OS smbh	5	87.000	0.0000	87.000	87.000
Råprot	5	123.800	10.0950	117.000	141.300
NH3-N	1	6.000	.	6.000	6.000
iNDF	5	173.000	0.0000	173.000	173.000
nhNDF	5	3.300	0.0000	3.300	3.300
Stä	5	637.620	26.8354	601.000	663.900
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	106.021	1.0748	105.113	107.706

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	-32.885	8.4501	-38.843	-18.112
NELp20	5	7.689	0.1224	7.489	7.824
Ca	3	0.500	0.0000	0.500	0.500
P	3	3.500	0.3464	3.300	3.900
Mg	3	1.233	0.0577	1.200	1.300
K	3	5.267	0.3512	4.900	5.600
Na	3	0.100	0.0000	0.100	0.100
S	3	1.367	0.1155	1.300	1.500
CAB	3	25.460	11.0499	17.979	38.151
Fe	3	39.667	1.1547	39.000	41.000
Mn	3	22.667	6.1101	16.000	28.000
Zn	3	33.000	5.2915	29.000	39.000
Cu	3	3.900	0.4000	3.500	4.300

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	20.000	.	20.000	20.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	150.000	.	150.000	150.000
NH3-N	1	5.000	.	5.000	5.000
NDF	1	220.000	.	220.000	220.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	557.000	.	557.000	557.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.382	.	104.382	104.382
PBVp20	1	-1.605	.	-1.605	-1.605
NELp20	1	7.083	.	7.083	7.083
Ca	1	0.600	.	0.600	0.600
P	1	3.400	.	3.400	3.400
Mg	1	1.300	.	1.300	1.300
K	1	6.800	.	6.800	6.800
Na	1	0.100	.	0.100	0.100
S	1	1.500	.	1.500	1.500
CAB	1	61.976	.	61.976	61.976
Fe	1	58.000	.	58.000	58.000
Mn	1	24.000	.	24.000	24.000
Zn	1	45.000	.	45.000	45.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	802.000	.	802.000	802.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	220.000	.	220.000	220.000
NH3-N	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	487.000	.	487.000	487.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.849	.	101.849	101.849
PBVp20	1	71.823	.	71.823	71.823
NELp20	1	7.640	.	7.640	7.640

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	41	339.195	65.4883	277.000	415.000
Aska	41	29.976	4.6930	24.000	36.000
OS smbh	41	75.902	2.8597	72.200	79.000
Råprot	41	76.878	6.0671	69.000	84.000
sRåprot	41	369.317	40.4824	320.000	421.000
NDF	41	385.122	38.7164	345.000	439.000
iNDF	41	186.900	24.1828	167.469	221.000
nhNDF	41	3.432	0.6971	2.274	4.077
Stä	41	287.341	64.5343	221.000	377.000
TAF	41	57.000	0.0000	57.000	57.000
Socker	41	57.171	47.3513	7.000	114.000
AATp20	41	87.835	3.0740	84.060	91.009
PBVp20	41	-61.583	6.3172	-68.357	-55.518
NELp20	41	6.351	0.2655	6.067	6.652

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	18	11.261	0.4198	10.420	11.600
AAT*	4	80.250	0.5000	80.000	81.000
PBV*	4	-70.500	4.4347	-74.000	-64.000
Ca	25	1.932	0.5970	1.300	2.800
P	25	1.872	0.1948	1.600	2.100
Mg	25	1.168	0.2155	0.900	1.300
K	25	8.788	1.4842	7.000	10.400
Na	24	0.267	0.1711	0.100	0.600
Cl	35	1.934	0.9352	1.200	3.200
S	25	0.896	0.1399	0.700	1.100
CAB	25	125.085	34.7262	80.384	171.689
Fe	19	74.316	33.8757	43.000	126.000
Mn	19	25.895	29.1984	9.000	49.000
Zn	19	24.316	10.2527	16.000	49.000
Cu	19	3.547	0.8915	2.000	5.000
Se	6	0.036	0.0197	0.012	0.060

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	11.000	.	11.000	11.000

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	209.143	33.4536	166.000	259.000
OS smbh	7	73.150	0.0000	73.150	73.150
iNDF	7	170.460	0.0000	170.460	170.460
nhNDF	7	4.315	0.0000	4.315	4.315
TAF	7	0.000	0.0000	0.000	0.000
AATp20	7	96.439	0.0000	96.439	96.439
PBVp20	7	-4.418	0.0000	-4.418	-4.418
NELp20	7	5.943	0.0000	5.943	5.943
OE*	7	12.614	0.2340	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	212.000	27.6007	186.000	260.000
OS smbh	11	73.150	0.0000	73.150	73.150
iNDF	11	170.460	0.0000	170.460	170.460
nhNDF	11	4.315	0.0000	4.315	4.315
TAF	11	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	11	96.439	0.0000	96.439	96.439
PBVp20	11	-4.418	0.0000	-4.418	-4.418
NELp20	11	5.943	0.0000	5.943	5.943
OE*	11	12.536	0.3202	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	184.000	28.6938	152.000	218.000
OS smbh	4	73.150	0.0000	73.150	73.150
iNDF	4	170.460	0.0000	170.460	170.460
nhNDF	4	4.315	0.0000	4.315	4.315
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	96.439	0.0000	96.439	96.439
PBVp20	4	-4.418	0.0000	-4.418	-4.418
NELp20	4	5.943	0.0000	5.943	5.943
OE*	4	11.850	0.3873	11.400	12.300

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	163.000	9.89949	156.000	170.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	11.350	0.07071	11.300	11.400

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	232.000	.	232.000	232.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000
AATp20	1	92.987	.	92.987	92.987
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.100	.	11.100	11.100

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	522.125	221.381	261.000	831.000
Aska	8	63.750	17.144	49.000	103.000
OS smbh	8	71.538	3.200	66.200	76.000
Råprot	8	130.625	37.167	89.000	207.000
sRåprot	4	529.750	116.073	410.000	669.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	8	509.125	31.252	475.000	555.000
iNDF	8	183.015	30.849	134.785	229.710
nhNDF	8	3.988	0.492	3.307	5.015
Stä	1	22.000	.	22.000	22.000
TAF	8	61.000	0.000	61.000	61.000
Socker	8	103.125	45.085	48.000	181.000
AATp20	8	82.026	4.036	75.998	88.674
PBVp20	8	3.095	29.641	-33.035	62.241
NELp20	8	5.797	0.315	5.249	6.235
OE*	8	10.433	0.474	9.700	10.920
AAT*	4	71.500	2.887	69.000	74.000
PBV*	4	10.500	52.969	-37.000	78.000
Ca	8	4.738	1.683	2.900	8.000
P	8	2.513	0.579	1.800	3.700
Mg	8	1.563	0.431	1.000	2.500
K	8	20.388	6.383	15.600	35.600
Na	8	1.313	1.151	0.200	3.100
Cl	3	4.900	0.889	4.200	5.900
S	8	1.800	0.393	1.400	2.600
CAB	8	326.196	174.604	181.773	741.923
Fe	8	154.125	93.602	49.000	286.000
Mn	8	57.750	20.408	19.000	88.000
Zn	8	28.250	5.036	20.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	8	4.600	0.962	3.600	6.000
Se	4	0.050	0.000	0.050	0.050

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	426.000	.	426.000	426.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	136.000	.	136.000	136.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	504.000	.	504.000	504.000
iNDF	1	167.000	.	167.000	167.000
nhNDF	1	3.827	.	3.827	3.827
TAF	1	61.000	.	61.000	61.000
Socker	1	109.000	.	109.000	109.000
AATp20	1	86.448	.	86.448	86.448
PBVp20	1	0.810	.	0.810	0.810
NELp20	1	5.872	.	5.872	5.872
OE*	1	10.530	.	10.530	10.530
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.600	.	2.600	2.600
K	1	20.500	.	20.500	20.500
Na	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	7.000	.	7.000	7.000
S	1	2.500	.	2.500	2.500
CAB	1	266.516	.	266.516	266.516
Fe	1	214.000	.	214.000	214.000
Mn	1	98.000	.	98.000	98.000
Zn	1	46.000	.	46.000	46.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	396.176	135.459	271.000	633.000
Aska	17	67.706	6.213	61.000	75.000
OS smbh	17	75.800	3.675	70.400	80.200
Råprot	17	146.412	19.275	126.000	178.000
sRåprot	17	650.294	72.766	582.000	744.000
NH3-N	17	81.471	29.454	54.000	129.000
NDF	17	456.765	48.501	412.000	516.000
iNDF	17	153.931	33.664	109.114	214.476
nhNDF	17	4.600	0.535	3.834	5.375
TAF	17	83.324	38.154	22.000	127.900
Mjölksyra	17	65.588	33.380	11.000	101.000
Ättiksyra	17	15.529	7.010	6.000	24.000
Socker	17	58.412	31.688	20.000	111.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	3.500	0.707	3.000	4.000
BUF	17	0.912	1.399	0.000	3.800
AATp20	17	80.677	3.513	75.688	86.396
PBVp20	17	19.412	19.096	-6.905	48.845
NELp20	17	6.248	0.403	5.552	6.796
OE*	17	11.116	0.588	10.100	11.800
AAT*	15	72.000	1.512	70.000	74.000
PBV*	15	23.267	12.407	12.000	38.000
Ca	16	6.231	1.451	4.800	7.000
P	16	2.781	0.347	2.400	3.200
Mg	16	1.669	0.202	1.500	2.000
K	16	22.163	3.062	18.000	26.500
Na	16	1.856	0.734	0.800	2.800
Cl	17	6.241	2.439	3.200	9.200
S	16	2.131	0.252	1.800	2.500
CAB	16	348.650	99.119	200.759	458.318
Fe	14	86.429	16.723	61.000	102.000
Mn	14	44.429	18.563	26.000	75.000
Zn	14	28.429	4.309	23.000	33.000
Cu	14	5.400	1.049	4.000	6.800
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	372.833	58.935	302.000	474.000
Aska	6	73.000	9.187	57.000	83.000
OS smbh	6	73.100	3.827	68.800	79.000
Råprot	6	156.667	23.106	139.000	191.000
sRåprot	6	632.167	62.914	550.000	718.000
NH3-N	6	91.167	21.775	68.000	129.000
NDF	6	448.833	41.422	394.000	491.000
iNDF	6	191.898	48.453	127.511	242.377
nhNDF	6	3.901	0.708	2.964	4.908
TAF	6	66.000	23.415	34.700	98.000
Mjölksyra	6	50.167	17.256	28.000	74.000
Ättiksyra	6	13.000	6.603	4.000	19.000
Socker	6	52.667	13.186	38.000	72.000
PRF	2	3.500	3.536	1.000	6.000
BUF	6	1.000	1.472	0.000	3.700
AATp20	6	79.766	2.325	77.827	84.218
PBVp20	6	30.671	18.696	15.460	61.857
NELp20	6	5.959	0.433	5.455	6.592
OE*	6	10.603	0.645	9.900	11.600
AAT*	4	70.000	2.449	68.000	73.000
PBV*	4	30.750	16.899	17.000	55.000
Ca	6	8.550	3.079	5.900	14.500
P	6	2.483	0.749	1.400	3.400
Mg	6	2.383	0.417	1.800	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	6	18.000	3.892	12.300	23.900
Na	6	2.617	1.425	1.000	4.800
Cl	6	9.067	4.528	3.800	16.600
S	6	3.083	0.975	2.200	5.000
CAB	6	126.019	198.433	-81.903	393.452
Fe	5	91.000	30.438	58.000	141.000
Mn	5	24.200	14.601	13.000	49.000
Zn	5	30.200	9.418	21.000	44.000
Cu	5	6.040	1.474	4.500	8.300
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	724.500	108.187	648.000	801.000
Aska	2	61.500	3.536	59.000	64.000
OS smbh	2	69.800	1.980	68.400	71.200
Råprot	2	130.500	21.920	115.000	146.000
sRåprot	2	472.000	93.338	406.000	538.000
NH3-N	2	37.500	27.577	18.000	57.000
NDF	2	519.500	12.021	511.000	528.000
iNDF	2	222.000	8.485	216.000	228.000
nhNDF	2	4.078	0.415	3.784	4.372
TAF	2	18.500	3.536	16.000	21.000
Mjölksyra	2	14.500	0.707	14.000	15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	2.000	2.828	0.000	4.000
Socker	2	88.000	5.657	84.000	92.000
PRF	2	1.500	0.707	1.000	2.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	84.783	5.518	80.881	88.685
PBVp20	2	-1.139	11.143	-9.018	6.740
NELp20	2	5.634	0.251	5.457	5.811
OE*	2	10.190	0.368	9.930	10.450
Ca	2	6.600	3.394	4.200	9.000
P	2	2.300	0.707	1.800	2.800
Mg	2	2.550	0.495	2.200	2.900
K	2	15.300	5.515	11.400	19.200
Na	2	2.050	0.778	1.500	2.600
Cl	2	11.350	2.616	9.500	13.200
S	2	2.300	0.424	2.000	2.600
CAB	2	16.966	207.456	-129.727	163.660
Fe	1	85.000	.	85.000	85.000
Mn	1	40.000	.	40.000	40.000
Zn	1	36.000	.	36.000	36.000
Cu	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	361.000	.	361.000	361.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	68.900	.	68.900	68.900
Råprot	1	168.000	.	168.000	168.000
sRåprot	1	518.000	.	518.000	518.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	473.000	.	473.000	473.000
iNDF	1	277.000	.	277.000	277.000
nhNDF	1	3.928	.	3.928	3.928
TAF	1	74.000	.	74.000	74.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	37.000	.	37.000	37.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	79.070	.	79.070	79.070
PBVp20	1	42.445	.	42.445	42.445
NELp20	1	5.716	.	5.716	5.716
OE*	1	9.910	.	9.910	9.910
Ca	1	8.700	.	8.700	8.700
P	1	1.700	.	1.700	1.700
Mg	1	3.800	.	3.800	3.800
K	1	11.800	.	11.800	11.800
Na	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	23.000	.	23.000	23.000
S	1	3.300	.	3.300	3.300
CAB	1	-434.956	.	-434.956	-434.956
Fe	1	113.000	.	113.000	113.000
Mn	1	32.000	.	32.000	32.000
Zn	1	39.000	.	39.000	39.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	500.000	.	500.000	500.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	143.000	.	143.000	143.000
NDF	1	469.000	.	469.000	469.000
iNDF	1	174.836	.	174.836	174.836
nhNDF	1	4.140	.	4.140	4.140
TAF	1	84.000	.	84.000	84.000
Socker	1	110.000	.	110.000	110.000
AATp20	1	81.702	.	81.702	81.702
PBVp20	1	17.278	.	17.278	17.278
NELp20	1	5.953	.	5.953	5.953
OE*	1	10.600	.	10.600	10.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	74.000	.	74.000	74.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	7.200	.	7.200	7.200
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	25.200	.	25.200	25.200
Na	1	0.700	.	0.700	0.700
S	1	1.500	.	1.500	1.500
CAB	1	448.792	.	448.792	448.792
Fe	1	65.000	.	65.000	65.000
Mn	1	23.000	.	23.000	23.000
Zn	1	23.000	.	23.000	23.000
Cu	1	3.800	.	3.800	3.800
Se	1	0.012	.	0.012	0.012

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	60	450.600	136.929	281.500	653.500
Aska	60	70.517	11.368	58.000	80.500
OS smbh	60	76.522	4.672	70.050	81.150
Råprot	60	145.767	28.841	105.500	180.500
sRåprot	25	442.000	87.555	351.000	581.000
NDF	60	450.950	60.074	374.000	534.000
iNDF	60	148.032	54.229	82.500	225.408

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	60	4.942	1.221	3.820	5.974
Stä	1	19.000	.	19.000	19.000
TAF	60	61.633	34.782	3.500	84.000
Mjölksyra	18	0.000	0.000	0.000	0.000
Ättiksyra	14	3.786	7.181	0.000	14.000
Socker	60	126.133	46.551	58.000	192.500
PRF	14	1.500	2.565	0.000	7.000
BUF	14	1.143	1.994	0.000	5.000
AATp20	60	88.184	7.151	79.508	96.847
PBVp20	60	9.365	22.116	-15.311	43.644
NELp20	60	6.205	0.388	5.703	6.655
OE*	60	11.199	0.791	10.245	12.000
AAT*	35	77.257	5.008	69.000	82.000
PBV*	35	4.289	26.971	-33.000	44.000
Ca	54	6.346	2.970	3.400	10.000
P	54	2.722	0.490	2.100	3.300
Mg	54	1.719	0.419	1.100	2.200
K	54	21.522	4.189	15.100	26.600
Na	54	1.113	0.930	0.200	2.200
Cl	23	4.730	3.380	0.900	9.600
S	54	2.028	0.471	1.500	2.600
CAB	54	339.335	98.586	173.599	442.501
Fe	43	127.907	114.262	63.000	259.000
Mn	43	47.070	26.611	16.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	43	25.674	5.651	19.000	32.000
Cu	43	5.056	1.012	3.800	6.500
Se	11	0.032	0.029	0.008	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	36	506.639	149.839	299.000	696.000
Aska	36	76.194	14.530	59.000	98.000
OS smbh	36	72.231	4.131	66.600	78.300
Råprot	36	139.250	25.695	103.000	171.000
sRåprot	14	454.071	97.565	382.000	615.000
NDF	36	476.556	44.634	417.000	541.000
iNDF	36	194.950	49.469	136.000	253.000
nhNDF	36	4.169	0.819	3.263	5.427
TAF	36	81.778	13.333	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	36	97.028	33.285	48.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	36	81.371	5.541	73.792	88.103
PBVp20	36	14.378	21.004	-13.318	36.563
NELp20	36	5.862	0.375	5.446	6.434
OE*	36	10.424	0.673	9.500	11.270

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	22	72.318	4.303	67.000	77.000
PBV*	22	18.000	25.851	-19.000	40.000
Ca	31	8.494	4.203	4.500	14.200
P	31	2.703	0.393	2.200	3.100
Mg	31	2.142	0.467	1.700	2.700
K	31	22.161	5.021	16.600	27.200
Na	31	1.358	0.867	0.500	2.800
Cl	14	8.371	5.976	2.600	19.100
S	31	2.116	0.305	1.600	2.500
CAB	31	314.473	170.758	152.739	474.143
Fe	21	97.524	47.680	61.000	136.000
Mn	21	43.619	26.036	21.000	81.000
Zn	21	29.000	19.087	19.000	39.000
Cu	21	6.257	1.792	4.900	9.000
Se	5	0.031	0.019	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	392.588	130.626	231.000	589.000
Aska	17	86.118	17.542	69.000	112.000
OS smbh	17	74.318	3.720	71.500	79.600
Råprot	17	180.353	35.803	134.000	246.000
sRåprot	11	429.273	116.006	320.000	567.000
NDF	17	441.765	37.796	383.000	490.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	17	195.073	61.668	132.000	300.000
nhNDF	17	4.719	1.181	3.649	6.084
TAF	17	84.000	0.000	84.000	84.000
Socker	17	71.118	37.764	17.000	118.000
AATp20	17	85.728	5.648	79.709	93.862
PBVp20	17	45.832	31.593	13.003	90.180
NELp20	17	6.153	0.357	5.847	6.481
OE*	17	10.648	0.596	10.000	11.270
AAT*	6	73.667	3.777	71.000	81.000
PBV*	6	70.167	47.178	8.000	127.000
Ca	17	8.312	3.080	4.100	12.200
P	17	3.218	0.555	2.700	3.800
Mg	17	2.371	0.395	1.700	2.800
K	17	24.829	4.902	17.200	33.000
Na	17	1.053	0.629	0.400	1.900
Cl	11	10.264	6.507	4.300	17.400
S	17	2.729	0.465	2.000	3.200
CAB	17	276.412	200.167	-22.286	540.751
Fe	11	185.000	189.835	64.000	398.000
Mn	11	60.273	44.533	26.000	131.000
Zn	11	30.909	6.610	22.000	38.000
Cu	11	6.791	1.405	5.000	8.700
Se	2	0.022	0.018	0.009	0.035

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	385.429	214.793	193.000	816.000
Aska	7	85.000	11.299	73.000	103.000
OS smbh	7	78.100	5.027	71.200	85.300
Råprot	7	178.286	21.453	154.000	205.000
sRåprot	3	392.667	8.083	384.000	400.000
NDF	7	406.143	51.712	326.000	474.000
iNDF	7	146.923	72.993	55.866	263.000
nhNDF	7	5.276	1.235	4.039	7.608
TAF	7	84.000	0.000	84.000	84.000
Socker	7	105.571	22.285	73.000	144.000
AATp20	7	88.755	4.673	82.442	96.072
PBVp20	7	38.739	14.671	23.815	57.400
NELp20	7	6.410	0.445	5.869	7.091
OE*	7	11.277	0.780	10.250	12.500
AAT*	4	78.500	3.416	74.000	82.000
PBV*	4	54.750	13.841	34.000	62.000
Ca	4	9.275	1.024	8.000	10.200
P	4	3.350	0.493	2.800	3.900
Mg	4	2.500	0.497	1.900	3.100
K	4	25.925	4.020	21.900	31.500
Na	4	0.975	0.591	0.400	1.800
Cl	3	10.900	3.816	7.300	14.900
S	4	2.625	0.386	2.400	3.200
CAB	4	277.992	205.765	57.008	540.624

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	4	116.250	40.648	88.000	175.000
Mn	4	42.500	11.619	31.000	53.000
Zn	4	25.750	4.573	21.000	31.000
Cu	4	6.900	1.281	5.600	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	390.700	99.282	282.500	533.500
Aska	10	78.200	20.514	55.500	106.500
OS smbh	10	72.730	2.262	69.250	75.600
Råprot	10	138.200	25.143	105.500	174.500
sRåprot	10	607.100	54.903	533.500	675.000
NH3-N	10	98.000	32.571	65.500	147.500
NDF	10	461.000	46.595	396.000	524.500
iNDF	10	188.964	32.633	155.285	242.179
nhNDF	10	3.905	0.596	3.016	4.503
TAF	10	74.170	25.047	41.900	110.600
Mjölksyra	10	55.400	22.262	26.000	87.500
Ättiksyra	10	15.400	5.275	8.500	22.000
Socker	10	53.700	36.353	13.500	109.500
BUF	10	2.370	4.486	0.100	9.500
AATp20	10	79.193	3.249	74.901	83.383
PBVp20	10	16.823	26.287	-17.813	52.381
NELp20	10	5.905	0.268	5.504	6.215

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	10	10.500	0.554	9.600	11.050
AAT*	10	70.200	1.751	67.500	72.000
PBV*	10	17.400	26.226	-16.000	54.500
Ca	7	7.214	1.741	4.700	9.400
P	7	2.814	0.537	2.300	3.700
Mg	7	2.043	0.519	1.200	2.700
K	7	21.343	2.457	18.900	25.000
Na	7	1.614	0.771	0.800	3.000
Cl	10	6.930	2.946	3.400	11.250
S	7	2.329	0.605	1.800	3.300
CAB	7	267.687	105.389	79.192	373.932
Fe	7	226.714	291.492	63.000	884.000
Mn	7	44.143	21.019	22.000	72.000
Zn	7	26.000	3.416	19.000	30.000
Cu	7	5.614	1.185	4.100	7.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	379	349.625	84.724	267.000	450.000
Aska	379	72.953	8.380	62.000	82.000
OS smbh	379	76.006	2.977	72.100	79.600
Råprot	379	154.356	19.450	129.000	179.000
sRåprot	379	667.876	55.411	602.000	728.000
NH3-N	379	90.813	30.008	59.000	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	379	434.077	42.467	382.000	490.000
iNDF	379	161.638	34.518	122.000	209.355
nhNDF	379	4.483	0.521	3.896	5.069
TAF	379	91.178	29.140	48.600	126.000
Mjölksyra	379	70.090	25.869	30.000	99.000
Ättiksyra	379	18.232	6.531	10.000	26.000
Socker	379	53.182	29.566	21.000	93.000
PRF	127	2.969	2.145	1.000	6.000
BUF	379	1.197	2.561	0.000	3.100
AATp20	379	80.552	2.932	77.098	84.320
PBVp20	379	29.596	18.522	5.803	53.565
NELp20	379	6.295	0.309	5.889	6.637
OE*	379	11.087	0.485	10.480	11.700
AAT*	252	72.004	1.376	70.000	74.000
PBV*	252	26.881	17.280	4.000	49.000
Ca	354	6.926	1.915	4.600	9.200
P	354	2.786	0.380	2.300	3.300
Mg	354	1.739	0.293	1.500	2.100
K	354	23.071	3.703	18.300	27.600
Na	354	1.623	0.813	0.700	2.700
Cl	378	6.125	3.943	2.400	10.500
S	354	2.182	0.376	1.700	2.700
CAB	354	350.071	129.515	192.509	483.335
Fe	322	127.245	91.320	75.000	187.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	322	42.652	22.304	23.000	67.000
Zn	322	28.419	15.942	22.000	34.000
Cu	322	5.834	1.217	4.600	7.100
Se	62	0.061	0.056	0.021	0.060

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	146	436.137	124.182	306.000	618.000
Aska	146	74.932	10.709	64.000	86.000
OS smbh	146	73.696	3.508	69.700	77.300
Råprot	146	149.870	22.529	120.000	178.000
sRåprot	146	593.692	82.046	482.000	683.000
NH3-N	146	71.322	27.658	37.000	96.000
NDF	146	451.322	36.360	409.000	495.000
iNDF	146	188.378	44.148	139.000	251.444
nhNDF	146	4.211	0.623	3.456	4.947
Stä	2	135.500	3.536	133.000	138.000
TAF	146	66.383	31.565	22.500	109.000
Mjölksyra	146	48.904	27.053	12.000	89.000
Ättiksyra	145	14.952	6.390	7.000	24.000
Socker	146	63.753	30.609	26.000	109.000
PRF	58	2.845	1.981	0.000	5.000
BUF	145	0.772	1.516	0.000	1.700
AATp20	146	81.828	4.020	77.329	86.959

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	146	23.554	19.588	-1.584	48.657
NELp20	146	6.035	0.366	5.573	6.425
OE*	146	10.680	0.566	10.000	11.220
AAT*	87	70.598	1.914	68.000	72.000
PBV*	87	23.667	20.261	0.000	50.000
Ca	139	7.977	2.363	5.200	11.300
P	139	2.691	0.491	2.100	3.300
Mg	139	2.227	0.350	1.800	2.600
K	139	21.458	4.421	15.800	27.100
Na	139	1.858	1.012	0.700	3.200
Cl	144	8.476	4.341	4.000	12.800
S	139	2.466	0.426	1.900	3.100
CAB	139	239.258	133.384	80.950	413.673
Fe	120	115.625	70.574	63.500	170.500
Mn	120	45.108	20.707	21.000	74.500
Zn	120	31.000	21.629	21.000	36.000
Cu	120	6.375	1.167	5.100	8.000
Se	26	0.072	0.078	0.011	0.180

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	93	416.860	128.374	283.000	598.000
Aska	93	82.430	10.245	73.000	97.000
OS smbh	93	71.173	3.820	65.700	75.100
Råprot	93	158.269	23.287	124.000	189.000
sRåprot	93	563.204	76.669	464.000	644.000
NH3-N	93	83.333	30.818	48.000	119.000
NDF	93	449.312	41.063	400.000	506.000
iNDF	93	226.488	44.566	171.932	294.000
nhNDF	93	3.873	0.859	2.785	4.761
TAF	93	68.235	27.462	25.000	103.800
Mjölksyra	92	48.750	21.236	17.000	76.000
Ättiksyra	93	16.452	8.688	8.000	28.000
Socker	93	49.290	29.429	18.000	89.000
PRF	35	2.029	1.740	0.000	4.000
BUF	93	1.537	3.242	0.000	3.500
AATp20	93	79.732	4.770	73.848	86.884
PBVp20	93	34.963	21.216	7.048	64.488
NELp20	93	5.801	0.369	5.254	6.221
OE*	93	10.174	0.606	9.300	10.810
AAT*	58	68.603	2.043	66.000	71.000
PBV*	58	33.726	23.891	4.000	72.000
Ca	85	9.812	3.067	6.000	13.400
P	85	2.841	0.502	2.300	3.400
Mg	85	2.506	0.411	2.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	85	21.733	3.955	16.800	26.500
Na	85	1.467	0.806	0.600	2.400
Cl	92	8.225	5.246	3.600	14.100
S	85	2.709	0.411	2.300	3.200
CAB	85	210.575	169.739	50.223	391.512
Fe	72	138.833	106.973	72.000	206.000
Mn	72	52.722	37.254	22.000	86.000
Zn	72	31.000	25.374	20.000	37.000
Cu	72	6.801	1.170	5.300	8.300
Se	16	0.050	0.016	0.019	0.071

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	28	383.071	159.059	250.000	640.000
Aska	28	89.893	15.356	75.000	100.000
OS smbh	28	73.229	3.169	67.300	76.900
Råprot	28	176.036	22.088	149.000	202.000
sRåprot	28	543.714	98.012	347.000	628.000
NH3-N	28	71.321	25.777	40.000	111.000
NDF	28	418.607	46.089	356.000	490.000
iNDF	28	212.604	45.661	156.671	279.000
nhNDF	28	3.990	0.707	3.031	4.837
TAF	28	76.550	40.672	15.500	125.000
Mjölksyra	28	59.000	34.409	10.000	102.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	28	15.714	7.911	5.000	26.000
Socker	28	51.250	28.451	17.000	97.000
PRF	13	1.385	1.609	0.000	4.000
BUF	28	0.657	1.065	0.000	1.900
AATp20	28	81.665	4.504	75.289	87.463
PBVp20	28	48.303	22.124	17.824	75.983
NELp20	28	5.998	0.362	5.480	6.396
OE*	28	10.429	0.483	9.600	11.060
AAT*	15	69.667	1.633	67.000	71.000
PBV*	15	50.867	16.071	36.000	72.000
Ca	27	9.026	2.926	5.800	14.200
P	27	3.304	0.675	2.600	4.400
Mg	27	2.567	0.392	2.000	3.100
K	27	24.067	5.990	16.500	32.900
Na	27	1.781	0.775	0.800	2.700
Cl	28	9.893	5.617	3.600	19.900
S	27	2.767	0.590	2.200	3.500
CAB	27	235.443	165.697	19.594	469.787
Fe	23	261.304	298.517	85.000	422.000
Mn	23	58.783	28.339	27.000	104.000
Zn	23	44.478	45.990	22.000	90.000
Cu	23	7.474	1.342	6.000	9.000
Se	6	0.052	0.022	0.022	0.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	400.250	133.308	285.000	586.000
Aska	4	81.250	5.852	74.000	86.000
OS smbh	4	72.750	3.192	68.600	75.500
Råprot	4	170.500	40.369	135.000	218.000
sRåprot	4	570.500	95.849	430.000	646.000
NH3-N	4	78.250	44.761	33.000	138.000
NDF	4	465.000	35.185	424.000	510.000
iNDF	4	203.287	47.469	157.000	265.000
nhNDF	4	4.369	0.734	3.331	4.980
TAF	4	57.425	29.463	33.000	98.700
Mjölksyra	4	42.500	23.388	25.000	76.000
Ättiksyra	4	12.750	6.131	5.000	19.000
Socker	4	62.000	9.129	54.000	75.000
PRF	3	1.000	0.000	1.000	1.000
BUF	4	1.175	1.387	0.000	2.700
AATp20	4	83.450	7.650	74.818	91.775
PBVp20	4	40.400	28.375	13.672	78.230
NELp20	4	5.996	0.406	5.547	6.417
OE*	4	10.443	0.464	9.850	10.850
AAT*	1	70.000	.	70.000	70.000
PBV*	1	19.000	.	19.000	19.000
Ca	4	6.050	1.162	4.700	7.400
P	4	3.025	0.465	2.600	3.600
Mg	4	2.325	0.403	1.900	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	4	23.250	2.645	20.000	25.600
Na	4	3.050	1.515	1.700	5.200
Cl	4	16.850	2.002	14.400	19.200
S	4	2.650	0.100	2.500	2.700
CAB	4	86.965	90.466	-32.800	174.465
Fe	3	202.000	95.786	137.000	312.000
Mn	3	51.000	44.170	25.000	102.000
Zn	3	20.667	1.528	19.000	22.000
Cu	3	7.333	1.155	6.000	8.000
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	339.636	100.363	274.000	432.000
Aska	11	57.455	15.795	40.000	67.000
OS smbh	11	73.391	3.984	69.500	78.800
Råprot	11	115.818	22.054	88.000	143.000
sRåprot	11	554.000	123.994	476.000	703.000
NH3-N	10	56.200	42.975	15.500	123.000
NDF	11	436.455	33.043	414.000	469.000
iNDF	11	189.724	57.185	122.000	250.000
nhNDF	11	3.595	0.601	2.939	4.066
Stä	11	69.455	90.083	2.000	195.000
TAF	11	34.373	24.004	18.000	52.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	11	23.636	17.007	14.000	39.000
Ättiksyra	11	9.000	7.563	3.000	16.000
Socker	11	117.727	57.734	27.000	180.000
PRF	8	0.875	1.458	0.000	4.000
BUF	8	0.875	1.356	0.000	4.000
AATp20	11	78.688	6.377	68.736	84.973
PBVp20	11	-13.698	16.233	-24.713	0.251
NELp20	11	5.857	0.355	5.475	6.226
OE*	9	10.967	0.632	10.300	11.790
AAT*	1	65.000	.	65.000	65.000
PBV*	1	-35.000	.	-35.000	-35.000
Ca	10	4.680	4.227	1.650	11.150
P	10	2.430	0.291	2.050	2.800
Mg	10	1.010	0.404	0.450	1.550
K	10	18.400	4.167	11.800	23.200
Na	10	0.480	0.301	0.200	0.950
Cl	6	6.017	5.179	1.600	16.000
S	10	1.620	0.343	1.150	2.000
CAB	10	243.447	126.118	73.228	386.723
Fe	7	88.571	46.865	46.000	182.000
Mn	7	27.000	17.029	14.000	64.000
Zn	7	22.286	6.184	16.000	34.000
Cu	7	3.957	0.860	3.000	5.000
Se	1	0.007	.	0.007	0.007

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	413.750	69.720	356.000	501.000
Aska	4	53.000	10.614	40.000	65.000
OS smbh	4	66.675	2.775	63.400	69.400
Råprot	4	98.000	8.287	86.000	104.000
sRåprot	4	673.500	99.346	568.000	807.000
NH3-N	4	75.750	21.438	53.000	101.000
NDF	4	441.250	47.947	390.000	497.000
iNDF	4	281.177	6.244	273.101	288.121
nhNDF	4	2.405	0.096	2.317	2.506
Stä	4	147.000	90.734	65.000	229.000
TAF	4	77.750	9.535	65.000	86.000
Mjölksyra	4	58.500	11.240	44.000	70.000
Ättiksyra	4	17.250	2.217	14.000	19.000
Socker	4	37.500	27.000	24.000	78.000
AATp20	4	67.692	3.827	64.376	72.830
PBVp20	4	-6.292	8.620	-14.230	4.395
NELp20	4	5.567	0.300	5.262	5.840
Ca	4	4.800	1.180	3.800	6.500
P	4	2.400	0.424	1.800	2.700
Mg	4	1.325	0.150	1.200	1.500
K	4	15.250	3.597	11.900	20.200
Na	4	2.400	2.239	0.400	5.600
Cl	4	4.425	1.078	3.200	5.600
S	4	1.525	0.359	1.000	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	274.413	115.543	191.380	440.949
Fe	4	79.000	20.199	57.000	103.000
Mn	4	25.000	10.033	19.000	40.000
Zn	4	23.750	6.850	14.000	30.000
Cu	4	3.725	0.556	3.100	4.400
Se	1	0.022	.	0.022	0.022

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	361.000	102.093	290.000	478.000
Aska	3	75.667	27.301	57.000	107.000
OS smbh	3	67.067	4.486	63.900	72.200
Råprot	3	130.000	41.243	94.000	175.000
sRåprot	3	627.667	140.632	531.000	789.000
NH3-N	3	76.333	52.596	31.000	134.000
NDF	3	422.000	103.504	319.000	526.000
iNDF	3	385.439	118.624	285.000	516.316
nhNDF	3	4.117	1.683	2.984	6.051
Stä	3	150.000	42.579	106.000	191.000
TAF	3	87.500	48.065	59.500	143.000
Mjölksyra	3	60.333	34.356	40.000	100.000
Ättiksyra	3	24.667	11.547	18.000	38.000
Socker	3	20.667	5.859	14.000	25.000
PRF	2	3.500	2.121	2.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	0.000	0.000	0.000	0.000
AATp20	3	66.227	5.775	59.646	70.451
PBVp20	3	24.216	45.485	-11.835	75.319
NELp20	3	5.622	0.384	5.393	6.065
OE*	2	9.660	0.580	9.250	10.070
Ca	2	7.450	4.172	4.500	10.400
P	2	3.200	1.131	2.400	4.000
Mg	2	2.050	0.919	1.400	2.700
K	2	18.800	3.111	16.600	21.000
Na	2	1.100	0.283	0.900	1.300
Cl	3	5.467	3.288	3.000	9.200
S	2	2.000	0.849	1.400	2.600
CAB	2	231.814	243.802	59.419	404.208
Fe	1	132.000	.	132.000	132.000
Mn	1	36.000	.	36.000	36.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	574.000	51.517	510.000	621.000
Aska	4	16.250	2.217	14.000	19.000
OS smbh	4	79.800	2.981	76.700	82.500
Råprot	4	82.250	4.349	76.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	4	353.750	110.428	291.000	519.000
NH3-N	4	19.000	22.583	1.000	52.000
NDF	4	255.750	42.906	213.000	304.000
iNDF	4	216.250	30.049	188.000	256.000
nhNDF	4	2.850	0.843	2.168	3.921
Stä	4	499.250	30.598	475.000	544.000
TAF	4	42.300	11.282	29.000	53.000
Mjölksyra	4	37.000	8.679	27.000	48.000
Ättiksyra	3	3.000	1.732	2.000	5.000
Socker	4	5.000	0.000	5.000	5.000
PRF	3	0.000	0.000	0.000	0.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	4	94.267	2.308	92.627	97.656
PBVp20	4	-67.545	4.577	-71.865	-61.846
NELp20	4	6.959	0.264	6.688	7.232
OE*	4	12.425	0.497	11.910	12.890
Ca	4	0.775	0.435	0.200	1.200
P	4	2.100	0.082	2.000	2.200
Mg	4	0.775	0.050	0.700	0.800
K	4	5.350	0.493	4.800	5.900
Na	4	0.175	0.150	0.100	0.400
Cl	1	1.300	.	1.300	1.300
S	4	0.850	0.058	0.800	0.900
CAB	4	57.862	17.954	40.490	79.642

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	35.000	.	35.000	35.000
Mn	1	6.000	.	6.000	6.000
Zn	1	35.000	.	35.000	35.000
Cu	1	2.000	.	2.000	2.000

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	291.000	.	291.000	291.000
Aska	1	89.000	.	89.000	89.000
OS smbh	2	56.400	0.0000	56.400	56.400
Råprot	1	105.000	.	105.000	105.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	407.000	.	407.000	407.000
iNDF	2	416.438	22.6507	400.422	432.455
nhNDF	2	1.164	0.2431	0.992	1.336
Stä	1	22.000	.	22.000	22.000
TAF	2	96.000	0.0000	96.000	96.000
AATp20	2	41.849	0.3399	41.609	42.089
PBVp20	2	32.820	2.5396	31.024	34.616
NELp20	2	5.182	0.1897	5.048	5.317
Ca	1	14.400	.	14.400	14.400
P	1	3.400	.	3.400	3.400
Mg	1	4.500	.	4.500	4.500
K	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	2.200	.	2.200	2.200
CAB	1	109.346	.	109.346	109.346
Fe	1	79.000	.	79.000	79.000
Mn	1	58.000	.	58.000	58.000
Zn	1	40.000	.	40.000	40.000
Cu	1	13.100	.	13.100	13.100

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	456.667	76.9697	404.000	545.000
Aska	3	64.000	14.1067	51.000	79.000
OS smbh	3	69.200	2.3431	67.700	71.900
Råprot	3	127.333	25.6580	99.000	149.000
sRåprot	3	631.333	91.7842	532.000	713.000
NH3-N	3	64.333	8.6217	55.000	72.000
NDF	3	501.333	47.5430	455.000	550.000
iNDF	3	237.951	27.5758	207.853	262.000
nhNDF	3	3.808	0.3430	3.501	4.179
Stä	3	37.000	17.3494	18.000	52.000
TAF	3	56.333	37.6342	14.000	86.000
Mjölksyra	3	40.333	28.7460	8.000	63.000
Ättiksyra	3	13.000	6.0828	6.000	17.000
Socker	3	74.333	7.3711	66.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	4.000	2.8284	2.000	6.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	3	77.021	6.3439	73.138	84.342
PBVp20	3	1.189	15.8332	-16.858	12.747
NELp20	3	5.671	0.3305	5.356	6.015
OE*	2	10.265	0.3748	10.000	10.530
Ca	2	3.900	0.0000	3.900	3.900
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.3536	1.200	1.700
K	2	17.200	2.8284	15.200	19.200
Na	2	2.200	1.8385	0.900	3.500
Cl	3	8.733	5.8449	4.100	15.300
S	2	1.800	0.4243	1.500	2.100
CAB	2	149.810	97.3316	80.987	218.634
Fe	2	213.000	36.7696	187.000	239.000
Mn	2	24.500	7.7782	19.000	30.000
Zn	2	26.000	8.4853	20.000	32.000
Cu	2	4.000	0.0000	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	69.700	.	69.700	69.700
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	232.467	.	232.467	232.467
nhNDF	1	3.108	.	3.108	3.108
Stä	1	100.000	.	100.000	100.000
TAF	1	42.000	.	42.000	42.000
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	89.000	.	89.000	89.000
AATp20	1	73.196	.	73.196	73.196
PBVp20	1	-3.359	.	-3.359	-3.359
NELp20	1	5.610	.	5.610	5.610
Ca	1	4.700	.	4.700	4.700
P	1	2.300	.	2.300	2.300
Mg	1	1.700	.	1.700	1.700
K	1	16.400	.	16.400	16.400
Na	1	0.800	.	0.800	0.800
Cl	1	3.800	.	3.800	3.800
S	1	1.700	.	1.700	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	240.928	.	240.928	240.928
Fe	1	119.000	.	119.000	119.000
Mn	1	69.000	.	69.000	69.000
Zn	1	30.000	.	30.000	30.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	404.000	96.060	306.000	571.00
Aska	6	51.667	18.403	32.000	81.00
OS smbh	6	69.467	3.328	63.300	72.60
Råprot	6	112.000	18.889	97.000	139.00
sRåprot	6	630.833	109.044	474.000	747.00
NH3-N	6	74.500	45.995	12.000	130.00
NDF	6	456.833	43.874	384.000	511.00
iNDF	6	261.850	59.600	203.488	374.00
nhNDF	6	3.343	0.725	2.500	4.52
Stä	6	95.000	77.509	11.000	201.00
TAF	6	52.417	28.393	19.000	89.00
Mjölksyra	6	34.833	21.977	3.000	59.00
Ättiksyra	6	15.500	10.035	5.000	31.00
Socker	6	70.167	40.192	29.000	140.00
PRF	3	1.333	1.155	0.000	2.00
BUF	3	0.333	0.577	0.000	1.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	6	72.921	3.315	69.112	78.75
PBVp20	6	-7.813	19.489	-31.313	21.68
NELp20	6	5.690	0.281	5.182	5.96
OE*	4	10.123	0.491	9.390	10.41
AAT*	1	57.000	.	57.000	57.00
PBV*	1	45.000	.	45.000	45.00
Ca	6	4.467	1.271	3.400	6.40
P	6	1.983	0.504	1.200	2.50
Mg	6	1.417	0.248	1.100	1.80
K	6	15.033	3.292	11.300	19.90
Na	6	0.750	0.809	0.100	2.20
Cl	6	3.617	2.988	0.100	8.90
S	6	1.667	0.535	1.200	2.70
CAB	6	211.048	163.785	-21.245	425.11
Fe	6	251.333	381.409	54.000	1026.00
Mn	6	45.000	26.907	12.000	87.00
Zn	6	24.333	6.501	16.000	34.00
Cu	6	4.950	1.283	3.900	7.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	467.600	88.073	372.000	576.000
Aska	5	54.200	5.675	46.000	60.000
OS smbh	5	71.100	3.564	65.900	75.000
Råprot	5	116.600	4.099	113.000	122.000
sRåprot	5	612.600	91.574	496.000	715.000
NH3-N	5	64.400	29.754	15.000	89.000
NDF	5	416.800	78.017	284.000	475.000
iNDF	5	243.043	55.312	179.000	310.000
nhNDF	5	2.991	1.037	1.301	4.122
Stä	4	69.000	42.293	31.000	128.000
TAF	5	43.174	22.040	26.870	82.000
Mjölksyra	5	28.400	20.792	11.000	64.000
Ättiksyra	4	13.500	4.203	8.000	18.000
Socker	5	96.400	44.151	54.000	161.000
PRF	3	0.667	1.155	0.000	2.000
BUF	3	0.667	1.155	0.000	2.000
AATp20	5	77.222	1.864	75.212	79.544
PBVp20	5	-6.274	5.009	-9.984	2.157
NELp20	5	5.771	0.333	5.374	6.238
OE*	4	10.565	0.661	9.630	11.080
Ca	5	5.380	1.262	4.000	7.000
P	5	2.500	0.604	1.800	3.300
Mg	5	1.720	0.563	1.100	2.400
K	5	16.680	2.843	13.900	21.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	1.160	0.913	0.200	2.600
Cl	5	7.080	5.620	1.700	15.400
S	5	2.100	0.374	1.700	2.700
CAB	5	146.347	177.500	-125.922	321.451
Fe	4	94.750	4.573	89.000	100.000
Mn	4	38.500	24.893	14.000	70.000
Zn	4	51.250	42.011	22.000	113.000
Cu	4	6.325	2.454	5.000	10.000
Se	2	0.130	0.113	0.050	0.210

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	140	362.200	53.0221	291.000	428.500
Aska	140	29.643	9.9871	24.000	35.000
OS smbh	140	76.716	2.5005	73.300	79.400
Råprot	140	77.036	6.7859	70.500	86.000
sRåprot	140	527.714	84.6851	426.500	620.000
NH3-N	136	52.529	21.2418	28.000	77.000
NDF	140	357.250	46.5634	304.000	409.000
iNDF	140	201.211	26.6350	168.875	238.500
nhNDF	140	3.371	0.4114	2.881	3.916
Stä	140	314.693	49.3347	262.500	368.000
TAF	140	64.814	13.4702	47.500	80.500
Mjölksyra	140	47.643	11.0141	34.000	60.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	140	14.093	4.7497	9.000	20.000
Socker	140	13.521	9.3158	5.000	28.000
PRF	60	3.183	1.2688	2.000	4.000
BUF	60	0.000	0.0000	0.000	0.000
AATp20	140	83.709	2.9695	79.360	87.465
PBVp20	140	-54.861	7.8383	-64.700	-44.667
NELp20	140	6.542	0.2411	6.243	6.792
OE*	68	11.473	0.3248	11.030	11.890
AAT*	8	79.750	0.4629	79.000	80.000
PBV*	8	-67.750	5.4182	-77.000	-59.000
Ca	126	2.108	0.4889	1.500	2.600
P	126	1.834	0.2486	1.600	2.100
Mg	125	1.202	0.2189	1.000	1.500
K	126	8.661	1.6527	6.800	10.800
Na	124	0.279	0.1510	0.100	0.500
Cl	117	2.212	1.9009	1.300	3.600
S	126	0.903	0.1050	0.800	1.100
CAB	126	117.051	64.3263	75.665	172.182
Fe	104	64.635	21.1518	44.000	88.000
Mn	104	17.952	10.7373	8.000	33.000
Zn	104	24.779	14.3168	16.000	29.000
Cu	104	4.111	0.8000	3.000	5.000
Se	19	0.045	0.0204	0.005	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	299.333	38.3970	255.000	322.000
Aska	3	51.000	6.5574	44.000	57.000
OS smbh	3	64.333	5.9911	59.400	71.000
Råprot	3	77.667	6.4291	73.000	85.000
sRåprot	3	790.333	18.8768	774.000	811.000
NH3-N	3	91.333	19.5021	72.000	111.000
NDF	3	586.000	31.4802	560.000	621.000
iNDF	3	233.463	47.8641	178.807	267.897
nhNDF	3	3.349	0.8021	2.790	4.268
Stä	3	20.667	5.5076	17.000	27.000
TAF	3	90.000	8.0000	82.000	98.000
Mjölksyra	3	68.000	7.5498	61.000	76.000
Ättiksyra	3	22.000	8.5440	14.000	31.000
Socker	3	52.333	20.5994	29.000	68.000
AATp20	3	62.551	5.0273	58.664	68.228
PBVp20	3	-18.831	12.1637	-32.579	-9.465
NELp20	3	5.276	0.5240	4.897	5.874
Ca	3	2.533	0.0577	2.500	2.600
P	3	2.433	0.5132	2.000	3.000
Mg	3	0.967	0.2082	0.800	1.200
K	3	17.867	3.1070	14.400	20.400
Na	3	0.233	0.2309	0.100	0.500
Cl	3	2.500	0.6000	1.900	3.100
S	3	1.267	0.2082	1.100	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	317.504	72.9058	233.462	363.763
Fe	3	104.333	47.2476	69.000	158.000
Mn	3	21.000	5.2915	15.000	25.000
Zn	3	17.000	2.6458	15.000	20.000
Cu	3	4.000	0.4583	3.600	4.500
Se	1	0.030	.	0.030	0.030

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	79.900	.	79.900	79.900
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	564.000	.	564.000	564.000
NH3-N	1	115.000	.	115.000	115.000
NDF	1	329.000	.	329.000	329.000
iNDF	1	142.714	.	142.714	142.714
nhNDF	1	4.134	.	4.134	4.134
Stä	1	109.000	.	109.000	109.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	66.000	.	66.000	66.000
AATp20	1	80.936	.	80.936	80.936

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	2.011	.	2.011	2.011
NELp20	1	6.412	.	6.412	6.412
OE*	1	11.800	.	11.800	11.800
AAT*	1	82.000	.	82.000	82.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	15.800	.	15.800	15.800
P	1	2.000	.	2.000	2.000
Mg	1	2.000	.	2.000	2.000
K	1	14.500	.	14.500	14.500
Na	1	0.200	.	0.200	0.200
Cl	1	9.800	.	9.800	9.800
S	1	0.900	.	0.900	0.900
CAB	1	47.233	.	47.233	47.233
Fe	1	145.000	.	145.000	145.000
Mn	1	44.000	.	44.000	44.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	80.000	.	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	591.000	.	591.000	591.000
iNDF	1	241.968	.	241.968	241.968
nhNDF	1	3.143	.	3.143	3.143
TAF	1	0.000	.	0.000	0.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	81.772	.	81.772	81.772
PBVp20	1	-41.271	.	-41.271	-41.271
NELp20	1	4.936	.	4.936	4.936
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-34.000	.	-34.000	-34.000
Ca	1	2.900	.	2.900	2.900
P	1	1.600	.	1.600	1.600
Mg	1	1.200	.	1.200	1.200
K	1	8.400	.	8.400	8.400
Na	1	0.800	.	0.800	0.800
S	1	1.100	.	1.100	1.100
CAB	1	40.021	.	40.021	40.021
Fe	1	59.000	.	59.000	59.000
Mn	1	84.000	.	84.000	84.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	848.667	101.563	637.000	935.000
Aska	9	54.333	9.836	39.000	76.000
OS smbh	9	66.678	5.345	60.400	76.400
Råprot	9	88.333	27.106	49.000	132.000
sRåprot	1	413.000	.	413.000	413.000
NDF	9	562.444	30.270	511.000	598.000
iNDF	9	222.432	50.129	136.153	285.886
nhNDF	9	3.629	0.772	2.503	5.156
TAF	9	0.000	0.000	0.000	0.000
Socker	9	136.667	62.656	76.000	259.000
AATp20	9	85.268	3.155	79.593	90.362
PBVp20	9	-39.487	28.550	-85.283	5.359
NELp20	9	5.162	0.348	4.746	5.755
OE*	9	9.731	0.918	8.700	11.400
AAT*	8	70.125	5.693	64.000	80.000
PBV*	8	-30.375	36.723	-86.000	22.000
Ca	9	4.211	1.917	2.000	8.300
P	9	2.222	0.509	1.600	3.300
Mg	9	1.533	0.604	0.900	2.700
K	9	17.156	5.152	6.800	25.100
Na	9	1.178	1.276	0.100	4.200
Cl	1	6.500	.	6.500	6.500
S	9	1.689	0.473	1.000	2.300
CAB	9	238.873	155.480	-23.726	539.957

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	84.556	53.278	41.000	205.000
Mn	9	66.778	34.608	12.000	110.000
Zn	9	23.667	7.826	16.000	38.000
Cu	9	4.089	1.506	2.600	7.700
Se	4	0.069	0.098	0.005	0.213

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	853.000	79.164	762.000	906.000
Aska	3	67.000	11.358	59.000	80.000
OS smbh	3	70.533	2.627	67.500	72.100
Råprot	3	119.667	11.930	110.000	133.000
sRåprot	1	470.000	.	470.000	470.000
NDF	3	505.333	27.465	488.000	537.000
iNDF	3	197.702	14.864	187.000	214.674
nhNDF	3	3.794	0.166	3.604	3.915
TAF	3	0.000	0.000	0.000	0.000
Socker	3	125.000	18.358	112.000	146.000
AATp20	3	91.327	4.758	85.866	94.576
PBVp20	3	-20.335	8.822	-29.093	-11.451
NELp20	3	5.549	0.287	5.219	5.745
OE*	3	10.257	0.569	9.600	10.600
AAT*	2	71.500	3.536	69.000	74.000
PBV*	2	-1.000	9.899	-8.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	6.250	2.616	4.400	8.100
P	2	2.700	0.000	2.700	2.700
Mg	2	1.950	0.354	1.700	2.200
K	2	22.500	0.424	22.200	22.800
Na	2	1.400	1.273	0.500	2.300
Cl	1	12.900	.	12.900	12.900
S	2	2.550	0.354	2.300	2.800
CAB	2	224.829	134.965	129.395	320.264
Fe	2	65.000	12.728	56.000	74.000
Mn	2	52.500	36.062	27.000	78.000
Zn	2	21.500	3.536	19.000	24.000
Cu	2	5.200	1.131	4.400	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	383.667	74.4603	327.000	468.000
Aska	3	88.000	8.7178	82.000	98.000
OS smbh	3	76.567	2.6633	74.300	79.500
Råprot	3	189.333	34.5012	155.000	224.000
sRåprot	3	709.333	3.0551	706.000	712.000
NH3-N	3	75.333	17.6163	61.000	95.000
NDF	3	362.000	76.7268	304.000	449.000
iNDF	3	214.926	78.8654	162.000	305.568

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	4.307	0.4136	4.049	4.784
TAF	3	98.300	29.8277	72.800	131.100
Mjölksyra	3	77.333	24.0069	62.000	105.000
Ättiksyra	3	18.667	9.2916	8.000	25.000
Socker	3	43.000	30.8058	15.000	76.000
PRF	1	2.000	.	2.000	2.000
BUF	3	0.967	0.8505	0.100	1.800
AATp20	3	77.021	5.7078	71.093	82.479
PBVp20	3	72.894	30.3916	38.982	97.669
NELp20	3	6.370	0.2171	6.156	6.590
OE*	3	10.987	0.5005	10.500	11.500
AAT*	2	71.000	1.4142	70.000	72.000
PBV*	2	83.000	21.2132	68.000	98.000
Ca	3	14.000	8.1296	6.300	22.500
P	3	3.200	0.1000	3.100	3.300
Mg	3	1.733	0.2309	1.600	2.000
K	3	24.000	4.3139	19.500	28.100
Na	3	1.067	0.3512	0.700	1.400
Cl	3	5.767	1.0116	4.600	6.400
S	3	2.000	0.2646	1.800	2.300
CAB	3	372.746	92.1762	287.079	470.281
Fe	3	108.000	8.6603	98.000	113.000
Mn	3	42.667	16.1658	28.000	60.000
Zn	3	22.333	4.6188	17.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	3	7.267	0.2517	7.000	7.500
Se	1	0.036	.	0.036	0.036

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	97.000	.	97.000	97.000
OS smbh	1	70.000	.	70.000	70.000
Råprot	1	175.000	.	175.000	175.000
sRåprot	1	528.000	.	528.000	528.000
NH3-N	1	81.000	.	81.000	81.000
NDF	1	402.000	.	402.000	402.000
iNDF	1	351.000	.	351.000	351.000
nhNDF	1	4.654	.	4.654	4.654
TAF	1	101.000	.	101.000	101.000
Mjölksyra	1	87.000	.	87.000	87.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	40.000	.	40.000	40.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.808	.	73.808	73.808
PBVp20	1	64.452	.	64.452	64.452
NELp20	1	5.792	.	5.792	5.792
OE*	1	9.830	.	9.830	9.830

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	11.400	.	11.400	11.400
P	1	3.900	.	3.900	3.900
Mg	1	3.400	.	3.400	3.400
K	1	22.900	.	22.900	22.900
Na	1	1.200	.	1.200	1.200
Cl	1	3.500	.	3.500	3.500
S	1	2.500	.	2.500	2.500
CAB	1	383.010	.	383.010	383.010

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	737.000	200.818	595.000	879.000
Aska	2	53.500	43.134	23.000	84.000
OS smbh	2	52.300	2.546	50.500	54.100
Råprot	2	69.500	7.778	64.000	75.000
sRåprot	2	439.000	35.355	414.000	464.000
NDF	2	657.500	70.004	608.000	707.000
iNDF	2	441.500	23.335	425.000	458.000
nhNDF	2	4.189	0.905	3.549	4.829
Stä	2	21.000	4.243	18.000	24.000
TAF	2	0.000	0.000	0.000	0.000
Socker	2	26.000	12.728	17.000	35.000
AATp20	2	68.402	1.065	67.649	69.156
PBVp20	2	-42.635	3.088	-44.818	-40.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	3.852	0.031	3.830	3.874
OE*	2	7.320	0.099	7.250	7.390
Ca	2	9.050	5.020	5.500	12.600
P	2	0.900	0.141	0.800	1.000
Mg	2	1.250	0.354	1.000	1.500
K	2	5.800	0.283	5.600	6.000
Na	2	0.650	0.495	0.300	1.000
Cl	2	2.750	0.071	2.700	2.800
S	2	1.250	0.071	1.200	1.300
CAB	2	21.009	26.327	2.393	39.625
Fe	2	126.000	62.225	82.000	170.000
Mn	2	21.000	8.485	15.000	27.000
Zn	2	9.500	0.707	9.000	10.000
Cu	2	4.500	0.707	4.000	5.000
Se	2	0.075	0.007	0.070	0.080

Fodermedel=Majskolv, färsk (518) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	573.000	.	573.000	573.000
Aska	1	15.000	.	15.000	15.000
OS smbh	1	85.700	.	85.700	85.700
Råprot	1	83.000	.	83.000	83.000
sRåprot	1	357.000	.	357.000	357.000
NDF	1	192.000	.	192.000	192.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, färsk (518) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	123.411	.	123.411	123.411
nhNDF	1	3.794	.	3.794	3.794
Stä	1	540.000	.	540.000	540.000
TAF	1	0.000	.	0.000	0.000
Socker	1	36.000	.	36.000	36.000
AATp20	1	103.801	.	103.801	103.801
PBVp20	1	-82.440	.	-82.440	-82.440
NELp20	1	7.436	.	7.436	7.436
Ca	1	0.500	.	0.500	0.500
P	1	2.300	.	2.300	2.300
Mg	1	1.100	.	1.100	1.100
K	1	4.800	.	4.800	4.800
Na	1	0.600	.	0.600	0.600
Cl	1	0.500	.	0.500	0.500
S	1	0.900	.	0.900	0.900
CAB	1	78.515	.	78.515	78.515
Fe	1	37.000	.	37.000	37.000
Mn	1	8.000	.	8.000	8.000
Zn	1	25.000	.	25.000	25.000
Cu	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	327.000	.	327.000	327.000
Aska	1	45.000	.	45.000	45.000
OS smbh	1	64.300	.	64.300	64.300
Råprot	1	95.000	.	95.000	95.000
sRåprot	1	656.000	.	656.000	656.000
NH3-N	1	279.000	.	279.000	279.000
NDF	1	425.000	.	425.000	425.000
iNDF	1	437.000	.	437.000	437.000
nhNDF	1	2.775	.	2.775	2.775
Stä	1	88.000	.	88.000	88.000
TAF	1	130.000	.	130.000	130.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	58.000	.	58.000	58.000
Socker	1	5.000	.	5.000	5.000
PRF	1	9.000	.	9.000	9.000
BUF	1	24.000	.	24.000	24.000
AATp20	1	54.849	.	54.849	54.849
PBVp20	1	17.058	.	17.058	17.058
NELp20	1	5.286	.	5.286	5.286
OE*	1	9.430	.	9.430	9.430
Ca	1	0.700	.	0.700	0.700
P	1	4.600	.	4.600	4.600
Mg	1	1.500	.	1.500	1.500
K	1	10.700	.	10.700	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	3.700	.	3.700	3.700
Cl	1	14.200	.	14.200	14.200
S	1	2.300	.	2.300	2.300
CAB	1	-109.223	.	-109.223	-109.223

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	417.889	32.705	381.000	470.000
Aska	9	64.444	9.684	51.000	84.000
OS smbh	9	75.289	2.974	70.900	81.700
Råprot	9	146.667	17.371	128.000	181.000
sRåprot	9	530.000	51.662	441.000	602.000
NH3-N	9	64.889	24.487	31.000	97.000
NDF	9	335.889	59.143	228.000	430.000
iNDF	9	232.333	22.277	197.000	263.000
nhNDF	9	3.102	0.421	2.292	3.714
Stä	9	179.556	37.041	136.000	241.000
TAF	9	75.889	13.448	56.000	95.000
Mjölksyra	9	49.222	15.409	21.000	77.000
Ättiksyra	9	20.889	4.485	13.000	27.000
Socker	9	40.111	14.777	19.000	66.000
PRF	9	4.667	1.414	2.000	7.000
BUF	9	1.111	1.616	0.000	5.000
AATp20	9	84.605	3.852	80.052	90.326

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	9	19.779	11.622	8.609	44.892
NELp20	9	6.464	0.282	6.112	7.102
OE*	9	11.064	0.413	10.410	11.880
Ca	9	6.989	1.402	4.800	9.400
P	9	3.622	0.572	3.000	4.900
Mg	9	2.578	0.561	1.900	3.600
K	9	16.311	1.225	14.100	17.800
Na	9	2.056	0.543	1.100	2.800
Cl	9	7.000	4.392	0.500	14.300
S	9	2.467	0.515	2.000	3.600
CAB	9	155.186	109.891	-30.342	295.442
Fe	6	245.167	81.945	133.000	351.000
Mn	6	57.667	16.379	40.000	82.000
Zn	6	56.833	17.105	34.000	76.000
Cu	6	10.333	2.160	7.000	13.000
Se	1	0.360	.	0.360	0.360

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	411.667	70.0839	344.000	585.000
Aska	9	66.444	12.0324	48.000	88.000
OS smbh	9	76.800	3.5875	68.600	80.600
Råprot	9	144.556	24.6684	102.000	173.000
sRåprot	9	552.111	67.2597	476.000	638.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	9	68.667	19.4615	44.000	95.000
NDF	9	351.667	53.3479	286.000	453.000
iNDF	9	182.848	27.4475	151.264	247.903
nhNDF	9	3.549	0.3075	2.880	3.894
Stä	9	173.000	93.6029	40.000	319.000
Socker	9	40.222	26.0470	20.000	107.000
NELp20	9	0.000	0.0000	0.000	0.000
Ca	9	6.822	1.7042	4.600	9.700
P	9	3.433	0.8874	2.000	4.300
Mg	9	2.544	0.5126	1.900	3.400
K	9	15.178	4.2458	11.200	23.400
Na	9	2.689	1.2673	1.200	4.700
Cl	9	5.533	2.8275	1.400	9.000
S	9	2.189	0.5645	1.300	3.000
CAB	9	212.413	96.6363	74.355	387.841
Fe	9	255.889	92.2706	110.000	406.000
Mn	9	64.333	23.2702	17.000	93.000
Zn	9	58.000	23.4467	18.000	107.000
Cu	9	9.722	3.6030	4.100	17.200
Se	4	0.355	0.2297	0.190	0.688

*= Parametrar från det gamla svenska fodervärderingssystemet