

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	151	827	24	76.6	125			212	166	3.15	566		0.0	0.0	95.5	-19	7.20
Havre, kärna, hög NDF (002)	1	30	851	26	75.0	115			326	392	2.00	477				81.8	-1.2	6.19
Vete, kärna (005)	1	66	844	19	76.1	132			174	186	3.50	637			0.0	115	-37	7.83
Rågvete (015)	1	26	860	17	82.4	113	493	71.0	198	192	3.50	660	93	36.0	0.0	108	-45	7.58
Blandsäd, kärna, 50%havre/50%korn (096)	1	14	837	26	80.5	123			216	304	2.50	531				91.0	-11	6.92
Blandsäd, kärna, 50%korn/50%vete (114)	1	18	838	22	87.0	127			285	173	3.30	607				104	-27	7.35
Ärter, kärna (006)	1	11	862	28	83.6	210			224	13	7.90	474			0.0	103	59.6	7.64
Åkerböna, kärna (007)	1	22	853	35	88.8	293			247	32	4.70	368				103	139	7.73
Majs hela plantan, grönmassa (030)	1	116	341	33	75.6	82	354		384	188	3.31	294	55			89.0	-59	6.27
Prognos, blandvall (1-50% baljv) (042)	0	55	223	81	81.3	170			386	98	6.42		185			108	-0.2	6.65
Grönmassa, gräs (0% baljv.) (161)	0	49	283	76	82.3	180	403		411	90	9.64	16	175			96.5	24.3	6.23
Grönmassa, gräs (0% baljv.) (161)	1	65	544	61	75.7	123	490	40.0	488	140	6.00		158	4.5	0.0	89.2	-16	6.18
Grönmassa, gräs (0% baljv.) (161)	2	37	443	76	72.2	129	351	22.0	507	176	4.33		111	1.0	1.0	84.6	-2.7	5.81
Grönmassa, gräs (0% baljv.) (161)	3	31	331	89	75.1	163	352		504	138	5.03		84	0.0	16.0	88.6	21.2	6.13
Ensilage, gräs (0% klöver) (162)	0	45	471	74	71.8	131	592	83.4	492	183	4.04	23	65	40.4	11.4	80.0	6.4	5.64
Ensilage, gräs (0% klöver) (162)	1	111	475	63	73.3	130	600	79.7	488	169	4.28		96	42.6	10.8	82.8	1.9	5.89
Ensilage, gräs (0% klöver) (162)	2	80	458	73	72.0	139	572	86.9	487	187	4.00		79	39.8	11.2	81.8	10.8	5.72
Ensilage, gräs (0% klöver) (162)	3	48	427	80	73.5	144	546	83.6	463	176	4.17		67	46.5	12.4	82.1	15.5	5.79
Ensilage, gräs (0% klöver) (162)	4	18	361	94	74.6	160	569	107	434	171	4.22		47	54.4	16.7	80.2	32.6	5.81
Grönmassa blandvall (1-50 % baljväxter) (164)	0	109	441	75	76.5	147	410		463	142	5.39		125			86.8	9.4	5.84
Grönmassa blandvall (1-50 % baljväxter) (164)	1	592	521	64	76.8	137	441	39.5	465	136	5.04		142	3.8	5.3	88.8	0.1	6.35
Grönmassa blandvall (1-50 % baljväxter) (164)	2	341	473	77	71.3	142	385		496	191	4.02		89	0.0	6.1	82.3	15.4	5.81
Grönmassa blandvall (1-50 % baljväxter) (164)	3	201	418	93	73.2	154	416		451	181	4.06		85	7.7	7.3	82.4	26.4	5.87
Grönmassa blandvall (1-50 % baljväxter) (164)	4	34	375	97	76.7	176	297		417	147	4.60		90			86.6	40.0	6.20
Ensilage, blandvall (1-50% klöver) (165)	0	263	441	75	72.6	136	567	83.4	461	187	3.95		66	46.3	12.1	81.0	12.8	5.71
Ensilage, blandvall (1-50% klöver) (165)	1	2184	431	65	75.8	137	629	79.1	458	152	4.56	55	91	48.7	11.9	84.6	7.0	6.11

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Ensilage, blandvall (1-50% klöver) (165)	2	1605	426	74	72.1	139	556	80.5	472	193	3.88	27	64	45.3	11.8	81.4	14.7	5.69
Ensilage, blandvall (1-50% klöver) (165)	3	768	394	86	73.5	151	553	92.0	439	184	3.97	43	55	50.9	13.6	81.0	26.2	5.75
Ensilage, blandvall (1-50% klöver) (165)	4	179	331	94	74.3	168	580	99.3	422	181	4.06		41	63.8	15.6	79.6	43.6	5.82
Korn, helsädesensilage (250)	1	182	409	57	69.7	106	642	96.2	430	250	2.88	138	73	44.4	8.1	73.0	-12	5.48
Havre-ärt, helsädesensilage, 50% ärter (251)	1	93	390	65	66.3	111	634	96.6	456	274	2.58	82	48	45.4	10.0	69.6	2.0	5.17
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	29	395	63	63.8	124	587	114	429	331	1.99	131	43	45.9	7.6	69.0	15.0	5.01
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	28	376	55	68.5	112	573	80.0	466	311	4.23	134	66	49.9	5.3	75.1	-6.7	5.63
Havre helsädesensilage degmognad (296)	1	81	452	62	66.1	109	610	82.4	484	265	2.88	74	57	44.0	11.6	74.0	-9.4	5.23
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	33	402	61	68.6	123	658	102	443	260	2.88	94	63	47.2	7.1	71.1	9.3	5.39
Vete, helsäd ensilage (299)	1	86	438	51	68.9	104	692	97.1	446	258	2.90	117	90	39.6	8.5	73.4	-15	5.51
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	104	401	59	69.9	114	652	97.1	414	258	2.76	128	55	49.7	8.5	73.7	-2.6	5.49
Majs, helsädesensilage (305)	1	440	355	33	75.6	79	537	66.6	372	204	3.23	281	23	50.8	13.8	81.4	-49	6.18
Råg, helsädesensilage, axgång (311)	1	14	371	54	70.6	120	685	88.8	515	196	3.95	28	107	37.2	9.3	74.1	-1.9	5.68
Hö, blandvall, 0-50% baljväxter (383)	0	30	820	59	67.0	93	425		562	215	3.64	16	119			87.4	-38	5.20
Hö, blandvall, 0-50% baljväxter (383)	1	76	851	53	66.9	99	379		570	216	4.27		115	0.0	7.3	89.0	-36	5.24
Hö, blandvall, 0-50% baljväxter (383)	2	10	832	66	70.9	122	358		533	175	4.07		134	0.0	0.5	96.8	-27	5.62
Grönmassa, blandvall (51-100% baljväxter) (437)	2	13	371	87	69.5	178			399	402	5.29		63			77.8	60.8	5.48
Grönmassa, blandvall (51-100% baljväxter) (437)	3	16	396	95	66.7	174	376		404	456	5.62		64	0.0	23.0	75.3	61.5	5.21
Ensilage, blandvall (51-100% klöver) (438)	0	10	476	76	69.6	150	571	67.6	441	367	6.45		64	50.7	20.3	76.2	36.5	5.57
Ensilage, blandvall (51-100% klöver) (438)	1	18	388	76	74.4	160	571	69.8	407	273	5.70		73	56.2	19.2	80.6	38.5	5.99
Ensilage, blandvall (51-100% klöver) (438)	2	29	458	81	69.0	149	482	70.8	441	360	5.57	88	65	48.6	19.6	76.9	34.2	5.48
Ensilage, blandvall (51-100% klöver) (438)	3	11	439	98	71.2	179	476	62.3	397	339	5.00		62	49.0	17.2	79.1	60.1	5.65
Grunnblanding Middels ford.grovfôr (326)	1	29	432	60	75.2	156	498	48.0	378	214	3.67	146	82	40.5	3.5	90.6	19.8	6.35
Fullfoder (TMR) ej kompletta data (1E3)	1	56	440	71	72.0	153	475	47.8	368	205	3.25	132	48	41.5	6.5			0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	81	0.6	3.5	1.3	5.5	0.1	3.7	1.3	29	84	64.3	17.8	32.4	5.3	0.0
Havre, kärna, hög NDF (002)	1	17	0.9	4.0	1.5	5.7	0.1		1.7	25	17	94.2	50.1	37.8	4.7	0.1
Vete, kärna (005)	1	39	0.4	3.3	1.2	4.8	0.1		1.4	15	40	45.7	32.5	33.5	5.2	0.0
Rågvete (015)	1	18	0.4	3.4	1.3	6.4	0.1	1.0	1.3	67	18	44.5	32.2	34.3	5.2	0.0
Blandsäd, kärna, 50%havre/50%korn (096)	1	9	0.7	3.9	1.4	5.9	0.1		1.4	40	9	75.4	33.4	36.2	5.1	0.3
Blandsäd, kärna, 50%korn/50%vete (114)	1	13	0.5	3.3	1.3	5.3	0.1		1.3	30	14	84.1	25.9	31.3	4.4	0.0
Ärter, kärna (006)	1	7	1.1	3.8	1.3	10.0	0.1		1.8	93	7	53.7	13.3	31.3	6.4	0.0
Åkerböna, kärna (007)	1	15	1.6	5.1	1.5	12.7	0.2		1.8	200	15	65.3	17.1	48.1	15.6	0.0
Majs hela plantan, grönmassa (030)	1	90	2.3	2.0	1.3	9.7	0.3	1.5	1.0	157	74	94.4	28.0	27.4	3.7	0.0
Grönmassa, gräs (0% baljv.) (161)	0	8	5.5	2.6	1.6	20.5	1.2	4.1	2.2	300	8	113.3	46.9	29.4	5.5	0.0
Grönmassa, gräs (0% baljv.) (161)	1	48	3.5	2.4	1.4	20.1	0.6	2.3	1.8	295	43	99.4	67.4	27.7	5.0	0.0
Grönmassa, gräs (0% baljv.) (161)	2	24	5.5	2.3	2.0	20.4	0.9	2.1	2.3	301	24	110.2	89.6	35.3	6.7	0.1
Grönmassa, gräs (0% baljv.) (161)	3	13	6.7	3.3	2.5	25.9	1.0	3.8	2.8	360	11	145.5	83.0	30.8	8.9	0.0
Ensilage, gräs (0% klöver) (162)	0	38	5.4	2.6	2.0	22.8	0.9	7.1	2.1	285	38	174.1	92.2	28.7	6.3	0.0
Ensilage, gräs (0% klöver) (162)	1	100	4.6	2.4	1.7	20.0	0.8	5.5	2.0	264	92	229.7	99.8	35.5	5.8	0.0
Ensilage, gräs (0% klöver) (162)	2	77	5.7	2.6	2.2	20.2	0.9	7.4	2.3	200	71	213.2	88.8	32.7	6.9	0.0
Ensilage, gräs (0% klöver) (162)	3	47	6.9	2.9	2.4	23.2	1.4	8.3	2.4	278	45	183.9	96.1	29.3	7.4	0.0
Ensilage, gräs (0% klöver) (162)	4	17	7.4	3.0	2.7	23.7	2.0	9.2	2.8	259	15	271.1	104.5	29.1	8.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	57	5.4	2.6	1.9	23.2	1.1	4.4	2.0	381	57	115.7	69.7	28.5	6.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	539	4.5	2.5	1.6	22.1	0.7	3.1	1.9	355	528	113.1	54.2	27.2	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	303	6.6	2.6	2.3	21.7	0.9	3.1	2.3	331	290	124.3	71.3	30.7	22.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	165	8.2	2.8	2.6	25.4	1.2	4.4	2.6	406	160	216.1	86.2	29.7	10.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	28	8.7	3.2	2.8	27.0	1.8	3.1	2.9	456	26	316.0	93.9	32.2	8.9	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	218	5.9	2.6	2.0	21.7	0.9	5.2	2.1	323	218	222.6	77.5	31.7	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	2016	5.0	2.5	1.7	21.6	0.8	4.1	2.0	348	1938	155.9	61.0	30.6	14.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1491	6.5	2.6	2.2	21.3	1.0	6.0	2.2	276	1441	173.3	77.1	33.0	7.3	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	3	699	7.8	2.8	2.6	23.6	1.4	7.1	2.5	304	672	240.4	84.9	32.8	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	162	7.6	3.1	2.7	24.2	1.8	8.9	2.7	276	150	372.8	88.5	37.3	8.2	0.1
Korn, helsädesensilage (250)	1	148	3.9	2.6	1.5	15.8	0.8	4.4	1.8	203	136	325.6	55.3	37.0	5.7	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	79	5.3	2.6	1.8	17.6	1.1	4.5	1.8	263	79	182.3	80.3	36.5	6.2	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	19	6.0	2.4	1.9	15.4	0.8	4.7	1.5	269	21	165.2	53.1	40.2	9.0	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	26	5.0	2.6	1.6	16.5	0.9	6.8	1.8	183	14	245.6	57.6	39.4	5.6	0.1
Havre helsädesensilage degmognad (296)	1	66	4.2	2.6	1.7	17.4	1.3	4.6	1.9	236	62	160.1	78.8	35.2	5.7	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (1	28	6.1	2.7	1.9	17.1	0.6	5.2	1.8	199	26	240.3	70.4	50.3	6.7	0.0
Vete, helsäd ensilage (299)	1	73	3.0	2.3	1.4	14.7	0.4	3.7	1.7	183	70	166.9	54.5	32.0	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	92	5.4	2.5	1.7	16.3	0.7	4.3	1.7	219	87	215.3	55.9	35.5	6.2	0.0
Majs, helsädesensilage (305)	1	401	2.2	1.9	1.3	9.2	0.3	1.8	1.0	141	357	123.6	28.4	34.5	4.6	0.0
Råg, helsädesensilage, axgång (311)	1	11	3.6	2.5	1.3	19.0	0.4	3.7	1.8	284	11	159.8	37.7	25.8	4.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	24	3.3	2.2	1.4	18.5	0.7	2.5	1.5	270	25	98.1	91.2	25.7	4.5	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	62	3.8	2.3	1.5	18.1	0.5	5.0	1.6	240	59	106.6	64.5	28.2	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	9	4.5	2.7	1.9	20.0	0.9	10.4	2.4	176	8	99.8	87.5	23.9	5.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	2	8	10.8	2.7	2.8	23.1	0.9	0.6	2.1	468	8	93.5	56.4	27.9	8.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	13	13.2	2.8	3.2	25.5	0.6	2.3	1.9	484	11	184.5	55.8	38.5	10.6	0.1
Ensilage, blandvall (51-100% klöver) (438)	0	6	10.6	2.4	2.3	19.9	0.7	0.5	2.0	399	6	121.5	46.3	31.2	6.6	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	18	9.3	2.5	2.2	21.7	0.4	1.3	1.9	419	18	212.3	42.7	27.3	7.9	0.0
Ensilage, blandvall (51-100% klöver) (438)	2	24	9.0	2.6	2.5	22.7	0.5	2.8	1.8	395	23	205.1	56.8	46.8	8.2	0.1
Ensilage, blandvall (51-100% klöver) (438)	3	10	13.3	2.7	2.9	24.6	0.5	2.0	2.2	453	10	152.9	59.0	28.8	9.2	0.0
Grunnblanding Middels ford.grovför (326)	1	29	5.5	3.8	2.6	16.9	1.9	7.8	2.4	146	19	439.5	89.6	47.3	14.9	0.3
Fullfoder (TMR) ej kompletta data (1E3)	1	49	6.7	3.6	3.3	15.1	3.4	7.1	2.6	230	49	303.9	88.9	77.1	14.8	0.6

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	151	826.689	59.7929	770.000	878.000
Aska	150	24.071	5.3687	19.000	29.000
OS smbh	164	76.561	26.9647	0.000	86.000
Råprot	149	125.145	17.3350	104.000	145.000
NDF	38	212.137	45.5545	166.000	229.000
iNDF	164	165.841	19.7853	162.000	162.000
nhNDF	164	3.150	0.0000	3.150	3.150
Stä	149	566.321	45.4578	512.000	612.100
TAF	164	0.000	0.0000	0.000	0.000
Ättiksyra	14	0.000	0.0000	0.000	0.000
PRF	14	0.000	0.0000	0.000	0.000
BUF	14	0.000	0.0000	0.000	0.000
AAT20	164	95.540	1.7159	93.800	97.284
PBV20	164	-19.124	16.7349	-37.034	1.398
NEL20	164	7.205	0.1812	7.012	7.370
Ca	81	0.556	0.3847	0.400	0.700
P	81	3.485	0.5322	3.100	3.900
Mg	81	1.268	0.1171	1.200	1.400
K	81	5.490	0.8045	4.600	6.300
Na	81	0.111	0.0447	0.100	0.200
S	81	1.290	0.1875	1.100	1.500
CAB	81	29.069	18.4754	6.942	47.863
Fe	84	64.310	24.7391	47.000	77.000
Mn	84	17.750	4.1995	13.000	23.000
Zn	84	32.357	7.8089	27.000	41.000
Cu	84	5.270	1.3047	3.700	7.000
Se	25	0.015	0.0134	0.005	0.040

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	850.933	24.6953	825.500	884.500
Aska	29	26.338	3.7373	22.700	31.500
OS smbh	30	75.000	0.0000	75.000	75.000
Råprot	29	114.883	7.8853	103.000	124.700
iNDF	30	392.000	0.0000	392.000	392.000
nhNDF	30	2.000	0.0000	2.000	2.000
Stä	29	477.490	44.9325	399.000	521.200
TAF	30	0.000	0.0000	0.000	0.000
AAT20	30	81.770	2.6478	80.182	85.073

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre, kärna, hög NDF (002) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	30	-1.186	7.5819	-10.390	8.705
NEL20	30	6.195	0.2458	5.971	6.484
Ca	17	0.900	0.1541	0.800	1.000
P	17	3.988	0.3621	3.400	4.400
Mg	17	1.476	0.0970	1.400	1.600
K	17	5.688	0.6594	5.000	6.600
Na	17	0.100	0.0000	0.100	0.100
S	17	1.688	0.2058	1.400	1.900
CAB	17	24.594	24.9036	-6.243	60.812
Fe	17	94.176	19.1808	76.000	112.000
Mn	17	50.118	11.4230	40.000	66.000
Zn	17	37.824	7.6259	29.000	52.000
Cu	17	4.718	0.8056	3.600	5.600

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	66	844.318	47.9231	791.000	884.000
Aska	66	18.708	4.9496	13.600	27.700
OS smbh	74	76.108	30.2897	0.000	88.000
Råprot	66	132.156	24.4282	102.500	160.800
NDF	18	173.722	64.0182	138.000	301.000
iNDF	74	185.527	27.0156	187.000	187.000
nhNDF	74	3.500	0.0000	3.500	3.500
Stä	66	636.976	76.6241	498.000	713.300
TAF	74	0.000	0.0000	0.000	0.000
AAT20	74	114.864	3.0160	111.610	118.282
PBV20	74	-37.011	20.8894	-62.374	-5.521
NEL20	74	7.829	0.2184	7.641	8.020
Ca	39	0.413	0.1704	0.300	0.500
P	39	3.328	0.4460	2.800	4.000
Mg	39	1.246	0.1819	1.000	1.500
K	39	4.777	0.5608	4.100	5.400
Na	39	0.095	0.0223	0.100	0.100
S	39	1.369	0.2993	1.100	1.800
CAB	39	15.368	26.1445	-22.107	43.238
Fe	40	45.650	10.5479	34.500	63.000
Mn	40	32.450	11.4868	20.000	46.000
Zn	40	33.525	10.0486	24.500	48.000
Cu	40	5.245	2.1482	3.300	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Rågvete (015) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	860.385	28.1497	817.000	906.000
Aska	26	16.923	3.4774	13.900	20.200
OS smbh	27	82.429	23.8591	78.100	89.479
Råprot	26	112.769	17.5623	93.700	144.900
iNDF	27	191.815	25.4211	187.000	187.000
nhNDF	27	3.500	0.0000	3.500	3.500
Stä	26	659.815	55.2995	535.000	704.500
TAF	27	1.333	6.9282	0.000	0.000
AAT20	27	107.903	3.4819	102.840	111.615
PBV20	27	-45.111	15.8608	-63.056	-18.666
NEL20	27	7.578	0.2642	7.216	7.793
Ca	18	0.417	0.1295	0.300	0.500
P	18	3.433	0.4576	3.000	3.900
Mg	17	1.271	0.0920	1.200	1.400
K	18	6.350	4.1894	4.600	6.400
Na	18	0.083	0.0383	0.000	0.100
S	18	1.261	0.2973	1.000	1.600
CAB	18	67.020	90.6418	19.892	79.562
Fe	18	44.500	40.9149	28.000	55.000
Mn	18	32.167	6.4648	21.000	40.000
Zn	18	34.333	6.5619	27.000	45.000
Cu	18	5.156	0.9605	3.500	6.100

Type=Blandsäd, kärna, 50%havre/50%korn (096) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	837.143	27.4839	803.000	872.000
Aska	14	25.907	4.1994	21.200	31.100
OS smbh	14	80.500	0.0000	80.500	80.500
Råprot	14	122.771	11.0232	105.500	134.000
iNDF	14	304.000	0.0000	304.000	304.000
nhNDF	14	2.500	0.0000	2.500	2.500
Stä	14	530.979	28.3023	489.200	562.000
TAF	14	0.000	0.0000	0.000	0.000
AAT20	14	91.028	2.0104	88.979	94.037
PBV20	14	-10.969	9.3519	-25.669	-0.153
NEL20	14	6.916	0.1576	6.723	7.113

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Blandsäd, kärna, 50%korn/50%vete (114) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	837.611	36.1177	820.000	863.000
Aska	18	21.600	2.7772	17.700	24.300
OS smbh	19	87.000	0.0000	87.000	87.000
Råprot	18	126.556	9.8636	111.400	142.200
iNDF	19	173.000	0.0000	173.000	173.000
nhNDF	19	3.300	0.0000	3.300	3.300
Stä	18	606.933	44.7143	551.000	672.500
TAF	19	0.000	0.0000	0.000	0.000
AAT20	19	103.877	4.2901	95.864	107.347
PBV20	19	-26.868	11.1745	-42.140	-13.222
NEL20	19	7.350	0.3869	6.531	7.635
Ca	13	0.508	0.1188	0.400	0.600
P	13	3.323	0.3492	2.900	3.600
Mg	13	1.262	0.1325	1.100	1.400
K	13	5.315	0.5942	4.700	5.800
Na	13	0.100	0.0000	0.100	0.100
S	13	1.308	0.1382	1.100	1.500
CAB	13	30.391	15.7279	8.883	43.266
Fe	14	84.143	76.8193	44.000	132.000
Mn	14	25.857	8.8826	16.000	30.000
Zn	14	31.286	4.5137	27.000	36.000
Cu	14	4.400	1.0084	2.800	5.900

Type=Ärter, kärna (006) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	861.818	17.4059	841.000	882.000
Aska	11	27.818	8.8861	22.000	36.000
OS smbh	11	83.637	27.7391	92.000	92.000
Råprot	11	210.364	29.5035	161.000	236.000
iNDF	11	13.000	0.0000	13.000	13.000
nhNDF	11	7.900	0.0000	7.900	7.900
Stä	11	474.273	18.5908	452.000	499.000
TAF	11	0.000	0.0000	0.000	0.000
AAT20	11	103.286	1.4481	102.105	104.848
PBV20	11	59.593	29.1117	14.773	82.351
NEL20	11	7.638	0.0909	7.539	7.716

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Åkerböna, kärna (007) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	853.455	21.7228	831.000	870.000
Aska	22	34.909	2.5803	32.000	37.000
OS smbh	24	88.767	0.9380	88.959	88.959
Råprot	22	293.318	17.2610	269.000	317.000
iNDF	24	32.000	0.0000	32.000	32.000
nhNDF	24	4.700	0.0000	4.700	4.700
Stä	22	368.273	25.8884	344.000	403.000
TAF	24	0.000	0.0000	0.000	0.000
AAT20	24	102.978	1.3698	100.755	104.313
PBV20	24	138.981	16.1358	116.441	161.407
NEL20	24	7.733	0.1261	7.458	7.856
Ca	15	1.593	0.3081	1.100	2.000
P	15	5.060	0.8551	4.000	6.200
Mg	15	1.513	0.1767	1.300	1.700
K	15	12.700	0.7910	11.300	13.600
Na	15	0.167	0.1113	0.100	0.400
S	15	1.793	0.1751	1.600	2.000
CAB	15	200.253	27.7142	154.882	238.306
Fe	15	65.267	16.5506	53.000	87.000
Mn	15	17.133	3.5429	12.000	21.000
Zn	15	48.133	5.6552	41.000	55.000
Cu	15	15.613	1.9153	13.000	18.400

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	116	340.759	48.2170	288.000	401.000
Aska	116	33.103	6.2629	26.000	41.000
OS smbh	116	75.579	2.8425	71.700	78.300
Råprot	116	82.060	8.5305	71.000	94.000
sRåprot	116	353.966	60.5305	289.000	422.000
NDF	116	384.026	45.4132	335.000	433.000
iNDF	116	187.612	24.3554	154.707	215.875
nhNDF	116	3.312	0.6149	2.371	3.938
Stä	116	293.517	71.1582	212.000	374.000
Socket	116	54.957	35.2293	19.000	94.000
TAF	116	57.000	0.0000	57.000	57.000
AAT20	116	89.043	3.3851	84.617	92.297
PBV20	116	-59.217	8.5165	-70.075	-48.128
NEL20	116	6.271	0.2936	5.880	6.554

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Majs hela plantan, grönmassa (030) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	90	2.274	0.8445	1.500	3.700
P	90	1.963	0.2590	1.700	2.300
Mg	90	1.339	0.2604	1.000	1.700
K	90	9.719	1.6678	7.550	11.600
Na	90	0.268	0.1792	0.100	0.500
Cl	86	1.548	0.7761	0.900	2.200
S	90	0.993	0.1380	0.800	1.200
CAB	90	157.248	46.0075	97.235	210.071
Fe	74	94.392	55.0626	59.000	155.000
Mn	74	28.027	15.3890	11.000	47.000
Zn	74	27.446	6.6149	19.000	35.000
Cu	73	3.725	0.8353	2.500	4.700
Se	14	0.042	0.0827	0.008	0.050

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	55	223.265	58.8596	170.600	261.600
Aska	55	81.182	13.9551	65.000	100.000
OS smbh	55	81.338	4.9157	75.066	86.190
Råprot	55	170.000	28.2187	140.000	200.000
NDF	55	385.818	75.1958	310.000	510.000
iNDF	55	98.278	40.6689	58.824	159.495
nhNDF	55	6.422	2.8373	4.514	9.042
Socket	55	184.836	67.7342	76.000	254.000
TAF	55	0.000	0.0000	0.000	0.000
AAT20	55	107.844	6.0531	100.992	114.689
PBV20	55	-0.205	23.0870	-29.722	30.021
NEL20	55	6.647	0.4472	6.081	7.144
Cl	55	0.731	0.3501	0.400	1.400

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	49	283.155	116.971	209.000	449.000
Aska	48	76.125	18.632	59.000	102.000
OS smbh	49	82.343	4.850	76.700	89.000
Råprot	48	179.906	48.904	124.000	249.000
NDF	48	411.042	59.705	356.000	479.000
iNDF	49	90.474	56.271	51.546	151.472
nhNDF	45	9.643	16.584	4.358	10.381

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Socket	48	175.483	65.351	87.000	251.000
TAF	49	61.000	0.000	61.000	61.000
AAT20	45	96.546	5.698	89.190	103.237
PBV20	45	24.324	43.395	-28.989	82.313
NEL20	49	6.234	1.932	5.467	7.302

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	65	544.471	220.896	264.000	833.000
Aska	65	60.523	13.685	46.000	80.000
OS smbh	66	75.692	7.196	65.668	84.800
Råprot	65	123.400	31.347	80.000	161.000
NDF	65	487.615	81.327	381.000	600.000
iNDF	66	139.753	59.353	62.094	228.218
nhNDF	66	6.001	7.135	3.407	7.306
Socket	65	157.862	52.993	92.000	236.000
TAF	66	57.576	13.721	61.000	61.000
AAT20	66	89.238	7.728	78.241	98.588
PBV20	66	-15.608	21.103	-40.774	11.055
NEL20	66	6.177	0.636	5.324	6.984
Ca	48	3.525	1.096	2.100	5.200
P	48	2.388	0.459	1.700	3.000
Mg	48	1.417	0.510	0.700	2.200
K	48	20.071	5.260	12.800	27.300
Na	48	0.630	0.797	0.100	1.500
Cl	13	2.346	3.104	0.400	7.100
S	48	1.754	0.473	1.200	2.400
CAB	48	294.592	117.676	118.362	475.076
Fe	43	99.442	84.178	45.000	150.000
Mn	43	67.419	33.346	38.000	93.000
Zn	43	27.698	5.788	19.000	35.000
Cu	43	4.953	1.442	3.300	6.800
Se	16	0.017	0.017	0.007	0.026

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	37	443.154	213.174	224.000	816.000
Aska	37	75.676	14.650	57.000	93.000
OS smbh	37	72.159	4.951	64.805	78.400
Råprot	37	129.305	36.123	80.000	172.000
NDF	37	506.514	47.266	430.000	550.000
iNDF	37	175.608	50.550	116.440	248.369
nhNDF	37	4.326	0.968	3.027	5.640
Socket	37	111.270	42.530	66.000	174.000
TAF	37	59.405	9.700	61.000	61.000
AAT20	37	84.612	6.030	77.274	91.890
PBV20	37	-2.656	26.765	-34.707	23.164
NEL20	37	5.810	0.505	5.119	6.440
Ca	24	5.492	1.587	3.900	7.200
P	24	2.346	0.624	1.400	2.900
Mg	24	2.046	0.651	1.400	2.600
K	24	20.408	5.310	14.100	27.400
Na	24	0.903	0.810	0.100	1.700
S	24	2.254	0.463	1.800	2.700
CAB	24	301.445	121.063	134.858	451.211
Fe	24	110.208	52.639	64.000	160.000
Mn	24	89.625	39.711	33.000	134.000
Zn	24	35.292	27.079	21.000	47.000
Cu	24	6.683	4.051	3.500	8.400
Se	12	0.099	0.227	0.013	0.099

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	31	331.348	160.070	195.000	607.000
Aska	31	88.645	13.710	73.000	107.000
OS smbh	31	75.143	3.777	71.400	80.341
Råprot	31	162.548	25.076	133.000	192.000
NDF	31	503.516	38.940	470.000	560.000
iNDF	31	137.743	39.155	82.294	188.431
nhNDF	31	5.032	1.006	4.021	6.658
Socket	31	83.903	37.695	28.000	126.000
TAF	31	59.645	7.543	61.000	61.000
AAT20	31	88.629	5.252	82.723	94.634
PBV20	31	21.246	20.238	-2.669	45.489
NEL20	31	6.134	0.403	5.710	6.654

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Ca	13	6.700	1.447	5.200	8.100
P	13	3.292	0.682	2.500	4.000
Mg	13	2.508	0.579	1.700	3.000
K	13	25.923	6.827	17.400	34.200
Na	13	1.000	0.672	0.400	1.800
S	13	2.846	0.632	2.400	3.400
CAB	13	359.574	192.242	147.102	637.688
Fe	11	145.455	60.303	80.000	211.000
Mn	11	83.000	47.514	31.000	129.000
Zn	11	30.818	6.145	25.000	36.000
Cu	11	8.855	3.510	5.900	11.000

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	45	470.831	160.571	308.000	739.000
Aska	45	73.902	18.356	49.000	102.000
OS smbh	45	71.778	5.489	65.188	77.500
Råprot	45	130.702	37.324	70.700	176.000
sRåprot	41	592.415	102.571	474.000	705.000
NH3-N	41	83.366	31.826	52.000	110.000
NDF	45	492.491	77.080	387.000	604.200
iNDF	45	183.295	39.327	140.324	243.677
nhNDF	45	4.045	0.618	3.065	4.844
Socket	45	64.938	49.433	13.000	121.000
TAF	45	54.633	26.684	23.400	95.100
Mjölksyra	44	40.391	22.544	13.000	74.000
Ättiksyra	44	11.411	5.022	5.000	18.000
BUF	41	1.590	2.229	0.100	3.400
AAT20	45	79.951	5.487	73.229	86.966
PBV20	45	6.429	32.745	-47.763	42.321
NEL20	45	5.637	0.463	5.114	6.084
Ca	38	5.371	1.544	3.500	7.800
P	38	2.608	0.532	1.900	3.100
Mg	38	1.993	0.536	1.300	2.800
K	38	22.818	5.673	14.100	29.400
Na	38	0.918	0.791	0.100	2.200
Cl	44	7.093	3.720	2.500	11.400
S	38	2.105	0.514	1.300	2.600
CAB	38	284.827	117.375	126.281	483.875

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Fe	38	174.132	99.332	76.000	283.000
Mn	38	92.211	38.941	55.000	124.000
Zn	38	28.658	6.719	21.000	35.000
Cu	38	6.321	1.774	3.500	8.600

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	111	475.161	160.832	310.000	738.000
Aska	111	63.085	14.189	46.000	82.000
OS smbh	118	73.296	6.039	64.900	79.900
Råprot	111	129.978	32.775	93.000	173.000
sRåprot	108	600.324	130.259	405.000	743.000
NH3-N	108	79.704	34.170	30.000	124.000
NDF	111	487.549	69.787	394.000	575.000
iNDF	118	168.657	59.261	103.000	252.650
nhNDF	118	4.280	0.783	3.296	5.110
Socket	111	95.680	55.393	20.000	175.000
TAF	118	56.264	24.242	15.000	86.200
Mjölksyra	110	42.599	20.155	9.100	68.000
Ättiksyra	111	10.805	6.569	1.000	19.000
PRF	35	0.514	0.853	0.000	1.000
BUF	106	1.481	2.312	0.000	3.500
AAT20	118	82.786	5.600	75.954	90.000
PBV20	118	1.891	28.384	-33.795	42.238
NEL20	118	5.885	0.544	4.998	6.450
Ca	100	4.630	1.489	3.300	6.250
P	100	2.408	0.527	1.700	3.100
Mg	100	1.662	0.427	1.200	2.100
K	100	20.019	5.302	12.600	25.950
Na	100	0.787	0.795	0.100	1.900
Cl	111	5.502	3.322	0.700	9.800
S	100	1.952	0.524	1.300	2.500
CAB	100	263.579	126.602	94.361	415.038
Fe	92	229.685	329.917	70.000	360.000
Mn	92	99.772	122.963	45.000	129.000
Zn	92	35.478	31.182	21.000	43.000
Cu	91	5.807	1.902	4.000	7.900
Se	17	0.046	0.054	0.008	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	80	457.853	126.261	320.500	646.000
Aska	80	72.725	16.171	56.000	89.000
OS smbh	80	72.005	3.329	66.950	75.500
Råprot	80	138.746	26.899	102.450	171.500
sRåprot	79	572.203	99.008	442.000	680.000
NH3-N	79	86.873	32.265	45.000	130.000
NDF	80	486.941	43.709	432.000	542.500
iNDF	80	187.157	36.553	142.282	234.907
nhNDF	80	3.996	0.528	3.307	4.637
Socket	80	78.665	46.308	21.000	142.500
TAF	80	53.628	22.713	14.500	79.050
Mjölksyra	79	39.797	18.278	8.000	60.000
Ättiksyra	80	11.165	5.885	2.500	18.500
PRF	28	0.464	0.999	0.000	2.000
BUF	78	1.782	2.994	0.100	3.000
AAT20	80	81.824	5.724	74.330	89.567
PBV20	80	10.786	23.236	-18.712	39.267
NEL20	80	5.716	0.384	5.256	6.203
Ca	77	5.688	1.945	3.500	8.700
P	77	2.565	0.439	2.000	3.100
Mg	77	2.174	0.391	1.700	2.700
K	77	20.190	4.544	13.800	26.300
Na	77	0.942	0.735	0.100	1.800
Cl	80	7.350	4.046	1.300	12.650
S	77	2.321	0.401	1.800	2.800
CAB	77	200.442	137.298	7.970	374.171
Fe	71	213.197	255.838	70.000	334.000
Mn	71	88.817	49.066	51.000	132.000
Zn	71	32.662	12.124	23.000	45.000
Cu	71	6.894	1.546	5.100	9.000
Se	14	0.026	0.012	0.013	0.045

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	48	426.625	128.207	278.000	627.000
Aska	48	80.438	12.046	63.000	95.000
OS smbh	48	73.531	3.468	69.200	77.700
Råprot	48	144.458	26.224	110.000	182.000
sRåprot	48	545.771	86.275	415.000	629.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NH3-N	48	83.583	26.081	50.000	121.000
NDF	48	463.396	41.486	407.000	511.000
iNDF	48	175.561	41.505	127.968	218.000
nhNDF	48	4.167	0.590	3.498	4.912
Socket	48	66.667	44.268	16.000	134.000
TAF	48	60.808	24.409	34.400	92.100
Mjölksyra	46	46.478	19.971	24.000	71.000
Ättiksyra	48	12.375	6.519	2.000	22.000
PRF	12	0.667	0.651	0.000	1.000
BUF	48	1.100	1.298	0.000	3.200
AAT20	48	82.052	5.918	75.671	87.937
PBV20	48	15.527	21.815	-11.812	48.360
NEL20	48	5.793	0.363	5.352	6.245
Ca	47	6.885	2.081	4.500	9.800
P	47	2.898	0.462	2.300	3.500
Mg	47	2.447	0.382	1.900	3.100
K	47	23.247	4.628	15.900	28.200
Na	47	1.449	1.173	0.400	2.900
Cl	48	8.258	4.072	3.800	13.700
S	47	2.406	0.524	1.700	3.100
CAB	47	277.778	119.630	96.778	426.863
Fe	45	183.867	125.119	89.000	350.000
Mn	45	96.067	39.204	54.000	155.000
Zn	45	29.267	8.066	22.000	42.000
Cu	45	7.418	1.828	5.300	9.700

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	18	361.278	128.607	225.000	527.000
Aska	18	93.556	14.247	78.000	114.000
OS smbh	18	74.611	2.578	70.100	77.700
Råprot	18	160.000	22.334	131.000	195.000
sRåprot	18	569.000	116.458	372.000	692.000
NH3-N	18	106.944	45.263	49.000	173.000
NDF	18	433.889	50.507	373.000	484.000
iNDF	18	170.679	35.985	120.515	200.000
nhNDF	18	4.221	0.643	3.603	5.259
Socket	18	46.500	32.076	11.000	99.000
TAF	18	75.289	34.167	34.500	131.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	18	54.444	33.749	15.000	112.000
Ättiksyra	18	16.667	7.829	6.000	21.000
BUF	18	1.789	2.249	0.100	5.700
AAT20	18	80.241	6.934	71.057	94.041
PBV20	18	32.634	19.289	10.890	61.359
NEL20	18	5.808	0.345	5.460	6.256
Ca	17	7.359	2.541	5.000	12.100
P	17	3.035	0.549	2.100	3.900
Mg	17	2.694	0.452	2.200	3.300
K	17	23.676	4.626	18.500	28.000
Na	17	2.041	1.455	0.600	4.700
Cl	17	9.241	3.284	5.400	14.100
S	17	2.847	0.598	2.100	3.600
CAB	17	258.844	127.630	51.539	415.397
Fe	15	271.067	254.284	97.000	382.000
Mn	15	104.533	38.884	67.000	180.000
Zn	15	29.133	6.379	23.000	36.000
Cu	15	8.720	2.158	6.800	11.800

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	109	440.859	241.481	178.000	878.000
Aska	108	74.806	16.634	54.000	99.000
OS smbh	109	76.524	6.322	68.300	85.300
Råprot	108	146.528	37.207	102.000	199.000
sRåprot	17	409.529	58.630	334.000	481.000
NDF	108	463.481	64.213	364.000	550.000
iNDF	109	142.279	54.693	61.894	219.468
nhNDF	102	5.393	5.053	3.432	6.210
Socket	108	124.972	62.689	47.000	209.000
TAF	109	84.000	0.000	84.000	84.000
AAT20	102	86.807	6.372	78.293	94.705
PBV20	102	9.406	32.017	-27.536	55.788
NEL20	109	5.837	1.616	5.275	6.821
Ca	57	5.361	1.925	3.600	7.000
P	57	2.579	0.495	1.900	3.300
Mg	57	1.877	0.644	1.200	2.900
K	57	23.189	5.135	16.700	29.100
Na	57	1.111	1.153	0.100	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Cl	21	4.390	3.289	0.600	8.900
S	57	2.040	0.657	1.400	3.300
CAB	57	381.463	109.846	196.106	513.541
Fe	57	115.702	83.249	52.000	217.000
Mn	57	69.737	40.287	25.000	128.000
Zn	57	28.491	9.130	19.000	39.000
Cu	57	5.989	1.890	4.000	8.400
Se	11	0.030	0.023	0.010	0.055

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	592	520.936	181.733	316.000	762.700
Aska	591	64.483	10.631	53.000	78.000
OS smbh	592	76.838	5.015	71.000	82.600
Råprot	591	137.293	25.655	104.000	168.000
sRåprot	65	441.169	66.479	372.000	496.000
NH3-N	19	39.474	22.916	11.000	83.000
NDF	591	465.372	59.723	394.000	540.000
iNDF	592	135.789	48.631	82.556	189.847
nhNDF	592	5.041	1.054	3.894	6.226
Socket	591	141.517	55.567	70.000	211.000
TAF	592	79.627	17.657	84.000	84.000
Mjölksyra	35	3.829	6.960	0.000	15.000
Ättiksyra	35	5.343	7.518	0.000	11.000
PRF	35	0.743	1.400	0.000	2.000
BUF	35	0.114	0.676	0.000	0.000
AAT20	592	88.806	5.832	81.760	95.503
PBV20	592	0.099	21.780	-27.352	26.241
NEL20	592	6.352	0.455	5.810	6.850
Ca	539	4.548	1.380	3.100	6.300
P	539	2.468	0.404	2.000	2.900
Mg	539	1.559	0.337	1.200	2.000
K	539	22.132	4.381	16.500	27.700
Na	539	0.722	0.717	0.100	1.600
Cl	133	3.076	3.577	0.300	8.300
S	539	1.892	0.404	1.400	2.400
CAB	539	355.278	119.311	210.868	500.294
Fe	528	113.144	95.808	55.000	194.000
Mn	528	54.169	21.626	29.000	83.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	528	27.182	6.220	20.000	35.000
Cu	527	5.388	1.276	3.900	7.100
Se	124	0.027	0.030	0.007	0.080

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	341	472.633	138.257	311.000	656.000
Aska	340	77.459	11.892	62.000	92.000
OS smbh	341	71.333	4.055	65.600	76.000
Råprot	339	141.950	23.704	110.000	170.000
sRåprot	35	385.143	64.406	309.000	466.000
NDF	339	496.162	43.492	435.000	550.000
iNDF	341	190.670	43.297	139.691	249.848
nhNDF	341	4.025	0.775	2.979	4.993
Socket	339	89.466	39.454	39.000	139.000
TAF	341	80.367	16.426	84.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	16	6.063	4.568	1.000	13.000
PRF	16	0.500	0.894	0.000	2.000
BUF	16	0.000	0.000	0.000	0.000
AAT20	341	82.300	5.984	74.837	88.973
PBV20	341	15.363	20.047	-11.045	42.513
NEL20	341	5.806	0.423	5.266	6.304
Ca	303	6.560	2.030	4.300	9.400
P	303	2.626	0.563	2.000	3.200
Mg	303	2.289	0.523	1.700	3.000
K	303	21.665	4.955	15.000	27.000
Na	303	0.894	0.882	0.100	2.000
Cl	124	3.100	3.901	0.400	9.800
S	303	2.305	0.490	1.700	2.900
CAB	303	330.693	143.760	144.007	482.004
Fe	290	124.310	104.931	62.000	210.500
Mn	290	71.266	35.702	36.500	119.500
Zn	290	30.679	10.750	22.500	40.000
Cu	290	22.644	263.837	5.300	9.250
Se	64	0.040	0.034	0.009	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	201	417.576	134.123	282.000	591.000
Aska	200	93.210	15.302	76.500	108.000
OS smbh	201	73.213	3.519	69.000	77.300
Råprot	200	154.103	25.800	120.500	191.000
sRåprot	12	416.000	93.985	276.000	523.000
NDF	200	450.710	47.865	388.500	512.000
iNDF	201	181.150	42.304	129.635	241.508
nhNDF	201	4.062	0.781	3.015	5.010
Socket	200	84.795	38.574	33.500	126.000
TAF	201	82.990	8.307	84.000	84.000
AAT20	201	82.410	5.038	76.540	88.083
PBV20	201	26.358	22.582	-3.719	52.067
NEL20	201	5.873	0.385	5.397	6.310
Ca	165	8.156	2.786	5.100	12.200
P	165	2.847	0.474	2.300	3.500
Mg	165	2.649	0.518	2.100	3.400
K	165	25.352	4.572	19.500	31.300
Na	165	1.184	1.116	0.300	2.500
Cl	23	4.378	4.414	0.900	11.300
S	165	2.561	0.580	1.900	3.300
CAB	165	405.753	121.424	271.602	549.911
Fe	160	216.119	294.283	77.000	394.000
Mn	160	86.244	41.077	42.000	143.500
Zn	160	29.700	6.813	23.000	37.000
Cu	160	10.498	35.326	5.750	10.200
Se	43	0.043	0.053	0.017	0.059

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	34	375.471	107.122	274.000	494.000
Aska	34	97.471	14.513	78.000	111.000
OS smbh	34	76.665	3.720	72.200	80.800
Råprot	34	176.029	24.174	145.000	210.000
NDF	34	416.971	48.274	361.000	495.000
iNDF	34	147.058	45.088	95.363	214.708
nhNDF	34	4.603	0.828	3.275	5.454
Socket	34	90.324	45.098	31.000	151.000
TAF	34	84.000	0.000	84.000	84.000
AAT20	34	86.590	6.373	79.092	93.342

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
PBV20	34	40.038	19.500	16.257	67.551
NEL20	34	6.197	0.463	5.542	6.690
Ca	28	8.704	2.707	5.600	12.900
P	28	3.225	0.397	2.700	3.700
Mg	28	2.850	0.433	2.300	3.400
K	28	26.964	4.360	21.500	32.600
Na	28	1.786	1.658	0.700	2.700
S	28	2.943	0.495	2.300	3.700
CAB	28	455.870	120.364	247.097	642.845
Fe	26	315.962	401.163	86.000	484.000
Mn	26	93.885	41.740	51.000	162.000
Zn	26	32.231	5.062	27.000	38.000
Cu	26	8.923	1.764	6.800	11.600

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=6

Variabel	Number	Mean	STD	P10	P90
TS	263	441.107	147.318	286.000	630.100
Aska	258	75.250	15.941	55.000	98.000
OS smbh	272	72.606	5.028	66.900	78.100
Råprot	255	136.145	27.759	102.000	169.000
sRåprot	254	567.122	115.027	438.000	687.000
NH3-N	254	83.363	32.382	49.000	124.000
NDF	255	460.933	54.037	397.000	527.000
iNDF	272	186.795	46.001	136.000	243.751
nhNDF	272	3.954	0.744	3.008	4.778
Socket	255	65.923	43.847	13.000	126.000
TAF	272	62.493	21.609	36.500	88.100
Mjölksyra	254	46.287	18.054	26.000	70.000
Ättiksyra	254	12.109	5.377	6.000	19.000
BUF	246	1.928	3.470	0.100	3.800
AAT20	272	80.985	5.674	74.029	87.035
PBV20	272	12.822	23.785	-17.627	40.806
NEL20	272	5.709	0.506	5.102	6.231
Ca	218	5.931	2.246	3.700	8.800
P	218	2.556	0.477	2.000	3.100
Mg	218	2.017	0.617	1.400	2.800
K	218	21.749	4.894	15.600	27.800
Na	218	0.885	0.810	0.100	2.100
Cl	255	5.164	3.314	1.000	9.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
S	218	2.051	0.501	1.400	2.700
CAB	218	322.825	120.376	168.118	483.823
Fe	218	222.560	213.310	71.000	440.000
Mn	218	77.514	39.434	44.000	125.000
Zn	218	31.743	13.195	22.000	40.000
Cu	218	6.985	2.711	4.700	9.200
Se	42	0.041	0.049	0.014	0.072

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	2184	431.218	116.259	303.000	595.000
Aska	2181	65.250	10.285	53.000	77.000
OS smbh	2196	75.773	4.159	70.300	80.245
Råprot	2178	136.993	24.266	106.000	168.000
sRåprot	2165	629.296	109.092	510.000	738.000
NH3-N	2166	79.096	27.703	46.000	111.000
NDF	2178	458.082	54.510	390.000	529.000
iNDF	2196	151.769	40.790	105.563	203.727
nhNDF	2196	4.564	0.733	3.736	5.379
Socket	2178	91.096	51.936	27.000	162.000
TAF	2196	63.000	24.736	32.000	94.000
Mjölksyra	2169	48.726	21.359	22.200	75.000
Ättiksyra	2178	11.858	5.713	5.000	19.000
PRF	419	0.449	0.965	0.000	1.000
BUF	1950	1.270	2.438	0.000	2.800
AAT20	2196	84.567	5.191	78.573	91.071
PBV20	2196	6.965	21.647	-20.522	34.998
NEL20	2196	6.113	0.408	5.590	6.558
Ca	2016	5.026	1.484	3.500	7.000
P	2016	2.482	0.426	2.000	3.000
Mg	2016	1.651	0.341	1.300	2.100
K	2016	21.603	4.109	16.500	26.700
Na	2016	0.813	0.710	0.100	1.700
Cl	2176	4.083	2.713	0.600	7.800
S	2016	1.975	2.439	1.400	2.400
CAB	2016	348.258	189.104	188.156	497.319
Fe	1938	155.872	150.563	69.000	278.000
Mn	1938	61.047	25.121	33.000	89.000
Zn	1938	30.595	22.824	22.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cu	1938	14.411	222.120	4.100	7.700
Se	304	0.040	0.056	0.010	0.100

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	1605	425.681	122.617	289.000	604.000
Aska	1603	74.104	14.050	61.000	88.000
OS smbh	1623	72.068	2.910	68.500	75.400
Råprot	1601	139.491	22.493	110.000	167.000
sRåprot	1593	556.061	99.026	437.000	668.000
NH3-N	1593	80.550	28.323	44.000	115.000
NDF	1601	471.656	39.930	421.000	519.000
iNDF	1623	193.319	33.934	154.896	233.000
nhNDF	1623	3.883	0.543	3.238	4.524
Socket	1599	64.432	40.199	16.100	121.000
TAF	1623	59.724	21.618	34.000	83.100
Mjölksyra	1590	45.331	18.650	23.000	65.450
Ättiksyra	1599	11.787	4.996	6.000	18.000
PRF	246	0.627	1.419	0.000	2.000
BUF	1476	1.238	1.640	0.100	2.600
AAT20	1623	81.410	5.155	75.394	87.912
PBV20	1623	14.698	20.944	-11.689	41.245
NEL20	1623	5.695	0.340	5.253	6.100
Ca	1491	6.479	2.114	4.300	9.300
P	1491	2.582	0.398	2.100	3.100
Mg	1491	2.213	0.457	1.700	2.800
K	1491	21.281	4.006	16.300	26.100
Na	1491	0.990	0.925	0.200	2.100
Cl	1599	6.016	3.632	1.100	10.700
S	1491	2.246	0.442	1.700	2.800
CAB	1491	275.827	122.836	118.877	431.235
Fe	1441	173.323	182.399	73.000	305.000
Mn	1441	77.083	33.149	38.000	118.000
Zn	1441	32.961	15.775	24.000	42.000
Cu	1440	7.327	4.237	5.300	9.200
Se	233	0.047	0.054	0.013	0.100

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	768	393.589	115.240	268.000	555.000
Aska	767	86.409	14.831	70.000	102.000
OS smbh	776	73.532	3.269	69.200	77.300
Råprot	766	151.388	24.554	119.000	182.000
sRåprot	764	553.118	80.588	449.000	648.000
NH3-N	763	91.954	31.675	55.000	131.000
NDF	766	439.068	41.521	385.000	488.000
iNDF	776	184.279	41.023	135.561	240.593
nhNDF	776	3.967	0.671	3.058	4.802
Socket	766	55.218	39.399	12.000	111.000
TAF	776	67.545	24.854	36.500	99.000
Mjölksyra	762	50.884	21.155	25.000	77.000
Ättiksyra	765	13.606	6.322	6.000	20.000
PRF	104	1.211	2.572	0.000	3.000
BUF	760	1.829	3.629	0.100	3.900
AAT20	776	81.032	5.823	73.678	88.756
PBV20	776	26.175	23.384	-3.543	55.596
NEL20	776	5.750	0.390	5.206	6.211
Ca	699	7.816	2.616	5.100	11.500
P	699	2.836	0.506	2.200	3.500
Mg	699	2.581	0.487	2.000	3.200
K	699	23.620	4.911	17.600	29.700
Na	699	1.362	1.038	0.400	2.800
Cl	765	7.137	3.822	2.500	12.200
S	699	2.528	0.530	1.900	3.200
CAB	699	304.318	128.086	134.534	460.807
Fe	672	240.411	311.580	89.000	407.000
Mn	672	84.875	36.408	42.000	129.000
Zn	672	32.750	16.181	23.000	41.000
Cu	672	7.804	1.959	5.800	10.000
Se	111	0.045	0.036	0.017	0.078

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	179	330.961	94.637	221.000	442.000
Aska	179	94.447	18.422	77.000	109.000
OS smbh	179	74.294	3.105	70.300	77.500
Råprot	179	167.525	25.417	133.000	198.000
sRåprot	179	579.911	76.956	459.000	677.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
NH3-N	179	99.318	33.275	62.000	142.000
NDF	179	422.073	38.944	372.000	475.000
iNDF	179	181.493	42.753	136.886	237.702
nhNDF	179	4.056	0.619	3.224	4.734
Socket	179	41.318	35.311	11.000	87.000
TAF	179	82.592	27.537	48.000	122.100
Mjölksyra	179	63.810	24.687	34.000	100.000
Ättiksyra	179	15.648	6.044	9.000	23.000
PRF	39	1.026	1.871	0.000	3.000
BUF	179	2.128	4.201	0.100	4.400
AAT20	179	79.566	5.385	72.651	86.054
PBV20	179	43.628	24.571	11.805	73.418
NEL20	179	5.819	0.392	5.344	6.260
Ca	162	7.640	2.194	5.400	10.600
P	162	3.088	0.599	2.500	3.800
Mg	162	2.657	0.483	2.000	3.300
K	162	24.233	4.429	18.600	29.900
Na	162	1.785	1.179	0.600	3.600
Cl	179	8.910	4.192	4.000	14.500
S	162	2.727	0.592	2.100	3.400
CAB	162	276.100	117.239	126.377	419.747
Fe	150	372.773	372.396	128.500	682.500
Mn	150	88.533	40.173	42.500	150.000
Zn	150	37.287	25.583	25.000	44.500
Cu	150	8.209	2.174	6.000	10.450
Se	25	0.061	0.027	0.034	0.113

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	182	408.976	99.03	303.000	511.500
Aska	182	57.004	25.38	38.000	76.000
OS smbh	182	69.703	3.78	65.200	74.200
Råprot	182	106.320	23.48	80.000	131.000
sRåprot	180	641.534	128.08	494.500	787.500
NH3-N	180	96.206	36.70	55.000	144.000
NDF	182	430.275	59.41	363.000	505.000
iNDF	182	249.876	48.86	183.107	311.249
nhNDF	182	2.883	0.75	1.980	3.934
Stä	181	138.427	94.96	18.000	272.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socket	182	72.634	49.33	15.000	139.100
TAF	182	54.261	24.52	25.700	84.700
Mjölksyra	181	44.411	21.63	19.000	73.000
Ättiksyra	181	8.101	7.36	0.000	18.000
PRF	46	0.978	1.42	0.000	3.000
BUF	47	0.562	0.91	0.000	2.000
AAT20	182	72.999	5.92	66.316	80.772
PBV20	182	-12.216	21.18	-35.183	15.419
NEL20	182	5.485	0.44	4.962	6.044
Ca	148	3.855	1.54	2.300	5.600
P	148	2.593	0.47	2.100	3.200
Mg	148	1.496	0.45	1.000	2.000
K	148	15.812	4.57	9.900	22.400
Na	148	0.816	0.48	0.300	1.400
Cl	168	4.354	2.42	1.600	7.900
S	148	1.788	0.45	1.200	2.400
CAB	148	202.574	94.84	88.833	311.280
Fe	136	325.610	1496.92	56.000	399.000
Mn	136	55.257	74.22	16.000	95.000
Zn	136	36.985	25.51	23.000	51.000
Cu	136	5.700	1.75	3.700	8.000
Se	27	0.041	0.07	0.010	0.092

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	93	390.463	127.183	288.000	496.000
Aska	93	64.784	13.764	48.000	82.000
OS smbh	94	66.336	2.936	62.800	69.700
Råprot	93	110.626	22.012	84.000	138.000
sRåprot	93	634.476	135.801	462.000	773.000
NH3-N	93	96.602	39.569	51.000	142.000
NDF	93	455.618	46.322	400.000	514.000
iNDF	94	274.004	36.835	235.506	323.832
nhNDF	94	2.583	0.520	1.936	3.150
Stä	93	82.149	61.525	18.000	188.000
Socket	93	48.146	29.556	18.000	92.000
TAF	94	57.560	25.487	24.000	98.000
Mjölksyra	93	45.369	22.288	18.000	69.000
Ättiksyra	93	9.960	6.764	2.000	19.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	94	69.574	5.236	62.719	75.606
PBV20	94	2.034	20.713	-23.249	27.790
NEL20	94	5.169	0.289	4.816	5.500
Ca	79	5.266	1.859	3.400	8.200
P	79	2.556	0.430	2.000	3.200
Mg	79	1.754	0.361	1.300	2.300
K	79	17.623	4.683	11.700	24.300
Na	79	1.073	1.014	0.200	1.900
Cl	90	4.526	3.059	2.050	7.900
S	79	1.803	0.509	1.300	2.500
CAB	79	262.740	92.505	153.208	373.753
Fe	79	182.304	133.552	78.000	364.000
Mn	79	80.266	44.024	28.000	148.000
Zn	79	36.506	10.934	26.000	48.000
Cu	79	6.158	1.847	4.300	8.200
Se	14	0.049	0.122	0.005	0.056

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	29	394.803	88.322	302.800	565.300
Aska	29	63.072	13.967	45.300	79.000
OS smbh	30	63.777	2.711	62.800	67.241
Råprot	29	124.045	21.072	97.700	155.000
NDF	29	428.941	53.603	377.000	519.000
iNDF	30	330.943	42.780	271.190	380.707
nhNDF	30	1.993	0.557	1.333	2.927
Stä	29	130.750	78.401	29.100	245.700
Socket	29	42.883	40.445	10.100	117.900
TAF	30	68.157	15.450	52.600	71.900
AAT20	30	68.962	3.106	65.820	72.748
PBV20	30	15.048	19.292	-11.168	42.962
NEL20	30	5.011	0.282	4.727	5.335
Ca	19	5.979	2.533	3.200	9.700
P	19	2.411	0.586	1.800	3.600
Mg	19	1.868	0.611	1.200	2.700
K	19	15.421	4.190	9.600	23.000
Na	19	0.827	0.552	0.190	1.500
S	19	1.532	0.293	1.200	2.000
CAB	19	268.800	122.707	86.150	459.424

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Åkerböna-vete, helsädesensilage, 50% vete (252) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	21	165.190	149.655	75.000	280.000
Mn	21	53.143	27.511	25.000	82.000
Zn	21	40.190	17.212	24.000	64.000
Cu	21	8.952	3.238	5.600	13.400

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	28	376.364	75.724	282.000	467.000
Aska	28	54.661	14.219	34.000	74.600
OS smbh	28	68.513	3.079	65.700	72.189
Råprot	28	111.761	26.271	75.000	149.000
sRåprot	28	573.250	85.958	438.000	671.000
NH3-N	27	80.000	33.737	35.000	125.000
NDF	28	465.814	62.379	388.900	574.000
iNDF	28	311.300	48.453	265.000	373.709
nhNDF	28	4.235	1.436	2.746	6.955
Stä	28	133.600	66.580	58.000	225.700
Socket	28	65.818	33.661	27.000	111.900
TAF	28	56.411	23.969	21.000	93.000
Mjölksyra	27	49.941	23.823	9.100	80.000
Ättiksyra	27	5.281	5.373	0.000	13.000
PRF	21	0.524	1.030	0.000	2.000
BUF	21	0.381	0.590	0.000	1.000
AAT20	28	75.086	4.953	68.020	80.968
PBV20	28	-6.745	21.873	-36.230	30.575
NEL20	28	5.633	0.265	5.267	5.942
Ca	26	5.015	1.711	2.700	7.700
P	26	2.638	0.443	2.100	3.200
Mg	26	1.612	0.451	1.100	2.100
K	26	16.515	3.676	11.800	21.000
Na	26	0.943	0.715	0.300	2.000
Cl	21	6.757	2.335	4.000	10.200
S	26	1.773	0.419	1.200	2.400
CAB	26	182.602	87.543	76.160	300.676
Fe	14	245.571	262.608	108.000	480.000
Mn	14	57.571	21.915	20.000	84.000
Zn	14	39.429	23.858	20.000	84.000
Cu	14	5.571	1.844	3.000	8.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	81	452.328	193.280	292.000	646.000
Aska	81	61.528	15.784	43.000	83.500
OS smbh	81	66.140	3.742	61.300	70.500
Råprot	81	109.283	26.341	76.000	141.100
sRåprot	80	610.450	121.040	448.500	750.500
NH3-N	80	82.363	39.180	37.500	127.000
NDF	81	484.414	58.558	420.000	562.000
iNDF	81	265.316	46.574	206.536	318.826
nhNDF	81	2.875	0.751	2.007	3.806
Stä	80	74.049	63.756	18.000	184.500
Socket	81	57.081	45.531	14.000	121.000
TAF	81	55.854	28.434	24.000	89.000
Mjölksyra	81	44.011	24.368	14.000	72.000
Ättiksyra	81	11.577	8.420	1.000	21.200
PRF	10	0.700	1.494	0.000	3.500
BUF	11	1.327	1.435	0.000	3.000
AAT20	81	74.005	7.144	66.225	82.028
PBV20	81	-9.421	23.954	-38.508	21.979
NEL20	81	5.232	0.369	4.753	5.701
Ca	66	4.153	1.639	2.600	6.100
P	66	2.562	0.443	1.900	3.100
Mg	66	1.718	0.438	1.300	2.400
K	66	17.403	5.062	12.000	24.000
Na	66	1.297	1.264	0.300	2.300
Cl	75	4.617	3.076	1.400	8.000
S	66	1.909	0.584	1.300	2.700
CAB	66	235.882	103.656	72.835	372.931
Fe	62	160.129	97.150	73.000	300.000
Mn	62	78.806	40.923	32.000	130.000
Zn	62	35.210	9.492	26.000	46.000
Cu	62	5.700	1.549	3.900	7.500

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	33	402.424	96.987	292.000	548.000
Aska	33	61.121	11.905	48.000	77.000
OS smbh	33	68.558	3.450	64.600	72.700
Råprot	33	122.636	19.077	95.000	141.000
sRåprot	33	658.000	89.293	585.000	751.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete-ärt, helsädesensilage, degmognad, 50% ärter (CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	33	102.061	26.865	75.000	136.000
NDF	33	442.788	54.843	374.000	520.000
iNDF	33	260.176	36.803	214.393	318.415
nhNDF	33	2.877	0.688	2.063	3.747
Stä	33	94.333	81.965	18.000	242.000
Socket	33	63.212	35.019	19.000	114.000
TAF	33	54.485	19.082	26.000	80.000
Mjölksyra	33	47.212	17.651	24.000	69.000
Ättiksyra	33	7.061	6.403	0.000	16.000
AAT20	33	71.101	5.134	66.323	77.588
PBV20	33	9.302	16.403	-11.054	29.173
NEL20	33	5.389	0.365	5.080	5.948
Ca	28	6.132	2.167	3.600	9.500
P	28	2.671	0.494	2.100	3.400
Mg	28	1.857	0.445	1.400	2.500
K	28	17.146	4.534	11.300	23.100
Na	28	0.589	0.496	0.100	1.100
Cl	33	5.170	2.143	2.600	7.700
S	28	1.821	0.396	1.400	2.300
CAB	28	198.800	75.586	95.231	305.421
Fe	26	240.269	197.791	85.000	567.000
Mn	26	70.385	41.615	20.000	142.000
Zn	26	50.346	66.128	26.000	62.000
Cu	26	6.696	1.632	5.000	8.800

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	86	437.827	105.277	329.000	567.000
Aska	86	51.155	16.578	29.000	75.000
OS smbh	87	68.914	3.974	63.700	72.900
Råprot	86	104.070	22.427	77.000	137.000
sRåprot	84	691.631	105.080	558.000	818.000
NH3-N	82	97.110	28.412	59.000	133.000
NDF	86	446.081	66.058	364.000	533.000
iNDF	87	257.549	52.806	192.000	320.479
nhNDF	87	2.899	0.911	1.822	4.336
Stä	86	116.875	102.519	18.000	262.000
Socket	86	89.869	57.627	23.000	168.200
TAF	87	51.054	22.586	23.500	83.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	84	39.600	19.400	17.000	70.000
Ättiksyra	84	8.521	6.986	0.000	18.000
PRF	14	0.500	0.855	0.000	1.000
BUF	15	0.680	0.712	0.000	2.000
AAT20	87	73.362	5.740	65.260	80.422
PBV20	87	-14.891	20.166	-40.458	10.686
NEL20	87	5.509	0.423	5.003	5.950
Ca	73	2.996	1.453	1.500	5.000
P	73	2.338	0.475	1.900	2.900
Mg	73	1.425	0.382	1.000	2.000
K	73	14.745	4.924	9.500	21.000
Na	73	0.418	0.436	0.100	0.800
Cl	77	3.699	2.256	1.500	7.100
S	73	1.652	0.437	1.100	2.200
CAB	73	182.919	128.237	61.007	307.778
Fe	70	166.900	252.999	52.500	317.000
Mn	70	54.457	29.207	22.500	90.000
Zn	70	32.043	14.663	19.500	39.500
Cu	70	5.264	1.934	3.200	7.600

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	104	400.828	99.506	308.000	517.000
Aska	104	59.196	13.129	44.000	75.000
OS smbh	104	69.898	3.224	66.100	73.800
Råprot	104	114.001	23.148	90.000	140.000
sRåprot	104	651.538	97.439	536.000	757.000
NH3-N	103	97.146	28.840	60.000	135.000
NDF	104	413.866	56.933	337.000	483.000
iNDF	104	258.456	38.211	212.108	311.000
nhNDF	104	2.765	0.657	1.919	3.676
Stä	104	128.235	87.014	26.000	274.000
Socker	104	54.845	31.664	20.000	96.000
TAF	104	58.551	25.317	26.000	90.000
Mjölksyra	103	49.674	22.727	23.000	81.000
Ättiksyra	103	8.497	6.585	1.000	16.000
PRF	14	0.929	1.072	0.000	2.000
BUF	14	0.571	0.646	0.000	1.000
AAT20	104	73.689	5.680	66.330	80.912

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	104	-2.650	22.109	-28.203	25.665
NEL20	104	5.491	0.340	5.062	5.963
Ca	92	5.434	1.770	3.700	7.000
P	92	2.533	0.391	2.100	3.000
Mg	92	1.703	0.353	1.300	2.200
K	92	16.313	3.960	11.900	22.500
Na	92	0.658	0.464	0.200	1.100
Cl	101	4.310	1.953	1.900	7.200
S	92	1.709	0.481	1.200	2.400
CAB	92	218.968	80.434	138.949	337.178
Fe	87	215.264	233.022	67.000	452.000
Mn	87	55.920	35.090	22.000	98.000
Zn	87	35.506	16.267	24.000	48.000
Cu	87	6.160	1.750	3.900	8.700
Se	13	0.019	0.012	0.007	0.040

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	440	354.530	80.230	288.000	417.500
Aska	440	32.637	7.425	25.000	40.000
OS smbh	444	75.565	2.767	72.300	78.300
Råprot	438	78.984	8.861	69.000	90.000
sRåprot	437	536.686	81.814	438.000	642.000
NH3-N	432	66.586	27.594	32.000	102.000
NDF	438	371.764	45.667	322.000	429.000
iNDF	444	203.988	26.405	173.714	234.431
nhNDF	444	3.228	0.463	2.639	3.798
Stä	438	280.776	67.181	197.000	360.000
Socker	436	22.920	10.938	12.000	37.000
TAF	444	67.741	17.318	48.000	87.000
Mjölksyra	435	50.763	14.022	34.000	67.000
Ättiksyra	435	13.775	5.000	8.000	21.000
PRF	114	4.377	1.706	2.000	7.000
BUF	116	0.041	0.315	0.000	0.000
AAT20	444	81.434	4.060	76.576	85.630
PBV20	444	-49.466	11.322	-62.006	-36.728
NEL20	444	6.177	0.283	5.865	6.465
Ca	401	2.195	0.892	1.300	3.200
P	401	1.913	0.386	1.500	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mg	401	1.268	0.249	1.000	1.600
K	401	9.217	1.698	7.100	11.100
Na	401	0.293	0.252	0.100	0.600
Cl	324	1.764	0.803	1.000	2.500
S	401	0.957	0.217	0.800	1.200
CAB	401	141.453	42.291	89.980	195.351
Fe	357	123.571	232.767	61.000	172.000
Mn	357	28.389	20.009	11.000	52.000
Zn	357	34.538	54.170	17.000	43.000
Cu	346	4.587	6.291	2.700	5.700
Se	42	0.019	0.015	0.007	0.050

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	370.779	96.140	259.000	480.000
Aska	14	54.314	9.418	46.000	65.000
OS smbh	14	70.629	5.743	62.599	78.200
Råprot	14	119.850	34.997	77.900	174.000
sRåprot	14	685.000	152.693	543.000	863.000
NH3-N	13	88.846	41.038	45.000	150.000
NDF	14	515.414	54.021	457.000	604.000
iNDF	14	195.526	53.322	115.010	260.578
nhNDF	14	3.951	1.025	2.762	5.745
Stä	14	28.436	34.988	17.000	31.000
Socket	14	106.607	63.664	54.000	180.000
TAF	14	49.277	27.714	12.000	81.680
Mjölksyra	13	37.231	23.707	6.000	65.000
Ättiksyra	13	9.308	6.223	2.000	15.000
AAT20	14	74.119	7.952	65.881	85.945
PBV20	14	-1.899	26.679	-33.262	31.229
NEL20	14	5.684	0.543	5.091	6.461
Ca	11	3.600	1.208	2.400	5.400
P	11	2.491	0.394	2.100	3.000
Mg	11	1.291	0.239	1.000	1.500
K	11	18.973	4.228	15.000	23.400
Na	11	0.400	0.310	0.100	0.800
Cl	13	3.669	3.122	0.400	6.000
S	11	1.791	0.453	1.400	2.300
CAB	11	284.421	155.578	155.798	378.893

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Råg, helsädesensilage, axgång (311) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	11	159.818	86.704	79.000	259.000
Mn	11	37.727	26.325	19.000	57.000
Zn	11	25.818	2.786	24.000	27.000
Cu	11	4.245	0.798	3.100	5.200

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	30	820.437	88.043	674.500	920.900
Aska	29	59.345	17.706	41.000	74.000
OS smbh	34	66.960	5.005	61.640	73.800
Råprot	29	92.828	23.521	59.000	124.000
NDF	29	561.793	65.757	477.000	640.000
iNDF	34	215.290	43.016	161.482	280.900
nhNDF	34	3.639	0.704	2.494	4.512
Socket	29	118.552	29.824	76.000	171.000
TAF	34	0.000	0.000	0.000	0.000
AAT20	34	87.399	6.283	78.925	94.249
PBV20	34	-38.104	14.476	-51.087	-22.444
NEL20	34	5.205	0.458	4.595	5.791
Ca	24	3.275	1.685	1.700	5.100
P	24	2.196	0.444	1.600	2.600
Mg	24	1.431	0.794	0.800	2.200
K	24	18.546	4.811	12.400	25.200
Na	24	0.655	0.769	0.100	1.500
S	24	1.525	0.564	1.000	2.100
CAB	24	270.402	115.450	137.959	406.773
Fe	25	98.080	101.359	42.000	178.000
Mn	25	91.160	114.555	33.000	133.000
Zn	25	25.720	7.243	20.000	35.000
Cu	25	4.496	1.486	3.100	7.400

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	76	851.188	74.177	783.000	923.000
Aska	76	53.434	13.123	37.000	70.000
OS smbh	76	66.902	5.366	60.600	74.200
Råprot	76	99.053	25.773	64.000	139.000
sRåprot	11	379.455	100.284	256.000	494.000
NDF	76	569.855	56.004	507.000	637.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	76	215.717	58.716	158.000	275.253
nhNDF	76	4.273	5.392	2.858	4.405
Socket	76	114.895	38.330	68.000	165.000
TAF	76	0.329	1.996	0.000	0.000
AAT20	76	89.024	7.719	79.989	97.657
PBV20	76	-35.703	17.606	-56.842	-9.273
NEL20	76	5.244	0.494	4.609	5.913
Ca	62	3.784	1.695	2.100	5.600
P	62	2.334	1.347	1.500	2.900
Mg	62	1.460	0.413	1.000	1.900
K	62	18.102	6.010	10.600	26.100
Na	62	0.515	0.650	0.050	1.100
Cl	22	4.964	6.000	0.200	14.300
S	62	1.634	0.705	1.100	2.200
CAB	62	240.427	130.645	65.852	406.901
Fe	59	106.644	100.351	44.000	250.000
Mn	59	64.542	41.056	29.000	118.000
Zn	59	28.169	20.323	19.000	38.000
Cu	59	4.893	1.513	3.200	6.900
Se	10	0.021	0.017	0.007	0.051

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	10	832.100	65.7799	724.000	893.500
Aska	10	66.100	12.8966	55.500	87.500
OS smbh	10	70.930	4.9338	63.850	76.050
Råprot	10	122.100	17.1688	104.500	148.500
NDF	10	533.000	29.5485	487.000	566.500
iNDF	10	175.389	60.9144	115.422	276.201
nhNDF	10	4.068	0.7572	3.041	5.076
Socket	10	134.400	49.7733	78.500	193.000
TAF	10	0.300	0.6749	0.000	1.500
AAT20	10	96.753	7.1243	86.325	103.625
PBV20	10	-27.121	19.3796	-48.065	0.448
NEL20	10	5.623	0.4514	4.959	6.018

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	13	370.992	162.074	198.500	613.000
Aska	13	87.308	7.499	78.000	97.000
OS smbh	13	69.471	4.393	64.325	72.381
Råprot	13	177.615	25.864	140.000	220.000
NDF	13	399.462	55.155	330.000	470.000
iNDF	13	401.871	114.212	298.788	566.981
nhNDF	13	5.292	1.195	3.863	6.510
Socket	13	63.308	33.794	27.000	96.000
TAF	13	72.000	0.000	72.000	72.000
AAT20	13	77.785	5.520	69.245	82.206
PBV20	13	60.843	26.353	42.008	102.576
NEL20	13	5.479	0.497	4.700	5.880
Cl	12	0.625	0.253	0.300	0.900

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	16	395.600	141.567	258.400	627.000
Aska	16	95.125	13.505	83.000	119.000
OS smbh	16	66.677	4.593	60.489	72.477
Råprot	16	174.000	21.726	150.000	210.000
NDF	16	404.250	29.309	350.000	435.000
iNDF	16	456.293	110.172	310.451	609.023
nhNDF	16	5.623	1.566	4.057	9.192
Socket	16	64.000	38.859	15.000	98.000
TAF	16	68.938	12.250	72.000	72.000
AAT20	16	75.304	6.144	65.833	81.287
PBV20	16	61.478	25.471	30.504	104.187
NEL20	16	5.215	0.478	4.424	5.812
Ca	13	13.200	1.918	11.000	16.000
P	13	2.808	0.304	2.400	3.200
Mg	13	3.215	0.659	2.600	4.100
K	13	25.485	4.396	19.400	30.000
Na	13	0.630	0.832	0.050	0.990
Cl	16	2.281	3.963	0.200	11.500
S	13	1.931	0.417	1.500	2.200
CAB	13	483.742	191.690	113.253	660.996
Fe	11	184.455	262.399	80.000	190.000
Mn	11	55.818	28.733	29.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Zn	11	38.545	20.992	23.000	50.000
Cu	11	10.636	3.183	7.700	13.000

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	475.730	203.162	314.350	796.450
Aska	10	75.900	16.370	50.900	96.350
OS smbh	10	69.609	5.910	61.065	76.552
Råprot	10	149.800	29.313	117.900	189.350
sRåprot	10	571.000	71.417	456.000	658.500
NH3-N	10	67.600	14.811	48.500	86.500
NDF	10	441.030	53.991	357.200	504.950
iNDF	10	367.386	117.935	221.371	540.698
nhNDF	10	6.446	1.286	4.470	8.070
Socket	10	64.390	44.331	19.050	131.100
TAF	10	73.030	35.204	25.700	123.900
Mjölksyra	10	50.710	28.275	17.150	94.800
Ättiksyra	10	20.320	11.654	6.550	36.750
AAT20	10	76.218	9.174	66.055	89.188
PBV20	10	36.528	34.198	-2.132	87.831
NEL20	10	5.570	0.552	4.751	6.247
CI	10	0.540	0.232	0.200	0.800

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	388.272	107.023	268.900	523.900
Aska	18	76.150	11.758	59.000	91.000
OS smbh	18	74.361	4.889	67.586	81.108
Råprot	18	159.506	33.345	115.000	207.900
sRåprot	16	571.000	133.751	389.000	718.000
NH3-N	16	69.750	22.866	47.000	105.000
NDF	18	406.578	63.838	317.000	509.000
iNDF	18	272.677	114.183	130.613	438.362
nhNDF	18	5.702	1.174	4.156	7.329
Socket	18	72.861	50.817	19.100	135.000
TAF	18	77.333	33.997	27.000	139.000
Mjölksyra	18	56.167	28.382	20.200	94.700
Ättiksyra	18	19.172	9.122	12.000	28.200
AAT20	18	80.591	7.719	73.724	92.686

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	18	38.494	29.812	-3.033	86.606
NEL20	18	5.987	0.512	5.285	6.580
Ca	18	9.294	3.078	5.200	14.000
P	18	2.511	0.689	1.900	3.600
Mg	18	2.206	0.525	1.500	3.000
K	18	21.722	4.305	16.000	29.100
Na	18	0.426	0.400	0.100	1.200
Cl	18	1.289	2.138	0.200	6.000
S	18	1.894	0.646	1.400	2.600
CAB	18	419.351	118.586	260.997	598.192
Fe	18	212.333	206.975	74.000	600.000
Mn	18	42.667	19.070	24.000	77.000
Zn	18	27.333	8.905	19.000	37.000
Cu	18	7.906	2.458	4.800	11.000

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	29	458.159	174.926	278.700	761.000
Aska	29	80.986	12.420	68.000	96.700
OS smbh	29	69.020	3.497	63.558	73.436
Råprot	29	148.624	21.139	119.600	179.400
sRåprot	29	482.276	94.413	324.000	595.000
NH3-N	29	70.759	21.641	38.000	99.000
NDF	29	441.455	42.477	374.600	496.800
iNDF	29	360.351	101.244	250.000	489.652
nhNDF	29	5.571	1.211	4.077	7.657
Socket	29	64.828	40.957	20.100	124.100
TAF	29	69.910	39.208	14.200	125.800
Mjölksyra	29	48.607	32.738	1.100	91.500
Ättiksyra	29	19.648	12.289	6.100	34.300
AAT20	29	76.949	6.642	67.329	85.716
PBV20	29	34.192	26.664	-2.514	69.246
NEL20	29	5.485	0.316	5.092	5.928
Ca	24	9.033	2.551	6.200	13.000
P	24	2.575	0.487	2.000	3.200
Mg	24	2.513	0.456	1.800	3.000
K	24	22.671	3.604	18.400	28.500
Na	24	0.504	0.370	0.056	0.950
Cl	29	2.810	3.598	0.100	8.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
S	24	1.829	0.430	1.400	2.400
CAB	24	395.381	146.046	201.459	576.045
Fe	23	205.087	279.339	61.000	620.000
Mn	23	56.826	22.751	35.000	79.000
Zn	23	46.783	57.465	23.000	50.000
Cu	23	8.204	2.381	5.900	11.000

Type=Ensilage, blandvall (51-100% klöver) (438) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	11	439.264	111.375	330.300	563.000
Aska	11	98.100	8.458	91.600	105.800
OS smbh	11	71.187	4.651	67.298	75.641
Råprot	11	179.318	19.854	150.000	205.600
sRåprot	11	475.545	99.289	368.000	628.000
NH3-N	11	62.273	22.957	42.000	92.000
NDF	11	397.391	26.965	373.600	434.200
iNDF	11	339.066	137.299	237.713	458.444
nhNDF	11	4.997	0.467	4.483	5.472
Socket	11	62.173	41.224	32.200	80.000
TAF	11	68.218	33.788	35.300	101.700
Mjölksyra	11	49.036	24.938	22.200	86.600
Ättiksyra	11	17.191	11.345	5.000	24.200
AAT20	11	79.109	9.286	72.473	86.306
PBV20	11	60.116	27.518	39.348	78.724
NEL20	11	5.648	0.440	5.267	6.162
Ca	10	13.270	3.696	8.600	18.850
P	10	2.720	0.339	2.350	3.200
Mg	10	2.920	0.336	2.550	3.400
K	10	24.610	5.464	16.500	31.000
Na	10	0.542	0.293	0.250	0.950
Cl	11	2.027	2.702	0.300	5.500
S	10	2.210	0.256	1.850	2.550
CAB	10	452.880	151.194	247.551	660.734
Fe	10	152.900	98.885	77.000	318.500
Mn	10	59.000	25.755	26.000	92.500
Zn	10	28.800	1.989	26.500	31.500
Cu	10	9.200	1.382	7.900	11.250

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	29	432.103	102.856	361.000	548.00
Aska	29	60.448	14.116	42.000	82.00
OS smbh	29	75.162	3.417	70.100	79.50
Råprot	29	156.483	20.986	129.000	182.00
sRåprot	29	498.276	53.182	420.000	566.00
NH3-N	24	48.042	26.119	12.000	88.00
NDF	29	378.345	59.794	290.000	459.00
iNDF	29	214.138	45.086	167.000	275.00
nhNDF	29	3.672	0.551	3.044	4.13
Stä	27	145.667	64.896	56.000	228.00
Socket	29	81.931	34.128	33.000	124.00
TAF	29	47.793	19.303	22.000	74.00
Mjölksyra	29	40.483	17.715	21.000	66.00
Ättiksyra	29	3.517	5.914	0.000	13.00
PRF	29	3.655	3.487	0.000	9.00
BUF	29	0.138	0.581	0.000	0.00
AAT20	29	90.613	5.459	81.839	94.95
PBV20	29	19.771	16.598	-2.711	41.95
NEL20	29	6.351	0.375	5.883	6.77
Ca	29	5.497	1.618	3.000	7.60
P	29	3.766	1.554	2.600	5.90
Mg	29	2.559	1.034	1.600	4.20
K	29	16.876	4.554	11.200	23.80
Na	29	1.886	1.447	0.500	3.60
Cl	29	7.797	3.634	3.600	13.70
S	29	2.372	0.870	1.500	3.00
CAB	29	145.720	112.127	-12.610	278.77
Fe	19	439.474	359.485	170.000	1119.00
Mn	19	89.579	34.311	58.000	140.00
Zn	19	47.263	35.638	0.000	92.00
Cu	19	14.905	6.128	5.600	24.00
Se	10	0.267	0.172	0.040	0.51

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	56	439.661	63.349	365.000	520.000
Aska	56	71.464	12.510	56.000	88.000
OS smbh	58	71.984	14.516	66.200	79.900
Råprot	56	153.214	17.969	131.000	180.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	56	368.000	78.128	293.000	500.000
iNDF	56	205.338	36.542	160.000	247.312
nhNDF	56	3.252	0.448	2.606	3.852
Stä	56	132.000	60.219	51.000	202.000
NEL20	58	0.000	0.000	0.000	0.000
Ca	49	6.735	1.409	5.300	8.700
P	49	3.592	0.706	2.700	4.600
Mg	49	3.327	1.221	1.900	5.500
K	49	15.139	2.966	11.500	20.100
Na	49	3.429	2.024	0.900	5.400
S	49	2.624	0.899	1.800	3.500
Fe	49	303.857	108.739	182.000	473.000
Mn	49	88.898	37.049	54.000	123.000
Zn	49	77.061	35.005	35.000	106.000
Cu	49	14.837	6.640	6.900	24.500
Se	23	0.556	0.423	0.143	1.039