

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Prognos, blandvall (1-50% baljv) (042)	0	24	231	75	84.7	183			390	66	8.89		170			111	4.5	6.59
Prognos, blandvall (1-50% baljv) (042)	1	22	217	78	83.8	190			406	71	13.5		146			111	13.1	6.86
Grönmassa, gräs (0% baljv.) (161)	1	10	400	70	76.5	145	456		472	127	5.52		155			88.7	4.6	6.20
Grönmassa blandvall (1-50 % baljväxter) (164)	0	14	401	86	73.5	148			500	160	4.58		76			82.0	21.7	6.01
Grönmassa blandvall (1-50 % baljväxter) (164)	1	160	335	76	78.0	159	414		459	121	5.38		111			88.1	21.9	6.44
Ensilage, blandvall (1-50% klöver) (165)	0	16	366	97	71.1	160	566	94.9	426	220	3.38		36	53.0	12.3	78.1	39.6	5.69
Ensilage, blandvall (1-50% klöver) (165)	1	24	380	77	76.0	160	644	83.6	450	145	4.53		78	51.9	16.3	82.9	31.5	6.28
Ensilage, blandvall (1-50% klöver) (165)	2	12	441	76	69.3	134	523	109	477	252	4.53		56	43.4	18.8	77.9	14.7	5.59
Ensilage, blandvall (1-50% klöver) (165)	3	18	396	81	73.1	153	560	88.8	441	202	4.04		64	51.6	17.9	81.0	27.7	5.96

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	9	4.4	2.9	1.8	23.7	1.0	2.4	2.3	406	5	90.0	69.6	46.0	4.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	3	6.8	2.6	2.2	28.3	0.9		2.0	506	3	268.7	49.7	29.3	7.2	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	134	5.5	2.9	1.9	25.4	1.0	4.4	2.1	434	104	145.2	60.6	32.8	6.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	10	6.8	2.8	2.2	22.7	1.2	7.1	2.4	212	10	520.2	69.8	55.9	7.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	22	5.8	3.2	2.3	25.3	1.1	4.3	2.2	437	8	221.0	57.3	29.4	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	11	6.6	2.6	2.3	21.0	1.4	4.8	2.2	314	9	153.7	89.6	29.2	5.6	
Ensilage, blandvall (1-50% klöver) (165)	3	16	7.9	2.9	2.7	22.2	1.4	5.3	2.6	318	11	206.4	71.3	33.7	8.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	24	231.083	37.8303	187.000	255.700
Aska	24	75.458	8.1826	65.000	86.000
OS smbh	24	84.691	2.8400	81.900	88.000
Råprot	24	183.042	33.6070	135.000	233.000
NDF	24	389.958	55.2358	310.000	442.000
iNDF	24	65.701	24.8100	47.962	84.690
nhNDF	23	8.886	4.1783	5.602	13.941
Socket	24	170.333	37.4998	116.000	216.000
TAF	24	0.000	0.0000	0.000	0.000
AAT20	23	110.836	5.1704	104.278	116.543
PBV20	23	4.514	22.5331	-26.500	30.069
NEL20	24	6.589	1.4370	6.261	7.212

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	216.636	51.0206	169.000	252.000
Aska	22	77.864	9.1146	62.000	88.000
OS smbh	22	83.764	2.8371	81.500	88.200
Råprot	22	190.000	34.3691	141.000	236.000
NDF	22	406.182	48.9184	324.000	463.000
iNDF	22	70.884	19.9840	50.505	90.541
nhNDF	22	13.544	22.6020	5.660	25.571
Socket	22	145.727	51.3709	83.000	187.000
TAF	22	0.000	0.0000	0.000	0.000
AAT20	22	111.235	5.9560	104.376	115.703
PBV20	22	13.081	23.8737	-24.354	40.476
NEL20	22	6.862	0.3447	6.469	7.141

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	399.500	201.030	176.500	704.000
Aska	10	69.700	12.374	55.000	87.500
OS smbh	10	76.480	6.743	65.750	84.150
Råprot	10	144.500	50.553	94.500	220.500
NDF	10	472.100	107.664	321.500	614.000
iNDF	10	127.471	51.332	71.000	207.106
nhNDF	10	5.517	2.847	3.829	9.593
Socket	10	154.700	71.565	70.000	254.500
TAF	10	61.000	0.000	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	10	88.718	10.065	76.447	103.614
PBV20	10	4.647	32.121	-34.057	50.230
NEL20	10	6.196	0.589	5.293	6.922

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	14	401.357	99.5981	304.000	535.000
Aska	14	85.786	14.8592	66.000	98.000
OS smbh	14	73.464	4.0477	69.300	78.700
Råprot	14	148.357	27.3541	129.000	174.000
NDF	14	499.929	49.0251	438.000	546.000
iNDF	14	160.153	36.4508	112.591	199.112
nhNDF	14	4.583	0.7137	3.626	5.547
Socket	14	76.143	38.1169	21.000	126.000
TAF	14	84.000	0.0000	84.000	84.000
AAT20	14	82.024	4.2976	77.728	86.439
PBV20	14	21.692	22.1761	-3.245	47.996
NEL20	14	6.008	0.3573	5.657	6.382

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	160	334.938	118.831	184.500	496.000
Aska	159	76.459	10.577	63.000	90.000
OS smbh	160	77.985	3.913	72.550	83.500
Råprot	159	159.346	29.105	126.000	202.000
sRåprot	34	413.529	66.488	317.000	497.000
NDF	159	459.296	52.729	390.000	529.000
iNDF	160	120.954	39.693	60.000	168.091
nhNDF	160	5.380	1.006	4.425	6.629
Socket	159	111.013	52.892	45.000	185.000
TAF	160	84.000	0.000	84.000	84.000
AAT20	160	88.123	5.688	82.211	95.402
PBV20	160	21.863	21.544	-3.818	53.271
NEL20	160	6.444	0.379	6.008	6.995
Ca	134	5.460	1.843	3.700	7.600
P	134	2.850	0.417	2.300	3.400
Mg	134	1.892	0.467	1.400	2.600
K	134	25.401	4.967	18.800	31.300
Na	134	1.010	0.827	0.300	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cl	33	4.358	1.816	2.400	6.100
S	134	2.068	0.405	1.500	2.600
CAB	134	434.291	124.885	262.879	588.817
Fe	104	145.202	122.360	75.000	228.000
Mn	104	60.587	24.932	33.000	89.000
Zn	104	32.808	10.671	24.000	40.000
Cu	104	6.134	1.542	4.200	8.000
Se	27	0.019	0.013	0.008	0.039

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	16	365.875	155.052	248.000	580.00
Aska	16	97.438	39.409	51.000	150.00
OS smbh	16	71.138	4.408	66.600	77.70
Råprot	16	160.438	41.740	114.000	212.00
sRåprot	16	566.000	128.865	288.000	678.00
NH3-N	16	94.938	33.419	58.000	134.00
NDF	16	426.438	84.008	329.000	567.00
iNDF	16	219.832	63.640	130.401	305.08
nhNDF	16	3.383	1.002	2.042	4.35
Socket	16	36.000	32.535	11.000	91.00
TAF	16	68.706	39.353	6.400	121.10
Mjölksyra	16	53.000	33.900	2.000	97.00
Ättiksyra	16	12.313	6.570	2.000	19.00
BUF	16	2.394	2.227	0.100	5.50
AAT20	16	78.062	7.407	73.119	84.75
PBV20	16	39.608	38.601	1.036	93.26
NEL20	16	5.689	0.509	5.072	6.58
Ca	10	6.820	3.033	3.800	11.40
P	10	2.810	0.555	2.150	3.50
Mg	10	2.150	0.753	1.450	3.40
K	10	22.740	7.501	14.350	33.30
Na	10	1.190	0.813	0.250	2.35
Cl	16	7.094	6.614	0.600	17.60
S	10	2.420	0.738	1.550	3.45
CAB	10	211.934	152.189	-17.701	389.43
Fe	10	520.200	549.170	92.000	1388.00
Mn	10	69.800	31.587	42.500	123.50

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Zn	10	55.900	33.690	26.500	113.50
Cu	10	7.110	1.461	5.300	9.15

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	24	380.417	98.884	248.000	509.000
Aska	24	77.208	13.676	65.000	91.000
OS smbh	24	76.042	3.023	71.800	79.000
Råprot	24	160.375	25.498	136.000	198.000
sRåprot	24	643.708	89.671	502.000	753.000
NH3-N	24	83.583	26.704	47.000	116.000
NDF	24	449.583	42.740	397.000	498.000
iNDF	24	145.178	39.668	111.000	214.000
nhNDF	24	4.526	0.622	3.809	5.182
Socket	24	78.125	47.710	25.000	161.000
TAF	24	72.079	30.448	32.400	110.000
Mjölksyra	24	51.917	27.966	10.000	84.000
Ättiksyra	24	16.250	6.067	8.000	24.000
PRF	18	2.611	8.479	0.000	6.000
BUF	24	1.704	4.718	0.000	4.000
AAT20	24	82.927	3.865	78.230	88.537
PBV20	24	31.475	23.453	2.157	66.920
NEL20	24	6.283	0.361	5.855	6.540
Ca	22	5.809	1.887	3.800	7.600
P	22	3.195	0.395	2.600	3.700
Mg	22	2.327	0.461	1.700	2.900
K	22	25.323	3.421	22.300	30.200
Na	22	1.114	0.746	0.300	1.500
Cl	24	4.250	1.889	1.800	6.600
S	22	2.186	0.417	1.600	2.600
CAB	22	437.260	113.459	327.208	540.880

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	12	441.333	164.982	259.000	594.000
Aska	12	75.917	11.453	69.000	90.000
OS smbh	12	69.267	2.977	65.400	72.100
Råprot	12	133.500	32.604	88.000	162.000
sRåprot	12	522.917	99.499	411.000	622.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NH3-N	12	108.917	111.939	59.000	108.000
NDF	12	477.250	45.393	430.000	526.000
iNDF	12	252.334	67.218	196.799	338.000
nhNDF	12	4.528	2.961	3.040	5.231
Socket	12	55.667	43.496	10.000	76.000
TAF	12	70.092	36.800	41.800	114.000
Mjölksyra	12	43.417	23.724	10.000	71.000
Ättiksyra	12	18.750	14.833	8.000	46.000
BUF	12	4.592	14.313	0.000	2.100
AAT20	12	77.942	6.021	72.459	83.059
PBV20	12	14.659	27.037	-24.182	37.845
NEL20	12	5.590	0.284	5.130	5.885
Ca	11	6.564	2.631	4.400	11.100
P	11	2.609	0.476	2.100	3.000
Mg	11	2.309	0.670	1.500	3.000
K	11	21.018	5.287	14.600	26.400
Na	11	1.427	0.776	0.700	2.700
Cl	11	4.827	3.492	0.500	9.500
S	11	2.218	0.571	1.400	2.900
CAB	11	314.233	189.017	95.130	529.578

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	18	395.667	115.019	252.000	533.000
Aska	18	80.500	13.352	62.000	101.000
OS smbh	18	73.061	3.325	66.700	76.800
Råprot	18	152.944	22.657	117.000	178.000
sRåprot	18	559.833	69.961	454.000	646.000
NH3-N	18	88.778	35.631	57.000	146.000
NDF	18	440.667	50.545	379.000	517.000
iNDF	18	201.766	45.843	133.000	273.015
nhNDF	18	4.039	0.816	3.016	4.940
Socket	18	64.056	48.976	13.000	129.000
TAF	18	72.300	27.594	36.000	106.100
Mjölksyra	18	51.611	28.128	10.000	83.000
Ättiksyra	18	17.944	11.745	10.000	32.000
BUF	18	1.744	2.725	0.000	6.700
AAT20	18	81.026	4.781	73.171	86.371
PBV20	18	27.709	20.141	-2.025	49.008

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NEL20	18	5.958	0.313	5.477	6.453
Ca	16	7.906	2.863	5.500	13.500
P	16	2.881	0.494	2.200	3.500
Mg	16	2.731	0.546	2.000	3.500
K	16	22.238	5.777	15.400	31.500
Na	16	1.369	0.676	0.500	2.200
Cl	18	5.333	3.271	2.500	7.900
S	16	2.556	0.516	2.000	3.200
CAB	16	317.599	173.969	88.486	654.716
Fe	11	206.364	83.067	126.000	304.000
Mn	11	71.273	31.337	37.000	111.000
Zn	11	33.727	13.282	22.000	52.000
Cu	11	8.736	2.997	6.000	13.000